

Technical description of the data set for data transmission (FM)

Annex 2

to the communication manual

for data transmission in accordance with

Section 45b (except paragraph 9) German Income Tax Act (EStG) and

Section 45c EStG

(FM)

XML Schema MiKaDiv_FM_1.02.xsd

Table of contents

Change log.....	12
Preliminary remark.....	15
element MiKaDivFMRoot	15
element MiKaDivFMRoot/MiKaDiv_FM_45b.....	16
element MiKaDivFMRoot/MiKaDiv_FM_45c.....	17
element MiKaDivFMRoot/MiKaDiv_FM_ANTW	18
complexType AntwortListeType.....	19
element AntwortListeType/AntwortListe	20
element AntwortListeType/AntwortListe/Antwort	20
element AntwortListeType/NachrichtenAntwort	21
complexType AntwortType	22
element AntwortType/PersonenErgebnis.....	22
element AntwortType/PersonenErgebnis/PersonErgebnis	23
element AntwortType/MeldungsErgebnis.....	23
complexType DLMeldepflichtig.....	24
element DLMeldepflichtig/MeldepflichtigeStelle	25
element DLMeldepflichtig/Dienstleister	26
complexType DLZertifiziert	28
element DLZertifiziert/ZertifizierteStelle	29
element DLZertifiziert/Dienstleister.....	31
complexType MA11ListeType	32
element MA11ListeType/Meldung	33
complexType MA13ListeType	35

element MA13ListeType/Meldung	36
complexType MA21ListeType	37
element MA21ListeType/Meldung	38
complexType MA22ListeType	39
element MA22ListeType/Meldung	40
complexType MA23ListeType	41
element MA23ListeType/Meldung	42
complexType MAErgListeType	43
element MAErgListeType/Meldung	44
complexType MeldungListe45bType	46
element MeldungListe45bType/MA11Liste.....	47
element MeldungListe45bType/MA13Liste.....	47
element MeldungListe45bType/SMListe	48
element MeldungListe45bType/ZAMListe.....	48
element MeldungListe45bType/MAErgListe.....	48
complexType MeldungListe45cType.....	49
element MeldungListe45cType/MA21Liste	50
element MeldungListe45cType/MA22Liste	50
element MeldungListe45cType/MA23Liste	50
element MeldungListe45cType/SMListe.....	51
complexType SMListeType.....	51
element SMListeType/Meldung.....	51
complexType ZAMListeType	53
element ZAMListeType/Meldung.....	53
complexType AdresseAuslandType.....	54
complexType AdresseInlandType.....	55
complexType AdresseType.....	56
complexType AntwortenType	57
complexType ErgebnisType.....	58

complexType GenerellesFeldComplexType	58
element GenerellesFeldComplexType/Feldbezeichnung	59
element GenerellesFeldComplexType/Wert.....	59
complexType IdMerkmalNNPType.....	60
complexType KontoMitStueckzahlType	61
complexType MeldungenType	61
complexType NachrichtenType	62
complexType PersonErgebnisType.....	63
element PersonErgebnisType/PersonenIdentifizierung	63
element PersonErgebnisType/Ergebnis	63
simpleType AuslandSteuerNr	64
simpleType BZStSteuernummerType.....	64
simpleType Datum0000Type.....	65
simpleType Datum0Type.....	65
simpleType Datum1880Type.....	65
simpleType DepotkontoEnumType	66
simpleType DepotverhaeltnisEnumType	66
simpleType Dezimal14dot2Type	66
simpleType EUIDType.....	67
simpleType GeburtsdatumType	67
simpleType IdNrType.....	67
simpleType ISINType	68
simpleType KontonummerType	68
simpleType LEIType	69
simpleType MailType	69
simpleType Name105Type	69
simpleType Name20Type	69
simpleType Name256Type	70
simpleType Name45Type	70

simpleType Name80Type	71
simpleType NameType	71
simpleType NationaleKennungType.....	71
simpleType RechtsformType	72
simpleType RechtsgrundlageType.....	72
simpleType SteuernummerType	72
simpleType SteuersatzType.....	73
simpleType StringNoLeadingOrTrailingSeparators	73
simpleType StringNoLeadingSeparators	73
simpleType TelefonnummerType	74
simpleType UUIDType	74
simpleType VerhaeltnisType	75
simpleType WertpapierStueckzahlType.....	75
simpleType WIDType.....	75
simpleType ZulassungsnummerType	76
complexType AusschuetendeGesellschaftType.....	77
element AusschuetendeGesellschaftType/Adresse	78
complexType DienstleisterType	79
element DienstleisterType/Adresse.....	81
complexType GlaebigerOderDepotinhaberType	82
element GlaebigerOderDepotinhaberType/GlaebigerListe.....	82
element GlaebigerOderDepotinhaberType/GlaebigerListe/Glaebiger	82
element GlaebigerOderDepotinhaberType/Depotinhaber	83
complexType HinterlegungsstelleType	83
complexType KontopersonUndVertreterType.....	84
element KontopersonUndVertreterType/Kontovertretungen	85
element KontopersonUndVertreterType/Kontovertretungen/Vertreter.....	85
element KontopersonUndVertreterType/Personen	86
element KontopersonUndVertreterType/Personen/Person	86

complexType MeldepflichtigeStelleType	87
element MeldepflichtigeStelleType/Adresse.....	88
complexType PersonBasisType	89
element PersonBasisType/Anschrift	89
complexType PersonDepotfuehrendeStelleType	90
complexType PersonMitAdresse45bChoiceType.....	91
element PersonMitAdresse45bChoiceType/NatInlandMitId.....	92
element PersonMitAdresse45bChoiceType/NatAuslandMitId.....	94
element PersonMitAdresse45bChoiceType/NatAuslandMitStNr	95
element PersonMitAdresse45bChoiceType/NichtNatInlandMitWid.....	97
element PersonMitAdresse45bChoiceType/NichtNatInlandMitStNr	98
element PersonMitAdresse45bChoiceType/NichtNatAuslandMitStNr	99
element PersonMitAdresse45bChoiceType/NichtNatAuslandNoStNr	100
complexType PersonMitAdresseChoiceType.....	102
element PersonMitAdresseChoiceType/NatInlandMitId	103
element PersonMitAdresseChoiceType/NatAuslandMitId	104
element PersonMitAdresseChoiceType/NatAuslandMitStNr	106
element PersonMitAdresseChoiceType/NichtNatInlandMitWid.....	107
element PersonMitAdresseChoiceType/NichtNatInlandMitStNr	108
element PersonMitAdresseChoiceType/NichtNatAuslandMitStNr	109
element PersonMitAdresseChoiceType/NichtNatAuslandNoStNr	110
complexType PersonMitArt45bType.....	112
element PersonMitArt45bType/Einzelperson	112
element PersonMitArt45bType/SonstigeGemeinschaft.....	113
complexType PersonNatAuslandStNr45bType	113
complexType PersonNatAuslandStNrType	115
complexType PersonNatDatenType.....	116
complexType PersonNatIdAusland45bType	118
complexType PersonNatIdAuslandType	120

complexType PersonNatIdInland45bType	121
complexType PersonNatIdInlandType	123
complexType PersonNichtNatAuslandStNr45bType.....	124
complexType PersonNichtNatAuslandStNrType	126
complexType PersonNichtNatAuslandType	127
complexType PersonNichtNatRechtsformAusland45bType	129
complexType PersonNichtNatRechtsformAuslandType	131
complexType PersonNichtNatStNrInlandType.....	132
complexType PersonNichtNatStNrInlandType45bType.....	133
complexType PersonNichtNatType	134
complexType PersonNichtNatWidInland45bType	135
complexType PersonNichtNatWidInlandType	136
complexType PersonType	136
element PersonType/EinzelPerson	137
element PersonType/SonstigeGemeinschaft.....	137
complexType PersonVerwahrstelleBasisType.....	138
element PersonVerwahrstelleBasisType/Anschrift.....	139
complexType PersonVerwahrstelleType.....	141
complexType SonstigeGemeinschaft45bType	143
element SonstigeGemeinschaft45bType/Miteigentuemer	143
complexType SonstigeGemeinschaftType	144
element SonstigeGemeinschaftType/Miteigentuemer	144
complexType VertreterMitAdresseChoiceType	145
element VertreterMitAdresseChoiceType/NatInlandMitId	146
element VertreterMitAdresseChoiceType/NatAuslandMitId	147
element VertreterMitAdresseChoiceType/NatAuslandMitStNr	149
element VertreterMitAdresseChoiceType/NichtNatInlandAusland	150
complexType VertreterNichtNatType	152
complexType ZertifizierteStelleType.....	154

element ZertifizierteStelleType/Adresse	156
simpleType AnsaessigkeitsstaatType	156
simpleType KontovertretungType.....	157
simpleType PersonArtType	157
complexType Meldeart11	158
complexType Meldeart13	160
element Meldeart13/Verwahrkette	162
element Meldeart13/Kontopersonen.....	163
element Meldeart13/KontoListe.....	163
element Meldeart13/KontoListe/Konto	164
element Meldeart13/KontoListe/Konto/Paymentlines	164
complexType PaymentlineListeMa13Type	165
element PaymentlineListeMa13Type/Paymentline.....	165
complexType PaymentlineMa13Type.....	167
element PaymentlineMa13Type/ZusatzMeldungUUID	168
element PaymentlineMa13Type/Kapitalertrag	169
element PaymentlineMa13Type/Stueckzahlen	170
element PaymentlineMa13Type/Hinterlegungsschein	172
complexType Meldeart21	174
element Meldeart21/Wertpapiergattung.....	175
complexType WertpapiergattungMa21Type	176
element WertpapiergattungMa21Type/Zahlungstage	177
complexType ZahlungstagMa21ListeType	177
element ZahlungstagMa21ListeType/Zahlungstag	178
complexType ZahlungstagMa21Type.....	178
element ZahlungstagMa21Type/OhneAbstand	179
element ZahlungstagMa21Type/TeilAbstaende	180
element ZahlungstagMa21Type/TeilAbstaende/TeilAbstand	180
element ZahlungstagMa21Type/VollAbstaende.....	181

element ZahlungstagMa21Type/VollAbstaende/VollAbstand	181
complexType Meldeart22	182
element Meldeart22/Kontopersonen.....	184
element Meldeart22/Paymentlines	184
complexType PaymentlineListeMa22Type	185
element PaymentlineListeMa22Type/Paymentline.....	185
complexType PaymentlineMa22Type.....	186
element PaymentlineMa22Type/Kapitalertrag	187
complexType ZahlungstagMa22Type.....	191
element ZahlungstagMa22Type/EinbehalteneSteuern	195
complexType AmtlicheOrdnungsnummerMa23ListeType.....	196
element AmtlicheOrdnungsnummerMa23ListeType/AOrdNr.....	196
complexType Meldeart23	197
element Meldeart23/AbgefKapitalertragsteuer	198
element Meldeart23/AmtlicheOrdnungsnummerListe	199
complexType StornomeldungType	199
complexType ZusatzAngabenMeldung	201
element ZusatzAngabenMeldung/Zugaenge	202
element ZusatzAngabenMeldung/Abgaenge.....	203
complexType MeldeartErg	204
simpleType datatypeC.....	206
complexType MeldungType	208
complexType SelbststaendigeMeldungMitOrdnungsnummerType	209
element SelbststaendigeMeldungMitOrdnungsnummerType/Verwahrkette	211
element SelbststaendigeMeldungMitOrdnungsnummerType/Kontopersonen.....	212
element SelbststaendigeMeldungMitOrdnungsnummerType/KontoListe	213
element SelbststaendigeMeldungMitOrdnungsnummerType/KontoListe/BescheinigteSteuern.....	213
element SelbststaendigeMeldungMitOrdnungsnummerType/KontoListe/Konto	214
element SelbststaendigeMeldungMitOrdnungsnummerType/KontoListe/Konto/Paymentlines.....	214

complexType SelbststaendigeMeldungType.....	215
simpleType Meldungstyp	216
complexType AbgangslisteType	217
element AbgangslisteType/Abgang	217
complexType AuszahlendeStellePositionType.....	219
complexType DepotfuehrendeStellePositionType.....	221
complexType ErtragsGruppe45cType	223
element ErtragsGruppe45cType/EinbehalteneSteuern.....	224
element ErtragsGruppe45cType/BruttoBescheinigteSteuern	224
element ErtragsGruppe45cType/GemeldeteSteuern	225
complexType HinterlegungsscheinType.....	226
element HinterlegungsscheinType/Wertpapier	227
element HinterlegungsscheinType/Hinterlegungsstelle	228
complexType KapitalertragType.....	229
element KapitalertragType/EinbehalteneSteuern	230
complexType Paymentline45BBasisType	231
element Paymentline45BBasisType/AusschuettendeGesellschaft.....	232
complexType PaymentlineBasisType	233
complexType PaymentlineListeMa11ErgType	234
element PaymentlineListeMa11ErgType/Paymentline	235
complexType PaymentlineMa11ErgType.....	237
element PaymentlineMa11ErgType/ZusatzMeldungUUID	238
element PaymentlineMa11ErgType/Kapitalertrag	239
element PaymentlineMa11ErgType/Stueckzahlen	240
element PaymentlineMa11ErgType/Hinterlegungsschein	242
complexType SteuerangabenMitSteuersatzUndRechtsgrundlageType.....	244
complexType SteuerangabenType	245
complexType StueckzahlenType	245
complexType VerwahrketteType	247

element VerwahrketteType/AuszahlendeStelle	248
element VerwahrketteType/Verwahrstelle	250
element VerwahrketteType/DepotfuehrendeStelle.....	252
complexType VerwahrstellePositionType.....	254
complexType WertpapiergattungType	256
complexType WertpapierhandelType.....	256
complexType ZugangslisteType.....	258
element ZugangslisteType/Zugang	259
simpleType GutschriftArtType	260
simpleType KnotenpositionDepotType.....	260
simpleType KnotenpositionType	261
simpleType WertpapierArtType.....	261
simpleType WertpapierhandelArtType.....	261

Change log

XSD-Version	Type of adjustment	Documentation
1.01	change	Renaming of data types and elements: From StrNr (old) to StNr (new) - NatAuslandMitStrNr → NatAuslandMitStNr - NichtNatAuslandMitStrNr → NichtNatAuslandMitStNr - NichtNatAuslandNoStrNr → NichtNatAuslandNoStNr - NichtNatInlandMitStrNr → NichtNatInlandMitStNr - PersonNatAuslandStrNrType → PersonNatAuslandStNrType - PersonNatAuslandStrNr45bType → PersonNatAuslandStNr45bType - PersonNichtNatAuslandStrNrType → PersonNichtNatAuslandStNrType - PersonNichtNatAuslandStrNr45bType → PersonNichtNatAuslandStNr45bType - PersonNichtNatStrNrInlandType → PersonNichtNatStNrInlandType - PersonNichtNatStrNrInlandType45bType → PersonNichtNatStNrInlandType45bType
1.01	change	Adjustment of attributes default value: The element AuszahlStelleIstDepotfuehrStelle is assigned the default value “false”.
1.01	correction	Removal: The data type NichtZertifizierteStelleType has been removed from the schema without replacement.
1.01	change	Removal: The element WertpapierhandelType.Zuordnung has been removed from the schema. Addition: The previous number specification type in the WertpapierhandelType is supplemented by two optional elements: StueckzahlZuordnungWertpapierleihe (for securities lending) StueckzahlZuordnungWertpapierpensionsgeschaeft (for repurchase agreement)
1.01	change	Attribute requirement adjustment: The attribute Ansässigkeitsstaat of the types PersonNatIdInland45bType, PersonNichtNatWidInland45bType and PersonNichtNatStrNrInlandType45bType is now optional.

1.01	change	Quantity restriction removed: The previously applicable restriction on the number of elements (e.g., “maxOccurs = 1”) has been removed for the following data types: • MA11ListeType, • MA13ListeType, • MA21ListeType, • MA22ListeType, • MA23ListeType, • SMListeType, • ZAMListeType, • MAErgListeType, • AntwortListeType
1.01	change	Data format adjustment: The attributes KapEStSteuersatz and SolzSteuersatz are stored with two decimal places instead of the previous three decimal places.
1.01	change	Renaming of data type/element: The type FinanzvereinbarungType is renamed to StueckzahlenType; the associated element Finanzvereinbarung is renamed to Stueckzahlen.
1.01	change	Attribute requirement adjustment: The attribute ArtDesWertpapiere is now optional and no longer mandatory
1.01	change	Change of permitted positions: The maximum number of permitted custodians has been increased to 25 by allowing the position “25” to be specified for the custodian.
1.01	extension	Constraint Addition of a constraint for reporting types 11 and 13 and addition: The constraint ensures that the custody chain details in the Position element are unique and consistent.
1.01	change	Change: StueckzahlWertpapierleihe and StueckzahlWertpapierpensionsgeschaefte removed from WertpapierhandelType and added to the parent ZugangslisteType.
1.01	change	Additions and correction of spelling errors in various descriptions.

1.02	change	Changes to person types: For the following types, the explicit mapping of 'AdresseInlandType' or 'AdresseAuslandType' has been changed to the abstract 'AddressType': • PersonNatIdInlandType • PersonNatIdAuslandType • PersonNatAuslandStNrType • PersonNichtNatWidInlandType • PersonNichtNatStNrInlandType • PersonNichtNatAuslandStNrType • PersonNichtNatRechtsformAuslandType
1.02	change	Changes to the VertreterNichtNatType: Removal of the option to select a domestic or foreign address and change to the abstract AdresseType

Preliminary remark

As a rule, the namespace, type, user, child elements, and attributes are listed per each XSD element. To improve readability, on the playback of empty, automatically generated sections have been omitted.

Legend:

- Category 'column':
 - k = This information is optional, in some cases subject to certain conditions.
 - M = This information is required and must be provided in all cases.

element MiKaDivFMRoot

Diagram						
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02					
Children	fm:MiKaDiv FM 45b fm:MiKaDiv FM 45c fm:MiKaDiv FM ANTW					
Identity constraints	Name	Ref	Selector	Field(s)	Documentation	
unique	UUIDIstEindeutig		//*[@MeldungUUID]	@MeldungUUID	The check ensures that no UUID is used twice in the report.	
unique	ZulassungsnummerIstEindeutig		//*[@Zulassungsnummer]	@Zulassungsnummer		

		Constraint that ensures the process-specific registration number is unique within the message.
Documentation	Root element for the user data.	

element MiKaDivFMRoot/MiKaDiv_FM_45b

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02				
Type	fm:MeldungListe45bType				
Children	fm:ZertifizierteStelle fm:Dienstleister fm:MA11Liste fm:MA13Liste fm:SMListe fm:ZAMListe fm:MAErgListe				
Attributes	Name	Type	Use	Default	Documentation
	NachrichtUUID	std:UUIDType	M		Unique identifier for the message.

	OrdBegriff std:Name45Type k	An internal number or key generated by the MiKaDiv user.
--	---	--

element MiKaDivFMRoot/MiKaDiv_FM_45c

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02				
Type	fm:MeldungListe45cType				
Children	fm:MeldepflichtigeStelle fm:Dienstleister fm:MA21Liste fm:MA22Liste fm:MA23Liste fm:SMListe				
Attributes	Name	Type	Use	Default	Documentation
	NachrichtUUID	std:UUIDType	M		Unique identifier for the message.
	OrdBegriff	std:Name45Type	k		An internal number or key generated by the MiKaDiv

	user.
--	-------


element MiKaDivFMRoot/MiKaDiv_FM_ANTW

Diagram	The diagram illustrates the structure of the <code>fm:AntwortListeType</code> element. It is a container for three attributes: <code>AntwortUUID</code>, <code>RefNachrichtUUID</code>, and <code>OrdBegriff</code>. Additionally, it contains a choice between two child elements: <code>fm:AntwortListe</code> and <code>fm:NachrichtenAntwort</code>. The <code>fm:AntwortListe</code> element is shown with a plus sign, indicating it is optional. The <code>fm:NachrichtenAntwort</code> element is also shown with a plus sign, indicating it is optional. The <code>fm:AntwortListeType</code> element is shown with a minus sign, indicating it is required.				
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02				
Type	fm:AntwortListeType				
Children	fm:AntwortListe fm:NachrichtenAntwort				
Attributes	Name	Type	Use	Default	Documentation
	AntwortUUID	std:UUIDType	M		Unique identifier for the response on MiKaDiv.
	RefNachrichtUUID	std:UUIDType	M		Unique identifier of the message being responded to.
	OrdBegriff	std:Name45Type	k		An internal number or key generated by the MiKaDiv user.


complexType AntwortListeType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02				
Type	extension of std:AntwortenType				
Children	fm:AntwortListe fm:NachrichtenAntwort				
Used by	element MiKaDivFMRoot/MiKaDiv FM ANTW				
Attributes	Name	Type	Use	Default	Documentation
	AntwortUUID	std:UUIDType	M		Unique identifier for the response on MiKaDiv.
	RefNachrichtUUID	std:UUIDType	M		Unique identifier of the message being responded to.
	OrdBegriff	std:Name45Type	k		An internal number or key generated by the MiKaDiv user.
Documentation	Type for a list of MiKaDiv responses.				


element AntwortListeType/AntwortListe

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02
Children	fm:Antwort

element AntwortListeType/AntwortListe/Antwort

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02				
Type	fm:AntwortType				
Children	fm:PersonenErgebnis fm:MeldungsErgebnis				
Attributes	Name	Type	Use	Default	Documentation
	MeldungUUID	std:UUIDType	M		Unique identifier for the report.
	OrdBegriff	std:Name45Type	k		An internal number or key generated by the MiKaDiv user.
Documentation	Responses to individual report data sets.				

element AntwortListeType/NachrichtenAntwort

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02				
Type	std:ErgebnisType				
Attributes	Name	Type	Use	Default	Documentation
	ReturnCode	derived by: std:NameType	M		The return code indicates whether the report was processed successfully or if errors occurred that caused the reports to be rejected.
	IstFehler	xs:boolean	M		TRUE refers to an error, FALSE refers to a note.
Documentation	Return value for an error or note in the message.				

complexType AntwortType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02				
Type	extension of std:MeldungenType				
Children	fm:PersonenErgebnis fm:MeldungsErgebnis				
Used by	element AntwortListeType/AntwortListe/Antwort				
Attributes	Name	Type	Use	Default	Documentation
	MeldungUUID	std:UUIDType	M		Unique identifier for the report.
	OrdBegriff	std:Name45Type	k		An internal number or key generated by the MiKaDiv user.
Documentation	Type for a single response.				

element AntwortType/PersonenErgebnis

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02				
Children	fm:PersonErgebnis				
Documentation	Return value for persons in this report.				

element AntwortType/PersonenErgebnis/PersonErgebnis

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02
Type	std:PersonErgebnisType
Children	std:PersonenIdentifizierung std:Ergebnis

element AntwortType/MeldungsErgebnis

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02				
Type	std:ErgebnisType				
Attributes	Name	Type	Use	Default	Documentation
	ReturnCode	derived by: std:NameType	M		The return code indicates whether the report was processed successfully or if errors occurred that caused the reports to be rejected.
	IstFehler	xs:boolean	M		TRUE refers to an error, FALSE refers

	to a note.
Documentation	General return value for the report.

complexType DLMeldepflichtig

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02				
Type	extension of std:NachrichtenType				
Children	fm:MeldepflichtigeStelle fm:Dienstleister				
Used by	complexType MeldungListe45cType				
Attributes	Name	Type	Use	Default	Documentation
	NachrichtUUID	std:UUIDType	M		Unique identifier for the message.
	OrdBegriff	std:Name45Type	k		An internal number or key generated by the MiKaDiv user.
Documentation	Data provider submitting via the reporting entity, for reporting types 21, 22, 23.				

element DLMeldepflichtig/MeldepflichtigeStelle

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02				
Type	fmpers:MeldepflichtigeStelleType				
Children	fmpers:Adresse				
Attributes	Name	Type	Use	Default	Documentation
	WIdNr	std:WIDType	k		The non-natural person's German business identification number.
	Steuernummer	std:SteuernummerType	k		The person's German tax number.
	Zulassungsnummer	std:ZulassungsnummerType	M		The MiKaDiv user's process-specific registration number.
	Bezeichnung	std:Name256Type	M		The non-natural person's name.
	eMail	std:MailType	M		The person's

	Telefonnummer std:TelefonnummerType M	e-mail address. The person's telephone number.
Documentation	The reporting entity.	

element DLMeldepflichtig/Dienstleister

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02				
Type	fmpers:DienstleisterType				
Children	fmpers:Adresse				
Attributes	Name	Type	Use	Default	Documentation
	WIdNr	std:WIDType	k		The non-natural person's German business identification number.
	Steuernummer	std:SteuernummerType	k		The person's

	LEI	<u>std:LEIType</u>	k	German tax number.
	EUID	<u>std:EUIDType</u>	k	The non-natural person's Legal Entity Identifier (LEI).
	AuslandSteuerNr	<u>std:AuslandSteuerNr</u>	k	The non-natural person's European Unique Identifier (EUID).
	Bezeichnung	<u>std:Name256Type</u>	M	The person's tax identification number assigned by the country of residence.
	Zulassungsnummer	<u>std:ZulassungsnummerType</u>	M	The non-natural person's name.
	eMail	<u>std:MailType</u>	M	The MiKaDiv user's process-specific registration number.
	Telefonnummer	<u>std:TelefonnummerType</u>	M	The person's e-mail address.
				The person's telephone number.
Documentation	Service provider that submits the report on behalf of the reporting entity.			

complexType DLZertifiziert

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02				
Type	extension of std:NachrichtenType				
Children	fm:ZertifizierteStelle fm:Dienstleister				
Used by	complexType MeldungListe45bType				
Attributes	Name	Type	Use	Default	Documentation
	NachrichtUUID	std:UUIDType	M		Unique identifier for the message.
	OrdBegriff	std:Name45Type	k		An internal number or key generated by the MiKaDiv user.
Documentation	Data provider submitting via the certified financial intermediary, for reporting types 11, 13, ERG, ZAM.				

element DLZertifiziert/ZertifizierteStelle

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02				
Type	fmpers:ZertifizierteStelleType				
Children	fmpers:Adresse				
Attributes	Name	Type	Use	Default	Documentation
	WIdNr	std:WIDType	k		The non-natural person's German business identification number.
	Steuernummer	std:SteuernummerType	k		The person's German tax number.
	LEI	std:LEIType	k		The non-natural person's Legal Entity Identifier (LEI).
	EUID	std:EUIDType	k		The non-

	AuslandSteuerNr <u>std:AuslandSteuerNr</u> k Bezeichnung <u>std:Name256Type</u> M Zulassungsnummer <u>std:ZulassungsnummerType</u> M eMail <u>std:MailType</u> M Telefonnummer <u>std:TelefonnummerType</u> M	natural person's European Unique Identifier (EUID). The person's tax identification number assigned by the country of residence. The non-natural person's name. The MiKaDiv user's process-specific registration number. The person's e-mail address. The person's telephone number.
Documentation	The certified financial intermediary.	

element DLZertifiziert/Dienstleister

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02				
Type	fmpers:DienstleisterType				
Children	fmpers:Adresse				
Attributes	Name	Type	Use	Default	Documentation
	WIdNr	std:WIDType	k		The non-natural person's German business identification number.
	Steuernummer	std:SteuernummerType	k		The person's German tax number.
	LEI	std:LEIType	k		The non-natural person's Legal Entity Identifier (LEI).
	EUID	std:EUIDType	k		The non-

	AuslandSteuerNr std:AuslandSteuerNr k Bezeichnung std:Name256Type M Zulassungsnummer std:ZulassungsnummerType M eMail std:MailType M Telefonnummer std:TelefonnummerType M	natural person's European Unique Identifier (EUID). The person's tax identification number assigned by the country of residence. The non-natural person's name. The MiKaDiv user's process-specific registration number. The person's e-mail address. The person's telephone number.
Documentation	Service provider that submits the report on behalf of the certified financial intermediary.	

complexType MA11ListeType

Diagram		
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02	
Children	fm:Meldung	
Used by	element	MeldungListe45bType/MA11Liste
Documentation	Type for a list of reports of reporting type 11.	

element MA11ListeType/Meldung

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02				
Type	Meldeart11				
Children	fmmabase:Verwahrkette fmmabase:Kontopersonen fmmabase:KontoListe				
Attributes	Name	Type	Use	Default	Documentation
	MeldungUUID	std:UUIDType	M		Unique identifier for the report.
	OrdBegriff	std:Name45Type	k		An internal number or key generated by the MiKaDiv user.
	Typ	fmmabase:Meldungstyp	M		Indicates whether this is an initial report or a correction.
	ErstmeldungUUID	std:UUIDType	k		

				Technical UUID of the initial report to be corrected or cancelled. If a supplementary tax certificate is corrected/cancelled, enter the UUID of the supplementary tax certificate to be corrected/cancelled here. Optional reason for correction in the case of a correction. The reporting year is the year in which the investment income was received. The reporting year is specified in the format YYYY. Specifies the time to which the report refers/at which the contents of the report became effective. Must therefore be before the technical delivery time. Reports are sorted chronologically based on the time stamp. Official serial number in accordance with section 45b (1) EStG. Indicates that the individual tax certificate was issued on the basis of a collective tax certificate. Also applies to
	Berichtigungsgrund	derived by: std:NameType	k	
	Meldejahr	xs:gYear	M	
	Zeitstempel	xs:dateTime	M	
	AmtlicheOrdnungsnummer	std:UUIDType	M	
	Sammelsteuerbescheinigung	xs:boolean	false	

	DatumSteuerbescheinigung std:Datum1880Type k	supplementary tax certificates if the initial certificate already contains an identification to this effect. Mandatory field for tax residents.
--	--	---

complexType MA13ListeType


Diagram		
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02	
Children	fm:Meldung	
Used by	element	MeldungListe45bType/MA13Liste
Documentation	Type for a list of reports for reporting type 13.	

element MA13ListeType/Meldung

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02				
Type	fmma13:Meldeart13				
Children	fmma13:Verwahrkette fmma13:Kontopersonen fmma13:KontoListe				
Attributes	Name	Type	Use	Default	Documentation
	MeldungUUID	std:UUIDType	M		Unique identifier for the report.
	OrdBegriff	std:Name45Type	k		An internal number or key generated by the MiKaDiv user.
	Typ	fmmabase:Meldungstyp	M		Indicates whether this is an initial report or a correction.
	ErstmeldungUUID	std:UUIDType	k		Technical UUID of the initial report to be corrected or cancelled. If a supplementary tax certificate is corrected/cancelled,

			enter the UUID of the supplementary tax certificate to be corrected/cancelled here. Optional reason for correction in the case of a correction. The reporting year is the year in which the investment income was received. The reporting year is specified in the format YYYY. Specifies the time to which the report refers/at which the contents of the report became effective. Must therefore be before the technical delivery time. Reports are sorted chronologically based on the time stamp.
	Berichtigungsgrund	derived by: std:NameType	k
	Meldejahr	xs:gYear	M
	Zeitstempel	xs:dateTime	M

complexType MA21ListeType


Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02
Children	fm:Meldung
Used by	element MeldungListe45cType/MA21Liste
Documentation	Type for a list of reports for reporting type 21.

element MA21ListeType/Meldung

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02				
Type	fmma21:Meldeart21				
Children	fmma21:Wertpapiergattung				
Attributes	Name	Type	Use	Default	Documentation
	MeldungUUID	std:UUIDType	M		Unique identifier for the report.
	OrdBegriff	std:Name45Type	k		An internal number or key generated by the MiKaDiv user.
	Typ	fmmabase:Meldungstyp	M		Indicates whether this is an initial report or a correction.
	ErstmeldungUUID	std:UUIDType	k		Technical UUID of the initial report to be corrected or cancelled. If a supplementary tax certificate is corrected/cancelled, enter the UUID of the supplementary tax certificate to be corrected/cancelled

	Berichtigungsgrund derived by: k std:NameType Meldejahr xs:gYear M Zeitstempel xs:dateTime M	here. Optional reason for correction in the case of a correction. The reporting year is the year in which the investment income was received. The reporting year is specified in the format YYYY. Specifies the time to which the report refers/at which the contents of the report became effective. Must therefore be before the technical delivery time. Reports are sorted chronologically based on the time stamp.
--	---	---

complexType MA22ListeType

Diagram		
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02	
Children	fm:Meldung	
Used by	element	MeldungListe45cType/MA22Liste
Documentation	Type for a list of reports for reporting type 22.	

element MA22ListeType/Meldung

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02				
Type	fmma22:Meldeart22				
Children	fmma22:Kontopersonen fmma22:Paymentlines				
Attributes	Name	Type	Use	Default	Documentation
	MeldungUUID	std:UUIDType	M		Unique identifier for the report.
	OrdBegriff	std:Name45Type	k		An internal number or key generated by the MiKaDiv user.
	Typ	fmmabase:Meldungstyp	M		Indicates whether this is an initial report or a correction.
	ErstmeldungUUID	std:UUIDType	k		Technical UUID of the initial report to be corrected or cancelled. If a supplementary tax certificate is corrected/cancelled, enter the UUID of the supplementary

	Berichtigungsgrund derived by: k std:NameType Meldejahr xs:gYear M Zeitstempel xs:dateTime M	tax certificate to be corrected/cancelled here. Optional reason for correction in the case of a correction. The reporting year is the year in which the investment income was received. The reporting year is specified in the format YYYY. Specifies the time to which the report refers/at which the contents of the report became effective. Must therefore be before the technical delivery time. Reports are sorted chronologically based on the time stamp.
--	---	---

complexType MA23ListeType

Diagram		
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02	
Children	fm:Meldung	
Used by	element	MeldungListe45cType/MA23Liste
Documentation	Type for a list of reports for reporting type 23.	

element MA23ListeType/Meldung

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02				
Type	fmma23:Meldeart23				
Children	fmma23:AbgefKapitalertragsteuer fmma23:AmtlicheOrdnungsnummerListe				
Attributes	Name	Type	Use	Default	Documentation
	MeldungUUID	std:UUIDType	M		Unique identifier for the report.
	OrdBegriff	std:Name45Type	k		An internal number or key generated by the MiKaDiv user.
	Typ	fmmabase:Meldungstyp	M		Indicates whether this is an initial report or a correction.
	ErstmeldungUUID	std:UUIDType	k		Technical UUID of the initial report to be corrected or cancelled. If a supplementary tax certificate is corrected/cancelled, enter the UUID of the supplementary

	Berichtigungsgrund derived by: k std:NameType Meldejahr xs:gYear M Zeitstempel xs:dateTime M	tax certificate to be corrected/cancelled here. Optional reason for correction in the case of a correction. The reporting year is the year in which the investment income was received. The reporting year is specified in the format YYYY. Specifies the time to which the report refers/at which the contents of the report became effective. Must therefore be before the technical delivery time. Reports are sorted chronologically based on the time stamp.
--	---	---

complexType MAErgListeType

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02
Children	fm:Meldung
Used by	element MeldungListe45bType/MAErgListe
Documentation	Type for a list of reports for reporting type ERG (supplementary tax certificate).

element MAErgListeType/Meldung

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02				
Type	MeldeartErg				
Children	fmmabase:Verwahrkette fmmabase:Kontopersonen fmmabase:KontoListe				
Attributes	Name	Type	Use	Default	Documentation
	MeldungUUID	std:UUIDType	M		Unique identifier for the report.
	OrdBegriff	std:Name45Type	k		An internal number or key generated by the MiKaDiv user.
	Typ	fmmabase:Meldungstyp	M		Indicates whether this is an initial report or a correction.
	ErstmeldungUUID	std:UUIDType	k		

				Technical UUID of the initial report to be corrected or cancelled. If a supplementary tax certificate is corrected/cancelled, enter the UUID of the supplementary tax certificate to be corrected/cancelled here. Optional reason for correction in the case of a correction. The reporting year is the year in which the investment income was received. The reporting year is specified in the format YYYY. Specifies the time to which the report refers/at which the contents of the report became effective. Must therefore be before the technical delivery time. Reports are sorted chronologically based on the time stamp. Official serial number in accordance with section 45b (1) EStG. Indicates that the individual tax certificate was issued on the basis of a collective tax certificate. Also applies to
	Berichtigungsgrund	derived by: std:NameType	k	
	Meldejahr	xs:gYear	M	
	Zeitstempel	xs:dateTime	M	
	AmtlicheOrdnungsnummer	std:UUIDType	M	
	Sammelsteuerbescheinigung	xs:boolean	false	

	DatumSteuerbescheinigung	std:Datum1880Type	k	supplementary tax certificates if the initial certificate already contains an identification to this effect.
	RefOrdnungsnummer	std:UUIDType	M	Mandatory field for tax residents. Official serial number of the tax certificate to be completed.

complexType MeldungListe45bType

Diagram						
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02					
Type	extension of fm:DLZertifiziert					
Children	fm:ZertifizierteStelle fm:Dienstleister fm:MA11Liste fm:MA13Liste fm:SMListe fm:ZAMListe fm:MAErgListe					
Used by	element MiKaDivFMRoot/MiKaDiv FM 45b					
Attributes	Name	Type	Use	Default	Documentation	
	NachrichtUUID	std:UUIDType	M			

	OrdBegriff std:Name45Type k Unique identifier for the message. An internal number or key generated by the MiKaDiv user.
Documentation	Type for a list of MiKaDiv reports that may only contain reports of the same report type.

element MeldungListe45bType/MA11Liste

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02
Type	fm:MA11ListeType
Children	fm:Meldung

element MeldungListe45bType/MA13Liste

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02
Type	fm:MA13ListeType
Children	fm:Meldung

element MeldungListe45bType/SMListe

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02
Type	fm:SMListeType
Children	fm:Meldung

element MeldungListe45bType/ZAMListe

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02
Type	fm:ZAMListeType
Children	fm:Meldung


element MeldungListe45bType/MAErgListe

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02
Type	fm:MAErgListeType
Children	fm:Meldung


complexType MeldungListe45cType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02				
Type	extension of fm:DLMeldepflichtig				
Children	fm:MeldepflichtigeStelle fm:Dienstleister fm:MA21Liste fm:MA22Liste fm:MA23Liste fm:SMListe				
Used by	element MiKaDivFMRoot/MiKaDiv FM 45c				
Attributes	Name	Type	Use	Default	Documentation
	NachrichtUUID	std:UUIDType	M		Unique identifier for the message.
	OrdBegriff	std:Name45Type	k		An internal number or key generated by the MiKaDiv user.
Documentation	Type for a list of MiKaDiv reports pursuant to section 45c EStG.				


element MeldungListe45cType/MA21Liste

Diagram	 The diagram shows a sequence structure for the fm:MA21ListeType. It consists of a box labeled fm:MA21Liste followed by an octagon containing three dots, and then a box labeled fm:Meldung. The fm:Meldung box has a small square with a plus sign in its top right corner. A bracket below the fm:Meldung box indicates a cardinality of 1..∞. The entire sequence is enclosed in a dashed yellow box labeled fm:MA21ListeType.
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02
Type	fm:MA21ListeType
Children	fm:Meldung

element MeldungListe45cType/MA22Liste

Diagram	 The diagram shows a sequence structure for the fm:MA22ListeType. It consists of a box labeled fm:MA22Liste followed by an octagon containing three dots, and then a box labeled fm:Meldung. The fm:Meldung box has a small square with a plus sign in its top right corner. A bracket below the fm:Meldung box indicates a cardinality of 1..∞. The entire sequence is enclosed in a dashed yellow box labeled fm:MA22ListeType.
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02
Type	fm:MA22ListeType
Children	fm:Meldung

element MeldungListe45cType/MA23Liste

Diagram	 The diagram shows a sequence structure for the fm:MA23ListeType. It consists of a box labeled fm:MA23Liste followed by an octagon containing three dots, and then a box labeled fm:Meldung. The fm:Meldung box has a small square with a plus sign in its top right corner. A bracket below the fm:Meldung box indicates a cardinality of 1..∞. The entire sequence is enclosed in a dashed yellow box labeled fm:MA23ListeType.
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02
Type	fm:MA23ListeType
Children	fm:Meldung

element MeldungListe45cType/SMListe

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02
Type	fm:SMListeType
Children	fm:Meldung

complexType SMListeType

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02
Children	fm:Meldung
Used by	elements MeldungListe45bType/SMListe MeldungListe45cType/SMListe
Documentation	Type for a list of cancellation reports.


element SMListeType/Meldung

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02


Type	fm:mason:StornomeldungType				
Attributes	Name	Type	Use	Default	Documentation
	MeldungUUID	std:UUIDType	M		Unique identifier for the report.
	OrdBegriff	std:Name45Type	k		An internal number or key generated by the MiKaDiv user.
	ErstmeldungUUID	std:UUIDType	M		Technical UUID of the initial report to be corrected or cancelled. If a supplementary tax certificate is corrected/cancelled, enter the UUID of the supplementary tax certificate to be corrected/cancelled here.
	Berichtigungsgrund	derived by: std:NameType	k		Optional reason for correction in the case of a cancellation.
	Zeitstempel	xs:dateTime	M		Specifies the time to which the report refers/at which the contents of the report became effective. Must therefore be before the technical delivery time. Reports are sorted chronologically based on the time stamp.
	RefOrdnungsnummer	std:UUIDType	k		Official serial number of the tax certificate to which the cancellation report refers. If the cancellation report refers to a tax certificate with an official serial number, this must

		be reported and must be identical to the referenced tax certificate.
--	--	--

complexType ZAMListeType

Diagram		
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02	
Children	fm:Meldung	
Used by	element MeldungListe45bType/ZAMListe	
Documentation	Type for a list of additional information reports.	

element ZAMListeType/Meldung

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FM/1.02				
Type	fmmason:ZusatzAngabenMeldung				
Children	fmmason:Zugaenge fmmason:Abgaenge				
Attributes	Name	Type	Use	Default	Documentation
	MeldungUUID	std:UUIDType	M		Unique identifier for the report.
	OrdBegriff	std:Name45Type	k		An internal number or key generated

	by the MiKaDiv user.
--	----------------------------

complexType AdresseAuslandType

Diagram	The diagram illustrates the complex type AdresseAuslandType as an extension of the base type std:AdresseType. The base type is shown in a yellow dashed box and contains attributes: Strasse, HausNr, HausNrZu, and Ort. The extension type AdresseAuslandType is shown as a box with a small square icon, connected to the base type. It includes the same four attributes as the base type and adds three more: Adressergaenzung, PLZ, and Staat.				
Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02				
Type	extension of std:AdresseType				
Attributes	Name	Type	Use	Default	Documentation
	Strasse	std:Name80Type	k		The street name of the address.
	HausNr	derived by: xs:integer	k		The house number in the address.
	HausNrZu	std:Name20Type	k		Possible additions to the house number in the address.
	Ort	derived by: std:Name80Type	M		The place name of the address.
	Adressergaenzung	derived by:			

	std:NameType PLZ derived by: k std:NameType Staat derived by: M std:NameType	A possible addition to an address outside of Germany. The postcode of the address outside of Germany. The country of the address outside of Germany according to ISO 3166 Alpha-2.
Documentation	Specific type used to describe a foreign address.	

complexType AdresseInlandType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02				
Type	extension of std:AdresseType				
Attributes	Name	Type	Use	Default	Documentation
	Strasse	std:Name80Type	k		The street name of the


	HausNr derived by: xs:integer k HausNrZu std:Name20Type k Ort derived by: std:Name80Type M PLZ derived by: std:NameType M	address. The house number in the address. Possible additions to the house number in the address. The place name of the address. The postcode of the German address.
Documentation	Specific type used to describe a domestic address.	

complexType AdresseType


Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02				
Used by	elements	AusschuettendeGesellschaftType/Adresse ZertifizierteStelleType/Adresse MeldepflichtigeStelleType/Adresse DienstleisterType/Adresse PersonBasisType/Anschrift PersonVerwahrstelleBasisType/Anschrift			
	complexTypes	AdresseAuslandType AdresseInlandType			
Attributess	Name	Type	Use	Default	Documentation
	Strasse	std:Name80Type	k		The street name of the address.
	HausNr	derived by: xs:integer	k		The house number in the address.

	HausNrZu std:Name20Type k Ort derived by: std:Name80Type M	Possible additions to the house number in the address. The place name of the address.
Documentation	Abstract type used to describe an address.	


complexType AntwortenType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02				
Used by	complexType AntwortListeType				
Attributes	Name	Type	Use	Default	Documentation
	AntwortUUID	std:UUIDType	M		Unique identifier for the response on MiKaDiv.
	RefNachrichtUUID	std:UUIDType	M		Unique identifier of the message being responded to.
	OrdBegriff	std:Name45Type	k		An internal number or key generated by the MiKaDiv user.
Documentation	Abstract type for MiKaDiv responses.				

complexType ErgebnisType


Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02				
Used by	elements AntwortType/MeldungsErgebnis AntwortListeType/NachrichtenAntwort PersonErgebnisType/Ergebnis				
Attributes	Name	Type	Use	Default	Documentation
	ReturnCode	derived by: std:NameType	M		The return code indicates whether the report was processed successfully or if errors occurred that caused the reports to be rejected.
	IstFehler	xs:boolean	M		TRUE refers to an error, FALSE refers to a note.
Documentation	Definition of a four-digit return value and the flag for error/note.				

complexType GenerellesFeldComplexType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02				
Children	std:Feldbezeichnung std:Wert				
Used by	element PersonErgebnisType/PersonenIdentifizierung				
Documentation					

	Transport object for a data field with its contents.
--	--


element GenerellesFeldComplexType/Feldbezeichnung

Diagram			
Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	std:Name45Type		
Facets	Kind	Value	Documentation
	maxLength	45	
	whiteSpace	collapse	
	pattern	([^\n\r\t])*	
Documentation	Name of the data field.		

element GenerellesFeldComplexType/Wert


Diagram			
Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	std:Name256Type		
Facets	Kind	Value	Documentation
	maxLength	256	
	whiteSpace	collapse	
	pattern	([^\n\r\t])*	
Documentation	Content of the data field.		

complexType IdMerkmalNNPType


Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02				
Used by	complexTypes AusschuettendeGesellschaftType DienstleisterType HinterlegungsstelleType PersonVerwahrstelleBasisType ZertifizierteStelleType				
Attributes	Name	Type	Use	Default	Documentation
	WIdNr	std:WIDType	k		The non-natural person's German business identification number.
	Steuernummer	std:SteuernummerType	k		The person's German tax number.
	LEI	std:LEIType	k		The non-natural person's Legal Entity Identifier (LEI).
	EUID	std:EUIDType	k		The non-natural person's European Unique Identifier (EUID).
	AuslandSteuerNr	std:AuslandSteuerNr	k		The person's tax identification number assigned by the country

	of residence.
Documentation	The identification identifiers of a non-natural person. One of these attributes must be set.

complexType KontoMitStueckzahlType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02				
Attributes	Name	Type	Use	Default	Documentation
	Kontonummer	std:KontonummerType	M		Account number or custody account number of the securities.
	Stueckzahl	std:WertpapierStueckzahlType	M		Number of securities contained in this account/securities account.
Documentation	Type to specify an account or custody with the number of securities in that account/securities account.				

complexType MeldungenType


Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02				
Used by	complexTypes AntwortType MeldungType				
Attributes	Name	Type	Use	Default	Documentation

	MeldungUUID std:UUIDType M OrdBegriff std:Name45Type k	Unique identifier for the report. An internal number or key generated by the MiKaDiv user.
Documentation	Abstract base type for MiKaDiv reports.	


complexType NachrichtenType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02				
Used by	complexTypes DLMeldepflichtig DLZertifiziert				
Attributes	Name	Type	Use	Default	Documentation
	NachrichtUUID	std:UUIDType	M		Unique identifier for the message.
	OrdBegriff	std:Name45Type	k		An internal number or key generated by the MiKaDiv user.
Documentation	Abstract base type for MiKaDiv messages.				


complexType PersonErgebnisType

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02
Children	std:PersonenIdentifizierung std:Ergebnis
Used by	element AntwortType/PersonenErgebnis/PersonErgebnis
Documentation	Type for a return value of a person.

element PersonErgebnisType/PersonenIdentifizierung

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02
Type	std:GenerellesFeldComplexType
Children	std:Feldbezeichnung std:Wert
Documentation	Here, the person delivered is identified by the field name and its value.

element PersonErgebnisType/Ergebnis

Diagram																
Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02															
Type	std:ErgebnisType															
Attributes	<table><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Documentation</th></tr><tr><td>ReturnCode</td><td></td><td></td><td></td><td></td></tr><tr><td>IstFehler</td><td></td><td></td><td></td><td></td></tr></table>	Name	Type	Use	Default	Documentation	ReturnCode					IstFehler				
Name	Type	Use	Default	Documentation												
ReturnCode																
IstFehler																

	ReturnCode derived by: M std:NameType IstFehler xs:boolean M The return code indicates whether the report was processed successfully or if errors occurred that caused the reports to be rejected. TRUE refers to an error, FALSE refers to a note.
Documentation	Return value for verifying this person.

simpleType AuslandSteuerNr

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of std:NameType		
Used by	Attributes	PersonNatAuslandStNrType/@AuslandIdNr PersonNichtNatAuslandStNrType/@AuslandSteuerNr VertreterNichtNatType/@AuslandSteuerNr IdMerkmalNNPType/@AuslandSteuerNr	
Facets	Kind	Value	Documentation
	minLength	1	
	maxLength	35	
	whiteSpace	collapse	
	pattern	([^\n\r\t])*	
Documentation	The person's tax identification number assigned by the country of residence.		

simpleType BZStSteuernummerType

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of std:NameType		
Used by	attributes	VertreterNichtNatType/@BZStSteuernummer	
Facets	Kind	Value	Documentation
	length	13	

	whiteSpace collapse pattern (60)\d{11}
Documentation	The BZSt tax number of a non-natural person.

simpleType Datum0000Type

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of xs:string		
Used by	simpleType GeburtsdatumType		
Facets	Kind	Value	Documentation
	length	10	
	pattern	[0]{4}-[0]{2}-[0]{2}	
Documentation	Unknown date in the format 0000-00-00.		

simpleType Datum0Type

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of xs:string		
Used by	simpleType GeburtsdatumType		
Facets	Kind	Value	Documentation
	length	10	
	pattern	(((18)(8 9)\d)((19 20)\d{2})-((12 11 10 0[0-9])-(00)))	
Documentation	Date type in the format yyyy-mm-00 or yyyy-00-00; dates before 1880 and after 2099 are not permitted.		

simpleType Datum1880Type

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of xs:date		
Used by	simpleType e attributes	GeburtsdatumType SelbststaendigeMeldungMitOrdnungsnummerType/@DatumSteuerbescheinigung	
Facets	Kind	Value	Documentation
	minInclusive	1880-01-01	
	maxInclusive	2099-12-31	
Documentation	Date type in the format yyyy-mm-dd must be logical, earliest valid date is 01/01/1880.		

simpleType DepotkontoEnumType

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of xs:string		
Used by	Attribute	Meldeart13/KontoListe/Konto/@ArtDesDepotkontos SelbststaendigeMeldungMitOrdnungsnummerType/KontoListe/Konto/@ArtDesDepotkontos PersonVerwahrstelleType/@DepotkontoArt	
Facets	Kind	Value	Documentation
	enumeration	A	Own account
	enumeration	B	Third-party general account
	enumeration	C	Third-party individual account
	enumeration	D	Detail register account of a third-party general account.
	enumeration	E	Third-party global account other than B
	enumeration	F	Individual account of a securities holder other than D or C
	enumeration	G	Other type of account

simpleType DepotverhaeltnisEnumType

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of xs:string		
Used by	attributes	KontopersonUndVertreterType/@Depotverhaeltnis	
Facets	Kind	Value	Documentation
	enumeration	P	Pledged securities account
	enumeration	N	Securities accounts held in usufruct
	enumeration	T	Fiduciary account

simpleType Dezimal14dot2Type

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of xs:decimal		

Used by	element attributes Meldeart23/AbgefKapitalertragsteuer ErtragsGruppe45cType/@Kapitalertrag KapitalertragType/@KapitalertragBrutto KapitalertragType/@KapitalertragNetto SteuerangabenType/@Kapitalertragsteuer ZahlungstagMa22Type/@Saldo SteuerangabenType/@Solz ZahlungstagMa22Type/@SummeKapitalertrag ZahlungstagMa22Type/@SummeKompensationszahlungenBelastet ZahlungstagMa22Type/@SummeKompensationszahlungenGutgeschrieben															
Facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Documentation</th></tr></thead><tbody><tr><td>minInclusive</td><td>-99999999999999.99</td><td></td></tr><tr><td>maxInclusive</td><td>99999999999999.99</td><td></td></tr><tr><td>totalDigits</td><td>16</td><td></td></tr><tr><td>fractionDigits</td><td>2</td><td></td></tr></tbody></table>	Kind	Value	Documentation	minInclusive	-99999999999999.99		maxInclusive	99999999999999.99		totalDigits	16		fractionDigits	2	
Kind	Value	Documentation														
minInclusive	-99999999999999.99															
maxInclusive	99999999999999.99															
totalDigits	16															
fractionDigits	2															
Documentation	Decimal amount for values with 14 digits before and two digits after the decimal point, which also allows negative values.															

simpleType EUIDType

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of std:NameType		
Used by	Attributes	PersonNichtNatAuslandType/@EUID IdMerkmalNNPType/@EUID	
Facets	Kind	Value	Documentation
	minLength	1	
	maxLength	200	
	whiteSpace	collapse	
	pattern	([^\n\r\t])*	
Documentation	The non-natural person's European Unique Identifier (EUID).		

simpleType GeburtsdatumType

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02
Type	union of (std:Datum0Type , std:Datum1880Type , std:Datum0000Type)
Used by	attributes PersonNatDatenType/@Geburtsdatum
Documentation	The person's date of birth in the format yyyy-mm-dd, which permits (partially) unknown data.

simpleType IdNrType

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of std:NameType		

Used by	Attributes PersonNatIdInlandType/@IdNr PersonNatIdAuslandType/@IdNr		
Facets	Kind length whiteSpace pattern	Value 11 collapse [0-9]{11}	Documentation
Documentation	The person's identification number.		

simpleType ISINType

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of std:NameType		
Used by	Attributes WertpapiergattungType/@ISIN PaymentlineBasisType/@ISIN		
Facets	Kind length whiteSpace pattern	Value 12 collapse [A-Z]{2}[0-9A-Z]{9}[0-9]{1}	Documentation
Documentation	The International Securities Identification Number of the class of securities in accordance with ISO 6166 consists of a country code comprising two letters, followed by a nine-digit alphanumeric NSIN (National Securities Identifying Number) and a check number.		

simpleType KontonummerType

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of std:NameType		
Used by	Attribute s Meldeart13/KontoListe/Konto/@Kontonummer SelbststaendigeMeldungMitOrdnungsnummerType/KontoListe/Konto/@Kontonummer PersonVerwahrstelleType/@Kontonummer ZahlungstagMa22Type/@Kontonummer KontoMitStueckzahlType/@Kontonummer KapitalertragType/@KontonummerGutschrift		
Facets	Kind minLength maxLength whiteSpace pattern	Value 1 200 collapse ([^\n\r\t])*	Documentation
Documentation	Type to specify an (custody) account number.		

simpleType LEIType

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of std:Name20Type		
Used by	Attributes	PersonNichtNatAuslandType/@LEI IdMerkmalNNPType/@LEI	
Facets	Kind	Value	Documentation
	maxLength	20	
	whiteSpace	collapse	
	pattern	([0-9A-Z]{18}[0-9]{2}) ([0-9]{4}00[0-9A-Z]{12}[0-9]{2})	
Documentation	Type for the Legal Entity Identifier (LEI) in CICI format up to and including 30 November 2012 or from 1 December 2020 in accordance with ISO 17442.		

simpleType MailType

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of std:NameType		
Used by	Attributes	ZertifizierteStelleType/@eMail MeldepflichtigeStelleType/@eMail DienstleisterType/@eMail	
Facets	Kind	Value	Documentation
	maxLength	320	
	whiteSpace	collapse	
	pattern	.+@.+	
Documentation	The person's e-mail address.		

simpleType Name105Type

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of std:NameType		
Used by	attributes	WertpapiergattungType/@Bezeichnung	
Facets	Kind	Value	Documentation
	maxLength	105	
	whiteSpace	collapse	
	pattern	([^\n\r\t]*)	
Documentation	Base type for strings with a length of 105..		

simpleType Name20Type

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
-----------	--	--	--

Type	restriction of std:NameType		
Used by	simpleType Attributes	LEIType AdresseType/@HausNrZu PersonNatDatenType/@Namenszusatz PersonNatDatenType/@Titel PersonNatDatenType/@Vorsatzwort	
Facets	Kind maxLength whiteSpace pattern	Value 20 collapse ([^\n\r\t])*	Documentation
Documentation	Base type for strings with a length of 20.		

simpleType Name256Type

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of std:NameType		
Used by	element Attributes	GenerellesFeldComplexType/Wert PersonNichtNatType/@Bezeichnung PersonVerwahrstelleBasisType/@Bezeichnung AusschuettendeGesellschaftType/@Bezeichnung HinterlegungsstelleType/@Bezeichnung ZertifizierteStelleType/@Bezeichnung MeldepflichtigeStelleType/@Bezeichnung DienstleisterType/@Bezeichnung	
Facets	Kind maxLength whiteSpace pattern	Value 256 collapse ([^\n\r\t])*	Documentation
Documentation	Base type for strings with a length of 256.		

simpleType Name45Type

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of std:NameType		
Used by	element Attributes	GenerellesFeldComplexType/Feldbezeichnung PersonNatDatenType/@Name NachrichtenType/@OrdBegriff MeldungenType/@OrdBegriff AntwortenType/@OrdBegriff PersonNatDatenType/@Vorname	
Facets	Kind maxLength whiteSpace pattern	Value 45 collapse ([^\n\r\t])*	Documentation
Documentation	Base type for strings with a length of 45.		

simpleType Name80Type

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of std:NameType		
Used by	Attributes	AdresseType/@Ort AdresseType/@Strasse	
Facets	Kind	Value	Documentation
	maxLength	80	
	whiteSpace	collapse	
	pattern	([^\n\r\t])*	
Documentation	Base type for strings with a length of 80.		

simpleType NameType

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of std:StringNoLeadingOrTrailingSeparators		
Used by	simpleTypes	AnsaessigkeitsstaatType AuslandSteuerNr BZStSteuernummerType EUIDType IdNrType ISINType KontonummerType MailType Name105Type Name20Type Name256Type Name45Type Name80Type NationaleKennungType RechtsformType RechtsgrundlageType SteuernummerType TelefonnummerType UUIDType WIDType ZulassungsnummerType	
	Attributes	AdresseAuslandType/@Adressergaenzung PersonVerwahrstelleBasisType/@Ansaessigkeitsstaat SelbststaendigeMeldungType/@Berichtigungsgrund StornomeldungType/@Berichtigungsgrund Paymentline45BBasisType/@COAF AdresseInlandType/@PLZ AdresseAuslandType/@PLZ ErgebnisType/@ReturnCode AdresseAuslandType/@Staat	
Facets	Kind	Value	Documentation
	whiteSpace	collapse	
	pattern	([^\n\r\t])*	
Documentation	Base type for strings of the basic type (data type C of DIN 91379) which, in addition, must not contain any line feeds, line breaks, or tabs.		

simpleType NationaleKennungType

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of std:NameType		
Facets	Kind	Value	Documentation
	maxLength	35	
	whiteSpace	collapse	
	pattern	[A-Z0-9]{1,35}	
Documentation	National identifier of a natural person within the meaning of Article 6 of the European Commission's		

	Delegated Regulation (EU) 2017/590.
--	-------------------------------------

simpleType RechtsformType

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of std:NameType		
Used by	attributes	PersonNichtNatRechtsformAuslandType/@Rechtsform	
Facets	Kind	Value	Documentation
	minLength	1	
	maxLength	60	
	whiteSpace	collapse	
	pattern	([^\n\r\t])*	
Documentation	Type to specify the legal form as free text.		

simpleType RechtsgrundlageType

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of std:NameType		
Used by	Attributes	SteuerangabenMitSteuersatzUndRechtsgrundlageType/@KapEStRechtsgrundlageErtragsGruppe45cType/@Rechtsgrundlage	
Facets	Kind	Value	Documentation
	minLength	1	
	maxLength	100	
	whiteSpace	collapse	
	pattern	([^\n\r\t])*	
Documentation	Type fto specify a legal basis as free text. Reported as Section + paragraph + sentence + no. + sentence + letter. Legal norm or BMF-Schreiben dated xx.xx.xxxx + margin note; Examples: • Section 50c (2) s. 1 no. 1 EStG or • Section 7 (1) InvStG When applying the standard tax rate, the following legal basis must always be specified: Section 43a (1) no. 1 EStG.		

simpleType SteuernummerType

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of std:NameType		

Used by	Attributes PersonNichtNatStNrInlandType/@Steuernummer PersonNichtNatAuslandType/@Steuernummer MeldepflichtigeStelleType/@Steuernummer IdMerkmalNNPType/@Steuernummer		
Facets	Kind	Value	Documentation
	length	13	
	whiteSpace	collapse	
	pattern	(10 11 21 22 23 24 26 27 28 30 31 32 40 41 50 51 52 53 90 91 92)\d{2}0\d{8}	
Documentation	The non-natural person's German tax number specified in German government format.		

simpleType SteuersatzType

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of xs:decimal		
Used by	Attributes SteuerangabenMitSteuersatzUndRechtsgrundlageType/@KapEStSteuersatz SteuerangabenMitSteuersatzUndRechtsgrundlageType/@SolzSteuersatz		
Facets	Kind	Value	Documentation
	minInclusive	0	
	maxInclusive	49.99	
	totalDigits	4	
	fractionDigits	2	
Documentation	Type for a percentage tax rate with a value ranging from 0-49,99.		

simpleType StringNoLeadingOrTrailingSeparators

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of std:StringNoLeadingSeparators		
Used by	simpleType NameType		
Facets	Kind	Value	Documentation
	pattern	.*[^\]	
Documentation	Base type for strings of the basic type (data type C of DIN 91379) that must not start or end with a separator.		

simpleType StringNoLeadingSeparators

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of din91379:datatypeC		

Used by	simpleType StringNoLeadingOrTrailingSeparators		
Facets	Kind	Value	Documentation
	pattern	[^].*	
Documentation	Base type for strings of the basic type (data type C of DIN 91379) that must not start with a separator.		

simpleType TelefonnummerType

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of std:NameType		
Used by	Attributes	ZertifizierteStelleType/@Telefonnummer MeldepflichtigeStelleType/@Telefonnummer DienstleisterType/@Telefonnummer	
Facets	Kind	Value	Documentation
	minLength	1	
	maxLength	30	
	whiteSpace	collapse	
	pattern	([0-9][+][\-/ /][0 D][])*	
Documentation	The person's telephone number.		

simpleType UUIDType

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of std:NameType		
Used by	elements	PaymentlineMa11ErgType/ZusatzMeldungUUID PaymentlineMa13Type/ZusatzMeldungUUID AmtlicheOrdnungsnummerMa23ListeType/AOrdNr	
	Attributes	SelbststaendigeMeldungMitOrdnungsnummerType/@AmtlicheOrdnungsnummer AntwortenType/@AntwortUUID SelbststaendigeMeldungType/@ErstmeldungUUID StornomeldungType/@ErstmeldungUUID MeldungenType/@MeldungUUID NachrichtenType/@NachrichtUUID AntwortenType/@RefNachrichtUUID MeldeartErg/@RefOrdnungsnummer StornomeldungType/@RefOrdnungsnummer	
Facets	Kind	Value	Documentation
	whiteSpace	collapse	
	pattern	[A-Fa-f0-9]{8}-[A-Fa-f0-9]{4}-[1-5][A-Fa-f0-9]{3}-[ABab89][A-Fa-f0-9]{3}-[A-Fa-f0-9]{12}	
Documentation	According to RFC 4122 a UUID is based on a 32-diqit hex string with [8]-[4]-[4]-[4]-[12] characters.		

simpleType VerhaeltnisType

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of xs:decimal		
Used by	attributes HinterlegungsscheinType/@Verhaeltnis		
Facets	Kind	Value	Documentation
	maxInclusive	9999999999.99	
	minExclusive	0	
	totalDigits	13	
	fractionDigits	2	

simpleType WertpapierStueckzahlType

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of xs:decimal		
Used by	Attributes	HinterlegungsscheinType/@AnzahlHinterlegungsscheineGlaebiger HinterlegungsscheinType/@HinterlegungsscheineGesamtzahl ErtragsGruppe45cType/@Stueckzahl KapitalertragType/@Stueckzahl KontoMitStueckzahlType/@Stueckzahl ZahlungstagMa22Type/@StueckzahlGesamt StueckzahlenType/@StueckzahlInnerhalbVon5Tagen ZahlungstagMa22Type/@StueckzahlKapitalertraege ZahlungstagMa22Type/@StueckzahlKompensationszahlungenBelastet ZahlungstagMa22Type/@StueckzahlKompensationszahlungenGutgeschrieben StueckzahlenType/@StueckzahlMehrAls5Tage StueckzahlenType/@StueckzahlMitFinanzvereinbarung ZahlungstagMa22Type/@StueckzahlOhneDividendenregulierung StueckzahlenType/@StueckzahlOhneFinanzvereinbarung WertpapierhandelType/@StueckzahlTransaktion ZugangslisteType/@StueckzahlWertpapierleihe ZugangslisteType/@StueckzahlWertpapierpensionsgeschaeft WertpapierhandelType/@StueckzahlZuordnungWertpapierleihe WertpapierhandelType/@StueckzahlZuordnungWertpapierpensionsgeschaeft HinterlegungsscheinType/@WertpapiereGesamtzahl	
Facets	Kind	Value	Documentation
	minInclusive	0	
	maxInclusive	9999999999999.9999	
	totalDigits	19	
	fractionDigits	4	
Documentation	Type used to specify the number of securities.		

simpleType WIDType

Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02
-----------	--

Type	restriction of std:NameType		
Used by	Attributes	PersonNichtNatWidInlandType/@WID PersonNichtNatAuslandType/@WID MeldepflichtigeStelleType/@WidNr IdMerkmalNNPType/@WidNr	
Facets	Kind	Value	Documentation
	length	16	
	whiteSpace	collapse	
	pattern	DE[0-9]{14}	
Documentation	The non-natural person's German business identification number without a hyphen before the 5-digit distinguishing code.		

simpleType ZulassungsnummerType


Namespace	http://www.itzbund.de/MiKaDiv/FMStd/1.02		
Type	restriction of std:NameType		
Used by	Attributes	ZertifizierteStelleType/@Zulassungsnummer MeldepflichtigeStelleType/@Zulassungsnummer DienstleisterType/@Zulassungsnummer	
Facets	Kind	Value	Documentation
	length	8	
	whiteSpace	collapse	
	pattern	[13][0-9]{6}[1-9]	
Documentation	Type for a MiKaDiv user's process-specific registration number.		

complexType AusschuetzendeGesellschaftType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	extension of std:IdMerkmalNNPType				
Children	fmpers:Adresse				
Used by	element Paymentline45BBasisType/AusschuetzendeGesellschaft				
Attributes	Name	Type	Use	Default	Documentation
	WIdNr	std:WIDType	k		The non-natural person's German business identification number.
	Steuernummer	std:SteuernummerType	k		The person's German tax number.
	LEI	std:LEIType	k		The non-natural person's Legal Entity Identifier (LEI).
	EUID	std:EUIDType	k		The non-natural

	AuslandSteuerNr std:AuslandSteuerNr k Bezeichnung std:Name256Type M	person's European Unique Identifier (EUID). The person's tax identification number assigned by the country of residence. The non-natural person's name.
Documentation	Only for information on capital income (Heading D).	

element AusschuetzendeGesellschaftType/Adresse

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	std:AdresseType				
Attributes	Name	Type	Use	Default	Documentation
	Strasse	std:Name80Type	k		The street name of the address.
	HausNr	derived by: xs:integer	k		The house number in the address.
	HausNrZu	std:Name20Type	k		

	Ort derived by: M std:Name80Type	Possible additions to the house number in the address. The place name of the address.
Documentation	The person's address.	

complexType DienstleisterType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	extension of std:IdMerkmalNNPType				
Children	fmpers:Adresse				
Used by	elements DLZertifiziert/Dienstleister DLMeldepflichtig/Dienstleister				
Attributes	Name	Type	Use	Default	Documentation
	WIdNr	std:WIDType	k		The non-natural

				person's German business identification number.
	Steuernummer	std:SteuernummerType	k	The person's German tax number.
	LEI	std:LEIType	k	The non-natural person's Legal Entity Identifier (LEI).
	EUID	std:EUIDType	k	The non-natural person's European Unique Identifier (EUID).
	AuslandSteuerNr	std:AuslandSteuerNr	k	The person's tax identification number assigned by the country of residence.
	Bezeichnung	std:Name256Type	M	The non-natural person's name.
	Zulassungsnummer	std:ZulassungsnummerType	M	The MiKaDiv user's process-specific registration number.
	eMail	std:MailType	M	The person's e-mail address.
	Telefonnummer	std:TelefonnummerType	M	The person's telephone number.

Documentation	Type for a data transmitter of the kind: service provider.
---------------	--

element DienstleisterType/Adresse

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	std:AdresseType				
Attributes	Name	Type	Use	Default	Documentation
	Strasse	std:Name80Type	k		The street name of the address.
	HausNr	derived by: xs:integer	k		The house number in the address.
	HausNrZu	std:Name20Type	k		Possible additions to the house number in the address.
	Ort	derived by: std:Name80Type	M		The place name of the address.
Documentation	The person's address.				

complexType GlaebigerOderDepotinhaberType

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02
Children	fmpers::GlaebigerListe fmpers::Depotinhaber
Used by	element Meldeart22/Kontopersonen
Documentation	Type for a list of creditors or, alternatively, a securities account holder.

element GlaebigerOderDepotinhaberType/GlaebigerListe

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02
Children	fmpers::Glaebiger
Documentation	List of all creditors.

element GlaebigerOderDepotinhaberType/GlaebigerListe/Glaebiger

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02
Type	fmpers::PersonType
Children	fmpers::EinzelPerson fmpers::SonstigeGemeinschaft

element GlaebigerOderDepotinhaberType/Depotinhaber

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02
Type	fmpers:PersonType
Children	fmpers:EinzelPerson fmpers:SonstigeGemeinschaft

complexType HinterlegungsstelleType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	extension of std:IdMerkmalNNPType				
Used by	element HinterlegungsscheinType/Hinterlegungsstelle				
Attributes	Name	Type	Use	Default	Documentation
	WIdNr	std:WIDType	k		The non-natural person's German business identification number.

	Steuernummer std:SteuernummerType k LEI std:LEIType k EUID std:EUIDType k AuslandSteuerNr std:AuslandSteuerNr k Bezeichnung std:Name256Type M	The person's German tax number. The non-natural person's Legal Entity Identifier (LEI). The non-natural person's European Unique Identifier (EUID). The person's tax identification number assigned by the country of residence. The non-natural person's name.
Documentation	Type for the custodian (of the German shares).	

complexType KontopersonUndVertreterType

Diagram	<pre> xsd:complexType base="base:complexType" name="KontopersonUndVertreterType"> attribute Depotverhaeltnis type="string" sequence { fmpers:Kontovertretungen type="fmpers:Kontovertretungen" fmpers:Personen type="fmpers:Personen" } </pre>
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02
Children	fmpers:Kontovertretungen fmpers:Personen

Used by	elements Meldeart13/Kontopersonen SelbststaendigeMeldungMitOrdnungsnummerType/Kontopersonen				
Attributes	Name	Type	Use	Default	Documentation
	Depotverhaeltnis	std:DepotverhaeltnisEnumType	k		Type of custody relationship.
Documentation	Type to specify multiple account persons.				

element KontopersonUndVertreterType/Kontovertretungen


Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Children	fmpers:Vertreter				
Documentation	List of all persons acting as representatives for the person for whom the tax certificate is being issued.				

element KontopersonUndVertreterType/Kontovertretungen/Vertreter


Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	fmpers:VertreterMitAdresseChoiceType				
Children	fmpers:NatInlandMitId fmpers:NatAuslandMitId fmpers:NatAuslandMitStNr fmpers:NichtNatInlandAusland				
Attributes	Name	Type	Use	Default	Documentation
	Art	fmpers:KontovertretungType	M		

	Type of representation
Documentation	Type for listing up to five natural or non-natural individual account persons, each of whom acts on behalf of another account person.

element KontopersonUndVertreterType/Personen

Diagram	 The diagram shows the fmpers:Personen element connected to a sequence container (rectangle with three dots) which is connected to the fmpers:Person element. The fmpers:Person element has a cardinality of 1..2.
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02
Children	fmpers:Person
Documentation	List of all persons.

element KontopersonUndVertreterType/Personen/Person


Diagram	 The diagram shows the fmpers:Person element with a cardinality of 1..2. It is connected to a dashed yellow box labeled fmpers:PersonMitArt45bType . Inside this box, there is an Attribute container with the Art attribute. Below the attribute container is a sequence container (rectangle with three dots) connected to a choice container (rectangle with a vertical line and a box). The choice container has two children: fmpers:EinzelPerson and fmpers:SonstigeGemeinschaft .				
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	fmpers:PersonMitArt45bType				
Children	fmpers:EinzelPerson fmpers:SonstigeGemeinschaft				
Attributes	Name	Type	Use	Default	Documentation
	Art	fmpers:PersonArtType	M		Type of the person.

complexType MeldepflichtigeStelleType

Diagram	<pre> classDiagram class MeldepflichtigeStelleType { WidNr Steuernummer Zulassungsnummer Bezeichnung eMail Telefonnummer fmpers:Adresse } </pre>				
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Children	fmpers:Adresse				
Used by	element DLMeldepflichtig/MeldepflichtigeStelle				
Attributes	Name	Type	Use	Default	Documentation
	WidNr	std:WIDType	k		The non-natural person's German business identification number.
	Steuernummer	std:SteuernummerType	k		The person's German tax number.
	Zulassungsnummer	std:ZulassungsnummerType	M		The MiKaDiv user's process-specific registration number.
	Bezeichnung	std:Name256Type	M		The non-natural person's name.
	eMail	std:MailType	M		The person's e-mail address.
	Telefonnummer	std:TelefonnummerType	M		

	The person's telephone number.
Documentation	Type for a data transmitter of the kind: reporting entity, for which at least one identification identifier must be specified.


element MeldepflichtigeStelleType/Adresse

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	std:AdresseType				
Attributes	Name	Type	Use	Default	Documentation
	Strasse	std:Name80Type	k		The street name of the address.
	HausNr	derived by: xs:integer	k		The house number in the address.
	HausNrZu	std:Name20Type	k		Possible additions to the house number in the address.
	Ort	derived by: std:Name80Type	M		The place name of the address.
Documentation	The person's address.				

complexType PersonBasisType

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02
Children	fmpers:Anschrift
Used by	complexTypes PersonNatDatenType PersonNichtNatType
Documentation	Abstract type for an individual person, being a natural or non-natural person. Forms the basis for account holder, creditor, securities account holder, as well as representatives.

element PersonBasisType/Anschrift

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	std:AdresseType				
Attributes	Name	Type	Use	Default	Documentation
	Strasse	std:Name80Type	k		The street name of the address.
	HausNr	derived by: xs:integer	k		The house number in the address.
	HausNrZu	std:Name20Type	k		Possible additions to the house number in the address.
	Ort	derived by: std:Name80Type	M		The place name of the

	address.
Documentation	The person's address.

complexType PersonDepotfuehrendeStelleType

Diagram	The diagram illustrates the extension of the complex type <code>fmpers:PersonVerwahrstelleBasisType</code> by <code>PersonDepotfuehrendeStelleType</code>. The extension is shown as a dashed box containing a list of attributes: <code>WIdNr</code>, <code>Steuernummer</code>, <code>LEI</code>, <code>EUID</code>, <code>AuslandSteuerNr</code>, <code>Ansaessigkeitsstaat</code>, and <code>Bezeichnung</code>. A reference to <code>fmpers:Anschrift</code> is also shown, indicating that the extended type inherits the address attribute from the base type.				
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	extension of fmpers:PersonVerwahrstelleBasisType				
Children	fmpers:Anschrift				
Used by	complexType DepotfuehrendeStellePositionType				
Attributes	Name	Type	Use	Default	Documentation
	WIdNr	std:WIDType	k		The non-natural person's German business identification number.
	Steuernummer	std:SteuernummerType	k		The person's German tax number.
	LEI	std:LEIType	k		The non-natural person's Legal Entity

	EUID <u>std:EUIDType</u> k AuslandSteuerNr <u>std:AuslandSteuerNr</u> k Ansaessigkeitsstaat derived by: <u>std:NameType</u> M Bezeichnung <u>std:Name256Type</u> M	Identifier (LEI). The non-natural person's European Unique Identifier (EUID). The person's tax identification number assigned by the country of residence. The country of residence according to ISO 3166 Alpha-2. The non-natural person's name.
Documentation	Type to describe an investor's custodian.	

complexType PersonMitAdresse45bChoiceType

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02

Children	fmpers:NatInlandMitId fmpers:NatAuslandMitId fmpers:NatAuslandMitStNr fmpers:NichtNatInlandMitWid fmpers:NichtNatInlandMitStNr fmpers:NichtNatAuslandMitStNr fmpers:NichtNatAuslandNoStNr
Used by	elements PersonMitArt45bType/EinzelPerson SonstigeGemeinschaft45bType/Miteigentuemer
Documentation	The type restricts the selection of the account holder, in the context of reporting types 11,13 and ERG, to the valid person types with the mandatory specification of the country of residence.

element [PersonMitAdresse45bChoiceType/NatInlandMitId](#)

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	fmpers:PersonNatIdInland45bType				
Children	fmpers:Anschrift				
Attributes	Name	Type	Use	Default	Documentation
	Geburtsdatum	std:GeburtsdatumType	M		The person's date of birth in the format yyyy-mm-dd, which permits (partially) unknown data.
	Name	derived by: std:Name45Type	M		

	Vorname	<u>std:Name45Type</u>	M	The natural person's last name.
	Titel	<u>std:Name20Type</u>	k	The natural person's first name.
	Vorsatzwort	<u>std:Name20Type</u>	k	The natural person's title.
	Namenszusatz	<u>std:Name20Type</u>	k	The natural person's prefix.
	IdNr	<u>std:IdNrType</u>	M	The natural person's affix.
	Ansaessigkeitsstaat	<u>fmpers:AnsaessigkeitsstaatType</u>	k	The natural person's identification number.
				The country of residence according to ISO 3166 Alpha-2.
Documentation	Element for a natural person with unlimited tax liability including mandatory German identification number.			

element PersonMitAdresse45bChoiceType/NatAuslandMitId

Diagram	The diagram illustrates the structure of the <code>fmpers:PersonNatIdAusland45bType</code> element. It is a choice type containing an attribute group and a choice between <code>IdNr</code> and <code>Ansaessigkeitsstaat</code>. The attribute group includes <code>Geburtsdatum</code>, <code>Name</code>, <code>Vorname</code>, <code>Titel</code>, <code>Vorsatzwort</code>, and <code>Namenszusatz</code>. A separate element <code>fmpers:NatAuslandMitId</code> is shown connected to the attribute group.				
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	fmpers:PersonNatIdAusland45bType				
Children	fmpers:Anschrift				
Attributes	Name	Type	Use	Default	Documentation
	Geburtsdatum	std:GeburtsdatumType	M		The person's date of birth in the format yyyy-mm-dd, which permits (partially) unknown data.
	Name	derived by: std:Name45Type	M		The natural person's last name.
	Vorname	std:Name45Type	M		The natural person's first name.
	Titel	std:Name20Type	k		The natural person's title.

	Vorsatzwort std:Name20Type k Namenszusatz std:Name20Type k IdNr std:IdNrType M Ansaessigkeitsstaat fmpers:AnsaessigkeitsstaatType M	The natural person's prefix. The natural person's affix. The natural person's identification number. The country of residence according to ISO 3166 Alpha-2.
Documentation	Element for a natural person with limited tax liability including mandatory German identification number.	

element PersonMitAdresse45bChoiceType/NatAuslandMitStNr

Diagram	<pre> classDiagram class fmpers_PersonNatAuslandStNr45bType { +Attribute +Geburtsdatum +Name +Vorname +Titel +Vorsatzwort +Namenszusatz +AuslandIdNr +Ansaessigkeitsstaat } class fmpers_NatAuslandMitStNr class fmpers_Anschrift fmpers_PersonNatAuslandStNr45bType -- fmpers_NatAuslandMitStNr fmpers_PersonNatAuslandStNr45bType -- fmpers_Anschrift </pre>	
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02	
Type	fmpers:PersonNatAuslandStNr45bType	

Children	<u>fmpers:Anschrift</u>				
Attributes	Name	Type	Use	Default	Documentation
	Geburtsdatum	<u>std:GeburtsdatumType</u>	M		The person's date of birth in the format yyyy-mm-dd, which permits (partially) unknown data.
	Name	derived by: <u>std:Name45Type</u>	M		The natural person's last name.
	Vorname	<u>std:Name45Type</u>	M		The natural person's first name.
	Titel	<u>std:Name20Type</u>	k		The natural person's title.
	Vorsatzwort	<u>std:Name20Type</u>	k		The natural person's prefix.
	Namenszusatz	<u>std:Name20Type</u>	k		The natural person's affix.
	AuslandIdNr	<u>std:AuslandSteuerNr</u>	M		The person's tax identification number assigned by the country of residence.
	Ansaessigkeitsstaat	<u>fmpers:AnsaessigkeitsstaatType</u>	M		The country of residence according to ISO 3166 Alpha-2.
Documentation	Element for a natural person with limited tax liability including mandatory foreign identification number.				

element PersonMitAdresse45bChoiceType/NichtNatInlandMitWid

Diagram	The diagram illustrates the structure of the <code>fmpers:PersonNichtNatWidInland45bType</code>. It features a main container with a dashed border. Inside, there is an <code>Attribute</code> group containing three elements: <code>Bezeichnung</code>, <code>WID</code>, and <code>Ansaessigkeitsstaat</code>. Below this group is a choice element (indicated by a circle with three dots) that branches into two options: <code>fmpers:Anschrift</code> and <code>fmpers:NichtNatInlandMitWid</code>. The <code>fmpers:NichtNatInlandMitWid</code> element is shown as a separate box connected to the choice.				
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	fmpers:PersonNichtNatWidInland45bType				
Children	fmpers:Anschrift				
Attributes	Name	Type	Use	Default	Documentation
	Bezeichnung	std:Name256Type	M		The non-natural person's name.
	WID	std:WIDType	M		The non-natural person's German business identification number.
	Ansaessigkeitsstaat	fmpers:AnsaessigkeitsstaatType	k		The country of residence according to ISO 3166 Alpha-2.
Documentation	Element for a non-natural person who can be identified via their German business identification number.				

element PersonMitAdresse45bChoiceType/NichtNatInlandMitStNr


Diagram	The diagram illustrates the structure of the <code>fmpers:PersonNichtNatStNrInlandType45bType</code> element. It features an attribute group containing <code>Bezeichnung</code>, <code>Steuernummer</code>, and <code>Ansaessigkeitsstaat</code>. Below this, there is a choice between a sequence of elements (indicated by a dashed line and a box) and the <code>fmpers:Anschrift</code> element.				
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	fmpers:PersonNichtNatStNrInlandType45bType				
Children	fmpers:Anschrift				
Attributes	Name	Type	Use	Default	Documentation
	Bezeichnung	std:Name256Type	M		The non-natural person's name.
	Steuernummer	std:SteuernummerType	M		The person's German tax number.
	Ansaessigkeitsstaat	fmpers:AnsaessigkeitsstaatType	k		The country of residence according to ISO 3166 Alpha-2.
Documentation	Element for a non-natural person with a German tax number, if no German business identification number has been assigned.				

element PersonMitAdresse45bChoiceType/NichtNatAuslandMitStNr

Diagram	The diagram illustrates the structure of the <code>fmpers:PersonNichtNatAuslandStNr45bType</code> complex type. It contains an attribute group with the following elements: <code>Bezeichnung</code>, <code>WID</code>, <code>Steuernummer</code>, <code>LEI</code>, <code>EUID</code>, <code>AuslandSteuerNr</code>, and <code>Ansaessigkeitsstaat</code>. Additionally, it contains a choice between an empty element and the <code>fmpers:Anschrift</code> element.				
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	fmpers:PersonNichtNatAuslandStNr45bType				
Children	fmpers:Anschrift				
Attributes	Name	Type	Use	Default	Documentation
	Bezeichnung	std:Name256Type	M		The non-natural person's name.
	WID	std:WIDType	k		The non-natural person's German business identification number.
	Steuernummer	std:SteuernummerType	k		The person's German tax number.
	LEI	std:LEIType	k		The non-natural person's Legal Entity Identifier (LEI).

	EUID std:EUIDType k The non-natural person's European Unique Identifier (EUID).
	AuslandSteuerNr std:AuslandSteuerNr M The person's tax identification number assigned by the country of residence.
	Ansaessigkeitsstaat fmpers:AnsaessigkeitsstaatType M The country of residence according to ISO 3166 Alpha-2.
Documentation	Element for a non-natural person for specifying the foreign tax identification number and country of residence.

element PersonMitAdresse45bChoiceType/NichtNatAuslandNoStNr



Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	fmpers:PersonNichtNatRechtsformAusland45bType				
Children	fmpers:Anschrift				
Attributes	Name	Type	Use	Default	Documentation
	Bezeichnung	std:Name256Type	M		The non-natural person's name.
	WID	std:WIDType	k		The non-natural person's German business identification number.
	Steuernummer	std:SteuernummerType	k		The person's German tax number.
	LEI	std:LEIType	k		The non-natural person's Legal Entity Identifier (LEI).
	EUID	std:EUIDType	k		The non-natural person's European Unique Identifier (EUID).
	Rechtsform	std:RechtsformType	M		The legal form of a non-natural person with long and short forms.
	Gruendungsdatum	xs:date	M		Date the entity was founded.
	Ansaessigkeitsstaat	fmpers:AnsaessigkeitsstaatType	M		The country of residence

		according to ISO 3166 Alpha-2.
Documentation	Element for a non-natural person including legal form and date of incorporation, if no tax identification number has been assigned by the country of residence.	

complexType PersonMitAdresseChoiceType

Diagram		
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02	
Children	fmpers::NatInlandMitId fmpers::NatAuslandMitId fmpers::NatAuslandMitStNr fmpers::NichtNatInlandMitWid fmpers::NichtNatInlandMitStNr fmpers::NichtNatAuslandMitStNr fmpers::NichtNatAuslandNoStNr	
Used by	elements	PersonType/Einzelperson SonstigeGemeinschaftType/Miteigentuerer
Documentation	The type restricts the selection of creditor and securities account holder, in the context of reporting type 22, to the valid person types.	

element PersonMitAdresseChoiceType/NatInlandMitId

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	fmpers:PersonNatIdInlandType				
Children	fmpers:Anschrift				
Attributes	Name	Type	Use	Default	Documentation
	Geburtsdatum	std:GeburtsdatumType	M		The person's date of birth in the format yyyy-mm-dd, which permits (partially) unknown data.
	Name	derived by: std:Name45Type	M		The natural person's last name.
	Vorname	std:Name45Type	M		The natural person's first name.
	Titel	std:Name20Type	k		The natural person's title.
	Vorsatzwort	std:Name20Type	k		The natural


	Namenszusatz std:Name20Type k IdNr std:IdNrType M	person's prefix. The natural person's affix. The natural person's identification number.
Documentation	Element for a natural person with unlimited tax liability, including mandatory German identification number.	

element **PersonMitAdresseChoiceType/NatAuslandMitId**

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	fmpers:PersonNatIdAuslandType				
Children	fmpers:Anschrift				
Attributes	Name Geburtsdatum	Type std:GeburtsdatumType	Use M	Default	Documentation The person's date of birth in the format yyyy-mm-dd, which permits

	Name derived by: std:Name45Type M Vorname std:Name45Type M Titel std:Name20Type k Vorsatzwort std:Name20Type k Namenszusatz std:Name20Type k IdNr std:IdNrType M	(partially) unknown data. The natural person's last name. The natural person's first name. The natural person's title. The natural person's prefix. The natural person's affix. The natural person's identification number.
Documentation	Element for a natural person with limited tax liability including mandatory German identification number.	

element PersonMitAdresseChoiceType/NatAuslandMitStNr

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	fmpers:PersonNatAuslandStNrType				
Children	fmpers:Anschrift				
Attributes	Name	Type	Use	Default	Documentation
	Geburtsdatum	std:GeburtsdatumType	M		The person's date of birth in the format yyyy-mm-dd, which permits (partially) unknown data.
	Name	derived by: std:Name45Type	M		The natural person's last name.
	Vorname	std:Name45Type	M		The natural person's first name.
	Titel	std:Name20Type	k		The natural person's title.
	Vorsatzwort	std:Name20Type	k		The natural

	Namenszusatz std:Name20Type k AuslandIdNr std:AuslandSteuerNr M	person's prefix. The natural person's affix. The person's tax identification number assigned by the country of residence.
Documentation	Element for a natural person with limited tax liability including mandatory foreign identification number.	

element PersonMitAdresseChoiceType/NichtNatInlandMitWid


Diagram	The diagram illustrates the structure of the <code>fmpers:NichtNatInlandMitWid</code> element. It is a complex type with an attribute group containing <code>Bezeichnung</code> and <code>WID</code>. Additionally, it has a choice between an empty element and the <code>fmpers:Anschrift</code> element.				
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	fmpers:PersonNichtNatWidInlandType				
Children	fmpers:Anschrift				
Attributes	Name	Type	Use	Default	Documentation
	Bezeichnung	std:Name256Type	M		The non-natural person's name.
	WID	std:WIDType	M		The non-natural person's German business identification number.

Documentation	Element for a non-natural person who can be identified via their German business identification number.
---------------	---

element **PersonMitAdresseChoiceType/NichtNatInlandMitStNr**

Diagram	The diagram illustrates the structure of the <code>fmpers:PersonNichtNatStNrInlandType</code> element. It features a dashed yellow box containing an <code>Attribute</code> group with two attributes: <code>Bezeichnung</code> and <code>Steuernummer</code>. Below this, there is a choice between two elements: <code>fmpers:NichtNatInlandMitStNr</code> and <code>fmpers:Anschrift</code>. The <code>fmpers:NichtNatInlandMitStNr</code> element is shown with a small square icon, while <code>fmpers:Anschrift</code> is shown with a small circle icon.				
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	fmpers:PersonNichtNatStNrInlandType				
Children	fmpers:Anschrift				
Attributes	Name	Type	Use	Default	Documentation
	Bezeichnung	std:Name256Type	M		The non-natural person's name.
	Steuernummer	std:SteuernummerType	M		The person's German tax number.
Documentation	Element for a non-natural person with a German tax number if no German business identification number has been assigned.				

element PersonMitAdresseChoiceType/NichtNatAuslandMitStNr

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	fmpers:PersonNichtNatAuslandStNrType				
Children	fmpers:Anschrift				
Attributes	Name	Type	Use	Default	Documentation
	Bezeichnung	std:Name256Type	M		The non-natural person's name.
	WID	std:WIDType	k		The non-natural person's German business identification number.
	Steuernummer	std:SteuernummerType	k		The person's German tax number.
	LEI	std:LEIType	k		The non-natural person's Legal Entity Identifier (LEI).
	EUID	std:EUIDType	k		The non-


	AuslandSteuerNr std:AuslandSteuerNr M	natural person's European Unique Identifier (EUID). The person's tax identification number assigned by the country of residence.
Documentation	Element for a non-natural person for specifying the foreign tax identification number and country of residence.	

element PersonMitAdresseChoiceType/NichtNatAuslandNoStNr


Diagram	The diagram illustrates the structure of the <code>fmpers:NichtNatAuslandNoStNr</code> element. It is a complex type with a choice of attributes: <code>Bezeichnung</code>, <code>WID</code>, <code>Steuernummer</code>, <code>LEI</code>, <code>EUID</code>, <code>Rechtsform</code>, and <code>Gruendungsdatum</code>. It also has a required child element <code>fmpers:Anschrift</code>.				
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	fmpers:PersonNichtNatRechtsformAuslandType				
Children	fmpers:Anschrift				
Attributes	Name Bezeichnung	Type std:Name256Type	Use M	Default	Documentation The non-natural person's

	WID	<u>std:WIDType</u>	k	name. The non-natural person's German business identification number.
	Steuernummer	<u>std:SteuernummerType</u>	k	The person's German tax number.
	LEI	<u>std:LEIType</u>	k	The non-natural person's Legal Entity Identifier (LEI).
	EUID	<u>std:EUIDType</u>	k	The non-natural person's European Unique Identifier (EUID).
	Rechtsform	<u>std:RechtsformType</u>	M	The legal form of a non-natural person with long and short forms.
	Gruendungsdatum	xs:date	M	Date the entity was founded.
Documentation	Element for a non-natural person including legal form and date of incorporation, if no tax identification number has been assigned by the country of residence.			

complexType PersonMitArt45bType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Children	fmpers::EinzelPerson fmpers::SonstigeGemeinschaft				
Used by	element KontopersonUndVertreterType/Personen/Person				
Attributes	Name	Type	Use	Default	Documentation
	Art	fmpers:PersonArtType	M		Person type.
Documentation	Type of person to whom the certificate was issued, including type and address.				

element PersonMitArt45bType/EinzelPerson

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	fmpers:PersonMitAdresse45bChoiceType				
Children	fmpers:NatInlandMitId fmpers:NatAuslandMitId fmpers:NatAuslandMitStNr fmpers:NichtNatInlandMitWid fmpers:NichtNatInlandMitStNr fmpers:NichtNatAuslandMitStNr fmpers:NichtNatAuslandNoStNr				

element PersonMitArt45bType/SonstigeGemeinschaft

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02
Type	fmpers:SonstigeGemeinschaft45bType
Children	fmpers:Miteigentuerer

complexType PersonNatAuslandStNr45bType

Diagram											
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02										
Type	extension of fmpers:PersonNatAuslandStNrType										
Children	fmpers:Anschrift										
Used by	element PersonMitAdresse45bChoiceType/NatAuslandMitStNr										
Attributes	<table><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Documentation</th></tr><tr><td>Geburtsdatum</td><td>std:GeburtsdatumType</td><td>M</td><td></td><td></td></tr></table>	Name	Type	Use	Default	Documentation	Geburtsdatum	std:GeburtsdatumType	M		
Name	Type	Use	Default	Documentation							
Geburtsdatum	std:GeburtsdatumType	M									

				The person's date of birth in the format yyyy-mm-dd, which permits (partially) unknown data. The natural person's last name. The natural person's first name. The natural person's title. The natural person's prefix. The natural person's affix. The person's tax identification number assigned by the country of residence. The country of residence according to ISO 3166 Alpha-2.
	Name	derived by: std:Name45Type	M	
	Vorname	std:Name45Type	M	
	Titel	std:Name20Type	k	
	Vorsatzwort	std:Name20Type	k	
	Namenszusatz	std:Name20Type	k	
	AuslandIdNr	std:AuslandSteuerNr	M	
	Ansaessigkeitsstaat	fmpers:AnsaessigkeitsstaatType	M	
Documentation	Type used to describe a natural person with limited tax liability including mandatory foreign identification number.			

complexType PersonNatAuslandStNrType

Diagram	The diagram illustrates the XSD structure for PersonNatAuslandStNrType. It is an extension of the fmpers:PersonNatDatenType. The extension includes the following elements and attributes: Attributes: Geburtsdatum, Name, Vorname, Titel, Vorsatzwort, Namenszusatz. Element: fmpers:Anschrift (required, indicated by a solid line and a '+' sign). Derived Attribute: AuslandIdNr.				
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	extension of fmpers:PersonNatDatenType				
Children	fmpers:Anschrift				
Used by	elements VertreterMitAdresseChoiceType/NatAuslandMitStNr PersonMitAdresseChoiceType/NatAuslandMitStNr complexType PersonNatAuslandStNr45bType				
Attributes	Name	Type	Use	Default	Documentation
	Geburtsdatum	std:GeburtsdatumType	M		The person's date of birth in the format yyyy-mm-dd, which permits (partially) unknown data.
	Name	derived by: std:Name45Type	M		The natural person's last name.
	Vorname	std:Name45Type	M		The natural person's first name.

	Titel std:Name20Type k Vorsatzwort std:Name20Type k Namenszusatz std:Name20Type k AuslandIdNr std:AuslandSteuerNr M	The natural person's title. The natural person's prefix. The natural person's affix. The person's tax identification number assigned by the country of residence.
Documentation	Type used to describe a natural person with limited tax liability including mandatory foreign identification number.	

complexType PersonNatDatenType

Diagram	<pre> classDiagram class PersonNatDatenType class fmpers_PersonBasisType["fmpers:PersonBasisType (extension)"] class fmpers_Anschrift["fmpers:Anschrift"] class Attribute class Geburtsdatum class Name class Vorname class Titel class Vorsatzwort class Namenszusatz PersonNatDatenType -- > fmpers_PersonBasisType PersonNatDatenType -- fmpers_Anschrift Attribute -- Geburtsdatum Attribute -- Name Attribute -- Vorname Attribute -- Titel Attribute -- Vorsatzwort Attribute -- Namenszusatz </pre>	
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02	
Type	extension of fmpers:PersonBasisType	
Children	fmpers:Anschrift	


Used by	complexTypes PersonNatAuslandStNrType PersonNatIdAuslandType PersonNatIdInlandType				
Attributes	Name	Type	Use	Default	Documentation
	Geburtsdatum	std:GeburtsdatumType	M		The person's date of birth in the format yyyy-mm-dd, which permits (partially) unknown data.
	Name	derived by: std:Name45Type	M		The natural person's last name.
	Vorname	std:Name45Type	M		The natural person's first name.
	Titel	std:Name20Type	k		The natural person's title.
	Vorsatzwort	std:Name20Type	k		The natural person's prefix.
	Namenszusatz	std:Name20Type	k		The natural person's affix.
Documentation	Abstract type used to describe a natural person.				

complexType PersonNatIdAusland45bType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	extension of fmpers:PersonNatIdAuslandType				
Children	fmpers:Anschrift				
Used by	element PersonMitAdresse45bChoiceType/NatAuslandMitId				
Attributes	Name	Type	Use	Default	Documentation
	Geburtsdatum	std:GeburtsdatumType	M		The person's date of birth in the format yyyy-mm-dd, which permits (partially) unknown data.
	Name	derived by: std:Name45Type	M		The natural person's last name.
	Vorname	std:Name45Type	M		The natural person's first

	Titel	<u>std:Name20Type</u>	k	name. The natural person's title.
	Vorsatzwort	<u>std:Name20Type</u>	k	The natural person's prefix.
	Namenszusatz	<u>std:Name20Type</u>	k	The natural person's affix.
	IdNr	<u>std:IdNrType</u>	M	The natural person's identification number.
	Ansaessigkeitsstaat	<u>fmpers:AnsaessigkeitsstaatType</u>	M	The country of residence according to ISO 3166 Alpha-2.
Documentation	Type used to describe a natural person with limited tax liability including mandatory German identification number.			

complexType PersonNatIdAuslandType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	extension of fmpers:PersonNatDatenType				
Children	fmpers:Anschrift				
Used by	elements VertreterMitAdresseChoiceType/NatAuslandMitId PersonMitAdresseChoiceType/NatAuslandMitId complexType PersonNatIdAusland45bType				
Attributes	Name	Type	Use	Default	Documentation
	Geburtsdatum	std:GeburtsdatumType	M		The person's date of birth in the format yyyy-mm-dd, which permits (partially) unknown data.
	Name	derived by: std:Name45Type	M		The natural person's last name.
	Vorname	std:Name45Type	M		The natural person's first name.

	Titel std:Name20Type k Vorsatzwort std:Name20Type k Namenszusatz std:Name20Type k IdNr std:IdNrType M	The natural person's title. The natural person's prefix. The natural person's affix. The natural person's identification number.
Documentation	Type used to describe natural person with limited tax liability including mandatory German identification number.	

complexType PersonNatIdInland45bType

Diagram	The diagram illustrates the structure of the <code>fmpers:PersonNatIdInlandType</code> extension. It shows a class <code>PersonNatIdInland45bType</code> that extends the base type. The extension includes the following attributes: <code>Geburtsdatum</code> <code>Name</code> <code>Vorname</code> <code>Titel</code> <code>Vorsatzwort</code> <code>Namenszusatz</code> <code>IdNr</code> <code>fmpers:Anschrift</code> <code>Ansaessigkeitsstaat</code>
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02

Type	extension of fmpers:PersonNatIdInlandType				
Children	fmpers:Anschrift				
Used by	element PersonMitAdresse45bChoiceType/NatInlandMitId				
Attributes	Name	Type	Use	Default	Documentation
	Geburtsdatum	std:GeburtsdatumType	M		The person's date of birth in the format yyyy-mm-dd, which permits (partially) unknown data.
	Name	derived by: std:Name45Type	M		The natural person's last name.
	Vorname	std:Name45Type	M		The natural person's first name.
	Titel	std:Name20Type	k		The natural person's title.
	Vorsatzwort	std:Name20Type	k		The natural person's prefix.
	Namenszusatz	std:Name20Type	k		The natural person's affix.
	IdNr	std:IdNrType	M		The natural person's identification number.
	Ansaessigkeitsstaat	fmpers:AnsaessigkeitsstaatType	k		The country of residence according to ISO 3166 Alpha-2.
Documentation	Type used to describe a natural person with unlimited tax liability, including mandatory German identification number.				

complexType PersonNatIdInlandType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	extension of fmpers:PersonNatDatenType				
Children	fmpers:Anschrift				
Used by	elements VertreterMitAdresseChoiceType/NatInlandMitId PersonMitAdresseChoiceType/NatInlandMitId complexType PersonNatIdInland45bType				
Attributes	Name	Type	Use	Default	Documentation
	Geburtsdatum	std:GeburtsdatumType	M		The person's date of birth in the format yyyy-mm-dd, which permits (partially) unknown data.
	Name	derived by: std:Name45Type	M		The natural person's last name.
	Vorname	std:Name45Type	M		The natural

	Titel std:Name20Type k Vorsatzwort std:Name20Type k Namenszusatz std:Name20Type k IdNr std:IdNrType M	person's first name. The natural person's title. The natural person's prefix. The natural person's affix. The natural person's identification number.
Documentation	Type used to describe a natural person with unlimited tax liability, including mandatory German identification number.	

complexType PersonNichtNatAuslandStNr45bType

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02

Type	extension of fmpers:PersonNichtNatAuslandStNrType				
Children	fmpers:Anschrift				
Used by	element PersonMitAdresse45bChoiceType/NichtNatAuslandMitStNr				
Attributes	Name Bezeichnung	Type std:Name256Type	Use M	Default	Documentation The non-natural person's name.
	WID	std:WIDType	k		The non-natural person's German business identification number.
	Steuernummer	std:SteuernummerType	k		The person's German tax number.
	LEI	std:LEIType	k		The non-natural person's Legal Entity Identifier (LEI).
	EUID	std:EUIDType	k		The non-natural person's European Unique Identifier (EUID).
	AuslandSteuerNr	std:AuslandSteuerNr	M		The person's tax identification number assigned by the country of residence.
	Ansaessigkeitsstaat	fmpers:AnsaessigkeitsstaatType	M		The country of residence according to ISO 3166 Alpha-2.


Documentation	Type for a non-natural person for specifying the foreign tax identification number and country of residence.
---------------	--

complexType PersonNichtNatAuslandStNrType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	extension of fmpers:PersonNichtNatAuslandType				
Children	fmpers:Anschrift				
Used by	element	PersonMitAdresseChoiceType/NichtNatAuslandMitStNr			
	complexType	PersonNichtNatAuslandStNr45bType			
Attributes	Name	Type	Use	Default	Documentation
	Bezeichnung	std:Name256Type	M		The non-natural person's name.
	WID	std:WIDType	k		The non-natural person's German business identification number.
	Steuernummer	std:SteuernummerType	k		The person's

	LEI std:LEIType k EUID std:EUIDType k AuslandSteuerNr std:AuslandSteuerNr M	German tax number. The non-natural person's Legal Entity Identifier (LEI). The non-natural person's European Unique Identifier (EUID). The person's tax identification number assigned by the country of residence.
Documentation	Type for a non-natural person with a foreign tax number.	

complexType PersonNichtNatAuslandType



Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	extension of fmpers:PersonNichtNatType				
Children	fmpers:Anschrift				
Used by	complexTypes PersonNichtNatAuslandStNrType PersonNichtNatRechtsformAuslandType VertreterNichtNatType				
Attributes	Name	Type	Use	Default	Documentation
	Bezeichnung	std:Name256Type	M		The non-natural person's name.
	WID	std:WIDType	k		The non-natural person's German business identification number.
	Steuernummer	std:SteuernummerType	k		The person's German tax number.
	LEI	std:LEIType	k		The non-natural person's Legal Entity Identifier (LEI).
	EUID	std:EUIDType	k		The non-natural person's European Unique Identifier (EUID).
Documentation	Abstract type with the identification attributes German business identification number, tax number, LEI and EUID, for which at least one identification identifier must be specified.				

complexType PersonNichtNatRechtsformAusland45bType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	extension of fmpers:PersonNichtNatRechtsformAuslandType				
Children	fmpers:Anschrift				
Used by	element PersonMitAdresse45bChoiceType/NichtNatAuslandNoStNr				
Attributes	Name	Type	Use	Default	Documentation
	Bezeichnung	std:Name256Type	M		The non-natural person's name.
	WID	std:WIDType	k		The non-natural person's German business identification number.
	Steuernummer	std:SteuernummerType	k		The person's German tax number.
	LEI	std:LEIType	k		The non-

	EUID	std:EUIDType	k	natural person's Legal Entity Identifier (LEI).
	Rechtsform	std:RechtsformType	M	The non-natural person's European Unique Identifier (EUID).
	Gruendungsdatum	xs:date	M	The legal form of a non-natural person with long and short forms.
	Ansaessigkeitsstaat	fmpers:AnsaessigkeitsstaatType	M	Date the entity was founded.
Documentation	The country of residence according to ISO 3166 Alpha-2.			
	Type for a non-natural person including legal form, date of incorporation and country of residence, if no tax identification number has been assigned by the country of residence.			

complexType PersonNichtNatRechtsformAuslandType

Diagram	The diagram illustrates the XSD structure for the complex type PersonNichtNatRechtsformAuslandType. It is an extension of the base type fmpers:PersonNichtNatAuslandType. The extension adds the following attributes: Bezeichnung (required), WID (key), Steuernummer (key), LEI (key), and EUID (key). It also adds a required element fmpers:Anschrift. The base type includes the attributes Rechtsform and Gruendungsdatum.				
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	extension of fmpers:PersonNichtNatAuslandType				
Children	fmpers:Anschrift				
Used by	element PersonMitAdresseChoiceType/NichtNatAuslandNoStNr complexType PersonNichtNatRechtsformAusland45bType				
Attributes	Name	Type	Use	Default	Documentation
	Bezeichnung	std:Name256Type	M		The non-natural person's name.
	WID	std:WIDType	k		The non-natural person's German business identification number.
	Steuernummer	std:SteuernummerType	k		The person's German tax number.
	LEI	std:LEIType	k		The non-


	EUID std:EUIDType k Rechtsform std:RechtsformType M Gruendungsdatum xs:date M	natural person's Legal Entity Identifier (LEI). The non-natural person's European Unique Identifier (EUID). The legal form of a non-natural person with long and short forms. Date the entity was founded.
Documentation	Type for a non-natural person including legal form and date of incorporation, if no tax identification number has been assigned by the country of residence.	

complexType PersonNichtNatStNrInlandType

Diagram	<pre> classDiagram class PersonNichtNatStNrInlandType { Bezeichnung fmpers:Anschrift Steuernummer } class fmpers:PersonNichtNatType { Bezeichnung fmpers:Anschrift } PersonNichtNatStNrInlandType -- > fmpers:PersonNichtNatType </pre>	
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02	
Type	extension of fmpers:PersonNichtNatType	
Children	fmpers:Anschrift	


Used by	element PersonMitAdresseChoiceType/NichtNatInlandMitStNr complexType PersonNichtNatStNrInlandType45bType				
Attributes	Name	Type	Use	Default	Documentation
	Bezeichnung	std:Name256Type	M		The non-natural person's name.
	Steuernummer	std:SteuernummerType	M		The person's German tax number.
Documentation	Type for a non-natural person with a German tax number if no German business identification number has been assigned.				

complexType PersonNichtNatStNrInlandType45bType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	extension of fmpers:PersonNichtNatStNrInlandType				
Children	fmpers:Anschrift				
Used by	element PersonMitAdresse45bChoiceType/NichtNatInlandMitStNr				
Attributes	Name	Type	Use	Default	Documentation
	Bezeichnung	std:Name256Type	M		The non-natural person's name.
	Steuernummer	std:SteuernummerType	M		The person's German tax number.

	Ansaessigkeitsstaat fmpers:AnsaessigkeitsstaatType k	number. The country of residence according to ISO 3166 Alpha-2.
Documentation	Type for a non-natural person with a German tax number if no German business identification number has been assigned.	

complexType PersonNichtNatType

Diagram	 The diagram illustrates the complex type PersonNichtNatType as an extension of fmpers:PersonBasisType. The extension is highlighted in a yellow dashed box and includes the fmpers:Anschrift attribute and the Bezeichnung sub-element. A legend indicates that the box represents an Attribute.				
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	extension of fmpers:PersonBasisType				
Children	fmpers:Anschrift				
Used by	complexTypes PersonNichtNatAuslandType PersonNichtNatStNrInlandType PersonNichtNatWidInlandType				
Attributes	Name	Type	Use	Default	Documentation
	Bezeichnung	std:Name256Type	M		The non-natural person's name.
Documentation	Abstract type used to describe a non-natural person.				

complexType PersonNichtNatWidInland45bType

Diagram	The diagram illustrates the structure of the <code>fmpers:PersonNichtNatWidInlandType</code> complex type, which is an extension of <code>fmpers:PersonNichtNatWidInlandType</code>. It features three main components: Attributes: <code>Bezeichnung</code> (type <code>std:Name256Type</code>) and <code>WID</code> (type <code>std:WIDType</code>). Element: <code>fmpers:Anschrift</code> (type <code>fmpers:AnschriftType</code>), which is a required element (indicated by a solid line and a '+' sign). Optional Attribute: <code>Ansaessigkeitsstaat</code> (type <code>fmpers:AnsaessigkeitsstaatType</code>), which is an optional attribute (indicated by a dashed line and a '-' sign).				
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	extension of fmpers:PersonNichtNatWidInlandType				
Children	fmpers:Anschrift				
Used by	element PersonMitAdresse45bChoiceType/NichtNatInlandMitWid				
Attributes	Name	Type	Use	Default	Documentation
	Bezeichnung	std:Name256Type	M		The non-natural person's name.
	WID	std:WIDType	M		The non-natural person's German business identification number.
	Ansaessigkeitsstaat	fmpers:AnsaessigkeitsstaatType	k		The country of residence according to ISO 3166 Alpha-2.
Documentation	Type for a non-natural person who can be identified by their German business identification number.				

complexType PersonNichtNatWidInlandType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	extension of fmpers:PersonNichtNatType				
Children	fmpers:Anschrift				
Used by	element PersonMitAdresseChoiceType/NichtNatInlandMitWid complexType PersonNichtNatWidInland45bType				
Attributes	Name	Type	Use	Default	Documentation
	Bezeichnung	std:Name256Type	M		The non-natural person's name.
	WID	std:WIDType	M		The non-natural person's German business identification number.
Documentation	Type for a non-natural person who can be identified by their German business identification number.				

complexType PersonType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				

Children	fmpers:EinzelPerson fmpers:SonstigeGemeinschaft
Used by	elements GlaebigerOrderDepotinhaberType/Depotinhaber GlaebigerOrderDepotinhaberType/GlaebigerListe/Glaebiger
Documentation	Type of person to whom the certificate was issued, including type and address.

element PersonType/EinzelPerson

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02
Type	fmpers:PersonMitAdresseChoiceType
Children	fmpers:NatInlandMitId fmpers:NatAuslandMitId fmpers:NatAuslandMitStNr fmpers:NichtNatInlandMitWid fmpers:NichtNatInlandMitStNr fmpers:NichtNatAuslandMitStNr fmpers:NichtNatAuslandNoStNr

element PersonType/SonstigeGemeinschaft

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02
Type	fmpers:SonstigeGemeinschaftType
Children	fmpers:Miteigentuemer

complexType PersonVerwahrstelleBasisType

Diagram	The diagram shows the structure of PersonVerwahrstelleBasisType. It is a complex type that extends std:IdMerkmalNNPType (extension). The extension contains the following attributes: WIdNr, Steuernummer, LEI, EUID, and AuslandSteuerNr. The base type contains the following attributes: Ansaessigkeitsstaat and Bezeichnung. There is also a reference to fmpers:Anschrift.				
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	extension of std:IdMerkmalNNPType				
Children	fmpers:Anschrift				
Used by	complexTypes PersonDepotfuehrendeStelleType PersonVerwahrstelleType				
Attributes	Name	Type	Use	Default	Documentation
	WIdNr	std:WIDType	k		The non-natural person's German business identification number.
	Steuernummer	std:SteuernummerType	k		The person's German tax number.
	LEI	std:LEIType	k		The non-natural person's Legal Entity Identifier

	EUID std:EUIDType k (LEI). The non-natural person's European Unique Identifier (EUID). AuslandSteuerNr std:AuslandSteuerNr k The person's tax identification number assigned by the country of residence. Ansaessigkeitsstaat derived by: std:NameType M The country of residence according to ISO 3166 Alpha-2. Bezeichnung std:Name256Type M The non-natural person's name.
Documentation	Type used to describe a (intermediary) custodian.

element PersonVerwahrstelleBasisType/Anschrift

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02
Type	std:AdresseType


Attributes	Name	Type	Use	Default	Documentation
	Strasse	<u>std:Name80Type</u>	k		The street name of the address.
	HausNr	derived by: xs:integer	k		The house number in the address.
	HausNrZu	<u>std:Name20Type</u>	k		Possible additions to the house number in the address.
	Ort	derived by: <u>std:Name80Type</u>	M		The place name of the address.
Documentation	The person's address.				

complexType PersonVerwahrstelleType


Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	extension of fmpers:PersonVerwahrstelleBasisType				
Children	fmpers:Anschrift				
Used by	complexTypees AuszahlendeStellePositionType VerwahrstellePositionType				
Attributes	Name	Type	Use	Default	Documentation
	WIdNr	std:WIDType	k		The non-natural person's German business identification number.
	Steuernummer	std:SteuernummerType	k		The person's German tax number.
	LEI	std:LEIType	k		The non-natural person's

	EUID	<u>std:EUIDType</u>	k	Legal Entity Identifier (LEI).
	AuslandSteuerNr	<u>std:AuslandSteuerNr</u>	k	The non-natural person's European Unique Identifier (EUID).
	Ansaessigkeitsstaat	derived by: <u>std:NameType</u>	M	The person's tax identification number assigned by the country of residence.
	Bezeichnung	<u>std:Name256Type</u>	M	The country of residence according to ISO 3166 Alpha-2.
	Kontonummer	<u>std:KontonummerType</u>	M	The non-natural person's name.
	DepotkontoArt	<u>std:DepotkontoEnumType</u>	M	The account number of the custodian's custody account.
				The type of the custodian's securities account.
Documentation	Type used to describe a (intermediary) custodian.			


complexType SonstigeGemeinschaft45bType

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02
Children	fmpers:Miteigentuerer
Used by	element PersonMitArt45bType/SonstigeGemeinschaft
Documentation	A special form of non-natural person where several natural and/or non-natural co-owners form a (property) community (e.g. joint ownership or fractional ownership).


element SonstigeGemeinschaft45bType/Miteigentuerer

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02
Type	fmpers:PersonMitAdresse45bChoiceType
Children	fmpers:NatInlandMitId fmpers:NatAuslandMitId fmpers:NatAuslandMitStNr fmpers:NichtNatInlandMitWid fmpers:NichtNatInlandMitStNr fmpers:NichtNatAuslandMitStNr fmpers:NichtNatAuslandNoStNr
Documentation	Co-owner of the community.

complexType SonstigeGemeinschaftType

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02
Children	fmpers:Miteigentuerer
Used by	element PersonType/SonstigeGemeinschaft
Documentation	A special form of non-natural person where several natural and/or non-natural co-owners form a (property) community (e.g. joint ownership or fractional ownership).

element SonstigeGemeinschaftType/Miteigentuerer

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02
Type	fmpers:PersonMitAdresseChoiceType
Children	fmpers:NatInlandMitId fmpers:NatAuslandMitId fmpers:NatAuslandMitStNr fmpers:NichtNatInlandMitWid fmpers:NichtNatInlandMitStNr fmpers:NichtNatAuslandMitStNr fmpers:NichtNatAuslandNoStNr
Documentation	Co-owner of the community.

complexType VertreterMitAdresseChoiceType

Diagram	<pre> xsd:complexType base="xsd:complexType" name="VertreterMitAdresseChoiceType"> attribute Art="xsd:string" type="xsd:string"/> choice base="xsd:choice" name="choice1"> element fmpers:NatInlandMitId="xsd:string" type="xsd:string"/> element fmpers:NatAuslandMitId="xsd:string" type="xsd:string"/> element fmpers:NatAuslandMitStNr="xsd:string" type="xsd:string"/> element fmpers:NichtNatInlandAusland="xsd:string" type="xsd:string"/> </pre>				
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Children	fmpers:NatInlandMitId fmpers:NatAuslandMitId fmpers:NatAuslandMitStNr fmpers:NichtNatInlandAusland				
Used by	element KontopersonUndVertreterType/Kontovertretungen/Vertreter				
Attributes	Name	Type	Use	Default	Documentation
	Art	fmpers:KontovertretungType	M		Type of representation.
Documentation	Type for a natural or non-natural individual account person, who acts on behalf of another account person.				

element VertreterMitAdresseChoiceType/NatInlandMitId

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	fmpers:PersonNatIdInlandType				
Children	fmpers:Anschrift				
Attributes	Name	Type	Use	Default	Documentation
	Geburtsdatum	std:GeburtsdatumType	M		The person's date of birth in the format yyyy-mm-dd, which permits (partially) unknown data.
	Name	derived by: std:Name45Type	M		The natural person's last name.
	Vorname	std:Name45Type	M		The natural person's first name.
	Titel	std:Name20Type	k		The natural person's title.
	Vorsatzwort	std:Name20Type	k		The natural

	Namenszusatz std:Name20Type k IdNr std:IdNrType M	person's prefix. The natural person's affix. The natural person's identification number.
Documentation	Element for a natural person with unlimited tax liability, including mandatory German identification number.	

element VertreterMitAdresseChoiceType/NatAuslandMitId

Diagram	The diagram illustrates the structure of the <code>fmpers:PersonNatIdAuslandType</code> element. It is a choice type (indicated by a dashed border) containing two main components: an attribute group and a reference. The attribute group, labeled 'Attribute', includes the following elements: <code>Geburtsdatum</code>, <code>Name</code>, <code>Vorname</code>, <code>Titel</code>, <code>Vorsatzwort</code>, <code>Namenszusatz</code>, and <code>IdNr</code>. The reference is to the <code>fmpers:Anschrift</code> element, which is mandatory (indicated by a solid line and a plus sign in a circle). The <code>fmpers:Anschrift</code> element is also shown as a choice type.				
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	fmpers:PersonNatIdAuslandType				
Children	fmpers:Anschrift				
Attributes	Name	Type	Use	Default	Documentation
	Geburtsdatum	std:GeburtsdatumType	M		The person's date of birth in the format yyyy-mm-dd, which permits


	Name derived by: M std:Name45Type Vorname std:Name45Type M Titel std:Name20Type k Vorsatzwort std:Name20Type k Namenszusatz std:Name20Type k IdNr std:IdNrType M	(partially) unknown data. The natural person's last name. The natural person's first name. The natural person's title. The natural person's prefix. The natural person's affix. The natural person's identification number.
Documentation	Element for a natural person with limited tax liability including mandatory German identification number.	

element VertreterMitAdresseChoiceType/NatAuslandMitStNr

Diagram	The diagram illustrates the structure of the <code>fmpers:PersonNatAuslandStNrType</code> element. It is a choice type containing an attribute group (Geburtsdatum, Name, Vorname, Titel, Vorsatzwort, Namenszusatz, AuslandIdNr) and a choice between <code>fmpers:Anschrift</code> and <code>fmpers:NatAuslandMitStNr</code>.				
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	fmpers:PersonNatAuslandStNrType				
Children	fmpers:Anschrift				
Attributes	Name	Type	Use	Default	Documentation
	Geburtsdatum	std:GeburtsdatumType	M		The person's date of birth in the format yyyy-mm-dd, which permits (partially) unknown data.
	Name	derived by: std:Name45Type	M		The natural person's last name.
	Vorname	std:Name45Type	M		The natural person's first name.
	Titel	std:Name20Type	k		The natural person's title.
	Vorsatzwort	std:Name20Type	k		The natural

	Namenszusatz std:Name20Type k AuslandIdNr std:AuslandSteuerNr M	person's prefix. The natural person's affix. The person's tax identification number assigned by the country of residence.
Documentation	Element for a natural person with limited tax liability including mandatory foreign identification number.	

element VertreterMitAdresseChoiceType/NichtNatInlandAusland

Diagram	 The diagram illustrates the structure of the <code>fmpers:VertreterNichtNatType</code> element. It is a choice type containing several attributes: <code>Bezeichnung</code>, <code>WID</code>, <code>Steuernummer</code>, <code>LEI</code>, <code>EUID</code>, <code>AuslandSteuerNr</code>, and <code>BZStSteuernummer</code>. Additionally, it has a choice relationship with the <code>fmpers:Anschrift</code> element, indicated by a dashed line and a choice symbol (a circle with a plus sign).				
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	fmpers:VertreterNichtNatType				
Children	fmpers:Anschrift				
Attributes	Name	Type	Use	Default	Documentation
	Bezeichnung	std:Name256Type	M		The non-natural person's name.

	WID	<u>std:WIDType</u>	k	The non-natural person's German business identification number.
	Steuernummer	<u>std:SteuernummerType</u>	k	The person's German tax number.
	LEI	<u>std:LEIType</u>	k	The non-natural person's Legal Entity Identifier (LEI).
	EUID	<u>std:EUIDType</u>	k	The non-natural person's European Unique Identifier (EUID).
	AuslandSteuerNr	<u>std:AuslandSteuerNr</u>	k	The person's tax identification number assigned by the country of residence.
	BZStSteuernummer	<u>std:BZStSteuernummerType</u>	k	It only applies to special investment funds that are registered for tax purposes with the Federal Tax Office (BZSt) as representatives of an investor.
Documentation	Element for a non-natural person with a domestic or foreign address.			

complexType VertreterNichtNatType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	extension of fmpers:PersonNichtNatAuslandType				
Children	fmpers:Anschrift				
Used by	element VertreterMitAdresseChoiceType/NichtNatInlandAusland				
Attributes	Name	Type	Use	Default	Documentation
	Bezeichnung	std:Name256Type	M		The non-natural person's name.
	WID	std:WIDType	k		The non-natural person's German business identification number.
	Steuernummer	std:SteuernummerType	k		The person's German tax number.
	LEI	std:LEIType	k		The non-natural

	EUID <u>std:EUIDType</u> k AuslandSteuerNr <u>std:AuslandSteuerNr</u> k BZStSteuernummer <u>std:BZStSteuernummerType</u> k	person's Legal Entity Identifier (LEI). The non-natural person's European Unique Identifier (EUID). The person's tax identification number assigned by the country of residence. It only applies to special investment funds that are registered for tax purposes with the Federal Tax Office (BZSt) as representatives of an investor.
Documentation	Type for a non-natural individual account holder who acts as a representative for another account holder. At least one identification identifier must be specified.	

complexType ZertifizierteStelleType

Diagram	The diagram illustrates the XSD structure for ZertifizierteStelleType. It is a complex type that extends std:IdMerkmalNNPType. The base type includes attributes: WIdNr, Steuernummer, LEI, EUID, and AuslandSteuerNr. The extension adds attributes: Bezeichnung, Zulassungsnummer, eMail, and Telefonnummer. Additionally, it includes a child element fmpers:Adresse.				
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	extension of std:IdMerkmalNNPType				
Children	fmpers:Adresse				
Used by	element DLZertifiziert/ZertifizierteStelle				
Attributes	Name	Type	Use	Default	Documentation
	WIdNr	std:WIDType	k		The non-natural person's German business identification number.
	Steuernummer	std:SteuernummerType	k		The person's German tax number.
	LEI	std:LEIType	k		The non-natural person's

	EUID	<u>std:EUIDType</u>	k	Legal Entity Identifier (LEI).
	AuslandSteuerNr	<u>std:AuslandSteuerNr</u>	k	The non-natural person's European Unique Identifier (EUID).
	Bezeichnung	<u>std:Name256Type</u>	M	The person's tax identification number assigned by the country of residence.
	Zulassungsnummer	<u>std:ZulassungsnummerType</u>	M	The non-natural person's name.
	eMail	<u>std:MailType</u>	M	The MiKaDiv user's process-specific registration number.
	Telefonnummer	<u>std:TelefonnummerType</u>	M	The person's e-mail address.
Documentation	Type for a data transmitter of the kind: certified financial intermediary.			

element ZertifizierteStelleType/Adresse

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	std:AdresseType				
Attributes	Name	Type	Use	Default	Documentation
	Strasse	std:Name80Type	k		The street name of the address.
	HausNr	derived by: xs:integer	k		The house number in the address.
	HausNrZu	std:Name20Type	k		Possible additions to the house number in the address.
	Ort	derived by: std:Name80Type	M		The place name of the address.
Documentation	The person's address.				

simpleType AnsaessigkeitsstaatType

Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02				
Type	restriction of std:NameType				
Used by	Attributes	PersonNatIdInland45bType/@Ansaessigkeitsstaat PersonNatIdAusland45bType/@Ansaessigkeitsstaat PersonNatAuslandStNr45bType/@Ansaessigkeitsstaat PersonNichtNatWidInland45bType/@Ansaessigkeitsstaat PersonNichtNatStNrInlandType45bType/@Ansaessigkeitsstaat			

	PersonNichtNatAuslandStNr45bType/@Ansaessigkeitsstaat PersonNichtNatRechtsformAusland45bType/@Ansaessigkeitsstaat		
Facets	Kind length whiteSpace pattern	Value 2 collapse [a-zA-Z]{2}	Documentation
Documentation	The country of residence according to ISO 3166 Alpha-2.		

simpleType KontovertretungType

Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02		
Type	restriction of xs:string		
Used by	attributes	VertreterMitAdresseChoiceType/@Art	
Facets	Kind enumeration enumeration enumeration	Value TH PS NB	Documentation trustee debtor of the pledge usufructuary
Documentation	Type used to define the type of representation.		

simpleType PersonArtType

Namespace	http://www.itzbund.de/MiKaDiv/FMPers/1.02		
Type	restriction of xs:string		
Used by	attributes	PersonMitArt45bType/@Art	
Facets	Kind enumeration enumeration	Value GL DI	Documentation Creditor securities account holder
Documentation	Type used to define the person type.		

complexType Meldeart11

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMA11/1.02				
Type	extension of fmmabase:SelbststaendigeMeldungMitOrdnungsnummerType				
Children	fmmabase:Verwahrkette fmmabase:Kontopersonen fmmabase:KontoListe				
Used by	element MA11ListeType/Meldung				
Attributes	Name	Type	Use	Default	Documentation
	MeldungUUID	std:UUIDType	M		Unique identifier for the report.
	OrdBegriff	std:Name45Type	k		An internal number or key generated by the MiKaDiv user.
	Typ	fmmabase:Meldungstyp	M		Indicates whether this is an initial report or a correction.

	ErstmeldungUUID	<u>std:UUIDType</u>	k	Technical UUID of the initial report to be corrected or cancelled. If a supplementary tax certificate is corrected/cancelled , enter the UUID of the supplementary tax certificate to be corrected/cancelled here.
	Berichtigungsgrund	derived by: <u>std:NameType</u>	k	Optional reason for correction in the case of a correction.
	Meldejahr	xs:gYear	M	The reporting year is the year in which the investment income was received. The reporting year is specified in the format YYYY.
	Zeitstempel	xs:dateTime	M	Specifies the time to which the report refers/at which the contents of the report became effective. Must therefore be before the technical delivery time. Reports are sorted chronologically based on the time stamp.
	AmtlicheOrdnungsnummer	<u>std:UUIDType</u>	M	Official serial number in accordance with section 45b (1) EStG.
	Sammelsteuerbescheinigung	xs:boolean	false	Indicates that the individual tax certificate was issued on the basis of a collective tax certificate. Also

	DatumSteuerbescheinigung std:Datum1880Type k	applies to supplementary tax certificates if the initial certificate already contains an identification to this effect. Mandatory field for tax residents.
Documentation	Report pursuant to section 45b (2) EStG.	

complexType Meldeart13

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMa13/1.02				
Type	extension of fmmabase:SelbststaendigeMeldungType				
Children	fmma13:Verwahrkette fmma13:Kontopersonen fmma13:KontoListe				
Used by	element MA13ListeType/Meldung				
Attributes	Name	Type	Use	Default	Documentation
	MeldungUUID	std:UUIDType	M		Unique identifier for the report.

	OrdBegriff	std:Name45Type	k	An internal number or key generated by the MiKaDiv user.
	Typ	fmmabase:Meldungstyp	M	Indicates whether this is an initial report or a correction.
	ErstmeldungUUID	std:UUIDType	k	Technical UUID of the initial report to be corrected or cancelled. If a supplementary tax certificate is corrected/cancelled, enter the UUID of the supplementary tax certificate to be corrected/cancelled here.
	Berichtigungsgrund	derived by: std:NameType	k	Optional reason for correction in the case of a correction.
	Meldejahr	xs:gYear	M	The reporting year is the year in which the investment income was received. The reporting year is specified in the format YYYY.
	Zeitstempel	xs:dateTime	M	Specifies the time to which the report refers/at which the contents of the report became effective. Must therefore be before the technical delivery time. Reports are sorted chronologically based on the time stamp.
	Documentation	Report pursuant to section 45b (6) EStG.		


element Meldeart13/Verwahrkette

Diagram	The diagram illustrates the structure of the <code>fmmach:VerwahrketteType</code>. It is a container type with the following components: Attribute: <code>AuszahlStelleIstDepotfuehrStelle</code> (boolean). Sequence: A sequence of three elements: <code>fmmach:AuszahlendeStelle</code> (1..1) <code>fmmach:Verwahrstelle</code> (0..23) <code>fmmach:DepotfuehrendeStelle</code> (0..1) Constraint: A uniqueness constraint named <code>KnotenpositionInVerwahrketteEindeutig</code> is applied to the <code>fmmach:Verwahrstelle</code> and <code>fmmach:DepotfuehrendeStelle</code> elements. The selector is <code>fmmach:Verwahrstelle fmmach:DepotfuehrendeStelle</code> and the field is <code>@Position</code>.										
Namespace	http://www.itzbund.de/MiKaDiv/FMMA13/1.02										
Type	fmmach:VerwahrketteType										
Children	fmmach:AuszahlendeStelle fmmach:Verwahrstelle fmmach:DepotfuehrendeStelle										
Attributes	<table><thead><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Documentation</th></tr></thead><tbody><tr><td>AuszahlStelleIstDepotfuehrStelle</td><td>xs:boolean</td><td></td><td>false</td><td></td></tr></tbody></table>	Name	Type	Use	Default	Documentation	AuszahlStelleIstDepotfuehrStelle	xs:boolean		false	
Name	Type	Use	Default	Documentation							
AuszahlStelleIstDepotfuehrStelle	xs:boolean		false								
Identity constraints	<table><thead><tr><th>Name</th><th>Ref</th><th>Selector</th><th>Field(s)</th><th>Documentation</th></tr></thead><tbody><tr><td>unique KnotenpositionInVerwahrketteEindeutig</td><td></td><td>fmmach:Verwahrstelle fmmach:DepotfuehrendeStelle</td><td>@Position</td><td>A constraint that ensures that the positions within the custody chain are unique.</td></tr></tbody></table>	Name	Ref	Selector	Field(s)	Documentation	unique KnotenpositionInVerwahrketteEindeutig		fmmach:Verwahrstelle fmmach:DepotfuehrendeStelle	@Position	A constraint that ensures that the positions within the custody chain are unique.
Name	Ref	Selector	Field(s)	Documentation							
unique KnotenpositionInVerwahrketteEindeutig		fmmach:Verwahrstelle fmmach:DepotfuehrendeStelle	@Position	A constraint that ensures that the positions within the custody chain are unique.							
Documentation	The custody chain of the report.										

element Meldeart13/Kontopersonen

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMA13/1.02				
Type	fmpers:KontopersonUndVertreterType				
Children	fmpers:Kontoververtretungen fmpers:Personen				
Attributes	Name	Type	Use	Default	Documentation
	Depotverhaeltnis	std:DepotverhaeltnisEnumType	k		Type of custody relationship.
Documentation	The account persons of the report.				

element Meldeart13/KontoListe

Diagram						
Namespace	http://www.itzbund.de/MiKaDiv/FMMA13/1.02					
Children	fmma13:Konto					
Identity constraints	unique	Name EindeutigesKonto	Refer	Selector fmma13:Konto	Field(s) @ArtDesDepotkontos @Kontonummer	Documentation A constraint that ensures that the

		type of securities account and the account number together are unique.
Documentation	Type for a list of up to 20 accounts.	


element Meldeart13/KontoListe/Konto

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMa13/1.02				
Children	fmma13:Paymentlines				
Attributes	Name	Type	Use	Default	Documentation
	Kontonummer	std:KontonummerType	M		Account number
	ArtDesDepotkontos	std:DepotkontoEnumType	M		The type of securities account.


element Meldeart13/KontoListe/Konto/Paymentlines

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMa13/1.02				
Type	fmma13:PaymentlineListeMa13Type				
Children	fmma13:Paymentline				

complexType PaymentlineListeMa13Type

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FMMA13/1.02
Children	fmma13:Paymentline
Used by	element Meldeart13/KontoListe/Konto/Paymentlines
Documentation	Type for a list of paymentlines.

element PaymentlineListeMa13Type/Paymentline

Diagram						
Namespace	http://www.itzbund.de/MiKaDiv/FMMA13/1.02					
Type	fmma13:PaymentlineMa13Type					
Children	fmfach:AusschuettendeGesellschaft fmma13:ZusatzMeldungUUID fmma13:Kapitalertrag fmma13:Stueckzahlen fmma13:Hinterlegungsschein					
Attributes	Name	Type	Use	Default	Documentation	
	ISIN	std:ISINType	M		International Securities	


				Identification Number of the class of securities.
	Zahlungstag	xs:date	M	Payment date.
	ArtDesWertpapieres	<u>fmfach:WertpapierArtType</u>		Type of security.
	COAF	derived by: <u>std:NameType</u>	M	Corporate Action Event Reference.
	Nichtbeanstandung- 45b-Abs.2-Nr.6	xs:boolean	false	Indication that the non- objection rule regarding the second tax withholding from margin note 70 of the Federal Ministry of Finance circular "Individual questions relating to data transmission in accordance with sections 45b and 45c EStG" was applied.

complexType PaymentlineMa13Type

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMa13/1.02				
Type	extension of fmfach:Paymentline45BBasisType				
Children	fmfach:AusschuettendeGesellschaft fmma13:ZusatzMeldungUUID fmma13:Kapitalertrag fmma13:Stueckzahlen fmma13:Hinterlegungsschein				
Used by	element PaymentlineListeMa13Type/Paymentline				
Attributes	Name	Type	Use	Default	Documentation
	ISIN	std:ISINType	M		International Securities Identification Number of the class of securities.
	Zahlungstag	xs:date	M		Payment date.
	ArtDesWertpapiers	fmfach:WertpapierArtType			Type of security.
	COAF	derived by: std:NameType	M		

	Nichtbeanstandung-45b-Abs.2-Nr.6 xs:boolean false	Corporate Action Event Reference. Indication that the non-objection rule regarding the second tax withholding from margin note 70 of the Federal Ministry of Finance circular "Individual questions relating to data transmission in accordance with sections 45b and 45c EStG" was applied.
Documentation	Extension of the base type to include the report type-specific payment date.	

element PaymentlineMa13Type/ZusatzMeldungUUID

Diagram			
Namespace	http://www.itzbund.de/MiKaDiv/FMMA13/1.02		
Type	std:UUIDType		
Facets	Kind whiteSpace pattern	Value collapse [A-Fa-f0-9]{8}-[A-Fa-f0-9]{4}-[1-5][A-Fa-f0-9]{3}-[ABab89][A-Fa-f0-9]{3}-[A-Fa-f0-9]{12}	Documentation
Documentation	UUID of the additional information report with details of additions and disposals that form part of this report.		

element PaymentlineMa13Type/Kapitalertrag

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMA13/1.02				
Type	fmmach:KapitalertragType				
Children	fmmach:EinbehalteneSteuern				
Attributes	Name	Type	Use	Default	Documentation
	KontonummerGutschrift	std:KontonummerType	M		Account number to which the dividend payment was credited to the investor by his custodian bank.
	GutschriftArt	fmmach:GutschriftArtType	M		The type of credit note.
	Stueckzahl	std:WertpapierStueckzahlType	M		Number of securities on which the capital income is based.
	KapitalertragBrutto	std:Dezimal14dot2Type	M		Gross amount of investment income generated.

	KapitalertragNetto	std:Dezimal14dot2Type	M	Net amount of investment income generated.
Documentation	Section 45b (2) no. 4 EStG (Heading D).			

element PaymentlineMa13Type/Stueckzahlen

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMA13/1.02				
Type	fmmach:StueckzahlenType				
Attributes	Name	Type	Use	Default	Documentation
	StueckzahlMehrAls5Tage	std:WertpapierStueckzahlType	M		The number of shares acquired more than five days before the business day following the date of the Annual General Meeting.
	StueckzahlInnerhalbVon5Tagen	std:WertpapierStueckzahlType	M		The number of shares acquired within this period.
	StueckzahlMitFinanzvereinbarung	std:WertpapierStueckzahlType	M		

	9 pe StueckzahlOhneFinanzvereinbarung std:WertpapierStueckzahlType	M The number of securities associated with a financial arrangement. When applying the non-objection rule from margin note 8 of the Federal Ministry of Finance circular "Individual questions relating to data transmission in accordance with sections 45b and 45c EStG", the value '0' must be entered. The number of securities not associated with a financial arrangement. When applying the non-objection rule from margin note 8 of the Federal Ministry of Finance circular "Individual questions relating to
--	--	--

		data transmission in accordance with sections 45b and 45c EStG", the value '0' must be entered.
Documentation	Information on section 45b (2) no. 5 (a) and (b) EStG - optional for reporting type 13.	

element PaymentlineMa13Type/Hinterlegungsschein

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMA13/1.02				
Type	fmfach:HinterlegungsscheinType				
Children	fmfach:Wertpapier fmfach:Hinterlegungsstelle				
Attributes	Name	Type	Use	Default	Documentation
	HinterlegungsstelleMelder	xs:boolean		true	If "HinterlegungsstelleMelder" is true, the "Hinterlegungsstelle" element must not be specified. If False,

	Verhaeltnis	<u>std:VerhaeltnisType</u>	M	"Hinterlegungsstelle" must be provided. The ratio of depositary receipts stipulated in the issue conditions of the depositary receipt (page 1) to the domestic securities stored by the German depositary (x-page must be specified here).
	HinterlegungsscheineGesamtzahl	<u>std:WertpapierStueckzahlType</u>	M	Total number of depositary receipts issued at the date of the profit distribution resolution.
	WertpapiereGesamtzahl	<u>std:WertpapierStueckzahlType</u>	M	Total number of securities deposited at the date of the profit distribution resolution.
	AnzahlHinterlegungsscheineGlaubiger	<u>std:WertpapierStueckzahlType</u>	M	Number of depositary receipts held by the creditor of the capital income (of the tax certificate) at the date of the profit distribution resolution.
	RecordTag	xs:date	M	The second business day following the date of the annual meeting.
Documentation	Section 45b (2) no. 6 EStG (Heading G); K for reporting type 13; May only be specified if non-objection-45b-para. 2-no. 6 is false.			

complexType Meldeart21

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMA21/1.02				
Type	extension of fmmabase:SelbststaendigeMeldungType				
Children	fmma21:Wertpapiergattung				
Used by	element MA21ListeType/Meldung				
Attributes	Name	Type	Use	Default	Documentation
	MeldungUUID	std:UUIDType	M		Unique identifier for the report.
	OrdBegriff	std:Name45Type	k		An internal number or key generated by the MiKaDiv user.
	Typ	fmmabase:Meldungstyp	M		Indicates whether this is an initial report or a correction.
	ErstmeldungUUID	std:UUIDType	k		Technical UUID of the initial report to be corrected or cancelled. If a supplementary tax certificate is corrected/cancelled, enter the UUID of the supplementary tax certificate to be


	Berichtigungsgrund derived by: std:NameType k Meldejahr xs:gYear M Zeitstempel xs:dateTime M	corrected/cancelled here. Optional reason for correction in the case of a correction. The reporting year is the year in which the investment income was received. The reporting year is specified in the format YYYY. Specifies the time to which the report refers/at which the contents of the report became effective. Must therefore be before the technical delivery time. Reports are sorted chronologically based on the time stamp.
Documentation	Summary report pursuant to section 45c (1) EStG.	

element Meldeart21/Wertpapiergattung

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FMMA21/1.02
Type	fmma21:WertpapiergattungMa21Type
Children	fmma21:Zahlungstage

Attributes	Name	Type	Use	Default	Documentation
	Bezeichnung	std:Name105Type	M		Designation of the class of securities.
	ISIN	std:ISINType	M		International Securities Identification Number of the class of securities.
Documentation	Information on the class of securities in this report.				

complexType WertpapiergattungMa21Type

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMA21/1.02				
Type	extension of fmfach:WertpapiergattungType				
Children	fmma21:Zahlungstage				
Used by	element Meldeart21/Wertpapiergattung				
Attributes	Name	Type	Use	Default	Documentation
	Bezeichnung	std:Name105Type	M		Bezeichnung der Wertpapiergattung.
	ISIN	std:ISINType	M		International Securities Identification Number of the class of securities.
Documentation	Type for extending the class of securities with report type-specific information.				


element WertpapiergattungMa21Type/Zahlungstage

Diagram						
Namespace	http://www.itzbund.de/MiKaDiv/FMMA21/1.02					
Type	fmma21:ZahlungstagMa21ListeType					
Children	fmma21:Zahlungstag					
Identity constraints	unique	Name EindeutigerZahlungstag	Refer	Selector fmma21:Zahlungstag	Field(s) @Datum	Documentation A constraint that ensures there is only one entry per payment date.
Documentation	Payment dates of this security class. There must be only one entry per payment date.					


complexType ZahlungstagMa21ListeType

Diagram	<pre>graph LR; ZML[ZahlungstagMa21ListeType] --- Dots[...]; Dots --- FZ[fmma21:Zahlungstag]; FZ --- C[1..4];</pre>
Namespace	http://www.itzbund.de/MiKaDiv/FMMA21/1.02
Children	fmma21:Zahlungstag
Used by	element WertpapiergattungMa21Type/Zahlungstage
Documentation	Type for a list of payment dates for this class of securities.

element ZahlungstagMa21ListeType/Zahlungstag

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMA21/1.02				
Type	fmma21:ZahlungstagMa21Type				
Children	fmma21:OhneAbstand fmma21:TeilAbstaende fmma21:VollAbstaende				
Attributes	Name	Type	Use	Default	Documentation
	Datum	xs:date	M		Date of payment.
Documentation	Payment date for this class of securities.				

complexType ZahlungstagMa21Type


Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMA21/1.02				
Children	fmma21:OhneAbstand fmma21:TeilAbstaende fmma21:VollAbstaende				
Used by	element	ZahlungstagMa21ListeType/Zahlungstag			
Attributes	Name	Type	Use	Default	Documentation
	Datum	xs:date	M		Date of payment.

Documentation	Type for a single payment date of reporting type 21. The combination of date and class of securities must be unique.
---------------	--


element ZahlungstagMa21Type/OhneAbstand

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMA21/1.02				
Type	fmfach:ErtragsGruppe45cType				
Children	fmfach:EinbehalteneSteuern fmfach:BruttoBescheinigteSteuern fmfach:GemeldeteSteuern				
Attributes	Name	Type	Use	Default	Documentation
	Kapitalertrag	std:Dezimal14dot2Type	M		Gross amount of investment income generated.
	Rechtsgrundlage	std:RechtsgrundlageType	M		Legal basis for the tax rate applied.
	Stueckzahl	std:WertpapierStueckzahlType	M		Number of the securities of the class of securities affected by the disclosures.
Documentation	Information on income for which tax has been withheld.				

element ZahlungstagMa21Type/TeilAbstaende

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FMMA21/1.02
Children	fmma21:TeilAbstand
Documentation	Angaben zu Erträgen, bei denen vom Steuerabzug teilweise Abstand genommen wurde. Für jeden Information on income for which tax has been partially withheld. A separate entry must be included in the list for each legal reason for the abstention.

element ZahlungstagMa21Type/TeilAbstaende/TeilAbstand

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMA21/1.02				
Type	fmfach:ErtragsGruppe45cType				
Children	fmfach:EinbehalteneSteuern fmfach:BruttoBescheinigteSteuern fmfach:GemeldeteSteuern				
Attributes	Name	Type	Use	Default	Documentation
	Kapitalertrag	std:Dezimal14dot2Type	M		Gross amount of investment income generated.
	Rechtsgrundlage	std:RechtsgrundlageType	M		Legal basis for the tax

	Stueckzahl std:WertpapierStueckzahlType M	rate applied. Number of the securities of the class of securities affected by the disclosures.
Documentation	Information on income for which tax has been partially withheld.	

element ZahlungstagMa21Type/VollAbstaende

Diagram		
Namespace	http://www.itzbund.de/MiKaDiv/FMMA21/1.02	
Children	fmma21:VollAbstand	
Documentation	Information on income for which tax hasn't been withheld. A separate entry must be included in the list for each legal reason for the abstention.	

element ZahlungstagMa21Type/VollAbstaende/VollAbstand

Diagram		
Namespace	http://www.itzbund.de/MiKaDiv/FMMA21/1.02	
Type	fmfach:ErtragsGruppe45cType	

Children	fmfach:EinbehalteneSteuern fmfach:BruttoBescheinigteSteuern fmfach:GemeldeteSteuern				
Attributes	Name	Type	Use	Default	Documentation
	Kapitalertrag	std:Dezimal14dot2Type	M		Gross amount of investment income generated.
	Rechtsgrundlage	std:RechtsgrundlageType	M		Legal basis for the tax rate applied.
	Stueckzahl	std:WertpapierStueckzahlType	M		Number of the securities of the class of securities affected by the disclosures.
Documentation	Information on income for which tax hasn't been withheld based on legal basis.				


complexType Meldeart22

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FMMA22/1.02


Type	extension of fmabase:SelbststaendigeMeldungType				
Children	fmma22:Kontopersonen fmma22:Paymentlines				
Used by	element MA22ListeType/Meldung				
Attributes	Name	Type	Use	Default	Documentation
	MeldungUUID	std:UUIDType	M		Unique identifier for the report.
	OrdBegriff	std:Name45Type	k		An internal number or key generated by the MiKaDiv user.
	Typ	fmabase:Meldungstyp	M		Indicates whether this is an initial report or a correction.
	ErstmeldungUUID	std:UUIDType	k		Technical UUID of the initial report to be corrected or cancelled. If a supplementary tax certificate is corrected/cancelled, enter the UUID of the supplementary tax certificate to be corrected/cancelled here.
	Berichtigungsgrund	derived by: std:NameType	k		Optional reason for correction in the case of a correction.
	Meldejahr	xs:gYear	M		The reporting year is the year in which the investment income was received. The reporting year is specified in the format YYYY.
	Zeitstempel	xs:dateTime	M		Specifies the time to which the report refers/at which the contents of the report became effective. Must therefore be before

		the technical delivery time. Reports are sorted chronologically based on the time stamp.
Documentation	Report pursuant to section 45c (2) EStG.	


element Meldeart22/Kontopersonen

Diagram		
Namespace	http://www.itzbund.de/MiKaDiv/FMMA22/1.02	
Type	fmpers:GlaebigerOderDepotinhaberType	
Children	fmpers:GlaebigerListe fmpers:Depotinhaber	
Documentation	The account holders of the report.	


element Meldeart22/Paymentlines

Diagram		
Namespace	http://www.itzbund.de/MiKaDiv/FMMA22/1.02	
Type	fmma22:PaymentlineListeMa22Type	
Children	fmma22:Paymentline	
Documentation	Specification of all paymentlines for this report.	

complexType PaymentlineListeMa22Type

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FMMA22/1.02
Children	fmma22:Paymentline
Used by	element Meldeart22/Paymentlines
Documentation	Type for a list of paymentlines.

element PaymentlineListeMa22Type/Paymentline

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMA22/1.02				
Type	fmma22:PaymentlineMa22Type				
Children	fmma22:Kapitalertrag				
Attributes	Name	Type	Use	Default	Documentation
	ISIN	std:ISINType	M		International Securities Identification Number of the class of securities.
	Zahlungstag	xs:date	M		Payment date.

complexType PaymentlineMa22Type

Diagram	The diagram illustrates the complex type PaymentlineMa22Type as an extension of the base type fmfach:PaymentlineBasisType. The extension is highlighted in a yellow dashed box. Inside this box, the attributes ISIN and Zahlungstag are listed under an Attribute container. The PaymentlineMa22Type type is shown as a box with a small square icon, connected to the base type. Below the base type, a child element fmma22:Kapitalertrag is shown with a small square icon and a plus sign, indicating it is a required child element.				
Namespace	http://www.itzbund.de/MiKaDiv/FMMA22/1.02				
Type	extension of fmfach:PaymentlineBasisType				
Children	fmma22:Kapitalertrag				
Used by	element PaymentlineListeMa22Type/Paymentline				
Attributes	Name	Type	Use	Default	Documentation
	ISIN	std:ISINType	M		International Securities Identification Number of the class of securities.
	Zahlungstag	xs:date	M		Payment date.
Documentation	Extension of the base type to include the report type-specific payment date.				

element PaymentlineMa22Type/Kapitalertrag

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMa22/1.02				
Type	fmma22:ZahlungstagMa22Type				
Children	fmma22:EinbehalteneSteuern				
Attributes	Name	Type	Us e	Defa ult	Documentati on
	Kontonummer	std:KontonummerType	M		Number of the account or securities account in which the securities are held.
	SummeKapitalertrag	std:Dezimal14dot2Type	M		Total amount of the capital income credited in one calendar year

	StueckzahlKapitalertraege	std:WertpapierStueckzahlType	M	(section 45c (2) sentence 1 no. 3 EStG). Number of securities on which the capital income credited is based (see margin note 117 ff. of the Federal Ministry of Finance circular of 22 April 2025 "Individual questions relating to data transmission in accordance with sections 45b and 45c EStG").
	SummeKompensationszahlungenGutgeschrieben	std:Dezimal14dot2Type	M	Total amount of the compensation payments credited in one calendar year (section 45c (2) sentence 1 no. 4 EStG).
	StueckzahlKompensationszahlungenGutgeschrieben	std:WertpapierStueckzahlType	M	Number of securities on which

				the compensat ion payments credited are based (see also margin note 117 ff of the Federal Ministry of Finance circular of 22 April 2025 "Individual questions relating to data transmissio n in accordance with sections 45b and 45c EStG").
	SummeKompensationszahlungenBelastet	std:Dezimal14dot2Type	M	Total amount of the compensat ion payments charged in one calendar year (section 45c (2) sentence 1 no. 5 EStG).
	StueckzahlKompensationszahlungenBelas tet	std:WertpapierStueckza hlType	M	Number of securities on which the compensat ion payments charged are based

			(see also margin note 117 ff of the Federal Ministry of Finance circular of 22 April 2025 "Individual questions relating to data transmission in accordance with sections 45b and 45c EStG)".
	Saldo	std:Dezimal14dot2Type	M Balance from the total capital income credited and the total compensation payments credited and the total compensation payments charged (section 45c (2) sentence 1 no. 6 EStG).
	StueckzahlGesamt	std:WertpapierStueckzahlType	M Number of the securities of the class of securities held in the

	StueckzahlOhneDividendenregulierung std:WertpapierStueckzahlType k securities account. Number of securities for which there has been no dividend settlement (section 45c (2) sentence 1 no. 8 EStG).
Documentation	Section 45c (2) EStG.

complexType ZahlungstagMa22Type

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMA22/1.02				
Children	fmma22:EinbehalteneSteuern				
Used by	element PaymentlineMa22Type/Kapitalertrag				
Attributes	Name	Type	Use	Default	Documentation
	Kontonummer	std:KontonummerType	M		

			Number of the account or securities account in which the securities are held.
SummeKapitalertrag	std:Dezimal14dot2Type	M	Total amount of the capital income credited in one calendar year (section 45c (2) sentence 1 no. 3 EStG).
StueckzahlKapitalertraege	std:WertpapierStueckzahlType	M	Number of securities on which the capital income credited is based (see margin note 117 ff. of the Federal Ministry of Finance circular of 22 April 2025 "Individual questions relating to data transmission in accordance with sections 45b and 45c EStG").
SummeKompensationszahlungenGutgeschrieben	std:Dezimal14dot2Type	M	Total amount of

				the compensat ion payments credited in one calendar year (section 45c (2) sentence 1 no. 4 EStG).
	StueckzahlKompensationszahlungenGutg eschrieben	std:WertpapierStueckzahlType	M	Number of securities on which the compensat ion payments credited are based (see also margin note 117 ff of the Federal Ministry of Finance circular of 22 April 2025 "Individual questions relating to data transmissio n in accordance with sections 45b and 45c EStG").
	SummeKompensationszahlungenBelastet	std:Dezimal14dot2Type	M	Total amount of the compensat ion payments charged in one

			calendar year (section 45c (2) sentence 1 no. 5 EStG).
	StueckzahlKompensationszahlungenBelastet	std:WertpapierStueckzahlType	M Number of securities on which the compensation payments charged are based (see also margin note 117 ff of the Federal Ministry of Finance circular of 22 April 2025 "Individual questions relating to data transmission in accordance with sections 45b and 45c EStG").
	Saldo	std:Dezimal14dot2Type	M Balance from the total capital income credited and the total compensation payments credited and the total


	StueckzahlGesamt std:WertpapierStueckzahlType M StueckzahlOhneDividendenregulierung std:WertpapierStueckzahlType k	compensation payments charged (section 45c (2) sentence 1 no. 6 EStG). Number of the securities of the class of securities held in the securities account. Number of securities for which there has been no dividend settlement (section 45c (2) sentence 1 no. 8 EStG).
Documentation	Type for transmitting payment date information of this reporting type.	

element ZahlungstagMa22Type/EinbehalteneSteuern


Diagram	<pre> classDiagram class fmmachSteuerangabenType["fmmach:SteuerangabenType"] { Attribute Kapitalertragsteuer Solz } class fmma22EinbehalteneSteuern["fmma22::EinbehalteneSteuern"] fmma22EinbehalteneSteuern --> fmmachSteuerangabenType : Attribute </pre>
Namespace	http://www.itzbund.de/MiKaDiv/FMMA22/1.02
Type	fmmach:SteuerangabenType

Attributes	Name	Type	Use	Default	Documentation
	Kapitalertragsteuer	std:Dezimal14dot2Type	M		Information on capital income tax.
	Solz	std:Dezimal14dot2Type	M		Information on solidarity surcharge.
Documentation	List of all withheld taxes.				

complexType AmtlicheOrdnungsnummerMa23ListeType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMA23/1.02				
Children	fmma23:AOrdNr				
Used by	element Meldeart23/AmtlicheOrdnungsnummerListe				
Documentation	Type for a list of official serial numbers.				

element AmtlicheOrdnungsnummerMa23ListeType/AOrdNr

Diagram			
Namespace	http://www.itzbund.de/MiKaDiv/FMMA23/1.02		
Type	std:UUIDType		
Facets	Kind	Value	Documentation
	whiteSpace	collapse	
	pattern	[A-Fa-f0-9]{8}-[A-Fa-f0-9]{4}-[1-5][A-Fa-f0-9]{3}-[ABab89][A-Fa-f0-9]{3}-[A-Fa-f0-9]{12}	
Documentation	Official serial number.		

complexType Meldeart23

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMA23/1.02				
Type	extension of fmmabase:SelbststaendigeMeldungType				
Children	fmma23:AbgefKapitalertragsteuer fmma23:AmtlicheOrdnungsnummerListe				
Used by	element MA23ListeType/Meldung				
Attributes	Name	Type	Use	Default	Documentation
	MeldungUUID	std:UUIDType	M		Unique identifier for the report.
	OrdBegriff	std:Name45Type	k		An internal number or key generated by the MiKaDiv user.
	Typ	fmmabase:Meldungstyp	M		Indicates whether this is an initial report or a correction.
	ErstmeldungUUID	std:UUIDType	k		Technical UUID of the initial report to be corrected or cancelled. If a supplementary tax certificate is corrected/cancelled, enter the UUID of

	Berichtigungsgrund derived by: std:NameType k Meldejahr xs:gYear M Zeitstempel xs:dateTime M	the supplementary tax certificate to be corrected/cancelled here. Optional reason for correction in the case of a correction. The reporting year is the year in which the investment income was received. The reporting year is specified in the format YYYY. Specifies the time to which the report refers/at which the contents of the report became effective. Must therefore be before the technical delivery time. Reports are sorted chronologically based on the time stamp.
Documentation	Report pursuant to section 45c (2) sentence 3 EStG.	

element Meldeart23/AbgefKapitalertragsteuer

Diagram			
Namespace	http://www.itzbund.de/MiKaDiv/FMMA23/1.02		
Type	std:Dezimal14dot2Type		
Facets	Kind	Value	Documentation
	minInclusive	-99999999999999.99	
	maxInclusive	99999999999999.99	
	totalDigits	16	
	fractionDigits	2	
Documentation	Withheld capital income tax pursuant to section 44 (1a) EStG.		

element Meldeart23/AmtlicheOrdnungsnummerListe

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FMMA23/1.02
Type	fmma23:AmtlicheOrdnungsnummerMa23ListeType
Children	fmma23:AOrdNr
Documentation	A list of official serial numbers.

complexType StornomeldungType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMAson/1.02				
Type	extension of fmmabase:MeldungType				
Used by	element SMListeType/Meldung				
Attributes	Name	Type	Use	Default	Documentation
	MeldungUUID	std:UUIDType	M		Unique identifier for the report.
	OrdBegriff	std:Name45Type	k		An internal number

	ErstmeldungUUID	std:UUIDType	M	or key generated by the MiKaDiv user. Technical UUID of the initial report to be corrected or cancelled. If a supplementary tax certificate is corrected/cancelled, enter the UUID of the supplementary tax certificate to be corrected/cancelled here.
	Berichtigungsgrund	derived by: std:NameType	k	Optional reason for correction in the case of a cancellation.
	Zeitstempel	xs:dateTime	M	Specifies the time to which the report refers/at which the contents of the report became effective. Must therefore be before the technical delivery time. Reports are sorted chronologically based on the time stamp.
	RefOrdnungsnummer	std:UUIDType	k	Official serial number of the tax certificate to which the cancellation report refers. If the cancellation report refers to a tax certificate with an official serial number, this must be reported and must be identical to the referenced tax certificate.
Documentation	Cancellation of an erroneous submitted report.			

complexType ZusatzAngabenMeldung

Diagram	The diagram illustrates the complex type ZusatzAngabenMeldung as an extension of fmmabase:MeldungType. The extension is highlighted in a yellow box and contains two attributes: MeldungUUID and OrdBegriff. The ZusatzAngabenMeldung type is shown as a box with a small square icon, connected to a choice connector (a circle with a horizontal line and two dots). This connector leads to two child elements: fmmason:Zugaenge and fmmason:Abgaenge, both shown in dashed boxes with a small square icon and a plus sign.				
Namespace	http://www.itzbund.de/MiKaDiv/FMMSon/1.02				
Type	extension of fmmabase:MeldungType				
Children	fmmason:Zugaenge fmmason:Abgaenge				
Used by	element ZAMListeType/Meldung				
Attributes	Name	Type	Use	Default	Documentation
	MeldungUUID	std:UUIDType	M		Unique identifier for the report.
	OrdBegriff	std:Name45Type	k		An internal number or key generated by the MiKaDiv user.
Documentation	Additional information for reporting types that only include additions and/or disposals.				

element ZusatzAngabenMeldung/Zugaenge

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMSon/1.02				
Type	fmmach:ZugangslisteType				
Children	fmmach:Zugang				
Attributes	Name	Type	Use	Default	Documentation
	WeitereVorhanden	xs:boolean		false	If there are more additions than the maximum that can be specified in the report, this flag must be set at "true".
	StueckzahlWertpapierleihe	std:WertpapierStueckzahlType	k		Number of securities lending transaction.
	StueckzahlWertpapierpensionsgeschaefte	std:WertpapierStueckzahlType	k		Number of repo transaction.
Documentation	Information on securities purchased.				

element ZusatzAngabenMeldung/Abgaenge

Diagram	The diagram illustrates the structure of the <code>fmmach:AbgangslisteType</code> element. It is a container type (indicated by a dashed border) that contains an attribute <code>WeitereVorhanden</code> and a complex type <code>fmmach:Abgang</code>. The <code>fmmach:Abgang</code> type has a cardinality of <code>1..1000</code>. The <code>fmmach:AbgangslisteType</code> is connected to the <code>fmmason:Abgaenge</code> element.				
Namespace	http://www.itzbund.de/MiKaDiv/FMMaSon/1.02				
Type	fmmach:AbgangslisteType				
Children	fmmach:Abgang				
Attributes	Name	Type	Use	Default	Documentation
	WeitereVorhanden	xs:boolean		false	If there are more disposals than the maximum that can be specified in the report, this flag must be set at "true".
Documentation	Information on securities sold.				

complexType MeldeartErg

Diagram	The diagram shows the structure of the MeldeartErg complex type. It is an extension of fmmabase:SelbststaendigeMeldungMitOrdnungsnummerType. The structure includes: Attributes: MeldungUUID (solid box) OrdBegriff (dashed box) Typ (solid box) ErstmeldungUUID (dashed box) Berichtigungsgrund (dashed box) Meldejahr (solid box) Zeitstempel (solid box) AmtlicheOrdnungsnummer (solid box) Sammelsteuerbescheinigung (dashed box) DatumSteuerbescheinigung (dashed box) Choice of Elements: fmmabase:Verwahrkette (solid box) fmmabase:Kontopersonen (solid box) fmmabase:KontoListe (solid box) Reference Attribute: RefOrdnungsnummer (solid box)				
Namespace	http://www.itzbund.de/MiKaDiv/FMMAErg/1.02				
Type	extension of fmmabase:SelbststaendigeMeldungMitOrdnungsnummerType				
Children	fmmabase:Verwahrkette fmmabase:Kontopersonen fmmabase:KontoListe				
Used by	element MAErgListeType/Meldung				
Attributes	Name	Type	Use	Default	Documentation
	MeldungUUID	std:UUIDType	M		Unique identifier for the report.
	OrdBegriff	std:Name45Type	k		
	Typ	fmmabase:Meldungstyp	M		An internal number or key generated by the MiKaDiv user.

	ErstmeldungUUID	std:UUIDType	k	Indicates whether this is an initial report or a correction.
	Berichtigungsgrund	derived by: std:NameType	k	Technical UUID of the initial report to be corrected or cancelled. If a supplementary tax certificate is corrected/cancelled, enter the UUID of the supplementary tax certificate to be corrected/cancelled here.
	Meldejahr	xs:gYear	M	Optional reason for correction in the case of a correction.
	Zeitstempel	xs:dateTime	M	The reporting year is the year in which the investment income was received. The reporting year is specified in the format YYYY.
	AmtlicheOrdnungsnummer	std:UUIDType	M	Specifies the time to which the report refers/at which the contents of the report became effective. Must therefore be before the technical delivery time. Reports are sorted chronologically based on the time stamp.
	Sammelsteuerbescheinigung	xs:boolean	false	Official serial number in accordance with section 45b (1) EStG.
				Indicates that the individual tax


			certificate was issued on the basis of a collective tax certificate. Also applies to supplementary tax certificates if the initial certificate already contains an identification to this effect.
	DatumSteuerbescheinigung	std:Datum1880Type	k
	RefOrdnungsnummer	std:UUIDType	M
			Mandatory field for tax residents.
			Official serial number of the tax certificate to be completed.
Documentation	Reports by supplementary tax certificate.		

simpleType datatypeC

Namespaces	urn:xoev-de:kosit:xoev:datentyp:din-91379_2022-08		
Type	restriction of xs:string		
Used by	simpleType StringNoLeadingSeparators		
Facets	Kind	Value	Documentation
	pattern	([	-
]  -~ -¬ ®-ž Ƈ-ƈ Ə Ɨ Ơ-ơ Ư-ư Ʒ Ǎ-ǜ Ǟ-ǟ Ǣ-ǰ Ǵ-ǵ Ǹ-ǿ Ȓ-ȓ Ș-ț Ȟ-ȟ ȧ-ȳ ə ɨ ʒ ʹ-ʺ ʾ-ʿ ˈ ˌ Ḃ-ḃ Ḇ-ḇ Ḋ-ḑ ḗ Ḝ-ḫ ḯ-ḷ Ḻ-ḻ Ṁ-ṉ Ṓ-ṛ Ṟ-ṣ Ṫ-ṯ Ẁ-ẇ Ẍ-ẗ ẞ Ạ-ỹ ’ ‡ € A ̋ C ̀ ̄ ̆ ̈ ̕ ̣ ̦ ̨ ̆) D ̂ F ̀	

	&#x0304;)&#x0047;&#x0300;&#x0048;(&#x0304;&#x0326;&#x0331;)&#x004A;(&#x0301;&#x030C;)&#x004B;(&#x0300;&#x0302;&#x0304;&#x0307;&#x0315;&#x031B;&#x0326;&#x035F;&#x0048;&#x035F;&#x0068;)&#x004C;(&#x0302;&#x0325;&#x0325;&#x0304;&#x0326;)&#x004D;(&#x0300;&#x0302;&#x0306;&#x0310;)&#x004E;(&#x0302;&#x0304;&#x0306;&#x0326;)&#x0050;(&#x0300;&#x0304;&#x0315;&#x0323;)&#x0052;(&#x0306;&#x0325;&#x0325;&#x0304;)&#x0053;(&#x0300;&#x0304;&#x031B;&#x0304;&#x0331;)&#x0054;(&#x0300;&#x0304;&#x0308;&#x0315;&#x031B;)&#x0055;&#x0307;&#x005A;(&#x0300;&#x0304;&#x0306;&#x0308;&#x0327;)&#x0061;&#x030B;&#x0063;(&#x0300;&#x0304;&#x0306;&#x0308;&#x0315;&#x0323;&#x0326;&#x0328;&#x0306;)&#x0064;&#x0302;&#x0066;(&#x0300;&#x0304;)&#x0067;&#x0300;&#x0068;(&#x0304;&#x0326;)&#x006A;&#x0301;&#x006B;(&#x0300;&#x0302;&#x0304;&#x0307;&#x0315;&#x031B;&#x0326;&#x035F;&#x0068;)&#x006C;(&#x0302;&#x0325;&#x0325;&#x0304;&#x0326;)&#x006D;(&#x0300;&#x0302;&#x0306;&#x0310;)&#x006E;(&#x0302;&#x0304;&#x0306;&#x0326;)&#x0070;(&#x0300;&#x0304;&#x0315;&#x0323;)&#x0072;(&#x0306;&#x0325;&#x0325;&#x0304;)&#x0073;(&#x0300;&#x0304;&#x031B;&#x0304;&#x0331;)&#x0074;(&#x0300;&#x0304;&#x0315;&#x031B;)&#x0075;&#x0307;&#x007A;(&#x0300;&#x0304;&#x0306;&#x0308;&#x0327;)&#x00C7;&#x0306;&#x00DB;&#x0304;&#x00E7;&#x0306;&#x00FB;&#x0304;&#x00FF;&#x0301;&#x010C;(&#x0315;&#x0323;)&#x010D;(&#x0315;&#x0323;)&#x0113;&#x030D;&#x012A;&#x0301;&#x012B;&#x0301;&#x014D;&#x030D;&#x017D;(&#x0326;&#x0327;)&#x017E;(&#x0326;&#x0327;)&#x01E32;&#x0304;&#x01E33;&#x0304;&#x01E62;&#x0304;&#x01E63;&#x0304;&#x01E6C;&#x0304;&#x01E6D;&#x0304;&#x01EA0;&#x0308;&#x01EA1;&#x0308;&#x01ECC;&#x0308;&#x01ECD;&#x0308;&#x01EE4;(&#x0304;&#x0308;)&#x01EE5;(&#x0304;&#x0308;))*
Doc um ent atio n	appinfo <datatype> <nameLang>Datentyp C</nameLang> <nameKurz>Datentyp C</nameKurz> <nameTechnisch>datatypeC</nameTechnisch> <kennung>urn:xoev-de:kosit:xoev:datatype:din-91379.datatypeC</kennung> <herausgebernameLang>Koordinierungsstelle für IT-Standards</herausgebernameLang> <herausgebernameKurz>KoSIT</herausgebernameKurz> <externeWebsite>https://www.din.de/de/mitwirken/normenausschuesse/nia/veroeffentlichungen/wdc-beuth:din21:353496133 - kostenpflichtig</externeWebsite> </datatype> <versionDatentyp> <version>2022-08</version> <lizenz>Creative Commons Namensnennung - Keine Bearbeitung 4.0 International</lizenz> <bezugsort>http://www.xoev.de/de/bibliothek</bezugsort> </versionDatentyp> The data type C was developed to accommodate all normative characters within the DIN standard. It thus represents the technical implementation of the interface agreement for all normative characters in accordance to DIN 91379. Texts containing Greek or Cyrillic letters or extended (non-standard) non-letters are not permitted.

complexType MeldungType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMABase/1.02				
Type	extension of std:MeldungenType				
Used by	complexTypes SelbststaendigeMeldungType StornomeldungType ZusatzAngabenMeldung				
Attributes	Name	Type	Use	Default	Documentation
	MeldungUUID	std:UUIDType	M		Unique identifier for the report.
	OrdBegriff	std:Name45Type	k		An internal number or key generated by the MiKaDiv user.
Documentation	Abstract type of an individual report.				

complexType SelbststaendigeMeldungMitOrdnungsnummerType

Diagram	The diagram illustrates the structure of the <code>SelbststaendigeMeldungMitOrdnungsnummerType</code> complex type. It is an extension of the <code>fmmabase:SelbststaendigeMeldungType</code>. The diagram shows two attribute groups: one for the base type (MeldungUUID, OrdBegriff, Typ, ErstmeldungUUID, Berichtigungsgrund, Meldejahr, Zeitstempel) and one for the extension (AmtlicheOrdnungsnummer, Sammelsteuerbescheinigung, DatumSteuerbescheinigung). It also shows three child elements: <code>fmmabase:Verwahrkette</code>, <code>fmmabase:Kontopersonen</code>, and <code>fmmabase:KontoListe</code>.				
Namespace	http://www.itzbund.de/MiKaDiv/FMMABase/1.02				
Type	extension of fmmabase:SelbststaendigeMeldungType				
Children	fmmabase:Verwahrkette fmmabase:Kontopersonen fmmabase:KontoListe				
Used by	complexTypes Meldeart11 MeldeartErg				
Attributes	Name	Type	Use	Default	Documentation
	MeldungUUID	std:UUIDType	M		Unique identifier for the report.
	OrdBegriff	std:Name45Type	k		An internal number or key generated by the MiKaDiv user.
	Typ	fmmabase:Meldungstyp	M		Indicates whether this is an initial

	ErstmeldungUUID	<u>std:UUIDType</u>	k	report or a correction. Technical UUID of the initial report to be corrected or cancelled. If a supplementary tax certificate is corrected/cancelled , enter the UUID of the supplementary tax certificate to be corrected/cancelled here.
	Berichtigungsgrund	derived by: <u>std:NameType</u>	k	Optional reason for correction in the case of a correction.
	Meldejahr	xs:gYear	M	The reporting year is the year in which the investment income was received. The reporting year is specified in the format YYYY.
	Zeitstempel	xs:dateTime	M	Specifies the time to which the report refers/at which the contents of the report became effective. Must therefore be before the technical delivery time. Reports are sorted chronologically based on the time stamp.
	AmtlicheOrdnungsnummer	<u>std:UUIDType</u>	M	Official serial number in accordance with section 45b (1) EStG.
	Sammelsteuerbescheinigung	xs:boolean	false	Indicates that the individual tax certificate was issued on the

	DatumSteuerbescheinigung std:Datum1880Type k	basis of a collective tax certificate. Also applies to supplementary tax certificates if the initial certificate already contains an identification to this effect. Mandatory field for tax residents.
Documentation	Report with official serial number.	

element SelbststaendigeMeldungMitOrdnungsnummerType/Verwahrkette

Diagram						
Namespace	http://www.itzbund.de/MiKaDiv/FMMaBase/1.02					
Type	fmfach:VerwahrketteType					
Children	fmfach:AuszahlendeStelle fmfach:Verwahrstelle fmfach:DepotfuehrendeStelle					
Attributes	Name	Type	Use	Default	Documentation	
	AuszahlStelleIstDepotfuehrStelle	xs:boolean		false		
Identity	Name	Refer	Selector	Field(s)	Documentation	

constraints	unique KnotenpositionInVerwahrketteEin deutig	fmfach:Verwahrstelle fmfach:Depotfuehrende Stelle	@Position	Constraint that ensures that the positions are unique within the custody chain.
Documentation	The custody chain of the report.			

element SelbststaendigeMeldungMitOrdnungsnummerType/Kontopersonen

Diagram	The diagram illustrates the structure of the <code>fmpers:KontopersonUndVertreterType</code> element. It features a dashed yellow box containing three components: an <code>Attribute</code> box labeled <code>Depotverhaeltnis</code>, a dashed box labeled <code>fmpers:Kontoververtretungen</code> with a plus sign indicating a collection, and a solid box labeled <code>fmpers:Personen</code> with a plus sign indicating a collection. A solid box labeled <code>fmmabase:Kontopersonen</code> is connected to the dashed yellow box via a line with a small square connector.				
Namespace	http://www.itzbund.de/MiKaDiv/FMMABase/1.02				
Type	fmpers:KontopersonUndVertreterType				
Children	fmpers:Kontoververtretungen fmpers:Personen				
Attributes	Name	Type	Use	Default	Documentation
	Depotverhaeltnis	std:DepotverhaeltnisEnumType	k		Type of custody relationship
Documentation	The account holder of the report.				

element SelbststaendigeMeldungMitOrdnungsnummerType/KontoListe

Diagram	The diagram illustrates the structure of the <code>fmmabase:KontoListe</code> container. It contains two elements: <code>fmmabase:BescheinigteSteuern</code> and <code>fmmabase:Konto</code>. The <code>fmmabase:Konto</code> element is a list with a cardinality of <code>1..20</code>. A constraint named <code>EindeutigesKonto</code> is applied to the <code>fmmabase:Konto</code> list. The constraint has a selector <code>fmmabase:Konto</code> and two fields: <code>@ArtDesDepotkontos</code> and <code>@Kontonummer</code>.					
Namespace	http://www.itzbund.de/MiKaDiv/FMMaBase/1.02					
Children	fmmabase:BescheinigteSteuern fmmabase:Konto					
Identity constraints	unique	EindeutigesKonto	Refer	fmmabase:Konto	@ArtDesDepotkontos @Kontonummer	Documentation
Documentation	Type for a list of up to 20 accounts.					

element

SelbststaendigeMeldungMitOrdnungsnummerType/KontoListe/BescheinigteSteuern

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMABase/1.02				
Type	fmfach:SteuerangabenType				
Attributes	Name	Type	Use	Default	Documentation
	Kapitalertragsteuer	std:Dezimal14dot2Type	M		Information on capital income tax.
	Solz	std:Dezimal14dot2Type	M		Information

	on solidarity surcharge.
Documentation	List of all certified taxes.

element SelbststaendigeMeldungMitOrdnungsnummerType/KontoListe/Konto

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMaBase/1.02				
Children	fmmabase:Paymentlines				
Attributes	Name	Type	Use	Default	Documentation
	Kontonummer	std:KontonummerType	M		Account number.
	ArtDesDepotkontos	std:DepotkontoEnumType	M		The type of securities account.

element SelbststaendigeMeldungMitOrdnungsnummerType/KontoListe/Konto/Paymentlines

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMMaBase/1.02				
Type	fmfach:PaymentlineListeMa11ErgType				
Children	fmfach:Paymentline				

complexType SelbststaendigeMeldungType

Diagram	<pre> classDiagram class fmmabase_MeldungType { MeldungUUID OrdBegriff } class SelbststaendigeMeldungType { MeldungUUID OrdBegriff Typ ErstmeldungUUID Berichtigungsgrund Meldejahr Zeitstempel } fmmabase_MeldungType < -- SelbststaendigeMeldungType </pre>				
Namespace	http://www.itzbund.de/MiKaDiv/FMMABase/1.02				
Type	extension of fmmabase:MeldungType				
Used by	complexTypes Meldeart13 Meldeart21 Meldeart22 Meldeart23 SelbststaendigeMeldungMitOrdnungsnummerType				
Attributes	Name	Type	Use	Default	Documentation
	MeldungUUID	std:UUIDType	M		Unique identifier for the report.
	OrdBegriff	std:Name45Type	k		An internal number or key generated by the MiKaDiv user.
	Typ	fmmabase:Meldungstyp	M		Indicates whether this is an initial report or a correction.
	ErstmeldungUUID	std:UUIDType	k		Technical UUID of the initial report to be corrected or cancelled. If a supplementary tax certificate is corrected/cancelled, enter the UUID of the supplementary tax certificate to be

	Berichtigungsgrund derived by: std:NameType k Meldejahr xs:gYear M Zeitstempel xs:dateTime M	corrected/cancelled here. Optional reason for correction in the case of a correction. The reporting year is the year in which the investment income was received. The reporting year is specified in the format YYYY. Specifies the time to which the report refers/at which the contents of the report became effective. Must therefore be before the technical delivery time. Reports are sorted chronologically based on the time stamp.
Documentation	Abstract type of an individual report.	

simpleType Meldungstyp

Namespace	http://www.itzbund.de/MiKaDiv/FMMABase/1.02		
Type	restriction of xs:string		
Used by	attributes SelbststaendigeMeldungType/@Typ		
Facets	Kind enumeration	Value E	Documentation Initial report
	enumeration	K	correction: Reference to the initial notification must be provided, optional reason for correction
Documentation	Type of a report.		

complexType AbgangslisteType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Children	fmfach:Abgang				
Used by	element ZusatzAngabenMeldung/Abgaenge				
Attributes	Name	Type	Use	Default	Documentation
	WeitereVorhanden	xs:boolean		false	
					If there are more disposals than the maximum that can be specified in the report, this flag must be set at "true".

element AbgangslisteType/Abgang

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				

Type	<u>fmfach:WertpapierhandelType</u>				
Attributes	Name	Type	Use	Default	Documentation
	StueckzahlTransaktion	<u>std:WertpapierStueckzahlType</u>	M		Number of transaction
	Handelstag	xs:date	M		Trading date
	VereinbarterAbwicklungstag	xs:date	M		Agreed settlement date
	TatsaechlicherAbwicklungstag	xs:date	M		Actual settlement date
	Art	<u>fmfach:WertpapierhandelArtType</u>	M		Category of securities trading transacted.
	StueckzahlZuordnungWertpapierleihe	<u>std:WertpapierStueckzahlType</u>	k		Number of the attribution assigned to a securities lending transaction.
	StueckzahlZuordnungWertpapierpensionsgeschaeft	<u>std:WertpapierStueckzahlType</u>	k		Number of the attribution assigned to a repo transaction.
Documentation	Information on securities that were sold, lent or retransferred within 47 days after the date of the annual general meeting of shareholders regarding the capital income. The position (lender or borrower) taken by the creditor in the trade determines whether a securities lending transaction [/ repo transaction] is an addition or a disposal. If a creditor has lent or returned securities on the trading day, this constitutes a				

	disposal. If the creditor has received securities back after a loan or borrowed them on the trading day, this constitutes an addition.
--	--

complexType AuszahlendeStellePositionType

Diagram	The diagram illustrates the structure of the <code>AuszahlendeStellePositionType</code> complex type. It is an extension of the <code>fmpers:PersonVerwahrstelleType</code>. The attributes are listed as follows: <code>WIdNr</code> (type <code>std:WIDType</code>) <code>Steuernummer</code> (type <code>std:SteuernummerType</code>) <code>LEI</code> <code>EUID</code> <code>AuslandSteuerNr</code> <code>Ansaessigkeitsstaat</code> <code>Bezeichnung</code> <code>Kontonummer</code> <code>DepotkontoArt</code> <code>fmpers:Anschrift</code> (reference) <code>Position</code> (type <code>std:PositionType</code>)				
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Type	extension of fmpers:PersonVerwahrstelleType				
Children	fmpers:Anschrift				
Used by	element VerwahrketteType/AuszahlendeStelle				
Attributes	Name	Type	Use	Default	Documentation
	WIdNr	std:WIDType	k		The non-natural person's German business identification number.
	Steuernummer	std:SteuernummerType	k		

	LEI	std:LEIType	k	The person's German tax number.
	EUID	std:EUIDType	k	The non-natural person's Legal Entity Identifier (LEI).
	AuslandSteuerNr	std:AuslandSteuerNr	k	The non-natural person's European Unique Identifier (EUID).
	Ansaessigkeitsstaat	derived by: std:NameType	M	The person's tax identification number assigned by the country of residence.
	Bezeichnung	std:Name256Type	M	The country of residence according to ISO 3166 Alpha-2.
	Kontonummer	std:KontonummerType	M	The non-natural person's name.
	DepotkontoArt	std:DepotkontoEnumType	M	The account number of the custodian's securities account.
	Position	xs:int	1	The type of the custodian's securities account.
				Position

		within the custody chain; the paying agent is always in position 1.
Documentation	Typ für die auszahlende Stelle innerhalb einer Verwahrkette an Position 1.	

complexType DepotfuehrendeStellePositionType


Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Type	extension of fm pers: PersonDepotfuehrendeStelleType				
Children	fm pers: Anschrift				
Used by	element VerwahrketteType/DepotfuehrendeStelle				
Attributes	Name	Type	Use	Default	Documentation
	WIdNr	std:WIDType	k		The non-natural person's German business

	Steuernummer std:SteuernummerType k LEI std:LEIType k EUID std:EUIDType k AuslandSteuerNr std:AuslandSteuerNr k Ansaessigkeitsstaat derived by: std:NameType M Bezeichnung std:Name256Type M Position fmfach:KnotenpositionDepotType M	identification number. The person's German tax number. The non-natural person's Legal Entity Identifier (LEI). The non-natural person's European Unique Identifier (EUID). The person's tax identification number assigned by the country of residence. The country of residence according to ISO 3166 Alpha-2. The non-natural person's name. Position innerhalb der Verwahrkette, depotführende Verwahrstelle ist immer an letzter Position.
Documentation	Typ für die depotführende Verwahrstelle innerhalb einer Verwahrkette (immer an der letzten Position).	


complexType ErtragsGruppe45cType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Children	fmfach:EinbehalteneSteuern fmfach:BruttoBescheinigteSteuern fmfach:GemeldeteSteuern				
Used by	elements ZahlungstagMa21Type/OhneAbstand ZahlungstagMa21Type/TeilAbstaende/TeilAbstand ZahlungstagMa21Type/VollAbstaende/VollAbstand				
Attributes	Name	Type	Use	Default	Documentation
	Kapitalertrag	std:Dezimal14dot2Type	M		Gross amount of investment income generated.
	Rechtsgrundlage	std:RechtsgrundlageType	M		Legal basis for the tax rate applied.
	Stueckzahl	std:WertpapierStueckzahlType	M		Number of the securities of the class of securities affected by the disclosures.
Documentation	Typ zur Angabe geforderter Erträge und Steuern für Meldungen nach § 45c Absatz 1 EStG.				

element ErtragsGruppe45cType/EinbehalteneSteuern


Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Type	fmfach:SteuerangabenType				
Attributes	Name	Type	Use	Default	Documentation
	Kapitalertragsteuer	std:Dezimal14dot2Type	M		Information on capital income tax.
	Solz	std:Dezimal14dot2Type	M		Information on solidarity surcharge.
Documentation	Liste aller einbehaltenen Steuern.				

element ErtragsGruppe45cType/BruttoBescheinigteSteuern

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Type	fmfach:SteuerangabenType				
Attributes	Name	Type	Use	Default	Documentation
	Kapitalertragsteuer	std:Dezimal14dot2Type	M		Information on capital income tax.
	Solz	std:Dezimal14dot2Type	M		Information

	on solidarity surcharge.
Documentation	Liste aller Bruttobeträge bescheinigter Steuern.

element ErtragsGruppe45cType/GemeldeteSteuern


Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Type	fmfach:SteuerangabenType				
Attributes	Name	Type	Use	Default	Documentation
	Kapitalertragsteuer	std:Dezimal14dot2Type	M		Information on capital income tax.
	Solz	std:Dezimal14dot2Type	M		Information on solidarity surcharge.
Documentation	Liste aller gemeldeten Steuern.				

complexType HinterlegungsscheinType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Children	fmfach:Wertpapier fmfach:Hinterlegungsstelle				
Used by	elements PaymentlineMa11ErgType/Hinterlegungsschein PaymentlineMa13Type/Hinterlegungsschein				
Attributes	Name	Type	Us e	Defa ult	Documentation
	HinterlegungsstelleMelder	xs:boolean		true	If "HinterlegungsstelleMelder" is true, the "Hinterlegungsstelle" element must not be specified. If False, "Hinterlegungsstelle" must be provided.
	Verhaeltnis	std:VerhaeltnisType	M		The ratio of depositary receipts stipulated in the issue conditions of the depositary receipt (page 1) to the domestic securities stored by the German depositary (x-page must be specified here).
	HinterlegungsscheineGesamtzahl	std:WertpapierStueckzahlType	M		Total number of depositary receipts issued at the date of the profit distribution

	WertpapiereGesamtzahl std:WertpapierStueckzahlType M AnzahlHinterlegungsscheineGläubiger std:WertpapierStueckzahlType M RecordTag xs:date M	resolution. Total number of securities deposited at the date of the profit distribution resolution. Number of depositary receipts held by the creditor of the capital income (of the tax certificate) at the date of the profit distribution resolution. The second business day following the date of the annual meeting.
Documentation	Typ mit Informationen zum Hinterlegungsschein.	

element HinterlegungsscheinType/Wertpapier

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Type	fmfach:WertpapiergattungType				
Attributes	Name	Type	Use	Default	Documentation
	Bezeichnung	std:Name105Type	M		Bezeichnung der Wertpapiergattung.
	ISIN	std:ISINType	M		International Securities Identification Number of the class of securities.

Documentation	Das für den Hinterlegungsschein hinterlegte Wertpapier.
---------------	---

element HinterlegungsscheinType/Hinterlegungsstelle

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Type	fmpers:HinterlegungsstelleType				
Attributes	Name	Type	Use	Default	Documentation
	WIdNr	std:WIDType	k		The non-natural person's German business identification number.
	Steuernummer	std:SteuernummerType	k		The person's German tax number.
	LEI	std:LEIType	k		The non-natural person's Legal Entity Identifier (LEI).
	EUID	std:EUIDType	k		The non-natural person's European

	AuslandSteuerNr std:AuslandSteuerNr k Bezeichnung std:Name256Type M	Unique Identifier (EUID). The person's tax identification number assigned by the country of residence. The non-natural person's name.
Documentation	Die Hinterlegungsstelle ist nur anzugeben, wenn HinterlegungsstelleMelder unwahr ist.	

complexType KapitalertragType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Children	fmfach:EinbehalteneSteuern				
Used by	elements PaymentlineMa11ErgType/Kapitalertrag PaymentlineMa13Type/Kapitalertrag				
Attributes	Name	Type	Use	Default	Documentation
	KontonummerGutschrift	std:KontonummerType	M		Account number to which the dividend payment was credited to the investor by his

	GutschriftArt fmfach:GutschriftArtType M Stueckzahl std:WertpapierStueckzahlType M KapitalertragBrutto std:Dezimal14dot2Type M KapitalertragNetto std:Dezimal14dot2Type M	custodian bank. The type of credit note. Number of securities on which the capital income is based. Gross amount of investment income generated. Net amount of investment income generated.
Documentation	Typ für einen einzelnen Kapitalertrag.	

element KapitalertragType/EinbehalteneSteuern

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Type	fmfach:SteuerangabenMitSteuersatzUndRechtsgrundlageType				
Attributes	Name	Type	Use	Default	Documentation
	Kapitalertragsteuer	std:Dezimal14dot2Type	M		Information on

	Solz	std:Dezimal14dot2Type	M	capital income tax.
	KapEstSteuersatz	std:SteuersatzType	M	Information on solidarity surcharge.
	SolzSteuersatz	std:SteuersatzType	M	Angewendeter Steuersatz auf Kapitalerträge.
	KapEstRechtsgrundlage	std:RechtsgrundlageType	M	Angewendeter Steuersatz des Solidaritätszuschlags.
Documentation	Liste aller einbehaltenen Steuern.			
	Rechtsgrundlage für den angewendeten Steuerabzug auf Kapitalerträge.			

complexType Paymentline45BBasisType

Diagram	<pre> classDiagram class Paymentline45BBasisType { ISIN Zahlungstag ArtDesWertpapiere COAF fmfach:AusschuettendeGesells... } class fmfachPaymentlineBasisType { <<extension base=Paymentline45BBasisType>> ISIN Zahlungstag } Paymentline45BBasisType -- > fmfachPaymentlineBasisType </pre>				
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Type	extension of fmfach:PaymentlineBasisType				
Children	fmfach:AusschuettendeGesellschaft				
Used by	complexTypes PaymentlineMa11ErgType PaymentlineMa13Type				
Attributes	Name	Type	Use	Default	Documentation
	ISIN	std:ISINType	M		International

	Zahlungstag xs:date M ArtDesWertpapiere fmfach:WertpapierArtType COAF derived by: std:NameType M	Securities Identification Number of the class of securities. Payment date. Type of security. Corporate Action Event Reference.
Documentation	Abstrakter Typ für eine einzelne Paymentline in Meldeart 11, 13 oder ERG.	

element Paymentline45BBasisType/AusschuettendeGesellschaft

Diagram	The diagram illustrates the structure of the <code>fmpers:AusschuettendeGesellschaftType</code> element. It is a container element (indicated by a dashed border) that contains a sequence of attributes and a complex type. The attributes are: <code>WIdNr</code>, <code>Steuernummer</code>, <code>LEI</code>, <code>EUID</code>, <code>AuslandSteuerNr</code>, and <code>Bezeichnung</code>. The complex type is <code>fmpers:Adresse</code>, which is connected to the container via a line with a multiplicity of 1 and a plus sign, indicating it is a required one-to-one association.				
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Type	fmpers:AusschuettendeGesellschaftType				
Children	fmpers:Adresse				
Attributes	Name	Type	Use	Default	Documentation
	WIdNr	std:WIDType	k		The non-natural person's German business


	Steuernummer std:SteuernummerType k LEI std:LEIType k EUID std:EUIDType k AuslandSteuerNr std:AuslandSteuerNr k Bezeichnung std:Name256Type M	identification number. The person's German tax number. The non-natural person's Legal Entity Identifier (LEI). The non-natural person's European Unique Identifier (EUID). The person's tax identification number assigned by the country of residence. The non-natural person's name.
Documentation	Ausschüttende Gesellschaft.	

complexType PaymentlineBasisType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Used by	complexTypes Paymentline45BBasisType PaymentlineMa22Type				
Attributes	Name	Type	Use	Default	Documentation

	ISIN std:ISINType M Zahlungstag xs:date M International Securities Identification Number of the class of securities. Payment date.
Documentation	Abstrakter Typ für eine einzelne Paymentline.

complexType PaymentlineListeMa11ErgType

Diagram	
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02
Children	fmfach:Paymentline
Used by	element SelbststaendigeMeldungMitOrdnungsnummerType/KontoListe/Konto/Paymentlines
Documentation	Typ für eine Liste von Paymentlines in den Meldearten 11 oder ERG.

element PaymentlineListeMa11ErgType/Paymentline

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Type	fmfach:PaymentlineMa11ErgType				
Children	fmfach:AusschuettendeGesellschaft fmfach:ZusatzMeldungUUID fmfach:Kapitalertrag fmfach:Stueckzahlen fmfach:Hinterlegungsschein				
Attributes	Name	Type	Use	Default	Documentation
	ISIN	std:ISINType	M		International Securities Identification Number of the class of securities.
	Zahlungstag	xs:date	M		Payment date.
	ArtDesWertpapiere	fmfach:WertpapierArtType			Type of security.
	COAF	derived by: std:NameType	M		Corporate Action Event Reference.
	Nichtbeanstandung-	xs:boolean		false	

	45b-Abs.2-Nr.6	Indication that the non-objection rule regarding the second tax withholding from margin note 70 of the Federal Ministry of Finance circular "Individual questions relating to data transmission in accordance with sections 45b and 45c EStG" was applied.
--	----------------	--

complexType PaymentlineMa11ErgType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Type	extension of fmfach:Paymentline45BBasisType				
Children	fmfach:AusschuettendeGesellschaft fmfach:ZusatzMeldungUUID fmfach:Kapitalertrag fmfach:Stueckzahlen fmfach:Hinterlegungsschein				
Used by	element PaymentlineListeMa11ErgType/Paymentline				
Attributes	Name	Type	Use	Default	Documentation
	ISIN	std:ISINType	M		International Securities Identification Number of the class of securities.
	Zahlungstag	xs:date	M		Payment date.
	ArtDesWertpapiere	fmfach:WertpapierArtType			Type of security.
	COAF	derived by: std:NameType	M		

	Nichtbeanstandung-45b-Abs.2-Nr.6 xs:boolean false	Corporate Action Event Reference. Indication that the non-objection rule regarding the second tax withholding from margin note 70 of the Federal Ministry of Finance circular "Individual questions relating to data transmission in accordance with sections 45b and 45c EStG" was applied.
Documentation	Erweiterung des Basistyps um den meldeartspezifischen Zahlungstag.	

element PaymentlineMa11ErgType/ZusatzMeldungUUID

Diagram			
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02		
Type	std:UUIDType		
Facets	Kind whiteSpace pattern	Value collapse [A-Fa-f0-9]{8}-[A-Fa-f0-9]{4}-[1-5][A-Fa-f0-9]{3}-[ABab89][A-Fa-f0-9]{3}-[A-Fa-f0-9]{12}	Documentation
Documentation	UUID der Zusatzangabenmeldung mit Angaben zu Zu- und Abgängen, die Teil dieser Meldung ist.		

element PaymentlineMa11ErgType/Kapitalertrag

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Type	fmfach:KapitalertragType				
Children	fmfach:EinbehalteneSteuern				
Attributes	Name	Type	Use	Default	Documentation
	KontonummerGutschrift	std:KontonummerType	M		Account number to which the dividend payment was credited to the investor by his custodian bank.
	GutschriftArt	fmfach:GutschriftArtType	M		The type of credit note.
	Stueckzahl	std:WertpapierStueckzahlType	M		Number of securities on which the capital income is based.
	KapitalertragBrutto	std:Dezimal14dot2Type	M		Gross amount of investment income generated.

	KapitalertragNetto	std:Dezimal14dot2Type	M	Net amount of investment income generated
Documentation	§ 45b Absatz 2 Nr. 4 EStG (Heading D).			


element PaymentlineMa11ErgType/Stueckzahlen

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Type	fmfach:StueckzahlenType				
Attributes	Name	Type	Us e	Defaul t	Documentatio n
	StueckzahlMehrAls5Tage	std:WertpapierStueckzahlType	M		The number of shares acquired more than five days before the business day following the date of the Annual General Meeting.
	StueckzahlInnerhalbVon5Tagen	std:WertpapierStueckzahlType	M		The number of shares acquired within this period.
	StueckzahlMitFinanzvereinbarun	std:WertpapierStueckzahlType	M		

	g pe StueckzahlOhneFinanzvereinbarung std:WertpapierStueckzahlType	M The number of securities associated with a financial arrangement. When applying the non-objection rule from margin note 8 of the Federal Ministry of Finance circular "Individual questions relating to data transmission in accordance with sections 45b and 45c EStG", the value '0' must be entered. The number of securities not associated with a financial arrangement. When applying the non-objection rule from margin note 8 of the Federal Ministry of Finance circular "Individual questions relating to
--	--	--

		data transmission in accordance with sections 45b and 45c EStG", the value '0' must be entered.
Documentation	Angaben zu § 45b Absatz 2 Nr. 5 a) und b) EStG.	

element PaymentlineMa11ErgType/Hinterlegungsschein


Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Type	fmfach:HinterlegungsscheinType				
Children	fmfach:Wertpapier fmfach:Hinterlegungsstelle				
Attributes	Name	Type	Use	Default	Documentation
	HinterlegungsstelleMelder	xs:boolean		true	If "HinterlegungsstelleMelder" is true, the "Hinterlegungsstelle" element must not be specified. If False,

	Verhaeltnis	std:VerhaeltnisType	M	"Hinterlegungsstelle" must be provided. The ratio of depositary receipts stipulated in the issue conditions of the depositary receipt (page 1) to the domestic securities stored by the German depositary (x-page must be specified here).
	HinterlegungsscheineGesamtzahl	std:WertpapierStueckzahlType	M	Total number of depositary receipts issued at the date of the profit distribution resolution.
	WertpapiereGesamtzahl	std:WertpapierStueckzahlType	M	Total number of securities deposited at the date of the profit distribution resolution.
	AnzahlHinterlegungsscheineGlaubiger	std:WertpapierStueckzahlType	M	Number of depositary receipts held by the creditor of the capital income (of the tax certificate) at the date of the profit distribution resolution.
	RecordTag	xs:date	M	The second business day following the date of the annual meeting.
Documentation	§ 45b Absatz 2 Nr. 6 EStG (Heading G); Darf nur angegeben werden, wenn Nichtbeanstandung-45b-Abs.2-Nr.6 false ist.			


complexType SteuerangabenMitSteuersatzUndRechtsgrundlageType

Diagram	The diagram illustrates the extension of the complex type <code>fmfach:SteuerangabenType</code> by <code>SteuerangabenMitSteuersatzU...</code>. The extension is shown as a dashed yellow box containing two attribute groups. The first group, labeled 'Attribute', contains <code>Kapitalertragsteuer</code> and <code>Solz</code>. The second group, also labeled 'Attribute', contains <code>KapEstSteuersatz</code>, <code>SolzSteuersatz</code>, and <code>KapEstRechtsgrundlage</code>. A line connects the extension box to the base type name.				
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Type	extension of fmfach:SteuerangabenType				
Used by	element KapitalertragType/EinbehalteneSteuern				
Attributes	Name	Type	Use	Default	Documentation
	Kapitalertragsteuer	std:Dezimal14dot2Type	M		Information on capital income tax.
	Solz	std:Dezimal14dot2Type	M		Information on solidarity surcharge.
	KapEstSteuersatz	std:SteuersatzType	M		Angewendeter Steuersatz auf Kapitalerträge.
	SolzSteuersatz	std:SteuersatzType	M		Angewendeter Steuersatz des Solidaritätszuschlags.
	KapEstRechtsgrundlage	std:RechtsgrundlageType	M		Rechtsgrundlage für den angewendeten Steuerabzug auf Kapitalerträge.
Documentation	Typ für einen Steuerbetrag mit Angabe des angewendeten Steuersatzes sowie der Rechtsgrundlage für den angewendeten Steuersatz.				

complexType SteuerangabenType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Used by	elements ErtragsGruppe45cType/BruttoBescheinigteSteuern ErtragsGruppe45cType/EinbehalteneSteuern ErtragsGruppe45cType/GemeldeteSteuern ZahlungstagMa22Type/EinbehalteneSteuern SelbststaendigeMeldungMitOrdnungsnummerType/KontoListe/BescheinigteSteuern SteuerangabenMitSteuersatzUndRechtsgrundlageType complexType SteuerangabenMitSteuersatzUndRechtsgrundlageType				
Attributes	Name	Type	Use	Default	Documentation
	Kapitalertragsteuer	std:Dezimal14dot2Type	M		Information on capital income tax.
	Solz	std:Dezimal14dot2Type	M		Information on solidarity surcharge.
Documentation	Typ zur Angabe von Steuern.				

complexType StueckzahlenType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Used by	elements PaymentlineMa11ErgType/Stueckzahlen PaymentlineMa13Type/Stueckzahlen				
Attributes	Name	Type	Use	Default	Documentation
	StueckzahlMehrAls5Tage	std:WertpapierStueckzahlType	M		The number of shares

			acquired more than five days before the business day following the date of the Annual General Meeting.
	StueckzahlInnerhalbVon5Tagen	std:WertpapierStueckzahlType	M
			The number of shares acquired within this period.
	StueckzahlMitFinanzvereinbarung	std:WertpapierStueckzahlType	M
			The number of securities associated with a financial arrangement. When applying the non-objection rule from margin note 8 of the Federal Ministry of Finance circular "Individual questions relating to data transmission in accordance with sections 45b and 45c EStG", the value '0' must be entered.
	StueckzahlOhneFinanzvereinbarung	std:WertpapierStueckzahlType	M
			The number of securities not

		associated with a financial arrangement. When applying the non-objection rule from margin note 8 of the Federal Ministry of Finance circular "Individual questions relating to data transmission in accordance with sections 45b and 45c EStG", the value '0' must be entered.
Documentation	Typ für Angaben zu dem Kapitalertrag zugrundeliegenden Wertpapieren nach § 45b Absatz 2 Nr. 5 a) und b) EStG.	

complexType VerwahrketteType

Diagram	<pre> xsd:complexType base="xs:string" name="VerwahrketteType"> attribute "AuszahlStelleIstDepotfuehrStelle" type="xs:string"/> sequence { element "fmfach:AuszahlendeStelle" type="xs:string"/> element "fmfach:VerwahrStelle" type="xs:string" minOccurs="0" maxOccurs="23"/> element "fmfach:DepotfuehrendeStelle" type="xs:string"/> } </pre>	
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02	
Children	fmfach:AuszahlendeStelle fmfach:VerwahrStelle fmfach:DepotfuehrendeStelle	

Used by	elements Meldeart13/Verwahrkette SelbststaendigeMeldungMitOrdnungsnummerType/Verwahrkette				
Attributes	Name	Type	Use	Default	Documentation
	AuszahlStelleIstDepotfuehrStelle	xs:boolean		false	
Documentation	Typ zur Angabe einer Verwahrkette mit Constraint zur Sicherstellung, dass keine Position doppelt angegeben wurde.				

element VerwahrketteType/AuszahlendeStelle

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Type	fmfach:AuszahlendeStellePositionType				
Children	fmpers:Anschrift				
Attributes	Name	Type	Use	Default	Documentation
	WIdNr	std:WIDType	k		The non-natural person's German business identification number.
	Steuernummer	std:SteuernummerType	k		

	LEI	std:LEIType	k	The person's German tax number.
	EUID	std:EUIDType	k	The non-natural person's Legal Entity Identifier (LEI).
	AuslandSteuerNr	std:AuslandSteuerNr	k	The non-natural person's European Unique Identifier (EUID).
	Ansaessigkeitsstaat	derived by: std:NameType	M	The person's tax identification number assigned by the country of residence.
	Bezeichnung	std:Name256Type	M	The country of residence according to ISO 3166 Alpha-2.
	Kontonummer	std:KontonummerType	M	The non-natural person's name.
	DepotkontoArt	std:DepotkontoEnumType	M	The account number of the custodian's securities account.
	Position	xs:int	1	The type of the custodian's securities account.
				Position

		within the custody chain; the paying agent is always in position 1.
Documentation	Type for the paying agent within a custody chain at position 1.	

element VerwahrketteType/Verwahrstelle

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Type	fmfach:VerwahrstellePositionType				
Children	fmpers:Anschrift				
Attributes	Name	Type	Use	Default	Documentation
	WidNr	std:WIDType	k		The non-natural person's German business identification

	Steuernummer	std:SteuernummerType	k	number. The person's German tax number.
	LEI	std:LEIType	k	The non-natural person's Legal Entity Identifier (LEI).
	EUID	std:EUIDType	k	The non-natural person's European Unique Identifier (EUID).
	AuslandSteuerNr	std:AuslandSteuerNr	k	The person's tax identification number assigned by the country of residence.
	Ansaessigkeitsstaat	derived by: std:NameType	M	The country of residence according to ISO 3166 Alpha-2.
	Bezeichnung	std:Name256Type	M	The non-natural person's name.
	Kontonummer	std:KontonummerType	M	The account number of the custodian's securities account.
	DepotkontoArt	std:DepotkontoEnumType	M	The type of the custodian's securities account.

	Position	fmfach:KnotenpositionType	M	Position within the custody chain. Must be unique within the chain
Documentation	Specification of all involved domestic and foreign (intermediary) custodians, except for the paying agent.			

element VerwahrketteType/DepotfuehrendeStelle

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Type	fmfach:DepotfuehrendeStellePositionType				
Children	fmmpers:Anschrift				
Attributes	Name	Type	Use	Default	Documentation
	WldNr	std:WIDType	k		The non-natural person's German business identification number.
	Steuernummer	std:SteuernummerType	k		

	LEI	<u>std:LEIType</u>	k	The person's German tax number.
	EUID	<u>std:EUIDType</u>	k	The non-natural person's Legal Entity Identifier (LEI).
	AuslandSteuerNr	<u>std:AuslandSteuerNr</u>	k	The non-natural person's European Unique Identifier (EUID).
	Ansaessigkeitsstaat	derived by: <u>std:NameType</u>	M	The person's tax identification number assigned by the country of residence.
	Bezeichnung	<u>std:Name256Type</u>	M	The country of residence according to ISO 3166 Alpha-2.
	Position	<u>fmfach:KnotenpositionDepotType</u>	M	The non-natural person's name.
				Position within the custody chain; the custodian is always in last position.
Documentation	Information on the custodian.			


complexType VerwahrstellePositionType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Type	extension of fmpers:PersonVerwahrstelleType				
Children	fmpers:Anschrift				
Used by	element VerwahrketteType/Verwahrstelle				
Attributes	Name	Type	Use	Default	Documentation
	WIdNr	std:WIDType	k		The non-natural person's German business identification number.
	Steuernummer	std:SteuernummerType	k		The person's German tax number.
	LEI	std:LEIType	k		The non-


	EUID	std:EUIDType	k	natural person's Legal Entity Identifier (LEI).
	AuslandSteuerNr	std:AuslandSteuerNr	k	The non-natural person's European Unique Identifier (EUID).
	Ansaessigkeitsstaat	derived by: std:NameType	M	The person's tax identification number assigned by the country of residence.
	Bezeichnung	std:Name256Type	M	The country of residence according to ISO 3166 Alpha-2.
	Kontonummer	std:KontonummerType	M	The non-natural person's name.
	DepotkontoArt	std:DepotkontoEnumType	M	The account number of the custodian's securities account.
	Position	fmfach:KnotenpositionType	M	The type of the custodian's securities account.
				Position within the custody chain. Must be unique within the

	chain.
Documentation	Type for a custodian within a custody chain.

complexType WertpapiergattungType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Used by	element	HinterlegungsscheinType/Wertpapier			
	complexType	WertpapiergattungMa21Type			
Attributes	Name	Type	Use	Default	Documentation
	Bezeichnung	std:Name105Type	M		Designation of the class of securities.
	ISIN	std:ISINType	M		International Securities Identification Number of the class of securities.
Documentation	Type for a class of securities.				

complexType WertpapierhandelType

Diagram					
---------	--	--	--	--	--

Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Used by	elements AbganglisteType/Abgang ZuganglisteType/Zugang				
Attributes	Name	Type	Use	Default	Documentation
	StueckzahlTransaktion	std:WertpapierStueckzahlType	M		Number of transaction
	Handelstag	xs:date	M		Trading date
	VereinbarterAbwicklungstag	xs:date	M		Agreed settlement date
	TatsaechlicherAbwicklungstag	xs:date	M		Actual settlement date
	Art	fmfach:WertpapierhandelArtType	M		Category of securities trading transacted.
	StueckzahlZuordnungWertpapierleihe	std:WertpapierStueckzahlType	k		Number of the attribution assigned to a securities lending transaction.
	StueckzahlZuordnungWertpapierpensionsgeschaeft	std:WertpapierStueckzahlType	k		Number of the attribution assigned to a repo transaction.
Documentation	Information about securities trading transacted.				

complexType ZugangslisteType

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Children	fmfach:Zugang				
Used by	element ZusatzAngabenMeldung/Zugaenge				
Attributes	Name	Type	Use	Default	Documentation
	WeitereVorhanden	xs:boolean		false	If there are more additions than the maximum that can be specified in the report, this flag must be set at "true".
	StueckzahlWertpapierleihe	std:WertpapierStueckzahlType	k		Number of securities lending transaction.
	StueckzahlWertpapierpensionsgeschaeft	std:WertpapierStueckzahlType	k		Number of repo transaction.

element ZugangslisteType/Zugang

Diagram					
Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02				
Type	fmfach:WertpapierhandelType				
Attributes	Name	Type	Use	Default	Documentation
	StueckzahlTransaktion	std:WertpapierStueckzahlType	M		Number of transaction
	Handelstag	xs:date	M		Trading date
	VereinbarterAbwicklungstag	xs:date	M		Agreed settlement date
	TatsaechlicherAbwicklungstag	xs:date	M		Actual settlement date
	Art	fmfach:WertpapierhandelArtType	M		Category of securities trading transacted.
	StueckzahlZuordnungWertpapierleihe	std:WertpapierStueckzahlType	k		Number of the

	StueckzahlZuordnungWertpapierpensio nsgeschaeft std:WertpapierStueckzahl Type k	attributio n assigned to a securities lending transactio n. Number of the attributio n assigned to a repo transactio n.
Documenta tion	Information on securities acquired/transferred. The position (lender or borrower) taken by the creditor in the trade determines whether a securities lending transaction [/ repo transaction] is an addition or a disposal. If a creditor has lent or returned securities on the trading day, this constitutes a disposal. If the creditor has received securities back after a loan or borrowed them on the trading day, this constitutes an addition.	

simpleType GutschriftArtType

Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02		
Type	restriction of xs:string		
Used by	attributes KapitalertragType/@GutschriftArt		
Facets	Kind	Value	Documentation
	enumeration	Bargeld	
		Cash	
	enumeration	Aktie	
		Share	

simpleType KnotenpositionDepotType

Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02		
Type	restriction of xs:int		
Used by	attributes DepotfuehrendeStellePositionType/@Position		
Facets	Kind	Value	Documentation
	minInclusive	2	
	maxInclusive	25	
Documentation	Non-negative, numeric integer value for specifying positions of the custodian.		

simpleType KnotenpositionType

Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02		
Type	restriction of xs:int		
Used by	attributes	VerwahrstellePositionType/@Position	
Facets	Kind	Value	Documentation
	minInclusive	2	
	maxInclusive	24	
Documentation	Non-negative, numeric integer value for specifying positions within a custody chain..		

simpleType WertpapierArtType

Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02		
Type	restriction of xs:string		
Used by	attributes	Paymentline45BBasisType/@ArtDesWertpapieres	
Facets	Kind	Value	Documentation
	enumeration	Aktie	
			Share
	enumeration	Anleihe	
			Bond
	enumeration	Aktienzertifikat	
			Depository receipt
Documentation	Type used to define the type of securities.		

simpleType WertpapierhandelArtType

Namespace	http://www.itzbund.de/MiKaDiv/FMFach/1.02		
Type	restriction of xs:string		
Used by	attributes	WertpapierhandelType/@Art	
Facets	Kind	Value	Documentation
	enumeration	PO	
			Purchase
	enumeration	SO	
			Sale
	enumeration	DT	
			Transfer
	enumeration	TL	
			Transfer based on a securities lending transaction.

	enumeration RL Retransfer based on a securities lending transaction. enumeration TP Transfer based on a repo transaction. enumeration RP Retransfer based on a repo transaction.
Documentation	Type used to define the type of securities trading.