FoodAPS: Alternative Data Collection Methods

Is "Proof of Purchase" Really Proof?



Prepared and Presented in Collaboration with:

Yajuan Si, Institute for Social Research
Brady T. West, Institute for Social Research
Jeffrey M. Gonzalez, USDA – Economic Research Service
Elina T. Page, USDA – Economic Research Service
John A. Kirlin, Kirlin Analytical Services





This presentation was supported in part by the U.S. Department of Agriculture, Economic Research Service.

The findings and conclusions in this presentation are those of the author(s) and should not be construed to represent any official USDA or U.S. Government determination or policy.

"Cash receipts and till slips" by Gratuit CC BY 3.0

Background

- FoodAPS-1 was a nationally representative survey that collected data about household food purchases and acquisitions.
- The Alternative Data Collection Method (ADCM) study was conducted to test using a web-based app to collect data. The app included the ability to upload images of receipts.
- The ADCM aimed to investigate the likelihood respondents would provide receipts, and if the receipt data could be used to reduce the reporting burden and improve data quality.
- From the events where a receipt was available, a SRS of 100 food away from home (FAFH) and 100 food at home (FAH) events was taken and receipt data was compared to the respondent's report.
- Sampled events displayed variation in receipt quality, indicating several factors were influencing the reliability of the receipts for data validation.





Expectation of Receipt

Receipt Expected group (3,112 events):


Grocery stores, restaurants/bars, convenience stores, club stores, and superstores/big box stores.

No Receipt Expected group (1,457 events):

School meals (including before and after school care), work, vending machines, and friend's or family's place.

Receipt Possible (336 events):

Farmers markets, food pantries, soup kitchens and locales defined as "other".







Research Questions

- Are there relationships between the participants, their households, and food-events that can predict the probability a respondent will provide a receipt?
- 2. Can modeling these relationships identify opportunities for interventions that may influence respondent behavior and in turn improve data quality?





Receipt Predictors


Event Level	Respondent Level	Household Level
Report Mode/Application	Age	Household Size
Smartphone or Computer	18-29; 30-39; 40-49; 50-59; 60+ years old	1, 2, 3, 4, or 5+ person(s)
Event Type	Gender	Interview Length
FAFH or FAH	Female or Male	11-20 min; 21-30 min; 31-40 min; 40+ min
Item Count	Race	SNAP Status (received SNAP benefits in prior month)
Few items or Many items	White, Black, Other (including Hispanic)	Yes or No
Event Cost	Education	
Low cost or High cost	High school or less or More than high school	
Number of Participants	Employment	
One or Multiple	In labor force or Not in labor force	
	Primary Respondent for Household	
	Yes or No	






Model Specification

ROC Plot Reference Model



Initial Model with 14 covariates

Event Type, App, Item Count, Event Cost, Participants, Age, Gender, Race, Education, Employment, Primary R, Household Size, Int. Length, SNAP



Stepwise BIC Model with 8 covariates (+7 interactions)

0.5

Specificity

0.0

-0.5

Event Type, App, Item Count, Event Cost, Participants, Age, Gender, Race, Education, Employment, Primary R, Household Size, Int. Length, SNAP

Education*Household Size, App*Employment, Event Type*Item Count, App*Education, App*Household Size, Race*SNAP, App*SNAP





1.5


1.0




Household Size & Education

















Application/Mode & Employment
















Event Type & Item Count






Predicted Probabilities of Receipt by Event Type & Items per Reported Event









Application/Mode & Education






Predicted Probabilities of Receipt by Level of Education & Application/Mode of Report










Application/Mode & Household Size
















Application/Mode & SNAP Status






Predicted Probabilities of Receipt by SNAP Beneficiary Status & Application/Mode of Report









SNAP Status & Race





Predicted Probabilities of Receipt by SNAP Beneficiary Status & Race







Key Takeaways

- <u>Probability of a receipt among smartphone reports appear stable compared to computer reports.</u> The use of a mobile format (i.e., smartphone) seems like a reliable method for encouraging respondent cooperation.
- <u>Probability of a receipt is higher for FAH events and events with more items.</u> It's possible the influence of item count is one that increases the saliency of the event.
- <u>Dynamics of FAFH events may be substantively different than FAH events.</u> Events could be less significant to respondents and more difficult to report promptly resulting in lower rates of receipt submission.
- Extra effort may be needed to engage SNAP beneficiaries, particularly among white and black households.





Next Steps?

- FoodAPS-2 Field Test
- FoodLogger Application
- Formalize Task Protocol
- Identify Compliance Issues





Thank you!



Prepared and Presented in Collaboration with:

Yajuan Si, Institute for Social Research

Jeffrey M. Gonzalez, USDA – Economic Research Service

Elina T. Page, USDA – Economic Research Service

Brady T. West, Institute for Social Research

John A. Kirlin, Kirlin Analytical Services





This presentation was supported in part by the U.S. Department of Agriculture, Economic Research Service.

The findings and conclusions in this presentation are those of the author(s) and should not be construed to represent any official USDA or U.S. Government determination or policy.

"Cash receipts and till slips" by Gratuit CC BY 3.0