

# DFDL WG Call Minutes

This OPEN document will not be filed. It is being kept active.

## Meeting about Meetings\OGF

|              |                  |
|--------------|------------------|
| Project      | DFDL 1.0         |
| Meeting Date | 12-May-15 (Tues) |
| Meeting Time | 16:00 - 17:00    |

Created by Steve Hanson on 09-Mar-11

Last Modified by Steve Hanson on 20-May-15

## OGF DFDL Working Group Call , 12 May 2015

### Agenda

**Prepare** for your meeting by describing the objectives (both immediate and long-term, if appropriate) of the meeting; and describe key plan details.

#### 1. S2G Data Viewer demo

The European Space Agency will demo their S2G Data Viewer tool that uses an implementation of a subset of DFDL to parse binary satellite data.

### Minutes

#### Meeting Minutes

**Reflect** on your meeting as you record all topics and issues discussed , and any tabled conversations . What went well, or what would you do differently next time ? Document those so others can take advantage of your learning .

#### Attendees

Steve Hanson  
Alex Wood  
Mike Beckerle  
Mark Frost  
Andy Edwards  
Michele Zundo  
Maurizio De Bartolomei  
Montserrat Piñol  
Rui Mestre

#### Apologies

#### Minutes

##### 1. S2G Data Viewer demo

The European Space Agency demo'd their S2G Data Viewer tool that uses an implementation of a subset of DFDL called DFDL4S to parse binary satellite data. S2G Data Viewer allows a user to read in a file of data in one of several different satellite formats . DFDL4S is used to parse the data and a parallel set of attributes (dmx) control how the logical data is visualised .

DFDL4S is written by Daemos from Portugal. S2G Data Viewer is a good example of a data debugger, allowing the data to be corrected when it fails to parse.

DFDL4S implements a small number of properties that enable the parsing of numeric binary data. No text values are supported. DFDL expressions are used in discriminators and occurs/length properties. Regular expressions are used in length properties. DFDL4S is not (yet) a conformant DFDL processor as there are several areas where it does not implement the DFDL 1.0 specification correctly. These have been fed back to ESA and Daemos. The WG also modified the example DFDL schemas for the satellite formats to make them DFDL compliant (as far as possible).

One specific difference was the DFDL expression subset used. DFDL4S uses an 'in' operator that allows a value to be checked within a range, but it is not XPath 2.0.

New **action 282** raised to see if this can be achieved with XPath 2.0, as it is a useful feature.

It was noted that dmx asserts could be implemented as DFDL asserts with recoverable exceptions, and that dmx types could be implemented as XML Schema types.

S2G Data Viewer is based on eclipse. It might be possible to use the IBM DFDL Editor plugins within the same, or another, eclipse instance, to allow DFDL schema authoring and testing.

Long-term aim is to create a conformant C++ implementation of DFDL 1.0 that can handle a wider range of formats. Noted that the EU SAFE project has been recommended to use DFDL.

The WG thanks ESA and Daemos for its interest in DFDL and for taking the time to demo. ESA will keep the DFDL WG informed of further conformance work on DFDL4S.

#### **References :**

(1) S2G Data Viewer

<http://eop-cfi.esa.int/index.php/79-applications/138-new-release-announcement-s2g-v2012>

(2) DFDL4S

<http://eop-cfi.esa.int/index.php/applications/dfdl4s>

#### **IPR Statement**

"I acknowledge that participation in this meeting is subject to the OGF Intellectual Property Policy ."

#### **Meeting closed**

17:00 UK

#### **Next regular call**

Tues 26th May 2015 @ 16:00 UK

#### **Create Action Items**

Record the to-do's and individuals assigned by entering the appropriate information in the form below . Press the "Create Action Items" button to create specific to do's that can be tracked in the assignee's Work for Me views. " All Action Items will be tracked in the Action Items and Other Meeting Documents tab .

#### **Action Items and Other Meeting Documents**

| Subject | Document Type | Created | Modified |
|---------|---------------|---------|----------|
|         |               |         |          |

Next action: **282**

### Actions raised at this meeting

| No         | Action   |
|------------|--|
| <b>282</b> | <b>Does XPath have operators for checking a value is in a range ? (Mike)</b><br>12/5: Investigate whether equivalent to DFDL4S 'in' operator exists. |

### Current Actions :

| No         | Action   |
|------------|--|
| <b>228</b> | <b>Review set of tutorial lessons (All)</b><br>17/9: Lesson 1 proposes a set of lessons, needs reviewing as over 2 years old.<br>...<br>22/10: No progress<br>31/10: Becoming a focus for Tresys. Steve to send his 'Modeling Data Formats using DFDL' powerpoint.<br>...<br>19/11: No further progress<br>26/11: Possibility of help from MITRE high-school student, and from Marisa at IBM.<br>...<br>11/3: No further progress<br>25/3: MITRE have produced a couple of new tutorials under the guidance of James Gariss . Jonathan to forward for review.<br>Mike observed that an html tutorial could be generated from a tdml file using XSLT .<br>11/4: Not discussed<br>15/4: Jonathan will send 4 new mini-tutorials. Need to figure out best way to incorporate into the tutorial structure.<br>29/4: Tutorials received. Mark has taken a quick read. Mark & Steve to review and report back. |

|     |  |
|-----|--|
|     | <p>6/5: Still with Mark and Steve</p> <p>20/5: Mark has reviewed. Will ask IBM information development to recommend a way to portray the existing and new lessons, preferably web-based. Find somewhere to host them. OGF? GitHub? developerWorks? NCSA?</p> <p>3/6: Steve has also reviewed.</p> <p>...</p> <p>17/6: No further progress on tutorials. Tim is looking into the creation of some DFDL how-to videos using the IBM Integration Studio.</p> <p>...</p> <p>31/3: No further progress</p> <p>14/4: Agreed that the need for better tutorials has become pressing for Daffodil users who aren't using IBM's tools and material. Discussed creating tutorials based on a tdml file with comments that is processed to produce html. Mike to investigate.</p> <p>28/4: Mike has sent an example tdml file which embeds instances of a new 'tutorial' element in various places. These elements contain html which can be extracted and formatted in a browser. Suggest future DFDL tutorials are created using this technology.</p> <p><a href="#">12/5: Not discussed</a></p>  |
| 250 | <p><b>Standardise on a single tdml format for DFDL tests (All)</b></p> <p>5/2: Steve has requested permission for IBM to view / use the Daffodil tdml files, as a precursor to trying to standardise on a common tdml format. Was formerly part of action 066.</p> <p>...</p> <p>18/2: No further progress</p> <p>11/3: Mike and Steve discussing the best way to share and cooperate on tdml format.</p> <p>25/3: Discussed the creation of an OGF document that will own and define a standardised tdml format.</p> <p>11/4: Proposal is for the OGF document to define a tdml format without Tresys or IBM copyright statement.</p> <p>15/4: Draft document on Redmine</p> <p>...</p> <p>6/5: No further progress</p> <p>20/5: Mark has read through the document. Particularly concerned with how namespaces are handled in the infoSet.</p> <p>...</p> <p>17/6: No further progress</p> <p>25/6: Mike has added bit order capability as per action 233.</p> <p>...</p> <p>9/12: No further progress</p> <p>6/1/15: Mike to resurrect this as Tresys would like to run their tdml suite against both Daffodil and IBM DFDL.</p> <p>...</p> <p>10/2: No further progress</p> <p>24/2: Mike updating the Daffodil TDML test runner to handle unparser (ie, serializer) tests</p> <p>...</p> <p>14/4: No further progress</p> <p>28/4: Tresys have enhanced their tdml runner to allow unparser tests and round-trip tests (parser-&gt;unparser-&gt;parser) as well as the new tutorial tag (see action 228)</p> <p><a href="#">12/5: Not discussed</a></p> |
| 279 | <p><b>Improve defaulting description to explicitly cover local groups (All)</b></p> <p>28/4: Only talks about elements, should mention local sequence and choice.</p> <p><a href="#">12/5: Not discussed</a></p>   |
| 280 | <p><b>Choice branch rule minOccurs &lt;= 0 ? (All)</b></p> <p>28/4: Is this still needed given how occursCountKind and discriminators now work ?</p> <p><a href="#">12/5: Not discussed</a></p>  |
| 281 | <p><b>Allow nil literal values other than ES for complex elements ? (All)</b></p> <p>28/4: Formats seen that could use this, but does it introduce complexity that ES on its own avoids?</p>   |

**Closed actions**

| No | Action |
|----|--------|
|    |        |

**Deferred actions**

| No  | Action  |
|-----|---|
| 131 | <b>Transformation of DFDL properties to a canonical form (Joe)</b><br>08/12: Joe has produced a XSLT to transform a DFDL schema to a canonical element form. When tested it should be made available on the WG gidforge site.<br>15/12: Alan tested against test dfdl schema which worked correctly (after fixing some errors in the schema)<br>22/12: no update<br>12/01: Joe has some defects to fix before making available on gridforge.<br>19/01: There is a difficult problem to solve before Joe make the style sheet public<br>26/01: Working on problems<br>02/02: no progress<br>09/02: As it wasn't a simple as exoected this will be treated as a low priority action<br>23/02: Low prioity<br>09/03: Low priority<br>30/03: Deferring for now  |
| 200 | <b>Establish recommended practices for pushing changes to GitHub (Mike)</b><br>29/1: Mike will talk to Tresys who have used Git a lot.<br>5/2: Mike to talk to Tresys this week, Tim has sent some links.<br>12/2: Information sent by Mike, Steve to review.<br>...<br>2/12: No further progress<br>14/1: Deferring until needed   |
| 241 | <b>Public comment : Bi-di properties placement in precedence section (All)</b><br>7/11: This looks deliberate but the asymmetry between parsing and unparsing is unclear . Really needs Daffodil or IBM DFDL to implement these properties , which has not happened yet. Deferring this action.<br>...<br>23/9: Candidate to be moved out to 1.1 ?  |
| 242 | <b>Public comment : dfdl:valueLength and dfdl :contentLength descriptions (Mike)</b><br>19/11: <a href="http://redmine.ogf.org/boards/15/topics/63">http://redmine.ogf.org/boards/15/topics/63</a> . Agreed that the function names were ok as per errata 3.18, and that the spec is clear that they refer to the grammar regions. However the grammar regions mentioned do not fully include literal nil values . Discussed what happens when parsing - remember the length or re-parse? What about lengthUnits 'characters' when the data is binary? Also the 'Notes' that follow the table need to be reworked.<br>26/11: Needs wording to handle all the issues found , assigned to Mike.<br>...<br>11/3: Still with Mike<br>25/3: Mike has sent out revised wording, reviewed by Mark and Steve. Noted that the words need to explain the concept of building a complex element from the bottom up, and these words are equally applicable to several places in section 12.3. Mike to revise accordingly.<br>11/4: More revised wording sent by Mike. Started to review but realised it needed some off-line preparation and thought. Review for next call.<br>15/4: Review comments from Steve and Tim. The functions need to be clear that they work off the infoSet value. The detailed wording is needed but should be removed to a new sub-section of 12.3, probably at end. Most sub-sections of 12.3, and the functions in 23.5.3 will refer to this new sub-section. 23.5.3 should limit itself to behaviour specific to the functions , such as not |

|     |  |
|-----|--|
|     | <p>potentially represented, the effect of the \$lengthUnits argument. Also discussed what happens if \$path argument returns a nodeset &gt; 1; should be a processing error, can always use a predicate to select one node of an array.</p> <p>29/4: See various email discussions. Several things noted by Mike, and he recommends a rewrite of some of section 12.3. Then the description of the two functions becomes much simpler. Deferring for now, and will resurrect after current spec revision is finalised .</p> <p>6/5: Mike is working on a mind map for the length section . Deferring until needed.</p> <p>....</p> <p>23/9: Rewrite should be postponed to future 1.1. Still need to answer the original questions about the functions though...</p>   |
| 251 | <p><b>Create official error codes (All)</b></p> <p>5/2/14: Create official error codes for all possible errors implied by the DFDL spec . This is a big piece of work, so this action is deferred for now. Was formerly part of action 066.</p> <p>...</p> <p>10/2/15: Un-deferring this action for consideration. The IBM error message numbers could be a good starting point for a list of error codes, although they are a mixture of generic and specific so some revision likely to be needed. Tresys to evaluate.</p> <p>...</p> <p>24/2: No progress</p> <p>24/3: Mike has read through the IBM error messages and will write up findings</p> <p>31/3: No further progress</p> <p>14/4: Mike has sent email. Concluded that this is a large exercise and effort better put in to tutorials. Deferring again.</p> |

#### Work items :

| No | Item | Owner | Target | Status |
|----|------|-------|--------|--------|
|    |      |       |        |        |