GWD-I

Category: INFORMATIONAL

Grid Scheduling Dictionary WG (SD-WG)

http://www.fz-juelich.de/zam/RD/coop/ggf/sd-wg.html

http://www.fz-juelich.de/zam/RD/coop/ggf/draft.pdf

M. Roehrig, Sandia National Laboratories Wolfgang Ziegler, Fraunhofer-Institute for Algorithms and Scientific Computing Philipp Wieder, Research Centre Jülich June-2002 Revised 02-Oct-2002

Grid Scheduling Dictionary of Terms and Keywords

Status of This Memo

This memo provides information to the Grid community regarding a dictionary for Grid Scheduling. Distribution is unlimited.

Copyright Notice

Copyright © Global Grid Forum (2002). All Rights Reserved.

Abstract

The GGF Scheduling and Resource Management Area is concerned with various issues relating to resource scheduling and resource management in Grid environments. In examining current scheduling systems, it became apparent that a dictionary of terms and keywords would assist in discussions. This information could then be used to develop a Grid language that would provide seamless communication and advance reservation capabilities to the various schedulers in use within a Grid.

Contents

Abstra	act	. 1
1.	General Remarks	. 2
2.	List of Terms and Definitions	. 2
3.	Summary of Terms by Context	. 8
4.	Security Considerations	10
5.	Author Information	10
6.	Glossary	10
7.	Intellectual Property Statement	10
8.	Full Copyright Notice	11

1. General Remarks

The dictionary is focusing on scheduling in a Grid environment, it does not address scheduling terms in general. The terms are used in the manner typically found in Grid schedulers. The authors are aware that there may be multiple definitions of some terms depending e.g. on the environment where a term is used.

A context is given for each term indicating where a term usually is employed. If a term appears in several contexts, the most relevant ones are listed together with the term.

The following contexts are used:

- Access
- Application
- Network
- Process
- Resource
- Resource Management
- Scheduler

2. List of Terms and Definitions

Term	Context	Definition
Account	Access	The permissions for a particular user to use various resources.
Authentication	Access	The process by which one entity verifies the identity of another.
User	Access	A person authorized to submit jobs to high performance
		computing resources.
Application Software	Application	The actual programs used by an application.
Checkpoint	Application	Saving the current state of a program and its data (including intermediate results) to disk or other non-volatile storage, so that if interrupted the program could be restarted at the point at which the last checkpoint occurred. This is a feature provided by some schedulers, but not all.
Fork	Application, Scheduler, Resource Management	Making a copy of a process for execution.
Preemption	Application	Preemption of individual threads or the entire job during the execution of the job (and potential relocation).
Re-runable	Application	If a Batch Job can be terminated and its execution restarted from the beginning without harmful side effects, then the job is said to be <i>re-runable</i> .
LDAP	Network	Lightweight Directory Access Protocol.
Application	Process	A combination of program tasks and data manipulations that make use of computing resources.
Batch Job	Process	A Batch Job is submitted to a Batch System and is processed without any further interaction from the User (except for status changes like Cancel, Hold,)
Cancel	Process	Or Delete. Executing this action on a job results in the job being removed from the system. On a Batch System this is analogous to removing the job from the Queue.
Collaborative Computing	Process	To work jointly with other computing devices.
Delete	Process	Or Cancel. Executing this action on a job results in the job being

GWD-I

removed from the system. On a Batch System this is equivalent to removing the job from the Queue. Hold Process If a job is waiting in a queue for execution the action Hold prevents the job from being scheduled. Performing a Release allows the held job to be scheduled again. PBS also enables holding running jobs which is equivalent to Suspend. Interactive Job Process A job whose input and output are interleaved, allowing the user's input to depend on earlier output from the same run. Job Process An application or task performed on High Performance Computer resources. A job may be composed of steps/sections as individual schedulable entitles. Release Process Allows a held job to be scheduled again (see Hold). Resume Process A Resume action can be performed on a Suspended job. The job execution is restarted. Suspend Process The current job status is stored, resources are released and the execution of the job is interrupted. A suspended job can be Resumed. Task Process A specific piece of work required to be done as part of a job or application. Bandwidth Resource The capacity for data transfer. Cluster Resource A set of execution "servers" or hosts on which a single batch server manages batch jobs. A cluster may be made up of a set of workstations, multiple CPU systems, or a set of nodes in a parallel system. Computational Grid Resource Certral Processing Unit - the part of a computational resources. CPU Resource A non-volatile device that is used to store information and that provides read/write access. HPC Resource High Performance Computing - The technology that is used to provide solutions to problems that: • require significant computational power • either need to access, or process, very large amounts of data quickly • need to operate interactively across a geographically distributed network HPSS Resource High Performance Storage System. The capacity for storing information during the lifetime of a program. Name Space Provide (locally) unique names for (a hierarchy of)	Term	Context	Definition
Hold			
prevents the job from being scheduled. Performing a Release allows the held job to be scheduled again. PBS also enables holding running jobs which is equivalent to Suspend. Interactive Job Process			
allows the held job to be scheduled again. PBS also enables holding running jobs which is equivalent to Suspend. A job whose input and output are interleaved, allowing the user's input to depend on earlier output from the same run. An application or task performed on High Performance Computer resources. A job may be composed of steps/sections as individual schedulable entities. Release Process Allows a held job to be scheduled again (see Hold). Resume Process Allows a held job to be scheduled again (see Hold). Resume Process Allows a held job to be scheduled again (see Hold). A Resume action can be performed on a Suspended job. The job execution is restarted. Suspend Process The current job status is stored, resources are released and the execution of the job is interrupted. A suspended job can be Resumed. Task Process A specific piece of work required to be done as part of a job or application. Bandwidth Resource A set of execution "servers" or hosts on which a single batch server manages batch jobs. A cluster may be made up of a set of workstations, multiple CPU systems, or a set of nodes in a parallel system. Computational Grid Resource Central Processing Unit - the part of a computer system that operates on information or data. Some schedulers require a specification of how many CPUs are available on a node. Disk Resource High Performance Computing - The technology that is used to provides read/write access. HPC Resource High Performance Computing - The technology that is used to provide solutions to problems that: • require significant computational power • either need to access, or process, very large amounts of data quickly • need to operate interactively across a geographically distributed network HPSS Resource High Performance Storage System. Load Resource The quantity of resources required for a job to run. Memory Resource, Name Spaces provide (locally) unique names for (a hierarchy of)	Hold	Process	
PBS also enables holding running jobs which is equivalent to Suspend. Interactive Job Process A job whose input and output are interleaved, allowing the user's input to depend on earlier output from the same run. Job Process An application or task performed on High Performance Computer resources. A job may be composed of steps/sections as individual schedulable entities. Release Process Allows a held job to be scheduled again (see Hold). Resume Process A Resume action can be performed on a Suspended job. The job execution is restarted. Suspend Process The current job status is stored, resources are released and the execution of the job is interrupted. A suspended job can be Resumed. Task Process A specific piece of work required to be done as part of a job or application. Bandwidth Resource The capacity for data transfer. Cluster Resource A set of execution "servers" or hosts on which a single batch server manages batch jobs. A cluster may be made up of a set of workstations, multiple CPU systems, or a set of nodes in a parallel system. Computational Resource Central Processing Unit - the part of a computer system that operates on information or data. Some schedulers require a specification of how many CPUs are available on a node. Disk Resource High Performance Computing—The technology that is used to provide selutions to problems that: • require significant computational power • either need to access, or process, very large amounts of data quickly • need to operate interactively across a geographically distributed network HPSS Resource High Performance Storage System. Load Resource The quantity of resources required for a job to run. The capacity for storing information during the lifetime of a program. Name Space Resource,			
Suspend.			
Interactive Job			
Input to depend on earlier output from the same run.	Interactive Job	Process	
Process			
Release Process Allows a held job to be scheduled again (see Hold). Resume Process A Resume action can be performed on a Suspended job. The job execution is restarted. Suspend Process The current job status is stored, resources are released and the execution of the job is interrupted. A suspended job can be Resumed. Task Process A specific piece of work required to be done as part of a job or application. Bandwidth Resource The capacity for data transfer. Cluster Resource A set of execution "servers" or hosts on which a single batch server manages batch jobs. A cluster may be made up of a set of workstations, multiple CPU systems, or a set of nodes in a parallel system. Computational Grid Resource Large-scale high-performance distributed computing environments that provide access to high-end computational resources. CPU Resource Central Processing Unit - the part of a computer system that operates on information or data. Some schedulers require a specification of how many CPUs are available on a node. Disk Resource A non-volatile device that is used to store information and that provides read/write access. HPC Resource High Performance Computing - The technology that is used to provide solutions to problems that: • require significant computational power • either need to access, or process, very large amounts of data quickly • need to operate interactively across a geographically distributed network HPSS Resource High Performance Storage System. Load Resource The quantity of resources required for a job to run. Memory Resource, Name Spaces provide (locally) unique names for (a hierarchy of)	Job	Process	
Release Process Allows a held job to be scheduled again (see Hold). Resume Process A Resume action can be performed on a Suspended job. The job execution is restarted. Suspend Process The current job status is stored, resources are released and the execution of the job is interrupted. A suspended job can be Resumed. Task Process A specific piece of work required to be done as part of a job or application. Bandwidth Resource The capacity for data transfer. Cluster Resource A set of execution "servers" or hosts on which a single batch server manages batch jobs. A cluster may be made up of a set of workstations, multiple CPU systems, or a set of nodes in a parallel system. Computational Grid Resource Central Processing Unit - the part of a computational resources. CPU Resource Central Processing Unit - the part of a computer system that operates on information or data. Some schedulers require a specification of how many CPUs are available on a node. Disk Resource A non-volatile device that is used to store information and that provides read/write access. HPC Resource High Performance Computing - The technology that is used to provide solutions to problems that: • require significant computational power • either need to access, or process, very large amounts of data quickly • need to operate interactively across a geographically distributed network HPSS Resource High Performance Storage System. Load Resource The quantity for resources required for a job to run. The capacity for storing information during the lifetime of a program. Name Space Resource, Name Spaces provide (locally) unique names for (a hierarchy of)			
Resume Process A Resume action can be performed on a Suspended job. The job execution is restarted. Suspend Process The current job status is stored, resources are released and the execution of the job is interrupted. A suspended job can be Resumed. Task Process A specific piece of work required to be done as part of a job or application. Bandwidth Resource The capacity for data transfer. Cluster Resource A set of execution "servers" or hosts on which a single batch server manages batch jobs. A cluster may be made up of a set of workstations, multiple CPU systems, or a set of nodes in a parallel system. Computational Resource Large-scale high-performance distributed computing environments that provide access to high-end computational resources. CPU Resource Central Processing Unit - the part of a computer system that operates on information or data. Some schedulers require a specification of how many CPUs are available on a node. Disk Resource A non-volatile device that is used to store information and that provide read/write access. HPC Resource High Performance Computing - The technology that is used to provide solutions to problems that: require significant computational power either need to access, or process, very large amounts of data quickly need to operate interactively across a geographically distrib			
Job execution is restarted.			
Suspend	Resume	Process	
execution of the job is interrupted. A suspended job can be Resumed. Task Process A specific piece of work required to be done as part of a job or application. Bandwidth Resource The capacity for data transfer. Cluster Resource A set of execution "servers" or hosts on which a single batch server manages batch jobs. A cluster may be made up of a set of workstations, multiple CPU systems, or a set of nodes in a parallel system. Computational Grid Resource Large-scale high-performance distributed computing environments that provide access to high-end computational resources. CPU Resource Central Processing Unit - the part of a computer system that operates on information or data. Some schedulers require a specification of how many CPUs are available on a node. Disk Resource A non-volatile device that is used to store information and that provides read/write access. HPC Resource High Performance Computing - The technology that is used to provide solutions to problems that: • require significant computational power • either need to access, or process, very large amounts of data quickly • need to operate interactively across a geographically distributed network HPSS Resource High Performance Storage System. The quantity of resources required for a job to run. Memory Resource, Name Spaces provide (locally) unique names for (a hierarchy of)	0	D	
Resumed. Resource	Suspend	Process	
Task Process A specific piece of work required to be done as part of a job or application. Bandwidth Resource The capacity for data transfer. Cluster Resource A set of execution "servers" or hosts on which a single batch server manages batch jobs. A cluster may be made up of a set of workstations, multiple CPU systems, or a set of nodes in a parallel system. Computational Grid Resource Large-scale high-performance distributed computing environments that provide access to high-end computational resources. CPU Resource Central Processing Unit - the part of a computer system that operates on information or data. Some schedulers require a specification of how many CPUs are available on a node. Disk Resource A non-volatile device that is used to store information and that provides read/write access. HPC Resource High Performance Computing - The technology that is used to provide solutions to problems that: require significant computational power either need to access, or process, very large amounts of data quickly need to operate interactively across a geographically distributed network High Performance Storage System. Load Resource The quantity of resources required for a job to run. The capacity for storing information during the lifetime of a program. 			
Application Bandwidth Resource The capacity for data transfer.	Task	Process	
Bandwidth Resource The capacity for data transfer.	TOOK	1 100000	
Cluster Resource A set of execution "servers" or hosts on which a single batch server manages batch jobs. A cluster may be made up of a set of workstations, multiple CPU systems, or a set of nodes in a parallel system. Computational Resource Large-scale high-performance distributed computing environments that provide access to high-end computational resources. CPU Resource Central Processing Unit - the part of a computer system that operates on information or data. Some schedulers require a specification of how many CPUs are available on a node. Disk Resource A non-volatile device that is used to store information and that provides read/write access. HPC Resource High Performance Computing - The technology that is used to provide solutions to problems that: • require significant computational power • either need to access, or process, very large amounts of data quickly • need to operate interactively across a geographically distributed network HPSS Resource High Performance Storage System. Load Resource The quantity of resources required for a job to run. Memory Resource, Name Spaces provide (locally) unique names for (a hierarchy of)	Bandwidth	Resource	''
server manages batch jobs. A cluster may be made up of a set of workstations, multiple CPU systems, or a set of nodes in a parallel system. Computational Grid Resource Large-scale high-performance distributed computing environments that provide access to high-end computational resources. CPU Resource Central Processing Unit - the part of a computer system that operates on information or data. Some schedulers require a specification of how many CPUs are available on a node. Disk Resource A non-volatile device that is used to store information and that provides read/write access. HPC Resource High Performance Computing - The technology that is used to provide solutions to problems that: • require significant computational power • either need to access, or process, very large amounts of data quickly • need to operate interactively across a geographically distributed network HPSS Resource High Performance Storage System. Load Resource The quantity of resources required for a job to run. Memory Resource, Name Spaces provide (locally) unique names for (a hierarchy of)			
Disk Resource Resource Central Processing Unit - the part of a computer system that operates on information or data. Some schedulers require a specification of how many CPUs are available on a node. Disk Resource A non-volatile device that is used to store information and that provides read/write access.			
Computational Grid Resource Large-scale high-performance distributed computing environments that provide access to high-end computational resources. CPU Resource Central Processing Unit - the part of a computer system that operates on information or data. Some schedulers require a specification of how many CPUs are available on a node. Disk Resource A non-volatile device that is used to store information and that provides read/write access. HPC Resource High Performance Computing - The technology that is used to provide solutions to problems that: • require significant computational power • either need to access, or process, very large amounts of data quickly • need to operate interactively across a geographically distributed network HPSS Resource High Performance Storage System. Load Resource The quantity of resources required for a job to run. Memory Resource, Name Spaces provide (locally) unique names for (a hierarchy of)			
Grid environments that provide access to high-end computational resources. CPU Resource Central Processing Unit - the part of a computer system that operates on information or data. Some schedulers require a specification of how many CPUs are available on a node. Disk Resource A non-volatile device that is used to store information and that provides read/write access. HPC Resource High Performance Computing - The technology that is used to provide solutions to problems that: • require significant computational power • either need to access, or process, very large amounts of data quickly • need to operate interactively across a geographically distributed network HPSS Resource High Performance Storage System. Load Resource The quantity of resources required for a job to run. Memory Resource, Name Spaces provide (locally) unique names for (a hierarchy of)			
resources. CPU Resource Central Processing Unit - the part of a computer system that operates on information or data. Some schedulers require a specification of how many CPUs are available on a node. Disk Resource A non-volatile device that is used to store information and that provides read/write access. HPC Resource High Performance Computing - The technology that is used to provide solutions to problems that: • require significant computational power • either need to access, or process, very large amounts of data quickly • need to operate interactively across a geographically distributed network HPSS Resource High Performance Storage System. Load Resource The quantity of resources required for a job to run. The capacity for storing information during the lifetime of a program. Name Space Resource, Name Spaces provide (locally) unique names for (a hierarchy of)	•	Resource	
CPU Resource Central Processing Unit - the part of a computer system that operates on information or data. Some schedulers require a specification of how many CPUs are available on a node. Disk Resource A non-volatile device that is used to store information and that provides read/write access. HPC Resource High Performance Computing - The technology that is used to provide solutions to problems that: • require significant computational power • either need to access, or process, very large amounts of data quickly • need to operate interactively across a geographically distributed network HPSS Resource High Performance Storage System. Load Resource The quantity of resources required for a job to run. Memory Resource, Name Spaces provide (locally) unique names for (a hierarchy of)	Grid		· · · · · · · · · · · · · · · · · · ·
operates on information or data. Some schedulers require a specification of how many CPUs are available on a node. Disk Resource A non-volatile device that is used to store information and that provides read/write access. HPC Resource High Performance Computing - The technology that is used to provide solutions to problems that: • require significant computational power • either need to access, or process, very large amounts of data quickly • need to operate interactively across a geographically distributed network HPSS Resource High Performance Storage System. Load Resource The quantity of resources required for a job to run. Memory Resource, Name Spaces provide (locally) unique names for (a hierarchy of)	CDII	Posourco	
Specification of how many CPUs are available on a node. Disk Resource A non-volatile device that is used to store information and that provides read/write access. HPC Resource High Performance Computing - The technology that is used to provide solutions to problems that: • require significant computational power • either need to access, or process, very large amounts of data quickly • need to operate interactively across a geographically distributed network HPSS Resource High Performance Storage System. Load Resource The quantity of resources required for a job to run. Memory Resource The capacity for storing information during the lifetime of a program. Name Space Resource, Name Spaces provide (locally) unique names for (a hierarchy of)	CFU	Resource	
Disk Resource A non-volatile device that is used to store information and that provides read/write access. HPC Resource High Performance Computing - The technology that is used to provide solutions to problems that: • require significant computational power • either need to access, or process, very large amounts of data quickly • need to operate interactively across a geographically distributed network HPSS Resource High Performance Storage System. Load Resource The quantity of resources required for a job to run. Memory Resource, Name Spaces provide (locally) unique names for (a hierarchy of)			
HPC Resource High Performance Computing - The technology that is used to provide solutions to problems that: • require significant computational power • either need to access, or process, very large amounts of data quickly • need to operate interactively across a geographically distributed network HPSS Resource High Performance Storage System. Load Resource The quantity of resources required for a job to run. Memory Resource The capacity for storing information during the lifetime of a program. Name Space Resource, Name Spaces provide (locally) unique names for (a hierarchy of)	Disk	Resource	
provide solutions to problems that: require significant computational power either need to access, or process, very large amounts of data quickly need to operate interactively across a geographically distributed network HPSS Resource High Performance Storage System. Load Resource The quantity of resources required for a job to run. Memory Resource The capacity for storing information during the lifetime of a program. Name Space Resource, Name Spaces provide (locally) unique names for (a hierarchy of)			provides read/write access.
require significant computational power either need to access, or process, very large amounts of data quickly need to operate interactively across a geographically distributed network HPSS Resource High Performance Storage System. Load Resource The quantity of resources required for a job to run. Memory Resource The capacity for storing information during the lifetime of a program. Name Space Resource, Name Spaces provide (locally) unique names for (a hierarchy of)	HPC	Resource	High Performance Computing - The technology that is used to
either need to access, or process, very large amounts of data quickly need to operate interactively across a geographically distributed network HPSS Resource High Performance Storage System. Load Resource The quantity of resources required for a job to run. Memory Resource The capacity for storing information during the lifetime of a program. Name Space Resource, Name Spaces provide (locally) unique names for (a hierarchy of)			
data quickly			
need to operate interactively across a geographically distributed network HPSS Resource High Performance Storage System. Load Resource The quantity of resources required for a job to run. Memory Resource The capacity for storing information during the lifetime of a program. Name Space Resource, Name Spaces provide (locally) unique names for (a hierarchy of)			
distributed network HPSS Resource High Performance Storage System. Load Resource The quantity of resources required for a job to run. Memory Resource The capacity for storing information during the lifetime of a program. Name Space Resource, Name Spaces provide (locally) unique names for (a hierarchy of)			
HPSS Resource High Performance Storage System. Load Resource The quantity of resources required for a job to run. Memory Resource The capacity for storing information during the lifetime of a program. Name Space Resource, Name Spaces provide (locally) unique names for (a hierarchy of)			
LoadResourceThe quantity of resources required for a job to run.MemoryResourceThe capacity for storing information during the lifetime of a program.Name SpaceResource,Name Spaces provide (locally) unique names for (a hierarchy of)	HDSS	Pesource	
MemoryResourceThe capacity for storing information during the lifetime of a program.Name SpaceResource,Name Spaces provide (locally) unique names for (a hierarchy of)			
program. Name Space Resource, Name Spaces provide (locally) unique names for (a hierarchy of)			
Name Space Resource, Name Spaces provide (locally) unique names for (a hierarchy of)	Wichiory	resource	, ,
	Name Space	Resource,	
			objects (e.g. resources, services, applications). The information
Management is often organized in a tree structure and accessible through		Management	
directory services. A global Name Space aims to unify multiple			
or conflicting naming schemes allowing to use the same name			
across an entire Grid.	Nodo	Dogguesa	
Node Resource A point of connection on a network. Some schedulers require a job to specify how many nodes it requires. A node consists of	Node	Resource	
one or more Central Processing Units (CPUs). Each processor			

Term	Context	Definition
		may have multiple <i>threads</i> running on it that share code and
Description	Deserves	data but have different stacks.
Processor	Resource	The part of a computer which performs the manipulation of data
Ougus	Descurse	from one state to another
Queue	Resource	A collection of schedulable entities, e.g. jobs (or job-related tasks) within the (batch) queuing system. Each queue has a set
		of associated attributes that determine which actions are to be
		performed upon each job within the queue. Typical attributes
		include queue name, queue priority, resource limits,
		destination(s), and job count limits. Selection and scheduling of
		jobs are implementation-defined. The use of the term "queue"
		does not imply the ordering is "first in, first out."
Visualization	Resource	A device that displays data in picture form. The most basic
		visualization is that of turning transaction data and summary
		information into charts and graphs.
Advance	Resource	The process of requesting various resources for use at a later
Reservation	Management	time.
Allocation	Resource	The quantity of resources required by a job or reserved for a job.
	Management	
Broker	Resource	A process which performs resource quoting (producer) or
	Management	resource discovery (consumer) and selection based on various
		strategies, assigns application task(s) to those resources, and distributes data or co-locates data and computations. Cost
		Models may be used for negotiations before
		selecting/requesting resources.
Co-Allocation	Resource	Ensures that a given set of resources is available for use
	Management	simultaneously.
Condor	Resource	A computing environment that makes use of and manages very
	Management	large collections of distributed, private workstations.
Condor-G	Resource	A version of Condor that works with Globus.
	Management	
Co-Scheduling	Resource	The ability to schedule various resources for a given time or for
	Management	a series of sequential times (supported by Co-Allocation).
Cost Model	Resource	Defines the cost-benefit ratio of a resource, determines supply
	Management	and demand. Cost models exist for both producers and
CDLLTime	Daggymag	Consumers.
CPU Time	Resource	The amount of time a process takes to run assuming that it has exclusive and uninterrupted use of the CPU. In praxis this
	Management	means adding up all the small amounts of time the CPU actually
		works on the process.
Data Co-	Resource	For task-parallel programs, computations or data may reside in
Location	Management	distinct locations, and the scheduler must determine which need
		to be moved.

GWD-I

Term	Context	Definition
Data	Resource	For data-parallel programs, all computational resources execute
Distribution	Management	the same program, and the complexity of the scheduling
	_	process lies in the determination of a performance-efficient
		distribution or decomposition of data.
Duration	Resource	A specification of how long a job is expected to run.
	Management	
End Time	Resource	A specification of the time when a job is expected to quit running
	Management	or actually quit running. May be specified as an actual time or
		as an offset from the current system time.
Fair Share	Resource	A scheduling policy that ensures each user or group of users
	Management	receive a configurable share of (computing) resources over a
		configurable period of time called "history hours". The priority of
		each job is based on a dynamic calculation based on weighted
		usage of one or more resources during the history hours for the
		user/group. A decay factor is applied so recently used time
	_	weights more heavily than the time used in the distant past.
Globus Project	Resource	Software tools that make it easier to build computational grids
Ol Hada	Management	and grid-based applications.
GLUnix	Resource	GLUnix is a scheduling and resource management system. It
	Management,	supports Batch and Interactive Jobs and performs execution
ODD	Scheduler	time load balancing.
GRD	Resource	The Global Resource Director is a scheduling and resource
	Management,	management system.
Grid	Scheduler	Cride are persistent environments that enable software
Gilu	Resource Management	Grids are persistent environments that enable software applications to integrate instruments, displays, computational
	Management	and information resources that are managed by diverse
		organizations in widespread locations.
Legion	Resource	Builds system components on a distributed object-oriented
Logion	Management	model and provides a uniform programming model.
Migration	Resource	Migration describes the rearrangement of allocated resources
iviigi attori	Management	within a resource pool.
Pexec	Resource	Pexec is an executable and a support library for simplifying the
	Management	implementation and execution of SPMD programs in a Beowulf
		environment. It is build on the top of the Parallel Virtual Machine
		(PVM).
POE	Resource	Parallel Operation Environment – POE manages the execution
	Management	of parallel applications across multiple nodes including the
	_	communication between the nodes.
Prun	Resource	Prun is used to launch parallel processes on a Cluster, e.g. MPI
	Management	applications.
Reservation	Resource	The act of specifying a resource, a start time and an end time.
	Management	
Resource	Resource	The process of locating a set of resources on which to schedule
Discovery	Management	the task(s) of an application.
Resource	Resource	Bidding of resources together with costs. May be mediated
Quotes	Management	through a Broker.
Resource	Resource	The process of selecting candidate resources from a pool.
Selection	Management	
Start Time	Resource	A specification of the time when a job is expected to run or
	Management	actually began running. May be specified as an actual time or
 .	_	as an offset from the current system time.
Time	Resource	Usually refers to execution time of a job.

Term	Context	Definition
	Management	
UNICORE	Resource Management	UNICORE (UNiform Interface to COmputing REsources) provides a science and engineering GRID combining resources of supercomputer centers and making them available through the Internet.
Usage	Resource Management	A measurement of the compute resources accessed by a user. This is typically a combination of nodes and execution time.
Wallclock	Resource	The elapsed time between when a process starts to run and
Time	Management	when it is finished. The Wallclock Time is normally longer than the CPU time due to time-sharing CPUs and I/O.
Application Scheduler	Scheduler	An assignment of tasks, data, and communication to resources, ordered in time – based on the rules of the scheduling policy, and evaluated as "performance efficient" under the criteria established by the performance model.
Batch	Scheduler	A group of jobs (as programs) which are submitted for processing on a computer and the results of whichare obtained at a later time
Batch Processing	Scheduler	The capability of running jobs outside the interactive login session and providing for additional control over job scheduling and resource contention.
Batch Queue	Resource, Scheduler	An execution queue where the request actually is started from/runs.
Batch Server	Resource, Scheduler	A persistent subsystem (daemon) upon a single host that provides <i>batch-processing</i> capability.
Batch System	Resource, Scheduler	A set of <i>batch servers</i> that are configured for processing. The system may consist of multiple hosts, each with multiple servers.
EASY	Scheduler	EASY (Extensible Argonne Scheduling System) was originally written to enable parallel jobs to be scheduled efficiently on IBM SP2 systems, however, various versions supporting other systems are now available.
EASY-LL	Scheduler	EASY-LL is API that can combine LoadLeveler and EASY.
Gang Scheduling	Scheduler	The gang scheduler permits a set of processes, or multiple threads from a single process, to be scheduled concurrently as a group.
Grid Engine	Scheduler	A scheduling system that accepts job submission by users and schedules them for execution on appropriate systems in the Grid based on resource management policies.
High- Performance Scheduler	Scheduler, Resource Management	A software system that uses scheduling models to predict performance, determine application schedules based on these models, and take action to implement the resulting schedule. The goal is to optimize the performance experienced by the application on computational grid. The result is an application schedule.
Job Scheduling	Scheduler	Establishing a job queue to run a sequence of jobs (programs) over any period of time
Load Balancing	Scheduler	The process of maintaining balanced workloads across multiple CPUs or systems.
LoadLeveler	Scheduler	A workload management and scheduling system for serial and parallel jobs over a cluster of servers.
LSF	Scheduler	Load Sharing Facility – load sharing and sophisticated batch scheduling across distributed UNIX and Windows NT computing environments.
Machine	Scheduler	A method used to schedule jobs for execution on a machine.

Term	Context	Definition
Scheduler		Priority, length of time in the job queue and available resources are examples of criteria used.
Mapping	Scheduler, Resource Management	The allocation of computation and data "in space".
Meta- Scheduler	Scheduler	A scheduler that allows to request resources of more than one machine for a single job. May perform load balancing of workloads across multiple systems. Each system would then have its own local scheduler to determine how its job queue is processed. Requires advance reservation capability of local schedulers.
NQS	Scheduler	Network Queuing System – allows a user to submit batch jobs to various queues on local or remote machines, to monitor the job progress, and to have the log file returned to the originating machine or another machine. The queues can be set up according to a variety of parameters such as job size and required resources.
PBS	Scheduler	Portable Batch System – a batch queuing and workload management system.
Scheduling	Scheduler	The process of ordering tasks on compute resources and ordering communication between tasks. Also, known as the allocation of computation and communication "over time."
Scheduling Algorithm	Scheduler, Resource Management	A procedure used by a scheduler to determine when a job can run.
Scheduling Model	Scheduler	Consists of a scheduling policy, a program model, a performance model, and a performance measure.
Scheduling Policy	Scheduler	A set of rules for producing schedules
Staging	Scheduler, Resource Management	The process of moving a file or files to the host before the batch job begins execution.
Submit Jobs	Scheduler	The process of placing a job into a queue for execution.
Super Scheduler	Scheduler	(See <i>Meta-Scheduler</i>) The process that will (1) discover available resources for a job, (2) select the appropriate system(s), and (3) submit the job. Each system would then have its own local scheduler to determine how its job queue is processed.

3. Summary of Terms by Context

Context	Term
Access	Account
Access	Authentication
	User
Access	Usei
Application	Application Coffus
Application	Application Software
Application	Checkpoint
Application	Fork
Application	Preemption
Application	Re-runable
Network	LDAP
Process	Application
Process	Batch Job
Process	Cancel
Process	Collaborative
Flocess	Computing
Process	Delete
Process	Hold
Process	Interactive Job
Process	Job
Process	Release
Process	Resume
Process	Suspend
Process	Task
	1 0000
Resource	Bandwidth
Resource	Batch Queue
Resource	Batch Server
Resource	Batch System
Resource	Cluster
Resource	Computational Grid
Resource	CPU
Resource	Disk
Resource	HPC
	HPSS
Resource	
Resource	Load
Resource	Memory
Resource	Name Space
Resource	Node
Resource	Processor
Resource	Queue
Resource	Visualization
	_
Resource Management	Advance Reservation
Resource Management	Allocation
Resource Management	Broker
Resource Management	Co-Allocation

Context	Term
Resource Management	Condor
Resource Management	Condor-G
Resource Management	Co-Scheduling
Resource Management	Cost Model
Resource Management	CPU Time
Resource Management	Data Co-Location
Resource Management	Data Distribution
Resource Management	Duration
Resource Management	End Time
Resource Management	Fair Share
Resource Management	Fork
Resource Management	Globus Project
Resource Management	GLUnix
Resource Management	GRD
Resource Management	Grid
-	High-Performance
Resource Management	Scheduler
Resource Management	Legion
Resource Management	Mapping
Resource Management	Migration
Resource Management	Name Space
Resource Management	Pexec
Resource Management	POE
Resource Management	Prun
Resource Management	Reservation
Resource Management	Resource Discovery
Resource Management	Resource Quotes
Resource Management	Resource Selection
Resource Management	Scheduling Algorithm
Resource Management	Staging
Resource Management	Start Time
Resource Management	Time
Resource Management	UNICORE
Resource Management	Usage
Resource Management	Wallclock Time
Scheduler	Application Scheduler
Scheduler	Batch
Scheduler	Batch Processing
Scheduler	Batch Queue
Scheduler	Batch Server
Scheduler	Batch System
Scheduler	EASY
Scheduler	EASY-LL
Scheduler	Fork

Context	Term
Scheduler	Gang Scheduling
Scheduler	GLUnix
Scheduler	GRD
Scheduler	Grid Engine
Scheduler	High-Performance
Scriedulei	Scheduler
Scheduler	Job Scheduling
Scheduler	Load Balancing
Scheduler	LoadLeveler
Scheduler	LSF
Scheduler	Machine Scheduler
Scheduler	Mapping
Scheduler	Meta-Scheduler
Scheduler	NQS
Scheduler	PBS
Scheduler	Scheduling
Scheduler	Scheduling Algorithm
Scheduler	Scheduling Model
Scheduler	Scheduling Policy
Scheduler	Staging
Scheduler	Submit Jobs
Scheduler	Super Scheduler

4. Security Considerations

Security issues are not discussed in this document.

5. Author Information

Philipp Wieder Research Centre Jülich GmbH D – 52425 Jülich ph.wieder@fz-juelich.de

Wolfgang Ziegler Fraunhofer Institute for Scientific Computing and Algorithms D – 53754 Sankt Augustin Wolfgang.Ziegler@scai.fhg.de

6. Glossary

A glossary is not required for this document.

7. Intellectual Property Statement

The GGF takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in

this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this specification can be obtained from the GGF Secretariat.

The GGF invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights which may cover technology that may be required to practice this recommendation. Please address the information to the GGF Executive Director.

8. Full Copyright Notice

Copyright (C) Global Grid Forum (date). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the GGF or other organizations, except as needed for the purpose of developing Grid Recommendations in which case the procedures for copyrights defined in the GGF Document process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the GGF or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE GLOBAL GRID FORUM DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE."