

Authors:  
Sergio Andreatti (editor), INFN  
Stephen Burke, RAL  
Felix Ehm, CERN  
Laurence Field, CERN  
Gerson Galang, SAPAC  
Balazs Konya, Lund University  
Maarten Litmaath, CERN  
Paul Millar, Desy  
JP Navarro, ANL

GLUE WG  
<http://forge.ogf.org/sf/sfmain/do/viewProject/projects.glue-wg>

April 18, 2008

## **GLUE Specification v. 2.0 (draft 39)**

### Status of This Document

This document provides information to the Grid community regarding the specification of the GLUE information model. Distribution is unlimited. This document is a draft.

### Copyright Notice

Copyright © Open Grid Forum (2008). All Rights Reserved.

### Trademark

Open Grid Services Architecture and OGSA are trademarks of the Open Grid Forum.

### Abstract

The GLUE specification is an information model for Grid entities described in natural language enriched with a graphical representation using UML Class Diagrams. As a conceptual model, this is meant to be implementation-independent. Rendering to concrete data models such as XML Schema, LDAP and relational are provided.

### Editorial To Do:

#### Check:

- In each table, verify that "Inherited Properties" are consistent with original
- All attributes having type, mult and description
- All data type being defined in appendix
- Consistency between main entities and derived models
- All comments answered and removed
- Check authors/contributors list and verify addresses
- Rules for properties
  - Properties name all with first letter of each component word capital
  - Added data types with suffix \_t, capital as properties
  - Decide if to use multiple in unit of measure
    - [http://en.wikipedia.org/wiki/International\\_System\\_of\\_Units](http://en.wikipedia.org/wiki/International_System_of_Units)
    - [http://en.wikipedia.org/wiki/SI\\_prefix](http://en.wikipedia.org/wiki/SI_prefix)
  - Enumeration values all small letters

## Contents

1.	Introduction.....	4
2.	Notational Conventions .....	4
3.	General.....	4
4.	Conceptual Model of the Main Entities .....	5
4.1	Location.....	6
4.2	Contact.....	6
4.3	Domain.....	7
4.3.1	AdminDomain.....	7
4.3.2	UserDomain .....	7
4.4	Service .....	8
4.5	Endpoint .....	9
4.6	Share.....	9
4.7	Resource .....	10
4.8	Activity.....	10
4.9	Policy.....	10
4.9.1	ManagementPolicy .....	<b>Error! Bookmark not defined.</b>
4.9.2	AccessPolicy .....	11
4.9.3	MappingPolicy .....	11
	Auxiliary Entities.....	12
4.10	Extension.....	12
4.11	Metadata .....	12
5.	Conceptual Model of the Computing Service .....	13
5.1	ComputingEndpoint .....	15
5.2	ComputingShare.....	15
5.3	ComputingResource .....	17
5.4	Benchmark .....	18
5.5	ExecutionEnvironment .....	19
5.6	ApplicationEnvironment .....	20
5.7	ApplicationHandle .....	20
5.8	ComputingActivity .....	20
6.	Conceptual Model of the Storage Service.....	23
6.1	StorageService .....	24
6.2	StorageCapacity .....	24
6.3	StorageEndpoint .....	25
6.4	StorageShare .....	26
6.5	StorageShareState .....	26
6.6	StorageResource.....	27
6.7	DataStore .....	27
6.8	StorageAccessProtocol.....	28
6.9	SSCSLink .....	28
6.10	CSSSLink .....	<b>Error! Bookmark not defined.</b>
7.	Relationship to OGF Reference Model .....	29
8.	Template .....	29
9.	Security Considerations .....	30
10.	Author Information .....	30
11.	Contributors & Acknowledgements.....	30
12.	Glossary .....	30
13.	Intellectual Property Statement .....	31
14.	Disclaimer.....	31
15.	Full Copyright Notice.....	31
16.	References .....	32
17.	Appendix A: Place-holder values for unknown data .....	33
17.1	Use cases.....	33
17.2	Place-holder values .....	33

17.2.1	Fully qualified domain names .....	34
17.2.2	IPv4 address .....	34
17.2.3	IPv6 addr.....	34
17.2.4	Integers.....	35
17.2.5	File path .....	35
17.2.6	Email addresses.....	35
17.2.7	Uniform Resource Identifier (URI).....	36
17.2.8	X509 Distinguished Names.....	36
17.2.9	Fully Qualified Attribute Name (FQAN) .....	37
17.2.10	Geographic locations .....	37
18.	Appendix B: Data Types .....	38
18.1	LocalID_t .....	38
18.2	ContactType_t .....	38
18.3	PolicyScheme_t.....	38
18.4	DN_t .....	39
18.5	ServiceCapability_t .....	39
18.6	ServiceType_t.....	40
18.7	QualityLevel_t .....	40
18.8	EndpointCapability_t.....	40
18.9	EndpointTechnology_t .....	40
18.10	EndpointHealthState_t .....	41
18.11	ServingState_t .....	41
18.12	ActivityType_t .....	41
18.13	DateTime_t.....	41
18.14	Staging_t .....	41
18.15	SchedulingPolicy_t.....	41
18.16	ReservationPolicy_t .....	42
18.17	LRMSType_t.....	42
18.18	NetworkInfo_t .....	42
18.19	Benchmark_t .....	42
18.20	platform_t .....	42
18.21	CPUMultiplicity_t.....	43
18.22	OSFamily_t.....	43
18.23	ParallelType_t.....	43
18.24	ApplicationHandle_t .....	43
18.25	OSName_t.....	43
18.26	AppEnvState_t.....	44
18.27	License_t.....	44
18.28	SetupMethod_t .....	44
18.29	ComputingActivityState_t.....	44
18.30	StorageCapacity_t .....	44
18.31	StorageAccessProtocol_t.....	45
18.32	StorageEnvironmentType_t.....	45
18.33	AccessLatency_t.....	45
18.34	RetentionPolicy_t.....	45
18.35	ExpirationMode_t.....	45
19.	Appendix C: XML Schema Rendering .....	47
20.	Appendix D: LDAP Rendering.....	47
21.	Appendix E: Relational Rendering.....	47

## 1. Introduction

In this document, we present a conceptual information model for Grid entities described in natural language enriched with a graphical representation using UML Class Diagrams. As a conceptual model, this is meant to be implementation-independent. Mapping to concrete data models such as XML Schema, LDAP, relational and RDF are provided in the [Appendix](#). From the semantic viewpoint, the concrete data model should represent the same concepts and relationships of the conceptual information model; nevertheless it can contain simplifications specific to the target data model in order to improve query performance or other aspects.

**Comment [SA1]:** To be added

This information model is based on the experience of several modeling approaches being used in current production Grid infrastructures (e.g., GLUE Schema 1.x [glue-1.x], NorduGrid schema [ng-schema], Naregi model [naregi-schema]). The proposed initial collection of entities is motivated also by the use cases document [glue-usecases].

**Comment [SA2]:** To be extended

## 2. Notational Conventions

Only include this section if applicable.

The key words ‘MUST,’ ‘MUST NOT,’ ‘REQUIRED,’ ‘SHALL,’ ‘SHALL NOT,’ ‘SHOULD,’ ‘SHOULD NOT,’ ‘RECOMMENDED,’ ‘MAY,’ and ‘OPTIONAL’ are to be interpreted as described in RFC 2119 [BRADNER1]

## 3. General

The Information Model and its renderings have to be consider case-sensitive. Each GLUE entity has either an ID attribute or LocalID attribute. The ID is a global identifier, while the LocalID is an identifier local to a container entity which is specified in the definition.

Both ID and LocalID MUST not be interpreted by the user or the system as having any meaning other than as an identifier. In particular, there is no relationship between an ID and a network endpoint. The ID MUST be compliant with the syntax of a URI. The usage of URN (subset of URI) is recommended.

As regards unit of measure, for multiple of bytes we refer to the SI prefix ([http://en.wikipedia.org/wiki/SI\\_prefix](http://en.wikipedia.org/wiki/SI_prefix)), therefore GB is 10<sup>9</sup> Bytes and not 2<sup>30</sup> Bytes (the latter are GibiBytes).

#### 4. Conceptual Model of the Main Entities

This section introduces the main entities of the GLUE information model. They capture the core concepts that are relevant in a Grid environment. The main entities SHOULD be used to derive specialized information models. In Figure 1, the classes and the related relationships are presented.




Figure 1 GLUE main entities and their relationships

## 4.1 Location

Entity	Inherits from			Description
Location				A geographical position
Property	Type	Mult.	Unit	Description
LocalID	LocalID_t	1		An opaque identifier local to the associated Service or Domain
Name	String	1		A human-readable name
Address	String	0..1		Street address
Place	String	0..1		Name of town/city
Country	String	0..1		Country name
PostCode	String	0..1		Postal code
Latitude	Real32	0..1	degree	The position of a place north or south of the equator measured from -90° to +90° with positive values going north and negative values going south
Longitude	Real32	0..1	degree	The position of a place east or west of Greenwich, England measured from -180° to +180° with positive values going east and negative values going west

The location entity is meant to be used for describing reference geographical positions of domains and services. They aim is to provide a simple way to express geographical information and is not intended to be used in complex geographical information systems. The accuracy of latitude and longitude should be defined in an interoperability profile.

## 4.2 Contact

Entity	Inherits from			Description
Contact				Information enabling to establish a communication with a person or group of persons part of a domain
Property	Type	Mult.	Unit	Description
LocalID	LocalID_t	1		An opaque identifier local to the associated Service or Domain
URL	URI	1		URL embedding the contact information. The syntax of URI depends on the communication channel
Type	ContactType_t	1		Type of contact
OtherInfo	String	*		Placeholder to publish info that does not fit in any other attribute. Free-form string, comma-separated tags, (name, value ) pair are example of syntax

**Comment [SA3]:** What about if an email address is used for usersupport and security? (multiple types or decoupling ID from contact info?)

This entity can be used to represent contact information for user support, security, sysadmin. The various types of contact are identified by the Type attribute. In case of time-depend contact information, the instances of this entity should represent only the active contact information.

For telephone and fax: <http://www.ietf.org/rfc/rfc2806.txt>

For email: <http://www.ietf.org/rfc/rfc2368.txt>

For irc: <http://www.w3.org/Addressing/draft-mirashi-url-irc-01.txt>

<http://www.ietf.org/rfc/rfc2806.txt>

## 4.3 Domain

Entity	Inherits from			Description
Domain				A collection of actors that can be assigned with roles and privileges to entities via policies. A domain may have relationships to other domains.
Property	Type	Mult.	Unit	Description
ID [key]	URI	1		A global unique ID
Name	String	0..1		Human-readable name
Description	String	0..1		A description of the domain
WWW	URI	*		The URL identifying a web page with more information about the domain
OtherInfo	String	*		Placeholder to publish info that does not fit in any other attribute. Free-form string, comma-separated tags, (name, value ) pair are example of syntax

**Comment [SA4]:** Add recommendation from Stephen Burke mentioned document

This is an abstract entity not meant to be instantiated. It SHOULD be used in order to derive specialized entities.

## 4.3.1 AdminDomain

Entity	Inherits from			Description
AdminDomain	Domain			A collection of actors that can be assigned with administrative roles and privileges to services via policies. An AdminDomain manages services that can be geographically distributed, nevertheless a primary location should be identified.
Inherited Property	Type	Mult.	Unit	Description
ID [key]	URI	1		A global unique ID
Name	String	0..1		Human-readable name
Description	String	0..1		A description of the domain
WWW	URI	*		The URL identifying a web page with more information about the domain
OtherInfo	String	*		Placeholder to publish info that does not fit in any other attribute. Free-form string, comma-separated tags, (name, value ) pair are example of syntax
Property	Type	Mult.	Unit	Description
Distributed	Boolean	0..1		True if the services managed by the adminDomain are considered geographically distributed by the administrators themselves
Owner	String	*		Owner of the managed resources

**Comment [SA5]:** Add recommendation from Stephen Burke mentioned document

## 4.3.2 UserDomain

Entity	Inherits from			Description
UserDomain	Domain			A collection of actors that can be assigned with user roles and privileges to services or shares via policies
Inherited Property	Type	Mult.	Unit	Description
ID [key]	URI	1		A global unique ID
Name	String	0..1		Human-readable name
Description	String	0..1		A description of the domain
WWW	URI	*		The URL identifying a web page with more information about the domain
OtherInfo	String	*		Placeholder to publish info that does not fit in any other attribute. Free-form string, comma-separated tags, (name, value ) pair are example of syntax
Property	Type	Mult.	Unit	Description
Level	UInt32	0..1		The number of hops to reach the root for hierarchically organized domains described by the "composed by" association (0 is for the root)
ManagerEndpoint	URI	*		The Endpoint ID managing the users part of the domain and the related attributes such as groups or roles

**Comment [SA6]:** Add recommendation from Stephen Burke mentioned document

In the GLUE Information Model, the Virtual Organization can be realized by using the concept of UserDomain. If the VO has an internal structure, this can be represented by using different domains related to each other. A Virtual Organization (VO) comprises a set of individuals and/or institutions having direct access to computers, software, data, and other resources for collaborative problem-solving or other purposes. Resources utilized by a VO are expected to be accessible via network endpoints and constrained by defining utilization targets called shares. The VO can exhibit the internal structure in terms of groups of individuals, each of them being a UserDomain. UserDomains can be hierarchically structured. This structure can be represented via the “composed by” association. A userDomain can be also related to other other userDomains via a “peer” relationship.

As regards the ManagerEndpoint, a commonly used implementation is the VOMS.

#### 4.4 Service

Entity	Inherits from	Description		
Service		An abstracted, logical view of actual software components that participate in the creation of an entity providing one or more functionalities useful in a Grid environment. A service exposes zero or more endpoints having well-defined interfaces, zero or more shares and zero or more resources. The service is autonomous and denotes a weak aggregation among endpoints, the exposed resources, and the defined shares. The service enables to identify the whole set of entities providing the functionality with a persistent name.		
Property	Type	Mult.	Unit	Description
ID [key]	URI	1		A global unique ID
Name	String	0..1		Human-readable name
Capability	ServiceCapability_t	1..*		The provided capability according to the OGSA architecture
Type	ServiceType_t	1		The type of service according to a middleware classification
QualityLevel	QualityLevel_t	1		Maturity of the service in terms of quality of the software components
StatusPage	URI	*		Web page providing additional information like monitoring aspects
Complexity	String	0..1		Human-readable summary description of the complexity in terms of the number of endpoint types, shares and resources. The syntax should be: endpointType=X, share=Y, resource=Z.
OtherInfo	String	*		Placeholder to publish info that does not fit in any other attribute. Free-form string, comma-separated tags, (name, value ) pair are example of syntax

The simplest Service is composed by one endpoint, no share and no resource (e.g. a metadata catalog service). In the context of a Service, the same resource part of it can be exposed via multiple endpoints based on defined shares. For instance, in the area of storage systems, SRMv1 and SRMv2.2 interfaces can expose the same resource via different endpoints offering different interface version; in the area of computing systems, the CREAM and GRAM endpoints can expose the same batch system. Endpoints, shares and resources can belong to only one service.

**Comment [SA7]:** We do not have use cases for instantiating the peer relationship; if we won't have, then we should remove it

**Comment [SA8]:** Add reference

**Comment [SA9]:** To be verified by real-world use cases



## 4.5 Endpoint

Entity	Inherits from			Description
Endpoint				A network location having a well-defined interface and exposing the service functionalities
Property	Type	Mult.	Unit	Description
ID [key]	URI	1		A global unique ID
Name	String	0..1		Human-readable name
URL	URI	1		Network location of the endpoint to contact the related service
Capability	EndpointCapability_t	1..*		The provided capability according to the OGSA architecture
Technology	EndpointTechnology_t	0..1		Technology used to implement the endpoint
InterfaceName	String	1		Name of the type of interface
InterfaceVersion	String	1		Version of the type of interface
WSDL	URI	1		URL of the WSDL document describing the offered interface (applies to Web Services endpoint)
SupportedProfile	URI	*		URI identifying a supported profile
Semantics	URI	*		URI of a document providing a human-readable description of the semantics of the endpoint functionalities
Implementor	String	0..1		Main organization implementing this software component
ImplementationName	String	0..1		Name of the implementation
ImplementationVersion	String	0..1		Version of the implementation (e.g., major version.minor version.pathcversion)
QualityLevel	QualityLevel_t	1		Maturity of the service in terms of quality of the software components
HealthState	EndpointHealthState_t	1		A state representing the health of the endpoint
HealthStateInfo	String	0..1		Textual explanation of the state endpoint
ServingState	ServingState_t	1		The serving state
StartTime	DateTime_t	0..1		The timestamp for the start time of the endpoint
IssuerCA	DN_t	0..1		Distinguished name of Certification Authority issuing the certificate for the endpoint
DowntimeAnnounce	DateTime_t	0..1		The timestamp for the announcement of the next scheduled downtime
DowntimeStart	DateTime_t	0..1		The starting timestamp of the next scheduled downtime
DowntimeEnd	DateTime_t	0..1		The ending timestamp of the next scheduled downtime
DowntimeInfo	String	0..1		Description of the next scheduled downtime
Association End		Mult.	Description	
Association to UserDomain via Access Policy				

**Comment [SA10]:** How to deal with non-WS endpoints such as jms queue

**Comment [SA11]:** To be verified if we keep both here and in service or only in one part

**Comment [SA12]:** Suggestion to use URI for identifying categories; Donal will provide examples

**Comment [SA13]:** To be refined, evaluate extra information needed by each type of endpoint; es.http://www.ietf.org/internet-drafts/draft-merrick-jms-uri-01.txt

**Comment [SA14]:** Verify if a single value is enough

**Comment [SA15]:** What is the relationship between values for this attribute and values for the service.qualityLevel?

For Grid services requiring a richer set of properties for the endpoint, specific models can be derived by specializing from the Endpoint entity and adding new properties or relationships. The current proposal contains the ComputingEndpoint specialization (see Section 4.6)

**Comment [SA16]:** to be extended, should capture what is currently called AccessControlBaseRule in GLUE 1.x

**Comment [SA17]:** add section reference

## 4.6 Share

Entity	Inherits from			Description
Share				A utilization target for a set of resources offered via related endpoints defined by configuration parameters and characterized by status information
Property	Type	Mult.	Unit	Description
LocalID [key]	LocalID_t	1		An opaque identifier local to the associated Service
Name	String	0..1		Human-readable name
Description	String	0..1		Description of this share

**Comment [SA18]:** shares can be related to each other for instance via hierarchy

This is an abstract entity not meant to be instantiated. It SHOULD be used in order to derive specialized entities.

#### 4.7 Resource

Entity	Inherits from			Description
Resource				An entity useful in a Grid environment part of a logical service, reachable via one or more endpoints and having one or more shares defined on it. A resource usually represents aggregated information
Property	Type	Mult.	Unit	Description
ID [key]	URI	1		A global unique ID
Name	String	0..1		Human-readable name

This is an abstract entity not meant to be instantiated. For Grid resources requiring a richer set of properties, specific models can be defined by specializing from the Resource entity and adding new properties or relationships. The current proposal contains the Computing Resource specialization ([see Section 4.8](#)).

**Comment [SA19]:** add section reference

#### 4.8 Activity

Entity	Inherits from			Description
Activity				An activity is a unit of work managed by a service and submitted via an endpoint; an activity can have relationships to other activities being managed by different services, therefore it shares a common context.
Property	Type	Mult.	Unit	Description
ID [key]	URI	1		A global unique ID
Type	ActivityType_t	1		The type of this activity

Grid jobs (named Computing Activities in GLUE) are example of activities for a Computing Service. An interesting type of relationship for jobs derives from its propagation through several services. For instance, a broker service submits a Grid job to a selected execution service, upon completion the execution service submits a logging record to an accounting service. Each of these services will have associated an instance of a Grid job related to the lifecycle of the job within the service. All instances refer to the same conceptual job submitted by the user.

#### 4.9 Policy

Entity	Inherits from			Description
Policy				Statements, rules or assertions that specify the correct or expected behavior of an entity
Property	Type	Mult.	Unit	Description
LocalID	LocalID_t	1		An opaque identifier local to the Service to which the associated entity belongs to
Scheme	PolicyScheme_t	1		Scheme adopted to define the policy rules
Rule	String	*		A policy rule (for the basic policy scheme, syntax is provide in the Appendix)

This is an abstract entity not meant to be instantiated.

## 4.9.1 AccessPolicy

Entity	Inherits from			Description
AccessPolicy	Policy			Statements, rules or assertions that provide coarse-granularity information about the access by actors to an endpoint
Inherited Property	Type	Mult	Unit	Description
LocalID	LocalID_t	1		An opaque identifier local to the Service to which the associated entity belongs to
Scheme	PolicyScheme_t	1		Scheme adopted to define the policy rules
Rule	String	*		A policy rule (for the basic policy scheme, syntax is provide in the Appendix)
Property	Type	Mult.	Unit	Description
TrustedCA	DN_t	*		Distinguished name of the trusted Certification Authority

**Comment [SA20]:** Add more clarification about why it is coarse-granular

**Comment [SA21]:** Add basic policy scheme with VO, VOMS FQAN, (ALLOW)/DENY

**Comment [SA22]:** Evaluate if trustedCA goes together with access control information

This entity can be used to express which UserDomains can access a certain service endpoint. The granularity of these policies should be coarse-grained and suitable for pre-selection of services. The actual decision on the service side is performed by an authorization component that can contain a finer-grained set of policy rules that in some case can contradict the published coarse-grained policy rules. Examples of actors involved in this entity are userDomains representing VOs or groups.

## 4.9.2 MappingPolicy

Entity	Inherits from			Description
MappingPolicy	Policy			Statements, rules or assertions that provide coarse-granularity information about the mapping of activities to a share
Inherited Property	Type	Mult	Unit	Description
LocalID	LocalID_t	1		An opaque identifier local to the Service to which the associated entity belongs to
Scheme	PolicyScheme_t	1		Scheme adopted to define the policy rules
Rule	String	*		A policy rule (for the basic policy scheme, syntax is provide in the Appendix)
Property	Type	Mult.	Unit	Description
Default	Boolean	0..1		Default share to which the activity will be mapped if no preference are expressed by the user

**Comment [SA23]:** do we need this? Is it a special case of access policy or a different category?

**Comment [SA24]:** Add more clarification about why it is coarse-granular

**Comment [SA25]:** To be confirmed

This entity can be used to express which UserDomains can consume a certain share of resources. Given a certain UserDomain and a certain Share, there MUST be at most one MappingPolicy instance which property Default is true.

## Auxiliary Entities

The auxiliary entities currently provides extensibility mechanisms and metadata applicable to all GLUE entities. Widely used extensions will be considered for addition in future GLUE information model revision as primary properties.



Figure 2 Auxiliary Entities

### 4.10 Extension

Entity	Inherits from			Description
Extension				A key,value pair providing extra information not captured in the current model
Property	Type	Mult.	Unit	Description
Key	String	1		A local ID, typically an attribute name that could be added in future info model revisions
Value	String	*		A value for the attribute

### 4.11 Metadata

Entity	Inherits from			Description
Metadata				
Property	Type	Mult.	Unit	Description
CreationTime	DateTime_t	1		Timestamp when the entity instance was generated
Validity	UInt64	1	s	The time period for how long the generated information is considered to be relevant by the information provider

## 5. Conceptual Model of the Computing Service

The conceptual model of the Computing Service is based upon the main entities and uses specializations of Service, Resource, Share, Endpoint and Activity entities. Further computing related concepts such as Execution Environment and Application Environment are introduced.




Figure 3 Entities and relationships for the Computing Service conceptual model

In the computing entities section, we extensively use the concept of slot. A slot is defined as a portion of executable time in an execution environment instance which can be consumed by a job. Usually, there is one slot per logical CPU. Jobs can consume several slots at the same time (e.g., MPI jobs).

## 5.1 ComputingService

Entity	Inherits from	Description		
ComputingService	Service	<p>An abstracted, logical view of actual software components that participate in the creation of a computational capacity in a Grid environment. A computing service exposes one or more endpoints having well-defined interfaces, one or more computing shares and one or more computing resource.</p> <p>The service is autonomous and denotes a weak aggregation among endpoints, the exposed computing resources, and the defined computing shares. The service enables to identify the whole set of entities providing the computing functionality with a persistent name.</p>		
Inherited Property	Type	Mult	Unit	Description
ID [key]	URI	1		A global unique ID
Name	String	0..1		Human-readable name
Capability	ServiceCapability_t	*		The capability provided by this service according to the OGSA architecture
Type	ServiceType_t	1		The type of service according to a middleware classification
QualityLevel	QualityLevel_t	1		Maturity of the service in terms of quality of the software components
StatusPage	URI	*		Web page providing additional information like monitoring aspects
Complexity	String	0..1		Human-readable summary description of the complexity in terms of the number of endpoint types, shares and resources. The syntax should be: endpointType=X, share=Y, resource=Z.
OtherInfo	String	*		Placeholder to publish info that does not fit in any other attribute. Free-form string, comma-separated tags, (name, value ) pair are example of syntax
Property	Type	Mult	Unit	Description
TotalJobs	UInt32	0..1	job	Number of total jobs
RunningJobs	UInt32	0..1	job	Number of running jobs
WaitingJobs	UInt32	0..1	job	Number of jobs waiting in the underlying LRMS's
StagingJobs	UInt32	0..1	job	Number of jobs that are staging files in/out
SuspendedJobs	UInt32	0..1	job	Number of jobs which started their execution, but are suspended (e.g., for preemption)
PreLRMSWaitingJobs	UInt32	0..1	job	Number of jobs that are in the Grid layer waiting to be passed to the underlying LRMS

The simplest computing service is formed by a computing endpoint exposing an interface for job submission and control, a computing share and a computing resource. In case of a single computing resource exposed by multiple computing endpoints, such computing endpoints have to be considered part of the computing service. In case of a computing endpoint exposing many computing resources, then these computing resources are part of the computing service.

The computing service always aggregate computing endpoints, shares and resources forming a connected set. In other words, Endpoint A exposing resource A via share A and Endpoint B exposing Resource B via share B form two different computing services. On the other side, Endpoint A exposing Resource A via a share and Endpoint B exposing Resource A and B via another share form a computing service.

Properties from previous schemas: nordugrid-cluster-locale (similar to Glue.CESEBind.SEUniqueID)

**Comment [SA26]:** To be investigated when we have more mature version of Storage Entities schema

## 5.2 ComputingEndpoint

Entity	Inherits from			Description
ComputingEndpoint	Endpoint			Endpoint for creating, monitoring, and controlling computational activities called jobs; it can be used to expose also complementary capabilities (e.g., reservation, proxy manipulation)
Inherited Property	Type	Mult	Unit	Description
<i>ID</i> [key]	URI	1		A global unique ID
<i>Name</i>	String	0..1		Human-readable name
<i>URL</i>	URI	1		Network location of the endpoint to contact the related service
<i>Capability</i>	EndpointCapability_t	1..*		The provided capability according to the OGSA architecture
<i>Technology</i>	EndpointTechnology_t	0..1		Technology used to implement the endpoint
<i>InterfaceName</i>	String	1		Name of the type of interface
<i>InterfaceVersion</i>	String	1		Version of the type of interface
<i>WSDL</i>	URI	1		URL of the WSDL document describing the offered interface (applies to Web Services endpoint)
<i>SupportedProfile</i>	URI	*		URI identifying a supported profile
<i>Semantics</i>	URI	*		URI of a document providing a human-readable description of the semantics of the endpoint functionalities
<i>Implementor</i>	String	0..1		Main organization implementing this software component
<i>ImplementationName</i>	String	0..1		Name of the implementation
<i>ImplementationVersion</i>	String	0..1		Version of the implementation (e.g., major version.minor version.pathversion)
<i>QualityLevel</i>	QualityLevel_t	1		Maturity of the service in terms of quality of the software components
<i>HealthState</i>	EndpointHealthState_t	1		A state representing the health of the endpoint
<i>HealthStateInfo</i>	String	0..1		Textual explanation of the state endpoint
<i>ServingState</i>	ServingState_t	1		The serving state
<i>StartTime</i>	DateTime_t	0..1		The timestamp for the start time of the endpoint
<i>IssuerCA</i>	DN_t	0..1		Distinguished name of Certification Authority issuing the certificate for the endpoint
<i>DowntimeAnnounce</i>	DateTime_t	0..1		The timestamp for the announcement of the next scheduled downtime
<i>DowntimeStart</i>	DateTime_t	0..1		The starting timestamp of the next scheduled downtime
<i>DowntimeEnd</i>	DateTime_t	0..1		The ending timestamp of the next scheduled downtime
<i>DowntimeInfo</i>	String	0..1		Description of the next scheduled downtime
Property	Type	Mult.	Unit	Description
Staging	Staging_t	0..1		Supported staging functionalities

**Comment [SA27]:** How to deal with non-WS endpoints such as jms queue

**Comment [SA28]:** To be verified if we keep both here and in service or only in one part

**Comment [SA29]:** Suggestion to use URI for identifying categories; Donal will provide examples

**Comment [SA30]:** To be refined, evaluate extra information needed by each type of endpoint; es.http://www.ietf.org/internet-drafts/draft-merrick-jms-uri-01.txt

**Comment [SA31]:** Verify if a single value is enough

**Comment [SA32]:** What is the relationship between values for this attribute and values for the service.qualityLevel?

## 5.3 ComputingShare

As regards CPU Time and Wall Time related properties, there is the need for a way to normalize them depending on the computing capacity of the execution environment. The approach proposed in GLUE is to add two attributes in the Execution Environment which refer to the scaling factor to be used to compute the CPU/Wall time that a job will get if it will be assigned to such an execution environment via a certain share. It is important that a job will get always at least the advertised CPU/Wall time. This means that the reference Execution Environment for the normalization should be always the fastest among those available in the whole Computing Service. For this Execution Environment, the scaling factor MUST be equal to 1. The CPU/Wall time values published by a share refer to the time that the job will get when mapped to this Execution Environment. For the other Execution Environments, the time should be normalized according to the defined scaling factors.

Entity	Inherits from			Description
ComputingShare				A utilization target for a set of computing resources defined by a set of configuration parameters and characterized by status information
Inherited Property	Type	Mult.	Unit	Description
LocalID [key]	LocalID_t	1		An opaque identifier local to the associated Service
Name	String	0..1		Human-readable name
Description	String	0..1		Description of this share
Property	Type	Mult.	Unit	Description
MappingQueue	String	0..1		Name of a queue available in the underlying LRMS where jobs of this share are submitted (different shares can be mapped to the same queue; it is not foreseen that a single share can be mapped to many queues)
MaxWallTime	UInt64	0..1	s	The maximum obtainable wall clock time that can be granted to the job upon user request (unnormalized value)
MinWallTime	UInt64	0..1	s	The minimum Wall clock time for a job (unnormalized value); if a job requests a lower time, than it can be rejected; if a job requests at least this value, but runs for a shorter time, than it might be accounted for this value
DefaultWallTime	UInt64	0..1	s	The default wall clock time allowed to each job by the LRMS if no limit is requested in the job submission description. Once this time has expired the job will most likely be killed or removed from the queue (unnormalized value)
MaxCPUTime	UInt64	0..1	s	The maximum obtainable CPU time that can be granted to the job upon user request on a single CPU (unnormalized value)
MaxCPUsTime	UInt64	0..1	s	The maximum obtainable CPU time that can be granted to the job upon user request across all assigned CPUs (unnormalized value)
MinCPUTime	UInt64	0..1	s	The minimum CPU time for a job (unnormalized value); if a job requests a lower time, than it can be rejected; if a job requests at least this value, but runs for a shorter time, than it might be accounted for this value
DefaultCPUTime	UInt64	0..1	s	The default CPU time allowed to each job by the LRMS if no limit is requested in the job submission description (unnormalized value)
MaxTotalJobs	UInt32	0..1	job	The maximum allowed number of jobs in this share
MaxRunningJobs	UInt32	0..1	job	The maximum allowed number of jobs in running state in this share
MaxWaitingJobs	UInt32	0..1	job	The maximum allowed number of jobs in waiting state in this share
MaxPreLRMSWaitingJobs	UInt32	0..1	job	The maximum allowed number of jobs that are in the Grid layer waiting to be passed to the underlying LRMS for this share
MaxUserRunningJobs	UInt32	0..1	job	The maximum allowed number of jobs in running state per Grid user in this share
MaxSlotsPerJob	UInt32	0..1	slot	The maximum number of slots which could be allocated to a single job (defined to be 1 for a computing service accepting only single-slot jobs)
MaxStageInStreams	UInt32	0..1	stream	The maximum number of streams to stage in files
MaxStageOutStreams	UInt32	0..1	stream	The maximum number of streams to stage out files
SchedulingPolicy	SchedulingPolicy_t	0..1		Implied scheduling policy of the share
MaxMemory	UInt64	0..1	MB	The maximum RAM that a job can use
MaxDiskSpace	UInt64	0..1	GB	The maximum disk space that a job can use excluding shared area such as cache
DefaultStorageService	URI	0..1		ID of the default Storage Service to be used to store files from jobs in case where no

**Comment [SA33]:** improve naming

**Comment [SA34]:** check single CPU vs. many CPUs



				destination Storage Service is explicitly stated
Preemption	Boolean	0..1		If true, the computing resource enables preemption of jobs; a preempted job is supposed to be automatically resumed
ServingState	ServingState_t	1		The share state
TotalJobs	UInt32	0..1	job	Number of total jobs in any state
RunningJobs	UInt32	0..1	job	Number of running jobs submitted via any type of interface (local and Grid)
LocalRunningJobs	UInt32	0..1	job	Number of running jobs submitted via a local interface
WaitingJobs	UInt32	0..1	job	Number of jobs waiting in the underlying LRMS's submitted via any type of interface (local and Grid)
LocalWaitingJobs	UInt32	0..1	job	Number of jobs waiting in the underlying LRMS's submitted via a local interface
StagingJobs	UInt32	0..1	job	Number of jobs that are staging files in/out
SuspendedJobs	UInt32	0..1	job	Number of jobs which started their execution, but are suspended (e.g., for preemption)
PreLRMSWaitingJobs	UInt32	0..1	job	Number of jobs that are in the Grid layer waiting to be passed to the underlying LRMS
EstimatedAverageWaitingTime	UInt64	0..1	s	Estimated time to last for a new job from the acceptance to the start of its execution
EstimatedWorstWaitingTime	UInt64	0..1	s	The estimated worst waiting time assuming that all jobs run for the maximum wall time
FreeSlots	UInt32	0..1	slot	Number of free slots
UsedSlots	UInt32	0..1	slot	Number of slots used by running jobs
RequestedSlots	UInt32	0..1	slot	Number of slots which are needed to execute all waiting and staging jobs
ReservationPolicy	ReservationPolicy_t	0..1		Type of reservation policy
Tag	String	*		UserDomain-defined tag

**Comment [SA35]:** investigate if we need a more complex structure, see NorduGrid approach

**Comment [SA36]:** evaluate how to deal with different userdomain choosing the same tag with different meaning; do we need to namespace it or the computingShare provide the namespace?

**Comment [SA37]:** to be extended

In a computing resource describing a batch system, a typical implementation of a computing share is via a batch queue with the associated policies and status information. The same computing share can be implemented using different batch system configuration strategies. In complex batch systems, it is possible to define different set of policies for the same batch queue, this will imply a share for each set of policies. A computing share can be implemented by virtual machine management systems. The model supports heterogeneity by being able to represent different execution environments associated to the same computing share.

#### 5.4 ComputingResource

Entity	Inherits from	Description		
ComputingResource	Resource	Grouping concept for a set of different types of execution environments offered through computing endpoint(s). The computing resource usually represents aggregated information. The aggregation is defined by the common local management scope.		
Inherited Property	Type	Mult	Unit	Description
ID [key]	URI	1		A global unique ID
Name	string	0..1		Human-readable name
Property	Type	Mult.	Unit	Description
LRMSType	LRMSType_t	1		Type of the underlying local resource management system
LRMSVersion	String	0..1		Version of the underlying local resource management system
LRMSOtherInfo	String	0..1		Additional information about the LRMS
LRMSReservation	Boolean	0..1		True if the LRMS supports advance reservation
LRMSBulkSubmission	Boolean	0..1		True if the LRMS supports the bulk submission
TotalSlots	UInt32	0..1	slot	Number of managed slots
SlotsUsedByLocalJobs	UInt32	0..1	slot	Number of slots used by jobs submitted via local interface
SlotsUsedByGridJobs	UInt32	0..1	slot	Number of slots used by jobs submitted via a Grid interface
TotalPhysicalCPUs	UInt32	0..1	Ph.CPU	Number of managed physical CPUs accessible via

**Comment [SA38]:** Verify if there are use cases where same worker nodes are managed by different LRMS's

				any of the available endpoints (there is one physical CPU per socket)
TotalLogicalCPUs	UInt32	0..1	Log.CPU	Number of managed logical CPUs accessible via any of the available endpoints (a logical CPU corresponds to a CPU visible to the operating system)
TmpDir	String	0..1		
ScratchDir	String	0..1		
DataDir	String	0..1		
Homogeneity	Boolean	0..1		True if the computing resource manages only one type of execution environment
NetworkInfo	NetworkInfo_t	0..1		Type of internal network available among the execution environments
LogicalCPUDistribution	String	0..1		Syntax: $X_i:Y_1, \dots, X_n:Y_n$ where $X_i$ is the number of logical CPUs and $Y_i$ is the number of boxes for the execution environment $i$
GridAreaTotal	UInt64	0..1	GB	Total shared disk space allocated in the computing resource available to Grid jobs
GridAreaFree	UInt64	0..1	GB	Free shared disk space allocated in the computing resource available to Grid jobs
GridAreaLifeTime	UInt64	0..1	s	Lifetime of the Grid job directory after the end of the jobs
CacheTotal	UInt64	0..1	GB	Total disk space allocated for caching files of Grid jobs
CacheFree	UInt64	0..1	GB	Free disk space allocated for caching files of Grid jobs

**Comment [SA39]:** To clarify relationship between execEnv (total,used) and CPUs (physical,logical)

**Comment [SA40]:** Check with GIN work if they are needed

**Comment [SA41]:** If they are confirmed to stay here, check if they are needed also in the ExecutionEnvironment

**Comment [SA42]:** Add type in appendix

**Comment [SA43]:** Evaluate if the 5 attributes Grid\* + Cache\* have to be moved in the computingEndpoint

A local resource management system like a batch system is an example of aggregation scope. The Operating System can be the simplest case of LRMS.

## 5.5 Benchmark

Entity	Inherits from			Description
Benchmark				Benchmark information about a computing entity
Property	Type	Mult.	Unit	Description
LocalID	LocalID_t	1		An opaque identifier local to the Computing Service
Type	Benchmark_t	1		Type of benchmark
Value	Real32	1		Value

## 5.6 ExecutionEnvironment

Entity	Inherits from			Description
ExecutionEnvironment				A description of hardware and software characteristics that defines the environment available to and requestable by a Grid job when submitted to a Computing Service via a Computing Endpoint; the description also includes information about the total/available/used instances of the execution environment
Property	Type	Mult.	Unit	Description
LocalID	LocalID_t	1		An opaque identifier local to the Computing Service
PlatformType	Platform_t	1		The type of platform running the execution environment instance
VirtualMachine	Boolean	0..1		True if the execution environment is based on a virtual machine (in this case, the values of the other attributes are related to the virtualized environment and not to the hosting environment)
TotalInstances	UInt32	0..1		Number of execution environment instances
UsedInstances	UInt32	0..1		Number of used execution environment instances (an instance is used when, according to the policies of the LRMS, it cannot accept new jobs because it already runs the maximum number of jobs)
UnavailableInstances	UInt32	0..1		Number of unavailable execution environment instances because of failures or maintenance
PhysicalCPUs	UInt32	0..1		Number of physical CPUs in an execution environment instance (counted by socket)
LogicalCPUs	UInt32	0..1		Number of logical CPUs in an execution environment instance as showed by the operating system
CPUMultiplicity	CPUMultiplicity_t	0..1		Multiplicity of the CPU
CPUVendor	String	0..1		Name of the CPU vendor
CPUModel	String	0..1		CPU model as defined by the vendor
CPUVersion	String	0..1		CPU version as defined by the vendor
CPUClockSpeed	UInt32	0..1	MHz	CPU nominal clock speed
CPUTimeScalingFactor	Real32	0..1		Factor used by the LRMS to scale the the CPU time (CPU Time divided by CPUTimeScalingFactor); for the reference execution environment, use 1;
WallTimeScalingFactor	Real32	0..1		Factor used by the LRMS to scale the the Wall time (Wall Time divided by WallTimeScalingFactor)
MainMemorySize	UInt64	1	MB	Amount of RAM (if many jobs run in the same execution environment, they compete for the total RAM)
VirtualMemorySize	UInt64	0..1	MB	The amount of Virtual Memory (RAM+Swap)
OSFamily	OSFamily_t	1		Family of the operating system
OSName	OSName_t	0..1		Name of the operating system
OSVersion	String	0..1		Version of the operating system
ConnectivityIn	Boolean	1		Permission for direct inbound connectivity, even if limited
ConnectivityOut	Boolean	1		Permission for direct outbound connectivity, even if limited
NetworkInfo	NetworkInfo_t	*		Type of internal network available among the execution environments

An execution environment can be realized in several ways. Examples are a computing node or a virtual machine image that can be requested by a job (different virtual machine images can coexist on the same node). The description about individual software packages is considered by the ApplicationEnvironment class.

## 5.7 ApplicationEnvironment

**Comment [SA44]:** to be investigated

Entity	Inherits from			Description
ApplicationEnvironment				Description of the application software environment available within one or more execution environments
Property	Type	Mult.	Unit	Description
LocalID	LocalID_t	1		An opaque identifier local to the Computing Service
Name	String	1		Name
Version	String	0..1		Version
State	AppEnvState_t	0..1		State about the installation
LifeTime	UInt64	0..1	s	Time left before removal
License	License_t	0..1		The type of license
Description	String	0..1		The description of this application environment
ParallelType	ParallelType_t	0..1		The type of supported parallel execution
MaxSlots	UInt32	0..1	slot	Maximum number of slots that can run jobs using the application environment at the same time
MaxJobs	UInt32	0..1	job	Maximum number of jobs that can use the application environment at the same time
MaxUserSeats	UInt32	0..1	user seat	Maximum number of user seats that can use the application environment at the same time
FreeSlots	UInt32	0..1	slot	Available number slots that can run jobs using the application environment at the same time
FreeJobs	UInt32	0..1	slot	Number of new jobs that could start their execution and use the application environment at the same time
FreeUserSeats	UInt32	0..1	user seat	Free seats for new users that can use the application environment at the same time

The Application Environment is suggested to be used also for describing application software in terms of a simple tag. In this case, the Name property should be used.

## 5.8 ApplicationHandle

Entity	Inherits from			Description
ApplicationHandle				Technique for accessing the application
Property	Type	Mult.	Unit	Description
LocalID	LocalID_t	1		An opaque identifier local to the Computing Service
Type	ApplicationHandle_t	1		(module, softenv, executable, path)
Value	String	1		Description for the technique

## 5.9 ComputingActivity

**Comment [SA45]:** Add more timestamp attributes such as CreationTime, StartTime, ...; check with SAS doc

**Comment [SA46]:** Evaluate which attributes can be moved to the Activity class

Entity	Inherits from			Description
ComputingActivity	Activity			An activity managed by an OGSA execution capability service (the computing activity is traditionally called job)
Inherited Property	Type	Mult.	Unit	Description
ID [key]	URI	1		A global unique ID
Type	ActivityType_t	1		The type of this activity
Property	Type	Mult.	Unit	Description
LRMSID	String	0..1		The job ID as assigned by the LRMS
Name	String	0..1		The job name as specified by the user in the job description document
State	ComputingActivityState_t	1		The state of the job according to

**Comment [SA47]:** define state model

				the Grid state model for jobs
RestartState	ComputingActivityState_t	0..1		The state from which a failed job can restart upon a client request
ExitCode	Int32	0..1		The exit code as returned by the executable of the job
LRMSExitCode	String	0..1		The exit code provided by the batch system
Error	String	*		Error messages as provided by the software components involved in the management of the job
LRMSWaitingPosition	UInt32	0..1		For a waiting in the underlying LRMS, the position in the queue
UserDomain	String	0..1		Selected user domain by the job owner (an owner can belong to several user domains, it should decide which one to choose when submitting a job)
Owner	String	1		The Grid identity of the job's owner; in case of anonymity is required, the value CONFIDENTIAL should be advertised
LocalOwner	String	0..1		The local user name to which the job's owner is mapped
RequestedWallTime	UInt64	0..1	s	The wall clock time requested by the job
RequestedCPUTime	UInt64	0..1	s	The CPU time requested by the job
RequestedApplicationEnvironment	String	*		The name of the requested ApplicationEnvironment (the value should match the name property of the ApplicationEnvironment)
RequestedCPUs	UInt32	0..1	Log. CPU	The number of requested logical CPUs
StdIn	String	0..1		The name of the file which is used as the standard input of the job
StdOut	String	0..1		The name of the file which contains the standard output of the job
StdErr	String	0..1		The name of the file which contains the standard error of the job
LogDir	String	0..1		The name of the directory which contains the logs related to the job generated by the Grid layer (usually the directory is private to the job)
ExecutionNode	String	*		Hostname of a cluster node which is running the job (multi-node jobs are described by several instances of this attribute)
QueueName	String	0..1		The name of the LRMS queue to which this job was queued
UsedWallTime	UInt64	0..1	s	The consumed wall clock time of the job
UsedCPUTime	UInt64	0..1	s	The consumed CPU time of the job (in case of multi-CPU jobs, this value refers to the sum of all CPU times)
UsedMainMemory	UInt64	0..1	MB	The RAM used by the job
SubmissionTime	DateTime_t	0..1		Time when the job was submitted to a computing endpoint
LRMSSubmissionTime	DateTime_t	0..1		Time when the job was submitted to the LRMS by the Grid layer
StartTime	DateTime_t	0..1		Time when the job entered in the LRMS running state
LRMSEndTime	DateTime_t	0..1		Time when the job entered its final LRMS state
EndTime	DateTime_t	0..1		Time when the job entered its final Grid state
GridAreaEraseTime	DateTime_t	0..1		The time when the dedicated Grid job area will be removed
ProxyExpirationTime	DateTime_t	0..1		The expiration time of the proxy

**Comment [SA48]:** check consistency with OGF Usage records specs, JSDL and BES

				related to the job
SubmissionHost	String	0..1		The name of the host from which the job was submitted (e.g., IP address, port and host name)
SubmissionClientName	String	0..1		The name of the client software which was used to submit the job
OtherMessages	String	*		Optional job messages provided by either the Grid Layer or the LRMS

A Job is typically described by an XML document compliant to the JSDL specification. In this specification, the Job is related to a single processor job. Other job types such “collection of jobs” and workflows will be considered in a future revision.

#### 5.10 ComputingService2StorageService

Entity	Inherits from			Description
ComputingService2StorageService				Description of a POSIX access via a file system technology enabling the computing service to access the associated storage service
Property	Type	Mult.	Unit	Description
LocalPath	String	1		The local path of the computing service enabling to access a remote path in the associated storage service (this is typically an NSF mount point)
RemotePath	String	1		The remote path in the storage service which is associated the local path in the computing service (this is typically an NSF exported directory)

## 6. Conceptual Model of the Storage Service

Like the Computing Service, the conceptual model of the Storage Service is based upon the main entities and uses specializations for those entities. Further on, storage related concepts such as StorageCapacity, StorageMappingPolicy, StorageEnvironment and StorageAccessProtocol are introduced.




Figure 4 Entities and relationships for the Storage Element model

## 6.1 StorageService

Entity	Inherits from			Description
StorageService	Service			<p>An abstracted, logical view of actual software components that participate in the creation of a storage capacity in a Grid environment. A storage service exposes one or more endpoints having well-defined interfaces and one or more storage shares.</p> <p>The service is autonomous and denotes a weak aggregation among endpoints and the defined storage shares.</p> <p>The service enables to identify the whole set of entities providing the storage functionality with a persistent name.</p>
Inherited Property	Type	Mult	Unit	Description
<i>ID</i> [key]	URI	1		A global unique ID
Name	String	0..1		Human-readable name
Capability	ServiceCapability_t	*		The capability provided by this service according to the OGSA architecture
Type	ServiceType_t	1		The type of service according to a middleware classification
QualityLevel	QualityLevel_t	1		Maturity of the service in terms of quality of the software components
StatusPage	URI	*		Web page providing additional information like monitoring aspects
Complexity	String	0..1		Human-readable summary description of the complexity in terms of the number of endpoint types, shares and resources. The syntax should be: endpointType=X, share=Y, resource=Z.
OtherInfo	String	*		Placeholder to publish info that does not fit in any other attribute. Free-form string, comma-separated tags, (name, value ) pair are example of syntax
Property	Type	Mult	Unit	Description

The storage service is formed by storage endpoints offering interfaces to the service and storage shares which represent allocated storage capacity on the service which can be utilized for storage activities. The access to the endpoint and shares is controlled by a mapping policy instance.

A storage service is instantiated when it offers at least one endpoint. It may have zero or more shares. A storage service without a storage share does not offer any storage capabilities.

## 6.2 StorageServiceCapacity

Entity	Inherits from			Description
StorageServiceCapacity				Describes summary size and state of an homogenous storage capacity
Property	Type	Mult.	Unit	Description
LocalID	LocalID_t	1		An opaque identifier local to the Storage Service
Type	StorageCapacity_t	1		Type of storage capacity
TotalSize	UInt64	0..1	GB	Size of dedicated storage extent
FreeSize	UInt64	0..1	GB	Size of free storage extent
UsedSize	UInt64	0..1	GB	Size of used storage extent
ReservedSize	UInt64	0..1	GB	Size of reserved storage extent



## 6.3 StorageEndpoint

Entity	Inherits from			Description
StorageEndpoint	Endpoint, Downtime			Endpoint for accessing and controlling storage activities.
Inherited Property	Type	Mult	Unit	Description
ID [key]	URI	1		A global unique ID
Name	String	0..1		Human-readable name
URL	URI	1		Network location of the endpoint to contact the related service
Capability	EndpointCapability_t	1..*		The provided capability according to the OGSA architecture
Technology	EndpointTechnology_t	0..1		Technology used to implement the endpoint
InterfaceName	String	1		Name of the type of interface
InterfaceVersion	String	1		Version of the type of interface
WSDL	URI	1		URL of the WSDL document describing the offered interface (applies to Web Services endpoint)
SupportedProfile	URI	*		URI identifying a supported profile
Semantics	URI	*		URI of a document providing a human-readable description of the semantics of the endpoint functionalities
Implementor	String	0..1		Main organization implementing this software component
ImplementationName	String	0..1		Name of the implementation
ImplementationVersion	String	0..1		Version of the implementation (e.g., major version.minor version.pathcversion)
QualityLevel	QualityLevel_t	1		Maturity of the service in terms of quality of the software components
HealthState	EndpointHealthState_t	1		A state representing the health of the endpoint
HealthStateInfo	String	0..1		Textual explanation of the state endpoint
ServingState	ServingState_t	1		The serving state
StartTime	DateTime_t	0..1		The timestamp for the start time of the endpoint
IssuerCA	DN_t	0..1		Distinguished name of Certification Authority issuing the certificate for the endpoint
DowntimeAnnounce	DateTime_t	0..1		The timestamp for the announcement of the next scheduled downtime
DowntimeStart	DateTime_t	0..1		The starting timestamp of the next scheduled downtime
DowntimeEnd	DateTime_t	0..1		The ending timestamp of the next scheduled downtime
DowntimeInfo	String	0..1		Description of the next scheduled downtime
Property	Type	Mult.	Unit	Description

**Comment [SA49]:** How to deal with non-WS endpoints such as jms queue

**Comment [SA50]:** To be verified if we keep both here and in service or only in one part

**Comment [SA51]:** Suggestion to use URI for identifying categories; Donal will provide examples

**Comment [SA52]:** To be refined, evaluate extra information needed by each type of endpoint; es.<http://www.ietf.org/internet-drafts/draft-merrick-jms-uri-01.txt>

**Comment [SA53]:** Verify if a single value is enough

**Comment [SA54]:** What is the relationship between values for this attribute and values for the service.qualityLevel?

A StorageEndpoint exposes one interface of how a storage service can be contacted. It gives information about the control protocol and its status as well as possible downtimes.

A storage endpoint is linked to storage shares and thereby knows which shares it gives access to. The Capability field can be used to specify other restrictions such as WAN read-only/LAN read-write.

## 6.4 StorageShare

Entity	Inherits from			Description
StorageShare	Share			A utilization target for a set of storage resources defined by a set of configuration parameters and characterized by status information
Inherited Property	Type	Mult.	Unit	Description
LocalID [key]	LocalID_t	1		An opaque identifier local to the Storage Service
Name	String	0..1		Human-readable name
Property	Type	Mult.	Unit	Description
ServingState	ServingState_t	1		The serving state
Path	String	1		A namespace where files are logically assigned to when they are stored into this share
AggregationID	LocalID_t	1		Local ID common to the storage shares which use the same storage share capacities ('dedicated' is a reserved term and means that the storage share capacities are not shared with other storage share capacities part of different storage shares)
AccessLatency	AccessLatency_t	1		The maximum latency for a file stored in this share to be made available for reading
RetentionPolicy	RetentionPolicy_t	*		The quality of retention, which indicates the probability of the storage system losing a file
ExpirationMode	ExpirationMode_t	0..3		Support for files with infinite and/or finite lifetimes, and what actions the storage system may take upon the expiration of a file
DefaultLifeTime	UInt32	0..1	s	The default lifetime assigned to the file if no explicit lifetime is specified
MaximumLifeTime	UInt32	0..1	s	The maximum lifetime that can be requested for a file
Tag	String	0..1		A user defined tag for additional information

**Comment [SA55]:** Verify by use cases if we need multi-value or not

A storage share represents a utilization target of a storage extent which policies are homogeneous. If many user domains are mapped to a storage share via a mapping policy, then they compete to the usage without any differentiation. A storage share can have many types of storage extents. The status of each type of storage extent as regards the usage by the user domains is described by the StorageShareState.

## 6.5 StorageShareCapacity

Entity	Inherits from			Description
StorageShareCapacity				Describes size and state of an homogenous storage extent
Property	Type	Mult.	Unit	Description
LocalID	LocalID_t	1		An opaque identifier local to the Storage Service
Type	StorageCapacity_t	1		Type of storage capacity
TotalSize	UInt64	0..1	GB	Size of dedicated storage extent
FreeSize	UInt64	0..1	GB	Size of free storage extent
UsedSize	UInt64	0..1	GB	Size of used storage extent
ReservedSize	UInt64	0..1	GB	Size of reserved storage extent

The storage share state refers to usage information of a type of storage extent by the mapped user domains.

## 6.6 StorageResource

Entity	Inherits from			Description
StorageResource	Resource			Grouping concept for a set of different types of storage environments offered through storage endpoint(s). The storage resource usually represents aggregated information. The aggregation is defined by the common local management scope.
Inherited Property	Type	Mult.	Unit	Description
ID [key]	URI	1		A global unique ID
Name	String	0..1		Human-readable name
Property	Type	Mult.	Unit	Description
ImplementationName	String	0..1		The name of the software offering storage environment(s) through the associated storage service endpoints.
ImplementationVersion	String	0..1		The version of the software offering storage environment(s) through the associated storage service endpoints.
OtherInfo	String	*		Placeholder to publish info that does not fit in any other attribute. Free-form string, comma-separated tags, (name, value ) pair are example of syntax

A storage resource may be instantiated if it offers at least one storage environment.

## 6.7 DataStore

Entity	Inherits from			Description
DataStore				A collection of homogeneous storage devices managed by a single Storage Resource
Property	Type	Mult.	Unit	Description
ID [key]	URI	1		A global unique ID
Name	String	0..1		Human-readable name
Type	DataStoreType_t	1		Type of data store (open enum: disk, tape, optical)
Latency	DataStoreLatency_t	1		The latency for a file (closed enum: online, nearline, offline)
TotalSize	UInt64	0..1	GB	Size of storage extent
FreeSize	UInt64	0..1	GB	Size of free storage extent
UsedSize	UInt64	0..1	GB	Size of used storage extent
OtherInfo	String	*		Placeholder to publish info that does not fit in any other attribute. Free-form string, comma-separated tags, (name, value ) pair are example of syntax

## 6.8 StorageAccessProtocol

Entity	Inherits from			Description
StorageAccessProtocol				Describes the access protocols of a Service.
Property	Type	Mult.	Unit	Description
LocalID	LocalID_t	1		An opaque identifier local to the Storage Service
Type	StorageAccessProtocol_t	1		The name of the protocol
Version	String	1		The version of the protocol
MaxStreams	UInt32	0..1	stream	The number of parallel streams this protocol supports

## 6.9 StorageService2ComputingService

Entity	Inherits from			Description
StorageService2ComputingService				Description of the network link quality of a storage service to a computing service.
Property	Type	Mult.	Unit	Description
ProtocolLocalID	LocalID_t	*		Local ID of the access protocol of the associated storage service available to the computing service
NetworkInfo	NetworkInfo_t	0..1		Type of network available among the storage service and computing service
Bandwidth	UInt32	0..1	Mb/s	The nominal bandwidth available between the storage service and computing service

7. Relationship to OGF Reference Model

In this section, we describe the integration of the GLUE information model with the OGF Reference Model.

Comment [SA56]: To be updated




Figure 5 GLUE and Reference Model integration (draft)

8. Template

Comment [SA57]: Describe template

Entity	Inherits from			Description
Property	Type	Mult.	Unit	Description

## 9. Security Considerations

Please refer to RFC 3552 [RESCORLA] for guidance on writing a security considerations section. This section is required in all documents, and should not just say “there are no security considerations.” Quoting from the RFC:

“Most people speak of security as if it were a single monolithic property of a protocol or system, however, upon reflection, one realizes that it is clearly not true. Rather, security is a series of related but somewhat independent properties. Not all of these properties are required for every application.

We can loosely divide security goals into those related to protecting communications (COMMUNICATION SECURITY, also known as COMSEC) and those relating to protecting systems (ADMINISTRATIVE SECURITY or SYSTEM SECURITY). Since communications are carried out by systems and access to systems is through communications channels, these goals obviously interlock, but they can also be independently provided.”

## 10. Author Information

Sergio Andreozzi, INFN  
Stephen Burke, RAL  
Felix Ehm, CERN  
Laurence Field, CERN  
Gerson Galang,  
Balazs Konya, Lund University,  
Maarten Litmaath, CERN  
Paul Millar, Desy  
JP Navarro

## 11. Contributors & Acknowledgements

We gratefully acknowledge the contributions made to this document (in no particular order) by Shiraz Memon, Matt Viljonen and Steve Traylen.

## 12. Glossary

Recommended but not required.

### 13. Intellectual Property Statement

The OGF takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this specification can be obtained from the OGF Secretariat.

The OGF invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights which may cover technology that may be required to practice this recommendation. Please address the information to the OGF Executive Director.

### 14. Disclaimer

This document and the information contained herein is provided on an "As Is" basis and the OGF disclaims all warranties, express or implied, including but not limited to any warranty that the use of the information herein will not infringe any rights or any implied warranties of merchantability or fitness for a particular purpose.

### 15. Full Copyright Notice

Copyright (C) Open Grid Forum (applicable years). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the OGF or other organizations, except as needed for the purpose of developing Grid Recommendations in which case the procedures for copyrights defined in the OGF Document process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the OGF or its successors or assignees.

**Comment [HK58]:** I don't think it is just "current year." For example, a document was started to create from 2003, it should be "2003, 2004, 2005" or "2003-2005."

## 16. References

*Note that only permanent documents should be cited as references. Other items, such as Web pages or working groups, should be cited inline (i.e., see the Open Grid Forum, <http://www.ogf.org>). References should conform to a standard such as used by IEEE/ACM, MLA, Chicago or similar. Include an author, year, title, publisher, place of publication. For online materials, also add a URL. It is acceptable to separate out “normative references,” as IETF documents typically do. Some sample citations:*

- [glue-wg] The Glue Working Group of OGF, <https://forge.gridforum.org/sf/projects/glue-wg>
- [glue-usecases] Glue 2.0 Use Cases (early draft), <https://forge.gridforum.org/sf/go/doc14621>
- [glue-1.x] The Glue Schema 1.3, <https://forge.gridforum.org/sf/go/doc14185>
- [ng-schema] The NorduGrid/ARC Information System, NORDUGRID-TECH 4, <https://forge.gridforum.org/sf/go/doc14273>
- [naregi-schema] NAREGI information and data model, <https://forge.gridforum.org/sf/go/doc14300>
- [ogf-ts] Technical Strategy for the Open Grid Forum 2007-2010. GFD-I.113. <http://www.ogf.org/documents/GFD.113.pdf>
- [omii-jra2-djra2.1] Sergio Andreozzi, Antonia Ghiselli, Chunming Hu, Jinlei Jiang, Balazs Konya, Morris Riedel, Davy Virdee, Li Zha. D:JRA2.0 Report on Grid Activities relevant to the identification of new services <http://omii-europe.org/OMII-Europe/News/DJRA20.pdf>



## 17. Appendix A: Place-holder values for unknown data

Whilst people endeavour to provide accurate information, there may be situations where specific GLUE attributes may be assigned place-holder (or dummy) values. These place-holder values carry some additional semantic meaning; specifically, that the correct value is currently unknown and the presented value should be ignored. This appendix describes a set of such place-holder values.

Some attributes within the GLUE schema are required whilst others are optional. If the attribute is optional and the corresponding information is unavailable, the information provider must either publish a place-holder or not to publish the attribute. If the attribute is required, then the information must either publish a place-holder value or refrain from publishing the GLUE object.

If a place-holder value is published, it must conform to the scheme described in this appendix. This is to increase the likelihood that software will understand the nature of the information it receives.

This appendix describes place-holder values that have been chosen so they are obvious "wrong" to humans, unlikely to occur under normal operation and valid within the attribute type. This also allows for detection of failing information provider components.

### 17.1 Use cases

There are two principle use-cases for place-holder values, although others may exist.

Scenario 1. a static value has no good default value and has not been configured for a particular site.

Some provisions for GLUE Schema provide templates. These templates may contain attributes that have no good default value; for example, supplying the correct value may require site-specific knowledge. Whilst it is expected that these attributes be configured, it is possible that this does not happen, so exposing the attributes' default values.

Scenario 2. information provider is unable to obtain a dynamic value.

A dynamic value is provided by an information provider by querying the underlying grid resources. This query will use a number of ancillary resources (e.g., DNS, network hardware) that might fail; the grid services might also fail. If an attribute is required and the current value is unobtainable, a place-holder value must be used.

### 17.2 Place-holder values

This section describes a number of values that can be represented within a given address space (e.g., Strings/UTF-8, Integers, FQDNs, IPv4 address space). Each of the different types are introduced along with the place-holder value and a brief discussion on usage, rationale and any other considerations.

Simple strings (ASCII/UTF-8) should use "UNDEFINEDVALUE" or should start "UNDEFINEDVALUE:"

Upper-case letters make it easier to spot and a single word avoids any white-space issues.

A short error message can be incorporated into the message by appending the message after the colon.

Examples:

UNDEFINEDVALUE

UNDEFINEDVALUE: unable to contact torque daemon.

Using UNDEFINEDVALUE is a default option for strings that have no widely-known structure. If a value is of a more restrictive sub-type (e.g., FQDNs, FQANs, URIs) described below, then the rules for more restrictive form must be used.

#### 17.2.1 Fully qualified domain names

They must use a hostname ending either "example.org" for scenario 1, or "invalid" for scenario 2.

RFC 2606 defines two second-level domains: "example.org" and "example.com". These domains have the advantage of ending with a recognisable TLD, so are recognisable as a DNS name. Default configuration (scenario 1, above) must use DNS names that end "example.org"

RFC 2606 also reserves the "invalid" Top-Level-Domain (TLD) as always invalid and clearly so. For dynamic information gathering, a value ending "invalid" must be used.

In both cases, additional information may be included by specifying a prefix to "example.org" or "invalid". This may be used to specify the class of machine that should be present. For dynamic information, if the class of machine is not published then the FQDN "unknown.invalid" must be used.

Examples:

[www.example.org](http://www.example.org)

your-CE.example.org

unknown.invalid

site-local-BDII.invalid

#### 17.2.2 IPv4 address

It must use 192.0.2.250

There are several portions of IPv4 addresses that should not appear on a network, but none that are reserved for documentation or to specify a non-existent address. Using any address leads to the risk of side-effects, should this value be used.

The best option is an IP address from the 192.0.2.0/24 subnet. This subnet is defined in RFC 3330 as "TEST-NET" for use in documentation and example code. For consistency, the value 192.0.2.250 must be used.

#### 17.2.3 IPv6 addr

It must use 2001:DB8::FFFF

There is no documented undefined IPv6 address. RFC 3849 reserves the address prefix 2001:DB8::/32 for documentation. For consistency, the address 2001:DB8::FFFF must be used.

#### 17.2.4 Integers

It must use "all nines"

For uint32/int32 this is 999,999,999

For uint64/int64 this is 999,999,999,999,999,999

For integers, all numbers expressible within the encoding (int32/uint32/etc.) are valid so there is no safe choice.

If an unsigned integer is encoded as a signed integer, it is possible to use negative numbers safely. However, these numbers will be unrepresentable if the number is stored as an unsigned integer. For this reason a negative number place-holder must not be used.

The number was chosen for three reasons. First, attribute scales are often chosen to reduce the likelihood of overflow: numbers towards MAXINT (the large number representable in an integer domain) are less likely to appear. Second, repeated numbers stand out more clearly to humans. Finally, the statistical frequency of measured values often follows Benford's law, which indicates that numbers starting with "1" occur far more frequently than those starting with "9" (about six times more likely). For these reasons, information providers must use all-nines to indicate an unknown value.

#### 17.2.5 File path

It must start either "/UNDEFINEDPATH" or "\UNDEFINEDPATH".

As with the simple string, a single upper-case word is recommended. The initial slash indicates that the value is a path. Implementations must use whichever slash is most appropriate for the underlying system (Unix-like systems use a forward-slash). Software should accept either value as an unknown-value place-holder.

Additional information can be encoded as data beyond the initial UNDEFINEDPATH, separated by the same slash as started the value. Additional comments should not use any of the following characters: \ [ ] ; = " : | , \* .

Examples:

/UNDEFINEDPATH

\UNDEFINEDPATH

/UNDEFINEDPATH/Path to storage area

/UNDEFINEDPATH/Broker unavailable

#### 17.2.6 Email addresses

It must use an undefined FQDN for the domain.

RFC 2822 defines emails addresses to have the form: <local-part> '@' <domain>

The <domain> must be an undefined FQDN; see above for a complete description. For email addresses, information providers should use "example.org" for scenario 1. and "unknown.invalid" for scenario 2.

The <local-part> may be used to encode a small amount of additional information; for example, it may indicate the class of user to whom the email address should be delivered. If no such information is to be encoded the value "user" must be used.

Examples:

[user@example.org](mailto:user@example.org)  
[user@unknown.invalid](mailto:user@unknown.invalid)  
[site-local-contact@example.org](mailto:site-local-contact@example.org)  
[local-admin@example.org](mailto:local-admin@example.org)

### 17.2.7 Uniform Resource Identifier (URI)

It is schema-specific

RFC 3986 defines URIs as a "federated and extensible naming system." All URIs start with a schema-name part (e.g., "http") and no schema-name has been reserved for undefined or documenting example values.

For any given URI schema ("http", for example), it may be possible to define an unknown value within that name-space. If a GLUE value has only one valid schema, the undefined value must be taken from that schema. If several schemata are possible, one must be chosen from the available options. This should be the most commonly used.

Take care with the URI encoding. All unknown URI values must be valid URIs. If additional information is included, it must be encoded so the resulting URI is valid.

For schemata that may include a FQDN (e.g., a reference to an Internet host), an undefined URI must use an undefined FQDN; see above for details on undefined FQDNs.

URI schemata that reference a remote file (e.g., "http", "ftp", "https"), additional information may be included as the path. The FQDN indicates that the value is a place-holder, indicating an unknown value, so information providers should not specify "UNDEFINEDPATH".

For "file" URIs, the path part must identify the value as unknown and must use the forward-slash variant; see above for details on undefined paths.

For "mailto" URIs [RFC 2368] encapsulates valid email addresses with additional information (such as email headers and message body). Unknown mailto URIs must use an unknown email address (see above). Any additional information must be included in the email body.

There may be other schemata in use that are not explicitly covered in this section. A place-holder value should be agreed upon within whichever domain such schemata are used. This place-holder value should be in the spirit of the place-holder values described so far.

Examples:

<http://www.example.org/>  
<http://your-CE.example.org/path/to/end-point>  
<http://unknown.invalid/User%20certificate%20has%20expired>  
<mailto:site-admin@example.org>  
<mailto:user@maildomain.invalid?body=Problem%20connecting%20to%20WLMS>  
<file:///UNDEFINEDPATH>  
<file:///UNDEFINEDPATH/path%20to%20some%20directory>

### 17.2.8 X509 Distinguished Names

It must start /O=Grid/CN=UNDEFINEDUSER

X509 uses a X500 namespace, represented as several Relative Domain-Names (RDNs) concatenated by forward-slashes. The final RDN is usually a single common name (CN), although multiple CNs are allowed.

Unknown DN values must have at least two entries: an initial O=Grid followed immediately by CN=UNDEFINEDUSER.

Additional information can be encoded using extra CN entries. These must come after CN=UNDEFINEDUSER.

Examples:

```
/O=Grid/CN=UNDEFINEDUSER
/O=Grid/CN=UNDEFINEDUSER/CN=Your Grid certificate DN here
/O=Grid/CN=UNDEFINEDUSER/CN=Cannot access SE
```

#### 17.2.9 Fully Qualified Attribute Name (FQAN)

It must use a VO of "vo.example.org" (for scenario 1.) or "unknown.invalid" (for scenario 2).

The "VOMS Credential Format" document,

<http://edg-wp2.web.cern.ch/edg-wp2/security/voms/edg-voms-credential.pdf>

states that FQANs must have the form:

```
/VO[/group[/subgroup(s)]][/Role=role]/Capability=cap]
```

Where VO is a well-formed DNS name. Unlike DNS names, VO names must be lower-case. The unknown place-holder value for FQAN is derived from the unknown DNS name (see above). It must have no subgroup(s) or Capability specified.

Any additional information must be encoded within a single Role name. Care should be taken that only valid characters (A-Z, a-z, 0-9 and dash) are included.

Examples:

```
/vo.example.org
/vo.example.org/Role=Replace-this-example-with-your-FQAN
/unknown.invalid
/unknown.invalid/Role=Unable-to-contact-CE-Error-42
```

#### 17.2.10 Geographic locations

It must use longitude 0 degrees, latitude 0 degrees.

Meridians of longitude are taken from (-180,180] degrees, whilst parallels of latitude are taken from [-90,90] degrees. For a place-holder value to be a valid location, it must also be taken from these ranges.

By a happy coincidence, the (0,0) location is within the Atlantic Ocean, some 380 miles (611 kilometers) south of the nearest country (Ghana). Since this location is unlikely to be used and repeated numbers are easier for humans to spot, (0,0) must be used to specify an unknown location.

## 18. Appendix B: Data Types

### 18.1 LocalID\_t

**Comment [SA59]:** Define a regEx to evaluate the correctness of a value

The base type is the string with the following restrictions:

- first char in a-zA-Z
- following characters in [\w\-\.\:]  
  - \w = [a-zA-Z\_0-9]

### 18.2 ContactType\_t

Open enumeration

Value	Description
security	Contact for persons responsible for the security
sysadmin	Contact for the system administrators
usersupport	Contact for the user support
general	Contact for persons to ask about general issues

### 18.3 PolicyScheme\_t

Open enumeration

Value	Description
basic	The basic scheme

For the basic scheme, the Rule MUST follows the following syntax:

Order is not relevant when evaluating the rules. If at least one rule matches a certain pattern, then the policy is satisfied.

basic rule ::= DN\_RULE | VO\_RULE | VOMS\_RULE | 'ALL'

DN\_RULE ::= 'dn:' DN\_NAME

VO\_RULE ::= 'vo:' [a-zA-Z0-9-\_.]\*

VOMS\_RULE ::= 'voms:' VOMS\_FQAN ('EXCEPT' VOMS\_FQAN)?

**Comment [SA60]:** Ask to Vincenzo about \* vs. + and constraint on first character

Matching operators are:

- string equality for DN\_NAME and VO\_NAME
- ... for VOMS\_FQAN

**Comment [SA61]:** Ask to Vincenzo about description of matching algorithm

In VOMS\_FQAN, the "\*" wildcard is allowed as follows:

- in the group string after the trailing slash ("/")
- the "role=" string to denote all possible roles

Examples:

- /VO1/analysis/\*: matches all subgroups of /VO1/analysis, but not the parent group (/VO1/analysis)
- /VO1/analysis/\*role=production: matches all subgroups of /VO1/analysis in the production role
- /VO1/analysis/\*role=: all subgroups of /VO1/analysis where the role parameter has been set
- /VO1\*/higgs: invalid expression (wildchar in the middle)

- /VO1/analysis\*: invalid expression: wildchar not after trailing slash of the group
- /VO1/analysis/?iggs: invalid expression: invalid wildchar at an invalid location

#### 18.4 DN\_t

Distinguished Name as defined by RFC 4514 (<http://www.rfc-editor.org/rfc/rfc4514.txt>).

#### 18.5 ServiceCapability\_t

List of values initially drafted from [omii-jra2-djra2.1]. To be refined by examples. Open enumeration.

Value	Description
security.authentication	Capacity of providing authentication mechanisms for Grid users machine and services
security.credentialStorage	Capacity of providing an online credential repository that allows users to securely obtain credentials when and where needed
security.delegation	capacity for a user to give a service the authority to undertake specific activities or decisions on its behalf
security.authorization	capacity of handling authorization aspects, making authorization decisions about the subject and the requested mode of access based upon combining information from a number of distinct sources
security.identitymapping	capacity of mapping Grid-level credentials to local level credentials (e.g., mapping a user X.509 certificate into a UNIX account).
security.attributeauthority	capacity of associating a user with a set of attributes in a trusted manner to a relying party, by way of digitally signed assertions
security.accounting	capacity of systematically recording, reporting, and analyzing the usage of resources
data.transfer	capacity of moving a file from one network location to another. It refers to the actual transfer (e.g., as performed by protocols like FTP, GridFTP, or HTTP)
data.management.transfer	capacity of managing a transfer of files from the start to the completion
data.management.replica	capacity of managing the creation of file replicas upon request
data.management.storage	capacity of managing a storage resource, from simple systems like disk-servers to complex hierarchical systems
data.naming.resolver	capacity of resolving one name to another (for example, search the associated abstract name to a certain human-oriented name)
data.naming.scheme	capacity of attaching names to data resources. (To evaluate if it should moved to the main category infrastructure instead of data). In OGSA, a three-level naming scheme is defined: (1) human-oriented name, (2) abstract name and (3) address
data.access.relational	capacity of providing access to a relational data source

data.access.xml	capacity of providing access to an XML data source
data.access.flatfiles	capacity of providing access to a flat file
information.model	capacity of modelling resources based on a community accepted definition
information.discovery	capacity of locating unknown resources or services, possibly satisfying a set of requirements
information.logging	capacity of recording data, often chronologically
information.monitoring	capacity of periodically observing measurements, transform them and make available to users or other applications
information.provenance	capacity of providing long-term storage of information related to Grid activity and to let this information be accessed by users or other applications.
executionmanagement.jobexecution	capacity of executing a job or set of jobs.
executionmanagement.jobdescription	capacity of letting users be able to describe a job submission request based on a machine-processable language
executionmanagement.jobmanager	capacity of managing the execution of a job or set of jobs from start to finish
executionmanagement.executionandplanning	capacity of building schedules for jobs, that is, the capability of defining mappings between services and resources, possibly with time constraints
executionmanagement.candidatesetgenerator	capacity of determining the set of resources on which a nit of workcan execute
executionmanagement.reservation	capacity of managing reservation of resources for future usage
executionmanagement.dynamicvmdeploy	capacity of dynamically deploying a virtual machine image in a worker node

### 18.6 ServiceType\_t

Every item should start with org.MIDDLEWARENAME. Open enumeration.

Value	Description
org.glite.wms	
org.glite.lb	
...	

### 18.7 QualityLevel\_t

Closed enumeration

Value	Description
development	
testing	
pre-production	
production	

### 18.8 EndpointCapability\_t

The initial set of values is drafted from [omii-jra2-djra2.1]. At the moment, we use the same of ServiceCapability\_t. Open enumeration

### 18.9 EndpointTechnology\_t

Open enumeration.

Value	Description
webservice	
jndi	
legacy	



## 18.10 EndpointHealthState\_t

Closed enumeration

Value	Description
ok	It was possible to check the state of the endpoint and it appeared to be functioning properly
warning	It was possible to check the state of the endpoint, but it appeared to be above some "warning" threshold or did not appear to be working properly
critical	It was possible to check the state of the endpoint and either it was not running or it was above some "critical" threshold
unknown	It was not possible to check the state of the endpoint
other	It was possible to check the state of the endpoint, but this is not covered by the defined states

## 18.11 ServingState\_t

Closed enumeration

Value	Description
production	The endpoint is both accepting and serving requests
draining	The endpoint is not accepting requests, but is serving requests in the queue
queueing	The endpoint is accepting requests, but is not serving them
closed	The endpoint is not accepting request nor is serving them

## 18.12 ActivityType\_t

Open enumeration

Value	Description
computing	

## 18.13 DateTime\_t

Extended ISO 8061 format: [-]CCYY-MM-DDThh:mm:ss[Z](+|-)hh:mm]

This data type maps the XSD dateTime simple type.

We restrict this syntax to GMT timezone: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss Z

**Comment [SA62]:** Add examples or more description

## 18.14 Staging\_t

Open enumeration:

Value	Description
none	No staging of files supported
stagingin	Automatic staging in of files supported
stagingout	Automatic staging out of files supported
staginginout	Automatic staging in and out of files supported

## 18.15 SchedulingPolicy\_t

Open enumeration:

Value	Description
fairshare	Statistically guarantees the allocated share
fifo	First-In First-Out
random	Random choice

--	--

## 18.16 ReservationPolicy\_t

Closed enumeration:

Value	Description
none	No reservation is supported
mandatory	Jobs must be submitted only via advance reservation
optional	Jobs can be submitted via advance reservation, but this is not required

## 18.17 LRMSType\_t

Open enumeration:

Value	Description
openpbs	
lsf	

## 18.18 NetworkInfo\_t

Open enumeration

Value	Description
gigabitethernet	
myrinet	
infiniband	

## 18.19 Benchmark\_t

Open enumeration

Value	Description
specint2000	
specfp2000	
bogomips	

## 18.20 platform\_t

Open enumeration:

Value	Description
i386	

amd64	
powerpc	

### 18.21 CPUMultiplicity\_t

Closed enumeration:

Value	Description
singlecpu-singlecore	The execution environment is run by a single CPU with a single core
singlecpu-multicore	The execution environment is run by a single CPU with multiple cores
multicpu-singlecore	The execution environment is run by multiple CPUs with a single core each
multicpu-multicore	The execution environment is run by multiple CPUs with a multiple cores each

### 18.22 OSFamily\_t

Open enumeration:

Value	Description
linux	
macos	
windows	
solaris	

### 18.23 ParallelType\_t

Open enumeration:

Value	Description
mpi	Parallel execution based on mpi library
openmp	Parallel execution based on openmp library
none	No supported parallel execution

### 18.24 ApplicationHandle\_t

Open enumeration:

Value	Description
module	Access based on loading modules via Environment Modules <a href="#">[REF]</a>
softenv	Access based on loading <a href="#">SoftEnv</a>
path	Access based on using an explicit path where the software is installed on the file system
executable	Access based on running directly the main executable of the application (this may require set-up of the environment)

**Comment [SA63]:** Add in biblio  
<http://modules.sourceforge.net/>

**Comment [SA64]:** <http://www-unix.mcs.anl.gov/systems/software/msys/>

### 18.25 OSName\_t

Open enumeration:

Value	Description
scientificlinuxcern	
scientificlinux	
windowsxp	
windowsvista	
ubuntu	
debian	
centos	
leopard	


## 18.26 AppEnvState\_t

Open enumeration:

Value	Description
tested	
installed	
dynamic	
toberemoved	

## 18.27 License\_t

Closed enumeration

Value	Description
opensource	
commercial	
unknown	

## 18.28 SetupMethod\_t

Closed enumeration

Value	Description
default	
setenv	
...	

## 18.29 ComputingActivityState\_t

Open enumeration:

Value	Description

## 18.30 StorageCapacity\_t

Open enumeration:

Value	Description
online	
nearline	
offline	
cache	

## 18.31 StorageAccessProtocol\_t

Open enumeration:

Value	Description
gsiftp	
file	
nfs	
afs	
rfio	
gsirfio	
dcap	
gsidcap	
root	
https	
http	

## 18.32 StorageEnvironmentType\_t

Closed enumeration:

Value	Description
Volatile	
Durable	
Permanent	

## 18.33 AccessLatency\_t

Closed enumeration:

Value	Description
online	Files are always on disk, hence cannot have their latency improved
nearline	A file may have its only copies in a "nearly online" component of the storage system, typically a fully automated tape robot, but also a remote storage system could fit this qualification. Such a facility will need an unspecified amount of time to make a copy of the file available on the disk component of the container under consideration. When a file is not in use, its disk copies may be removed. Hence the system cannot guarantee that a file will be immediately available on disk
offline	A file may have its only copies in an offline component of the storage system, for example a tape library that is not connected to an automated tape robot. Hence an operator intervention may be needed to make a copy of a file available that has a lower latency

## 18.34 RetentionPolicy\_t

Open enumeration:

Value	Description
custodial	Low probability of loss
output	An intermediate level and is appropriate for data which can be replaced by lengthy or effort-full processes
replica	The highest probability of loss, but is appropriate for data for which a certain amount of loss can be tolerated, in particular when other copies can be accessed in a timely fashion

## 18.35 ExpirationMode\_t

Closed enumeration:

Value	Description
-------	-------------

neverExpire	Support for files with infinite lifetime: they can only be removed by authorized clients, not by the storage system itself
warnWhenExpired	Support for files that have finite lifetimes, but on expiration cannot be removed by the storage system itself. The data content of an expired file may be deleted if it can be recovered from an archive. New store operations may fail for certain clients until (some of the) expired files have either been removed by authorized clients, or have had their lifetimes increased
releaseWhenExpired	Support for files that have finite lifetimes and on expiration will be removed by the storage system

In the final section, this page will contain the XML Schema rendering of GLUE 2.0. Meanwhile, the draft schema can be located at the following page:

<http://forge.ogf.org/sf/wiki/do/viewPage/projects.glue-wg/wiki/GLUE2XMLSchema>

**19. Appendix C: XML Schema Rendering****20. Appendix D: LDAP Rendering**

In the final section, this page will contain the LDAP rendering of GLUE 2.0 (both schema and Directory Information Tree description). Meanwhile, the draft schema can be located at the following page:

<http://forge.ogf.org/sf/wiki/do/viewPage/projects.glue-wg/wiki/GLUE2LDAP>

**21. Appendix E: Relational Rendering**

In the final section, this page will contain the Relational Schema rendering of GLUE 2.0. Meanwhile, the draft schema can be located at the following page:

<http://forge.ogf.org/sf/wiki/do/viewPage/projects.glue-wg/wiki/GLUE2Relational>