

GWD-R, GWD-I or GWD-C

Authors:
Sergio Andreatti (editor), INFN
Stephen Burke, RAL
Felix Ehm, CERN
Laurence Field, CERN
Gerson Galang, SAPAC
Balazs Konya, Lund University
Maarten Litmaath, CERN
Paul Millar, Desy
JP Navarro, ANL

GLUE WG
<http://forge.ogf.org/sf/main/do/viewProject/projects.glue-wg>

March 14, 2008

GLUE Specification v. 2.0 (draft 28)

Status of This Document

This document provides information to the Grid community regarding the specification of the GLUE information model. Distribution is unlimited. This document is a draft.

Copyright Notice

Copyright © Open Grid Forum (2008). All Rights Reserved.

Trademark

Open Grid Services Architecture and OGSA are trademarks of the Open Grid Forum.

Abstract

The GLUE specification is an information model for Grid entities described in natural language enriched with a graphical representation using UML Class Diagrams. As a conceptual model, this is meant to be implementation-independent. Rendering to concrete data models such as XML Schema, LDAP and relational are provided.

Editorial To Do:

Check:

- In each table, verify that “Inherited Properties” are consistent with original
- All attributes having type, mult and description
- All data type being defined in appendix
- Consistency between main entities and derived models
- All comments answered and removed
- Check authors/contributors list and verify addresses
- Rules for properties
 - Properties name all with first letter of each component word capital
 - Added data types with suffix _t, capital as properties
 - Decide if to use multiple in unit of measure
 - http://en.wikipedia.org/wiki/International_System_of_Units
 - http://en.wikipedia.org/wiki/SI_prefix
 - Enumeration values all small letters

Contents

1.	Introduction	4
2.	Notational Conventions.....	4
3.	General	4
4.	Conceptual Model of the Main Entities	5
4.1	Location	6
4.2	Contact	6
4.3	Domain	7
4.3.1	AdminDomain	7
4.3.2	UserDomain	7
4.4	Policy	10
4.4.1	ManagementPolicy	10
4.4.2	AccessPolicy.....	11
4.4.3	MappingPolicy.....	11
4.5	Service.....	8
4.6	Endpoint	9
4.7	Share	9
4.7.1	ShareState	Errore. Il segnalibro non è definito.
4.8	Resource	10
4.9	Activity	10
5.	Auxiliary Entities	12
5.1	Extension	12
5.2	Metadata.....	12
6.	Conceptual Model of the Computing Service	13
6.1	ComputingEndpoint	15
6.2	ComputingShare.....	15
6.3	ComputingResource.....	17
6.4	Benchmark	18
6.5	ExecutionEnvironment.....	19
6.6	ApplicationEnvironment.....	20
6.7	ApplicationHandle.....	20
6.8	ComputingActivity.....	20
7.	Conceptual Model of the Storage Service	23
7.1	StorageService	24
7.2	StorageEndpoint.....	25
7.3	StorageShare	26
7.4	StorageResource.....	26
7.5	StorageAccessProtocol	26
7.6	StorageEnvironment.....	26
7.7	StorageSpace.....	27
7.8	StorageMappingPolicy.....	27
8.	Relationship to OGF Reference Model.....	28
9.	Template	28
10.	Security Considerations	29
11.	Author Information	29
12.	Contributors & Acknowledgements	29
13.	Glossary	29
14.	Intellectual Property Statement.....	30
15.	Disclaimer	30
16.	Full Copyright Notice	30
17.	References.....	31
18.	Appendix A: Place-holder values for unknown data	32
18.1	Use cases.....	32
18.2	Place-holder values	32
18.2.1	Fully qualified domain names	33

18.2.2	IPv4 address	33
18.2.3	IPv6 addr	33
18.2.4	Integers	34
18.2.5	File path	34
18.2.6	Email addresses	34
18.2.7	Uniform Resource Identifier (URI)	35
18.2.8	X509 Distinguished Names	35
18.2.9	Fully Qualified Attribute Name (FQAN)	36
18.2.10	Geographic locations	36
19.	Appendix B: Data Types	37
19.1	ContactType_t	37
19.2	PolicyScheme_t	37
19.3	DN_t	37
19.4	ServiceCapability_t	37
19.5	ServiceType_t	38
19.6	QualityLevel_t	38
19.7	EndpointCapability_t	38
19.8	EndpointType_t	38
19.9	EndpointHealthState_t	38
19.10	ServingState_t	39
19.11	ActivityType_t	39
19.12	DateTime_t	39
19.13	Staging_t	39
19.14	SchedulingPolicy_t	39
19.15	LRMSType_t	40
19.16	NetworkInfo_t	40
19.17	Benchmark_t	40
19.18	platform_t	40
19.19	CPUMultiplicity_t	40
19.20	OSFamily_t	40
19.21	ParallelType_t	41
19.22	ApplicationHandle_t	41
19.23	OSName_t	41
19.24	AppEnvState_t	41
19.25	License_t	41
19.26	SetupMethod_t	42
19.27	ComputingActivityState_t	42
19.28	ExpirationMode_t	42
19.29	StorageShareState_t	42
19.30	StorageAccessProtocol_t	42
19.31	StorageEnvironmentType_t	42
19.32	AccessLatency_t	43
19.33	RetentionPolicy_t	43
20.	Appendix C: XML Schema Rendering	44
21.	Appendix D: LDAP Rendering	44
22.	Appendix E: Relational Rendering	44

1. Introduction

In this document, we present a conceptual information model for Grid entities described in natural language enriched with a graphical representation using UML Class Diagrams. As a conceptual model, this is meant to be implementation-independent. Mapping to concrete data models such as XML Schema, LDAP, relational and RDF are provided in the [Appendix](#). From the semantic viewpoint, the concrete data model should represent the same concepts and relationships of the conceptual information model; nevertheless it can contain simplifications specific to the target data model in order to improve query performance or other aspects.

Commento [SA1]: To be added

This information model is based on the experience of several modeling approaches being used in current production Grid infrastructures (e.g., GLUE Schema 1.x [glue-1.x], NorduGrid schema [ng-schema], Naregi model [naregi-schema]). The proposed initial collection of entities is motivated also by the use cases document [glue-usecases].

Commento [SA2]: To be extended

2. Notational Conventions

Only include this section if applicable.

The key words 'MUST,' "MUST NOT," "REQUIRED," "SHALL," "SHALL NOT," "SHOULD," "SHOULD NOT," "RECOMMENDED," "MAY," and "OPTIONAL" are to be interpreted as described in RFC 2119 [BRADNER1]

3. General

The Information Model and its renderings have to be consider case-sensitive.

4. Conceptual Model of the Main Entities

This section introduces the main entities of the GLUE information model. They capture the core concepts that are relevant in a Grid environment. The main entities SHOULD be used to derive specialized information models. In Figure 1, the classes and the related relationships are presented.




Figure 1 GLUE main entities and their relationships

4.1 Location

Entity	Inherits from			Description
Location				A geographical position
Property	Type	Mult.	Unit	Description
LocalID	String	1		An opaque local identifier
Name	String	1		A human-readable name
Address	String	0..1		Street address
Place	String	0..1		Name of town/city
Country	String	0..1		Country name
PostCode	String	0..1		Postal code
Latitude	Real32	0..1	degree	The position of a place north or south of the equator measured from -90° to +90° with positive values going north and negative values going south
Longitude	Real32	0..1	degree	The position of a place east or west of Greenwich, England measured from -180° to +180° with positive values going east and negative values going west

The location entity is meant to be used for describing reference geographical positions of domains and services. They aim is to provide a simple way to express geographical information and is not intended to be used in complex geographical information systems. The accuracy of latitude and longitude should be defined in an interoperability profile.

4.2 Contact

Entity	Inherits from			Description
Contact				Information enabling to establish a communication with a person or group of persons part of a domain
Property	Type	Mult.	Unit	Description
LocalID	String	1		An opaque local identifier
URL	URI	1		URL embedding the contact information. The syntax of URI depends on the communication channel
Type	ContactType_t	1		Type of contact
OtherInfo	String	*		Placeholder to publish info that does not fit in any other attribute. Free-form string, comma-separated tags, (name, value) pair are example of syntax

Commento [SA3]: What about if an email address is used for usersupport and security? (multiple types or decoupling ID from contact info?)

This entity can be used to represent contact information for user support, security, sysadmin. The various types of contact are identified by the Type attribute. In case of time-depend contact information, the instances of this entity should represent only the active contact information.

For telephone and fax: <http://www.ietf.org/rfc/rfc2806.txt>

For email: <http://www.ietf.org/rfc/rfc2368.txt>

For irc: <http://www.w3.org/Addressing/draft-mirashi-url-irc-01.txt>

<http://www.ietf.org/rfc/rfc2806.txt>

4.3 Domain

Entity	Inherits from			Description
Domain				A collection of actors that can be assigned with roles and privileges to entities via policies. A domain may have relationships to other domains.
Property	Type	Mult.	Unit	Description
ID [key]	URI	1		A global unique ID
Name	String	0..1		Human-readable name
Description	String	0..1		A description of the domain
WWW	URI	*		The URL identifying a web page with more information about the domain
OtherInfo	String	*		Placeholder to publish info that does not fit in any other attribute. Free-form string, comma-separated tags, (name, value) pair are example of syntax

Commento [SA4]: Add recommendation from Stephen Burke mentioned document

This is an abstract entity not meant to be instantiated. It SHOULD be used in order to derive specialized entities.

4.3.1 AdminDomain

Entity	Inherits from			Description
AdminDomain	Domain			A collection of actors that can be assigned with administrative roles and privileges to services via policies. An AdminDomain manages services that can be geographically distributed, nevertheless a primary location should be identified.
Inherited Property	Type	Mult.	Unit	Description
ID [key]	URI	1		A global unique ID
Name	String	0..1		Human-readable name
Description	String	0..1		A description of the domain
WWW	URI	*		The URL identifying a web page with more information about the domain
OtherInfo	String	*		Placeholder to publish info that does not fit in any other attribute. Free-form string, comma-separated tags, (name, value) pair are example of syntax
Property	Type	Mult.	Unit	Description
Distributed	Boolean	0..1		True if the services managed by the adminDomain are considered geographically distributed by the administrators themselves
Owner	String	*		Owner of the managed resources

Commento [SA5]: Add recommendation from Stephen Burke mentioned document

4.3.2 UserDomain

Entity	Inherits from			Description
UserDomain	Domain			A collection of actors that can be assigned with user roles and privileges to services or shares via policies
Inherited Property	Type	Mult.	Unit	Description
ID [key]	URI	1		A global unique ID
Name	String	0..1		Human-readable name
Description	String	0..1		A description of the domain
WWW	URI	*		The URL identifying a web page with more information about the domain
OtherInfo	String	*		Placeholder to publish info that does not fit in any other attribute. Free-form string, comma-separated tags, (name, value) pair are example of syntax
Property	Type	Mult.	Unit	Description
Level	Int32	0..1		The number of hops to reach the root for hierarchically organized domains described by the "composed by" association (0 is for the root)
ManagerEndpoint	URI	*		The Endpoint ID managing the users part of the domain and the related attributes such as groups or roles

Commento [SA6]: Add recommendation from Stephen Burke mentioned document

In the GLUE Information Model, the Virtual Organization can be realized by using the concept of UserDomain. If the VO has an internal structure, this can be represented by using different domains related to each other. A Virtual Organization (VO) comprises a set of individuals and/or institutions having direct access to computers, software, data, and other resources for collaborative problem-solving or other purposes. Resources utilized by a VO are expected to be accessible via network endpoints and constrained by defining utilization targets called shares. The VO can exhibit the internal structure in terms of groups of individuals, each of them being a UserDomain. UserDomains can be hierarchically structured. This structure can be represented via the “composed by” association. A userDomain can be also related to other other userDomains via a “peer” relationship.

As regards the ManagerEndpoint, a commonly used implementation is the VOMS.

4.4 Service

Entity	Inherits from			Description
Service				An abstracted, logical view of actual software components that participate in the creation of an entity providing one or more functionalities useful in a Grid environment. A service exposes zero or more endpoints having well-defined interfaces, zero or more shares and zero or more resources. The service is autonomous and denotes a weak aggregation among endpoints, the exposed resources, and the defined shares. The service enables to identify the whole set of entities providing the functionality with a persistent name.
Property	Type	Mult.	Unit	Description
ID [key]	URI	1		A global unique ID
Name	String	0..1		Human-readable name
Capability	ServiceCapability_t	*		The capability provided by this service according to the OGSA architecture
Type	ServiceType_t	1		The type of service according to a middleware classification
QualityLevel	QualityLevel_t	1		Maturity of the service in terms of quality of the software components
StatusPage	URI	*		Web page providing additional information like monitoring aspects
Complexity	String	0..1		Human-readable summary description of the complexity in terms of the number of endpoint types, shares and resources. The syntax should be: endpointType=X, share=Y, resource=Z.
OtherInfo	String	*		Placeholder to publish info that does not fit in any other attribute. Free-form string, comma-separated tags, (name, value) pair are example of syntax

The simplest Service is composed by one endpoint, no share and no resource (e.g. a metadata catalog service). In the context of a Service, the same resource part of it can be exposed via multiple endpoints based on defined shares. For instance, in the area of storage systems, SRMv1 and SRMv2.2 interfaces can expose the same resource via different endpoints offering different interface version; in the area of computing systems, the CREAM and GRAM endpoints can expose the same batch system. Endpoints, shares and resources can belong to only one service.

Commento [SA7]: We do not have use cases for instantiating the peer relationship; if we won't have, then we should remove it

Commento [SA8]: Add reference

Commento [SA9]: To be verified by real-world use cases

4.5 Endpoint

Entity	Inherits from			Description
Endpoint				A network location having a well-defined interface and exposing the service functionalities
Property	Type	Mult.	Unit	Description
ID [key]	URI	1		A global unique ID
Name	String	0..1		Human-readable name
URL	URI	1		Network location of the endpoint to contact the related service
Capability	EndpointCapability_t	*		The capability exposed by this interface
Type	EndpointType_t	1		Type of endpoint according to the technology
QualityLevel	QualityLevel_t	1		Maturity of the service in terms of quality of the software components
InterfaceName	String	0..1		Name of the type of interface
InterfaceVersion	String	0..1		Version of the type of interface
WSDL	URI	1		URL of the WSDL document describing the offered interface (applies to Web Services endpoint)
SupportedProfile	URI	*		URI identifying a supported profile
Semantics	URI	*		URI of a document providing a human-readable description of the semantics of the endpoint functionalities
Implementor	String	0..1		Main organization implementing this software component
ImplementationName	String	0..1		Name of the implementation
ImplementationVersion	String	0..1		Version of the implementation (e.g., major version.minor version.pathcversion)
HealthState	EndpointHealthState_t	1		A state representing the health of the endpoint
HealthStateInfo	String	0..1		Textual explanation of the state endpoint
ServingState	ServingState_t	1		The serving state (production, draining, queueing, closed)
StartTime	DateTime_t	0..1		The timestamp for the start time of the endpoint
IssuerCA	DN_t	0..1		Distinguished name of Certification Authority issuing the certificate for the endpoint
DowntimeAnnounce	DateTime_t	0..1		The timestamp for the announcement of the next scheduled downtime
DowntimeStart	DateTime_t	0..1		The starting timestamp of the next scheduled downtime
DowntimeEnd	DateTime_t	0..1		The ending timestamp of the next scheduled downtime
DowntimeInfo	String	0..1		Description of the next scheduled downtime
Association End		Mult.	Description	
Association to UserDomain via Access Policy				

Commento [SA10]: How to deal with non-WS endpoints such as jms queue

Commento [SA11]: To be verified if we keep both here and in service or only in one part

Commento [SA12]: Suggest on to use URI for identifying categories; Donal will provide examples

Commento [SA13]: To be refined, evaluate extra information needed by each type of endpoint; es.<http://www.ietf.org/internet-drafts/draft-merrick-jms-uri-01.txt>

Commento [SA14]: What is the relationship between values for this attribute and values for the service.qualityLevel?

Commento [SA15]: Verify if a single value is enough

For Grid services requiring a richer set of properties for the endpoint, specific models can be derived by specializing from the Endpoint entity and adding new properties or relationships. The current proposal contains the ComputingEndpoint specialization (see Section)

Commento [SA16]: to be extended, should capture what is currently called AccessControlBaseRule in GLUE 1.x

Commento [SA17]: add section reference

4.6 Share

Entity	Inherits from			Description
Share				A utilization target for a set of resources offered via related endpoints defined by configuration parameters and characterized by status information
Property	Type	Mult.	Unit	Description
LocalID [key]	String	1		An opaque local identifier
Name	String	0..1		Human-readable name
Description	String	0..1		Description of this share

Commento [SA18]: shares can be related to each other for instance via hierarchy

This is an abstract entity not meant to be instantiated. It SHOULD be used in order to derive specialized entities.

4.7 Resource

Entity	Inherits from			Description
Resource				An entity useful in a Grid environment part of a logical service, reachable via one or more endpoints and having one or more shares defined on it. A resource usually represents aggregated information
Property	Type	Mult.	Unit	Description
ID [key]	URI	1		A global unique ID
Name	String	0..1		Human-readable name

This is an abstract entity not meant to be instantiated. For Grid resources requiring a richer set of properties, specific models can be defined by specializing from the Resource entity and adding new properties or relationships. The current proposal contains the Computing Resource specialization (see Section).

Commento [SA19]: add section reference

4.8 Activity

Entity	Inherits from			Description
Activity				An activity is a unit of work managed by a service and submitted via an endpoint; an activity can have relationships to other activities being managed by different services, therefore it shares a common context.
Property	Type	Mult.	Unit	Description
ID [key]	URI	1		A global unique ID
Type	ActivityType_t	1		The type of this activity

Grid jobs (named Computing Activities in GLUE) are example of activities for a Computing Service. An interesting type of relationship for jobs derives from its propagation through several services. For instance, a broker service submits a Grid job to a selected execution service, upon completion the execution service submits a logging record to an accounting service. Each of these services will have associated an instance of a Grid job related to the lifecycle of the job within the service. All instances refer to the same conceptual job submitted by the user.

4.9 Policy

Entity	Inherits from			Description
Policy				Statements, rules or assertions that specify the correct or expected behavior of an entity
Property	Type	Mult.	Unit	Description
LocalID	String	1		Local ID for this policy

This is an abstract entity not meant to be instantiated.

4.9.1 ManagementPolicy

Entity	Inherits from			Description
ManagementPolicy	Policy			Statements, rules or assertions that assign management capabilities to actors as regards a manageable entity
Property	Type	Mult.	Unit	Description

Commento [SA20]: Specify that this is added to have a consistent conceptual model; example implementation in LDAP/XML is parent-child relationship between AdminDomain and Service

The existence of relationship among an AdminDomain and a Service implies that an AdminDomain can manage a Service. Currently, there is no use cases for having attributes in this entity.

4.9.2 AccessPolicy

Entity	Inherits from	Description		
AccessPolicy	Policy	Statements, rules or assertions that provide coarse-granularity information about the access by actors to an endpoint		
Property	Type	Mult.	Unit	Description
Scheme	PolicyScheme_t	1		Scheme adopted to define the policy rules
Rule	String	*		A policy rule
TrustedCA	DN_t	*		Distinguished name of the trusted Certification Authority

Commento [SA21]: Add more clarification about why it is coarse-granular

Commento [SA22]: Add basic policy scheme with VO, VOMS FQAN, (ALLOW)/DENY

Commento [SA23]: Evaluate if trustedCA goes together with access control information

This entity can be used to express which UserDomains can access a certain service endpoint. The granularity of these policies should be coarse-grained and suitable for pre-selection of services. The actual decision on the service side is performed by an authorization component that can contain a finer-grained set of policy rules that in some case can contradict the published coarse-grained policy rules. Examples of actors involved in this entity are userDomains representing VOs or groups.

4.9.3 MappingPolicy

Entity	Inherits from	Description		
MappingPolicy	Policy	Statements, rules or assertions that provide coarse-granularity information about the mapping of activities to a share		
Property	Type	Mult.	Unit	Description
Scheme	PolicyScheme_t	1		Scheme adopted to define the policy rules
Rule	String	*		A policy rule
Default	Boolean	0..1		Default share to which the activity will be mapped if no preference are expressed by the user

Commento [SA24]: do we need this? Is it a special case of access policy or a different category?

Commento [SA25]: Add more clarification about why it is coarse-granular

Commento [SA26]: To be confirmed

This entity can be used to express which UserDomains can consume a certain share of resources. Given a certain UserDomain and a certain Share, there MUST be at most one MappingPolicy instance which property Default is true.

Auxiliary Entities

The auxiliary entities currently provides extensibility mechanisms and metadata applicable to all GLUE entities. Widely used extensions will be considered for addition in future GLUE information model revision as primary properties.




Figure 2 Auxiliary Entities

4.10 Extension

Entity	Inherits from			Description
Extension				A key,value pair providing extra information not captured in the current model
Property	Type	Mult.	Unit	Description
Key	String	1		A local ID, typically an attribute name that could be added in future info model revisions
Value	String	*		A value for the attribute

4.11 Metadata

Entity	Inherits from			Description
Metadata				
Property	Type	Mult.	Unit	Description
CreationTime	DateTime_t	1		Timestamp when the entity instance was generated
Validity	Int32	1	s	The time period for how long the generated information is considered to be relevant by the information provider

5. Conceptual Model of the Computing Service

The conceptual model of the Computing Service is based upon the main entities and uses specializations of Service, Resource, Share, Endpoint and Activity entities. Further computing related concepts such as Execution Environment and Application Environment are introduced.




Figure 3 Entities and relationships for the Computing Service conceptual model

In the computing entities section, we extensively use the concept of slot. A slot is defined as a portion of executable time in an execution environment instance which can be consumed by a job. Usually, there is one slot per logical CPU. Jobs can consume several slots at the same time (e.g., MPI jobs).

ComputingService

Entity	Inherits from	Description		
ComputingService	Service	<p>An abstracted, logical view of actual software components that participate in the creation of a computational capacity in a Grid environment. A computing service exposes one or more endpoints having well-defined interfaces, one or more computing shares and one or more computing resource.</p> <p>The service is autonomous and denotes a weak aggregation among endpoints, the exposed computing resources, and the defined computing shares.</p> <p>The service enables to identify the whole set of entities providing the computing functionality with a persistent name.</p>		
Inherited Property	Type	Mult	Unit	Description
ID [key]	URI	1		A global unique ID
Name	String	0..1		Human-readable name
Capability	ServiceCapability_t	*		The capability provided by this service according to the OGSA architecture
Type	ServiceType_t	1		The type of service according to a middleware classification
QualityLevel	QualityLevel_t	1		Maturity of the service in terms of quality of the software components
StatusPage	URI	*		Web page providing additional information like monitoring aspects
Complexity	String	0..1		Human-readable summary description of the complexity in terms of the number of endpoint types, shares and resources. The syntax should be: endpointType=X, share=Y, resource=Z.
OtherInfo	String	*		Placeholder to publish info that does not fit in any other attribute. Free-form string, comma-separated tags, (name, value) pair are example of syntax
Property	Type	Mult	Unit	Description
TotalJobs	int32	0..1	job	Number of total jobs
RunningJobs	int32	0..1	job	Number of running jobs
WaitingJobs	int32	0..1	job	Number of jobs waiting in the underlying LRMS's
StagingJobs	int32	0..1	job	Number of jobs that are staging files in/out
SuspendedJobs	int32	0..1	job	Number of jobs which started their execution, but are suspended (e.g., for preemption)
PreLRMSWaitingJobs	int32	0..1	job	Number of jobs that are in the Grid layer waiting to be passed to the underlying LRMS

The simplest computing service is formed by a computing endpoint exposing an interface for job submission and control, a computing share and a computing resource. In case of a single computing resource exposed by multiple computing endpoints, such computing endpoints have to be considered part of the computing service. In case of a computing endpoint exposing many computing resources, then these computing resources are part of the computing service.

The computing service always aggregate computing endpoints, shares and resources forming a connected set. In other words, Endpoint A exposing resource A via share A and Endpoint B exposing Resource B via share B form two different computing services. On the other side, Endpoint A exposing Resource A via a share and Endpoint B exposing Resource A and B via another share form a computing service.

Properties from previous schemas: nordugrid-cluster-locale (similar to Glue.CESEBind.SEUniqueID)

Commento [SA27]: To be investigated when we have more mature version of Storage Entities schema

5.1 ComputingEndpoint

Entity	Inherits from			Description
ComputingEndpoint	Endpoint			Endpoint for creating, monitoring, and controlling computational activities called jobs
Inherited Property	Type	Mult	Unit	Description
ID [key]	URI	1		A global unique ID
Name	String	0..1		Human-readable name
URL	URI	1		Network location of the endpoint to contact the related service
Capability	EndpointCapability_t	*		The capability exposed by this interface
Type	EndpointType_t	1		The type of endpoint according to a middleware classification
QualityLevel	QualityLevel_t	1		Maturity of the service in terms of quality of the software components
SpecificationName	String	0..1		Name of the interface specification
SpecificationVersion	String	0..1		Version of the interface
Implementor	String	0..1		Main organization implementing this software component
ImplementationName	String	0..1		Name of the implementation
ImplementationVersion	String	0..1		Version of the implementation (e.g., major version.minor version.pathcversion)
HealthState	EndpointHealthState_t	1		A state representing the health of the endpoint
HealthStateInfo	String	0..1		Textual explanation of the state endpoint
ServingState	ServingState_t	1		The serving state
WSDL	URI	1		URL of the WSDL document describing the offered interface (applies to Web Services endpoint)
SupportedProfile	URI	*		URI identifying a supported profile
Semantics	URI	*		URL of a document providing a human-readable description of the semantics of the endpoint functionalities
StartTime	DateTime_t	0..1		The timestamp for the start time of the endpoint
IssuerCA	DN_t	0..1		Distinguished name of Certification Authority issuing the certificate for the endpoint
DowntimeAnnounce	DateTime_t	0..1		The timestamp for the announcement of the next scheduled downtime
DowntimeStart	DateTime_t	0..1		The starting timestamp of the next scheduled downtime
DowntimeEnd	DateTime_t	0..1		The ending timestamp of the next scheduled downtime
DowntimeInfo	String	0..1		Description of the next scheduled downtime
Property	Type	Mult.	Unit	Description
Staging	Staging_t	0..1		Supported staging functionalities

Commento [SA28]: To be verified if we keep both here and in service or only in one part

Commento [SA29]: Suggesti on to use URI for identifying categories; Donal will provide examples

Commento [SA30]: What is the relationship between values for this attribute and values for the service.qualityLevel?

Commento [SA31]: Verify if a single value is enough

5.2 ComputingShare

As regards CPU Time and Wall Time related properties, there is the need for a way to normalize them depending on the computing capacity of the execution environment. The approach proposed in GLUE is to add two attributes in the Execution Environment which refer to the scaling factor to be used to compute the CPU/Wall time that a job will get if it will be assigned to such an execution environment via a certain share. It is important that a job will get always at least the advertised CPU/Wall time. This means that the reference Execution Environment for the normalization should be always the fastest among those available in the whole Computing Service. For this Execution Environment, the scaling factor MUST be equal to 1. The CPU/Wall time values published by a share refer to the time that the job will get when mapped to this Execution Environment. For the other Execution Environments, the time should be normalized according to the defined scaling factors.

Entity	Inherits from	Description
--------	---------------	-------------

ComputingShare				A utilization target for a set of computing resources defined by a set of configuration parameters and characterized by status information
Inherited Property	Type	Mult	Unit	Description
LocalID [key]	String	1		An opaque local identifier
Name	String	0..1		Human-readable name
Description	String	0..1		Description of this share
Property	Type	Mult.	Unit	Description
MappingQueue	string	0..1		Name of a queue available in the underlying LRMS where jobs of this share are submitted (different shares can be mapped to the same queue; it is not foreseen that a single share can be mapped to many queues)
MaxWallTime	Int64	0..1	s	The maximum obtainable wall clock time that can be granted to the job upon user request (unnormalized value)
MinWallTime	Int64	0..1		The minimum Wall clock time for a job (unnormalized value); if a job requests a lower time, than it can be rejected; if a job requests at least this value, but runs for a shorter time, than it might be accounted for this value
DefaultWallTime	Int64	0..1	s	The default wall clock time allowed to each job by the LRMS if no limit is requested in the job submission description. Once this time has expired the job will most likely be killed or removed from the queue (unnormalized value)
MaxCPUTime	Int64	0..1	s	The maximum obtainable CPU time that can be granted to the job upon user request on a single CPU (unnormalized value)
MaxCPUsTime	Int64	0..1	s	The maximum obtainable CPU time that can be granted to the job upon user request across all assigned CPUs (unnormalized value)
MinCPUTime	Int64	0..1	s	The minimum CPU time for a job (unnormalized value); if a job requests a lower time, than it can be rejected; if a job requests at least this value, but runs for a shorter time, than it might be accounted for this value
DefaultCPUTime	Int64	0..1	s	The default CPU time allowed to each job by the LRMS if no limit is requested in the job submission description (unnormalized value)
MaxTotalJobs	Int64	0..1	job	The maximum allowed number of jobs in this share
MaxRunningJobs	Int64	0..1	job	The maximum allowed number of jobs in running state in this share
MaxWaitingJobs	Int64	0..1	job	The maximum allowed number of jobs in waiting state in this share
MaxPreLRMSWaitingJobs		0..1	job	The maximum allowed number of jobs that are in the Grid layer waiting to be passed to the underlying LRMS for this share
MaxUserRunningJobs	Int64	0..1	job	The maximum allowed number of jobs in running state per Grid user in this share
MaxSlotsPerJob	Int64	0..1	job	The maximum number of slots which could be allocated to a single job (defined to be 1 for a computing service accepting only single-slot jobs)
MaxStageInStreams	Int64	0..1	stream	The maximum number of streams to stage in files
MaxStageOutStreams	Int64	0..1	stream	The maximum number of streams to stage out files
SchedulingPolicy	SchedulingPolicy_t	0..1		Implied scheduling policy of the share
MaxMemory	Int64	0..1	Byte	The maximum RAM that a job can use
MaxDiskSpace	Int64	0..1	Byte	The maximum disk space that a job can use excluding shared area such as cache
DefaultStorageService	URI	0..1		ID of the default Storage Service to be used to store files from jobs in case where no destination Storage Service is explicitly stated
Preemption	Boolean	0..1		If true, the computing resource enables preemption of jobs; a preempted job is

Commento [SA32]: improve naming

Commento [SA33]: check single CPU vs. many CPUs

ServingState	ServingState_t	1		supposed to be automatically resumed
TotalJobs	Int32	0..1	Job	The share state (production, draining, queueing, closed)
RunningJobs	Int32	0..1	Job	Number of total jobs in any state
LocalRunningJobs	Int32	0..1	Job	Number of running jobs submitted via any type of interface (local and Grid)
WaitingJobs	Int32	0..1	Job	Number of running jobs submitted via a local interface
LocalWaitingJobs	Int32	0..1	Job	Number of jobs waiting in the underlying LRMS's submitted via any type of interface (local and Grid)
StagingJobs	Int32	0..1	Job	Number of jobs waiting in the underlying LRMS's submitted via a local interface
SuspendedJobs	Int32	0..1	Job	Number of jobs that are staging files in/out
PreLRMSWaitingJobs	Int32	0..1	Job	Number of jobs which started their execution, but are suspended (e.g., for preemption)
EstimatedAverageWaitingTime	Int64	0..1	S	Number of jobs that are in the Grid layer waiting to be passed to the underlying LRMS
EstimatedWorstWaitingTime	Int64	0..1	S	Estimated time to last for a new job from the acceptance to the start of its execution
FreeSlots	Int64	0..1	Slot	The estimated worst waiting time assuming that all jobs run for the maximum wall time
UsedSlots	Int64	0..1	slot	Number of free slots
RequestedSlots	Int64	0..1	slot	Number of slots used by running jobs
				Number of slots which are needed to execute all waiting and staging jobs

Commento [SA34]: investigate if we need a more complex structure, see NorduGrid approach

In a computing resource describing a batch system, a typical implementation of a computing share is via a batch queue with the associated policies and status information. The same computing share can be implemented using different batch system configuration strategies. In complex batch systems, it is possible to define different set of policies for the same batch queue, this will imply a share for each set of policies. A computing share can be implemented by virtual machine management systems. The model supports heterogeneity by being able to represent different execution environments associated to the same computing share.

Commento [SA35]: to be extended

5.3 ComputingResource

Entity	Inherits from	Description		
ComputingResource	Resource	Grouping concept for a set of different types of execution environments offered through computing endpoint(s). The computing resource usually represents aggregated information. The aggregation is defined by the common local management scope.		
Inherited Property	Type	Mult	Unit	Description
ID [key]	URI	1		A global unique ID
Name	string	0..1		Human-readable name
Property	Type	Mult.	Unit	Description
LRMSType	LRMSType_t	1		Type of the underlying local resource management system
LRMSVersion	String	0..1		Version of the underlying local resource management system
LRMSOtherInfo	String	0..1		Additional information about the LRMS
TotalSlots	Int32	0..1		Number of managed slots
SlotsUsedByLocalJobs	Int32	0..1		Number of slots used by jobs submitted via local interface
SlotsUsedByGridJobs	Int32	0..1		Number of slots used by jobs submitted via a Grid interface
TotalPhysicalCPUs	Int32	0..1		Number of managed physical CPUs accessible via any of the available endpoints (there is one physical CPU per socket)
TotalLogicalCPUs	Int32	0..1		Number of managed logical CPUs accessible via any of the available endpoints (a logical CPU corresponds to a CPU visible to the operating system)
TmpDir	String	0..1		
ScratchDir	String	0..1		
DataDir	String	0..1		

Commento [SA36]: Verify if there are use cases where same worker nodes are managed by different LRMS's

Commento [SA37]: To clarify relationship between execEnv (total,used) and CPUs (physical,logical)

Commento [SA38]: Check with GIN work if they are needed

Commento [SA39]: If they are confirmed to stay here, check if they are needed also in the ExecutionEnvironment

Homogeneity	Boolean	0..1		True if the computing resource manages only one type of execution environment
NetworkInfo	NetworkInfo_t	0..1		Type of internal network available among the execution environments
LogicalCPUDistribution	String	0..1		Syntax: $X1:Y1, \dots, Xn:Yn$ where Xi is the number of logical CPUs and Yi is the number of boxes for the execution environment i
GridAreaTotal	Int32	0..1	GB	Total shared disk space allocated in the computing resource available to Grid jobs
GridAreaFree	Int32	0..1	GB	Free shared disk space allocated in the computing resource available to Grid jobs
GridAreaLifeTime	Int32	0..1	min	Lifetime of the Grid job directory after the end of the jobs
CacheTotal	Int32	0..1	GB	Total disk space allocated for caching files of Grid jobs
CacheFree	Int32	0..1	GB	Free disk space allocated for caching files of Grid jobs

Commento [SA40]: Add type in appendix

Commento [SA41]: Evaluate if the 5 attributes Grid* + Cache* have to be moved in the computingEndpoint

A local resource management system like a batch system is an example of aggregation scope.
The Operating System can be the simplest case of LRMS.

5.4 Benchmark

Entity	Inherits from			Description
Benchmark				Benchmark information about a computing entity
Property	Type	Mult.	Unit	Description
LocalID	String	1		LocalID for this benchmark
Type	Benchmark_t	1		Type of benchmark
Value	Int32	1		Value

5.5 ExecutionEnvironment

Entity	Inherits from			Description
ExecutionEnvironment				A description of hardware and software characteristics that defines the environment available to and requestable by a Grid job when submitted to a Computing Service via a Computing Endpoint; the description also includes information about the total/available/used instances of the execution environment
Property	Type	Mult.	Unit	Description
LocalID	String	1		A local ID
PlatformType	Platform_t	1		The type of platform running the execution environment instance
VirtualMachine	Boolean	0..1		True if the execution environment is based on a virtual machine (in this case, the values of the other attributes are related to the virtualized environment and not to the hosting environment)
TotalInstances	Int32	0..1		Number of execution environment instances
UsedInstances	Int32	0..1		Number of used execution environment instances (an instance is used when, according to the policies of the LRMS, it cannot accept new jobs because it already runs the maximum number of jobs)
UnavailableInstances	Int32	0..1		Number of unavailable execution environment instances because of failures or maintenance
PhysicalCPUs	Int32	0..1		Number of physical CPUs in an execution environment instance (counted by socket)
LogicalCPUs	Int32	0..1		Number of logical CPUs in an execution environment instance as showed by the operating system
CPUMultiplicity	CPUMultiplicity_t	0..1		Multiplicity of the CPU
CPUVendor	String	0..1		Name of the CPU vendor
CPUModel	String	0..1		CPU model as defined by the vendor
CPUVersion	String	0..1		CPU version as defined by the vendor
CPUClockSpeed	Int32	0..1	MHz	CPU nominal clock speed
CPUTimeScalingFactor	Real32	0..1		Factor used by the LRMS to scale the the CPU time (CPU Time divided by CPUTimeScalingFactor); for the reference execution environment, use 1;
WallTimeScalingFactor	Real32	0..1		Factor used by the LRMS to scale the the Wall time (Wall Time divided by WallTimeScalingFactor)
MainMemorySize	Int64	1	byte	Amount of RAM (if many jobs run in the same execution environment, they compete for the total RAM)
VirtualMemorySize	Int64	0..1	byte	The amount of Virtual Memory (RAM+Swap)
OSFamily	OSFamily_t	1		Family of the operating system
OSName	OSName_t	0..1		Name of the operating system
OSVersion	String	0..1		Version of the operating system
ConnectivityIn	Boolean	1		Permission for direct inbound connectivity, even if limited
ConnectivityOut	Boolean	1		Permission for direct outbound connectivity, even if limited
NetworkInfo	NetworkInfo_t	*		Type of internal network available among the execution environments

Commento [SA42]: Re-evaluate if to use Mega/GigaB or just bytes

An execution environment can be realized in several ways. Examples are a computing node or a virtual machine image that can be requested by a job (different virtual machine images can coexist on the same node). The description about individual software packages is considered by the ApplicationEnvironment class.

5.6 ApplicationEnvironment

Commento [SA43]: to be investigated

Entity	Inherits from			Description
ApplicationEnvironment				Description of the application software environment available within one or more execution environments
Property	Type	Mult.	Unit	Description
LocalID	URI	1		A local ID
Name	String	1		Name
Version	String	0..1		Version
State	AppEnvState_t	0..1		State about the installation
LifeTime	Int32	0..1	s	Time left before removal
License	License_t	0..1		The type of license
Description	String	0..1		The description of this application environment
ParallelType	ParallelType_t	0..1		The type of supported parallel execution
MaxSlots	Int32	0..1		Maximum number of slots that can run jobs using the application environment at the same time
MaxJobs	Int32	0..1		Maximum number of jobs that can use the application environment at the same time
MaxUserSeats	Int32	0..1		Maximum number of user seats that can use the application environment at the same time
FreeSlots	Int32	0..1		Available number slots that can run jobs using the application environment at the same time
FreeJobs	Int32	0..1		Number of new jobs that could start their execution and use the application environment at the same time
FreeUserSeats	Int32	0..1		Free seats for new users that can use the application environment at the same time

The Application Environment is suggested to be used also for describing application software in terms of a simple tag. In this case, the Name property should be used.

5.7 ApplicationHandle

Entity	Inherits from			Description
ApplicationHandle				Technique for accessing the application
Property	Type	Mult.	Unit	Description
LocalID	String	1		LocalID
Type	ApplicationHandle_t	1		(module, softenv, executable, path)
Value	String	1		Description for the technique

5.8 ComputingActivity

Commento [SA44]: Add more timestamp attributes such as CreationTime, StartTime, ...; check with SAS doc

Commento [SA45]: Evaluate which attributes can be moved to the Activity class

Entity	Inherits from			Description
ComputingActivity	Activity			An activity managed by an OGSA execution capability service (the computing activity is traditionally called job)
Inherited Property	Type	Mult.	Unit	Description
ID [key]	URI	1		A global unique ID
Type	ActivityType_t	1		The type of this activity
Property	Type	Mult.	Unit	Description
LRMSID	String	0..1		The job ID as assigned by the LRMS
Name	String	0..1		The job name as specified by the user in the job description document
State	ComputingActivityState_t	1		The state of the job according to the Grid state model for jobs
RestartState	ComputingActivityState_t	0..1		The state from which a failed job can restart upon a client request

Commento [SA46]: define state model

ExitCode	Int32	0..1		The exit code as returned by the executable of the job
LRMSExitCode	String	0..1		The exit code provided by the batch system
Error	String	*		Error messages as provided by the software components involved in the management of the job
LRMSWaitingPosition	Int32	0..1		For a waiting in the underlying LRMS, the position in the queue
UserDomain	String	0..1		Selected user domain by the job owner (an owner can belong to several user domains, it should decide which one to choose when submitting a job)
Owner	String	1		The Grid identity of the job's owner; in case of anonymity is required, the value CONFIDENTIAL should be advertised
LocalOwner	String	0..1		The local user name to which the job's owner is mapped
RequestedWallTime	Int32	0..1	min	The wall clock time requested by the job
RequestedCPUTime	Int32	0..1	min	The CPU time requested by the job
RequestedApplicationEnvironment	String	*		The name of the requested ApplicationEnvironment (the value should match the name property of the ApplicationEnvironment)
RequestedCPUs	Int32	0..1		The number of requested logical CPUs
StdIn	String	0..1		The name of the file which is used as the standard input of the job
StdOut	String	0..1		The name of the file which contains the standard output of the job
StdErr	String	0..1		The name of the file which contains the standard error of the job
LogDir	String	0..1		The name of the directory which contains the logs related to the job generated by the Grid layer (usually the directory is private to the job)
ExecutionNode	String	*		Hostname of a cluster node which is running the job (multi-node jobs are described by several instances of this attribute)
QueueName	String	0..1		The name of the LRMS queue to which this job was queued
UsedWallTime	Int32	0..1	min	The consumed wall clock time of the job
UsedCPUTime	Int32	0..1	min	The consumed CPU time of the job (in case of multi-CPU jobs, this value refers to the sum of all CPU times)
UsedMainMemory	Int32	0..1	MB	The RAM used by the job
SubmissionTime	DateTime_t	0..1		Time when the job was submitted to a computing endpoint
LRMSSubmissionTime	DateTime_t	0..1		Time when the job was submitted to the LRMS by the Grid layer
StartTime	DateTime_t	0..1		Time when the job entered in the LRMS running state
LRMSEndTime	DateTime_t	0..1		Time when the job entered its final LRMS state
EndTime	DateTime_t	0..1		Time when the job entered its final Grid state
GridAreaEraseTime	DateTime_t	0..1		The time when the dedicated Grid job area will be removed
ProxyExpirationTime	DateTime_t	0..1		The expiration time of the proxy related to the job
SubmissionHost	String	0..1		The name of the host from which the job was submitted (e.g., IP

Commento [SA47]: check consistency with OGF Usage records specs, JSDL and BES

GWD-R


Add final date

				address, port and host name)
SubmissionClientName	String	0..1		The name of the client software which was used to submit the job
OtherMessages	String	*		Optional job messages provided by either the Grid Layer or the LRMS

A Job is typically described by an XML document compliant to the JSDL specification. In this specification, the Job is related to a single processor job. Other job types such “collection of jobs” and workflows will be considered in a future revision.

6. Conceptual Model of the Storage Service

Like the Computing Service, the conceptual model of the Storage Service is based upon the main entities and uses specializations for those entities. Further on, storage related concepts such as StorageShareState, StorageSpaceState, StorageMappingPolicy, StorageEnvironment and StorageAccessProtocol are introduced.



Commento [fe48]: How should the CESEBind from 1.3 be represented?

Figure 4 Entities and relationships for the Storage Element model

6.1 StorageService

Entity	Inherits from	Description		
StorageService	Service	<p>An abstracted, logical view of actual software components that participate in the creation of a storage capacity in a Grid environment. A storage service exposes one or more endpoints having well-defined interfaces and one or more storage shares.</p> <p>The service is autonomous and denotes a weak aggregation among endpoints and the defined storage shares.</p> <p>The service enables to identify the whole set of entities providing the storage functionality with a persistent name.</p>		
Inherited Property	Type	Mult	Unit	Description
<i>ID</i> [key]	URI	1		A global unique ID
<i>Name</i>	String	0..1		Human-readable name
<i>Capability</i>	ServiceCapability_t	*		The capability provided by this service according to the OGSA architecture
<i>Type</i>	ServiceType_t	1		The type of service according to a middleware classification
<i>QualityLevel</i>	QualityLevel_t	1		Maturity of the service in terms of quality of the software components
<i>StatusPage</i>	URI	*		Web page providing additional information like monitoring aspects
<i>Complexity</i>	String	0..1		Human-readable summary description of the complexity in terms of the number of endpoint types, shares and resources. The syntax should be: endpointType=X, share=Y, resource=Z.
<i>OtherInfo</i>	String	*		Placeholder to publish info that does not fit in any other attribute. Free-form string, comma-separated tags, (name, value) pair are example of syntax
Property	Type	Mult	Unit	Description

The storage service is formed by storage endpoints offering interfaces to the service and storage shares which represent allocated storage capacity on the service which can be utilized for storage activities. The access to the endpoint and shares is controlled by a mapping policy instance.

A storage service is instantiated when it offers at least one endpoint. It may have zero or more shares. A storage service without a storage share does not offer any storage capabilities.

6.2 StorageEndpoint

Entity	Inherits from			Description
StorageEndpoint	Endpoint, Downtime			Endpoint for accessing and controlling storage activities.
Inherited Property	Type	Mult	Unit	Description
ID [key]	URI	1		A global unique ID
Name	String	0..1		Human-readable name
URL	URI	1		Network location of the endpoint to contact the related service
Capability	EndpointCapability_t	*		The capability exposed by this interface
Type	EndpointType_t	1		The type of endpoint according to a middleware classification
QualityLevel	QualityLevel_t	1		Maturity of the service in terms of quality of the software components
SpecificationName	String	0..1		Name of the interface specification
SpecificationVersion	String	0..1		Version of the interface
Implementor	String	0..1		Main organization implementing this software component
ImplementationName	String	0..1		Name of the implementation
ImplementationVersion	String	0..1		Version of the implementation (e.g., major version.minor version.pathcversion)
HealthState	EndpointHealthState_t	1		A state representing the health of the endpoint
HealthStateInfo	String	0..1		Textual explanation of the state endpoint
ServingState	ServingState_t	1		The serving state (production, draining, queueing, closed)
WSDL	URI	1		URL of the WSDL document describing the offered interface (applies to Web Services endpoint)
SupportedProfile	URI	*		URI identifying a supported profile
Semantics	URI	*		URL of a document providing a human-readable description of the semantics of the endpoint functionalities
StartTime	DateTime_t	0..1		The timestamp for the start time of the endpoint
IssuerCA	DN_t	0..1		Distinguished name of Certification Authority issuing the certificate for the endpoint
DowntimeAnnounce	DateTime_t	0..1		The timestamp for the announcement of the next scheduled downtime
DowntimeStart	DateTime_t	1		The starting timestamp of the next scheduled downtime
DowntimeEnd	DateTime_t	0..1		The ending timestamp of the next scheduled downtime
DowntimeInfo	String	0..1		Description of the next scheduled downtime
Property	Type	Mult.	Unit	Description
Capability	String	*		Other information regarding this Endpoint

Commento [SA49]: To be verified if we keep both here and in service or only in one part

Commento [SA50]: Suggesti on to use URI for identifying categories; Donal will provide examples

Commento [SA51]: What is the relationship between values for this attribute and values for the service.qualityLevel?

Commento [SA52]: Verify if a single value is enough

Commento [SA53]: Duplicate d attribute name already present in parent class

A StorageEndpoint exposes one interface of how a storage service can be contacted. It gives information about the control protocol and its status as well as possible downtimes.

A storage endpoint is linked to storage shares and thereby knows which shares it gives access to. The Capability field can be used to specify other restrictions such as WAN read-only/LAN read-write.

6.3 StorageShare

Entity	Inherits from			Description
StorageShare	Share			A utilization target for a set of storage resources defined by a set of configuration parameters and characterized by status information
Inherited Property	Type	Mult	Unit	Description
LocalID [key]	String	1		An opaque local identifier
Name	String	0..1		Human-readable name
Property	Type	Mult.	Unit	Description
Path	String	0..1		
ExpirationMode	ExpirationMode_t	0..1		The expiration mode for files contained in the share
Tag	String	*		A user defined tag for additional information
State	StorageShareState_t			Up / Down / Maintenance

A storage share represents allocated, (to a user domain) dedicated logical storage space within a storage service and can be accessed through the service's endpoint(s).
The access of UserDomains to StorageShares is described by the StorageMappingPolicy.

6.4 StorageResource

Entity	Inherits from			Description
StorageResource	Resource			Grouping concept for a set of different types of storage environments offered through storage endpoint(s). The storage resource usually represents aggregated information. The aggregation is defined by the common local management scope.
Inherited Property	Type	Mult	Unit	Description
ID [key]	URI	1		A global unique ID
Name	string	0..1		Human-readable name
Property	Type	Mult.	Unit	Description
Type???				
How do we measure load?				
ImplementationName	String	0..1		The name of the running software
ImplementationVersion	String	0..1		The version of the running software

6.5 StorageEnvironment

Entity	Inherits from			Description
StorageEnvironment				A description of a storage sub-system with homogeneous characteristics that defines the environment where storage shares can be created
Property	Type	Mult.	Unit	Description
ID [key]	URI	1		A global unique ID
Architecture	String	0..1		The architecture of the sub-system (disk, tape, multi-disk, other)
Type	StorageEnvironmentType_t	0..1		Volatile, Durable, Permanent
AccessLatency	AccessLatency_t	0..1		Online, Nearline, Offline
RetentionPolicy	RetentionPolicy_t	0..1		Custodial, Output, Replica

Commento [SA54]: To be confirmed

Commento [fe55]: Attributes to be discussed

6.6 StorageAccessProtocol

Entity	Inherits from			Description
StorageAccessProtocol				Describes the access protocols of a Service.
Property	Type	Mult.	Unit	Description
LocalID	String	1		An opaque local identifier
Type	StorageAccessProtocol_T	1		The name of the protocol
Version	String	1		The version of the protocol
MaxStreams	Int64	1		The number of parallel streams this protocol

				supports
--	--	--	--	----------

6.7 StorageCapacity

Entity	Inherits from			Description
StorageCapacity				Describes size and state of an homogenous storage extent
Property	Type	Mult.	Unit	Description
Type	StorageSpace_t	1		Type of storage space (e.g., online, nearline,...)
FreeSize	Int32	1	GByte	The free space left
UsedSize	Int32	1	GByte	The used space
TotalSize	Int32	0..1	GByte	The total size
ReservedSize	Int32	0..1	GByte	The reserved

6.8 StorageMappingPolicy

Entity	Inherits from			Description
StorageMappingPolicy	MappingPolicy			Statements, rules or assertions that specify which instantiation of a Domain may use the associated StorageShare..
Inherited Property				Description
LocalID Scheme Rule	PolicyScheme_t String		1 *	
Property	Type	Mult.	Unit	Description
Name	String	1		An descriptive name for this Policy
Path	String	1		Path used by VO for writing in an associated Share
Tag	String	1		A user defined tag for this policy

The StorageMappingPolicy describes the relationship of a Userdomain and StorageShare it may access. It keeps further information of how the Userdomain may utilize the StorageShare.

7. Relationship to OGF Reference Model

In this section, we describe the integration of the GLUE information model with the OGF Reference Model.

Commento [SA56]: To be updated




Figure 5 GLUE and Reference Model integration (draft)

8. Template

Commento [SA57]: Describe template

Entity	Inherits from			Description
Property	Type	Mult.	Unit	Description

9. Security Considerations

Please refer to RFC 3552 [RESCORLA] for guidance on writing a security considerations section. This section is required in all documents, and should not just say “there are no security considerations.” Quoting from the RFC:

“Most people speak of security as if it were a single monolithic property of a protocol or system, however, upon reflection, one realizes that it is clearly not true. Rather, security is a series of related but somewhat independent properties. Not all of these properties are required for every application.

We can loosely divide security goals into those related to protecting communications (COMMUNICATION SECURITY, also known as COMSEC) and those relating to protecting systems (ADMINISTRATIVE SECURITY or SYSTEM SECURITY). Since communications are carried out by systems and access to systems is through communications channels, these goals obviously interlock, but they can also be independently provided.”

10. Author Information

Sergio Andreatozzi, INFN
Stephen Burke, RAL
Felix Ehm, CERN
Laurence Field, CERN
Gerson Galang,
Balazs Konya, Lund University,
Maarten Litmaath, CERN
Paul Millar, Desy
JP Navarro

11. Contributors & Acknowledgements

We gratefully acknowledge the contributions made to this document (in no particular order) by Shiraz Memon, Matt Viljonen and Steve Traylen.

12. Glossary

Recommended but not required.

13. Intellectual Property Statement

The OGF takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this specification can be obtained from the OGF Secretariat.

The OGF invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights which may cover technology that may be required to practice this recommendation. Please address the information to the OGF Executive Director.

14. Disclaimer

This document and the information contained herein is provided on an "As Is" basis and the OGF disclaims all warranties, express or implied, including but not limited to any warranty that the use of the information herein will not infringe any rights or any implied warranties of merchantability or fitness for a particular purpose.

15. Full Copyright Notice

Copyright (C) Open Grid Forum (applicable years). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the OGF or other organizations, except as needed for the purpose of developing Grid Recommendations in which case the procedures for copyrights defined in the OGF Document process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the OGF or its successors or assignees.

Commento [HK58]: I don't think it is just "current year." For example, a document was started to create from 2003, it should be "2003, 2004, 2005" or "2003-2005."

16. References

Note that only permanent documents should be cited as references. Other items, such as Web pages or working groups, should be cited inline (i.e., see the Open Grid Forum, <http://www.ogf.org>). References should conform to a standard such as used by IEEE/ACM, MLA, Chicago or similar. Include an author, year, title, publisher, place of publication. For online materials, also add a URL. It is acceptable to separate out “normative references,” as IETF documents typically do. Some sample citations:

- [glue-wg] The Glue Working Group of OGF, <https://forge.gridforum.org/sf/projects/glue-wg>
- [glue-usecases] Glue 2.0 Use Cases (early draft), <https://forge.gridforum.org/sf/go/doc14621>
- [glue-1.x] The Glue Schema 1.3, <https://forge.gridforum.org/sf/go/doc14185>
- [ng-schema] The NorduGrid/ARC Information System, NORDUGRID-TECH 4, <https://forge.gridforum.org/sf/go/doc14273>
- [naregi-schema] NAREGI information and data model, <https://forge.gridforum.org/sf/go/doc14300>
- [ogf-ts] Technical Strategy for the Open Grid Forum 2007-2010. GFD-I.113. <http://www.ogf.org/documents/GFD.113.pdf>
- [omii-jra2-djra2.1] Sergio Andreatozzi, Antonia Ghiselli, Chunming Hu, Jinlei Jiang, Balazs Konya, Morris Riedel, Davy Virdee, Li Zha. D:JRA2.0 Report on Grid Activities relevant to the identification of new services <http://omii-europe.org/OMII-Europe/News/DJRA20.pdf>

17. Appendix A: Place-holder values for unknown data

Whilst people endeavour to provide accurate information, there may be situations where specific GLUE attributes may be assigned place-holder (or dummy) values. These place-holder values carry some additional semantic meaning; specifically, that the correct value is currently unknown and the presented value should be ignored. This appendix describes a set of such place-holder values.

Some attributes within the GLUE schema are required whilst others are optional. If the attribute is optional and the corresponding information is unavailable, the information provider must either publish a place-holder or not to publish the attribute. If the attribute is required, then the information must either publish a place-holder value or refrain from publishing the GLUE object.

If a place-holder value is published, it must conform to the scheme described in this appendix. This is to increase the likelihood that software will understand the nature of the information it receives.

This appendix describes place-holder values that have been chosen so they are obvious "wrong" to humans, unlikely to occur under normal operation and valid within the attribute type. This also allows for detection of failing information provider components.

17.1 Use cases

There are two principle use-cases for place-holder values, although others may exist.

Scenario 1. a static value has no good default value and has not been configured for a particular site.

Some provisions for GLUE Schema provide templates. These templates may contain attributes that have no good default value; for example, supplying the correct value may require site-specific knowledge. Whilst it is expected that these attributes be configured, it is possible that this does not happen, so exposing the attributes' default values.

Scenario 2. information provider is unable to obtain a dynamic value.

A dynamic value is provided by an information provider by querying the underlying grid resources. This query will use a number of ancillary resources (e.g., DNS, network hardware) that might fail; the grid services might also fail. If an attribute is required and the current value is unobtainable, a place-holder value must be used.

17.2 Place-holder values

This section describes a number of values that can be represented within a given address space (e.g., Strings/UTF-8, Integers, FQDNs, IPv4 address space). Each of the different types are introduced along with the place-holder value and a brief discussion on usage, rational and any other considerations.

Simple strings (ASCII/UTF-8) should use "UNDEFINEDVALUE" or should start "UNDEFINEDVALUE:"

Upper-case letters make it easier to spot and a single word avoids any white-space issues.

A short error message can be incorporated into the message by appending the message after the colon.

Examples:

UNDEFINEDVALUE

UNDEFINEDVALUE: unable to contact torque daemon.

Using UNDEFINEDVALUE is a default option for strings that have no widely-known structure. If a value is of a more restrictive sub-type (e.g., FQDNs, FQANs, URIs) described below, then the rules for more restrictive form must be used.

17.2.1 Fully qualified domain names

They must use a hostname ending either "example.org" for scenario 1, or "invalid" for scenario 2.

RFC 2606 defines two second-level domains: "example.org" and "example.com". These domains have the advantage of ending with a recognisable TLD, so are recognisable as a DNS name. Default configuration (scenario 1, above) must use DNS names that end "example.org"

RFC 2606 also reserves the "invalid" Top-Level-Domain (TLD) as always invalid and clearly so. For dynamic information gathering, a value ending "invalid" must be used.

In both cases, additional information may be included by specifying a prefix to "example.org" or "invalid". This may be used to specify the class of machine that should be present. For dynamic information, if the class of machine is not published then the FQDN "unknown.invalid" must be used.

Examples:

www.example.org

your-CE.example.org

unknown.invalid

site-local-BDII.invalid

17.2.2 IPv4 address

It must use 192.0.2.250

There are several portions of IPv4 addresses that should not appear on a network, but none that are reserved for documentation or to specify a non-existent address. Using any address leads to the risk of side-effects, should this value be used.

The best option is an IP address from the 192.0.2.0/24 subnet. This subnet is defined in RFC 3330 as "TEST-NET" for use in documentation and example code. For consistency, the value 192.0.2.250 must be used.

17.2.3 IPv6 addr

It must use 2001:DB8::FFFF

There is no documented undefined IPv6 address. RFC 3849 reserves the address prefix 2001:DB8::/32 for documentation. For consistency, the address 2001:DB8::FFFF must be used.

17.2.4 Integers

It must use "all nines"

For uint32/int32 this is 999,999,999

For uint64/int64 this is 999,999,999,999,999,999

For integers, all numbers expressible within the encoding (int32/uint32/etc.) are valid so there is no safe choice.

If an unsigned integer is encoded as a signed integer, it is possible to use negative numbers safely. However, these numbers will be unrepresentable if the number is stored as an unsigned integer. For this reason a negative number place-holder must not be used.

The number was chosen for three reasons. First, attribute scales are often chosen to reduce the likelihood of overflow: numbers towards MAXINT (the large number representable in an integer domain) are less likely to appear. Second, repeated numbers stand out more clearly to humans. Finally, the statistical frequency of measured values often follows Benford's law, which indicates that numbers starting with "1" occur far more frequently than those starting with "9" (about six times more likely). For these reasons, information providers must use all-nines to indicate an unknown value.

17.2.5 File path

It must start either "/UNDEFINEDPATH" or "\UNDEFINEDPATH".

As with the simple string, a single upper-case word is recommended. The initial slash indicates that the value is a path. Implementations must use whichever slash is most appropriate for the underlying system (Unix-like systems use a forward-slash). Software should accept either value as an unknown-value place-holder.

Additional information can be encoded as data beyond the initial UNDEFINEDPATH, separated by the same slash as started the value. Additional comments should not use any of the following characters: \ [] ; = " : | , * .

Examples:

/UNDEFINEDPATH

\UNDEFINEDPATH

/UNDEFINEDPATH/Path to storage area

/UNDEFINEDPATH/Broker unavailable

17.2.6 Email addresses

It must use an undefined FQDN for the domain.

RFC 2822 defines emails addresses to have the form: <local-part> '@' <domain>

The <domain> must be an undefined FQDN; see above for a complete description. For email addresses, information providers should use "example.org" for scenario 1. and "unknown.invalid" for scenario 2.

The <local-part> may be used to encode a small amount of additional information; for example, it may indicate the class of user to whom the email address should be delivered. If no such information is to be encoded the value "user" must be used.

Examples:

user@example.org
user@unknown.invalid
site-local-contact@example.org
local-admin@example.org

17.2.7 Uniform Resource Identifier (URI)

It is schema-specific

RFC 3986 defines URIs as a "federated and extensible naming system." All URIs start with a schema-name part (e.g., "http") and no schema-name has been reserved for undefined or documenting example values.

For any given URI schema ("http", for example), it may be possible to define an unknown value within that name-space. If a GLUE value has only one valid schema, the undefined value must be taken from that schema. If several schemata are possible, one must be chosen from the available options. This should be the most commonly used.

Take care with the URI encoding. All unknown URI values must be valid URIs. If additional information is included, it must be encoded so the resulting URI is valid.

For schemata that may include a FQDN (e.g., a reference to an Internet host), an undefined URI must use an undefined FQDN; see above for details on undefined FQDNs.

URI schemata that reference a remote file (e.g., "http", "ftp", "https"), additional information may be included as the path. The FQDN indicates that the value is a place-holder, indicating an unknown value, so information providers should not specify "UNDEFINEDPATH".

For "file" URIs, the path part must identify the value as unknown and must use the forward-slash variant; see above for details on undefined paths.

For "mailto" URIs [RFC 2368] encapsulates valid email addresses with additional information (such as email headers and message body). Unknown mailto URIs must use an unknown email address (see above). Any additional information must be included in the email body.

There may be other schemata in use that are not explicitly covered in this section. A place-holder value should be agreed upon within whichever domain such schemata are used. This place-holder value should be in the spirit of the place-holder values described so far.

Examples:

<http://www.example.org/>
<http://your-CE.example.org/path/to/end-point>
<http://unknown.invalid/User%20certificate%20has%20expired>
<mailto:site-admin@example.org>
<mailto:user@maildomain.invalid?body=Problem%20connecting%20to%20WLMS>
<file:///UNDEFINEDPATH>
<file:///UNDEFINEDPATH/path%20to%20some%20directory>

17.2.8 X509 Distinguished Names

It must start /O=Grid/CN=UNDEFINEDUSER

X509 uses a X500 namespace, represented as several Relative Domain-Names (RDNs) concatenated by forward-slashes. The final RDN is usually a single common name (CN), although multiple CNs are allowed.

Unknown DN values must have at least two entries: an initial O=Grid followed immediately by CN=UNDEFINEDUSER.

Additional information can be encoded using extra CN entries. These must come after CN=UNDEFINEDUSER.

Examples:

```
/O=Grid/CN=UNDEFINEDUSER
/O=Grid/CN=UNDEFINEDUSER/CN=Your Grid certificate DN here
/O=Grid/CN=UNDEFINEDUSER/CN=Cannot access SE
```

17.2.9 Fully Qualified Attribute Name (FQAN)

It must use a VO of "vo.example.org" (for scenario 1.) or "unknown.invalid" (for scenario 2).

The "VOMS Credential Format" document,

<http://edg-wp2.web.cern.ch/edg-wp2/security/voms/edg-voms-credential.pdf>

states that FQANs must have the form:

```
/VO[/group[/subgroup(s)]][/Role=role]/[Capability=cap]
```

Where VO is a well-formed DNS name. Unlike DNS names, VO names must be lower-case. The unknown place-holder value for FQAN is derived from the unknown DNS name (see above). It must have no subgroup(s) or Capability specified.

Any additional information must be encoded within a single Role name. Care should be taken that only valid characters (A-Z, a-z, 0-9 and dash) are included.

Examples:

```
/vo.example.org
/vo.example.org/Role=Replace-this-example-with-your-FQAN
/unknown.invalid
/unknown.invalid/Role=Unable-to-contact-CE-Error-42
```

17.2.10 Geographic locations

It must use longitude 0 degrees, latitude 0 degrees.

Meridians of longitude are taken from (-180,180] degrees, whilst parallels of latitude are taken from [-90,90] degrees. For a place-holder value to be a valid location, it must also be taken from these ranges.

By a happy coincidence, the (0,0) location is within the Atlantic Ocean, some 380 miles (611 kilometers) south of the nearest country (Ghana). Since this location is unlikely to be used and repeated numbers are easier for humans to spot, (0,0) must be used to specify an unknown location.

18. Appendix B: Data Types

18.1 ContactType_t

Open enumeration

Value	Description
security	
sysadmin	
usersupport	
general	

18.2 PolicyScheme_t

Value	Description

18.3 DN_t

18.4 ServiceCapability_t

List of values initially drafted from [omii-jra2-djra2.1]. To be refined by examples. Open enumeration.

Value	Description
security.authentication	Capacity of providing authentication mechanisms for Grid users machine and services
security.credentialStorage	Capacity of providing an online credential repository that allows users to securely obtain credentials when and where needed
security.delegation	capacity for a user to give a service the authority to undertake specific activities or decisions on its behalf
security.authorization	capacity of handling authorization aspects, making authorization decisions about the subject and the requested mode of access based upon combining information from a number of distinct sources
security.identitymapping	capacity of mapping Grid-level credentials to local level credentials (e.g., mapping a user X.509 certificate into a UNIX account).
security.attributeauthority	capacity of associating a user with a set of attributes in a trusted manner to a relying party, by way of digitally signed assertions
security.accounting	capacity of systematically recording, reporting, and analyzing the usage of resources
data.transfer	capacity of moving a file from one network location to another. It refers to the actual transfer (e.g., as performed by protocols like FTP, GridFTP, or HTTP)
data.management.transfer	capacity of managing a transfer of files from the start to the completion
data.management.replica	capacity of managing the creation of file replicas upon request
data.management.storage	capacity of managing a storage resource, from simple systems like disk-servers to complex hierarchical systems
data.naming.resolver	capacity of resolving one name to another (for example, search the associated abstract name to a certain human-oriented name)
data.naming.scheme	capacity of attaching names to data resources. (To evaluate if it should moved to the main category infrastructure instead of data). In OGSA, a three-level naming scheme is defined: (1) human-oriented name, (2) abstract name and (3) address
data.access.relational	capacity of providing access to a relational data source

data.access.xml	capacity of providing access to an XML data source
data.access.flatfiles	capacity of providing access to a flat file
information.model	capacity of modelling resources based on a community accepted definition
information.discovery	capacity of locating unknown resources or services, possibly satisfying a set of requirements
information.logging	capacity of recording data, often chronologically
information.monitoring	capacity of periodically observing measurements, transform them and make available to users or other applications
information.provenance	capacity of providing long-term storage of information related to Grid activity and to let this information be accessed by users or other applications.
execman.bes	capacity of executing a job or set of jobs.
execman.jobdescription	capacity of letting users be able to describe a job submission request based on a machine-processable language
execman.jobmanager	capacity of managing the execution of a job or set of jobs from start to finish
execman.executionandplanning	capacity of building schedules for jobs, that is, the capability of defining mappings between services and resources, possibly with time constraints
execman.candidatesetgenerator	capacity of determining the set of resources on which a nit of workcan execute
execman.reservation	capacity of managing reservation of resources for future usage

18.5 ServiceType_t

Every item should start with org.MIDDLEWARENAME. Open enumeration.

Value	Description
org.glite.wms	
org.glite.lb	
...	

18.6 QualityLevel_t

Closed enumeration

Value	Description
development	
testing	
pre-production	
production	

18.7 EndpointCapability_t

The initial set of values is drafted from [omii-jra2-djra2.1]. At the moment, we use the same of ServiceCapability_t. Open enumeration

18.8 EndpointType_t

Open enumeration.

Value	Description
webservice	
jndi	
...	

18.9 EndpointHealthState_t

Closed enumeration

Value	Description
ok	
warning	
critical	
unknown	
other	

18.10 ServingState_t

Closed enumeration

Value	Description
production	
draining	
queueing	
closed	

18.11 ActivityType_t

Open enumeration

Value	Description
computing	

18.12 DateTime_t

Extended ISO 8061 format: [-]CCYY-MM-DDThh:mm:ss[Z](+|-)hh:mm]

This data type maps the XSD dateTime simple type.

We restrict this syntax to GMT timezone: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss Z

Commento [SA59]: Ad examples or more description

18.13 Staging_t

Open enumeration:

Value	Description
none	No staging of files supported
stagingin	Automatic staging in of files supported
stagingout	Automatic staging out of files supported
staginginout	Automatic staging in and out of files supported

18.14 SchedulingPolicy_t

Open enumeration:

Value	Description
fairshare	Statistically guarantees the allocated share
fifo	First-In First-Out
random	Random choice

18.15 LRMSType_t

Open enumeration:

Value	Description
openpbs	
lsf	

18.16 NetworkInfo_t

Open enumeration

Value	Description
gigabitethernet	
myrinet	
infiniband	

18.17 Benchmark_t

Open enumeration

Value	Description
specint2000	
specfp2000	
bogomips	

18.18 platform_t

Open enumeration:

Value	Description
ia32	
ia64	

18.19 CPUMultiplicity_t

Closed enumeration:

Value	Description
singlecpu-singlecore	The execution environment is run by a single CPU with a single core
singlecpu-multicore	The execution environment is run by a single CPU with multiple cores
multicpu-singlecore	The execution environment is run by multiple CPUs with a single core each
multicpu-multicore	The execution environment is run by multiple CPUs with a multiple cores each

18.20 OSFamily_t

Open enumeration:

Value	Description
linux	
macos	
windows	
solaris	

18.21 ParallelType_t

Open enumeration:

Value	Description
mpi	Parallel execution based on mpi library
openmp	Parallel execution based on openmp library
none	No supported parallel execution

18.22 ApplicationHandle_t

Open enumeration:

Value	Description
module	Access based on loading modules via Environment Modules [REF]
softenv	Access based on loading SoftEnv
path	Access based on using an explicit path where the software is installed on the file system
executable	Access based on running directly the main executable of the application (this may require set-up of the environment)

Commento [SA60]: Add in biblio <http://modules.sourceforge.net/>

Commento [SA61]: <http://www-unix.mcs.anl.gov/systems/software/msys/>

18.23 OSName_t

Open enumeration:

Value	Description
scientificlinuxcern	
scientificlinux	
windowsxp	
windowsvista	
ubuntu	
debian	
centos	
leopard	

18.24 AppEnvState_t

Open enumeration:

Value	Description
tested	
installed	
dynamic	
toberemoved	

18.25 License_t

Closed enumeration

Value	Description
opensource	
commercial	
unknown	

18.26 SetupMethod_t

Closed enumeration

Value	Description
default	
setenv	
...	

18.27 ComputingActivityState_t

Open enumeration:

Value	Description

18.28 ExpirationMode_t

Closed enumeration:

Value	Description
never	
warn	
release	

18.29 StorageShareState_t

Closed enumeration:

Value	Description
ok	
down	
maintenance	

18.30 StorageAccessProtocol_t

Open enumeration:

Value	Description
gsiftp	
nfs	
afs	
rpio	
gsirpio	
dcap	
gsidcap	
root	
https	

18.31 StorageEnvironmentType_t

Closed enumeration:

Value	Description
-------	-------------

volatile	
durable	
permanent	

18.32 AccessLatency_t

Closed enumeration:

Value	Description
online	
nearline	
offline	

18.33 RetentionPolicy_t

Closed enumeration:

Value	Description
custodial	
output	
replica	

In the final section, this page will contain the XML Schema rendering of GLUE 2.0. Meanwhile, the draft schema can be located at the following page:

<http://forge.ogf.org/sf/wiki/do/viewPage/projects.glue-wg/wiki/GLUE2XMLSchema>

19. Appendix C: XML Schema Rendering**20. Appendix D: LDAP Rendering**

In the final section, this page will contain the LDAP rendering of GLUE 2.0 (both schema and Directory Information Tree description). Meanwhile, the draft schema can be located at the following page:

<http://forge.ogf.org/sf/wiki/do/viewPage/projects.glue-wg/wiki/GLUE2LDAP>

21. Appendix E: Relational Rendering

In the final section, this page will contain the Relational Schema rendering of GLUE 2.0. Meanwhile, the draft schema can be located at the following page:

<http://forge.ogf.org/sf/wiki/do/viewPage/projects.glue-wg/wiki/GLUE2Relational>