



Function definition → generated form ↔ live code

```
from openhcs.core.memory import numpy

@numpy
def paper_rescale_signal(
    image,
    gain: float=1.2,
    offset: float=0.0,
):
    """Rescale image intensities with a
    gain and offset.

    gain: Multiplicative intensity
    scale.
    offset: Constant added after
    scaling.
    """
    return image * gain + offset
```

Docstring excerpt; registered source retained

Register



Generated form controls



The generated form shows a control for 'paper_rescale_signal' with a green question mark icon, a checked checkbox, and a 'Reset' button. Below this are two input fields: 'Gain' with a value of 1.2 and 'Offset' with a value of 0. Both input fields have a green question mark icon next to them.

The same function and parameters

Live editable Python

```
# Edit this function pattern and save to apply changes

from openhcs.processing.custom_functions import paper_rescale_signal

pattern = [
    (paper_rescale_signal, {
        'gain': 1.2,
        'offset': 0.0,
        'enabled': True
    })
]
```

Native form and code • OpenHCS 0.8.7

The same declaration also supplies the agent-facing catalog

gain: float = 1.2

Multiplicative intensity scale.

offset: float = 0.0

Constant added after scaling.

Declaration-derived controls and catalog • editable Python uses the same workflow