

A Detection repair
Same image · computational reference
Object F1
1.0
0.5
0.0
0.929
0.944
First
Final
B Similar accuracy across agents
F1: missed and false detections
Pooled F1
0.94
0.92
0.90
0.88
All 200 fields
175 uninspected fields
Analysis 2: same 3 inspected fields
0.908 → 0.934
Analysis 2
Analysis 3
Analysis 4
C Cell-boundary accuracy
Manual outlines · 16 fields per analysis
Border support (2-pixel fraction)
0.9
0.8
0.7
0.6
Pooled 0.743
Pooled 0.740
Analysis 2
Analysis 3
D 3D centre localisation
Partial centre annotations
Mean centre error (voxels)
6
4
2
0
14/15
15/15
15/15
15/15
10
20
30
40
(primary)
Matching distance (voxels)
E Both drugs produce a translocation response
96 wells (4 development) · mean ± SD of 4 wells per dose
LY294002 · Z′ = 0.849
GFP N/C (log₂ ratio)
2
0
0.31
0.63
1.25
2.5
5
10
20
40
80
Concentration (μM)
Wortmannin · Z′ = 0.726
2
0
0.98
1.95
3.91
7.81
15.63
31.25
62.5
125
250
Concentration (nM)
F An agent separates previously merged nuclear detections
Raw DNA
First · combined
Final · combined