

OpenITI, ver. 2023.1.8

—Release Notes—

Clean Corpus

In the current release, the development team has removed editorial parts from all primary versions of the texts. These texts do not have editorial introductions, footnotes, indices or any other modern additions to the text and have the tag "CLEANED_VERSION" in the metadata.

A version of the corpus that contains only a single version of each text, without modern additions, is released separately.

Uncorrected OCR

The corpus contains a growing number of texts generated using OCR. These texts have error rates of 3% and higher, and have not been corrected. They are marked with an "UNCORRECTED_OCR" tag in the metadata so that they can be excluded from types of analysis that could be negatively affected by these errors.

Corpus Metadata

Machine-readable metadata on the current release corpus is updated and available in the `OpenITI_metadata_2023-1-8.csv` file (in TSV format).

Note: In previous releases, the book *Bihār al-anwār* (1111Majlisi.BiharAnwar) was split into three sections because the text was too large for GitHub. In the current release, removing editorial materials from all versions of the text brought down their size to below the GitHub limit. This means there are not multiple text files and book ids for each version anymore and all paths to the text files in the metadata are now valid.

Folder structure:

- **data:** main data folder with Author > Book > Versions structure;
- **OpenITI_metadata_2023-1-8.csv:** metadata file, with a row for each text in the corpus;
- **release_notes:**
 - **OpenITI_release-notes_2023-1-8.pdf:** these release notes;
 - **release-notes_files_2023-1-8.zip:** csv files including the provided list of new changes in the current release (see the description of each file in this release notes).

Corpus Statistics

Category	Stats
Number of unique titles	8,600
Number of authors	3,254
Number of books (all versions with unique ids)	13,158
Number of uncorrected OCRred texts ¹	342

Lengths of texts (all books, including all versions)

	Number of words	Number of pages (300 w/p)
Total	2,275,216,771	7,584,056
Min.	9	1
1st Qu.	8,847	30
Median	34,523	116
Mean	172,916	577
3rd Qu.	116,028	387
Max.	9,936,642	33,123

¹ The uncorrected OCRred texts are specified by the “UNCORRECTED_OCR” tag in the “tags” column of the metadata files.

Lengths of texts (unique books, including primary versions only)

	Number of words	Number of pages (300 w/p)
Total	1,054,046,298	3,513,488
Min.	9	1
1st Qu.	8,040	27
Median	28,796	96
Mean	122,564	409
3rd Qu.	86,688	289
Max.	8,153,084	27,177

Annotation statistics

<i>Number of annotated and vetted texts (extension .mARkdown)</i>	561
<i>Number of annotated texts (extension .completed)</i>	801
<i>Number of texts .inProgress</i>	11

Book Ids

The list of the new book ids in this version is available in the `ids.csv` file. It includes the newly added book ids and modified ids. The URI includes the information of the new book (i.e., date, author, and book title).

Modified URIs

List of modified URIs in the current release is available in `modified_uris.csv`. Changes typically affect such fields as year, author, and title. These changes are applied to the entire metadata (book IDs remain unchanged).

Annotation Update

The list of texts that have been structurally annotated or where the annotation has changed (can be tracked by the file extensions) since our previous release (version [2022.2.7](#)) is provided in `annotation_update.csv`. This file shows URIs of texts together with their current extension, which is a part of the `local_path` field value in the metadata file.

For more information on the OpenITI mARkdown and the extensions please see [here](#).

Credits

current contributors:

- Sohail Merchant (*metadata app*)
 - Lorenz Nigst (*corpus management; structural annotation; OCR*)
 - Maxim Romanov (*OpenITI co-PI; conceptual development; mARkdown*)
 - Sarah Bowen Savant (*OpenITI co-PI; KITAB Project PI*)
 - Masoumeh Seydi (*technical development*)
 - Peter Verkinderen (*technical development; preparing new texts for the corpus; metadata app*)
-
- Mathew Barber (*structural annotation*)
 - Gowaart Van Den Bossche (*structural annotation*)
 - Hamidreza Hakimi (*structural annotation*)
 - Aslisho Qurboniev (*structural annotation*)

past contributors:

- Maroussia Bednarkiewicz (*structural annotation*)
- Christoph Gümmer (*structural annotation*)
- Jonas Köpsel (*structural annotation*)
- Cornelis [Eric] Van Lit (*structural annotation*)
- Simon Loynes (*structural annotation*)
- Cornelia Neubauer (*structural annotation*)
- Leonie Nückell (*structural annotation*)
- Fatemeh Shams (*structural annotation*)