

# Package ‘ropenaire’

July 2, 2015

**Type** Package  
**Title** Search OpenAIRE  
**Version** 0.1  
**Date** 2015-07-02  
**Author** Najko Jahn [aut, cre]  
**Maintainer** Najko Jahn <najko.jahn@uni-bielefeld.de>

**Description** Client for the OpenAIRE API.  
The API is intended for metadata discovery and exploration only,  
that is it does not give direct access to publication files and it does not provide access  
to the whole information space: the number of total results returned by one query is limited  
to 10,000.

**License** MIT + file LICENSE  
**LazyData** TRUE  
**Imports** httr, XML, dplyr  
**Suggests** testthat

## R topics documented:

roa_projects . . . . .	1
roa_pubs . . . . .	2
<b>Index</b>	<b>3</b>

---

roa_projects	<i>Get EC projects</i>
--------------	------------------------

---

**Description**  
Get EC projects

**Usage**  
roa\_projects(org = NULL, limit = 1000, ...)

**Arguments**

org	Search for projects by participant institutions (acronym)
limit	number of projects to be returned
...	other API parameters <a href="http://api.openaire.eu/">http://api.openaire.eu/</a>

**Examples**

```
roa_projects(org = "UGOE")
```

---

roa_pubs	<i>Search FP7 publications</i>
----------	--------------------------------

---

**Description**

Search FP7 publications

**Usage**

```
roa_pubs(fp7 = NULL, limit = 1000, ...)
```

**Arguments**

fp7	Search for publications associated to a FP7 project with the given grant number
limit	limit number of records
...	other API parameters <a href="http://api.openaire.eu/">http://api.openaire.eu/</a>

# Index

roa\_projects, [1](#)  
roa\_pubs, [2](#)