Package 'ropenaire'

July 2, 2015

Type Package	e
Title Search OpenAIRE	
Version 0.1	
Date 2015-07-02	
Author Najko Jahn [aut, cre]	
Maintainer Najko Jahn <najko.jahn@uni-bielefeld.de></najko.jahn@uni-bielefeld.de>	
Description Client for the OpenAIRE API. The API is intended for metadata discovery and exploration only, that is it does not give direct access to publication files and it does not provide access to the whole information space: the number of total results returned by one query is limited to 10,000.	
License MIT + file LICENSE	
LazyData TRUE	
Imports httr, XML, dplyr	
Suggests testthat	
roa_projects	1 2
Thuck	•
roa_projects Get EC projects	
Description	
Get EC projects	
Usage	
<pre>roa_projects(org = NULL, limit = 1000,)</pre>	
1	

2 roa_pubs

Arguments

org Search for projects by participant institutions (acronym)
limit number of projects to be returned

... other API parameters http://api.openaire.eu/

Examples

```
roa_projects(org = "UGOE")
```

roa_pubs

Search FP7 publications

Description

Search FP7 publications

Usage

```
roa_pubs(fp7 = NULL, limit = 1000, ...)
```

Arguments

fp7 Search for publications associated to a FP7 project with the given grant number limit limit number of records
... other API parameters http://api.openaire.eu/

Index

roa_projects, 1
roa_pubs, 2