

N9H26 Linux emWin HMI Change Log

Document Information

Abstract	Introduce N9H26 Linux emWin HMI change log.
Apply to	N9H26 series

The information described in this document is the exclusive intellectual property of Nuvoton Technology Corporation and shall not be reproduced without permission from Nuvoton.

Nuvoton is providing this document only for reference purposes of NuMicro microcontroller based system design.

Nuvoton assumes no responsibility for errors or omissions.

All data and specifications are subject to change without notice.

For additional information or questions, please contact: Nuvoton Technology Corporation.

www.nuvoton.com



Table of Contents

1	INTRODUCTION	. 3
2	N9H26 LINUX EMWIN HMI CHANGE HISTORY	4
	2.1 Change Log	4



1 Introduction

This document describes the files meaning in application/emWin/Doc folder and Nuvoton N9H26 Linux emWin HMI library change log.

Note: "Official" means this document comes from SEGGER emWin.

File Name	Description
Changelog.pdf	Nuvoton N9H26 Linux emWin HMI Change log
AN03002_Custom_Widget_Type.pdf	Official application note
Release.html	Official change history
UM03001_emWin.pdf	Official user manual



2 N9H26 Linux emWin HMI Change History

This chapter introduces N9H26 Linux emWin HMI change log in the Nuvoton N9H26 Linux BSP.

2.1 Change Log

N9H26 Linux emWin HMI version	Description
V6.10f.2	 Nuvoton emWin HMI library comes from SEGGER emWin version V6.10f. Supported RGB565 or RGB888 rotation. (Source or destination)
V5.48k.2	 Nuvoton emWin HMI library comes from SEGGER emWin version V5.48k. Updated definition GUI_NUM_LAYERS from 1 to 4. (SoftLayer)
V5.46h.2	 Initially created, Nuvoton emWin HMI library comes from SEGGER emWin version V5.46h. Updated definition GUI_USE_ARGB from 0 to 1. Updated touch from INT to POLL mode. Added H/W JPEG. (decoder) Added H/W BitBlt. (Rotation, Scaling and Translation) Added H/W BitBlt. (alpha blending)



Revision History

Date	Revision	Description
2020.05.28	1.00	1. Initially issued.



Important Notice

Nuvoton Products are neither intended nor warranted for usage in systems or equipment, any malfunction or failure of which may cause loss of human life, bodily injury or severe property damage. Such applications are deemed, "Insecure Usage".

Insecure usage includes, but is not limited to: equipment for surgical implementation, atomic energy control instruments, airplane or spaceship instruments, the control or operation of dynamic, brake or safety systems designed for vehicular use, traffic signal instruments, all types of safety devices, and other applications intended to support or sustain life.

All Insecure Usage shall be made at customer's risk, and in the event that third parties lay claims to Nuvoton as a result of customer's Insecure Usage, customer shall indemnify the damages and liabilities thus incurred by Nuvoton.

Please note that all data and specifications are subject to change without notice.

All the trademarks of products and companies mentioned in this datasheet belong to their respective owners.