



Business Interoperability Specification



OpenPEPPOL AISBL



**Pre Award Coordinating
Community**

**ICT -
Models**

BIS eDelivery guide
for pre-award



**Version: 1.3
Status: Final**



Statement of copyright

This PEPPOL Business Interoperability Specification (BIS) document is based on the CEN CWA prepared by the BII workshop specified in the Introduction below. The original CEN CWA document contains the following copyright notice which still applies:

© 2012 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

The CEN CWA documents and profiles prepared by the BII workshop are not specific to a business area. Subject to agreement with CEN, customizations have been made by PEPPOL to establish the PEPPOL BIS, detailing and adding further guidance on the use of BII profiles.

OpenPEPPOL AISBL holds the copyright in the customizations made to the original document. The customizations appear from the corresponding conformance statement which is attached to this document. For the purpose of national implementations, customizations covered by the conformance statement may be further refined and detailed by PEPPOL Authorities and/or other entities authorized by OpenPEPPOL AISBL, provided that interoperability with PEPPOL BIS is ensured. This PEPPOL BIS document may not be modified, re-distributed, sold or repackaged in any other way without the prior consent of CEN and/or OpenPEPPOL AISBL.

Table of Contents

1	INTRODUCTION	4
1.1	AUDIENCE	4
2	REFERENCES	5
3	DOCUMENT HISTORY	6
3.1	REVISION HISTORY	6
3.2	CONTRIBUTORS	6
4	IDENTIFIER POLICIES	7
4.1	INTRODUCTION	7
4.2	PARTY IDENTIFICATION USED IN BUSINESS (UBL) DOCUMENTS	7
4.3	UBL VERSION IDENTIFIERS USED IN BUSINESS (UBL) DOCUMENTS	7
4.4	PROFILE ID, CUSTOMIZATION ID AND DOCUMENTID	8
4.5	IDENTIFIER SCHEME VALUES	10
4.6	ADDITIONAL RULES	11
4.6.1	<i>Enveloping rules</i>	11
4.6.2	<i>Governance rules for identifiers</i>	11
5	REM EVIDENCE PROFILE	11
5.1	INTRODUCTION	11
5.2	DESCRIPTION	12
5.3	REM-MD EVIDENCE SIGNING	14
6	SBDH PROFILE	15
6.1	INTRODUCTION	15
6.2	DESCRIPTION	15

1 Introduction

This document describes the common building blocks to enable execution of pre-award processes. The building blocks provide transport specifications, such as envelope description, the use of a container to package documents and signature requirements.

All requirements in this document have been designed, tested and approved in the European Large Scale Pilot e-SENS and as such part of the European library of digital building blocks (DSI's).

1.1 Audience

The audience for this document is organizations wishing to be PEPPOL enabled for exchanging pre-award business documents, and/or their ICT-suppliers. These organizations may be:

- ▶ Service providers
- ▶ Contracting Authorities
- ▶ Economic Operators
- ▶ Software Developers

More specifically, it is addressed towards the following roles:

- ▶ ICT Architects
- ▶ ICT Developers
- ▶ Business Experts

2 References

[PEPPOL]	http://www.peppol.org/
[CEN_BII3]	https://standards.cencenelec.eu/dyn/www/f?p=205:32:0::::FSP_ORG_ID,FSP_LANG_ID:2073699,25&cs=1764296F93587711762A3AB227353671A
[eSENS]	http://wiki.ds.unipi.gr/display/ESENSPILOTS/D5.6-1+-+5.1.1+-+eTendering
[ETSI REM]	https://www.etsi.org/deliver/etsi_ts/102600_102699/10264002/02.01.01_60/ts_10264002v020101p.pdf
[PEPPOL Pre-Award Specs]	https://docs.peppol.eu/pracc/
[PEPPOL_CodeList]	https://docs.peppol.eu/edelivery/codelists/
[PEPPOL_eDelivery]	https://peppol.org/library/
[UBL]	http://docs.oasis-open.org/ubl/UBL-2.2.html

3 Document history

3.1 Revision history

Version	Date	Author	Organisation	Description
0.1	01-02-2018	Chander Khoenkhoen	PIANOO	First version
0.2	08-03-2018	Kornelis Drijfhout	PIANOO	Addressed review comments difi
1.1	25-06-2018	Kornelis Drijfhout	PIANOO	Addressed review comments from CMB, deleting Specifications for ASiC, adding Cryptographic Specifications for REM-evidence.
1.2	13-02-2019	Jerry Dimitriou	OpenPEPPOL OO	Alignment of the guide with the latest peppol specifications
1.3	08-07-2022	Felicia Tsakonas, Ansgar Mondorf	adesso SE, UKL	Update guide for newest profiles and update links
1.3	24-02-2023	Ansgar Mondorf	Mondorf IT	Final Editing, Updating Links

3.2 Contributors

Country	Name	Organization (= Beneficiary – Organization in national consortium – Subcontractor)
NL	Kornelis Drijfhout	PIANOO – WG leader
GR	Jerry Dimitriou	University of Piraeus Research Center (UPRC)
GR	Lefteris Leontaridis	NetSmart – senior OpenPEPPOL advisor
GR	Andriana Prentza	University of Piraeus Research Center (UPRC)
ES	Manuel Cano Gomez	NEXUS IT
NO	Jan Mærøe	Difi
NO	Siw Midtgård Meckelborg	Difi
NO	Bergheim, Erlend Klakegg	Difi
IT	Elisa Bertocchi	Intercent-ER Agency
IT	Gandolfi Gabriele	Intercent-ER Agency
IT	Isabella Rapisarda	Consip – Pre-Award CC leader
DE	Ansgar Mondorf	University of Koblenz, Mondorf IT
SE	Daniel Simonsson	Visma
BE	Stefan Van Der Meulen	BOSA
DK	Anna-Lis	Difi – OpenPEPPOL office
DE	Rolf Kewitz	Beschaffungsamt des Bundesministeriums des Innern
PT	Daniel Lobo	Vortal
NL	Sander Fieten	Chasquis
ES	Alberto Chacon	Pixelware
PT	Helder Aranha	EsPAP
PT	Isabel Martins	EsPAP

4 Identifier Policies

4.1 Introduction

PEPPOL has defined a Policy for Using Identifiers [PEPPOL_eDelivery] that specifies how to use identifiers in both its transport infrastructure and within the documents exchanged across that infrastructure. It also introduces principles for any identifiers used in the PEPPOL environment. The eTendering pilot adopts and extends the PEPPOL Policy in the following ways:

4.2 Party Identification used in business (UBL) documents

Party identification relates to business entities and is only used in business documents.

The @schemeID attribute must be populated in all instances of the ID element when used within a PartyIdentification-container and in all instances of the EndpointID element when used within a Party-container.

Examples of usage in PartyIdentification and EndpointID:

```
1<cbc:EndpointID schemeID="9930">DE122268496</cbc:EndpointID>
2...
3<cac:PartyIdentification>
4    <cbc:ID schemeID="0204">991-1234512345-06</cbc:ID>
5</cac:PartyIdentification>
```

Further information about the Peppol Policy for use of identifiers can be found at [PEPPOL_eDelivery]

4.3 UBL Version Identifiers used in business (UBL) documents

All BIS specifications that are described in this page are using the UBL 2.2 syntax. The namespace of the XML-message does only communicate the major version number. Since it is important for the receiver to also know what minor version of the syntax that is used, the element UBLVersionID must be stated with the value 2.2:

```
1<cbc:UBLVersionID>2.2</cbc:UBLVersionID>
```

4.4 Profile ID, Customization ID and DocumentID

The PEPPOL Customization ID identifies the specification of content and rules that apply to the transaction. It is connected to a ProcessID which points to a PEPPOL BIS that is illustrating the use of the transaction. For each CustomizationID, a corresponding DocumentID is defined that points to the underlying UBL syntax message.

- The DocumentID specifies the Peppol Document Type Identifier value
- The ProcessID specifies the Peppol Process Identifier value

The values of Process ID and Document Type ID are necessary in the SML/SMP discovery process to retrieve the relevant service metadata. Both values should be mapped to the element located at: StandardBusinessDocument/StandardBusinessDocumentHeader/BusinessScope/Scope/InstanceIdentifier

Which Customization ID should be used, is based on which transaction is sent. The customization ID is declared in the business document together with its Profile ID.

The table below shows an overview of the values to be used for the ProcessID, CustomizationID and DocumentID per transaction. The DocumentIDs are published as OpenPeppol eDEC Code Lists [PEPPOL_CodeList].

Trns ID	Transaction name	Short description	ProcessID	CustomizationID	DocumentID
T001	ExpressionOfInterestRequest	EO shows his interest in the procurement project	urn:fdc:peppol.eu:prac:bis:p001:1.2	urn:fdc:peppol.eu:prac:trns:t001:1.2	urn:oasis:names:specification:ubl:schema:xsd:ExpressionOfInterestRequest-2::ExpressionOfInterestRequest##urn:fdc:peppol.eu:prac:trns:t001:1.1::2.2
T002	ExpressionOfInterestResponse	CA responds to the subscribe to procedure	urn:fdc:peppol.eu:prac:bis:p001:1.2	urn:fdc:peppol.eu:prac:trns:t002:1.2	urn:oasis:names:specification:ubl:schema:xsd:ExpressionOfInterestResponse-2::ExpressionOfInterestResponse##urn:fdc:peppol.eu:prac:trns:t002:1.1::2.2
T021	UnsubscribeFromProcedureRequest	EO wants to unsubscribe from the procurement project	urn:fdc:peppol.eu:prac:bis:p001:1.2	urn:fdc:peppol.eu:prac:trns:t021:1.2	urn:oasis:names:specification:ubl:schema:xsd:UnsubscribeFromProcedureRequest-2::UnsubscribeFromProcedureRequest##urn:fdc:peppol.eu:prac:trns:t021:1.2:2.2
T022	UnsubscribeFromPreocudreResponse	CA sends unsubscription acknowledgement to EO	urn:fdc:peppol.eu:prac:bis:p001:1.2	urn:fdc:peppol.eu:prac:trns:t022:1.2	urn:oasis:names:specification:ubl:schema:xsd:UnsubscribeFromProcedureResponse-2::UnsubscribeFromProcedureResponse##urn:fdc:peppol.eu:prac:trns:t022:1.2:2.2
T003	TenderStatusRequest	EO requests CA for the procurement project documents	urn:fdc:peppol.eu:prac:bis:p002:1.1	urn:fdc:peppol.eu:prac:trns:t003:1.1	urn:oasis:names:specification:ubl:schema:xsd:TenderStatusRequest-2::TenderStatusRequest##urn:fdc:peppol.eu:prac:trns:t003:1.1::2.2
T004	CallForTenders	CA sends all procurement project documents to EO	urn:fdc:peppol.eu:prac:bis:p002:1.1	urn:fdc:peppol.eu:prac:trns:t004:1.1	urn:oasis:names:specification:ubl:schema:xsd:CallForTenders-2::CallForTenders##urn:fdc:peppol.eu:prac:trns:t004:1.1::2.2
T005	Tender	EO sends his tender for the procurement project to CA	urn:fdc:peppol.eu:prac:bis:p003:1.1	urn:fdc:peppol.eu:prac:trns:t005:1.1	urn:oasis:names:specification:ubl:schema:xsd:Tender-2::Tender##urn:fdc:peppol.eu:prac:trns:t005:1.1::2.2
T006	TenderReceipt	CA receives the tender and sends acknowledgement to EO	urn:fdc:peppol.eu:prac:bis:p003:1.1	urn:fdc:peppol.eu:prac:trns:t006:1.1	urn:oasis:names:specification:ubl:schema:xsd:TenderReceipt-2::TenderReceipt##urn:fdc:peppol.eu:prac:trns:t006:1.1::2.2

T007	Tendering Questions	The EO sends questions for the Call for Tender to the CA.	urn:fdc:peppol.eu:prac:bis:p004:1.1	urn:fdc:peppol.eu:prac:trns:t007:1.1	urn:oasis:names:specification:ubl:schema:xsd:Enquiry-2::Enquiry##urn:fdc:peppol.eu:prac:trns:t007:1.1::2.2
T008	Tender Answers	The CA sends answers to all subscribed EOs.	urn:fdc:peppol.eu:prac:bis:p004:1.1	urn:fdc:peppol.eu:prac:trns:t008:1.1	urn:oasis:names:specification:ubl:schema:xsd:EnquiryResponse-2::EnquiryResponse##urn:fdc:peppol.eu:prac:trns:t008:1.1::2.2
T009	Tender Clarification Request	The CA sends a tender clarification request to the EO.	urn:fdc:peppol.eu:prac:bis:p005:1.1	urn:fdc:peppol.eu:prac:trns:t009:1.1	urn:oasis:names:specification:ubl:schema:xsd:Enquiry-2::Enquiry##urn:fdc:peppol.eu:prac:trns:t009:1.1::2.2
T010	Tender Clarification	The EO sends a tender clarification to the CA.	urn:fdc:peppol.eu:prac:bis:p005:1.1	urn:fdc:peppol.eu:prac:trns:t010:1.1	urn:oasis:names:specification:ubl:schema:xsd:EnquiryResponse-2::EnquiryResponse##urn:fdc:peppol.eu:prac:trns:t010:1.1::2.2
T011	Search Notice Request	The requester sends a Search Notice Request to the Data Provider.	urn:fdc:peppol.eu:prac:bis:p006:1.1	urn:fdc:peppol.eu:prac:trns:t011:1.1	urn:oasis:names:tc:ebxml-regrep:xsd:query:4.0::QueryRequest##urn:fdc:peppol.eu:prac:trns:t011:1.1::4.0
T012	Search Notice Response	The Data Provider sends a Search Notice Response to the Requester.	urn:fdc:peppol.eu:prac:bis:p006:1.1	urn:fdc:peppol.eu:prac:trns:t012:1.1	urn:oasis:names:tc:ebxml-regrep:xsd:query:4.0::QueryResponse##urn:fdc:peppol.eu:prac:trns:t012:1.1::4.0
T013	Tender Withdrawal	The EO sends a Tender Withdrawal to the CA.	urn:fdc:peppol.eu:prac:bis:p007:1.1	urn:fdc:peppol.eu:prac:trns:t013:1.1	urn:oasis:names:specification:ubl:schema:xsd:TenderWithdrawal-2::TenderWithdrawal##urn:fdc:peppol.eu:prac:trns:t013:1.1::2.2
T014	Tender Withdrawal Reception Notification	The CA sends a Tender Withdrawal Reception Notification to the EO.	urn:fdc:peppol.eu:prac:bis:p007:1.1	urn:fdc:peppol.eu:prac:trns:t014:1.1	urn:oasis:names:specification:ubl:schema:xsd:TenderReceipt-2::TenderReceipt##urn:fdc:peppol.eu:prac:trns:t014:1.1::2.2
T015	Publish Notice	The requester sends a Publish Notice Request to the publisher.	urn:fdc:peppol.eu:prac:bis:p008:1.1	urn:fdc:peppol.eu:prac:trns:t015:1.1	urn:oasis:names:tc:ebxml-regrep:xsd:lcm:4.0::SubmitObjectsRequest##urn:fdc:peppol.eu:prac:trns:t015:1.1::4.0
T016	Notice Publication Response	The publisher sends a Notice Publication Response to the requester.	urn:fdc:peppol.eu:prac:bis:p008:1.1	urn:fdc:peppol.eu:prac:trns:t016:1.1	urn:oasis:names:specification:ubl:schema:xsd:ApplicationResponse-2::ApplicationResponse##urn:fdc:peppol.eu:prac:trns:t016:1.1::2.2
T017	Notify Awarding	The CA sends an awarding notification to all EOs that have tendered.	urn:fdc:peppol.eu:prac:bis:p009:1.1	urn:fdc:peppol.eu:prac:trns:t017:1.1	urn:oasis:names:specification:ubl:schema:xsd:AwardedNotification-2::AwardedNotification##urn:fdc:peppol.eu:prac:trns:t017:1.4::2.2
T018	Tendering Message Response	The receiver of a business document sends a Tendering Message Response to the sender of the business document.	urn:fdc:peppol.eu:prac:bis:p010:1.0	urn:fdc:peppol.eu:prac:trns:t018:1.1	urn:oasis:names:specification:ubl:schema:xsd:ApplicationResponse-2::ApplicationResponse##urn:fdc:peppol.eu:prac:trns:t018:1.1
T019	Qualification	EO sends his qualification documents for the procurement project to CA the sender	urn:fdc:peppol.eu:prac:bis:p011:1.0	urn:fdc:peppol.eu:prac:trns:t019:1.1	urn:oasis:names:specification:ubl:schema:xsd:TendererQualification-2::TendererQualification##urn:fdc:peppol.eu:prac:trns:t019:1.1

		of the business document.			
T020	Qualification Reception Confirmation	CA sends acknowledgement to EO about the reception of the qualification.	urn:fdc:peppol.eu:prac:bis:p011:1.0	urn:fdc:peppol.eu:prac:trns:t020:1.1	urn:oasis:names:specification:ubl:schema:xsd:TenderReceipt-2::TenderReceipt## urn:fdc:peppol.eu:prac:trns:t020:1.1

Note for implementers: Please note that the Process ID and Document ID in the document instance MUST correspond to the SMP process identifier according to the Peppol eDelivery codelists [PEPPOL_CodeList].

4.5 Identifier Scheme Values

Applies to: all participant identifiers in all components

The values for the initial PEPPOL Issuing Agency Code list were taken from the NESUBL PartyID code list¹ but this has been extended to cover use by all PEPPOL use cases and includes other known Issuing Agencies (from e.g. ISO 6523²).

It is significant that this list will need ongoing extension under governance procedures currently being developed. To ensure sustainability and proper governance it is proposed to include only Issuing Agency Codes (IACs) in the following order of priority:

1. International recognized standard schemes, then
2. International de-facto accepted schemes, then
3. Nationally defined schemes

The actual values for numeric International Code Designators were based on the following allocation criteria:

1. ISO 6523 International Code Designator (if known), or
2. ISO 9735 Identification code qualifier (if known), or
3. An incremental number starting from 9900 (issued by PEPPOL)

Even though these numeric values are based on ISO code sets, they form a separate Peppol code set because they contain additional values. Therefore the Issuing Agency for all numeric codes is Peppol and not ISO 6523.

¹ <http://www.nesubl.eu/download/18.6dae77a0113497f158680002577/NES+Code+Lists+and+Identification+Schemes+-+Version+2.pdf>

² <https://www.iso.org/standard/25773.html>

Note: The normative version of the code list is available at [PEPPOL_CodeList].

Note: rows marked as deprecated should not be used for newly issued documents, as the respective identifier issuing agency is no longer active/valid. Deprecated scheme IDs may however not be reused for different agencies as existing exchanged documents may refer to them.

Note: Further information about the Peppol Policy for use of identifiers can be found at [PEPPOL_eDelivery]

4.6 Additional rules

4.6.1 Enveloping rules

CENBII's CWA 3456 Part 105 profile 35 - Advanced Tendering with Pre-award Catalog is the most generic specification regarding enveloping rules in eTendering domain.

In order to fulfill *profile 35 section 3.1.1 Enveloping* of the aforementioned generic specification, and also to support the use case of a single End Entity (PEPPOL Participant, i.e. Contracting Authority or Economic operator) using multiple Tender Systems, the following mapping/enveloping rules are established:

- BIS: the content of Endpoint ID field shall be the receiver Tender System PEPPOL Identifier
- SBDH: The value of EndpointID field shall be mapped in the Receiver/Identifier field of SBDH as an iso6523-actorid-upis identifier (see SBDH profile)

4.6.2 Governance rules for identifiers

- For each tender project, the Contracting Authority shall publish in the “notice” both PartyIdentification ID and Endpoint ID identifiers in use by itself throughout the project. This reception of notice information is covered by the Profile P006 - Search Notices.
- For each tender project, the Tender Systems serving Economic Operators shall obtain from the respective EO and maintain the CA's published PartyIdentification ID and Endpoint ID as per above.
- For each tender project, the Tender System serving the Contracting Authority shall obtain from the latter (or indirectly from a Standard Business Documents originating from Economic Operators) and maintain the PartyIdentification ID and Endpoint ID identifiers for each Economic Operator.
- For each tender project, all Tender Systems shall use the obtained PartyIdentification ID and Endpoint ID identifiers as per above when generating business messages, and in accordance with the Enveloping rules set in the previous section.
- Tendering Systems shall register their identifier in the SMP, in order that messages be properly routable by eDelivery.

5 REM Evidence Profile

5.1 Introduction

The Registered Electronic Mail-Management Domain (REM-MD) Evidence is based on ETSI TS 102 640-2 V2.1.1³. It contains evidence regarding the time of arrival of a tender and the hash value of the payload (the binary ASiC-E container), together with information of the sender and receiver of the tender. It is created by the receiving access points (evidence emitter) and send to the receiving eTendering system. The REM is created when the SBDH flag

IsNonRepudiationOfReceiptRequired is true . The XSD of the REM Evidence can be found at the following link:

http://wiki.ds.unipi.gr/download/attachments/31424684/TS02640_v2.xsd?version=2&modificationDate=1479922272000&api=v2

The REM Evidence must be created by the receiving access point when receiving the transactions T005 Tender and T013 Tender Withdrawal. It must then be forwarded to the receiving eTendering system. On the business level, the receiving eTendering system must return the REM Evidence to the sender of T005 and T013 as part of the transaction T006 TenderReceipt and T014 Tender Withdrawal Reception Notification to confirm the reception of tenders or tender withdrawals.

5.2 Description

The table below describes the specification for the REM-MD Evidence of delivery/non delivery.

*(In the table below: M=Mandatory, O=Optional)

Element / Attribute	M/ O*	Card.	Additional requirements / remarks	Value / example
Attribute version	M	1	Specifies the version of the standard to which the REM-MD Evidence adheres.	Fixed value: 2
EventCode	M	1	Value if message has been delivered to recipient. The negative case is out of scope.	Fixed value: http://uri.etsi.org/REM/Event#Delivery
EvidenceIdentifier	M	1	Unique identifier for REM-MD Evidence as computed by the Evidence issuer. This identifier identifies contains the message ID of this REM Evidence. This is a GUID. Use the message ID of the transport protocol receipt to fill this element and thus establish a link between the two messages. This may be necessary to trace the transport protocol receipt in the event of a dispute.	Example: 6ff84f9b-63fc-454a-93a4-a724ba0f41ce
EvidenceIssuerPolicyID	O	0..1	OID or URI specifying policy that applies to the related REM-MD Evidence issuance. A reference to PEPPOL Business Interoperability Specifications for P003 – Tender Submission. P003 or P007 Tender Withdrawal or P011 - Qualification	Example: https://docs.peppol.eu/pracc/profiles/p003/index.html https://docs.peppol.eu/pracc/profiles/p007/index.html
EvidenceIssuerDetails	M	1	The entity name of the Evidence Issuer.	Example: Holodeck B2B, UPRC Access Point

³https://www.etsi.org/deliver/etsi_ts/102600_102699/10264002/02.01.01_60/ts_10264002v020101p.pdf

EventTime	M	1	This element will contain the time when the last bit of the message is received from the network to the AP. The granularity consist of date plus hours, minutes and seconds, with the decimal fraction of a second truncated. Format: YYYY-MM-DDThh:mm:ssTZD	Example: 2017-01-12T12:30:15+01:00
SenderDetails	M	1	Sender of the original message. This can be copied from the SBDH.	
AttributeElectronicAddress			Value of sbdh: Sender/ID	Example: 0106:30058019
AttributeElectronicAddress/@scheme			Value of sbdh: Sender/ID/@Authority	Fixed value: iso6523-actorid-upis
RecipientsDetails	M	1	The receiver of the original message. This can be copied from the SBDH.	
EntityDetails	M	1..n		
AttributeElectronicAddress			Value of sbdh: Receiver/ID	Example: 0096:10213231
AttributeElectronicAddress/@scheme			Value of sbdh: Receiver/ID/@Authority	Fixed value: iso6523-actorid-upis
SenderMessageDetails	M	1	Message subject, Id and hash value over the delivered message	
Attribute IsNotification	M	1	Field isNotification indicates whether the message whose details are provided is a notification (a message containing a pointer to the sender's message) or not.	Fixed value: false
MessageSubject	M	1	It contains the value of the document identifier of the message. Value of SBDH: BusinessScope/InstanceIdentifier where BusinessScope/Type is equal to DOCUMENTID	Example: urn:oasis:names:specification:ubl:schema:xsd:ExpressionOfInterestRequest-2::ExpressionOfInterestRequest##urn:fdc:peppol.eu:prac:trns:t001:1.1::2.2
uaMessageIdentifier	O	1	This field contains an identifier as computed by the user's eTendering system. A unique identification key to identify the procurement project. Value of sbdh: BusinessScope/Scope/Identifier where BusinessScope/Type is equal to DOCUMENTID.	Example: 123456789
MessageIdentifierByREMMID	M	1	This contains the identifier of the original message. This value is needed to create the relation between the original message and the Rem Evidence. Value of SBDH: DocumentIdentification/InstanceIdentifier	Example: 8f26a504-a1a1-4f5b-88cd-4d4d0efd2c72
DigestMethod	M	1	Contain the message's digest algorithm identifier.	Fixed value: http://www.w3.org/2001/04/xmlenc#sha256

DigestValue	M	1	Contain the digest value computed on the sender's message. Digest to be computed over the ASiC-E container, over the binary ASiC-E contents (not over its MIME container). Digest of the binary file with the extension "asice".	Example: e0d123e5f316bef78bdf5a008837577
Extensions	O	0..1	This element can be used to include the transport protocol receipt. This is a non-critical element which can be ignored by the receiver.	
Signature	M	0..1	This element in XAdES-B format is used to sign the Rem Evidence with the certificate of the Evidence Issuer.	These are the fixed parameters to used for the signature: CanonicalizationMethod Algorithm: http://www.w3.org/TR/2001/REC-xml-c14n-20010315 SignatureMethod Algorithm : http://www.w3.org/2001/04/xmldsig-more#rsa-sha256 Transform Algorithm: http://www.w3.org/2000/09/xmldsig#enveloped-signature DigestMethod Algorithm: http://www.w3.org/2001/04/xmldsig#sha256

5.3 REM-MD Evidence signing

Signing values				
Protocol	Algorithm	KeySize	HASH	reference
XADES B-B	DS-RSA; PSS (PKCS#1v2.1)	2048	SHA-256	RFC3447, PKCS1, ISO9796-2]

Certificate for signing	
type	X.509 V3
CN / Identity holding private key	C3, Access Point for C4, actor in charge of C3
Sign / Seal	Sealing, authenticity and integrity from signature creation time on
DATA / Payload	Includes Hash of received data (ASiC) container and receiving time
Key specs	RSA-2048
Key usage	Signature
extensions	Subject Key Identifier (CMS type 2)
HASH algorithm	SHA-256
PKI	Signed by the Pre-Award AP Provider certificate (C3) on behalf of C4
Qualified	NO
Verifiable / can be validated	YES (PTN PKI)

6 SBDH Profile

6.1 Introduction

SBDH (Standard Business Document Header) provides an XML format for a standardised business document envelope. The SBDH is based on UN/CEFACT STANDARD BUSINESS DOCUMENT HEADER Technical Specification Version 1.3.

The PEPPOL Pre-award follows the PEPPOL Business Message Envelope v 1.2, makes use of the non-xml payloads section of the specification. Specifically, it follows section 2.3.1 of the specification, using “**application/vnd.etsi.asic-e+zip**” for the mimeType attribute of the **<BinaryContent>** tag.

6.2 Description

The table below describes each of the elements of the SBDH, as they are used in the pre-award domain

SBDH Element / Attribute	Usage in eTendering pilot	OPTIONALITY	Occ	Value / Example
StandardBusinessDocumentHeader	The UN/CEFACT standard, containing information about the routing and processing of the business document. It also identifies the message set that is sent together with on SBDH and the version number of the document(s) contained. Header information MUST be provided using the 'StandardBusinessDocumentHeader' element.	MANDATORY	1..1	-
-- HeaderVersion	Version number of the SBDH standard used. The value of the 'HeaderVersion' element MUST be set to '1.0'. This is the version number of the standard.	MANDATORY	1..1	Value: 1.0
-- Sender	Sender of the message, party representing the organization which created the standard business document. The 'Sender' tag MUST be used exactly only once.	MANDATORY	1..1	-
---- Identifier	A unique identification key for the sender party. The value of the 'Identifier' element of 'PartnerIdentification' type MUST be in the [iso6523-actorid-upis] list. The value must be preceded by the schemeld.	MANDATORY	1..1	Example: 9930:DE122268496
---- Authority	Authority agency of the identification key. The 'Authority' attribute MUST be used.	REQUIRED	0..1	Value: iso6523-actorid-upis
-- Receiver	Receiver of the message, party representing the organization which receives the standard business document. The 'Receiver' tag MUST	MANDATORY	1..1	-

SBDH Element / Attribute	Usage in eTendering pilot	OPTIONALITY	Occ	Value / Example
	be used at least once and can occur multiple times.			
---- Identifier	A unique identification key for the receiver party. The value of the 'Identifier' element of 'PartnerIdentification' type MUST be in the [iso6523-actorid-upis] list. The value must be preceded by the schemeld.	MANDATORY	1..1	Example: 9946:500820007
---- Authority	Authority agency of the identification key. The 'Authority' attribute MUST be used.	REQUIRED	0..1	Value: iso6523-actorid-upis
-- DocumentIdentification	Identification information for the document	MANDATORY	1..1	-
---- Standard	The name of the document standard contained in the payload. The value of the element 'Standard' MUST be set to the value UBL.	MANDATORY	1..1	Value: UBL
---- TypeVersion	The version number of the UBL standard used. The SBDH specification requires that all documents sent with one header have the same version number.	MANDATORY	1..1	Example: 2.2
---- InstanceIdentifier	Description which contains reference information which uniquely identifies this instance of the Standard Business Document (SBD) between the 'Sender' and the 'Receiver'. This identifier identifies this document as being distinct from others. It contains the message ID. This is a GUID.	MANDATORY	1..1	Example: 5469cc5c-f15d-4631-b47d-a348f646ab7a
---- Type	This element identifies the type of the document. The value of the 'Type' element of 'DocumentIdentification' element MUST be set to the name of the XML element that defines the root of the business document. This is the name of the global XML element declared in the root schema for the business document in consideration. If there is a business need to send multiple types of documents, then the multiple types MUST be business documents related to each other and having the same version identifier. If sending multiple types, the value of the 'Type' element of the 'DocumentIdentification' element MUST be a list	MANDATORY	1..1	Examples: ExpressionOfInterestRequest, ExpressionOfInterestResponse, TenderStatusRequest

SBDH Element / Attribute	Usage in eTendering pilot	OPTIONALITY	Occ	Value / Example
	of comma separated values (CSV) of the multiple types.			
---- MultiType	Flag to indicate that there is more than one type of business document in the payload of the SBDH. The value of the 'MultiType' element of 'DocumentIdentification' element MUST be set to 'true' if sending multiple types of business document, else either the element may be skipped or if included then the value MUST be set to 'false'.	OPTIONAL	0..1	false or true
---- CreationDateAndTime	Date and time of the SBDH document creation. The value of the 'CreationDateAndTime' element MUST be set to the date and time when the 'document originating application' or the parser created the document. This value will typically be populated by the trading partner and will typically differ from the time stamping of the message by the communications software.	MANDATORY	1..1	Example: 2015-05-08T17:30:00+01:00
-- Manifest	Manifest that describes the business documents and related items, if any being sent in this package.	OPTIONAL	0..1	
---- NumberOfItems	The count of number of items associated with this package.	MANDATORY	1..n	Example: 2
---- ManifestItem	Provides information about the referenced item information; Repeatable if there is more than one item or attachments.	MANDATORY	1..1	
----- MimeTypeQualifierCode	Code describing whether the contents are XML or EDIFACT or X12, etc. syntax. Types are defined by IANA (see http://www.iana.org/assignments/media-types/). The first item must always reference the main document, which constitutes the entry point for package.	MANDATORY	1..1	Value of first item: application/xml Successive items should have mimetype according to the contents e.g. application/pdf
----- UniformResourceIdentifier	Content Identifier URI of the business document or other associated files.	MANDATORY	1..1	Example: cid:Biitrd081_ExpressionOfInterestRequest.xml
----- Description	The value contains the description of the documents referred to.	OPTIONAL	0..1	Examples: Call for Tender business document, Procurement project document
----- LanguageCode	Language of Item in ISO 639-1	OPTIONAL	0..1	Example: EN

SBDH Element / Attribute	Usage in eTendering pilot	OPTIONALITY	Occ	Value / Example
-- BusinessScope	Elements used to identify the ProcessID and DocumentID. The values of Process ID and Document ID are necessary in the SML/SMP discovery Process to retrieve the relevant service metadata.	MANDATORY	1..1	
---- Scope	Repeat twice - once for DocumentID once for ProcessID.	MANDATORY	2..*	
----- Type	Qualifier of how to understand the InstanceIdentifier element.	MANDATORY	1..1	Applicable Codes: - DOCUMENTID - PROCESSID
----- InstanceIdentifier	The ProcessID (profile ID) or DocumentID corresponding to PEPPOL SMP for which the enveloped payload is intended to be used for. For senders - this value can be used to retrieve the correct set of PEPPOL service metadata. For receivers - this value can be used to verify that the receiving PEPPOL Participant has published support for this DocumentID or ProcessID.	MANDATORY	1..1	Codelist [see Table in section 4.4 Profile ID, and Customization ID and DocumentID, columns ProcessID DocumentID] Example ProcessID: urn:fdc:peppol.eu:prac:bis:p001:1.2 Example DocumentID: urn:oasis:names:specification:ubl:schema:xsd:ExpressionOfInterestRequest-2::ExpressionOfInterestRequest###urn:fdc:peppol.eu:prac:tms:t001:1.1::2.2
----- Identifier	A unique identification key to identify the procurement project that this document refers to.	OPTIONAL	0..1	Example: 6346792
---- ScopeInformation	Abstract element. Will be replaced by BusinessService and/or CorrelationInformation	OPTIONAL		
----- BusinessService	Initiator's description of the service to be carried out on the SBD by receiver.	OPTIONAL	0..1	
----- ServiceTransaction	BusinessServiceTransaction is a specific instruction to be executed on the received Standard Business Document.	OPTIONAL	0..1	
----- IsNonRepudiationRequired	Non repudiation of origin and content means that the originator must digitally sign the business data and the recipient must store the business data (including the digital signature) in its original form for the duration mutually agreed to in a trading partner agreement.	REQUIRED	0..1	Applicable values: - true - false

SBDH Element / Attribute	Usage in eTendering pilot	OPTIONALITY	Occ	Value / Example
----- IsAuthenticationRequired	If IsNonRepudiationRequired is true, this tag is superfluous. Otherwise, the tag indicates whether the identity of the sending role is verified.	REQUIRED	0..1	Applicable values: - true - false
----- IsNonRepudiationOfReceiptRequired	Indicates that both partners agree to mutually verify receipt of requested business data and that the receipt must be non reputable.	REQUIRED	0..1	Applicable values: - true - false
----- IsIntelligibleCheckRequired	Both partners agree that a responding partner role must check (e.g. via use of a document digest) that received data is not garbled (unreadable, unintelligible) and has integrity (i.e. has not been altered) before acknowledgment of proper receipt is returned to the requesting partner.	REQUIRED	0..1	Applicable values: - true - false
----- IsApplicationErrorResponseRequested	Both partners agree that a responding partner's receiving business application must check for application level errors; and if any are detected, must respond with an Error Response Acknowledgment noting the errors detected.	REQUIRED	0..1	Applicable values: - true - false
----- CorrelationInformation	Co-relates requesting document information with the responding document information. This element substitutes the element 'ScopeInformation' when used.	OPTIONAL	0..1	
----- RequestingDocumentInstanceIdentifier	Identifier of requesting SBDH and SBD instance. This is a GUID.	REQUIRED	0..1	Example: 5469cc5c-f15d-4631-b47d-a348f646ab8a (Message ID)

Note: Further information about the PEPPOL SBDH Envelope Specification can be found at [PEPPOL_eDelivery]