



OPENRISK PLATFORM

Corrective Action Verification Dossier

Controlled before/after evidence and real desktop-application verification for the reported usability and result-presentation defects.

14/14

Historical checks passed

3/3

Tauri checks passed

7

Visual comparisons

EVIDENCE RANGE

Baseline

6a7f581

Fixed state

e824ad8

Prepared

28 July 2026

Evidence is generated from source-controlled historical revisions and a deterministic local verification plugin. Teacher-provided screenshots are not used as baseline material.

Executive Summary

The verification covers the corrective changes built on top of the release baseline. Seven defects have controlled visual comparisons. Three representative workflows were also exercised in the real Tauri application, including Rust persistence and plugin execution. The report does not treat screenshots alone as runtime proof.

Reported area	Status	Primary evidence
Trial charge notification	VERIFIED	Historical Playwright
API token input border	VERIFIED	Playwright + WebDriverIO
Application bottom whitespace	VERIFIED	Playwright + WebDriverIO
PEP relative/associate status	VERIFIED	Playwright + real plugin run
Shared target for combined entrypoints	VERIFIED	Historical Playwright
Country selection usability	VERIFIED	Playwright + WebDriverIO
Adverse activity emphasis in PDF	VERIFIED	Generated PDF comparison
Windows taskbar icon contrast	IMPLEMENTED	Source assets; Windows retest required
Multiple Adversea matches	OPEN	Provider-dependent observation

Scope Boundary

The historical comparison uses deterministic Tauri IPC fixtures to isolate frontend behavior at two Git revisions. The application verification uses a real debug binary, real SQLite project creation, real Rust commands, and the real plugin runtime. It avoids external API calls so the evidence remains repeatable and does not consume credentials.

Verification Method

A / Historical reconstruction

Baseline 6a7f581 and fixed state e824ad8 were checked out into isolated worktrees. The same deterministic dataset and viewport were run against both. Playwright recorded screenshots, videos, traces, and generated PDF output.

14/14 PASSED

B / Desktop application

WebDriverIO started `src-tauri/target-wdio/debug/openrisk` through the embedded Tauri WebDriver. A temporary project and local verification plugin exercised persistence, manifest loading, plugin execution, result rendering, and settings.

3/3 PASSED

Capture theme	Light, normalized consistently across all report screenshots
Historical browser	Chromium via Playwright 1.59.1
Desktop WebView	WebKitGTK 605.1.15 through WebDriverIO
Desktop backend	Tauri v2 application with the real Rust command layer
Plugin execution	Local deterministic TypeScript plugin, no network calls
Artifacts	PNG, WebM, Playwright HTML report, trace data, JSON runtime metrics, PDF

The desktop test invoked `create_project`, `update_project_settings`, `upsert_project_plugin_from_dir`, `set_plugin_enabled`, `set_plugin_setting`, `create_scan`, `run_scan`, and `close_project`. This verifies more than a browser-only render while keeping external services out of the test boundary.


EV-01

VERIFIED

Trial charge notification


Finding Trial-mode scans no longer display a misleading 0.10 EUR charge notification. Change dd65257

BEFORE / 6a7f581



The baseline displays the charge toast even though trial mode is active.

AFTER / e824ad8




The same trial scenario completes without the paid-usage notification.

EV-02


VERIFIED

API token input border

Finding The secret-setting input now has consistent left and right borders and a safe inset from its scroll viewport. Change 9d29577

BEFORE / 6a7f581

The left edge appears clipped where the input meets the settings viewport.

AFTER / e824ad8


The full input outline is visible; the real-app test also confirms equal computed border widths.

EV-03


VERIFIED

Application scroll containment

Finding Overflow is contained inside the scan workspace instead of scrolling the document and exposing an empty bottom region. Change 3a412b0

BEFORE / 6a7f581

The document moves when the selected entrypoints exceed the available height.

AFTER / e824ad8

The application chrome remains fixed while the central workspace owns vertical scrolling.

EV-04

VERIFIED

Shared target across entrypoints

Finding A value entered once for a shared field is propagated to every selected entrypoint that declares that field. [Change cddc3a8](#)

BEFORE / 6a7f581

Unit Analysis — Run Unit Analysis

Topic Report — Run Topic Report

Social Media — Run Social Media

RPO — Run RPO

Debtors — Run Debtors

Entity Recognition — Run Entity Recognition

Search

Target*

Svetlana Ficová

Person name

Country*

SK

Country used for the source search

Run Scan

Search Criteria

Save PDF

SCAN HISTORY

Search for scan

Evidence scan

Adverse

1 error 1 result

06/19/2026, 12:00 PM

Svetlana Ficová

Adverse

1 result

06/19/2026, 12:00 PM

Adverse media evidence

Adverse

1 result

06/19/2026, 12:00 PM

Combined execution reports that target is missing for one selected entrypoint.

AFTER / e824ad8

OpenRisk

Select Entrypoints

Choose which screening entypoints to run. Input fields shared across selected entypoints will be filled in once.

PEP & Sanctions — Run PEP & Sanctions

Unit Analysis — Run Unit Analysis

Topic Report — Run Topic Report

Social Media — Run Social Media

RPO — Run RPO

Debtors — Run Debtors

Entity Recognition — Run Entity Recognition

Search

Target*

Svetlana Ficová

Person name

Country*

Slovakia

Country used for the source search

Run Scan

Search Criteria

Save PDF

SCAN INFORMATION

FAVORITES

SCAN HISTORY

Search for scan

Evidence scan

Adverse

2 results

06/19/2026, 12:00 PM

Svetlana Ficová

Adverse

1 result

06/19/2026, 12:00 PM

Adverse media evidence

Adverse

1 result

06/19/2026, 12:00 PM

The same combined selection completes without a required-target error.

EV-05

VERIFIED

PEP relative and close associate

Finding The person card distinguishes a direct PEP from a PEP relative or close associate and shows the relationship in place. Change 3284915

BEFORE / 6a7f581

Svetlana Ficová aka Svetlana Svobodová No PEP / No Sanctions

BIRTH DATE

1964-09-06

NATIONALITIES

Slovakia

RELATIVES AND CLOSE ASSOCIATES

Robert Fico spouse

ISPEPRCA

true

SOURCES

Evidence fixture

RCA information is not represented as a prominent domain status.

AFTER / e824ad8

Svetlana Ficová aka Svetlana Svobodová PEP: RCA

BIRTH DATE

1964-09-06

NATIONALITIES

Slovakia

RELATIVES AND CLOSE ASSOCIATES

Robert Fico spouse

SOURCES

Evidence fixture

The card displays PEP: RCA and the related person with relationship.


EV-06

VERIFIED

Human-friendly country selection


Finding ISO 3166-1 alpha-2 values are presented through an alphabetized, searchable list of English country names. Change d7d4269

BEFORE / 6a7f581



The user must interpret and scan raw country codes.

AFTER / e824ad8



The user searches readable names while the plugin still receives the strict ISO code.

EV-07

VERIFIED

Adverse activity emphasis in PDF

Finding Confirmed adverse activity is visually emphasized in exported evidence, not only represented as a boolean row. [Change a4739ce](#)

BEFORE / 6a7f581**OpenRisk**

Adverse media evidence

19/06/2026, 12:00 · Completed · 1 result across 1 endpoint

Scan	Value
Title	Adverse media evidence
Status	Completed
Performed at	19/06/2026, 12:00
Selected entrypoints	1

Adversea**1. Svetlana Ficová**

Property	Value
name	Svetlana Ficová
title	Investigative article with a confirmed adverse signal
adverseActivityDetected	true
analysis	The screening result contains a confirmed adverse activity signal that requires review.

The positive finding is visually indistinguishable from ordinary properties.

AFTER / e824ad8**OpenRisk**

Adverse media evidence

19/06/2026, 12:00 · Completed · 1 result across 1 endpoint

Scan	Value
Title	Adverse media evidence
Status	Completed
Performed at	19/06/2026, 12:00
Selected entrypoints	1

Adversea**1. Svetlana Ficová****ADVERSE ACTIVITY DETECTED**

Property	Value
name	Svetlana Ficová
title	Investigative article with a confirmed adverse signal
adverseActivityDetected	true
analysis	The screening result contains a confirmed adverse activity signal that requires review.

A red heading and ADVERSE ACTIVITY DETECTED banner make the hit immediately visible.

APP-01

REAL APPLICATION

RCA result in the real Tauri application

Runtime finding A scan produced by the real plugin runtime renders PEP: RCA, Robert Fico, and spouse in the person result card.

The screenshot displays the OpenRisk application interface. On the left, a sidebar contains navigation icons: a magnifying glass, a document, a search icon, a clock, and a right-pointing arrow. The main content area is titled "Search Criteria" and shows "Plugin: Verification Plugin" and "Target: Svetlana Ficová". Below this, a "RESULTS" section indicates "(Completed)" and "1 ROWS". The result card for "Svetlana Ficová" (aka Svetlana Svobodová) is displayed, featuring a "PEP: RCA" tag. It lists "BIRTH DATE" as 1964-09-06, "NATIONALITIES" as Slovakia, and "RELATIVES AND CLOSE ASSOCIATES" as Robert Fico (spouse). The "SOURCES" section lists "OpenRisk deterministic verification fixture". A "Save PDF" button is located in the top right of the results area. On the right side of the interface, a "Scan Informations" panel shows "FAVORITES", "SCAN HISTORY" (1), and a search bar. Below the search bar, a card for "Svetlana Ficová" (Verification Plugin) shows "1 result" and the timestamp "07/28/2026, 07:54 PM".

APP-02

REAL APPLICATION

Fixed workspace scrolling in WebKitGTK

Runtime finding With seven entrypoints enabled, the document remains at `scrollY = 0`; the inner content region scrolls from 1169 px to 1866 px.


The screenshot displays the OpenRisk application interface. On the left, there is a sidebar with icons for a document, search, and clock. The main content area is divided into two sections. The top section, titled "OpenRisk", contains a list of seven entrypoints, each with a checked checkbox and a description: "Country Screening" (Exercises the ISO country input.), "Topic Report" (Additional endpoint for overflow verification.), "Social Media" (Additional endpoint for overflow verification.), "Unit Analysis" (Additional endpoint for overflow verification.), "RPO" (Additional endpoint for overflow verification.), and "Entity Recognition" (Additional endpoint for overflow verification.). The bottom section, titled "Search", contains a "Target Name" input field with a red asterisk and a "Country" dropdown menu. On the right, there is a "Scan Informations" sidebar with a "FAVORITES" section and a "SCAN HISTORY" section. The "SCAN HISTORY" section shows a search bar and a list of scan results, including one for "Svetlana Ficová" with a "1 result" badge and a timestamp of "07/28/2026, 07:54 PM".

APP-03

REAL APPLICATION

Masked secret setting in the real application

Runtime finding The backend-provided secret metadata renders a populated password input with symmetric borders and a positive left inset.



Traceability

Commit	Change	Verification
3a412b0	Prevent document scrolling	EV-03, APP-02
9d29577	Preserve settings input border	EV-02, APP-03
3284915	Display PEP RCA status	EV-05, APP-01
dd65257	Suppress trial charge toast	EV-01
cddc3a8	Propagate shared entryptpoint inputs	EV-04
264ad05	Improve taskbar icon contrast	Source review; Windows runtime pending
d7d4269	Searchable country select	EV-06, application control check
a4739ce	Highlight adverse activity in PDF	EV-07
e824ad8	Persist draft inputs	Supporting scan-state reliability change

Evidence Integrity

- Historical screenshots were generated from the two identified Git revisions using the same fixture.
- All report screenshots use the light theme.
- The real application verification created a disposable project at `/tmp/openrisk-wdio-verification.orproj`.
- The test plugin is checked in under `evidence/fixtures/verification-plugin` and performs no HTTP requests.
- Machine-readable runtime measurements are stored in `generated/application/webdriverio-verification.json`.
- Playwright videos and the self-contained HTML report are retained under `generated/playwright-results` and `generated/playwright-html`.

Limitations and Remaining Work

Windows taskbar icon

The icon assets changed in commit 264ad05, but this NixOS verification host cannot produce a Windows taskbar capture. Final acceptance should include one screenshot from the next signed Windows package.

Multiple Adverse matches

This observation is not represented as a completed corrective action in the tested change range. The number of returned candidates depends on the external endpoint response and requires a provider-backed contract test or confirmed multi-result API fixture before it can be closed.

Result

Verification passed

The reproducible historical suite passed 14/14 checks and the real Tauri application suite passed 3/3 checks. The evidence supports the listed frontend, result-display, PDF, settings, and layout corrections, subject to the two explicitly stated platform/provider limitations.