

#	Cat-1: Prohibited						Function: Wmin/max: L1 Width min/max Smin/max: L1 Space min/max (L1=L2) Smin/max: L1 Separate L2 min/max Emin/max: L1 Enclosed L2 min/max Fmin/max: L1 Enclosing L2 min/max Wfix: L1 Width equal Sfix: Space equal Nmin: L1 Notch min Efix: Fixed enclosure Donut: L1 Souuounded by L2 Prohibit: Must not overlap Require: Must not be outside Contain: Must contain Rect: Must be a rectangle					
Rule	L1	L2	Func	MIN	MAX	IP62 Rule Name						
WN.Z1	WN (R)	AP	Prohibit									
WN.Z2	WN (C)	AP	Prohibit									
WN.Z3	WN (C)	AR	Prohibit									
CO.Z1	CO	AA+GC+GR	Require									
CO.Z3	CO	M1	Require									
V1.Z1	V1	M1	Require									
V1.Z2	V1	M2	Require									
PO.Z1	PO	M1	Require									
PO.Z2	PO	M2	Require									
PO.Z3	PO	V1 (P)	Contain									
#	Cat-2: WN-AC/AR related											
Rule	L1	L2	Func	MIN	MAX	IP62 Rule Name						
WN.W1	WN		Wmin	8.0		ER0001						
WN.S1	WN	WN	Smin	4.0		ER0025						
WN.N1	WN	WN	Nmin	7.0								
WN.S2	WN (R)	WN (M)	Smin	9.5		ER0111						
WN.S3	WN (C)	WN (M)	Smin	12.0		ER0130						
WN.S4	WN (R)	WN (C)	Smin	9.5		ER0132						
WN.S5	WN (R)	WN (R)	Smin	8.0		ER0122						
WN.S6	WN (C)	WN (C)	Smin	12.0		ER0129						
WN.S7	WN (M)	WN (M)	Smin	12.0		ER0104						
WN.AP	WN	AP	Smin	5.0		ERWLMN01						
WN.AN	WN	AN	Smin	10.0		ERWLMN03						
AR.S1	AR	AR	Smin	4.0		ERWLRR03						
AR.WR	AR	WN (R)	Emin	10.0		ERWLRR02						
AN.WR	AN	WN (R)	Emin	10.0		ERWLRR01						
AR.AN	AR	AN	Smin	4.0		ERWLRR04						
AC.W1	AC		Rect	28.5	120.0	Table I-2-1						
AC.S1	AC	AC	Smin	6.4								
AC.WC	AC	WN (C)	Emin	8.0								
AN.WC	AN	WN (C)	Emin	3.0		ERCSIO04						
AC.AN	AC	AN	Sfix	2.8	2.8	ERCSIO11						
AC.GC	AC	GC	Efix	1.4	1.4	ERCSIO13						
AC.R1	AC	AN (C)	Donut	0.0								
GA.CX	GA (CX)	WN (C)	Smin	1.5								
#	Cat-3: AP/AN/DP/DN related											
Rule	L1	L2	Func	MIN	MAX	IP62 Rule Name						
AP.W1	AP		Wmin	1.4		ER0004						
AP.S1	AP	AP	Smin	1.4		ER0028						
AP.AN	AP	AN	Smin	2.8		ERWLMP04						
AP.WM	PMOS	AP-GC	Wmin/max	3.4	60.0	Table I-2-1						
AP.LM	PMOS	GC-AP	Lmin/max	1.0	30.0	Table I-2-1						
AP.WN	AP	WN	Emin	7.0		ERWLMP02						
DP.W1	DP		Wmin	3.6								
DP.S1	DP	DP	Smin	1.4		=AP.S1						
DP.AP	DP	AP (M)	Smin	2.8		ERWLMP08						
DP.AN	DP	AN	Smin	2.8		ERWLMP09						
AN.W1	AN		Wmin	1.4		ER0004						
AN.S1	AN	AN	Smin	1.4		ER0028						
AN.AP	AN	AP	Smin	2.8		ERWLMN05						
AN.WM	NMOS	AN-GC	Wmin/max	3.4	60.0	Table I-2-1						
AN.LM	NMOS	GC-AN	Lmin/max	1.0	30.0	Table I-2-1						
AN.WN	AN	WN (M)	Emin	5.0		ERWLMP03						
DN.W1	DN		Wmin	3.6								
DN.S1	DN	DN	Smin	1.4		=AN.S1						
DN.AP	DN	AP	Smin	2.8		ERWLMN10						
DN.AN	DN	AN (M)	Smin	2.8		ERWLMN11						
#	Cat-4: GC/CO related											
Rule	L1	L2	Func	MIN	MAX	IP62 Rule Name						
GC.W1	GC		Wmin	1.0		ER0014						
GC.S1	GC	GC	Smin	1.2		ER0038						
GC.GR	GC	GR	Smin	1.2		ER0038						
GA.AP	GA	AP	Smin	0.4		ERWLMP07						
GA.AN	GA	AN	Smin	0.4		ERWLMN09						
GC.EP	AP	GC	Emin	1.2		ER0902/ERMP06/ERMPE02						
GC.EN	AN	GC	Emin	1.2		ER0902/ERMN06/ERMNE02						
GC.E2	AM	GC	ECmin	2.4		ER0901						
GA.BG	GA	BG	Prohibit			ER0419						
GA.CO	GA	CO	Contain			ER0704						
CO.W1	CO		Rect	1.0	97.0	ER0020						
CO.WM	CO (M)		Wfix	1.0	1.0	ER0020						
CO.WB	CO (B)		Wfix	1.0	1.0							

CO.S1	CO	CO	Smin	1.0		ER0044						
CO.CL	CO (L)	CO	Smin	1.6		ER1303						
CO.SM	CO (M)	CO (M)	Sfix	1.0	1.0	ERMP08/ERMN09						
CO.WD	CO (D)		Wfix	1.2	1.2	ERDP05/ERDN05						
CO.SD	CO (D)	CO	Smin	1.2								
CO.AD	CO (D)	AP+AN	Emin	1.2		ERDP24/ERDN23						
CO.AP	CO	AP	Emin	0.8		ERMP10						
CO.AN	CO	AN	Emin	0.8		ERMN11						
CL.GC	CO (L)	GC+GR	Prohibit									
CO.GG	CO (M)	GC	Sfix	1.0	1.0	ERMP12/ERMN12						
CO.GC	CO	GC+GR	Emin	0.8		ER0050						
#	Cat-5: AC/AR/GR related											
Rule	L1	L2	Func	MIN	MAX	IP62 Rule Name						
AR.W1	RR	RR (W)	Wmin/max	2.8	20.0	Table I-2-1						
AR.L1	RR	RR (L)	Lmin/max	13.0	100.0	Table I-2-1						
RR.SZ	RR	RROK	Contain			Valid width						
RR.RT	RR		Rect									
AR.GC	AR	GC	Sfix	1.0		ERRR15						
AR.PW	GC (R)		Wmin	2.0		ERRR06						
AR.XY	AR	Bevel	XYmin	1.0								
GC.AN	GC (R)	AN	Smin	???	???							
GC.R1	AR	GC (R)	Donut	0.0								
GC.R2	GC (R)	WN (R)	TieDown	0.0		ERRR37						
GC.R3	GC (RR)	CO	Prohibit			ERRR36						
GR.W1	RS	RS (W)	Wmin/max	4.0	20.0	Table I-2-1						
GR.L1	RS	RS (L)	Lmin/max	20.0	100.0	Table I-2-1						
RS.SZ	RS	RSOK	Require			Valid width						
RS.RT	RS		Rect									
GR.S1	RS	RS	Smin	2.0		ERRS04						
GR.AP	GR	AP	Smin	2.8		Avoid MDP implant						
GR.AN	GR	AN	Smin	2.8		Avoid MDP implant						
CR.W1	CO (RR)		Wmin	1.0		ERRR10						
CR.W2	CO (RRW)		Lmin/max	1.6	17.6	CO (L)						
CR.W3	CO (RRN)		Wfix	1.0	1.0	ERRR11						
CR.AR	CO (RR)	AR	Emin	0.8		ERRR14						
CR.AT	CO (RR)	AR (T)	Emin	1.5		ERRR08						
CR.ASN	CO (RRN)	ARN (S)	Efix	0.9		ERRR14						
CR.ASW	CO (RRW)	ARW (S)	Efix	1.2		ERRR13						
CC.W1	CO (C)		Wfix	1.2	1.2	ERCSIO01						
CC.S1	CO (C)	CO (C)	SFIX	1.2	1.2	ERCSIO14						
CO.SC	CO (C)	CO	Smin	1.2								
CC.AC	CO (C)	AC	Emin	2.9		ERCSIO03						
CC.AN	CO (C)	AN	Emin	1.2		ERCSIO02						
CC.S1	CO (RS)	CO (RS)	SFIX	1.0	1.0							
CO.GR	CO	GR	Emin	0.8								
CO.GS	CO (RSM)	GR (S)	Efix	1.5	1.5							
CO.RT	CO (RSM)		Rect									
#	Cat-6: BEOL related											
Rule	L1	L2	Func	MIN	MAX	IP62 Rule Name						
M1.W1	M1		Wmin	1.8		ER0021						
M1.W2	M1 (W)		WMIN	10.0		ER0021						
M1.W3	M1 (I)		Wmax		45.0	ER1903						
M1.S1	M1	M1	Smin	1.4		ER0045						
M1.SC	ANC	M1C	Smin/Smax	10.0	10.0	ERCSIO06						
M1.CO	M1	CO	Fmin	0.8		ER0051						
M1.CC	M1	CO (CC)	Fmin	1.3		ERCSIO05						
M1.CL	M1	CO (L)	Fmin	1.2		ER1305						
M1.SW	M1 (W)	M1	Smin	2.0		ER1402						
V1.W1	V1 (S)		Wfix	1.4	1.4	ER0022						
V1.WP	V1 (P)		Wmin	60.0								
V1.S1	V1	V1	Smin	1.5		ER0046						
V1.M1	V1	M1	Emin	1.0		ER0052						
V1.GA	V1	GA	Smin	1.2		ER1508/ER1514						
V1.CO	V1	CO	Smin	1.0		ER1506						
V1.CL	V1	CO (L)	Smin	1.4		ER1507						
M2.W1	M2		Wmin	3.0		ER0023						
M2.W3	M2 (I)		Wmax		45.0	ER1904						
M2.S1	M2	M2	Smin	2.0		ER0047						
M2.V1	M2	V1	Fmin	1.0		ER0053						
M1.SCR	M1 (S)	M1	Smin	5.0		ER1901						
M2.SCR	M2 (S)	M2	Smin	5.0		ER1902						
#	Cat-7: ESD related											
Rule	L1	L2	Func	MIN	MAX	IP62 Rule Name						
APE.WM	PMOSE	APE-GC	Wmin/max	11.0	60.0	Table I-2-1						
APE.LM	PMOSE	GC-APE	Lmin/max	2.0	30.0	Table I-2-1						

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]