

ROTARY SWITCH



SR26 Series

Application

- ✓ TV/Video, Audio, Home appliance, Precision apparatus,
Automotive, Musical instruments, Industrial control, Others

Feature

- ✓ Up to 12 positions general use rotary switches with optional plastic shafts.



■Specification

Rating	125V AC 0.3A
Withstand Voltage	500V AC - 1 minute
Contact Resistance	50 mΩ Max.
Insulation Resistance	500V DC - 100MΩ Min.
Rotational Torque	0.5 ± 0.2 kgf.cm
Operating Life Cycle	10,000 cycles

■How to order

SR2612F – 0102 – 15F5B – D8 – S

[Model](#)

Number of Pole & Position
Ex. 0102 – 1 pole 2 positions
0402 – 4 poles 2 positions

[Shaft Type](#)

Timing

Order Code	Description
S	Shorting (make-before-break)
N	Non-shorting (break-before-make)

Bushing Type

Order Code	Bushing Length	Bushing Diameter
D1	8mm	M10*0.75
D8	8mm	3/8"- 32NEF




ROTARY SWITCH



SR26 Series

Model Description

Model	Terminal Type	Pole	Position	Changeover Angle	Timing
SR2611F	Soldering	1	2~12	30°	Shorting/ Non-shorting
		2	2~6		
		3	2~4		
		4	2~3		
SR2612F	PCB	1	2~12		
		2	2~6		
		3	2~4		
		4	2~3		
SR2613F	PCB	1	2~4	90°	

Order Code	Outline Drawing
SR2611F-□□-(L)F5B-D8-S 	 SHAFT SHOWN IN FULL C.C.W. POSITION
SR2612F-□□-(L)F5B-D8-S 	 P.C.B. MOUNTING HOLE
SR2613F-□□-(L)F5A-D1-N 	 P.C.B. MOUNTING HOLE CHANGEOVER ANGLE=60° IS ALSO AVAILABLE UPON REQUEST











[Back to top](#)

ROTARY SWITCH



SR26 Series

■ Shaft Type

LR0A			LR0B				
			L				
			15				
			18				
			38				
LK0A			LF6A (270°)				
			L				
			33.5		20		
LF5A (90°)			LF5B (90°)				
			L				
			A				
			16		4.5		
			17		5.0		
			20		4.6		
			24		5.0		
			24	4.6			
LS0B			LS5B				
			L				
			14.5				
					L	T	
					23	1.3	
8S0B			8S5B				
			L				
			8		8		

Design and specifications presented here are for the standard parts only. Please kindly contact us for your special requests and ask for the current technical specifications before purchase and/or use.

[Back to top](#)