

Climate Change Health Impact Assessments: Farmer Suicide and Drought Case Study.

Ivan Hanigan¹, David Fisher², Steven McEachern³

¹National Centre for Epidemiology and Population Health (ANU)

²Information Technology Services (ANU)

³Australian Data Archives (ANU)

October 4, 2013

- General tools for Climate Change Health Impact Assessments (CCHIA)
- Enhanced capacity for experimentation, reviews, revisions and re-iterations

Current approach:

- historical baseline exposure-response functions, control for some covariates
- use response function with changed exposures and population at risk

Historical (Hanigan et al, 2012, *PNAS*, 109)

- Restricted Health and Drought data and
- Less Restricted Population data

(Colours refer to data storage and access rules shown in Figure 1).

$$\begin{aligned} \log(O_{ijk}) = & s(\text{ExposureVariable}) + \text{OtherExplanators} \\ & + \text{AgeGroup}_i + \text{Sex}_j \\ & + \text{SpatialZone}_k \\ & + \sin(\text{Time} \times 2 \times \pi) + \cos(\text{Time} \times 2 \times \pi) \\ & + \text{Trend} \\ & + \text{offset}(\log(\text{Pop}_{ijk})) \end{aligned}$$

Where:

O_{ijk} = Outcome (counts) by Age_i , Sex_j and SpatialZone_k

ExposureVariable = Data with Restrictive Intellectual Property (IP)

OtherExplanators = Other Less Restricted Explanatory variables

$s(\)$ = penalized regression splines

SpatialZone_k = Less Restricted data representing the SpatialZone_k

Trend = Longterm smooth trend(s)

Pop_{ijk} = interpolated Census populations, by time in each group

Historical (Hanigan et al, 2012, *PNAS*, 109)

- 38 years suicide rates with drought by 11 regions, age and sex
- Estimated 9% in rural males aged 30-49 due to drought over the period
- Increased for rural males 10-29 y
- Association with hot temp + spring

Future (Bambrick et al, 2008, Garnaut Review)

$$Y_{ijk} = \sum_{lm} (e^{(\beta_{ijk} \times X_{lm})} - 1) \times \text{BaselineRate}_{jkl} \times \text{Population}_{jklm}$$

Where:


β_{ijk} = the ExposureVariable coefficient for zone_i, age_j and sex_k

X_{lm} = Projected Future ExposureVariables with Restrictive IP

$\text{BaselineRate}_{jkl}$ = avgDeathsPerTime/avgPopPerTime in age_j, sex_k and zone_l

Population_{jklm} = projected populations by age_j, sex_k, zone_l and time_m (With Less Restrictions)

Drought-suicide response function



Criticism

This model is too static, reductionist, reality is more complex. Need to work more on interactions with non-climate factors especially:

- Natural capital
- Financial capital
- Social capital
- Physical capital and
- Human capital

Conclusion

- Drought is related to increased suicide risk in Australia
- Future Drought associated deaths can be calculated
- These estimates will be very uncertain, contentious and difficult to justify
- New technology is needed to enable rigorous and transparent exploration

Acknowledgements



Australian
National
University



Australian Government

Department of Industry
Innovation, Science, Research
and Tertiary Education

This project is supported by the Australian National Data Service through the National Collaborative Research Infrastructure Strategy Program and the Education Investment Fund (EIF) Super Science Initiative.

More information from ivan.hanigan@gmail.com or at

[<http://opensource-restricteddata.github.io>] [<http://opensource>]

References



Roger D Peng.

Reproducible research in computational science.

Science (New York, N.Y.), 334(6060):1226–7, December 2011.



I. C. Hanigan, C. D. Butler, P. N. Kokic, and M. F. Hutchinson.

Suicide and drought in New South Wales, Australia, 1970-2007.

Proceedings of the National Academy of Sciences, pages 1112965109–, August 2012.



Hilary J Bambrick, Keith B G Dear, RE Woodruff, Ivan Charles Hanigan, and Anthony J McMichael.

The impacts of climate change on three health outcomes: temperature-related mortality and hospitalisations, salmonellosis and other bacterial gastroenteritis, and population at risk from dengue.

Technical report, Garnaut Climate Change Review, Canberra, 2008.