Effective Programming Practices for Economists

Software engineering

Naming things

Janoś Gabler and Hans-Martin von Gaudecker

Naming is hard but important!

There are only two hard things in Computer Science: cache invalidation and naming things.

- Phil Karlton

You should name a variable using the same care with which you name a first-born child.

Robert C. Martin

One of the miseries of life is that everybody names things a little bit wrong, and so it makes a little bit harder to understand things than it would have been if they had been named differently.

- Richard Feynman

What happens here?

```
%wage grid
nw = 20;%number of grid points past real wage
wbupper = 4.25;
wblower = 1.25;
wb = log(wblower):(log(wbupper)-log(wblower))/(nw-1):log(wbupper);
wb = exp(wb(:));
n = ny*nd*nw;
q = ones(ny, nd, nw)/(1+rstar); %q(i, j, k)=q(yT_t=y(i), d_t+1=d(j), w_t=wb(k))
qnew = q;
yTix = repmat((1:ny)', [1 nd nw]); %yT = y(yTix);
dix = repmat(1:nd,[ny 1 nw]);
%note now everything is just ny by nw
yTaix = repmat((1:ny)', [1 nw]);
yhat_d0 = -0.35;
yhat_d1 = (1-yhat_d0)/2/max(y);
yhat = y - max(0, yhat_d0*y+yhat_d1*y.^2);
yTa = yhat(yTaix); %output of tradables under bad standing
cTa = yTa; %consumption of tradables under bad standing
```

General recommendations

- Avoid abbreviations, especially if ambiguous
 - is constr a contsraint or a constructor?
 - is p a path or a probability?
 - However, max is often better than maximum
- Avoid misspelled words
 - rsnbrck; use rosenbrock instead
 - lambbda to avoid the lambda keyword; use lambda_ instead
- Do not use meaningless or hard to see distinctions
 - Do not use Beta and beta for different concepts

Variable names

- Describe the variable, not what you want to do with it
- Do not append the type to the variable name
 - Bad: names_list
 - Good: names
- Avoid built in keywords like list, var, dict, type
- Never use n, c, u and s (they make using debuggers harder!)
- Never use 1 and I (they are hard to distinguish)

Function names

- Function names start with a verb in imperative mode
 - Good: create_, calculate_, convert_, get_
 - Bad: return_, call_
- Describe what the function does at a sensible level of abstraction
 - Good: process_model_specification
 - Bad: convert_user_provided_model_dictionary_to_model_class_and_set_defaults
- If you want to use and you need to split your function in two!

The scope rules

- The length of a variable name should be proportional to its scope
 - i, j, sr and df are acceptable names if their scope is a few lines
 - they are completely unacceptable if their usage extends over 20 or more lines
- The length of a function name should be **inversely** proportional to it's scope
 - Functions that are used a lot and well known can have short names
 - Example: minimize in estimagic
 - Functions that are used internally and not well known should have descriptive names
 - Example: convert_list_of_dicts_to_dict_of_lists