Effective Programming Practices for Economists

Basic Python

Comprehensions

Janoś Gabler and Hans-Martin von Gaudecker

Common loop patterns

The mapping loop

The filtering loop

```
>>> even = []
>>> for i in range(10):
... if i % 2 == 0:
... even.append(i)
[0, 2, 4, 6, 8]
```

- Both initialize and append
- At least three lines
- Can lead to deep indentation

List comprehensions

Set notation

$$\{x^2|x\in\{1,2,3,4,5\}\}\ \{x|x\in\{0,1,...,9\},x\mod 2=0\}$$

List comprehension

```
>>> [i ** 2 for i in [1, 2, 3, 4, 5]]
[1, 4, 9, 16, 25]
>>> [i for i in range(10) if i % 2 == 0]
[0, 2, 4, 6, 8]

>>> [i if i % 2 == 0 else 0 for i in range(10)]
[0, 0, 2, 0, 4, 0, 6, 0, 8, 0]
```

- List comprehensions are inspired by set notation
- Can call arbitrary functions
- More readable than loops as long as it fits on one line!
- Not much faster than loops

Dict comprehension

- Inside a dict comprehension you can loop over any iterable
- More readable than loops if it fits on one line

When to use

Speed

- Comprehensions are a few percent faster than for loops
- Vectorization can be 100 x faster than for loops

Readability

- Comprehensions are more readable if they fit on one line
- Loops are more readable if there are if conditions