

# **Effective Programming Practices for Economists**

## **Basic Python**

### **Dictionaries**

Janoś Gabler and Hans-Martin von Gaudecker

# Contents

- Creating dictionaries
- What can go in a dict
- Accessing elements in dictionaries
- Dangers of mutability
- Advantages of labeled data structures

# Dictionaries

```
>>> a = {"a": 1, "b": 2, "c": 3}
>>> type(a)
<class 'dict'>

>>> a["b"]
2

>>> a["c"] = 42
>>> a
{'a': 1, 'b': 2, 'c': 42}

>>> a["d"] = 4
{'a': 1, 'b': 2, 'c': 42, 'd': 4}
```

- Map a set of keys to a set of values
- Creation by curly braces and `:` to separate keys and values
- **mutable**: Can add or overwrite entries
- Order is preserved (*since Python 3.6*)

# Fun facts about dicts in Python

- Dicts are the absolute workhorse datastructure
- Everything is an object and every object is just a dictionary under the hood!
- Highly optimized for fast lookup!

# What can go in a dict?

```
>>> nested = {  
>>>     1: {"bla": "blubb"},  
>>>     "two": {"foo": "bar"},  
>>> }
```

- Keys need to be hashable, for example
  - strings
  - ints
  - tuples thereof
- Values can be absolutely anything
- If values are dicts we get nested dictionaries

# Accessing elements

```
>>> flat = {"bla": "blubb"}
>>> nested = {
>>>     1: flat,
>>>     "two": {"foo": "bar"}
>>> }
```

```
>>> flat["bla"]
'blubb'
```

```
>>> nested[1]
{'bla': 'blubb'}
```

```
>>> nested[1]["bla"]
'blubb'
```

- Elements are accessed with square brackets
- Chained access for nested dictionaries

# Careful with mutability

```
>>> flat = {"bla": "blubb"}
>>> nested = {
>>>     1: flat,
>>>     "two": {"foo": "bar"}
>>> }
```

```
>>> nested[1]["bla"] = 42
>>> flat
{'bla': 42}
```

- Putting a dictionary inside another dictionary does not make a copy
- Useful to save memory, dangerous if you don't know about it
- We will cover ways to deal with this later

# When to use dictionaries

- Dictionaries provide label based access
- Lists provide position based access
- Label based access is more readable and less error prone!
- Example use-cases:
  - Storing model specifications
  - Storing results of your analysis
  - ...