Effective Programming Practices for Economists

Data management with pandas

Inspecting and summarizing data

Janoś Gabler and Hans-Martin von Gaudecker

Motivation

- So far we have looked at tiny DataFrames
- Real datasets don't fit on a screen
- Need quick ways to:
 - Look at subsets
 - Calculate summary statistics
 - Plot distributions

Example

	country	continent	year	life_exp	pop	gdp_per_cap	iso_alpha	iso_num
0	Afghanistan	Asia	1952	28.801	8425333	779.445314	AFG	4
1	Afghanistan	Asia	1957	30.332	9240934	820.85303	AFG	4
2	Afghanistan	Asia	1962	31.997	10267083	853.10071	AFG	4
3	Afghanistan	Asia	1967	34.02	11537966	836.197138	AFG	4
4	Afghanistan	Asia	1972	36.088	13079460	739.981106	AFG	4
5	Afghanistan	Asia	1977	38.438	14880372	786.11336	AFG	4
•••			•••					

Summarize an entire DataFrame

assume that df is the full gapminder data

```
>>> relevant = ["life_exp", "pop", "gdp_per_cap"]
>>> df[relevant].describe()
```

	life_exp	pop	gdp_per_cap
count	1704.00	1704.00	1704.00
mean	59.47	29601212.32	7215.33
std	12.92	106157896.74	9857.45
min	23.60	60011.00	241.17
25%	48.20	2793664.00	1202.06
50%	60.71	7023595.50	3531.85

- describe can summarize entireDataFrames
- Result is again a DataFrame
- Often good idea to select a subset of columns

Calculate specific statistics

assume that `df` is the full gapminder data

- Standard summary statistics are implemented and named as expected:
 - std
 - min and max
 - median and quantile
- Vectorized and really fast implementations

An error occurred on this slide. Check the terminal for more information.

An error occurred on this slide. Check the terminal for more information.

Statistics for categorical data

```
>>> df["country"].unique()[:2]

<ArrowStringArrayNumpySemantics>
['Afghanistan', 'Albania']
Length: 2, dtype: string

>>> df["country"].value_counts().sort_index()[:2]

country
Afghanistan 12
Albania 12
Name: count, dtype: int64
```