Effective Programming Practices for Economists

Data management with pandas

Loading and saving data

Janoś Gabler and Hans-Martin von Gaudecker

Example: Loading a csv file

```
>>> df = pd.read_csv(
...     "gapminder.csv",
...     engine="pyarrow",
... )
```

```
>>> df
```

	country	continent	year	life_exp
0	Cuba	Americas	2002	77.16
1	Cuba	Americas	2007	78.27
2	Spain	Europe	2002	79.78
3	Spain	Europe	2007	80.94

`gapminder.csv` looks like this

```
country,continent,year,life_exp
Cuba,Americas,2002,77.158
Cuba,Americas,2007,78.273
Spain,Europe,2002,79.780
Spain,Europe,2007,80.941
```

- first argument is path
- `engine="pyarrow"` ensures we are getting modern pandas dtypes
- Many other optional arguments

Other read functions

reader	extension	comment
`pd.read_csv`	`.csv`	Often need to use optional arguments to make it work
`pd.read_pickle`	`.pkl`	Good for intermediate files; Python specific.
`pd.read_feather`	`.arrow`	Very modern and powerful file format.
`pd.read_stata`	`.dta`	Stata's proprietary format. Avoid if you can.
`pd.read_fwf`	`.fwf`	Avoid this whenever you can!

Each read function has a corresponding write function

Example: Write an Apache Arrow file

```
df.to_feather(path="gapminder.arrow")
```

- First argument is a file path
- More keyword arguments would allow for specifying compression level, format version
- Methods for other file formats tend to require more options

File format recommendations

- Use `.pkl` format for processed datasets that you do not share with others
  - Very fast to read and write
  - Preserves every aspect of your DataFrame (e.g. dtypes)
- Use `.arrow` to save files you want to share with others
  - Can be read by many languages and programs
  - Efficient compression
- Use `.dta` iff sharing with Stata users