
A
mean over the 22 held-out populations, paired, bars one SE
1 body
2 bodies
3 bodies
tempered
without Yadav
without Yadav, tempered
without Front. Phys. 2026
without Front. Phys. 2026, tempered
one vote per population
one vote, tempered
−0.10
−0.05
0.00
0.05
0.10
0.15
log score minus plain (nats, right is better)
B
the same populations; a temperature never moves the named level
1 body
2 bodies
3 bodies
tempered
without Yadav
without Yadav, tempered
without Front. Phys. 2026
without Front. Phys. 2026, tempered
one vote per population
one vote, tempered
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
accuracy minus plain (points, right is better)
C
each held-out population; a drop changes nothing on a population whose measures it does not reach
frontphys2026
tan2004
busscher2010
moncadahabib2025
masharawi2021
lien2007
chaudhary2015
olsewski1990
yu2015
alonge2021
cizmic2023
hou1993
arockiaraj2025
otsuki2021
amonookuofi1985
hinck1966
abbas2021
amonookuofi1982
bach2019
griffith2016
shin2024
yadav2020
without Yadav
without Front. Phys. 2026
one vote per population
−0.8
−0.6
−0.4
−0.2
0.0
log score minus plain at 3 bodies (nats, right is better)
D
how far the stated probability sits from the hit rate
plain
tempered
without Yadav
without Yadav, tempered
without Front. Phys. 2026
without Front. Phys. 2026, tempered
one vote per population
one vote, tempered
1 body
2 bodies
3 bodies
0.00
0.02
0.04
0.06
0.08
0.10
0.12
expected calibration error, all populations pooled (lower is better)