



May 2017

---

# OpenTravel 2017A Schema Comments Report

463	
Submitted By: Robert Fitzsimons	
CarTrawler	
	<div>-----</div> <div><b>SUBMITTER</b></div> <div>-----</div> <div><b>Comment</b></div> <div>Aggregate GroundShuttleResType into GroundShuttleType, which improves consistency between booking view messages. All existing uses of GroundShuttleResType replaced by the new aggregate.</div> <div><b>Proposed Change</b></div> <div>OTA_GroundCommonTypes/GroundShuttleType OTA_GroundBookRQ OTA_GroundModifyRQ</div> <div>-----</div> <div><b>RELEASE NOTES</b></div> <div>-----</div> <div><b>Schema File Name:</b> OTA_GroundCommonTypes</div> <div><b>X-Path:</b> OTA_GroundCommonTypes/GroundShuttleType</div> <div><i>-added element</i> ServiceType of type list_GroundServiceProvided, optional</div> <div><i>-annotation</i> A ground service type. Select an enumerated value or use the "other_" literal and specify a type in the @extension attribute.</div> <div><i>-added attribute</i> TicketIssuedInd of type xs:boolean, optional</div> <div><i>- annotation</i> If true, a ticket will be/ has been issued as part of the reservation.</div> <div><b>X-Path:</b> OTA_GroundCommonTypes/GroundShuttleType/ServiceLocation</div> <div><i>- added attribute</i> OriginInd of type xs:Boolean, optional</div> <div><i>- annotation</i> If true, this is the location where passengers will be picked up and/or board.</div> <div><b>X-Path:</b> OTA_GroundCommonTypes/GroundShuttleType/ServiceLocation</div> <div><i>- added attribute</i> DestinationInd of type xs:Boolean, optional</div> <div><i>- annotation</i> If true, this is the location where passengers where be dropped off and/or depart the shuttle.</div> <div><b>X-Path:</b> OTA_GroundModifyRQ/GroundReservation/Shuttle</div> <div><i>- replaced type</i> Shuttle of type GroundShuttleResType was replaced with the new GroundShuttleType</div> <div><b>X-Path:</b> OTA_GroundBookRQ/GroundReservation/Shuttle</div> <div><i>- replaced type</i> Shuttle of type GroundShuttleResType was replaced with the new GroundShuttleType</div> <div><i>-added attribute</i> Extended Shuttle with attribute PassengerRPH of type RPH_Type, optional to be consistent with OTA_GroundModifyRQ</div>
© OpenTravel Alliance	2 of 3
	<a href="http://www.OpenTravel.org">www.OpenTravel.org</a>

	- <i>annotation</i> A reference to a passenger ID set in the Passenger element.
--	--

<b>464</b>  <b>Submitted By:</b> <b>Robert</b> <b>Fitzsimons</b>  <b>CarTrawler</b>	<p>-----  <b>SUBMITTER</b>  -----</p> <p><b>Comment</b></p> <p>Improve consistency of the usage of Service and Shuttle elements.</p> <p><b>Proposed Change</b></p> <p>Move VehicleMakeModel from extended  OTA_GroundAvailRS/GroundServices/GroundService/Service/GroundServiceDetailType to  OTA_GroundCommonTypes/GroundServiceDetailType. Replace inline Service element with  GroundServiceDetailType for each of the following:  OTA_GroundCommonTypes/GroundReservationSummaryType  OTA_GroundCommonTypes/GroundReservationType Replace inline Shuttle element with GroundShuttleType  for each of the following: OTA_GroundCommonTypes/GroundReservationSummaryType</p> <p>-----</p> <p><b>RELEASE NOTES</b>  -----</p> <p><b>Schema File Name:</b> OTA_GroundAvailRS</p> <p><b>X-Path:</b> /GroundServiceDetailType</p> <p><i>-replaced element extension</i>  VehicleMakeModel with attribute group VehicleMakeModelGroup within the GroundServiceDetailType</p> <p><i>-annotation</i>  Vehicle make and model information.</p> <p><b>Schema File Name:</b> OTA_GroundCommonTypes</p> <p><b>X-Path:</b> OTA_GroundCommonTypes/GroundServiceDetailType</p> <p><i>-added element</i>  VehicleMakeModel with attribute group VehicleMakeModelGroup</p> <p><i>-annotation</i>  Vehicle make and model information.</p>
---	---