

2006B Schemas Changed

Message File Name	Schema Element Path and Change(s) Made
OTA_AirAvailRS.xsd	OriginDestinationInformation/OriginDestinationOptions/OriginDestinationOption/FlightSegment/BookingClassAvail@RPH - changed attribute use to optional
	OriginDestinationOptions/OriginDestinationOption/FlightSegment/BookingClassAvail@RPH - changed attribute use to optional
OTA_AirBookRQ.xsd	Queue - added attributeGroup QueueGroup resulting in net addition of attribute SystemCode of type StringLength1to8
	Queue@CarrierCode - marked attribute for deprecation
	Ticketing - changed element maxOcc to 99, allowing it to repeat (was 1)
OTA_AirCommonTypes.xsd	- created simpleType FareStatusType restricted to xs:NMTOKEN with enumerations: Constructed, Published, Created, FareByRule, FareByRulePrivate
	- created attributeGroups: FareTypePrefGroup (previously complexType FareTypePrefType) containing attributes: FareType of type OTA_CodeType, using OTA Code List FAQ PreferLevel of type PreferLevelType with enumerations: Only, Unacceptable, Preferred, Required, NoPreference
	OperationTimeGroup containing attributes: Time of type DateOrDateTimeType OperationType of type OTA_CodeType, using OTA Code List OTT TimeType of type xs:NMTOKEN with enumerations: Actual, Scheduled, Estimated ReasonsCode of type OTA_CodeType, using OTA Code List FDC
	- created complexTypes: AuthorizationType containing attribute PrincipalCompanyCode of type StringLength1to16 and elements: DriversLicenseAuthorization of type DocumentType BookingReferenceID of type UniqueID_Type and a choice between elements: CheckAuthorization CreditCardAuthorization
	AirItineraryType/OriginDestinationOptions/OriginDestinationOption - added attribute RefNumber of type Numeric1to99
	AirReservationType/Ticketing - changed element maxOcc to 99, allowing it to repeat (was 1)
	FareInfoType/FareInfo - changed element maxOcc to 15 (was 5) - added attribute FareStatus of type FareStatusType
	FareInfoType/FareReference - changed element minOcc to 0, making it optional (was 1)
	FareType/BaseFare - changed element minOcc to 0, making it optional (was 1)

2006B Schemas Changed

Message File Name	Schema Element Path and Change(s) Made
	FlifoLegAttributes@FlightNumber - changed attribute use to optional
	GlobalIndicatorType - added enumerations: CT, DO, FE, PN, RU, RW, SA
	PricedItinerariesType/PricedItinerary - added attribute OriginDestinationRefNumber of type Numeric1to99
	PricedItineraryType@OriginDestinationRPH - marked attribute for deprecation
	TicketingInfoType - added attribute PseudoCityCode of type StringLength1to16
	TicketingInfoType@TicketType - changed attribute use to optional
OTA_AirFareDisplayRQ.xsd	TravelPreferences/FareTypePref - removed element type of FareTypePrefType, replacing it with attributeGroup FareTypePrefGroup
OTA_AirFlifoRQ.xsd	- added element FlightSegment with child elements: Airline of type CompanyNameType FlightNumber of type FlightNumberType DepartureDate of type xs:date DepartureAirport of type LocationType ArrivalAirport of type LocationType
OTA_AirFlifoRS.xsd	FlightInfoDetails - changed element maxOcc to 10, allowing it to repeat (was 1) - added child element Warnings of type WarningsType - added attribute FlightNumber of type FlightNumberType
	FlightInfoDetails/FlightLegInfo - added attribute OnTimeRate of type Percentage
OTA_AirLowFareSearchRQ.xsd	OriginDestinationInformation - added attribute RefNumber of type Numeric1to99
	TravelPreferences - changed element maxOcc to 10, allowing it to repeat (was 1) - added attribute OriginDestinationRPHs of type ListOfRPH
OTA_AirPreferences.xsd	CabinPref - added attribute CabinSubtype of type StringLength1to64
OTA_AirRulesRS.xsd	FareRuleResponseInfoType/Routing/Info@Text - changed attribute type to be of xs:string (was of StringLength1to128)
OTA_AirScheduleRS.xsd	OriginDestinationOptions/OriginDestinationOption/FlightSegment - added element BookingClass containing required attribute ResBookDesigCode of type UpperCaseAlphaLength1to2
OTA_CancelRQ.xsd	UniqueID - added attribute Reason of type StringLength1to64
OTA_CancelRS.xsd	UniqueID - changed element minOcc to 0, making it optional (was 1)
OTA_CommonTypes.xsd	- created attributeGroups: MultimediaDescriptionsGroup containing attributes: ContentId of type StringLength1to64 Title of type StringLength1to64 Author of type StringLength1to64 CopyrightNotice of type StringLength1to64 CopyrightOwner of type StringLength1to64

2006B Schemas Changed

Message File Name	Schema Element Path and Change(s) Made
	<p>CopyrightStart of type DateOrDateTimeType CopyrightEnd of type DateOrDateTimeType EffectiveStart of type DateOrDateTimeType EffectiveEnd of type DateOrDateTimeType ApplicableStart of type DateOrMonthDay ApplicableEnd of type DateOrMonthDay RecordID of type StringLength1to32</p> <p>MultimediaItemGroup containing attributes: Language of type xs:language Format of type OTA_CodeType, using OTA Code List CFC FileSize of type xs:positiveInteger FileName of type StringLength1to64</p> <p>QueueGroup containing attributes: PseudoCityCode of type StringLength1to16 QueueNumber of type AlphaNumericStringLength1to8 QueueCategory of type AlphaNumericStringLength1to8 SystemCode of type StringLength1to8</p> <p>ReferencePlaceholderGroup containing attribute RPH of type RPH_Type</p> <p>TelephoneInfoGroup containing attribute RPH of type RPH_Type and attributeGroups: TelephoneGroup DefaultIndGroup</p> <p>- created complexTypes: DescriptionsType with element Description of type MultimediaObjectType</p> <p>ImageDescriptionType containing attribute Category of type OTA_CodeType, using OTA Code List PIC; and elements: ImageFormat of type ImageItemType Description of type FormattedTextType</p> <p>ImageItemsType containing element ImageItem of type ImageDescriptionType</p> <p>ImageItemType containing element URI of type xs:anyURI; and attributes: UnitOfMeasureCode of type OTA_CodeType, using OTA Code List UOM Width of type xs:positiveInteger Height of type xs:positiveInteger</p> <p>MultimediaDescriptionType containing elements: VideoItems of type VideoItemsType ImageItems of type ImageItemsType TextItems of type TextItemsType</p> <p>OrdersType containing element path Order/Products/Product; and attributes:</p>

2006B Schemas Changed

Message File Name	Schema Element Path and Change(s) Made
	<p>OrderType of type StringLength1to16 DiscountCode of type StringLength1to16 VendorPurchaseOrderID of type StringLength1to32 OrderID of type StringLength1to32</p> <p>RecipientInfosType containing element RecipientInfo of type ContactPersonType</p> <p>TextDescriptionType containing elements: URL of type xs:anyURI Description of type FormattedTextType and attribute: ListItem of xs:integer And attributeGroup MultimediaDescriptionGroup and attributes: Category of type OTA_CodeType, using OTA Code List PIC Language of type xs:language</p> <p>TextItemsType containing element TextItem of type TextDescriptionType</p> <p>TransportationType containing element Transportation with child elements: MultimediaDescriptions of type MultimediaDescriptionsType OperationSchedules of type OperationSchedulesType DescriptiveText of type xs:string</p> <p>VideoDescriptionType containing attribute Category of type OTA_CodeType, using OTA Code List PIC; and element VideoFormat of type VideoItemType</p> <p>VideoItemsType containing element VideoItem of type VideoDescriptionType</p> <p>VideoItemType containing element URL of type xs:anyURI; and attributeGroup MultimediaItemGroup and attributes: UnitOfMeasureCode of type OTA_CodeList, using OTA Code List UOM Width of type xs:positiveInteger Height of type xs:positiveInteger BitRate of type xs:positiveInteger Length of type xs:positiveInteger</p>
	<p>AddressType - changed element maxOcc to 2, allowing it to repeat (was 1) - added attribute BldgNameIndicator of type xs:Boolean</p>
	<p>CommissionType - added attributes: Frequency of type OTA_CodeType, using OTA Code List CHG MaxCommissionUnitApplies of type xs:positiveInteger CapAmount of type Money</p>
	<p>CommissionType/CommissionableAmount - added attribute TaxInclusiveIndicator of type xs:Boolean</p>
	<p>CompanyNameType - added attributes:</p>

2006B Schemas Changed

Message File Name	Schema Element Path and Change(s) Made
	Division of type StringLength1to32 Department of type StringLength1to32
	CustLoyaltyType - removed complexType
	FlightSegmentBaseType@DepartureDateTime - changed attribute use to optional
	ItemSearchCriterionType/HotelRef - added attribute SupplierIntegrationLevel of type xs:nonNegativeInteger
	ItemSearchCriterionType/RefPoint - changed element type to be of StringLength0to64 (was of StringLength1to64)
	LocationType@LocationCode - changed attribute use to optional
	MultimediaObjectType - replaced complexType with MultimediaDescriptionsType, containing attribute LastUpdated of type xs:dateTime; and element MultimediaDescription of type MultimediaDescriptionType
	OperationScheduleType - added attributes: Frequency of type StringLength1to64 Text of type StringLength0to64
	OperationSchedulesType - added attributeGroup DateTimeSpanGroup
	ParagraphType - changed choice construct maxOcc to unbounded, allowing it to repeat infinitely (was 300)
	PaymentDetailType - changed choice construct to minOcc of 0 making it optional
	PaymentFormType - changed choice construct to minOcc of 0 making it optional
	QuantityGroup@Quantity - changed attribute to be of type xs:nonNegativeInteger
	RelativePositionType/Transportations - changed element type to be of TransportationType
	Relative/PositionType/@ToFrom - removed enumeration FromFacility
	RestaurantType - removed RestaurantDescription element - removed enumeration SvcInfoCode from InfoCodes/InfoCode/@Name
	TelephoneInfoType - changed complexType to an attributeGroup named TelephoneInfoGroup
	TransportationType/Transportation - removed Descriptions element
	TravelerCountGroup@Code - changed attribute type to be of OTA_CodeType, using OTA Code List AQC
	WrittenConflnstType - added attribute ConfirmInd of type xs:boolean
OTA_CruiseCommonTypes.xsd	- created complexTypes:

2006B Schemas Changed

Message File Name	Schema Element Path and Change(s) Made
	<p>PaymentResponseType as an extension of PaymentFormType and containing elements:</p> <ul style="list-style-type: none"> PaymentAmount PaymentReferenceID of type UniqueID_Type Error of type ErrorType <p>ShipInfoType containing attributeGroup ShipReferenceGroup and elements:</p> <ul style="list-style-type: none"> Ship ShipLength ShipVoltage <p>ShipQualifierType</p> <ul style="list-style-type: none"> - added attribute SortOrderCode of type OTA_CodeType, using OTA Code List SOC
OTA_HotelAvailRQ.xsd	- Added attribute OnRequestInd of type xs:boolean
OTA_HotelAvailRS.xsd	<p>RoomStays/RoomStay</p> <ul style="list-style-type: none"> - added element ServiceRPHs of type ServiceRPHsType
OTA_HotelCommonTypes.xsd	<p>AmountType</p> <ul style="list-style-type: none"> - added element AdvanceBookingRestriction with attributeGroups: DateTimeSpanGroup DOW_PatternGroup <p>and attributes:</p> <ul style="list-style-type: none"> MinAdvanceBookingOffset of type xs:duration MaxAdvanceBookingOffset of type xs:duration
	<p>AmountType/Base</p> <ul style="list-style-type: none"> - changed element minOcc to 0, making it optional (was 1)
	<p>BaseInvCountType/InvCounts/InvCount@Count</p> <ul style="list-style-type: none"> - changed attribute type to be of xs:integer (was of xs:nonNegativeInteger)
	<p>DimensionRoomGroup</p> <ul style="list-style-type: none"> - changed attributeGroup name to DimensionGroup
	<p>FeaturesType/Feature</p> <ul style="list-style-type: none"> - removed Description element
	<p>GuaranteeType/GuaranteesAccepted/GuaranteeAccepted</p> <ul style="list-style-type: none"> - added attributes: BookingSourceAllowedInd of type xs:Boolean CorpDiscountNbrAllowedInd of type xs:Boolean GuaranteeTypeCode of type OTA_CodeType, using OTA Code List PMT GuaranteeID of type StringLength1to64
	<p>HotelSearchCriterionType</p> <ul style="list-style-type: none"> - changed complexType maxOcc to 10 (was 5)
	<p>HotelSearchCriterionType/HotelAmenity</p> <ul style="list-style-type: none"> - added attribute ComplimentaryInd of type xs:boolean
	<p>HotelSearchCriterionType/Service</p> <ul style="list-style-type: none"> - changed element maxOcc to 99 (was 5) - added attributes: ServiceInventoryCode of type StringLength1to16 Quantity of type Numeric1to999
	<p>LengthsOfStayType/LengthOfStay/@MinMaxMessageType</p> <ul style="list-style-type: none"> - removed enumeration RemoveForward MinStay
	<p>MeetingRoomsType/MeetingRoom/Codes/Code- removed element Description</p>

2006B Schemas Changed

Message File Name	Schema Element Path and Change(s) Made
	- added element MultimediaDescriptions of MultimediaDescriptionsType
	MeetingRoomsType/MeetingRoom - removed element Description - added element MultimediaDescriptions of MultimediaDescriptionsType
	MeetingRoomsType/MeetingRoom - added attribute MeetingRoomLevel of type StringLength1to64
	PropertyValueMatchType - added attribute AvailabilityStatus of type RateIndicatorType - deleted attribute AvailableIndicator of type xs:boolean
	PropertyValueMatchType/RateRange - added attribute RateInfoNotAvailableInd of type xs:boolean
	RatePlanType - added attributes: PriceViewableInd of type xs:Boolean QualificationType of type OTA_CodeType, using OTA Code List DOC
	RateUploadType - added element MealsIncluded containing attributeGroup MealsIncludedGroup
	RequiredPaymentsType/GuaranteePayment/Address - changed element type to be of AddressInfoType (was of AddressType)
	RoomRateType - added element Availability containing attribute AvailabilityStatus of type RateIndicatorType
OTA_HotelContentDescription.xsd	AreaInfoType/Attractions/Attraction - replaced element Description of type MultimediaObjectType with element MultimediaDescriptions of type MultimediaDescriptionsType - added element DescriptiveText of type xs:string
	AreaInfoType/Recreations/Recreation - replaced element Description of type MultimediaObjectType with element MultimediaDescriptions of type MultimediaDescriptionsType - added element DescriptiveText of type xs:string
	CategoryCodesType/GuestRoomInfo - replaced element Description of type ParagraphType with element MultimediaDescriptions of type MultimediaDescriptionsType - added element DescriptiveText of type xs:string
	FacilityInfoType/MeetingRooms/Codes/Code - replaced element Description of type MultiMediaObjectType with element MultimediaDescriptions of type MultimediaDescriptionsType
	FacilityInfoTyp/MeetingRooms/MeetingRoom/Codes/Code - replaced element Description of type MultiMediaObjectType with element MultimediaDescriptions of type MultimediaDescriptionsType
	FacilityInfoTyp/MeetingRooms/MeetingRoom - replaced element Description of type MultiMediaObjectType with element MultimediaDescriptions of type MultimediaDescriptionsType

2006B Schemas Changed

Message File Name	Schema Element Path and Change(s) Made
	FacilityInfoType/GuestRooms/GuestRoom - replaced element Description of type MultimediaObjectType with element MultimediaDescriptions of type MultimediaDescriptionsType - added element DescriptiveText of type xs:string
	FacilityInfoType/GuestRooms/GuestRoom/AmenityCodes/AmenityCode - replaced element Description of type MultimediaObjectType with element MultimediaDescriptions of type MultimediaDescriptionsType - added element DescriptiveText of type xs:string
	HotelInfoType/Descriptions - replaced element Description of type MultimediaObjectType with element MultimediaDescriptions of type MultimediaDescriptionsType - added element DescriptiveText of type xs:string
	HotelInfoType/Descriptions/Renovation - replaced element Description of type ParagraphType with element MultimediaDescriptions of type MultimediaDescriptionsType - added element DescriptiveText of type xs:string
	HotelInfoType/Services/Service - replaced element Description of type MultimediaObjectType with element MultimediaDescriptions of type MultimediaDescriptionsType - added element DescriptiveText of type xs:string
	MultimediaObjectsType - deleted this complexType
	PoliciesType/Policy/PetsPolicies/PetsPolicy - added attributes: RestrictionInd of type xs:Boolean MinUnitOfMeasureQuantity of type xs:decimal
	PoliciesType/Policy/PetsPolicies/PetsPolicy/Description - changed element minOcc to 0, making it optional (was 1) - changed element maxOcc to 5, allowing it to repeat (was 1)
	RefPointsType/RefPoint - replaced elements Descriptions/Description of type MultimediaObjectType with element MultimediaDescriptions of type MultimediaDescriptionsType - added element DescriptiveText of type xs:string
OTA_HotelDescriptiveInfosRQ.xsd	HotelDescriptiveInfos - added attribute LangRequested of type xs:language
OTA_HotelPreferences.xsd	PersonalSrvcPrefType - removed attribute PersonalSrvcType
OTA_HotelRateAmountNotifRQ.xsd	RateAmountMessages/RateAmountMessage - changed element maxOcc to unbounded, allowing it to repeat infinitely (was 1)
	- removed attributeGroup HotelReferenceGroup
OTA_HotelReservation.xsd	HotelReservationType - added element Queue containing attributeGroup QueueGroup and attribute QueueID of type AlphaNumericStringLength1to8
	HotelReservationsType - added element TPA_Extensions of type TPA_Extensions_Type

2006B Schemas Changed

Message File Name	Schema Element Path and Change(s) Made
	ResGuestRPHsType/ResGuestRPH - removed element type of ReferencePlaceholderType - added attribute RPH of type RPH_Type ServicesType/Service/Price - changed element maxOcc to 99, allowing it to repeat (was 1)
OTA_PkgCommonTypes	DateTimePeriod - removed attributeGroup
OTA_ProfileCreateRQ.xsd	UniqueID - changed element maxOcc to 5, allowing it to repeat (was 1)
OTA_ProfileCreateRS.xsd	UniqueID - changed element maxOcc to 5, allowing it to repeat (was 1)
OTA_ReadRQ.xsd	ReadRequests/CruiseReadRequest - added attribute HistoryRequestedInd of type xs:boolean
OTA_SimpleTypes.xsd	HotelResStatusType - added UpperCaseAlphaLength1to2 to union RatePeriodSimpleType - added enumerations: Package Bundle Total TransactionActionType - added enumeration CommitOverrideEdits
OTA_TravellItineraryRS.xsd	TravelSegmentType/Air - changed element name to Reservation - added new element Air and made element Reservation its child - added child element DetailedReservation of type AirReservationType
OTA_UpdateRQ	UpdatePositionType/Element - changed element any minOcc to 0, making it optional (was 1) UpdatePositionType/Subtree - changed element any minOcc to 0, making it optional (was 1)
OTA_VehAvailRateRQ.xsd	VehicleAvailRQCoreType@Status - changed attribute use to optional
OTA_VehicleCommonTypes.xsd	VehicleAgeRequirementsType/Age@group DateTimeSpanGroup - removed attributeGroup VehicleAvailCoreType - added attribute IsAlternateInd of type xs:Boolean VehicleChargePurposeType - added attribute RateConvertInd of type xs:Boolean VehicleChargeType/MinMax - added attribute MaxChargeDays of type xs:integer VehicleCoreType@FuelType - added enumeration Ethanol VehicleLocationAdditionalFeesType/Surcharges - added attributeGroup DateTimeSpanGroup VehicleLocationAdditionalFeesType/Taxes - added attributeGroup DateTimeSpanGroup VehicleLocationLiabilitiesType/Coverages@group DateTimeSpanGroup - removed attributeGroup

2006B Schemas Changed

Message File Name	Schema Element Path and Change(s) Made
	VehicleLocationLiabilitiesType/Coverages/Coverage/CoverageFees/CoverageFee - added element Deductible containing attributeGroup CurrencyAmountGroup and attribute LiabilityAmount of type Money
	VehiclePeriodUnitNameType - added enumerations: Weekend, Bundle, Package
	VehicleRentalCoreType/ReturnLocation - added attribute ExtendedLocationCode of type StringLength1to8
	VehicleTotalChargeGroup@RateTotalAmount - changed attribute use to optional
	VehicleType - added attributeGroups: UnitsOfMeasureGroup DateTimeSpanGroup - added attribute OdometerUnitOfMeasure of type DistanceUnitNameType
OTA_VehLocDetailRQ.xsd	POS - changed element minOcc to 0, making it optional
OTA_VehLocDetailsNotifRQ.xsd	LocationDetails/LocationDetail/AgeRequirements - added attributeGroup DateTimeSpanGroup
	LocationDetails/LocationDetail/Liabilities - added attributeGroup DateTimeSpanGroup
	LocationDetails/LocationDetail/ShuttleInfo@Type - added enumerations: AirportShuttle-OffAirport, AirportShuttle-InTerminal
	LocationDetails/LocationDetail/SpecialEquipments - added attributeGroup DateTimeSpanGroup
	LocationDetails/LocationDetail/SpecialEquipments/SpecialEquipment@group DateTimeSpanGroup - removed attributeGroup
OTA_VehRateRuleRQ.xsd	- added attributeGroup CompanyID_AttributesGroup
	RentalInfo - added element CustomerID of type UniqueID_Type
	RentalInfo/RateQualifier - added attribute RateAuthorizationCode of type StringLength1to32
OTA_VehRateRuleRS.xsd	LocationDetails - added attribute DropOffIndicator of type xs:boolean
	RateRules - added element RateDeposit containing attributeGroup DeadlineGroup and attribute DepositRequiredInd of type xs:Boolean
	RateRules/PaymentRules - added elements: AcceptablePayments containing attribute PaymentTypeCode of type OTA_CodeType, using OTA Code List PMT AcceptablePayments/AcceptablePayment containing attribute CreditCardCode of type PaymentCardCodeType
	RateRules/RateGuarantee - added element Description of type FormattedTextType
	RentalRate

2006B Schemas Changed

Message File Name	Schema Element Path and Change(s) Made
	- added attribute WrittenConfInd of type xs:boolean
	Vehicle - added attributes: LowMileage of type Numeric1to99 HighMileage of type Numeric1to99 - added element Description of type FormattedTextTextType
	VehRentalCore - added attributeGroup CompanyID_AttributesGroup and attributes: DayOfWeek of type DayOfWeekType CurrencyCode of type AlphaLength3
OTA_VehRetResRQ.xsd	VehicleRetrieveResRQAdditionalInfoType - added element Email of type EmailType
	VehicleRetrieveResRQCoreType - replaced the choice construct with a sequence and made all child elements optional: UniqueID PersonName CustLoyalty

Text in red indicates the schema is non-forward compatible.