

2005A Messages Changed

Message File Name	Schema Element Path and Change(s) Made
OTA_AirAvailRS.xsd	<ul style="list-style-type: none"> - deleted complexTypes: AvailFlightSegmentType OriginDestinationOptionsType (defined inline) FlifoLegAttributes - moved attributeGroup to AirCommonTypes OriginDestinationOptions/OriginDestinationOption/FlightSegment - changed element to be of type FlightSegmentType
OTA_AirBookRS.xsd	<ul style="list-style-type: none"> - added attribute MaxOccurs of type xs:choice AirReservation/Fulfillment/PaymentDetails - removed element type of PaymentFormType - inserted element PaymentDetail of type PaymentDetailType
OTA_AirCommonTypes.xsd	<ul style="list-style-type: none"> - created simpleTypes: AirTripDirectionType DisplayOrderType FareApplicationType - created attributeGroup: FlifoLegAttributes - created complexType: AirReservationType AirItineraryPricingInfoType/ItinTotalFare - changed minOcc from 1 to 0, making the element optional AirProcessingInfoType - added attribute: AvailabilityIndicator of type xs:Boolean AirProcessingInfoType/@DisplayOrder - changed attribute to be of type DisplayOrderType BookFlightSegmentType - deleted attribute: ActionCode - added element structure: BookingClassAvails/BookingClassAvail of type BookingClassAvailabilityType FareInfoType/FareReference - added attributes: ResBookDesignCode of type UpperCaseAlphaLength1to2 TicketDesignatorCode of type StringLength1to16 FareType - added elements: FareConstruction UnstructuredFareCalc of type StringLength1to128 TPA_Extensions of type TPA_Extensions_Type FareType/BaseFare - added attributeGroup: ExchangeRateGroup FareType/UnstructuredFareCalc - added attribute: FareCalcMode of type AlphaNumericStringLength1 PTCFareBreakdownType/TicketDesignators/TicketDesignator - added attribute: TicketDesignatorExtension of type StringLength1to16 PTCFareBreakdownType/TravelerRefNumber - changed maxOcc from 5 to 99

2005A Messages Changed

Message File Name	Schema Element Path and Change(s) Made
	RuleInfoType/ChargesRules - added element: VoluntaryRefunds of type VoluntaryChangesType
	SpecialReqDetailsType - deleted element structure: UniqueRemarks/UniqueRemark
	TicketingInfoType - added attributes: FlightSegmentRefNumber of type ListOfRPH TravelerRefNumber of type ListOfRPH ReverseTktgSegmentsInd of type xs:Boolean
	TravelerRefNumberType - added attribute: SurnameRefNumber of type StringLength1to8
OTA_AirFlifoRS.xsd	- deleted attributeGroup: FlifoLegAttributes (moved to AirCommonTypes)
	FlightInfoDetails/FlightLegInfo/OperationTimes/ArrivalDateTime - added attribute: ReasonCode of type OTA_CodeType
	FlightInfoDetails/FlightLegInfo/OperationTimes/DepartureDateTime - added attribute: ReasonCode of type OTA_CodeType
	FlightInfoDetails/FlightLegInfo/OperationTimes/OperationTime - added attribute: ReasonCode of type OTA_CodeType
	FlightInfoDetails/FlightLegInfo/OperationTimes/OperationTime/ReasonCode - marked for deprecation
OTA_AirPriceRS.xsd	- added attribute MaxOccurs of type xs:choice
OTA_CancelRQ.xsd	Verification - changed maxOcc from 1 to 5
OTA_CancelRS.xsd	- added element: Comment of type ParagraphType
OTA_CommonTypes.xsd	- created attributeGroup: ExchangeRateGroup
	CompanyID_AttributesGroup/@Code - changed attribute to be of type StringLength1to16
	CustomerType - added attribute: VIP_Indicator of type xs:Boolean
	FeeType - added attribute: ChargeUnit of type OTA_CodeType - added attributeGroup: EffectiveExpireOptionalDateGroup
	ItemSearchCriterionType/HotelRef - added attribute: SegmentCategoryCode of OTA_CodeType
	MessageAcknowledgementType - added element: TPA_Extensions of type TPA_Extensions_Type

2005A Messages Changed

Message File Name	Schema Element Path and Change(s) Made
	PaymentCardType - added attributes: MaskedCardNumber of type AlphaNumericStringLength1to19 CardHolderRPH of type RPH_Type
	PaymentDetailType/PaymentAmount - changed minOcc from 1 to 0, making the element optional - added attribute: ApprovalCode of type StringLength1to16
	TaxType - added attribute: ChargeUnit of type OTA_CodeType - added attributeGroup: EffectiveExpireOptionalDateGroup
	DestActivityReservationType - deleted all attributes - added element: TravelerCount of type TravelerCountType
	DestActivityReservationType/Contact - changed element to be of type ContactPersonType
	DestActivityReservationType/Travellers - changed name to Traveler (removed one 'l')
	DestActivityReservationType/TravellersType - changed name to TravelerType (removed one 'l')
OTA_HotelAvailNotifRQ.xsd	AvailStatusMessages/AvailStatusMessage - added attribute: LocatorID of type xs:positiveInteger
OTA_HotelAvailRS.xsd	- added element: Services of type ServicesType
OTA_HotelCommonTypes.xsd	- created complexTypes: BaseInvCountType GDS_InfoType InvCountType - deleted complexTypes: InvCountCodesType SpecialRequestType
	AdditionalDetailType - added attributeGroup: CurrencyAmountGroup to include attribute DecimalPlaces of type xs:nonNegativeInteger
	CancelPenaltyType - added attributeGroups: DateTimeSpanGroup DOW_PatternGroup
	FeaturesType/Feature - added attribute: ProximityCode of type OTA_CodeType
	InvBlockGroup/@InvBlockCode - changed attribute to be of type StringLength1to32
	InvBlockGroup/@QuoteID - changed attribute to be of type StringLength1to32
	MeetingRoomsType - added attribute: TotalRoomSeatingCapacity of type xs:nonNegativeInteger

2005A Messages Changed

Message File Name	Schema Element Path and Change(s) Made
	RequiredPaymentsType/GuaranteePayment - added attributes: GuaranteeCode of type StringLength1to32 GuaranteeType of type StringLength1to32 HoldTime of type xs:time Type of type xs:string - added attributeGroups: DateTimeSpanGroup DOW_PatternGroup
	RequiredPaymentsType/RequiredPayment - changed element name to GuaranteePayment
	RequiredPaymentsType/RequiredPayment/PaymentDescription - changed element name to Description
	RestrictionStatusType - added attribute: SellThroughOpenIndicator of type xs:Boolean
	RoomRateLiteType/@InvBlockCode - changed attribute to be of type StringLength1to32
	RoomRateType - added element: Total of type TotalType
	RoomRateType/@InvBlockCode - changed attribute to be of type StringLength1to32
	RoomTypeType/@InvBlockCode - changed attribute to be of type StringLength1to32
	StatusApplicationControlType - added attributes: QuoteID of type StringLength1to32 SubBlockCode of type StringLength1to32
	TransportationsType/Transportations/Transportation - added element: OperationSchedules of type OperationSchedulesType
OTA_HotelContentDescription.xsd	AffiliationInfoType - added element structures: Descriptions/Description of type ParagraphType PartnerInfos/PartnerInfo
	AffiliationInfoType/@LastUpdated - changed minOcc from 1 to 0, making the attribute optional
	AffiliationInfoType/Awards/Award - added attribute: OfficialAppointmentInd of type xs:Boolean
	AreaInfoType - added element structure: OtherHotels/OtherHotel
	AreaInfoType/Attractions/@LastUpdated - changed minOcc from 1 to 0, making the attribute optional
	AreaInfoType/Attractions/Attraction - added attribute: Sort of type xs:nonNegativeInteger
	AreaInfoType/Recreations - added attribute: LastUpdated of type xs:dateTime
	AreaInfoType/Recreations/Recreation - added attribute: Sort of type xs:nonNegativeInteger

2005A Messages Changed

Message File Name	Schema Element Path and Change(s) Made
	AreaInfoType/RefPoints - added attribute: LastUpdated of type xs:dateTime
	ContactInfoType - added attribute: Location of type OTA_CodeType
	FacilityInfoType/@LastUpdated - changed minOcc from 1 to 0, making the attribute optional
	FacilityInfoType/GuestRooms - added attribute: MaxOccupancy of type xs:nonNegativeInteger
	FacilityInfoType/GuestRooms/GuestRoom - added attributes: MaxChildOccupancy of type xs:nonNegativeInteger Sort of type xs:nonNegativeInteger
	FacilityInfoType/GuestRooms/GuestRoom/Amenities/Amenity - added element: ContactInfo of ContactInfoRootType
	FacilityInfoType/GuestRooms/GuestRoom/TypeRoom - added attributeGroup: RoomGroup
	HotelInfoType - added attribute: TaxID of type StringLength1to16 - added element structure: OwnershipManagementInfos/OwnershipManagementInfo of type ContactInfoType
	HotelDescriptiveContentType/Policies - added attributes: GuaranteeRoomTypeViaCRC of type xs:boolean GuaranteeRoomTypeViaGDS of type xs:boolean GuaranteeRoomTypeViaProperty of type xs:boolean
	HotelInfoType/Services/Service - added attributes: MealPlanCode of type OTA_CodeType Quantity of type xs:nonNegativeInteger
	MultimediaObjectType/@LastUpdated - changed minOcc from 1 to 0, making the attribute optional
	PoliciesType/Policy - added element: CommissionPolicy of type FeeType - added element structure: StayRequirements/StayRequirement of type DOW_PatternType
	PoliciesType/Policy/CheckoutCharges/CheckoutCharge - added attribute: NmbrOfNights of type xs:nonNegativeInteger
	PoliciesType/Policy/PaymentPolicy - changed element name to GuaranteePaymentPolicy
	PoliciesType/Policy/PolicyInfo - added attribute: MaxChildAge of type Numeric1to99
	PoliciesType/Policy/PolicyInfoCodes/PolicyInfoCode/@Name - corrected misspelling of enumeration 'OversoldArrangeAccommodations'

2005A Messages Changed

Message File Name	Schema Element Path and Change(s) Made
	RestaurantsType - added attribute: Quantity of type xs:nonNegativeInteger
	RestaurantsType/Restaurant - added element structure: ServiceInfoCodes/ServiceInfoCode - added attribute: Sort of type xs:nonNegativeInteger
OTA_HotelDescriptiveContentNotifRQ.xsd	HotelDescriptiveContents/HotelDescriptiveContent - added attribute: LastUpdated of type xs:dateTime
	HotelDescriptiveContents/HotelDescriptiveContent/HotelInfo/Descriptions/Description - added attribute: AdditionalDetailCode of type OTA_CodeType
OTA_HotelInvBlockNotifRQ.xsd	- added element: TPA_Extensions of type TPA_Extensions_Type
OTA_HotelInvBlockNotifRS.xsd	- added element: TPA_Extensions of type TPA_Extensions_Type
	InvBlockCodeRefType/@InvBlockCode - changed attribute to be of type StringLength1to32
OTA_HotelInvCountNotifRQ.xsd	- deleted complexType: BaseInvCountType (moved to OTA_HotelCommonTypes.xsd)
	- added elementTPA_Extensions of type TPA_Extensions_Type
OTA_HotelInvCountNotifRS.xsd	Inventories/Inventory/InvCounts/InvCount/InvBlockCutoff - changed minOcc from 1 to 0, making the element optional
	- added element: Inventories of type InvCountType
OTA_HotelResModifyNotifRQ.xsd	HotelResModifies/HotelResModify/Verification - changed maxOcc from 1 to 5
OTA_PingRS.xsd	- added attribute MaxOccurs of type xs:choice

2005A Messages Changed

Message File Name	Schema Element Path and Change(s) Made
OTA_PkgCommonTypes.xsd	<ul style="list-style-type: none"> - created attributeGroups: DestinationLevelGroup ExtrasSelectionGroup ResortCodeGroup - added simpleTypes: DestinationLevelType PickUpDropOffType - created complexTypes: AccommodationInfoType AccommodationSegmentRequestType AgentCommissionType CabinAvailType ChargesType ExtrasCoreType ExtrasInfoType ExtrasType ItineraryItemRequestType ItineraryItemResponseType PackageResponseType PeriodPriceType PkgFlightSegmentBaseType PkgFlightSegmentType PriceType RoomProfileType ServiceRequestType - deleted complexTypes: AccommodationSegment DiscountCommissionType ItineraryItemType PkgRoomProfileType ResortCodeType
	CostingItemType - added attributes: CostBasis of type OTA_CodeType InventoryItemRPH of type RPH_Type PassengerRPH of type RPH_Type - added element: Commission of type AgentCommissionType
	CostingItemType/ExtendedPrice - changed element name to ExtendedCost
	CostingItemType/UnitPrice - changed element name to UnitCost
	CustomerCountsType/CustomerCount - added attributeGroup: BirthDateGroup
	MealPlanType - added attribute: ListOfRoomRPH of type ListOfRPH - added element: PassengerRPHs - added element structure: Prices/Price of type PriceType - deleted element: SupplementalCharges

2005A Messages Changed

Message File Name	Schema Element Path and Change(s) Made
	OwnInsuranceChoiceType - added attribute: RPH of type RPH_Type
	PackageType - added attributes: FreeChildrenQuantity of type Numeric0to99 BrandCode of type StringLength1to8 ProductCode of type StringLength1to8 - deleted attribute: ShortDescription - added element structure: Extras/Extra of type ExtrasType - deleted element structure: Cautions/Caution
	PkgAirSegmentType - added element: Passengers
	PkgAirSegmentType/SupplementCharges - changed element to be of type ChargesType
	PkgCautionType - added attributes: ID of type StringLength1to16 ListOfItineraryItemRPH of type ListOfRPH ListOfExtraRPH of type ListOfRPH - deleted attribute: ItinerarySequence
	PkgInvoiceDetail - added attribute: BalanceDueDate of type xs:date - added element: AgentCommission of type AgentCommissionType AmountReceived of type CurrencyAmountType - deleted element: DiscountCommission
	PkgPassengerListItem - added attributes: TravelerCountType complexType - added attribute: LeadCustomerInd of type xs:Boolean - deleted attribute: Age
	PkgPriceType - added attribute: PriceBasis of type PricingType
	PkgRoomInventoryType/SupplementCharges - changed element to be of type ChargesType
	SeatAvailabilityType - added element: Charges of type ChargesType - deleted element: SupplementCharges of SupplementChargesType
OTA_ProfileCreateRQ.xsd	Profile/Customer/Address - added attributeGroup: EffectiveExpireOptionalDateGroup

2005A Messages Changed

Message File Name	Schema Element Path and Change(s) Made
	Profile/Customer/Address/StreetNmbr - added attributes: StreetNmbrSuffix of type StringLength1to8 StreetDirection of type StringLength1to8 RuralRouteNmbr of type NumericStringLength1to5
	Profile/Customer/Telephone - added attributeGroup: EffectiveExpireOptionalDateGroup
	ScreenEntry - changed minOcc from 1 to 0, making the element optional
OTA_SimpleTypes.xsd	- created simpleTypes: AlphaNumericStringLength1 AlphaNumericStringLength1to19 IncludeExcludeType
	MealType - added enumeration: RGML
	ProximityType - deprecated (where used, will now be of type OTA_CodeType)
OTA_VehCheckInRQ.xsd	- added element structure: Remarks/Remark of type ParagraphType
OTA_VehCheckInRS.xsd	- added element structure: Remarks/Remark of type ParagraphType
OTA_VehCheckOutRQ.xsd	Remarks/Remark - changed maxOcc from 99 to 10
OTA_VehCheckOutRS.xsd	- added element structure: Remarks/Remark of type ParagraphType
OTA_VehicleCommonTypes.xsd	- created complexType: VehicleCustomerType
	CustomerPrimaryAdditionalType/Additional - added attributeGroup: DateTimeSpanGroup - added attributes: CorpDiscountName of type StringLength1to64 CorpDiscountNmbr of type AlphaNumericStringLength1to8 QualificationMethod of type xs:NMTOKEN
	RentalActionGroup/@RentalActionCode - changed attribute to be of type TransactionActionType
	VehicleRentalRateType - added element: RateRestrictions
	VehicleReservationRQCoreType - added elements: RateDistance of type VehicleRateDistanceType TotalCharge of type VehicleTotalChargeType - added element structures: Fees/Fee of type VehicleChargePurposeType VehicleCharges/VehicleCharge of type VehicleChargePurposeType
	VehicleReservationRQCoreType/RateQualifier - changed element to be of type RateQualifierType
	VehicleTotalChargeType - added attributeGroup: CurrencyCodeGroup to include attribute DecimalPlaces of type xs:nonNegativeInteger