



November 2012

---

# OpenTravel 2012B Schema Comments Report

<p><b>342</b></p> <p><b>Submitted By:</b> <b>John Taverna</b> <b>Sabre</b></p>	<p>----- <b>SUBMITTER</b> -----</p> <p><b>Comment</b> We would like to be able to pass a rate plan filter code into an avail check to limit results based on a rate plan filter. A rate plan filter is an object that will have one or more rate plans assigned to it. It is currently possible to pass in individual rate plan codes as criteria but it is not possible to specify a group of rate plans as a search criteria. Note that the request does have a category code attribute available but rate plans in a filter don't necessarily have to be part of the same rate plan category.</p> <p><b>Proposed Change</b> Add a new attribute to RatePlanCandidate to specify a rate plan filter by code to apply to a search.</p> <p><b>Proposed Annotation</b> OTA_HotelCommonTypes/RatePlanCandidatesType/@RatePlanFilterCode A string value that allows the query to specify a specific rate plan filter.</p> <p>----- <b>RELEASE NOTES</b> -----</p> <p><b>Schema File Name:</b> OTA_HotelCommonTypes <b>X-Path:</b> OTA_HotelCommonTypes/RatePlanCandidatesType</p> <p>-added attribute @RatePlanFilterCode of type xs:string</p> <p>-Annotation: Description: A string value that specifies the rate plan filter. A rate plan filter allows similar rate plans to be grouped together.</p>
--	--

<p><b>344</b></p> <p><b>Submitted By:</b> <b>Carlos Lo Iacono</b> <b>Amadeus</b></p>	<p>----- <b>SUBMITTER</b> -----</p> <p><b>Comment</b> When a Credit Card is entered, some hotel providers need to have First Name and Sur Name in two different fields. Today, only the field is allowed for both concepts.</p> <p><b>Proposed Change:</b> We would like to add an attribute to indicate if the CardHolderName is "First Name" or "SurName". And we would like to allow repetitions for this 0..2</p> <p><b>Proposed Annotation</b> None Provided.</p> <p>----- <b>RELEASE NOTES</b> -----</p> <p><b>Schema File Name:</b> OTA_CommonTypes <b>X-Path:</b> OTA_CommonTypes/PaymentCardType</p> <p>-added element CardHolderNameDetails of type PersonNameType</p> <p>-Annotation: Description: The details of the Card Holder's Name.</p>
--	--

<p><b>347</b></p> <p><b>Submitted By:</b> <b>Carlos Lo Iacono</b> <b>Amadeus</b></p>	<p>----- <b>SUBMITTER</b> -----</p> <p><b>Comment</b> Required for hotel group booking management.</p> <p><b>Proposed Change:</b> Add "PrepaymentRule" with New Attributes: PrepaidPercent, PaymentBalance, RuleDescription to OTA_ProfileCreateRQ/Profile/CompanyInfo</p> <p><b>Proposed Annotation</b> None Provided.</p> <p>----- <b>RELEASE NOTES</b> -----</p> <p><b>Schema File Name:</b> OTA_Profile <b>X-Path:</b> OTA_Profile/CompanyInfoType/DepositPayment</p> <p>-added element RequiredPaymentsType of type RequiredPaymentsType</p> <p>-Annotation: Description: A deposit policy that is associated to this profile.</p> <p><b>Schema File Name:</b> OTA_CommonTypes <b>X-Path:</b> OTA_CommonTypes @DeadlineGroup</p> <p>-Added an Enumeration AfterDeparture</p> <p>-Annotation: The deadline applies after the scheduled departure time.</p>
<p><b>353</b></p> <p><b>Submitted By:</b> <b>Carlos Lo Iacono</b> <b>Amadeus</b></p>	<p>----- <b>SUBMITTER</b> -----</p> <p><b>Comment</b> Support multiple search criteria Example - Checkin date and Create date</p> <p><b>Proposed Change:</b> Increase occurrence of SelectionCriteria</p> <p><b>Proposed Annotation</b> None Provided.</p> <p>----- <b>RELEASE NOTES</b> -----</p> <p><b>Schema File Name:</b> OTA_ReadRQ <b>X-Path:</b> OTA_ReadRQ/ReadRequests/HotelReadRequest/SelectionCriteria</p> <p>-Increased Occurrences Increased the Max Occurences of OTA_ReadRQ/ReadRequests/HotelReadRequest/SelectionCriteria to unbounded.</p>

<p><b>355</b></p> <p><b>Submitted By:</b> <b>Carlos Lo Iacono</b> <b>Amadeus</b></p>	<p>----- <b>SUBMITTER</b> -----</p> <p><b>Comment</b> There is nowhere in the message to pass the total commission.</p> <p><b>Proposed Change:</b> Add NewElements: TotalCommission[Root], FlatCommission[under Root], CommissionPayableAmount[under Root], Comment[under Root] New Attributes: - For TotalCommission: Percent, Frequency - For FlatCommission: Amount, Currency, DecimalPlaces - For CommissionPayableAmount: Amount, Currency, DecimalPlaces - For Comment: Text</p> <p><b>Proposed Annotation</b> None Provided.</p> <p>----- <b>RELEASE NOTES</b> -----</p> <p><b>Schema File Name:</b> OTA_HotelReservation <b>X-Path:</b> OTA_HotelReservation/ResGlobalInfoType</p> <p>-added element TotalCommissions of type CommissionType</p> <p>-Annotation: Description: The total commission for all rate segments in the reservation.</p>
--	--

<p><b>357</b></p> <p><b>Submitted By:</b> <b>Carlos Lo Iacono</b> <b>Amadeus</b></p>	<p>----- <b>SUBMITTER</b> -----</p> <p><b>Comment</b> Need TPA_Extensions at the OTA_HotelReservation/HotelResModifyType level</p> <p><b>Proposed Change:</b> For Example we had to Introduce the notion of Folder to gather many reservation under a specific object, and functionally this should be done at HotelReservations level.</p> <p><b>Proposed Annotation</b> None Provided.</p> <p>----- <b>RELEASE NOTES</b> -----</p> <p><b>Schema File Name:</b> OTA_HotelReservation <b>X-Path:</b> OTA_HotelReservation/HotelResModifyType</p> <p>-added global element TPA_Extensions</p> <p>-Annotation: A placeholder in the schema to allow for additional elements and attributes to be included per Trading Partner Agreement (TPA).</p>
--	--

<p><b>360</b></p> <p><b>Submitted By:</b> Mona Evert HP</p>	<p>----- <b>SUBMITTER</b> -----</p> <p><b>Comment</b> I do not see a reason for the new indicator OTA_AirCommonTypes/AirTravelerType @InfantOnLapInd- as the same purpose is filled with the @AccompaniedByInfantInd</p> <p><b>Proposed Change:</b> do not accept</p> <p><b>Proposed Annotation</b> NA</p> <p>----- <b>RELEASE NOTES</b> -----</p> <p><b>Schema File Name:</b> OTA_AirCommonTypes <b>X-Path:</b> OTA_AirCommonTypes/AirTravelerType</p> <p>-removed the newly added attribute @InfantOnLapInd</p> <p><b>Schema File Name:</b> OTA_AirSeatMapRQ <b>X-Path:</b> OTA_AirSeatMapRQ/AirTravelers/AirTraveler</p> <p>-renamed attribute @InfantOnLapInd to @InfantHasSeatInd and added as an extension</p> <p>-Annotation: Infant with their own seat.</p>
---	--

<p><b>361</b></p> <p><b>Submitted By:</b> Mona Evert HP</p>	<p>----- <b>SUBMITTER</b> -----</p> <p><b>Comment</b> 'SSRInd, UnaccompaniedMinorInd, OxygenRequiredInd, PetInCabinInd and ServiceAnimalInd' I do not see the necessity and even the purpose of these indicators on a Traveler level - as these are actually classic SpecialServiceRequests. I agree that some SSRs are passenger related only - and could somehow be added at this level - but the Indicators submitted are SSRs that would normally be segment related - and adding them at the traveler would not fulfill the purpose</p> <p><b>Proposed Change:</b> do not accept</p> <p><b>Proposed Annotation</b> NA</p> <p>----- <b>RELEASE NOTES</b> -----</p> <p><b>Schema File Name:</b> OTA_AirSeatMapRQ <b>X-Path:</b> OTA_AirCommonTypes/AirTravelerType</p> <p>-removed the newly added attribute @InfantOnLapInd</p> <p><b>Schema File Name:</b> OTA_AirSeatMapRQ <b>X-Path:</b> OTA_AirSeatMapRQ/AirTravelers/AirTraveler</p> <p>-moved attributes @InfantHasSeatInd, @SSRInd, @UnaccompaniedMinorInd @OxygenRequiredInd, @PetInCabinInd and @ServiceAnimalInd From OTA_AirCommon/AirTravelerType To OTA_AirSeatMapRQ/AirTravelers/AirTraveler</p>
---	--

<p><b>362</b></p> <p><b>Submitted By:</b> Mona Evert HP</p>	<div>-----</div> <p><b>SUBMITTER</b></p> <div>-----</div> <p><b>Comment</b> What is the difference supposed to be to the to the ResBookDesigCode vs the ResBookingDesigCode</p> <p><b>Proposed Change:</b> do not accept</p> <p><b>Proposed Annotation</b> NA</p> <div>-----</div> <p><b>RELEASE NOTES</b></p> <div>-----</div> <p>Deprecated @ResBookingDesigCode from OTA_AirCommonTypes/FlightSegmentType Removed @ResBookDesigCode as an extension to OTA_AirCommonTypes/FlightSegmentType and added as a child attribute @ResBookDesigCode to OTA_AirCommonTypes/FlightSegmentType</p> <p><b>Schema File Name:</b> OTA_AirCommonTypes <b>X-Path:</b> OTA_AirCommonTypes/FlightSegmentType</p> <p>-removed the newly added attribute @ResBookingDesigCode</p> <p><b>Schema File Name:</b> OTA_AirCommonTypes <b>X-Path:</b> OTA_AirCommonTypes/FlightSegmentType</p> <p>-removed attribute @ResBookingDesigCode as an extension</p> <p>-added attribute @ResBookingDesigCode as a child attribute.</p>
---	--