Message File Name	Schema Element Path and Change(s) Made
OTA_AirAvailRS.xsd	- moved element Comment of type FreeTextType to no longer
	be one of a choice between elements Success/Warnings and
	Errors; Comment can now be used along with Success and
	Warnings
OTA_AirBookRS.xsd	- changed the sequence maxOcc to 2
	AirReservation
	- changed the element minOcc to 0, making it optional
	- changed the element maxOcc to 9
OTA_AirCommonTypes.xsd	- deleted complexType UniqueRemarkType
	AirTaxType
	- added attributes:
	TaxCountry of type ISO3166
	TaxName of type StringLength1to64
	AirTravelerType/Telephone
	- added attribute LocationCode of type StringLength1to8
	BookFlightSegmentType
	- added element Comment of type FreeTextType
	PTC_FareBreakdownType
	- added element structure Endorsements/Endorsement of type
	FreeTextType
OTA_AirFlifoRS.xsd	FlightInfoDetails/FlightLegInfo/DepartureDateTime
	- added attribute NextAdvisoryTime of type
	TimeOrDateTimeType
	FlightInfoDetails/FlightLegInfo/OperationTimes/OperationTime/R
	easonCode
	- deleted this deprecated element
OTA_AirSeatMapRS.xsd	SeatMapResponses/SeatMapResponse/FlightSegmentInfo
	- added element Warnings of type WarningsType
OTA_CommonTypes.xsd	- created attributeGroups:
	CodeInfoGroup, moved from OTA_HotelCommonTypes.xsd
	DatePeriodGroup FileAttachmentGroup
	ResponseGroup
	- created complexTypes:
	AcceptedPaymentsType, moved from
	OTA_HotelCommonTypes.xsd
	LocationGeneralType
	MultimediaObjectType
	WrittenConfInstType, moved from
	OTA_HotelCommonTypes.xsd
	AddressInfoType
	- added attribute RPH of type RPH_Type
	BankAcctType
	- added attribute ChecksAcceptedInd of type xs:boolean
	CancelRuleType
	- added attribute Type of type xs:NMTOKEN
	- added element PaymentCard of type PaymentCardType
	DistanceAttributesGroup
	- added attribute DistanceMax of type
	NumericStringLength1to16
	DocumentType
	- added attribute BirthCountry of type ISO3166

Message File Name	Schema Element Path and Change(s) Made
	EmployeeInfoType@EmployeeTitle
	- changed attribute to be of type StringLength1to64
	FeeType
	- added attribute MandatoryIndicator of type xs:boolean
	FlightSegmentBaseType@InfoSource
	- changed attribute to be of type InfoSourceType
	OriginDestinationInformationType/DestinationLocation
	- added attribute AlternateLocationInd of type xs:boolean
	OriginDestinationInformationType/OriginLocation
	- added attribute AlternateLocationInd of type xs:boolean
	OTA PayloadStdAttributes
	- added attribute RetransmissionIndicator of type xs:boolean
	OTA_PayloadStdAttributes@EchoToken
	- changed attribute to be of type StringLength1to128
	ParagraphType
	- changed the choice minOcc to 0, allowing it to be optional
	PaymentFormType@TicketNumber
	- changed attribute to be of type StringLength1to32
	PositionGroup
	- added attribute AltitudeUnitOfMeasureCode of type
	OTA_CodeType, using OTA Code List UOM
	PromotionCodeGroup
	- added attribute PromotionVendorCode of type
	ListOfStringLength1to8
	TelephoneInfoType
	- added attribute RPH of type RPH_Type
OTA_DestActivityResRS.xsd	- removed an extraneous sequence
OTA_bestActivityResR3.xsd OTA_HotelAvailRQ.xsd	AvailRequestSegmentsType/AvailRequestSegment@MoreData
OTA_HotelAvaliftQ.x3d	EchoToken
	I - changed attribute to be of type Stringl ength1to128
	- changed attribute to be of type StringLength1to128  AvailRequestSegmentsType/AvailRequestSegment@Response
	AvailRequestSegmentsType/AvailRequestSegment@Response
	AvailRequestSegmentsType/AvailRequestSegment@Response Type
	AvailRequestSegmentsType/AvailRequestSegment@Response Type - added 3 enumerated values:
	AvailRequestSegmentsType/AvailRequestSegment@Response Type - added 3 enumerated values: PropertyRateList
	AvailRequestSegmentsType/AvailRequestSegment@Response Type - added 3 enumerated values: PropertyRateList RateInfoDetails
	AvailRequestSegmentsType/AvailRequestSegment@Response Type - added 3 enumerated values: PropertyRateList RateInfoDetails ProfilePrefs
	AvailRequestSegmentsType/AvailRequestSegment@Response Type - added 3 enumerated values:     PropertyRateList     RateInfoDetails     ProfilePrefs  AvailRequestSegmentsType/AvailRequestSegment
	AvailRequestSegmentsType/AvailRequestSegment@Response Type - added 3 enumerated values:     PropertyRateList     RateInfoDetails     ProfilePrefs  AvailRequestSegmentsType/AvailRequestSegment - added attribute InfoSource of type InfoSourceType
	AvailRequestSegmentsType/AvailRequestSegment@Response Type - added 3 enumerated values:     PropertyRateList     RateInfoDetails     ProfilePrefs  AvailRequestSegmentsType/AvailRequestSegment - added attribute InfoSource of type InfoSourceType  AvailRequestSegmentsType/AvailRequestSegment/RateRange
	AvailRequestSegmentsType/AvailRequestSegment@Response Type - added 3 enumerated values:     PropertyRateList     RateInfoDetails     ProfilePrefs  AvailRequestSegmentsType/AvailRequestSegment - added attribute InfoSource of type InfoSourceType  AvailRequestSegmentsType/AvailRequestSegment/RateRange - added attribute RoomStayCandidateRPH of type RPH_Type
	AvailRequestSegmentsType/AvailRequestSegment@Response Type - added 3 enumerated values:     PropertyRateList     RateInfoDetails     ProfilePrefs  AvailRequestSegmentsType/AvailRequestSegment - added attribute InfoSource of type InfoSourceType  AvailRequestSegmentsType/AvailRequestSegment/RateRange - added attribute RoomStayCandidateRPH of type RPH_Type  AvailRequestSegmentsType/AvailRequestSegment/RoomStayC
	AvailRequestSegmentsType/AvailRequestSegment@Response Type - added 3 enumerated values:     PropertyRateList     RateInfoDetails     ProfilePrefs  AvailRequestSegmentsType/AvailRequestSegment - added attribute InfoSource of type InfoSourceType  AvailRequestSegmentsType/AvailRequestSegment/RateRange - added attribute RoomStayCandidateRPH of type RPH_Type
	AvailRequestSegmentsType/AvailRequestSegment@Response Type - added 3 enumerated values:     PropertyRateList     RateInfoDetails     ProfilePrefs  AvailRequestSegmentsType/AvailRequestSegment - added attribute InfoSource of type InfoSourceType  AvailRequestSegmentsType/AvailRequestSegment/RateRange - added attribute RoomStayCandidateRPH of type RPH_Type  AvailRequestSegmentsType/AvailRequestSegment/RoomStayC andidates/RoomStayCandidate
	AvailRequestSegmentsType/AvailRequestSegment@Response Type - added 3 enumerated values:     PropertyRateList     RateInfoDetails     ProfilePrefs  AvailRequestSegmentsType/AvailRequestSegment - added attribute InfoSource of type InfoSourceType  AvailRequestSegmentsType/AvailRequestSegment/RateRange - added attribute RoomStayCandidateRPH of type RPH_Type  AvailRequestSegmentsType/AvailRequestSegment/RoomStayC andidates/RoomStayCandidate - added attribute IsAlternate of type xs:boolean
	AvailRequestSegmentsType/AvailRequestSegment@Response Type - added 3 enumerated values:     PropertyRateList     RateInfoDetails     ProfilePrefs  AvailRequestSegmentsType/AvailRequestSegment - added attribute InfoSource of type InfoSourceType  AvailRequestSegmentsType/AvailRequestSegment/RateRange - added attribute RoomStayCandidateRPH of type RPH_Type  AvailRequestSegmentsType/AvailRequestSegment/RoomStayC andidates/RoomStayCandidate - added attribute IsAlternate of type xs:boolean  RateRangeType
OTA_HotelAvailRS.xsd	AvailRequestSegmentsType/AvailRequestSegment@Response Type - added 3 enumerated values:     PropertyRateList     RateInfoDetails     ProfilePrefs  AvailRequestSegmentsType/AvailRequestSegment - added attribute InfoSource of type InfoSourceType  AvailRequestSegmentsType/AvailRequestSegment/RateRange - added attribute RoomStayCandidateRPH of type RPH_Type  AvailRequestSegmentsType/AvailRequestSegment/RoomStayC andidates/RoomStayCandidate - added attribute IsAlternate of type xs:boolean  RateRangeType - removed this complexType, moved it to
OTA_HotelAvailRS.xsd	AvailRequestSegmentsType/AvailRequestSegment@Response Type - added 3 enumerated values:     PropertyRateList     RateInfoDetails     ProfilePrefs  AvailRequestSegmentsType/AvailRequestSegment - added attribute InfoSource of type InfoSourceType  AvailRequestSegmentsType/AvailRequestSegment/RateRange - added attribute RoomStayCandidateRPH of type RPH_Type  AvailRequestSegmentsType/AvailRequestSegment/RoomStayC andidates/RoomStayCandidate - added attribute IsAlternate of type xs:boolean  RateRangeType - removed this complexType, moved it to OTA_HotelCommonTypes (go there to see the changes to it)
OTA_HotelAvailRS.xsd	AvailRequestSegmentsType/AvailRequestSegment@Response Type - added 3 enumerated values:     PropertyRateList     RateInfoDetails     ProfilePrefs  AvailRequestSegmentsType/AvailRequestSegment - added attribute InfoSource of type InfoSourceType  AvailRequestSegmentsType/AvailRequestSegment/RateRange - added attribute RoomStayCandidateRPH of type RPH_Type  AvailRequestSegmentsType/AvailRequestSegment/RoomStayC andidates/RoomStayCandidate - added attribute IsAlternate of type xs:boolean  RateRangeType - removed this complexType, moved it to OTA_HotelCommonTypes (go there to see the changes to it)  RoomStays@More Indicator
OTA_HotelAvailRS.xsd	AvailRequestSegmentsType/AvailRequestSegment@Response Type - added 3 enumerated values:     PropertyRateList     RateInfoDetails     ProfilePrefs  AvailRequestSegmentsType/AvailRequestSegment - added attribute InfoSource of type InfoSourceType  AvailRequestSegmentsType/AvailRequestSegment/RateRange - added attribute RoomStayCandidateRPH of type RPH_Type  AvailRequestSegmentsType/AvailRequestSegment/RoomStayC andidates/RoomStayCandidate - added attribute IsAlternate of type xs:boolean  RateRangeType - removed this complexType, moved it to OTA_HotelCommonTypes (go there to see the changes to it)  RoomStays@More Indicator - changed attribute to be of type StringLength1to128
OTA_HotelAvailRS.xsd	AvailRequestSegmentsType/AvailRequestSegment@Response Type - added 3 enumerated values:     PropertyRateList     RateInfoDetails     ProfilePrefs  AvailRequestSegmentsType/AvailRequestSegment - added attribute InfoSource of type InfoSourceType  AvailRequestSegmentsType/AvailRequestSegment/RateRange - added attribute RoomStayCandidateRPH of type RPH_Type  AvailRequestSegmentsType/AvailRequestSegment/RoomStayC andidates/RoomStayCandidate - added attribute IsAlternate of type xs:boolean  RateRangeType - removed this complexType, moved it to OTA_HotelCommonTypes (go there to see the changes to it)  RoomStays@More Indicator - changed attribute to be of type StringLength1to128  RoomStays/RoomStay
OTA_HotelAvailRS.xsd	AvailRequestSegmentsType/AvailRequestSegment@Response Type - added 3 enumerated values:     PropertyRateList     RateInfoDetails     ProfilePrefs  AvailRequestSegmentsType/AvailRequestSegment - added attribute InfoSource of type InfoSourceType  AvailRequestSegmentsType/AvailRequestSegment/RateRange - added attribute RoomStayCandidateRPH of type RPH_Type  AvailRequestSegmentsType/AvailRequestSegment/RoomStayC     andidates/RoomStayCandidate - added attribute IsAlternate of type xs:boolean  RateRangeType - removed this complexType, moved it to     OTA_HotelCommonTypes (go there to see the changes to it)  RoomStays@More Indicator - changed attribute to be of type StringLength1to128  RoomStays/RoomStay - added attributeGroup ResponseTypeGroup
OTA_HotelAvailRS.xsd	AvailRequestSegmentsType/AvailRequestSegment@Response Type - added 3 enumerated values:     PropertyRateList     RateInfoDetails     ProfilePrefs  AvailRequestSegmentsType/AvailRequestSegment - added attribute InfoSource of type InfoSourceType  AvailRequestSegmentsType/AvailRequestSegment/RateRange - added attribute RoomStayCandidateRPH of type RPH_Type  AvailRequestSegmentsType/AvailRequestSegment/RoomStayC     andidates/RoomStayCandidate - added attribute IsAlternate of type xs:boolean  RateRangeType - removed this complexType, moved it to     OTA_HotelCommonTypes (go there to see the changes to it)  RoomStays@More Indicator - changed attribute to be of type StringLength1to128  RoomStays/RoomStay - added attributeGroup ResponseTypeGroup - added attributes:
OTA_HotelAvailRS.xsd	AvailRequestSegmentsType/AvailRequestSegment@Response Type - added 3 enumerated values:     PropertyRateList     RateInfoDetails     ProfilePrefs  AvailRequestSegmentsType/AvailRequestSegment - added attribute InfoSource of type InfoSourceType  AvailRequestSegmentsType/AvailRequestSegment/RateRange - added attribute RoomStayCandidateRPH of type RPH_Type  AvailRequestSegmentsType/AvailRequestSegment/RoomStayC andidates/RoomStayCandidate - added attribute IsAlternate of type xs:boolean  RateRangeType - removed this complexType, moved it to OTA_HotelCommonTypes (go there to see the changes to it)  RoomStays@More Indicator - changed attribute to be of type StringLength1to128  RoomStays/RoomStay - added attributeGroup ResponseTypeGroup - added attributes: RoomStayCandidateRPH of type RPH_Type
OTA_HotelAvailRS.xsd	AvailRequestSegmentsType/AvailRequestSegment@Response Type - added 3 enumerated values:     PropertyRateList     RateInfoDetails     ProfilePrefs  AvailRequestSegmentsType/AvailRequestSegment - added attribute InfoSource of type InfoSourceType  AvailRequestSegmentsType/AvailRequestSegment/RateRange - added attribute RoomStayCandidateRPH of type RPH_Type  AvailRequestSegmentsType/AvailRequestSegment/RoomStayC andidates/RoomStayCandidate - added attribute IsAlternate of type xs:boolean  RateRangeType - removed this complexType, moved it to OTA_HotelCommonTypes (go there to see the changes to it)  RoomStays@More Indicator - changed attribute to be of type StringLength1to128  RoomStays/RoomStay - added attributeSroup ResponseTypeGroup - added attributes:     RoomStayCandidateRPH of type RPH_Type     MoreDataEchoToken of type StringLength1to128

Message File Name	Schema Element Path and Change(s) Made
OTA HotelAvailNotifRQ.xsd	- added attribute MessageContentCode of type OTA_CodeType,
o i / E i ioto i i i i i i i i i i i i i i i i	using OTA Code List MCC
OTA_HotelCommonTypes.xsd	- created simpleType AvailabilityStatusType of type
	xs:NMTOKENS
	- created attributeGroup DisplayGroup
	- created complexTypes:
	AvailStatusMessageType
	RateAmountMessageType
	RatePlanCandidatesType
	RateRangeType
	AcceptedPaymentsType
	- removed this complexType, moved it to
	OTA_CommonTypes.xsd
	AmountType - added attribute AlternateCurrencyInd of type xs:boolean
	- added element AdditionalCharges/AdditionalCharge/Amount of
	type TotalType
	AreasType/Area
	- added attributes:
	CityCode of type StringLength1to8
	StateProvCode of type StateProvCodeType
	BasicPropertyInfoType
	- added attributes:
	HotelSegmentCategoryCode of type OTA_CodeType, using
	OTA Code List SEG
	SupplierIntegrationLevel of type xs:nonNegativeInteger - added elements:
	HotelAmenity
	Recreation
	Service
	BookingRulesType/BookingRule
	- added attributeGroup InvBlockCutoffGroup
	CancelPenaltiesType
	- added attribute CancelPolicyIndicator of type xs:boolean
	CancelPenaltiesType/CancelPenalty
	- changed element minOcc to 0, making it optional
	@CodeInfoGroup
	- removed this attributeGroup, moved it to
	OTA_CommonTypes.xsd CountCategorySummariesType
	- deleted this deprecated complexType
	FeaturesType/Feature/Description
	- changed element to be of type MultimediaObjectType
	HotelSearchCriteriaType/Criterion
	- added attributes:
	MoreDataEchoToken of type StringLength1to128
	InfoSource of type InfoSourceType

Message File Name	Schema Element Path and Change(s) Made
	HotelSearchCriterionType
	- added attribute Ranking of type xs:integer
	- added elements:
	Recreation
	Service
	Transportation
	StayDateRange of type DateTimeSpanType
	RateRange of type RateRangeType
	RatePlanCandidates of type RatePlanCandidatesType
	Profiles of type ProfilesType
	RoomStayCandidates/RoomStayCandidate of type
	RoomStayCandidateType
	HotelSearchCriterionType/HotelRef
	- added attributes:
	PropertyClassCode of type OTA_CodeType, using OTA Code List PCT
	ArchitecturalStyleCode of type OTA_CodeType, using OTA
	Code List ARC
	MeetingRoomsType/MeetingRoom/Codes/Code/Description
	- changed element type to be of MultimediaObjectType
	MeetingRoomsType/MeetingRoom/Description
	- changed element type to be of MultimediaObjectType
	RateType
	- added attributes:
	CachedIndicator of type xs:boolean
	RateSource of type StringLength1to32
	RateTypeCode of type OTA_CodeType, using OTA Code List RPT
	RatePlanCandidatesType/RatePlanCandidate
	- added element structure HotelRefs/HotelRef
	RatePlanType
	- added attributes:
	MarketCode of type StringLength1to64
	AvailabilityStatus of type RateIndicatorType
	ID_RequiredInd of type xs:Boolean
	RatePlanType/MealsIncluded
	- added attributes:
	MealPlanIndicator of type xs:boolean
	MealPlanCodes of type OTA_CodeType, using OTA Code List MPT
	RateRangeType
	- added attributeGroup CurrencyCodeGroup
	- added attribute RateTimeUnit of type TimeUnitType
	RelativePostionType
	- added attributes:
	PrimaryIndicator of type xs:boolean
	ToFrom of type xs:NMTOKEN
	RevenueCategorySummariesType - deleted this deprecated complexType
	@RoomGroup
	- added attributes:
	RoomClassificationCode of type OTA_CodeType, using OTA Code List GRI
	RoomArchitectureCode of type OTA_CodeType, using OTA
	Code List ARC

Message File Name	Schema Element Path and Change(s) Made
ger ne remie	RoomRateType
	- added attribute AvailabilityStatus of type RateIndicatorType
	RoomRateType/Features/Feature
	- added attribute RoomViewCode of type OTA_CodeType, using
	OTA Code List RVT
	RoomStayCandidateType
	- added attributes:
	RPH of type RPH_Type
	RatePlanCandidateRPH of type RPH_Type
	RoomStayType/RoomRates_
	- added attribute MoreRatesExistInd of type xs:boolean
	TransportationsType/Transportations/Transportation/Description
	s/Description
	- changed element type to be of MultimediaObjectType  ViewershipsType/Viewership/BookingChannelCodes/BookingCh
	annelCode
	- added attributeGroup DisplayGroup
	ViewershipsType/Viewership/SystemCodes/SystemCode
	- added attributeGroup DisplayGroup
	WrittenConfInstType
	- removed this complexType, moved it to
	OTA_CommonTypes.xsd
OTA_HotelContentDescription.xsd	AreaInfoType/Recreations/Recreation/Description
	- changed element to be of type MultimediaObjectType
	CategoryCodesType/ArchitecturalStyle
	- added attribute ExistsCode of type OTA_CodeType, using OTA Code List OTC
	CategoryCodesType/GuestRoomInfo
	- added attribute ExistsCode of type OTA_CodeType, using
	OTA Code List OTC
	CategoryCodesType/HotelCategory
	- added attribute ExistsCode of type OTA_CodeType, using
	OTA Code List OTC
	CategoryCodesType/LocationCategory
	- added attribute ExistsCode of type OTA_CodeType, using
	OTA Code List OTC CategoryCodesType/SegmentCategory
	CategoryCodesType/SegmentCategory - added attribute ExistsCode of type OTA_CodeType, using
	OTA Code List OTC
	FacilityInfoType/GuestRooms/GuestRoom/Amenities/Amenity/D
	escription
	- changed element type to be of MultimediaObjectType
	FacilityInfoType/GuestRooms/GuestRoom/Description
	- changed element type to be of MultimediaObjectType
	FacilityInfoType/GuestRooms/GuestRoom/TypeRoom
	- added attribute MaxCribs of type xs:nonNegativeInteger
	HotelDescriptiveContentType - added attributeGroup DateTimeSpanGroup
	- added elements:
	Viewerships of type ViewershipsType
	EffectivePeriods/EffectivePeriod
	HotelInfoType
	- added element structure Languages/Language
	HotelInfoType/Descriptions/Description
	- changed element to be of type MultimediaObjectType

Message File Name	Schema Element Path and Change(s) Made
	HotelInfoType/Services/Service
	- added attributes:
	Sort of type xs:nonNegativeInteger
	MeetingRoomCode of type OTA_CodeType, using OTA Code
	List MRC
	HotelInfoType/Services/Service/Description
	- changed element to be of type MultimediaObjectType
	MultimediaObjectsType/MultimediaObject
	- changed element to be of type MultimediaObjectType
	PoliciesType/Policy
	- added attributeGroup DOW_PatternGroup
	PoliciesType/Policy@PetsPolicyCode - deleted this deprecated attribute
	PoliciesType/Policy/CheckoutCharges/CheckoutCharge
	- added attribute ExistsCode of type OTA_CodeType, using
	OTA Code List OTC
	PoliciesType/Policy/CommissionPolicy
	- added attribute CommissionApplicability of type xs:NMTOKEN
	PoliciesType/Policy/PolicyInfo
	- added attribute InternetGuaranteeRequiredInd of type
	xs:boolean
	- added element Description of type ParagraphType
	PoliciesType/Policy/PolicyInfoCodes/PolicyInfoCode
	- added attribute ExistsCode of type OTA_CodeType, using
	OTA Code List OTC
	PoliciesType/Policy/StayRequirements/StayRequirement
	- added attribute StayContext of type xs:NMTOKEN
	- added element Description of type ParagraphType
	RefPointsType/RefPoint
	- added attribute ExistsCode of type OTA_CodeType, using
	OTA Code List OTC
	<ul> <li>added element structure Descriptions/Description of type</li> <li>MultimediaObjectType</li> </ul>
	RestaurantsType/Restaurant/CuisineCodes/CuisineCode
	- added attribute ExistsCode of type OTA_CodeType, using
	OTA Code List OTC
	RestaurantsType/Restaurant/InfoCodes/InfoCode@Name
	- deprecated SrvcInfoCode enumeration for later deletion
	RestaurantsType/Restaurant/RestaurantDescription
	- changed element to be of type MultimediaObjectType
OTA_HotelDescriptiveInfoRQ.xsd	HotelDescriptiveInfos/HotelDescriptiveInfo
	- added attributes:
	MoreDataEchoToken of type StringLength1to128
	ApplicableDate of type xs:date
OTA HatalDanasintinal (CDC)	- added element structure ContentInfos/ContentInfo
OTA_HotelDescriptiveInfoRS.xsd	HotelDescriptiveContents/HotelDescriptiveContent
	- added attribute MoreDataEchoToken of type StringLength1to128
OTA_HotelPreferences.xsd	RoomAmenityPrefType
O TA _ HOLOH TOTOTOTOGG.AGG	- added attribute QualityLevel of type StringLength1to16
OTA_HotelRateAmountNotifRQ.xsd	RateAmountMessages/RateAmountMessage
	- added attributeGroup HotelReferenceGroup
	RateAmountMessages/RateAmountMessage/Rates/Rate
	- added attribute RateChangeIndicator of type xs:boolean

Message File Name	Schema Element Path and Change(s) Made
OTA_HotelRatePlanNotifRQ.xsd	- added attribute MessageContentCode of type OTA_CodeType,
	using OTA Code List MCC
	RatePlans/RatePlan
	- added attributes:
	YieldableIndictor of type xs:boolean
	MarketCode of type StringLength1to64
	YieldDeltaAmount of type Money
	InventoryAllocatedInd of type xs:boolean
	RestrictedDisplayIndicator of type xs:boolean
	RatePlans/RatePlan/Description
	- changed element maxOcc to 5, allowing it to repeat
	RatePlans/RatePlan/RatePlanLevelFee
	- changed element to be of type FeesType
	RatePlans/RatePlan/RatePlanLevelFee/Fee
	- added attribute MealPlanCode of type OTA_CodeType, using
	OTA Code List MPT
OTA_HotelRFP.xsd	- created simpleType FrequencyType of type xs:NMTOKEN
O 17 (_110tom ti 17.00d	- created attributeGroups:
	AdditionalInfoGroup
	BudgetInclusiveGroup
	EventStatisticsGroup
	ProposalGroup
	- created complexType RFP_RequestSegmentsType, moved it
	from OTA_HotelRFP_MeetingRQ.xsd
	RFP_RequestSegmentsType/RFP_RequestSegment
	- inserted element structures:
	ProposalSpecification with child element structures:
	KeyDecisionFactors/KeyDecisionFactor
	Presentation/Location of type LocationGeneralType
	Comments of type ParagraphType
	Preferences/Preference with child element structures:
	LocationCategories/Location of type LocationGeneralType
	LocationCategories/Category of type FormattedTextType
	Recreations/Recreation
	Properties/Property
	Comments of type ParagraphType
OTA_HotelRFP_MeetingRQ.xsd	RFP_SegmentsRequestType
	- removed this complexType, moved it to OTA_HotelRFP.xsd
	(go there to see the changes to it)
OTA_HotelSummaryNotifRQ.xsd	HotelSummaryMessage@Arrival
_ ,	sOnlyFlag
	- changed attribute use to optional
OTA_SimpleTypes.xsd	- created simpleType InfoSourceType of type xs:string
	@DistanceUnitNameType
	- added enumeration Block
	@RateIndicatorType
	- added enumerations:
	NoAvailability
	RoomTypeClosed
	RatePlanClosed
	LOS_Restricted
OTA_TravelltineraryReadRQ.xsd	- added element Verification of type VerificationType
OTA_TravelltineraryRS.xsd	TravelSegmentType/Hotel
	- added element DetailedReservation of type
	HotelReservationType
	1

Message File Name	Schema Element Path and Change(s) Made
OTA_VehicleCommonTypes.xsd	VehicleCustomerType
	- deleted this deprecated complexType
	VehicleLocationAdditionalDetailsType
	- added element structure
	OneWayDropLocations/OneWayDropLocation of type
	LocationType
	VehicleLocationDetails@AtAirport
	- changed this attribute use to optional
	VehicleLocationDetails@Code
	- changed this attribute use to optional
OTA_VehLocDetailRS.xsd	VehicleLocationRequirementsType/RequirementInfos/Requirem
	entInfo
	- changed element maxOcc to 99
OTA_VehLocSearchRQ.xsd	VehicleLocSearchRQAdditionalInfoType
	- deleted this complexType
	VehicleLocSearchRQCoreType
	- deleted this complex Type
OTA_VehLocSearchRS.xsd	VehicleLocSearchRSAdditionalInfoType
	- deleted this complexType
	VehicleLocSearchRSCoreType
	- deleted this complexType