

OpenTravel™ Alliance Message Users Guide

2006A
Version 1.0
7 June 2006

Contents

Section 1 —Introduction	1-1
Section 2 —Getting Started.....	2-1
Section 3 —Generic Messages.....	3-3
3.1. OTA_CancelRQ/RS	3-3
3.1.1. Use Case 1.....	3-4
3.2. OTA_DeleteRQ/RS	3-5
3.2.1. Use Case 1.....	3-5
3.3. OTA_File Attachment.....	3-6
3.3.1. Use Case 2.....	3-6
3.4. OTA_NotifReportRQ/RS	3-8
3.4.1. Use Case 1.....	3-8
3.5. OTA_PingRQ/RS	3-9
3.5.1. Use Case 1.....	3-10
3.6. OTA_ReadRQ/OTA_ResRetrieveRS	3-10
3.6.1. Use Case 1.....	3-11
3.6.2. Use Case 2.....	3-13
3.6.3. Use Case 3.....	3-14
3.6.4. Use Case 4.....	3-16
3.6.5. Use Case 5.....	3-18
3.6.6. Use Case 6 *.....	3-19
3.7. OTA_ScreenTextRQ/RS	3-24
3.7.1. Use Case 1.....	3-24
3.8. OTA_UpdateRQ/RS.....	3-25
3.8.1. Use Case 1.....	3-25
Section 4 —Air Messages	4-27
4.1. OTA_AirAvailRQ/RS	4-27
4.1.1. Use Case 1.....	4-27
4.2. OTA_AirBookRQ/RS	4-30
4.2.1. Use Case 1.....	4-30
4.3. Air Display Queue*.....	4-33

4.3.1.	Use Case 1.....	4-33
4.3.2.	Use Case 2.....	4-34
4.4.	OTA_AirFareDisplayRQ/RS	4-36
4.4.1.	Use Case 1.....	4-36
4.4.2.	Use Case 2.....	4-38
4.5.	OTA_AirFlifoRQ/RS	4-41
4.5.1.	Use Case 1.....	4-42
4.5.2.	Use Case 2.....	4-43
4.6.	OTA_AirDetailsRQ/RS.....	4-44
4.6.1.	Use Case 1.....	4-44
4.7.	OTA_AirLowFareSearchRQ/RS.....	4-45
4.7.1.	Use Case 1.....	4-45
4.7.2.	Use Case 2.....	4-49
4.8.	OTA_AirPriceRQ/RS.....	4-53
4.8.1.	Use Case1.....	4-54
4.9.	OTA_AirRulesRQ/RS.....	4-56
4.9.1.	Use Case 1.....	4-57
4.10.	OTA_AirSchedulesRQ/RS.....	4-59
4.10.1.	Use Case 1.....	4-59
4.11.	OTA_AirSeatMapRQ/RS.....	4-61
4.11.1.	Use Case 1.....	4-62
4.11.2.	Use Case 2.....	4-66
4.12.	OTA_AirBookModifyRQ/OTA_AirBookRS	4-70
4.12.1.	Use Case 1.....	4-71
4.12.2.	Use Case 2.....	4-76
4.12.3.	Use Case 3.....	4-80
4.12.4.	Use Case 4.....	4-81
4.12.5.	Use Case 5.....	4-83
4.12.6.	Use Case 6.....	4-86
4.12.7.	Use Case 7.....	4-90
4.12.8.	Use Case 8.....	4-93
4.12.9.	Use Case 9.....	4-96

Section 5 —Car Messages 5-100

5.1.	OTA_VehAvailRateRQ/RS	5-100
5.1.1.	Use Case 1.....	5-100
5.2.	OTA_VehCancelRQ/RS.....	5-103
5.2.1.	Use Case 1.....	5-104
5.3.	OTA_VehCheckOutRQ/RS	5-105
5.3.1.	Use Case 1.....	5-106
5.3.2.	Use Case 2.....	5-111
5.3.3.	Use Case 3.....	5-115
5.4.	OTA_VehCheckInRQ/RS	5-118
5.4.1.	Use Case 1.....	5-119
5.4.2.	Use Case 2.....	5-123
5.4.3.	Use Case 3.....	5-127
5.5.	OTA_VehLocDetailsNotifRQ/RS *.....	5-131
5.5.1.	Use Case 1.....	5-131
5.6.	OTA_VehExchangeRQ/RS	5-140
5.6.1.	Use Case 1.....	5-141
5.7.	OTA_VehLocDetailRQ/RS.....	5-144
5.7.1.	Use Case 1.....	5-145
5.8.	OTA_VehLocSearchRQ/RS.....	5-153
5.8.1.	Use Case1.....	5-153
5.9.	OTA_VehModifyRQ/RS.....	5-155
5.9.1.	Use Case 1.....	5-156
5.10.	OTA_VehRateRuleRQ/RS *.....	5-159
5.10.1.	Use Case 1.....	5-160
5.11.	OTA_VehResRQ/RS.....	5-163
5.11.1.	Use Case1.....	5-164
5.12.	OTA_VehRetResRQ/RS	5-167
5.12.1.	Use Case 1.....	5-168
Section 6	– Cruise Messages.....	6-171
6.1.	OTA_CruiseCabinAvailRQ/RS	6-172
6.1.1.	Use Case 1 +	6-172
6.2.	OTA_CruiseCabinHoldRQ/RS	6-174
6.2.1.	Use Case 1.....	6-174

6.3.	OTA_CruiseCabinUnholdRQ/RS	6-176
6.3.1.	Use Case 1.....	6-177
6.4.	OTA_CruiseCancellationPricingRQ/RS *	6-177
6.4.1.	Use Case 1.....	6-178
6.5.	OTA_CruiseCategoryAvailRQ/RS	6-179
6.5.1.	Use Case 1 +	6-179
6.6.	OTA_CruiseBookRQ/RS	6-181
6.6.1.	Use Case 1 +	6-182
6.7.	OTA_CruiseDiningAvailRQ/RS *	6-184
6.7.1.	Use Case 1.....	6-184
6.8.	OTA_CruiseFareAvailRQ/RS	6-185
6.8.1.	Use Case 1 +	6-186
6.9.	OTA_CruiseItineraryDescRQ/RS *	6-188
6.9.1.	Use Case 1.....	6-188
6.10.	OTA_CruisePkgAvailRQ/RS *	6-190
6.10.1.	Use Case 1.....	6-190
6.11.	OTA_CruisePriceBookingRQ/RS	6-192
6.11.1.	Use Case 1 +	6-192
6.12.	OTA_CruisePNR_UpdateNotifRQ/RS *	6-195
6.12.1.	Use Case 1.....	6-196
6.13.	OTA_CruiseSailAvailRQ/RS	6-201
6.13.1.	Use Case 1 +	6-201
6.13.2.	Use Case 2.....	6-204
6.14.	OTA_CruiseShorexAvailRQ/RS*	6-205
6.14.1.	Use Case 1.....	6-205
6.15.	OTA_CruiseSpecialServicesRQ/RS *	6-211
6.15.1.	Use Case 1.....	6-211
Section 7	— Destination Activities.....	7-214
7.1.	OTA_DestActivityCapabilitiesRQ/RS	7-214
7.1.1.	Use Case 1.....	7-215
7.2.	OTA_DestActivityResRQ/RS	7-216
7.2.1.	Use Case 1.....	7-216
7.3.	OTA_DestActivityRetrieveRS	7-218

7.3.1.	Use Case 1.....	7-218
Section 8	—Golf Tee Times.....	8-221
8.1.	OTA_GolfCourseAvailRQ/RS.....	8-221
8.1.1.	Use Case 1.....	8-221
8.2.	OTA_GolfCourseResRQ/RS.....	8-222
8.2.1.	Use Case 1.....	8-222
8.3.	OTA_GolfCourseSearchRQ/RS.....	8-225
8.3.1.	Use Case 1.....	8-225
Section 9	—Hotel Messages.....	9-227
9.1.	OTA_HotelAvailRQ/RS.....	9-227
9.1.1.	Use Case 1.....	9-228
9.2.	OTA_HotelAvailNotifRQ/RS	9-230
9.2.1.	Use Case 1.....	9-231
9.2.2.	Use Case 2.....	9-233
9.2.3.	Use Case 3.....	9-236
9.2.4.	Use Case 4.....	9-238
9.3.	OTA_HotelBookingRuleRQ/RS *	9-240
9.3.1.	Use Case 1.....	9-240
9.4.	OTA_HotelBookingRuleNotifRQ/RS.....	9-245
9.4.1.	Use Case 1 (TBD).....	9-246
9.5.	OTA_HotelCommNotifRQ/RS	9-246
9.5.1.	Use Case 1.....	9-247
9.6.	OTA_HotelDescriptiveContentNotifRQ/RS	9-250
9.6.1.	Use Case 1.....	9-251
9.6.2.	Use Case 2.....	9-263
9.7.	OTA_HotelDescriptiveInfoRQ/RS	9-267
9.7.1.	Use Case 1.....	9-268
9.7.2.	Use Case 2.....	9-274
9.8.	OTA_HotelGetMsgRQ/RS.....	9-276
9.8.1.	Use Case 1 (TBD).....	9-276
9.9.	OTA_HotelInvAdjustRQ/RS	9-277
9.9.1.	Use Case 1 (TBD).....	9-277
9.10.	OTA_HotelInvBlockNotifRQ/RS	9-277

9.10.1. Use Case 1.....	9-279
9.11. OTA_HotelInvCountNotifRQ/RS	9-284
9.11.1. Use Case 1.....	9-284
9.11.2. Use Case 2.....	9-285
9.12. OTA_HotelInvNotifRQ/RS.....	9-287
9.12.1. Use Case 1 (TBD).....	9-287
9.13. OTA_HotelInvSyncRQ/RS	9-288
9.13.1. Use Case 1 (TBD).....	9-288
9.14. OTA_HotelRateAmountNotifRQ/RS.....	9-288
9.14.1. Use Case 1.....	9-289
9.15. OTA_HotelRatePlanNotifRQ/RS.....	9-290
9.15.1. Use Case 1 (TBD).....	9-291
9.16. OTA_HotelResModifyRQ/RS	9-292
9.16.1. Use Case 1.....	9-292
9.17. OTA_HotelResModifyNotifRQ/RS	9-294
9.17.1. Use Case 1.....	9-295
9.18. OTA_HotelResNotifRQ/RS	9-298
9.18.1. Use Case 1.....	9-298
9.19. OTA_HotelResRQ/RS	9-301
9.19.1. Use Case 1.....	9-302
9.20. OTA_HotelRFP_MeetingRQ/RS	9-305
9.20.1. Use Case 1.....	9-305
9.20.2. Use Case 2.....	9-309
9.20.3. Use Case 3.....	9-324
9.21. OTA_HotelRFP_MeetingNotifRQ/RS.....	9-351
9.21.1. Use Case 1.....	9-352
9.21.2. Use Case 2.....	9-355
9.21.3. Use Case 3.....	9-358
9.22. OTA_HotelRFP_TransientRQ/RS	9-359
9.22.1. Use Case 1.....	9-360
9.23. OTA_HotelRFP_TransientNotifRQ/RS.....	9-361
9.23.1. Use Case 1.....	9-362
9.24. OTA_HotelRoomingListRQ/RS	9-364
9.24.1. Use Case 1.....	9-365

9.24.2. Use Case 2 *	9-368
9.25. OTA_HotelSearchRQ/RS	9-421
9.25.1. Use Case 1	9-422
9.26. OTA_HotelStats	9-426
9.26.1. Use Case 1	9-426
9.27. OTA_HotelStatsNotifRQ/RS	9-429
9.27.1. Use Case 1	9-429
9.28. OTA_HotelStayInfoNotifRQ/RS	9-437
9.28.1. Use Case 1	9-437
9.29. OTA_HotelSummaryNotifRQ/RS	9-442
9.29.1. Use Case 1	9-443
9.30. OTA_MeetingProfile	9-444
9.30.1. Use Case 1 (TBD)	9-444
Section 10 —Insurance	10-446
10.1. OTA_InsuranceBookRQ/RS	10-446
10.1.1. Use Case 1	10-446
10.2. OTA_InsurancePlanSearchRQ/RS	10-448
10.2.1. Use Case 1	10-449
10.2.2. Use Case 2	10-450
10.3. OTA_InsuranceQuoteRQ/RS	10-452
10.3.1. Use Case 1	10-452
Section 11 —PackageTours/HolidayBookings	11-455
11.1. OTA_PkgAvailRQ/RS	11-455
11.1.1. Use Case 1	11-456
11.2. OTA_PkgBookRQ/RS	11-458
11.2.1. Use Case 1	11-459
11.3. OTA_PkgExtrasInfoRQ/RS	11-462
11.3.1. Use Case 1	11-464
11.4. OTA_PkgCostRQ/RS	11-466
11.4.1. Use Case 1	11-467
Section 12 — Travel Itinerary Messages	12-470
12.1. OTA_TravelItineraryRQ/RS	12-470
12.1.1. Use Case 1	12-471

Section 13 —Rail Messages	13-474
13.1. OTA_RailAvailRQ/RS.....	13-474
13.1.1. Use Case 1.....	13-475
13.2. OTA_RailBookRQ/RS	13-477
13.2.1. Use Case 1.....	13-477
13.3. OTA_RailRetrieveRQ/RS	13-480
13.3.1. Use Case 1.....	13-480
Section 14 —Loyalty Messages	14-483
14.1. OTA_LoyaltyAccountCreateRQ; OTA_LoyaltyAccountRS.....	14-483
14.1.1. Use Case 1.....	14-483
14.2. OTA_LoyaltyCertificateCreateRQ/RSandOTA_Loyalty CertificateCreateNotifRQ/RS.....	14-485
14.2.1. Use Case 1.....	14-485
14.3. OTA_LoyaltyCertificateRedemptionRQ/RS	14-486
14.3.1. Use Case 1.....	14-486
14.4. OTA_ReadRQ; OTA_LoyaltyAccountRS	14-487
14.4.1. Use Case 1.....	14-487
Section 15 —Profile	15-489
15.1. OTA_ProfileCreateRQ/RS	15-489
15.1.1. Use Case 1.....	15-489
Section 16 —Appendix	16-492
16.1. Specification Versioning Table	16-492

* indicates new for this release

+ indicates updated for this release

Section 1—Introduction

The OpenTravel Alliance (OTA), which began in May 1999, is a consortium of suppliers in all sectors of the travel industry, including air, car rental, hotel, travel agencies, and tour operators, as well as related companies that provide distribution and technology support to the industry. The OTA now has over 125 members representing influential names in all sectors of the travel industry. The Alliance is comprised of four working groups – air, car, hotel, and non-supplier (travel integration) – together with an interoperability committee to coordinate their efforts.

The OTA defines open messages in eXtensible Markup Language (XML) that make it possible to exchange business data seamlessly among different systems, companies, and industries over the World Wide Web. Companies in the travel industry recognize the importance of information management, both in terms of day-to-day operations and as a strategic tool. The travel industry pioneered online booking and registration systems and, in many respects, sets the expectation level for other industries in terms of responsiveness, reliability, and security of transaction processing. With the coming of the Internet and its ability to link millions of customers and companies in real-time computer communications, customer expectations for online services have increased further, and the travel industry seeks to continue to meet and exceed these expectations. Also, in keeping with the tradition of the Internet, even in its brief history, OTA specifications are open documents and will remain freely available to all industry participants.

OTA specifications provide a framework for companies in the travel industry to create new relationships with customers as well as to create new partnerships with fellow companies in the business. As specifications for the industry, these documents provide a means by which companies can improve their interaction with trading partners as well as their level of service for customers. Lowering the demands for customized interfaces between trading partners will allow companies to concentrate their resources on developing innovative ways to communicate with their customers and provide them with increased levels of service.

Section 2—Getting Started

The OTA Message Specification includes the following components:

OTA XML Schema Design Best Practices

The OTA XML Schema Best Practices document describes the standards and best practices to be used in creating the XML Schemas. Typically, this document is used within the OTA to ensure that the creation of XML Schemas is consistent in design across the organization and across releases.

OTA Messages User Guide (This Document)

The User Guide contains a description of each OTA Message with sample use cases and XML instance documents. It provides a high-level overview of message functionality.

OTA Messages Reference Guide

The Reference Guide is an auto-generated set of web pages that allow the display of and navigation through the annotations within the XML Schemas. It provides documentation at the “field-level” detailing the use of individual elements and attributes.

OTA XML Schema Definition files

These files are the formal definition of the specification using the W3C standard for XML Schema Definition (XSD's). They have the file type of *.xsd* and can be downloaded from the OTA website at <http://www.opentravel.org/>. They are organized by “release” where the release name includes the year and a letter denoting its sequence in that year. For example, the first release in 2002 is 2002A, the next 2002B, and so on. The XML Schemas are cumulative and contain all of the messages defined by the OTA. For more information on naming conventions, namespaces and other details about how the messages are constructed, refer to the OTA Implementation Infrastructure Guidelines.

Readme (Release Notes)

The release notes detail the latest information and changes for any given release (i.e. “What’s New”).

OTA HTTP Transport Protocol Reference

This document contains guidance that describes how implementers should use HTTP (Hypertext Transfer Protocol) in regards to OTA message exchange.

OTA SOAP Transport Protocol Reference

This document contains guidance that describes how implementers should use SOAP (Simple Object Access Protocol) in regards to OTA message exchange. These guidelines include best practices for areas such as message structure, transport method (RPC vs. messaging), error handling, SOAP security and SOAP attachments. Specifications of transport protocols has not formally been a part of the OTA Specifications, and this document is intended to bridge the gap between the OTA specifications and the SOAP specification.

OTA WSDL Implementation Guide

This document contains best practices for building WSDL (Web Services Description Language) files for use with the OTA specification.

Section 3—Generic Messages

Although many messages are specific to a particular travel sub-domain (e.g., Air) other messages are generally applicable and may be used more broadly than in one domain-specific service. This section briefly describes the generic messages that can be used across multiple travel sub-domains.

3.1. OTA_CancelRQ/RS

The OTA Cancel may be used for canceling a previously made reservation. This message cancels the entire reservation, i.e., it may not be used to cancel only part of the itinerary segments in a booking.

A reservation id (PNR locator, confirmation number, etc) is sent to specify which reservation should be cancelled. Additionally, a supplier may require that verification information such as customer name, credit card number, and/or phone number, be sent in order to verify that the correct reservation is being cancelled.

The use of the OPTIONAL <POS> element allows an implementation to determine whether the remote user has permission to cancel the reservation.

In the Cancel Request one of the following actions must be specified:

- Initiate – indicates the initial request to cancel a reservation.
- Ignore – indicates a rollback of the request to cancel, leaving the reservation intact.
- Confirm – indicates a request to complete the cancellation.

The Cancel Response will return one of the following statuses:

- Pending – indicates the initial request to cancel a reservation is pending confirmation to complete the cancel action. Cancel rules may have been returned in the response.
- Ignored – indicates the request to cancel was rolled back, leaving the reservation intact.
- Cancelled – indicates the cancellation is complete. A cancellation ID may be returned along with the response.

The Cancel message provides the option for a two-step process and individual business rules may determine how a system processes the initial cancel request. If there are no penalties involved in the cancellation, the cancel transaction can take place and the response returns the cancellation number along with the status that the reservation has been cancelled.

If the processing system determines that a cancellation policy has been invoked, it may choose to send back the OTA_CancelRS with the Status="Pending", accompanied by a collection of cancellation rules, allowing the originating party to determine if the cancellation should proceed. The originating party would then resend the OTA_CancelRQ. A CancelType="Ignore" would expect a response with the Status "Ignored", thus ending the message conversation with no action being taken to cancel the reservation.

A CancelType="Commit" indicates a definitive instruction to process the cancellation. This message would expect the response of Status="Cancelled", along with the return of a Cancellation Id, which would complete the cancellation process. The Cancel RQ is the same message in each case, with the CancelType attribute indicating the action to be taken on the request.

3.1.1. Use Case 1

3.1.1.1. Request: Reservation Cancellation

A customer who had previously made an airline reservation through a travel agent needs to cancel the entire booking. The customer requests that the travel agent cancel the booking. The travel agent sends a cancel message that includes the travel agent system PNR locator and the airline PNR locator to the airline.

OTA_CancelRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_CancelRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_CancelRQ.xsd" EchoToken="892345" TimeStamp="2003-03-17T09:30:47-05:00" Target="Production"
Version="1.001" SequenceNmbr="1" CancelType="Initiate">
  <POS>
    <Source AgentSine="925832875" PseudoCityCode="ATL" ISOCountry="US" AirlineVendorID="1P">
      <RequestorID Type="5" ID="925832875"/>
      <BookingChannel Type="1" Primary="1"/>
    </Source>
  </POS>
  <UniqueID Type="14" ID="7H39B4">
    <CompanyName CompanyShortName="1P" TravelSector="1"/>
  </UniqueID>
  <UniqueID Type="14" ID="X2A382">
    <CompanyName CompanyShortName="DL" TravelSector="1"/>
  </UniqueID>
</OTA_CancelRQ>
```

3.1.1.2. Response: Reservation Cancellation

A cancellation message is returned confirming that the booking has been cancelled since there were no cancellation penalties.

OTA_CancelRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
```

```

<OTA_CancelRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_CancelRS.xsd" EchoToken="892345" TimeStamp="2003-03-17T09:30:47-05:00" Target="Production"
Version="1.001" SequenceNbr="1" Status="Cancelled">
  <Success/>
  <UniqueID Type="14" ID="X2A382">
    <CompanyName CompanyShortName="DL" TravelSector="1"/>
  </UniqueID>
  <UniqueID Type="14" ID="7H39B4">
    <CompanyName CompanyShortName="1P" TravelSector="1"/>
  </UniqueID>
</OTA_CancelRS>

```

3.2. OTA_DeleteRQ/RS

The Delete infrastructure action defines an operation that identifies an existing record, and removes the entire record from the database. The use of the Delete action depends upon the business rules of an organization. Alternative strategies, such as mapping a duplicate record to another by use of the UniqueId, may be considered.

The requestor MAY also verify the record before deleting it to ensure the correct record has been identified prior to deleting it. In this case, the use of the *Instance* attribute may be useful in determining whether the record has been updated more recently than the information that is intended to be deleted. That choice, again, would be dictated by good business practices.

Steps in the Delete operation may include:

- Requestor submits a Read request to view the record
- Responder returns the record for the requestor to view
- Requestor submits a Delete request.
- Responder removes the record and returns an acknowledgement

The use of the OPTIONAL <POS> element allows an implementation to determine whether the remote user has permission to delete the object being read.

3.2.1. Use Case 1

3.2.1.1. Request: Customer Profile Delete

A travel agency has a customer who has traveled often in the past. A customer profile was created for the customer many years ago in order to facilitate her bookings. Since the customer primarily traveled on NorthWest Airlines (NW), a profile was also created in the NW system. However, the customer has told the travel agent that she is now too old to travel and won't be making any more trips. Thus, the travel agent wants to delete the customer's profile from the NW system. The travel agent sends a delete request message to NW to delete the customer profile with the identification number of 0507-12345.

OTA_DeleteRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_DeleteRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_DeleteRQ.xsd" EchoToken="183529" TimeStamp="2003-03-17T09:30:47-05:00" Target="Production"
  Version="1.002" SequenceNbr="1">
  <UniqueID Type="1" ID="0507-12345"/>
  <POS>
    <Source AgentSine="42960012" PseudoCityCode="ATL" ISOCountry="US" AirlineVendorID="1P">
      <RequestorID Type="5" ID="248954"/>
      <BookingChannel Type="1" Primary="1"/>
    </Source>
  </POS>
</OTA_DeleteRQ>
```

3.2.1.2. Response: Customer Profile Delete

A delete message is returned confirming that the customer profile has been deleted.

OTA_DeleteRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_DeleteRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_DeleteRS.xsd" EchoToken="183529" TimeStamp="2003-03-17T09:30:47-05:00" Target="Production"
  Version="1.001" SequenceNbr="1">
  <Success/>
  <UniqueID Type="1" ID="0507-12345"/>
</OTA_DeleteRS>
```

3.3. OTA_File Attachment

The FileAttachmentNotif Request and Response Messages enable a sending system to physically transfer encoded binary files to a receiving system that will store or process them. The Request Message and the encoded files are transferred together in a single encoded entity, with the Request Message being the first item retrieved by the receiving system. The receiving system uses the request message as a table of contents with the descriptive information it needs to decode and store the files at its end. The Response Message acknowledges the received files and returns any warnings or errors as needed.

3.3.1. Use Case 2

3.3.1.1. Request: Update Hotel Image Files at Distributor Web Site

The server at ACME has a scheduled job to run every Saturday that sends any hotel image files modified in the past week to the distributor web site server so they can be referenced when displaying hotel information.

Both ACME and the distributor have agreed on encoding the filename using the hotel code (H1500-001) and a sequential number for the images to ensure uniqueness.

In this particular update 5 files were found to have been modified that week and so they are sent using this message.

The XML message shown below and the files described in it are encoded using MIME and sent. The value of the ContentID attribute is given by the MIME package used by the sender to identify the portion in the message where the file is encoded.

OTA_FileAttachmentNotifRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_FileAttachmentNotifRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_FileAttachmentNotifRQ.xsd" Version="1.0000"
  Target="Production" EchoToken="12345" TimeStamp="2005-12-17T23:30:47.0Z">
  <POS>
    <Source>
      <RequestorID Type="10" ID="H1500-001"/>
      <!--Type 10= Hotel -->
    </Source>
  </POS>
  <FileAttachmentReferences>
    <FileAttachmentReference RecordID="1" FileName="H1500-001_IMG001.jpg"
      ContentID="cid:A3EA77711E90183D4E62C9120A47C8E0" FileSize="234234" LastModifyDateTime="2005-12-14T08:51:42.0Z"
      CreateDateTime="2004-01-11T14:10:00.0Z" ContentCode="4"/>
    <!-- ContentCode 4 indicates an image file -->
    <FileAttachmentReference RecordID="2" FileName="H1500-001_IMG007.jpg"
      ContentID="cid:711E90183A3EA77D4E62CE0120A947C8" FileSize="345297" LastModifyDateTime="2005-12-11T13:26:22.0Z"
      CreateDateTime="2004-07-30T16:06:27.0Z" ContentCode="4"/>
    <!-- ContentCode 4 indicates an image file -->
    <FileAttachmentReference RecordID="3" FileName="H1500-001_IMG014.jpg"
      ContentID="cid:0183D4E62C947C8A3EA77711E0A9E012" FileSize="213290" LastModifyDateTime="2005-12-16T11:55:18.0Z"
      CreateDateTime="2004-11-24T10:24:41.0Z" ContentCode="4"/>
    <!-- ContentCode 4 indicates an image file -->
    <FileAttachmentReference RecordID="4" FileName="H1500-001_IMG018.jpg"
      ContentID="cid:D4E62C947C8A3EA77711E90120A83E01" FileSize="109826" LastModifyDateTime="2005-12-15T14:13:23.0Z"
      CreateDateTime="2005-02-07T16:37:55.0Z" ContentCode="4"/>
    <!-- ContentCode 4 indicates an image file -->
    <FileAttachmentReference RecordID="5" FileName="H1500-001_IMG023.jpg"
      ContentID="cid:77711E91A3EA20A0183D4E62C947C8E0" FileSize="198272" LastModifyDateTime="2005-12-16T09:30:47.0Z"
      CreateDateTime="2005-12-16T09:30:47.0Z" ContentCode="4"/>
    <!-- ContentCode 4 indicates an image file -->
  </FileAttachmentReferences>
</OTA_FileAttachmentNotifRQ>
```

3.3.1.2. Response: Acknowledge Receipt of Files

The distributor receives the encoded MIME message with the request message (shown above), followed by the MIME encoded files being sent. The distributor then saves the files using the value of the FileName attribute (and any other relevant data) to a predefined location.

In this case all files have been received and stored as expected. Accordingly, the response contains a success element.

OTA_FileAttachmentNotifRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_FileAttachmentNotifRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_FileAttachmentNotifRS.xsd" Version="1.000"
  Target="Production" EchoToken="12345" TimeStamp="2005-12-17T23:35:12.0Z">

  <Success/>

</OTA_FileAttachmentNotifRS>
```

3.4. OTA_NotifReportRQ/RS

Because most database updates are done asynchronously there is a need to be able to send a report on whether database updates have been processed successfully or not.

The responses to the database update (i.e., OTA_HotelAvailNotifRS or OTA_HotelRateAmountNotifRS) are only used to acknowledge the fact that the message has been received (because the completion of the update in the application might take a few minutes). Moreover, in case of error, those schemas do not provide the ability to point out and give details on the part that failed.

The business flow for Hotel Availability and Rate Amount database updates is as follows:

- 1- A Hotel provider sends a OTA_HotelAvailNotifRQ to a booking source.
- 2- The booking source acknowledge the fact that the message has been received (but not yet processed) by replying with the OTA_HotelAvailNotifRS
- 3- The booking source system process the database update.
- 4- Once the database update is completed the booking source system may need to inform the hotel provider that updates were successful or not.
- 5- The booking source builds an OTA_NotifReportRQ message and sends it to the Hotel Provider.
- 6- The Hotel provider acknowledges it with an OTA_NotifReportRS message.

The OTA_NotifReportRQ/RS messages are currently only used for the report of the hotel availability database update and the hotel rate amount database update, but may be extended in the future to accommodate additional hotel database reports as well as other travel sector database reports.

3.4.1. Use Case 1

3.4.1.1. Request: Notification Report

A message is sent from a GDS to a hotel CRS indicating that the hotel CRS has sent an invalid hotel in a previous status update exchange.

The error code 392 indicates an invalid hotel code.

The Availability status update in error is sent back in the message (in AvailStatusMessages) as well as the error code.

OTA_NotifReportRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_NotifReportRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_NotifReportRQ.xsd" Version="1.001">
  <Errors>
    <Error Type="3" Code="392"/>
  </Errors>
  <NotifDetails>
    <HotelNotifReport>
      <AvailStatusMessages ChainCode="RT" HotelCode="WASAP" HotelCityCode="WAS"
HotelCodeContext="1A">
        <AvailStatusMessage LocatorID="30470058930139">
          <StatusApplicationControl Start="2005-08-30" End="2006-01-05" RatePlanCode="COR"
InvTypeCode="A1D" IsRoom="true"/>
          <RestrictionStatus Status="Close"/>
        </AvailStatusMessage>
      </AvailStatusMessages>
    </HotelNotifReport>
  </NotifDetails>
</OTA_NotifReportRQ>
```

3.4.1.2. Response: Notification Report

In the OTA_NotifReportRS the hotel CRS acknowledges that this report has been received.

OTA_NotifReportRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_NotifReportRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_NotifReportRS.xsd" Version="1.001">
  <Success />
</OTA_NotifReportRS>
```

3.5. OTA_PingRQ/RS

The OTA Ping may be used for testing application connectivity by sending some specific text and determining if the receiving application is able to echo back that same text.

The free-text data that is passed in the request is expected to be echoed back in the response message.

3.5.1. Use Case 1

3.5.1.1. Request: Testing The Application For Connectivity

A client application wishes to determine if the receiving application is in a functioning condition by sending a Ping message and testing the response for the correct echoed data. A test Ping message is sent, using “Are you there” as the test data.

OTA_PingRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_PingRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_PingRQ.xsd" TimeStamp="2003-03-17T11:09:47-05:00" Target="Production" Version="1.001"
SequenceNbr="1">
  <EchoData> Are you there </EchoData>
</OTA_PingRQ>
```

3.5.1.2. Response: Testing The Application For Connectivity

The application indicates that it is in a functioning state by returning the same test data.

OTA_PingRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_PingRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_PingRS.xsd" TimeStamp="2003-03-17T11:09:49-05:00" Target="Production" Version="1.001"
SequenceNbr="1">
  <Success/>
  <EchoData>Are you There</EchoData>
</OTA_PingRS>
```

3.6. OTA_ReadRQ/OTA_ResRetrieveRS

The Read infrastructure action defines an operation that opens an existing record and transmits information contained in that record. The Read operation enables the user to identify a particular record and retrieve its entire contents, to request a reservation when the booking id number is not known, to request a list of reservations for a traveler, and to request a list of travelers that meet specified criteria. In the Read request, it can be specified whether the reservation itself should be returned if an exact match is found or if a list of reservations should be always be returned.

The basic operation has the following steps:

- Requestor queries the database where the record resides by sending a Read request message with the record's unique identifier or with information such as traveler name, date of travel, loyalty number and/or other specified criteria.

- Responder returns the record or a list of reservations to the requestor.

The response to the OTA_ReadRQ will vary based on the type of record(s) requested. The following are examples of the type of records requested and the possible message response:

Airline reservation – OTA_AirBookRS, OTA_ResRetrieveRS
 Package reservation – OTA_PkgBookRS, OTA_ResRetrieveRS
 Profile – OTA_ProfileReadRS
 Hotel reservation – OTA_HotelResRS, OTA_ResRetrieveRS
 Rail reservation – OTA_RailRetrieveRS
 Loyalty account – OTA_LoyaltyAccountRS
 Insurance plan booking – OTA_InsuranceBookRS
 Cruise reservation – OTA_ReadRQ, OTA_ResRetrieveRS

If an exact match of the reservation is not found or a list is requested, the OTA_ResRetrieveRS message is returned with a list of reservations with enough additional information to help the requestor determine which reservation they wish to see. The requestor may then send another Read request with the reservation identifier to retrieve a specific reservation.

3.6.1. Use Case 1

3.6.1.1. Request: Retrieve Reservation by Reservation Id

Minnie Mouse made an airline reservation through the electronic service provider BookNow to travel to Disneyland™. She leaves tomorrow and she can't remember her flight number or what time the plane leaves. She sits down at her computer and types in her reservation id and her name and phone number as verification information in order to get a display of her reservation. BookNow uses a global distribution system (GDS) for a booking engine and to house its reservation files so it sends a Read request message to the GDS.

OTA_ReadRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_ReadRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_ReadRQ.xsd" EchoToken="5553429" TimeStamp="2003-03-17T09:30:47-05:00" Target="Production"
  Version="1.001" SequenceNbr="1">
  <POS>
    <Source PseudoCityCode="ATL" ISOCountry="US" ERSP_UserID="238940214">
      <RequestorID Type="13" ID="29567">
        <CompanyName CompanyShortName="BookNow"/>
      </RequestorID>
      <BookingChannel Type="7" Primary="1"/>
    </Source>
  </POS>
  <ReadRequests>
    <ReadRequest>
      <UniqueID Type="14" ID="7H39B4">
        <CompanyName CompanyShortName="DL"/>
      </UniqueID>
      <Verification>
```

```

        <PersonName>
          <GivenName>Minnie</GivenName>
          <Surname>Mouse</Surname>
        </PersonName>
        <TelephoneInfo PhoneTechType="1" CountryAccessCode="001" AreaCityCode="770"
        PhoneNumber="563-2891" PhoneUseType="3"/>
      </Verification>
    </ReadRequest>
  </ReadRequests>
</OTA_ReadRQ>

```

3.6.1.2. Response: Air Reservation Returned

The reservation for Minnie Mouse is returned.

OTA_AirBookRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirBookRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
  OTA_AirBookRS.xsd" EchoToken="5553429" TimeStamp="2003-03-17T09:30:47-05:03" Target="Production"
  Version="2.001" SequenceNmbr="1">
  <Success/>
  <AirReservation BookingReferenceID="7H39B4">
    <Airtinerary>
      <OriginDestinationOptions>
        <OriginDestinationOption>
          <FlightSegment DepartureDateTime="2003-03-18T08:20:00" ArrivalDateTime="2003-03-
18T10:07:00" FlightNumber="1975" ResBookDesigCode="M" NumberInParty="1" Status="30">
            <DepartureAirport LocationCode="ATL"/>
            <ArrivalAirport LocationCode="LAX"/>
            <Equipment AirEquipType="763"/>
            <MarketingAirline Code="DL"/>
          </FlightSegment>
        </OriginDestinationOption>
        <OriginDestinationOption>
          <FlightSegment DepartureDateTime="2003-03-25T09:30:00" ArrivalDateTime="2003-03-
25T16:41:00" FlightNumber="2074" ResBookDesigCode="M" NumberInParty="1" Status="30">
            <DepartureAirport LocationCode="LAX"/>
            <ArrivalAirport LocationCode="ATL"/>
            <Equipment AirEquipType="757"/>
            <MarketingAirline Code="DL"/>
          </FlightSegment>
        </OriginDestinationOption>
      </OriginDestinationOptions>
    </Airtinerary>
    <TravelerInfo>
      <AirTraveler PassengerTypeCode="ADT">
        <PersonName>
          <GivenName>Minnie</GivenName>
          <Surname>Mouse</Surname>
        </PersonName>
        <Telephone PhoneTechType="1" CountryAccessCode="001" AreaCityCode="770"
        PhoneNumber="563-2891"/>
        <TravelerRefNumber RPH="1"/>
      </AirTraveler>
    </TravelerInfo>
    <BookingReferenceID Type="14" ID="7H39B4">
      <CompanyName Code="DL"/>
    </BookingReferenceID>
  </AirReservation>
</OTA_AirBookRS>

```

3.6.2. Use Case 2

3.6.2.1. Request: Retrieve Reservation by Passenger Name

A customer has sent a balance payment for a package holiday to the travel agent but has omitted to quote the booking reference. The travel agent can read only the first three letters of the customer's name: 'Smi' and the initial 'J'. The travel agent needs to see the traveler's booking record. The agent sends a retrieval request to the tour operator for all bookings made by this agency departing on 13 October 2004 for passengers whose name begins with 'SMI'.

OTA_ReadRQ2.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_ReadRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_ReadRQ.xsd" EchoToken="7656" TimeStamp="2003-11-08T21:10:30" Target="Production"
  Version="1.002" SequenceNmbr="3" ReturnListIndicator="true">
  <POS>
    <Source AgentSine="A1234">
      <RequestorID Type="4" ID="a1234"/>
      <BookingChannel Type="6"/>
    </Source>
  </POS>
  <ReadRequests>
    <PkgReadRequest Start="2004-10-13">
      <Name>
        <Surname>Smi</Surname>
        </Name>
      </PkgReadRequest>
    </ReadRequests>
  </OTA_ReadRQ>
```

3.6.2.2. Response: Reservation List Returned

A list is returned of two people whose name begin with 'SMI'.

OTA_ResRetrieveRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_ResRetrieveRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_ResRetrieveRS.xsd" EchoToken="7656" TimeStamp="2003-11-08T21:10:30" Target="Production"
  Version="2.000" SequenceNmbr="3">
  <Success/>
  <ReservationsList>
    <PackageReservation TravelCode="GAD20" TourCode="ADABA" Start="2004-10-13"
      Duration="P14D" ReservationStatusCode="1" ReservationStatus="Confirmed" Quantity="2">
      <UniqueID ID="AA12345" Instance="02" Type="6"/>
      <Name>
        <NamePrefix>Mr</NamePrefix>
        <GivenName>J</GivenName>
        <Surname>Smith</Surname>
      </Name>
      <ArrivalLocation LocationCode="PMI">Palma Mallorca</ArrivalLocation>
```

```

        <DepartureLocation LocationCode="LGW">London Gatwick</DepartureLocation>
    </PackageReservation>
    <PackageReservation TravelCode="LCB30" TourCode="CBEGA" Start="2004-10-13"
Duration="P7D" ReservationStatusCode="1" ReservationStatus="Confirmed" Quantity="4">
        <UniqueID ID="BC43567" Instance="02" Type="6"/>
        <Name>
            <NamePrefix>Mrs</NamePrefix>
            <GivenName>M</GivenName>
            <Surname>Smithers</Surname>
        </Name>
        <ArrivalLocation LocationCode="ACE">Arrecife</ArrivalLocation>
        <DepartureLocation LocationCode="LTN">Luton</DepartureLocation>
    </PackageReservation>
</ReservationsList>
</OTA_ResRetrieveRS>

```

3.6.3. Use Case 3

3.6.3.1. Request: Read Reservation

Brandon Wilson travels to Washington D.C. often during the year and he always stays at the Marriott Hotel in Tysons Corner, VA. He makes a number of his reservations at one time. He will be staying at the Marriott in December and can't remember if he has made a reservation for this stay. Brandon, via the Marriott internet site, requests to see his reservation for December.

OTA_ReadRQ3.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_ReadRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_ReadRQ.xsd" EchoToken="3229853" TimeStamp="2003-11-10T10:34:00" Target="Production"
Version="1.002" SequenceNmbr="1" PrimaryLangID="en-us" ReturnListIndicator="0">
    <ReadRequests>
        <HotelReadRequest ChainName="Marriott">
            <CityName>Tysons Corner</CityName>
            <Airport LocationCode="IAD"/>
            <UserID Type="1" ID="421329" PinNumber="1207">
                <CompanyName CompanyShortName="Marriott"/>
            </UserID>
            <Verification>
                <PersonName>
                    <GivenName>Brandon</GivenName>
                    <Surname>Wilson</Surname>
                </PersonName>
                <ReservationTimeSpan Start="2003-12-01" End="2003-12-31"/>
            </Verification>
        </HotelReadRequest>
    </ReadRequests>
</OTA_ReadRQ>

```

3.6.3.2. Response: Reservation List Returned

Since Brandon has not made a reservation for December, an exact match cannot be found for his request. The responder returns a list of all the reservations that it has for Brandon.

OTA_ResRetrieveRS2.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_ResRetrieveRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_ResRetrieveRS.xsd" EchoToken="3229853" TimeStamp="2003-11-01T10:34:30" Target="Production"
  Version="2.000" SequenceNbr="1" PrimaryLangID="en-us">
  <Success/>
  <ReservationsList>
    <HotelReservation>
      <RoomStays>
        <RoomStay>
          <GuestCounts>
            <GuestCount Count="1"/>
          </GuestCounts>
          <TimeSpan Start="2003-11-23" End="2003-11-26"/>
          <BasicPropertyInfo ChainCode="MA" HotelCode="WASTC" HotelName="Marriott Tysons
Corner">
            <Address>
              <CityName>Tysons Corner</CityName>
            </Address>
          </BasicPropertyInfo>
        </RoomStay>
      </RoomStays>
      <ResGuests>
        <ResGuest>
          <Profiles>
            <ProfileInfo>
              <Profile>
                <Customer>
                  <PersonName>
                    <GivenName>Brandon</GivenName>
                    <Surname>Wilson</Surname>
                  </PersonName>
                </Customer>
              </Profile>
            </ProfileInfo>
          </Profiles>
        </ResGuest>
      </ResGuests>
      <ResGlobalInfo>
        <HotelReservationIDs>
          <HotelReservationID ResID_Type="10" ResID_Value="83428984"/>
        </HotelReservationIDs>
      </ResGlobalInfo>
    </HotelReservation>
  </ReservationsList>
  <HotelReservation>
    <RoomStays>
      <RoomStay>
        <GuestCounts>
          <GuestCount Count="1"/>
        </GuestCounts>
        <TimeSpan Start="2004-01-06" End="2004-01-10"/>
        <BasicPropertyInfo ChainCode="MA" HotelCode="WASTC" HotelName="Marriott Tysons
Corner">
          <Address>
            <CityName>Tysons Corner</CityName>
          </Address>
        </BasicPropertyInfo>
      </RoomStay>
    </RoomStays>
    <ResGuests>
      <ResGuest>
        <Profiles>
```

```

    <ProfileInfo>
      <Profile>
        <Customer>
          <PersonName>
            <GivenName>Brandon</GivenName>
            <Surname>Wilson</Surname>
          </PersonName>
        </Customer>
      </Profile>
    </ProfileInfo>
  </Profiles>
</ResGuest>
</ResGuests>
<ResGlobalInfo>
  <HotelReservationIDs>
    <HotelReservationID ResID_Type="10" ResID_Value="80422743"/>
  </HotelReservationIDs>
</ResGlobalInfo>
</HotelReservation>
</ReservationsList>
</OTA_ResRetrieveRS>

```

3.6.4. Use Case 4

3.6.4.1. Request: Retrieve Reservation by Frequent Flier Number

Paul Adams has booked an airline reservation through a travel agent. He needs to change his return flight so he calls his travel agent to make this change. Paul cannot remember his reservation id and cannot remember if he is departing on December 3rd or 4th. He gives his airline frequent flier number to the travel agent.

The travel agent sends a request to the airline with Paul's frequent flier number requesting that they return a list of all of the reservations that they have made for Paul.

OTA_ReadRQ4.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_ReadRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_ReadRQ.xsd" EchoToken="42348" TimeStamp="2003-12-17T09:30:47" Target="Production"
  Version="1.002" SequenceNmbr="1" PrimaryLangID="en-us" ReservationType="1">
  <ReadRequests>
    <AirReadRequest>
      <POS>
        <Source AgentSine="2342" PseudoCityCode="ATL" ISOCountry="US">
          <RequestorID Type="5" ID="12345678" ID_Context="IATA"/>
          <BookingChannel Type="5" Primary="1">
            <CompanyName Code="1P" CodeContext="IATA"/>
          </BookingChannel>
        </Source>
      </POS>
      <Name>
        <GivenName>Paul</GivenName>
        <Surname>Adams</Surname>
      </Name>
      <CustLoyalty ProgramID="DL" MembershipID="22A3896B2"/>
    </AirReadRequest>
  </ReadRequests>

```

```
</OTA_ReadRQ>
```

3.6.4.2. Response: Reservation List Returned

The airline finds four reservations that were booked by the requesting travel agent for the requested frequent flier number. The list that is returned includes the reservation id, departure date, departure city and flight number for each reservation. Thus, the travel agent will be able to determine which reservation to request with a follow-up OTA_ReadRQ that includes the reservation id.

OTA_ResRetrieveRS3.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_ResRetrieveRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_ResRetrieveRS.xsd" EchoToken="42348" TimeStamp="2003-12-17T09:30:49" Target="Production"
  Version="2.000" SequenceNmbr="1" PrimaryLangID="en-us">
  <Success/>
  <ReservationsList>
    <AirReservation BookingReferenceID="64H32X" DateBooked="2003-10-25T10:30:00">
      <FlightSegment DepartureDateTime="2003-11-13T09:00:00" ArrivalDateTime="2003-11-
13T10:41:00" FlightNumber="1975">
        <DepartureAirport LocationCode="ATL"/>
        <ArrivalAirport LocationCode="LAX"/>
        <MarketingAirline Code="DL"/>
      </FlightSegment>
    </AirReservation>
    <AirReservation BookingReferenceID="9E20KM" DateBooked="2003-11-01T08:30:00">
      <FlightSegment DepartureDateTime="2003-11-22T10:07:00" ArrivalDateTime="2003-11-
22T11:16:00" FlightNumber="1133">
        <DepartureAirport LocationCode="ATL"/>
        <ArrivalAirport LocationCode="GSO"/>
        <MarketingAirline Code="DL"/>
      </FlightSegment>
    </AirReservation>
    <AirReservation BookingReferenceID="452L38" DateBooked="2003-11-14T20:30:00">
      <FlightSegment DepartureDateTime="2003-12-03T18:10:00" ArrivalDateTime="2003-12-
04T06:55:00" FlightNumber="12">
        <DepartureAirport LocationCode="ATL"/>
        <ArrivalAirport LocationCode="LGW"/>
        <MarketingAirline Code="DL"/>
      </FlightSegment>
    </AirReservation>
    <AirReservation BookingReferenceID="85U36X" DateBooked="2003-11-25T13:02:00">
      <FlightSegment DepartureDateTime="2003-12-24T19:10:00" ArrivalDateTime="2003-12-
24T21:29:00" FlightNumber="197">
        <DepartureAirport LocationCode="ATL"/>
        <ArrivalAirport LocationCode="SEA"/>
        <MarketingAirline Code="DL"/>
      </FlightSegment>
    </AirReservation>
  </ReservationsList>
</OTA_ResRetrieveRS>
```

3.6.5. Use Case 5

3.6.5.1. Request: Retrieve List of Passengers

An airline has an irregular operation on flight 215 on November 12 and the flight departure will be delayed by 4 hours. The airline wants to make sure that all of their top-level frequent fliers are notified of this delay. The airline queries their system requesting a list of passengers on flight 215 on November 12 that are top-level frequent fliers.

OTA_ReadRQ5.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_ReadRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_ReadRQ.xsd" EchoToken="34289" TimeStamp="2003-11-12T06:30:47" Target="Production"
  Version="1.002" SequenceNmbr="1" PrimaryLangID="en-us" ReservationType="1" ReturnListIndicator="1">
  <ReadRequests>
    <AirReadRequest IncludeFF_EquivPartnerLev="1" FF_RequestCriteria="ReturnLevelAndAbove">
      <POS>
        <Source PseudoCityCode="ATL" AgentDutyCode="SU">
          <RequestorID Type="6" ID="712639"/>
        </Source>
      </POS>
      <FlightNumber>212</FlightNumber>
      <DepartureAirport LocationCode="LAX"/>
      <DepartureDate>2003-11-12</DepartureDate>
      <CustLoyalty LoyalLevel="Gold"/>
    </AirReadRequest>
  </ReadRequests>
</OTA_ReadRQ>
```

3.6.5.2. Response: List of Passengers Returned

A list of all passengers matching the input criteria is returned along with each passenger's booking reference id.

OTA_ResRetrieveRS4.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_ResRetrieveRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_ResRetrieveRS.xsd" EchoToken="34289" TimeStamp="2003-11-12T06:30:48" Target="Production"
  Version="2.000" SequenceNmbr="1" PrimaryLangID="en-us">
  <Success/>
  <ReservationsList>
    <AirReservation BookingReferenceID="4809H1">
      <TravelerName>
        <GivenName>William</GivenName>
        <Surname>Apple</Surname>
      </TravelerName>
    </AirReservation>
    <AirReservation BookingReferenceID="96TB20">
      <TravelerName>
        <GivenName>M</GivenName>
        <Surname>Grape</Surname>
      </TravelerName>
    </AirReservation>
  </ReservationsList>
</OTA_ResRetrieveRS>
```

```

</AirReservation>
<AirReservation BookingReferenceID="219J09">
  <TravelerName>
    <GivenName>Susan</GivenName>
    <Surname>Banana</Surname>
  </TravelerName>
</AirReservation>
<AirReservation BookingReferenceID="631R59">
  <TravelerName>
    <GivenName>John</GivenName>
    <Surname>Tomato</Surname>
  </TravelerName>
</AirReservation>
<AirReservation BookingReferenceID="C84Q20">
  <TravelerName>
    <GivenName>Steven</GivenName>
    <Surname>Crabapple</Surname>
  </TravelerName>
</AirReservation>
<AirReservation BookingReferenceID="052D37">
  <TravelerName>
    <GivenName>Betty</GivenName>
    <Surname>Orange</Surname>
  </TravelerName>
</AirReservation>
<AirReservation BookingReferenceID="7Y30P1">
  <TravelerName>
    <GivenName>Jonathan</GivenName>
    <Surname>Lettuce</Surname>
  </TravelerName>
</AirReservation>
</ReservationsList>
</OTA_ResRetrieveRS>

```

3.6.6. Use Case 6 *

3.6.6.1. Request

Jose Marquez and his wife Tamara have a reservation booked for a cruise on Norwegian Cruise Line's Pride of Hawaii, which sails on February 17, 2007. Jose wants to be sure his agent remembered that he and Tamara are celebrating their anniversary, so Jose logs in via his agent's website and enters his reservation number, 12272430.

OTA_ReadRQ6.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_ReadRQ xmlns="http://www.opentravel.org/OTA/2003/05" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_ReadRQ.xsd" Version="1.003"
  TransactionIdentifier="6940" ReservationType="8" TimeStamp="2006-11-22T13:09:24">
  <!-- ReservationType value of 8 indicates cruise -->
  <POS>
    <Source AirportCode="MIA" ISOCountry="US" PseudoCityCode="REVMIA02">
      <RequestorID Type="5" ID="TA123456">
        <!-- Type value of 5 indicates Travel Agency -->
        <CompanyName CompanyShortName="REVELEX" Code="REV"/>
      </RequestorID>
    </Source>
  </POS>

```

```

    <ReadRequests>
      <ReadRequest>
        <UniqueID Type="14" ID="12272430">
          <!-- Type value of 14 indicates this is a reservation ID -->
          <CompanyName CompanyShortName="NCL" Code="NCL"/>
        </UniqueID>
      </ReadRequest>
    </ReadRequests>
  </OTA_ReadRQ>

```

3.6.6.2. Response

Jose's reservation is returned, and he is happy to see that his anniversary is noted under special services offered by NCL.

OTA_ResRetrieveRS5.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_ResRetrieveRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_ResRetrieveRS.xsd" Version="2.001"
  TransactionIdentifier="6940" TimeStamp="2006-11-22T13:09:26">
  <Success/>
  <ReservationsList>
    <CruiseReservation>
      <SailingInfo>
        <SelectedSailing VoyageID="771600" Start="2007-02-17" Duration="P7D" Status="36">
          <!-- Status value of 36 indicates this sailing is available -->
          <CruiseLine VendorCode="NCL" VendorName="Norwegian Cruise Line" ShipCode="HA"
ShipName="Pride of Hawaii"/>
          <Region RegionCode="HAW" RegionName="HAWAII"/>
        </SelectedSailing>
        <Currency CurrencyCode="USD" DecimalPlaces="2"/>
        <SelectedCategory BerthedCategoryCode="BA" PricedCategoryCode="BA">
          <CabinAttributes>
            <CabinAttribute CabinAttributeCode="81"/>
            <!-- CabinAttributeCode value of 81 indicates no cabin description is available -->
          </CabinAttributes>
          <SelectedCabin CabinNumber="10576" MaxOccupancy="4" DeckName="Deck 10"
DeckNumber="10" PositionInShip="Midship" ShipSide="Starboard" CategoryLocation="Outside" Status="49">
            <!-- Status value of 49 indicates booked -->
            <CabinConfiguration BedConfigurationCode="26"/>
            <!-- BedConfigurationCode value of 26 indicates this cabin contains convertible lower
beds -->
            <CabinConfiguration BedConfigurationCode="7"/>
            <!-- BedConfigurationCode value of 7 indicates this cabin can accommodate a crib -->
            <CabinAttributes>
              <CabinAttribute CabinAttributeCode="81"/>
              <!-- CabinAttributeCode value of 81 indicates no cabin description is available -->
            </CabinAttributes>
          </SelectedCabin>
        </SelectedCategory>
      </SailingInfo>
      <SailingProfile ProfileTypeIdentifier="NotModifiable">
        <CruiseProfile Code="33"/>
        <!-- Code value of 33 indicates bed configuration can not be modified -->
      </SailingProfile>
    </CruiseReservation>
  </ReservationsList>

```

```

</SailingProfile>
<ReservationInfo>
  <ReservationID Type="14" ID="12272430" StatusCode="49"/>
  <!-- Type value of 14 indicates this is a cruise line reservation ID-->
  <!-- StatusCode value of 49 indicates booked -->
  <ReservationID Type="24" ID="X8OLFJ" StatusCode="49" LastModifyDateTime="2006-11-
13T17:22:07"/>
  <!-- Type value of 24 indicates this is a travel agent PNR ID -->
  <!-- StatusCode value of 49 indicates booked -->
  <GuestDetails>
    <GuestDetail>
      <SelectedFareCode FareCode="PG6"/>
      <ContactInfo GuestRefNumber="1" Gender="Male" Age="66" BirthDate="1940-03-
22">
        <PersonName>
          <NamePrefix>MR</NamePrefix>
          <GivenName>JOSE</GivenName>
          <Surname>MARQUES</Surname>
        </PersonName>
        </ContactInfo>
        <GuestTransportation Mode="29" Status="36">
          <!-- Mode value of 29 indicates no transportation (cruise only) -->
          <!-- StatusCode value of 36 indicates cruise only mode of transportation is available
-->
          <GatewayCity LocationCode="MIA"/>
        </GuestTransportation>
        <LoyaltyInfo MembershipID="19625412"/>
        <SelectedDining Sitting="FREESTYLE" Status="36"/>
        <!-- Status value of 36 indicates Freestyle dining is available -->
        <SelectedInsurance InsuranceCode="NON" SelectedOptionIndicator="false"
DefaultIndicator="false"/>
        <SelectedInsurance InsuranceCode="PLT" SelectedOptionIndicator="false"
DefaultIndicator="false"/>
        <SelectedInsurance InsuranceCode="STD" SelectedOptionIndicator="true"
DefaultIndicator="true"/>
        <SelectedPackages>
          <SelectedPackage PackageTypeCode="2" CruisePackageCode="771600"
Start="2007-02-15" Status="36" Duration="P3D">
            <!-- PackageTypeCode value of 2 indicates pre-cruise package -->
            <!-- Status value of 36 indicates available -->
            <Location LocationCode="HNL">
              <Information>
                <Text>3 NIGHT SHERATON PRINCESS KAIULANI PRE
CRUISE PACKAGE</Text>
              </Information>
            </Location>
          </SelectedPackage>
          <SelectedPackage PackageTypeCode="3" CruisePackageCode="791304"
Start="2007-02-24" Status="36" Duration="P5D">
            <!-- PackageTypeCode value of 3 indicates post-cruise package -->
            <!-- Status value of 36 indicates available -->
            <Location LocationCode="HNL">
              <Information>
                <Text>5 NIGHT MARRIOTT WAIKIKI BEACH POST CRUISE
PACKAGE</Text>
              </Information>
            </Location>
          </SelectedPackage>
        </SelectedPackages>
      </GuestDetail>
    </GuestDetails>
  </ReservationInfo>

```

```

        </Location>
    </SelectedPackage>
</SelectedPackages>
<SelectedSpecialServices>
    <SelectedSpecialService Type="Occasion" Code="S001"
CodeDetail="ANNIVERSARY" AssociationType="Passenger" Date="2007-02-20"/>
    <SelectedSpecialService Type="Dietary" Code="VGML"
CodeDetail="VEGETARIAN MEALS" AssociationType="Passenger"/>
</SelectedSpecialServices>
<Profiles ProfileTypeIdentifier="NotModifiable">
    <CruiseProfile Code="16"/>
    <!-- Code value of 16 indicates dining seating may not be modified -->
</Profiles>
<Profiles ProfileTypeIdentifier="Mandatory">
    <CruiseProfile Code="13"/>
    <!-- Code value of 13 indicates passenger address is required -->
    <CruiseProfile Code="15"/>
    <!-- Code value of 15 indicates passenger telephone number is required -->
    <CruiseProfile Code="22"/>
    <!-- Code value of 22 indicates emergency contact is required -->
    <CruiseProfile Code="42"/>
    <!-- Code value of 42 indicates flight information is required -->
</Profiles>
</GuestDetail>
<GuestDetail>
    <SelectedFareCode FareCode="PG6"/>
    <ContactInfo GuestRefNumber="2" Gender="Female" Age="64" BirthDate="1942-10-
19">
        <PersonName>
            <NamePrefix>MRS</NamePrefix>
            <GivenName>TAMARA</GivenName>
            <Surname>MARQUES</Surname>
        </PersonName>
        </ContactInfo>
        <GuestTransportation Mode="29" Status="36">
            <!-- Mode value of 29 indicates no transportation (cruise only) -->
            <!-- StatusCode value of 36 indicates cruise only mode of transportation is available
-->
            <GatewayCity LocationCode="MIA"/>
        </GuestTransportation>
        <LoyaltyInfo MembershipID="19873521"/>
        <SelectedDining Sitting="FREESTYLE" Status="36"/>
        <!-- Status value of 36 indicates Freestyle dining is available -->
        <SelectedInsurance InsuranceCode="NON" SelectedOptionIndicator="false"
DefaultIndicator="false"/>
        <SelectedInsurance InsuranceCode="PLT" SelectedOptionIndicator="false"
DefaultIndicator="false"/>
        <SelectedInsurance InsuranceCode="STD" SelectedOptionIndicator="true"
DefaultIndicator="true"/>
    </SelectedPackages>
    <SelectedPackage PackageTypeCode="2" CruisePackageCode="791068"
Start="2007-02-15" Status="36" Duration="P3D">
        <!-- PackageTypeCode value of 2 indicates pre-cruise package -->
        <!-- Status value of 36 indicates available -->
        <Location LocationCode="HNL">
            <Information>

```

```

                                <Text>3 NIGHT MARRIOTT WAIKIKI BEACH PRE CRUISE
PACKAGE</Text>
                                </Information>
                                </Location>
                                </SelectedPackage>
                                <SelectedPackage PackageTypeCode="3" CruisePackageCode="811396"
Start="2007-02-24" Status="36" Duration="P2D">
                                <!-- PackageTypeCode value of 3 indicates post-cruise package -->
                                <!-- Status value of 36 indicates available -->
                                <Location LocationCode="HNL">
                                <Information>
                                <Text>2 NIGHT SHERATON MOANA SURFRIDER POST
CRUISE PACKAGE</Text>
                                </Information>
                                </Location>
                                </SelectedPackage>
                                </SelectedPackages>
                                <SelectedSpecialServices>
                                <SelectedSpecialService Type="Occasion" Code="S001"
CodeDetail="ANNIVERSARY" AssociationType="Passenger" Date="2007-02-20"/>
                                <SelectedSpecialService Type="Dietary" Code="LFML" CodeDetail="LOW
CHOLESTEROL MEALS" AssociationType="Passenger"/>
                                </SelectedSpecialServices>
                                <Profiles ProfileTypeIdentifier="NotModifiable">
                                <CruiseProfile Code="16"/>
                                <!-- Code value of 16 indicates dining seating may not be modified -->
                                </Profiles>
                                <Profiles ProfileTypeIdentifier="Mandatory">
                                <CruiseProfile Code="13"/>
                                <!-- Code value of 13 indicates passenger address is required -->
                                <CruiseProfile Code="15"/>
                                <!-- Code value of 15 indicates passenger telephone number is required -->
                                <CruiseProfile Code="22"/>
                                <!-- Code value of 22 indicates emergency contact is required -->
                                <CruiseProfile Code="42"/>
                                <!-- Code value of 42 indicates flight information is required -->
                                </Profiles>
                                </GuestDetail>
                                </GuestDetails>
                                <PaymentOptions>
                                <PaymentOption>
                                <PaymentCard CardType="1" CardCode="AX"/>
                                <!-- CardType value of 1 indicates credit card -->
                                </PaymentOption>
                                <PaymentOption>
                                <PaymentCard CardType="1" CardCode="DS"/>
                                <!-- CardType value of 1 indicates credit card -->
                                </PaymentOption>
                                <PaymentOption>
                                <PaymentCard CardType="1" CardCode="CA"/>
                                <!-- CardType value of 1 indicates credit card -->
                                </PaymentOption>
                                <PaymentOption>
                                <PaymentCard CardType="1" CardCode="VI"/>
                                <!-- CardType value of 1 indicates credit card -->
                                </PaymentOption>

```

```

        <PaymentOption>
            <BankAcct ChecksAcceptedInd="true"/>
        </PaymentOption>
    </PaymentOptions>
</ReservationInfo>
<PaymentsDue>
    <PaymentDue PaymentNumber="1" DueDate="2006-03-17"/>
    <PaymentDue PaymentNumber="2" DueDate="2006-12-04"/>
</PaymentsDue>
</CruiseReservation>
</ReservationsList>
</OTA_ResRetrieveRS>

```

3.7. OTA_ScreenTextRQ/RS

This message may be used to request information in a free text type of response using a terminal message input. It will allow users who do not have fully developed XML capabilities to send and receive XML messages and/or to request information for which there is no OTA message functionality developed.

3.7.1. Use Case 1

3.7.1.1. Request: Requesting a currency conversion

ABC Travel uses the Worldspan system for their bookings. However, they need to find the currency conversion for the Hong Kong dollar. There are currently no OTA messages for this functionality. Using the OTA_ScreenTextRQ, ABC sends Worldspan the appropriate system input to request the currency conversion.

OTA_ScreenTextRQ.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_ScreenTextRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_ScreenTextRQ.xsd"
  EchoToken="4598234" TimeStamp="2005-05-17T09:30:47-05:00" Target="Production" Version="1.000"
  TransactionIdentifier="384763" SequenceNمبر="1">
    <ScreenEntry>4C*HONGKONG</ScreenEntry>
</OTA_ScreenTextRQ>

```

3.7.1.2. Response: The currency conversion is returned

The currency exchange for the Hong Kong dollar is returned.

OTA_ScreenTextRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_ScreenTextRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_ScreenTextRS.xsd"
  EchoToken="4598234" TimeStamp="2005-05-17T09:30:47-05:00" Target="Production" Version="1.000"
  TransactionIdentifier="384763" SequenceNمبر="1">
    <Success/>
    <TextScreens>
      <TextScreen ScreenSequenceNum="1">

```

```
<TextData>HONGKONG      HK DOLLAR   HKD</TextData>
<TextData>US EXCH RATE .128300    27APR2005 </TextData>
</TextScreen>
</TextScreens>
</OTA_ScreenTextRS>
```

3.8. OTA_UpdateRQ/RS

The Update infrastructure action defines an operation that opens an existing record, identifies the information that needs changing, then transmits data corresponding to the appropriate elements in the tree, and adds or replaces that data in the record.

Because Update operations are more complex and can affect parts of the record rather than the entire record, handling update messages generally can be more difficult. As a result, two approaches to updating records are defined in this specification.

The goals considered in the design of the Update operation include:

- Minimizing the size of a payload on the wire to represent an update transaction
- Defining an explicit representation about what has changed
- Defining a representation with a clear and simple conceptual model
- Creating a representation that is content-independent and general-purpose in nature so as to be reusable throughout future OTA specifications
- Providing a simple-to-implement "replace" option to allow developers to get simpler implementations running quickly - at the expense of the first 2 goals (representation of change and size of message) above

Because data to be modified may be stored in a database and not in an XML document format, it may not be possible to reconstruct the original document that transmitted the data. Therefore, it is recommended that implementations utilizing the partial update process perform a Read request to obtain the structure of the XML tree prior to constructing an Update request.

3.8.1. Use Case 1

3.8.1.1. Request: Updating a Customer Profile

Ms. Sims works in the corporate travel office of XYZ Company. One of her responsibilities is to maintain, in Worldspan's system, the profiles of the XYZ employees who travel on business. One of the employees no longer uses a PO Box and his zip code has changed. Ms. Sims needs to get this information changed in his customer profile. Ms. Sims sends an update message to Worldspan requesting that the PO Box for the customer profile with the identification number of 0507-23456 be deleted and that the zip code be updated.

OTA_UpdateRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_UpdateRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_UpdateRQ.xsd" EchoToken="183529" TimeStamp="2003-03-17T09:30:47-05:00" Target="Production"
  Version="1.002" SequenceNbr="1">
  <UniqueID Type="21" ID="0507-23456"/>
  <POS>
    <Source>
      <RequestorID Type="3" ID="349652">
        <CompanyName CompanyShortName="Worldspan"/>
      </RequestorID>
    </Source>
  </POS>
  <Position XPath="/Profile/Customer/Address/StreetNbr">
    <Attribute Operation="delete" Name="PO_Box"/>
  </Position>
  <Position XPath="/Profile/Customer/Address/PostalCode">
    <Element Operation="insert" Child="30067"/>
  </Position>
</OTA_UpdateRQ>
```

3.8.1.2. Response: Confirm Success of Update

An update message is returned confirming that the customer profile has been updated.

OTA_UpdateRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_UpdateRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_UpdateRS.xsd" EchoToken="183529" TimeStamp="2003-03-17T09:30:47-05:00" Target="Production"
  Version="1.001" SequenceNbr="1">
  <Success/>
  <UniqueID Type="21" ID="0507-23456"/>
  <TPA_Extensions/>
</OTA_UpdateRS>
```

Section 4—Air Messages

4.1. OTA_AirAvailRQ/RS

This specification addresses the structure and elements of requests and responses for airline flight availability and point of sale information. The Availability Request message requests flight availability for a city pair on a specific date for a specific number and type of passengers. The request can also be narrowed to request availability for a specific airline, flight or booking class on a flight, all for a specific date. Optional request information can include:

- Time / Time Window
- Connecting cities
- Client Preferences (airlines, cabin, flight types etc.)

The Availability Response message contains flight availability for a city pair on a specific date. A set of origin and destination options is returned, each of which contains one or more (connecting) flights that serve the city pair. For each flight the following information is returned:

- Origin and destination airports
- Departure and arrival date/times
- Booking Class availability
- Equipment
- Meal Information
- Codeshare information.

4.1.1. Use Case 1

4.1.1.1. Request: Air Availability

Bob is planning a trip for his wife and child to fly from London to Los Angeles. He would like to depart on August 13 and prefers a non-stop flight, but if he has to make a stopover, he prefers that there be a maximum of one stopover. He also would like to fly on a 757 and have his tickets mailed to him. He wants to fly economy class. Bob requests availability on flights from London to Los Angeles on August 13.

OTA_AirAvailRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirAvailRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_AirAvailRQ.xsd" EchoToken="12345" TimeStamp="2003-07-17T09:30:47-05:00" Target="Production"
  Version="2.001" SequenceNmbr="1" PrimaryLangID="en-us" MaxResponses="10" DirectFlightsOnly="false">
```

```

<POS>
  <Source AgentSine="BSIA1234PM" PseudoCityCode="2U8" ISOCountry="US" ISOCurrency="USD">
    <RequestorID URL="http://www.provider1.org" Type="5" ID="12345">
  </RequestorID>
  </Source>
</POS>
<OriginDestinationInformation>
  <DepartureDateTime>2003-08-13</DepartureDateTime>
  <OriginLocation LocationCode="LHR"/>
  <DestinationLocation LocationCode="LAX"/>
</OriginDestinationInformation>
<TravelPreferences SmokingAllowed="false" MaxStopsQuantity="1">
  <FlightTypePref PreferLevel="Preferred" FlightType="Nonstop"/>
  <EquipPref AirEquipType="757"/>
  <CabinPref PreferLevel="Preferred" Cabin="Economy"/>
  <TicketDistribPref PreferLevel="Only" DistribType="3"/>
</TravelPreferences>
<TravelerInfoSummary>
  <AirTravelerAvail>
    <PassengerTypeQuantity Code="ADT" Quantity="2"/>
    <PassengerTypeQuantity Code="CNN" Quantity="1"/>
  </AirTravelerAvail>
</TravelerInfoSummary>
</OTA_AirAvailRQ>

```

4.1.1.2. Response: Available Flights Returned

Bob receives information on two possibilities, one a non-stop flight and the other a connecting flight through New York. Along with providing information on the availability of the different booking classes, the response gives him meal information, equipment type, on time percentage and other helpful information.

OTA_AirAvailRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirAvailRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_AirAvailRS.xsd"
  EchoToken="12354" TimeStamp="2003-07-17T09:30:47-05:00" Target="Production" Version="1.002"
  SequenceNbr="1">
  <Success/>
  <OriginDestinationOptions>
    <OriginDestinationOption>
      <FlightSegment DepartureDateTime="2003-08-13T10:30:00" ArrivalDateTime="2003-08-13T11:14:00" StopQuantity="0" FlightNumber="212" JourneyDuration="P0Y0M0DT12H30M"
        SmokingAllowed="false" OnTimeRate="90" Ticket="Paper">
        <DepartureAirport LocationCode="LHR"/>
        <ArrivalAirport LocationCode="LAX"/>
        <Equipment AirEquipType="744" ChangeofGauge="false"/>
        <MarketingAirline CompanyShortName="BA"/>
        <MarketingCabin CabinType="First" RPH="1">
          <Meal MealCode="L"/>
        </MarketingCabin>
        <MarketingCabin CabinType="Business" RPH="2">
          <Meal MealCode="L"/>
        </MarketingCabin>
        <MarketingCabin CabinType="Economy" RPH="3">
          <Meal MealCode="L"/>
        </MarketingCabin>
        <BookingClassAvail ResBookDesigCode="F" ResBookDesigQuantity="5" RPH="1"/>
        <BookingClassAvail ResBookDesigCode="C" ResBookDesigQuantity="8" RPH="2"/>
        <BookingClassAvail ResBookDesigCode="J" ResBookDesigQuantity="3" RPH="2"/>
        <BookingClassAvail ResBookDesigCode="Q" ResBookDesigQuantity="9" RPH="3"/>
      </FlightSegment>
    </OriginDestinationOption>
  </OriginDestinationOptions>
</OTA_AirAvailRS>

```

```

        <BookingClassAvail ResBookDesigCode="V" ResBookDesigQuantity="5" RPH="3"/>
        <BookingClassAvail ResBookDesigCode="N" ResBookDesigQuantity="3" RPH="3"/>
        <BookingClassAvail ResBookDesigCode="Y" ResBookDesigQuantity="3" RPH="3"/>
    </FlightSegment>
</OriginDestinationOption>
<OriginDestinationOption>
    <FlightSegment DepartureDateTime="2003-08-13T10:20:00" ArrivalDateTime="2003-08-
13T11:13:00" StopQuantity="0" FlightNumber="112" JourneyDuration="P0Y0M0DT12H33M"
SmokingAllowed="false" OnTimeRate="90" Ticket="Paper">
        <DepartureAirport LocationCode="LHR"/>
        <ArrivalAirport LocationCode="LAX"/>
        <Equipment AirEquipType="777" ChangeofGauge="false"/>
        <MarketingAirline CompanyShortName="UA"/>
        <MarketingCabin CabinType="First" RPH="1">
            <Meal MealCode="L"/>
        </MarketingCabin>
        <MarketingCabin CabinType="Business" RPH="2">
            <Meal MealCode="L"/>
        </MarketingCabin>
        <MarketingCabin CabinType="Economy" RPH="3">
            <Meal MealCode="L"/>
        </MarketingCabin>
        <BookingClassAvail ResBookDesigCode="F" ResBookDesigQuantity="7" RPH="1"/>
        <BookingClassAvail ResBookDesigCode="C" ResBookDesigQuantity="7" RPH="2"/>
        <BookingClassAvail ResBookDesigCode="J" ResBookDesigQuantity="3" RPH="2"/>
        <BookingClassAvail ResBookDesigCode="Q" ResBookDesigQuantity="9" RPH="3"/>
        <BookingClassAvail ResBookDesigCode="V" ResBookDesigQuantity="6" RPH="3"/>
        <BookingClassAvail ResBookDesigCode="N" ResBookDesigQuantity="4" RPH="3"/>
        <BookingClassAvail ResBookDesigCode="Y" ResBookDesigQuantity="4" RPH="3"/>
    </FlightSegment>
</OriginDestinationOption>
<OriginDestinationOption>
    <FlightSegment DepartureDateTime="2003-08-13T09:30:00" ArrivalDateTime="2003-08-
13T11:35:00" StopQuantity="0" FlightNumber="22" JourneyDuration="P0Y0M0DT6H30M"
SmokingAllowed="false" OnTimeRate="90" Ticket="Paper">
        <DepartureAirport LocationCode="LHR"/>
        <ArrivalAirport LocationCode="JFK"/>
        <Equipment AirEquipType="767" ChangeofGauge="false"/>
        <MarketingAirline CompanyShortName="BA"/>
        <MarketingCabin CabinType="First" RPH="1">
            <Meal MealCode="L"/>
        </MarketingCabin>
        <MarketingCabin CabinType="Business" RPH="2">
            <Meal MealCode="L"/>
        </MarketingCabin>
        <MarketingCabin CabinType="Economy" RPH="3">
            <Meal MealCode="L"/>
        </MarketingCabin>
        <BookingClassAvail ResBookDesigCode="F" ResBookDesigQuantity="4" RPH="1"/>
        <BookingClassAvail ResBookDesigCode="C" ResBookDesigQuantity="8" RPH="2"/>
        <BookingClassAvail ResBookDesigCode="J" ResBookDesigQuantity="3" RPH="2"/>
        <BookingClassAvail ResBookDesigCode="Q" ResBookDesigQuantity="9" RPH="3"/>
        <BookingClassAvail ResBookDesigCode="V" ResBookDesigQuantity="7" RPH="3"/>
        <BookingClassAvail ResBookDesigCode="N" ResBookDesigQuantity="7" RPH="3"/>
        <BookingClassAvail ResBookDesigCode="Y" ResBookDesigQuantity="6" RPH="3"/>
    </FlightSegment>
    <FlightSegment DepartureDateTime="2003-08-13T14:00:00" ArrivalDateTime="2003-08-
13T16:35:00" StopQuantity="0" FlightNumber="4632" JourneyDuration="P0Y0M0DT4H30M"
SmokingAllowed="false" OnTimeRate="90" Ticket="Paper">
        <DepartureAirport LocationCode="JFK"/>
        <ArrivalAirport LocationCode="LAX"/>
        <OperatingAirline Code="US"/>
        <Equipment AirEquipType="744" ChangeofGauge="false"/>
        <MarketingAirline CompanyShortName="BA"/>
        <MarketingCabin CabinType="Business" RPH="1">
            <Meal MealCode="L"/>
        </MarketingCabin>
    </FlightSegment>

```

```

        </MarketingCabin>
        <MarketingCabin CabinType="Economy" RPH="2">
            <Meal MealCode="S"/>
        </MarketingCabin>
        <BookingClassAvail ResBookDesigCode="C" ResBookDesigQuantity="4" RPH="2"/>
        <BookingClassAvail ResBookDesigCode="J" ResBookDesigQuantity="6" RPH="2"/>
        <BookingClassAvail ResBookDesigCode="Q" ResBookDesigQuantity="1" RPH="3"/>
        <BookingClassAvail ResBookDesigCode="V" ResBookDesigQuantity="8" RPH="3"/>
        <BookingClassAvail ResBookDesigCode="N" ResBookDesigQuantity="6" RPH="3"/>
        <BookingClassAvail ResBookDesigCode="Y" ResBookDesigQuantity="6" RPH="3"/>
    </FlightSegment>
</OriginDestinationOption>
</OriginDestinationOptions>
</OTA_AirAvailRS>

```

4.2. OTA_AirBookRQ/RS

The Book Request message requests to book a specific itinerary for one or more identified passengers. The message contains optional pricing information, allowing the booking class availability and pricing to be rechecked as part of the booking process.

Optional request information can include:

- Seat and meal requests
- Special Service Requests (SSR), Other Service Information (OSI), Remarks
- Fulfillment information—payment, delivery details, type of ticket desired

If the booking was successful, the Book Response message contains the itinerary (including the directional indicator, status of the booking, and number of passengers), passenger and pricing information sent in the request, along with a booking reference number (PNR Locator) and ticketing information.

4.2.1. Use Case 1

4.2.1.1. Request: Air Book

John Smith wants to fly from Washington D.C. to San Diego on American Airlines flight 150 on December 12 and return on flight 151 on December 14. He wants to book in Q class and also would like to be assigned seat 14C. He will need wheelchair assistance on the flight to San Diego and wants his ticket to be an e-ticket. John's travel agent makes a request on his behalf to book the two flights.

OTA_AirBookRQ.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirBookRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_AirBookRQ.xsd"
  EchoToken="456789" TimeStamp="2003-08-17T09:30:47-05:00" Target="Production" Version="2.001"
  SequenceNmbr="1" PrimaryLangID="en-us">
    <POS>
      <Source AgentSine="BSIA1234PM/GS" PseudoCityCode="DFW" ISOCountry="US"
        ISOCurrency="USD" AirlineVendorID="AA" AirportCode="IAD">

```

```

        <RequestorID URL="http://provider1.org/OTAEngine" Type="14" ID="0507G4325"/>
        <BookingChannel Type="1" Primary="1"/>
    </Source>
</POS>
<Airtinerary>
    <OriginDestinationOptions>
        <OriginDestinationOption>
            <FlightSegment DepartureDateTime="2003-12-12T09:00:00" FlightNumber="150"
ResBookDesignCode="Q" NumberInParty="1" Status="30">
                <DepartureAirport LocationCode="IAD"/>
                <ArrivalAirport LocationCode="SAN"/>
                <MarketingAirline Code="AA"/>
            </FlightSegment>
            <FlightSegment DepartureDateTime="2003-12-14T12:40:00" FlightNumber="151"
ResBookDesignCode="Q" NumberInParty="1" Status="30">
                <DepartureAirport LocationCode="SAN"/>
                <ArrivalAirport LocationCode="IAD"/>
                <MarketingAirline Code="AA"/>
            </FlightSegment>
        </OriginDestinationOption>
    </OriginDestinationOptions>
</Airtinerary>
<TravelerInfo>
    <AirTraveler PassengerTypeCode="ADT">
        <ProfileRef>
            <UniqueID URL="http://www.usda.gov" Type="21" Instance="1999-02- 28T09:13:53"
ID="ID12345"/>
        </ProfileRef>
        <PersonName>
            <NamePrefix>Mr</NamePrefix>
            <GivenName>John</GivenName>
            <Surname>Smith</Surname>
            <NameTitle>M.D.</NameTitle>
        </PersonName>
        <Telephone AreaCityCode="703" PhoneNumber="555-5555"/>
        <Email EmailType="1">johnsmith@home.com </Email>
        <Address>
            <AddressLine>12 Main Street</AddressLine>
            <CityName>Dallas</CityName>
            <PostalCode>75000</PostalCode>
            <StateProv StateCode="TX"/>
            <CountryName Code="US"/>
        </Address>
        <CustLoyalty ProgramID="AA" MembershipID="Q56GTF"/>
        <Document DocIssueAuthority="US Passport Office" DocIssueLocation="Dallas"
DocID="T056736" DocType="2" Gender="Male" BirthDate="1967-08-13" EffectiveDate="1997-08-13"
ExpireDate="2007-08-13">
            <DocHolderName>John Smith</DocHolderName>
        </Document>
        <TravelerRefNumber/>
    </AirTraveler>
    <SpecialReqDetails>
        <SeatRequests>
            <SeatRequest SeatNumber="14C" TravelerRefNumberRPHList="1"
FlightRefNumberRPHList="1">
                </SeatRequest>
            </SeatRequests>
            <SpecialServiceRequests>
                <SpecialServiceRequest SSRCode="WCHR" TravelerRefNumberRPHList="1"
FlightRefNumberRPHList="1">
                    <Airline> CompanyShortName="AA"</Airline>
                </SpecialServiceRequest>
            </SpecialServiceRequests>
        </SpecialReqDetails>
    </TravelerInfo>
    <Ticketing TicketType="eTicket"/>

```

```
</OTA_AirBookRQ>
```

4.2.1.2. Response: Air Book Confirmation

The travel agent receives a response that echoes back the information sent in the request and also returns the American Airline booking reference and a date by which time the booking must be ticketed.

OTA_AirBookRS2.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirBookRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_AirBookRS.xsd"
EchoToken="456789" TimeStamp="2003-08-17T09:30:47-05:00" Target="Production" Version="2.001"
SequenceNbr="1" PrimaryLangID="en-us">
  <Success>
    <AirReservation>
      <Airtinerary DirectionInd="Circle">
        <OriginDestinationOptions>
          <OriginDestinationOption>
            <FlightSegment DepartureDateTime="2003-12-12T09:00:00" ArrivalDateTime="2003-12-
12T14:35:00" RPH="1" FlightNumber="150" ResBookDesigCode="Q" NumberInParty="1" Status="30">
              <DepartureAirport LocationCode="IAD"/>
              <ArrivalAirport LocationCode="SAN"/>
              <Equipment AirEquipType="767"/>
              <MarketingAirline Code="AA"/>
            </FlightSegment>
          </OriginDestinationOption>
          <OriginDestinationOption>
            <FlightSegment DepartureDateTime="2003-12-14T12:40:00" ArrivalDateTime="2003-12-
14T14:35:00" RPH="2" FlightNumber="151" ResBookDesigCode="Q" NumberInParty="1" Status="30">
              <DepartureAirport LocationCode="SAN"/>
              <ArrivalAirport LocationCode="IAD"/>
              <Equipment AirEquipType="767"/>
              <MarketingAirline Code="AA"/>
            </FlightSegment>
          </OriginDestinationOption>
        </OriginDestinationOptions>
      </Airtinerary>
      <TravelerInfo>
        <AirTraveler PassengerTypeCode="ADT">
          <ProfileRef>
            <UniqueID URL="http://www.usda.gov" Type="21" Instance="1999-02- 28T09:13:53"
ID="ID12345"/>
          </ProfileRef>
          <PersonName>
            <NamePrefix>Mr</NamePrefix>
            <GivenName>John</GivenName>
            <Surname>Smith</Surname>
            <NameTitle>M.D.</NameTitle>
          </PersonName>
          <Telephone AreaCityCode="703" PhoneNumber="555-5555"/>
          <Email EmailType="1">johnsmith@home.com </Email>
          <Address>
            <AddressLine>12 Main Street</AddressLine>
            <CityName>Dallas</CityName>
            <PostalCode>75000</PostalCode>
            <StateProv StateCode="TX"/>
            <CountryName Code="US"/>
          </Address>
          <CustLoyalty ProgramID="AA" MembershipID="Q56GTF"/>
        </AirTraveler>
      </TravelerInfo>
    </AirReservation>
  </Success>
</OTA_AirBookRS>
```

```

        <Document DocIssueAuthority="US Passport Office" DocIssueLocation="Dallas"
DocID="T056736" DocType="2" Gender="Male" BirthDate="1967-08-13" EffectiveDate="1997-08-13"
ExpireDate="2007-08-13">
            <DocHolderName>John Smith</DocHolderName>
        </Document>
        <TravelerRefNumber/>
    </AirTraveler>
    <SpecialReqDetails>
        <SeatRequests>
            <SeatRequest SeatNumber="14C" TravelerRefNumberRPHList="1"
FlightRefNumberRPHList="1">
                </SeatRequest>
            </SeatRequests>
            <SpecialServiceRequests>
                <SpecialServiceRequest SSRCode="WCHR" TravelerRefNumberRPHList="1"
FlightRefNumberRPHList="1">
                    <Airline> CompanyShortName="AA"</Airline>
                </SpecialServiceRequest>
            </SpecialServiceRequests>
        </SpecialReqDetails>
    </TravelerInfo>
    <Ticketing TicketType="eTicket" TicketTimeLimit="2003-09-10T00:00:00"/>
</AirReservation>
</OTA_AirBookRS>

```

4.3. Air Display Queue*

4.3.1. Use Case 1

4.3.1.1. Request: Display and Remove all Items from Queue

A client wants to display all items from queue 760 for pseudo city 2U7 and have the items removed from the queue by displaying them. Additionally, the client wants to receive condensed data only.

OTA_ReadRQ9.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_ReadRQ xmlns="http://www.opentravel.org/OTA/2003/05" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance" xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_ReadRQ.xsd" EchoToken="134566"
TimeStamp="2006-01-06T23:30:45" Target="Production" Version="1.12" SequenceNmbr="1" PrimaryLangID="en-
us">
    <POS>
        <Source PseudoCityCode="ZRH" AgentDutyCode="GS">
            <RequestorID Type="6" ID="1234567"/>
        </Source>
    </POS>
    <ReadRequests>
        <AirReadRequest>
            <QueueInfo FullDataInd="false" RemoveFromQueueInd="true">
                <Queue PseudoCityCode="2U7" QueueNumber="760" SystemCode="LX"/>
            </QueueInfo>
        </AirReadRequest>
    </ReadRequests>
</OTA_ReadRQ>

```

4.3.1.2. Response: All Items from Queue in condensed Format

All items on the queue are returned in condensed format. In this case, 2 queue items are returned. The first item was placed on queue 760 because a segment in the booking got confirmed. The client will inform the passenger that the segment is confirmed

The second item was placed on queue 760 to issue the ticket. For this item, the client will issue the ticket for the passenger.

OTA_AirDisplayQueueRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirDisplayQueueRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_AirDisplayQueueRS.xsd"
EchoToken="134566" TimeStamp="2006-01-06T23:30:45" Target="Production" Version="1.000" SequenceNmbr="1"
PrimaryLangID="en-us">
  <Success/>
  <DisplayQueue>
    <QueueItems>
      <QueueItem PseudoCityCode="2U7" QueueNumber="760" SystemCode="LX">
        <Reason Number="120" QueuingMethod="automatic">Segment confirmed - Inform
passenger</Reason>
        <BookingReferenceID Type="14" ID="ABD123"/>
      </QueueItem>
      <QueueItem PseudoCityCode="2U7" QueueNumber="760" SystemCode="LX">
        <Reason Number="128" QueuingMethod="manual">Please Issue Ticket</Reason>
        <BookingReferenceID Type="14" ID="AER56T"/>
      </QueueItem>
    </QueueItems>
  </DisplayQueue>
</OTA_AirDisplayQueueRS>
```

4.3.2. Use Case 2

4.3.2.1. Request: Display and leave all Items on Queue

A client wants to display the first item from queue 760 for pseudo city 2U7 that was modified between January 1st, 2006 and January 5th, 2006. This item should remain on the queue after it is displayed. Additionally, the client wants to receive the full booking file data in the response.

OTA_ReadRQ10.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_ReadRQ xmlns="http://www.opentravel.org/OTA/2003/05" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance" xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_ReadRQ.xsd" EchoToken="134566"
TimeStamp="2006-01-06T23:30:45" Target="Production" Version="1.12" SequenceNmbr="1" PrimaryLangID="en-
us">
  <POS>
    <Source PseudoCityCode="ZRH" AgentDutyCode="GS">
```

```

        <RequestorID Type="6" ID="1234567"/>
    </Source>
</POS>
<ReadRequests>
    <AirReadRequest>
        <QueueInfo FirstItemOnlyInd="true" FullDataInd="true" RemoveFromQueueInd="false"
StartDate="2006-01-01T00:00:01" EndDate="2006-01-05T23:59:59">
            <Queue PseudoCityCode="2U7" QueueNumber="760" SystemCode="LX"/>
        </QueueInfo>
    </AirReadRequest>
</ReadRequests>
</OTA_ReadRQ>

```

4.3.2.2. Response: All Items from Queue with full Data

The first booking file on queue 760 for pseudo city 2U7 that was modified during the requested date range is returned with its full data. The item remains on the queue after being displayed. The reason for the queue placement is returned as well. In this case, the booking was placed on queue due to a change of aircraft.

OTA_AirDisplayQueueRS2.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirDisplayQueueRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_AirDisplayQueueRS.xsd"
EchoToken="134566" TimeStamp="2006-01-06T23:30:45" Target="Production" Version="1.000" SequenceNmbr="1"
PrimaryLangID="en-us">
    <Success/>
    <DisplayQueue>
        <AirReservations>
            <AirReservation BookingReferenceID="E4F5TG" LastModified="2006-01-03">
                <AirItinerary DirectionInd="OneWay">
                    <OriginDestinationOptions>
                        <OriginDestinationOption>
                            <FlightSegment FlightNumber="1234" DepartureDateTime="2006-10-
19T09:30:00.0Z" Status="1" ResBookDesignCode="C" RPH="0" ArrivalDateTime="2006-10-19T12:30:00.0Z"
E_TicketEligibility="Eligible" NumberInParty="1">
                                <DepartureAirport LocationCode="ZRH" Gate="21" CodeContext="IATA"
Terminal="E"/>
                                <ArrivalAirport LocationCode="LHR" Gate="23" CodeContext="IATA"
Terminal="2"/>
                                <OperatingAirline FlightNumber="234" CodeContext="IATA" Code="LX" />
                                <Equipment AirEquipType="320" ChangeofGauge="false"/>
                                <MarketingAirline CodeContext="IATA" Code="BA" />
                                <Comment Language="en-us">Operated by Swiss International
Airlines</Comment>
                            </FlightSegment>
                        </OriginDestinationOption>
                    </OriginDestinationOptions>
                </AirItinerary>
                <TravelerInfo>
                    <AirTraveler BirthDate="1967-08-13" Gender="Male" PassengerTypeCode="ADT">
                        <PersonName>
                            <NamePrefix>Dr</NamePrefix>
                            <GivenName>Henry</GivenName>

```

```

        <MiddleName>James</MiddleName>
        <Surname>Battenberg</Surname>
    </PersonName>
    <TravelerRefNumber SurnameRefNumber="1" RPH="0"/>
    <FlightSegmentRPHs>
        <FlightSegmentRPH>0</FlightSegmentRPH>
    </FlightSegmentRPHs>
</AirTraveler>
</TravelerInfo>
<Reason Number="25" QueuingMethod="automatic">Change of aircraft</Reason>
</AirReservation>
</AirReservations>
</DisplayQueue>
</OTA_AirDisplayQueueRS>

```

4.4. OTA_AirFareDisplayRQ/RS

The Fare Display Request message allows a client to request information on fares which exist between a city pair for a particular date or date range. No Inventory check for available seats on flights is performed by the server before returning the Fare Display Response message. The request can optionally contain information indicating that a more specific response is required. This information can include passenger information, specific flight information and information on the types of fares that the client is interested in.

The response to the OTA_AirFareDisplayRQ message is the OTA_AirFareDisplayRS message. This message contains repeating FareDisplayInfo elements, each of which contains information on a specific fare contract including Airline, Travel Dates, Restrictions and Pricing. It also can optionally return information on other types of fares that exist, but have not been included in this response.

4.4.1. Use Case 1

4.4.1.1. Request: Adult Passenger

The user request for the OTA-AirFareDisplayRQ message contains a fare display from Zurich (ZRH) to London (LON) in business class (C) for the departure date 20 March 2005 and ticketing date 15 March 2005. The fare sort option shall be from lowest to highest fare for an adult passenger.

OTA_AirFareDisplayRQ.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirFareDisplayRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_AirFareDisplayRQ.xsd"
  Timestamp="2005-05-17T09:30:47" Target="Production" Version="1.000" SequenceNbr="1"

```

```

TransactionStatusCode="Start" PrimaryLangID="en-us" DirectFlightsOnly="false" AvailableFlightsOnly="false"
DisplayOrder="ByPriceLowToHigh">
  <POS>
    <Source AgentSine="XY" PseudoCityCode="H1L" ISOCountry="CH" ISOCurrency="CHF"
    AgentDutyCode="XY" AirlineVendorID="YY" AirportCode="ZRH" TerminalID="XYZ123">
      <RequestorID Type="13" ID="81412345"/>
      <BookingChannel Type="11" Primary="false"/>
    </Source>
  </POS>
  <OriginDestinationInformation>
    <DepartureDateTime>2005-03-20</DepartureDateTime>
    <OriginLocation LocationCode="ZRH">Zurich</OriginLocation>
    <DestinationLocation LocationCode="LON">London</DestinationLocation>
  </OriginDestinationInformation>
  <TravelPreferences>
    <VendorPref >LX</VendorPref>
    <TicketDistribPref FirstTicketDate="2005-03-15T00:00:00"/>
    <FareApplicationTypePref FareApplicationType="OneWay"/>
    <BookingClassPref ResBookDesigCode="C"/>
    <PricingPrefs IncludeTaxInd="false" IncludeServiceFeesInd="false"/>
  </TravelPreferences>
</OTA_AirFareDisplayRQ>

```

4.4.1.2. Response: Adult Passenger

The OTA_AirFareDisplayRS message contains three fares applicable for the city pair Zurich-London. The first two fares are applicable on all carriers operating the route (YY-fares) on a maximum permitted mileage base, whereas the third is a carrier specific fare applicable on LX only with a validity of 12 months on a specific routing base.

OTA_AirFareDisplayRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirFareDisplayRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_AirFareDisplayRS.xsd"
TimeStamp="2005-05-17T09:30:50" Target="Production" Version="1.000" SequenceNmbr="1"
TransactionStatusCode="Start" PrimaryLangID="en-us">
  <Success/>
  <FareDisplayInfos>
    <FareDisplayInfo FareRPH="1" NotAvailableForFareQuotation="false"
    FareApplicationType="OneWay" ResBookDesigCode="C" MileageIndicator="true" LastFareUpdate="2005-02-
    02T04:20:00" FareIndication="public" FareStatus="published">
      <TravelDates DepartureDate="2005-03-05"></TravelDates>
      <FareReference>COW</FareReference>
      <RuleInfo/>
      <FilingAirline CompanyShortName="Swiss" Code="LX"/>
      <MarketingAirline Code="YY"/>
      <DepartureLocation LocationCode="ZRH">Zurich</DepartureLocation>
      <ArrivalLocation LocationCode="LON">London</ArrivalLocation>
      <Restrictions>
        <Restriction>
          <GlobalDirection GlobalIndicatorCode="EH" MaximumPermittedMileage="579"/>
        </Restriction>
      </Restrictions>
      <PricingInfo NegotiatedFare="false" TicketDesignatorCode="C" PassengerTypeCode="ADT">
        <BaseFare Amount="110800" CurrencyCode="CHF" DecimalPlaces="2"/>
      </PricingInfo>
    </FareDisplayInfo>
    <FareDisplayInfo FareRPH="2" NotAvailableForFareQuotation="false" FareApplicationType="Return"
    ResBookDesigCode="C" MileageIndicator="true" LastFareUpdate="2005-02-02T04:20:00"
    FareIndication="public" FareStatus="published">

```

```

<TravelDates DepartureDate="2005-03-05"></TravelDates>
<FareReference>CRT</FareReference>
<RuleInfo/>
<FilingAirline CompanyShortName="Swiss" Code="LX"/>
<MarketingAirline Code="YY"/>
<DepartureLocation LocationCode="ZRH">Zurich</DepartureLocation>
<ArrivalLocation LocationCode="LON">London</ArrivalLocation>
<Restrictions>
  <Restriction>
    <GlobalDirection GlobalIndicatorCode="EH" MaximumPermittedMileage="579"/>
  </Restriction>
</Restrictions>
<PricingInfo NegotiatedFare="false" TicketDesignatorCode="C" PassengerTypeCode="ADT">
  <BaseFare Amount="188500" CurrencyCode="CHF" DecimalPlaces="2"/>
</PricingInfo>
</FareDisplayInfo>
<FareDisplayInfo FareRPH="3" NotAvailableForFareQuotation="false" FareApplicationType="Return"
ResBookDesigCode="C" MileageIndicator="true" LastFareUpdate="2005-02-02T04:20:00"
FareIndication="private" FareStatus="published">
  <TravelDates DepartureDate="2005-03-05"/>
  <FareReference>CSWISS</FareReference>
  <RuleInfo>
    <LengthOfStayRules StayRestrictionsInd="1">
      <MinimumStay/>
      <MaximumStay MaxStay="12" StayUnit="Months"/>
    </LengthOfStayRules>
  </RuleInfo>
  <FilingAirline CompanyShortName="Swiss" Code="LX"/>
  <MarketingAirline CompanyShortName="Swiss" Code="LX"/>
  <DepartureLocation LocationCode="ZRH">Zurich</DepartureLocation>
  <ArrivalLocation LocationCode="LON">London</ArrivalLocation>
  <Restrictions>
    <Restriction>
      <GlobalDirection GlobalIndicatorCode="EH"/>
    </Restriction>
  </Restrictions>
  <PricingInfo NegotiatedFare="false" TicketDesignatorCode="C" PassengerTypeCode="ADT">
    <BaseFare Amount="141900" CurrencyCode="CHF" DecimalPlaces="2"/>
  </PricingInfo>
</FareDisplayInfo>
</FareDisplayInfos>
</OTA_AirFareDisplayRS>

```

4.4.2. Use Case 2

4.4.2.1. Request: Infant Passenger

The user request for the OTA-AirFareDisplayRQ message contains a fare display from Zurich (ZRH) to Paris (PAR) in business class (C), today's date for the passenger reduction type Infant.

OTA_AirFareDisplayRQ2.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirFareDisplayRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_AirFareDisplayRQ.xsd"
TimeStamp="2005-05-17T09:30:47" Target="Production" Version="1.000" SequenceNmbr="1"
TransactionStatusCode="Start" PrimaryLangID="en-us" DirectFlightsOnly="false" AvailableFlightsOnly="false"
DisplayOrder="ByPriceLowToHigh">
  <POS>

```



```

    <Source AgentSine="XY" PseudoCityCode="H1L" ISOCountry="CH" ISOCurrency="CHF"
    AgentDutyCode="XY" AirlineVendorID="YY" AirportCode="ZRH" TerminalID="XYZ123">
        <RequestorID Type="13" ID="81412345" ID_Context="IATA"/>
        <BookingChannel Type="11" Primary="false"/>
    </Source>
</POS>
<OriginDestinationInformation>
    <DepartureDateTime>2005-02-04</DepartureDateTime>
    <OriginLocation LocationCode="ZRH">Zurich</OriginLocation>
    <DestinationLocation LocationCode="PAR">Paris</DestinationLocation>
</OriginDestinationInformation>
<TravelPreferences>
    <VendorPref>LX</VendorPref>
    <TicketDistribPref FirstTicketDate="2005-03-15T00:00:00"/>
    <FareApplicationTypePref FareApplicationType="Return"/>
    <BookingClassPref ResBookDesigCode="C"/>
    <PricingPrefs IncludeTaxInd="false" IncludeServiceFeesInd="false"/>
</TravelPreferences>
<TravelerInfoSummary>
    <PassengerTypeQuantity Code="INF"/>
</TravelerInfoSummary>
</OTA_AirFareDisplayRQ>

```

4.4.2.2. Response: Infant Passenger

The OTA_AirFareDisplayRS message contains fares applicable for the city pair Zurich-Paris. Distinction is being made for fare applicable to an infant either occupying a seat or not.

OTA_AirFareDisplayRS2.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirFareDisplayRS xmlns="http://www.opentravel.org/OTA/2003/05"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_AirFareDisplayRS.xsd"
    Timestamp="2001-12-17T09:30:47-05:00" Target="Production" Version="1.000" SequenceNmbr="1"
    TransactionStatusCode="Start" PrimaryLangID="en-us">
    <Success/>
    <FareDisplayInfos>
        <FareDisplayInfo FareRPH="1" NotAvailableForFareQuotation="false" FareApplicationType="Return"
            ResBookDesigCode="C" MileageIndicator="false" LastFareUpdate="2005-02-02T04:35:00"
            FareIndication="private" FareStatus="published">
            <TravelDates DepartureDate="2005-02-04"></TravelDates>
            <FareReference>CSWISS</FareReference>
            <RuleInfo>
                <LengthOfStayRules StayRestrictionsInd="1">
                    <MinimumStay/>
                    <MaximumStay MaxStay="12" StayUnit="Months"/>
                </LengthOfStayRules>
            </RuleInfo>
            <FilingAirline CompanyShortName="Swiss" Code="LX"/>
            <MarketingAirline CompanyShortName="Swiss" Code="LX"/>
            <DepartureLocation LocationCode="ZRH">Zurich</DepartureLocation>
            <ArrivalLocation LocationCode="CDG">Paris Charles de Gaulle</ArrivalLocation>
            <Restrictions>
                <Restriction>
                    <GlobalDirection GlobalIndicatorCode="EH"/>
                </Restriction>
            </Restrictions>
            <PricingInfo NegotiatedFare="false" TicketDesignatorCode="CSWISSIN"
                PassengerTypeCode="INF">
                <BaseFare Amount="110.00" CurrencyCode="CHF"/>
            </PricingInfo>
        </FareDisplayInfo>
    </FareDisplayInfos>

```

```

    <FareDisplayInfo FareRPH="2" NotAvailableForFareQuotation="false" FareApplicationType="Return"
    ResBookDesigCode="C" MileageIndicator="true" LastFareUpdate="2005-02-02T04:35:00"
    FareIndication="public" FareStatus="published">
      <TravelDates DepartureDate="2005-02-04"/>
      <FareReference>CRT</FareReference>
      <RuleInfo/>
      <FilingAirline CompanyShortName="Swiss" Code="LX"/>
      <MarketingAirline CompanyShortName="Swiss" Code="LX"/>
      <DepartureLocation LocationCode="ZRH">Zurich</DepartureLocation>
      <ArrivalLocation LocationCode="ORY">Paris Orly</ArrivalLocation>
      <Restrictions>
        <Restriction>
          <GlobalDirection GlobalIndicatorCode="EH" MaximumPermittedMileage="356"/>
        </Restriction>
      </Restrictions>
      <PricingInfo NegotiatedFare="false" TicketDesignatorCode="CIN10" PassengerTypeCode="INF">
        <BaseFare Amount="136.00" CurrencyCode="CHF"/>
      </PricingInfo>
    </FareDisplayInfo>
    <FareDisplayInfo FareRPH="3" NotAvailableForFareQuotation="false" FareApplicationType="Return"
    ResBookDesigCode="C" MileageIndicator="true" LastFareUpdate="2005-02-02T04:35:00"
    FareIndication="public" FareStatus="published">
      <TravelDates DepartureDate="2005-02-04"/>
      <FareReference>COW</FareReference>
      <RuleInfo/>
      <FilingAirline CompanyShortName="Swiss" Code="LX"/>
      <MarketingAirline CompanyShortName="Swiss" Code="LX"/>
      <DepartureLocation LocationCode="ZRH">Zurich</DepartureLocation>
      <ArrivalLocation LocationCode="ORY">Paris Orly</ArrivalLocation>
      <Restrictions>
        <Restriction>
          <GlobalDirection GlobalIndicatorCode="EH" MaximumPermittedMileage="356"/>
        </Restriction>
      </Restrictions>
      <PricingInfo NegotiatedFare="false" TicketDesignatorCode="CIN10" PassengerTypeCode="INF">
        <BaseFare Amount="76.00" CurrencyCode="CHF"/>
      </PricingInfo>
    </FareDisplayInfo>
    <FareDisplayInfo FareRPH="4" NotAvailableForFareQuotation="false" FareApplicationType="Return"
    ResBookDesigCode="C" MileageIndicator="false" LastFareUpdate="2005-02-02T04:35:00"
    FareIndication="private" FareStatus="published">
      <TravelDates DepartureDate="2005-02-04"></TravelDates>
      <FareReference>CSWISS</FareReference>
      <RuleInfo>
        <LengthOfStayRules StayRestrictionsInd="1">
          <MinimumStay/>
          <MaximumStay MaxStay="12" StayUnit="Months"/>
        </LengthOfStayRules>
      </RuleInfo>
      <FilingAirline CompanyShortName="Swiss" Code="LX"/>
      <MarketingAirline CompanyShortName="Swiss" Code="LX"/>
      <DepartureLocation LocationCode="ZRH">Zurich</DepartureLocation>
      <ArrivalLocation LocationCode="CDG">Paris Charles de Gaulle</ArrivalLocation>
      <Restrictions>
        <Restriction>
          <GlobalDirection GlobalIndicatorCode="EH"/>
        </Restriction>
      </Restrictions>
      <PricingInfo NegotiatedFare="false" TicketDesignatorCode="CSWISSIN"
    PassengerTypeCode="INS">
        <BaseFare Amount="735.00" CurrencyCode="CHF"/>
      </PricingInfo>
    </FareDisplayInfo>
    <FareDisplayInfo FareRPH="5" NotAvailableForFareQuotation="false" FareApplicationType="Return"
    ResBookDesigCode="C" MileageIndicator="true" LastFareUpdate="2005-02-02T04:35:00"
    FareIndication="public" FareStatus="published">

```

```

    <TravelDates DepartureDate="2005-02-04"></TravelDates>
    <FareReference>CRT</FareReference>
    <RuleInfo/>
    <FilingAirline CompanyShortName="Swiss" Code="LX"/>
    <MarketingAirline CompanyShortName="Swiss" Code="LX"/>
    <DepartureLocation LocationCode="ZRH">Zurich</DepartureLocation>
    <ArrivalLocation LocationCode="ORY">Paris Only</ArrivalLocation>
    <Restrictions>
      <Restriction>
        <GlobalDirection GlobalIndicatorCode="EH" MaximumPermittedMileage="356"/>
      </Restriction>
    </Restrictions>
    <PricingInfo NegotiatedFare="false" TicketDesignatorCode="CCH67"
PassengerTypeCode="INS">
      <BaseFare Amount="912.00" CurrencyCode="CHF"/>
    </PricingInfo>
  </FareDisplayInfo>
  <FareDisplayInfo FareRPH="5" NotAvailableForFareQuotation="false" FareApplicationType="Return"
ResBookDesigCode="C" MileageIndicator="true" LastFareUpdate="2005-02-02T04:35:00"
FareIndication="public" FareStatus="published">
    <TravelDates DepartureDate="2005-02-04"/>
    <FareReference>COW</FareReference>
    <RuleInfo/>
    <FilingAirline CompanyShortName="Swiss" Code="LX"/>
    <MarketingAirline CompanyShortName="Swiss" Code="LX"/>
    <DepartureLocation LocationCode="ZRH">Zurich</DepartureLocation>
    <ArrivalLocation LocationCode="ORY">Paris Only</ArrivalLocation>
    <Restrictions>
      <Restriction>
        <GlobalDirection GlobalIndicatorCode="EH" MaximumPermittedMileage="356"/>
      </Restriction>
    </Restrictions>
    <PricingInfo NegotiatedFare="false" TicketDesignatorCode="CCH67"
PassengerTypeCode="INS">
      <BaseFare Amount="507.00" CurrencyCode="CHF"/>
    </PricingInfo>
  </FareDisplayInfo>
</FareDisplayInfos>
</OTA_AirFareDisplayRS>

```

4.5. OTA_AirFlifoRQ/RS

The AirFlifo message is a request for updated information on the operation of a specific airline flight. The request requires the airline, flight number and departure date. The departure and arrival airport locations can be also be included.

The AirFlifo response includes real-time flight departure and arrival information. The following flight operation data is included in the response:

- Departure airport
- Arrival airport
- Marketing and operating airline names, when applicable
- Flight number
- Type of equipment
- Status of current operation

- Reason for delay or cancellation
- Airport location for diversion of flight
- Current departure and arrival date and time
- Scheduled departure and arrival date and time
- Duration of flight
- Flight mileage
- Baggage claim location

4.5.1. Use Case 1

4.5.1.1. Request: Air Flight Information

John Smith has to pickup Mike Jones at the Atlanta airport. Mr. Jones is arriving on Delta flight 1644 from Indianapolis. Prior to leaving for the airport, John uses his office computer to check to see if the flight is on time.

OTA_AirFlifoRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirFlifoRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_AirFlifoRQ.xsd" EchoToken="533575" TimeStamp="2003-03-17T09:30:47-05:00" Target="Production"
Version="1.002" SequenceNmbr="1">
  <Airline Code="DL"/>
  <FlightNumber>1644</FlightNumber>
  <DepartureDate>2003-04-01</DepartureDate>
</OTA_AirFlifoRQ>
```

4.5.1.2. Response: Air Flight Information

In response to John's request, Delta provides arrival information on Delta flight 1644. John determines that the flight is running 4 minutes early and is due to arrive in Atlanta at 10:26am. John is now able to determine when he needs to leave to pickup Mike.

OTA_AirFlifoRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirFlifoRS EchoToken="533575" TimeStamp="2003-03-17T09:30:47-05:00" Target="Production"
Version="1.002" SequenceNmbr="1" xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_AirFlifoRS.xsd">
  <Success/>
  <FlightInfoDetails TotalFlightTime="PT3H38M" TotalMiles="734">
    <FlightLegInfo FlightNumber="1644" JourneyDuration="PT1H33M" LegDistance="432">
      <DepartureAirport LocationCode="IND"/>
      <ArrivalAirport LocationCode="ATL" Diversion="0"/>
      <MarketingAirline CompanyShortName="Delta" Code="DL">Delta Airlines</MarketingAirline>
      <Equipment AirEquipType="M80">McDonnell Douglas MD-88</Equipment>
```

```

        <DepartureDateTime Scheduled="2003-04-01T08:30:00" Actual="2003-04-01T08:30:00"/>
        <ArrivalDateTime Scheduled="2003-04-01T10:30:00" Estimated="2003-04-01T10:26:00"/>
    </FlightLegInfo>
    <FlightLegInfo FlightNumber="1644" JourneyDuration="PT1H13M" LegDistance="302">
        <DepartureAirport LocationCode="ATL"/>
        <ArrivalAirport LocationCode="MOB" Diversion="0"/>
        <MarketingAirline CompanyShortName="Delta" Code="DL">Delta Airlines</MarketingAirline>
        <Equipment AirEquipType="M80">McDonnell Douglas MD-88</Equipment>
        <DepartureDateTime Scheduled="2003-04-01T12:55:00"/>
        <ArrivalDateTime Scheduled="2003-04-01T01:08:00"/>
    </FlightLegInfo>
</FlightInfoDetails>
</OTA_AirFlifoRS>

```

4.5.2. Use Case 2

4.5.2.1. Request: Air Flight Information Notification

Tim Johnson has to catch Delta flight 1716 from Atlanta to Minneapolis for a very important meeting. Due to weather conditions in Minneapolis, he wishes to be notified of his flight status. He uses his office computer to register for flight notifications. He elects to receive the notifications via his pager.

(AirFlifo messages provide the foundation for Flight Notifications. The above preferences could be held in an intelligent application that would send the AirFlifoRQ to a system and use an AirFlifoRS to determine if a customer should be sent a notification.)

OTA_AirFlifoRQ2.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirFlifoRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_AirFlifoRQ.xsd" EchoToken="566732" TimeStamp="2003-03-17T09:30:47-05:00" Target="Production"
  Version="1.002" SequenceNmbr="1">
    <Airline Code="DL"/>
    <FlightNumber>1716</FlightNumber>
    <DepartureDate>2003-04-15</DepartureDate>
    <DepartureAirport LocationCode="ATL"/>
    <ArrivalAirport LocationCode="MSP"/>
</OTA_AirFlifoRQ>

```

4.5.2.2. Response: Wireless

In response to Tim Johnson's request, Delta sends a notification to his pager prior to his departure. This message advises him that flight 1716 from Atlanta to Minneapolis is on time and is departing at 8:05a.m.

OTA_AirFlifoRS2.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirFlifoRS EchoToken="566732" TimeStamp="2003-03-17T09:30:47-05:00" Target="Production"
  Version="1.002" SequenceNmbr="1" xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_AirFlifoRS.xsd">

```

```

<Success/>
<FlightInfoDetails TotalFlightTime="PT2H38M" TotalMiles="907">
  <FlightLegInfo FlightNumber="1716" JourneyDuration="PT2H38M" LegDistance="907">
    <DepartureAirport LocationCode="ATL"/>
    <ArrivalAirport LocationCode="MSP" Diversion="0"/>
    <MarketingAirline CompanyShortName="Delta" Code="DL">Delta Airlines</MarketingAirline>
    <Equipment AirEquipType="738">Boeing 737-800</Equipment>
    <DepartureDateTime Scheduled="2003-04-15T08:05:00"/>
    <ArrivalDateTime Scheduled="2003-04-15T09:43:00" Estimated="2003-04-15T09:43:00"/>
  </FlightLegInfo>
</FlightInfoDetails>
</OTA_AirFltRS>

```

4.6. OTA_AirDetailsRQ/RS

The Air Details Request message requests flight leg and codeshare information for a specific flight on a specific date between a city pair.

The Air Details Response message contains airline, arrival and departure times, equipment, meal, and duration information (total and ground) for each leg of a flight. It also contains codeshare information, on time percentage, and electronic ticketing eligibility.

4.6.1. Use Case 1

4.6.1.1. Request: Air Details

A passenger wants to find out the details of a flight he wants to book. The passenger's travel agent sends a request for the details of flight DL194.

OTA_AirDetailsRQ.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirDetailsRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_AirDetailsRQ.xsd" EchoToken="533675" TimeStamp="2003-10-17T09:30:47-05:00"
  Target="Production" Version="1.002" SequenceNbr="1">
  <POS>
    <Source AgentSine="42960012" PseudoCityCode="ATL" ISOCountry="US" AirlineVendorID="1P">
      <RequestorID Type="5" ID="248954"/>
      <BookingChannel Type="1" Primary="1"/>
    </Source>
  </POS>
  <Airline Code="DL"/>
  <FlightNumber>194</FlightNumber>
  <DepartureAirport LocationCode="ATL">
  </DepartureAirport>
  <ArrivalAirport LocationCode="BOS">
  </ArrivalAirport>
  <DepartureDate>2003-12-13</DepartureDate>
</OTA_AirDetailsRQ>

```

4.6.1.2. Response: Flight Details

A response is received from the airline that gives details on the total flight time, mileage, departure and arrival times, on time performance, equipment type, and meals served.

OTA_AirDetailsRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirDetailsRS EchoToken="String" TimeStamp="2001-12-17T09:30:47-05:00" Target="Production"
Version="1.002" xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_AirDetailsRS.xsd">
  <Success/>
  <FlightDetails TotalFlightTime="PT2H25M" TotalMiles="946">
    <FlightLegDetails SequenceNumber="0" FlightNumber="194" JourneyDuration="PT2H25M"
OnTimeRate="97.00" DepartureDateTime="2003-11-07T09:38:00-05:00" ArrivalDateTime="2003-11-
07T12:03:00-05:00">
      <DepartureAirport LocationCode="ATL" CodeContext="IATA"/>
      <ArrivalAirport LocationCode="BOS" CodeContext="IATA"/>
      <MarketingAirline CompanyShortName="Delta Airlines" TravelSector="1" Code="DL"/>
      <Equipment AirEquipType="736" ChangeofGauge="false"/>
      <Comment Language="en-us">String</Comment>
      <MarketingCabinAvailability CabinType="First">
        <Meal MealCode="Breakfast"/>
      </MarketingCabinAvailability>
    </FlightLegDetails>
  </FlightDetails>
</OTA_AirDetailsRS>
```

4.7. OTA_AirLowFareSearchRQ/RS

The Low Fare Search Request message requests priced itinerary options for flights between specific city pairs on certain dates for specific numbers and types of passengers. Optional request information can include:

- Time / Time Window
- Connecting cities.
- Client Preferences (airlines, cabin, flight types etc.)
- Flight type (nonstop or direct)
- Number of itinerary options desired

The Low Fare Search Response message contains a number of ‘Priced Itinerary’ options. Each includes:

- A set of available flights matching the client’s request.
- Pricing information including taxes and full fare breakdown for each passenger type
- Ticketing information—ticket advisory information and ticketing time limits.
- Fare basis codes and the information necessary to make a rules entry.

4.7.1. Use Case 1

4.7.1.1. Request: Air Low Fare Search

Sam Jones is starting to plan his summer vacation to the Grand Canyon. He will be departing from Washington Dulles International Airport, and flying into Flagstaff, AZ. Since he is planning to go in June and it is only November, he

does not want to make a financial commitment yet. However, he is willing to hold reservations for his trip. He does not want any fares returned that require ticket restrictions after reservations are made. He also knows he wants to spend at least 2 weeks at his destination, so he does not want any fares returned with maximum stays less than 14 days. Once the ticket is purchased there should be no changes in these plans.

Sam accesses a travel website and sends a message requesting flights from Washington Dulles to Flagstaff, AZ for travel in June. His message also gives specifics concerning the type of fares in which he is interested.

OTA_AirLowFareSearchRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirLowFareSearchRQ EchoToken="50987" TimeStamp="2003-11-19T19:44:10-05:00"
  Target="Production" SequenceNmbr="1" xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_AirLowFareSearchRQ.xsd" Version="2.001">
  <POS>
    <Source>
      <RequestorID Type="13" ID="01235"/>
    </Source>
  </POS>
  <OriginDestinationInformation>
    <DepartureDateTime>2004-06-05T10:00:00-05:00</DepartureDateTime>
    <OriginLocation LocationCode="IAD"/>
    <DestinationLocation LocationCode="FLG"/>
  </OriginDestinationInformation>
  <OriginDestinationInformation>
    <DepartureDateTime>2004-06-27T10:00:00-05:00</DepartureDateTime>
    <OriginLocation LocationCode="FLG"/>
    <DestinationLocation LocationCode="IAD"/>
  </OriginDestinationInformation>
  <TravelPreferences>
    <FareRestrictPref>
      <AdvResTicketing AdvTicketingInd="false">
        <AdvTicketing/>
      </AdvResTicketing>
      <StayRestrictions StayRestrictionsInd="true">
        <MinimumStay />
        <MaximumStay MaxStay="14" StayUnit="Days"/>
      </StayRestrictions>
    </FareRestrictPref>
  </TravelPreferences>
  <TravelerInfoSummary>
    <AirTravelerAvail>
      <PassengerTypeQuantity Code="ADT" Quantity="1"/>
    </AirTravelerAvail>
  </TravelerInfoSummary>
</OTA_AirLowFareSearchRQ>
```

4.7.1.2. Response: Air Low Fare Search

The response returns three pricing options with fare amounts and fare rule information.

OTA_AirLowFareSearchRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirLowFareSearchRS EchoToken="53468" TimeStamp="2003-11-19T19:44:17-05:00"
  Target="Production" SequenceNmbr="1" xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
  OTA_AirLowFareSearchRS.xsd" Version="2.001">
  <Success/>
  <PricedItineraries>
    <PricedItinerary SequenceNumber="1">
      <AirtineraryPricingInfo>
        <ItinTotalFare>
          <BaseFare Amount="256.75" CurrencyCode="USD"/>
          <TotalFare Amount="285.00" CurrencyCode="USD"/>
        </ItinTotalFare>
        <FareInfos>
          <FareInfo>
            <FareReference>"K"</FareReference>
            <RuleInfo>
              <ResTicketingRules>
                <AdvResTicketing AdvTicketingInd="true">
                  <AdvTicketing FromDepartPeriod="21" FromDepartUnit="Days"/>
                </AdvResTicketing>
              </ResTicketingRules>
              <LengthOfStayRules>
                <MinimumStay MinStay="14" StayUnit="Days"/>
                <MaximumStay Return Type="C" MaxStay="30" StayUnit="Days"/>
              </LengthOfStayRules>
              <ChargesRules>
                <VoluntaryChanges VolChangeInd="true">
                  <Penalty Percent="100"/>
                </VoluntaryChanges>
              </ChargesRules>
            </RuleInfo>
            <FilingAirline>HP</FilingAirline>
            <DepartureAirport LocationCode="IAD"/>
            <ArrivalAirport LocationCode="FLG"/>
          </FareInfo>
          <FareInfo>
            <FareReference>"H"</FareReference>
            <RuleInfo>
              <ResTicketingRules>
                <AdvResTicketing AdvTicketingInd="true">
                  <AdvTicketing FromDepartPeriod="21" FromDepartUnit="Days"/>
                </AdvResTicketing>
              </ResTicketingRules>
              <LengthOfStayRules>
                <MinimumStay MinStay="14" StayUnit="Days"/>
                <MaximumStay Return Type="C" MaxStay="30" StayUnit="Days"/>
              </LengthOfStayRules>
              <ChargesRules>
                <VoluntaryChanges VolChangeInd="true">
                  <Penalty Percent="100"/>
                </VoluntaryChanges>
              </ChargesRules>
            </RuleInfo>
            <FilingAirline>HP</FilingAirline>
            <DepartureAirport LocationCode="FLG"/>
            <ArrivalAirport LocationCode="IAD"/>
          </FareInfo>
        </FareInfos>
      </AirtineraryPricingInfo>
    </PricedItinerary>
    <PricedItinerary SequenceNumber="2">
```

```

<AirtineraryPricingInfo>
  <ItinTotalFare>
    <BaseFare Amount="337.46" CurrencyCode="USD" />
    <TotalFare Amount="375.00" CurrencyCode="USD" />
  </ItinTotalFare>
  <FareInfos>
    <FareInfo>
      <FareReference> "Q" </FareReference>
      <RuleInfo>
        <ResTicketingRules>
          <AdvResTicketing AdvTicketingInd="true">
            <AdvTicketing FromDepartPeriod="14" FromDepartUnit="Days"/>
          </AdvResTicketing>
        </ResTicketingRules>
        <LengthOfStayRules>
          <MinimumStay MinStay="7" StayUnit="Days"/>
          <MaximumStay ReturnTypes="C" MaxStay="14" StayUnit="Days"/>
        </LengthOfStayRules>
        <ChargesRules>
          <VoluntaryChanges VolChangeInd="true">
            <Penalty Percent="50"/>
          </VoluntaryChanges>
        </ChargesRules>
      </RuleInfo>
      <FilingAirline>NW</FilingAirline>
      <DepartureAirport LocationCode="IAD"/>
      <ArrivalAirport LocationCode="FLG"/>
    </FareInfo>
    <FareInfo>
      <FareReference> "Q" </FareReference>
      <RuleInfo>
        <ResTicketingRules>
          <AdvResTicketing AdvTicketingInd="true">
            <AdvTicketing FromDepartPeriod="14" FromDepartUnit="Days"/>
          </AdvResTicketing>
        </ResTicketingRules>
        <LengthOfStayRules>
          <MinimumStay MinStay="7" StayUnit="Days"/>
          <MaximumStay ReturnTypes="C" MaxStay="14" StayUnit="Days"/>
        </LengthOfStayRules>
        <ChargesRules>
          <VoluntaryChanges VolChangeInd="true">
            <Penalty Percent="50"/>
          </VoluntaryChanges>
        </ChargesRules>
      </RuleInfo>
      <FilingAirline>NW</FilingAirline>
      <DepartureAirport LocationCode="FLG"/>
      <ArrivalAirport LocationCode="IAD"/>
    </FareInfo>
  </FareInfos>
</AirtineraryPricingInfo>
</PricedItinerary>
<PricedItinerary SequenceNumber="3">
  <AirtineraryPricingInfo>
    <ItinTotalFare>
      <BaseFare Amount="681.75" CurrencyCode="USD" />
      <TotalFare Amount="757.00" CurrencyCode="USD" />
    </ItinTotalFare>
    <FareInfos>
      <FareInfo>
        <FareReference> "Y" </FareReference>
        <RuleInfo>
          <ResTicketingRules>
            <AdvResTicketing AdvTicketingInd="false"/>
          </ResTicketingRules>
        </RuleInfo>
      </FareInfo>
    </FareInfos>
  </AirtineraryPricingInfo>
</PricedItinerary>

```

```

        <ChargesRules>
          <VoluntaryChanges VolChangeInd="true"/>
        </ChargesRules>
      </RuleInfo>
      <FilingAirline>UA</FilingAirline>
      <DepartureAirport LocationCode="IAD"/>
      <ArrivalAirport LocationCode="FLG"/>
    </FareInfo>
    <FareInfo>
      <FareReference>"Y"</FareReference>
      <RuleInfo>
        <ResTicketingRules>
          <AdvResTicketing AdvTicketingInd="false">
          </AdvResTicketing>
        </ResTicketingRules>
        <ChargesRules>
          <VoluntaryChanges VolChangeInd="true"/>
        </ChargesRules>
      </RuleInfo>
      <FilingAirline>UA</FilingAirline>
      <DepartureAirport LocationCode="IAD"/>
      <ArrivalAirport LocationCode="FLG"/>
    </FareInfo>
  </FareInfos>
</AirtineraryPricingInfo>
</PricedItinerary>
</PricedItineraries>
</OTA_AirLowFareSearchRS>

```

4.7.2. Use Case 2

4.7.2.1. Request: Air Low Fare Search

It is October 18, 2003, and Sam Jones is firming up a business trip that will begin two weeks from today. He will be traveling from New York to Chicago, and then onto Los Angeles before returning to New York. He's hoping some round trip or advance purchase fares will reduce the cost. Since the business plans can change, he does not want any penalties for making changes. He also does not want any minimum stay dictating when he must commence his return from either of these cities. If he finishes his business in both cities in 3 days, he does not want a fare that would require he spend seven days in either city before he could return. He also knows that the trip will not take any longer than 2 weeks.

Using a travel website, Sam sends a message requesting fares for a trip from New York to Chicago and then on to Los Angeles and finally returning home to New York. He also specifies fare type criteria.

OTA_AirLowFareSearchRQ2.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirLowFareSearchRQ EchoToken="75834" TimeStamp="2003-10-18T10:23:38-05:00"
  Target="Production" SequenceNmbr="1" xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
  OTA_AirLowFareSearchRQ.xsd" Version="2.001">
  <POS>
    <Source>
      <RequestorID Type="13" ID="01235"/>
    </Source>
  </POS>
</OTA_AirLowFareSearchRQ>

```

```

</POS>
<OriginDestinationInformation>
  <DepartureDateTime>2003-11-01T18:00:00</DepartureDateTime>
  <OriginLocation LocationCode="JFK"/>
  <DestinationLocation LocationCode="CHI"/>
</OriginDestinationInformation>
<OriginDestinationInformation>
  <DepartureDateTime>2003-11-05T15:00:00</DepartureDateTime>
  <OriginLocation LocationCode="CHI"/>
  <DestinationLocation LocationCode="LAX"/>
</OriginDestinationInformation>
<OriginDestinationInformation>
  <DepartureDateTime>2003-11-15T10:00:00</DepartureDateTime>
  <OriginLocation LocationCode="LAX"/>
  <DestinationLocation LocationCode="JFK"/>
</OriginDestinationInformation>
<TravelPreferences>
  <FareRestrictPref>
    <AdvResTicketing AdvTicketingInd="false">
      <AdvTicketing/>
    </AdvResTicketing>
    <StayRestrictions StayRestrictionsInd="true">
      <MinimumStay MinStay="1" StayUnit="Days"/>
      <MaximumStay MaxStay="14" StayUnit="Days"/>
    </StayRestrictions>
  </FareRestrictPref>
</TravelPreferences>
<TravelerInfoSummary>
  <AirTravelerAvail>
    <PassengerTypeQuantity Code="ADT" Quantity="1"/>
  </AirTravelerAvail>
</TravelerInfoSummary>
</OTA_AirLowFareSearchRQ>

```

4.7.2.2. Response: Air Low Fare Search

The response returns three pricing options with fare rules for each.

OTA_AirLowFareSearchRS2.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirLowFareSearchRS EchoToken="77583" TimeStamp="2003-10-18T10:23:47-05:00"
  Target="Production" SequenceNmbr="1" xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
  OTA_AirLowFareSearchRS.xsd" Version="2.001">
  <Success/>
  <PricedItineraries>
    <PricedItinerary SequenceNumber="1">
      <AirItineraryPricingInfo>
        <ItinTotalFare>
          <BaseFare Amount="523.25" CurrencyCode="USD" />
          <TotalFare Amount="588.00" CurrencyCode="USD" />
        </ItinTotalFare>
        <FareInfos>
          <FareInfo>
            <FareReference> "L" </FareReference>
            <RuleInfo>
              <ResTicketingRules>
                <AdvResTicketing AdvTicketingInd="true">
                  <AdvTicketing FromResPeriod="24" FromResUnit="Hours"/>
                </AdvResTicketing>
              </ResTicketingRules>
            </RuleInfo>
          </FareInfo>
        </FareInfos>
      </AirItineraryPricingInfo>
    </PricedItinerary>
  </PricedItineraries>
</OTA_AirLowFareSearchRS>

```

```

        <LengthOfStayRules>
            <MinimumStay MinStay="1" StayUnit="Hours"/>
            <MaximumStay Return Type="C" MaxStay="14" StayUnit="Days"/>
        </LengthOfStayRules>
        <ChargesRules>
            <VoluntaryChanges VolChangeInd="false"/>
        </ChargesRules>
    </RuleInfo>
    <FilingAirline>CO</FilingAirline>
    <DepartureAirport LocationCode="EWR"/>
    <ArrivalAirport LocationCode="CHI"/>
</FareInfo>
<FareInfo>
    <FareReference> "L" </FareReference>
    <RuleInfo>
        <ResTicketingRules>
            <AdvResTicketing AdvTicketingInd="true">
                <AdvTicketing FromResPeriod="24" FromResUnit="Hours"/>
            </AdvResTicketing>
        </ResTicketingRules>
        <LengthOfStayRules>
            <MinimumStay MinStay="1" StayUnit="Hours"/>
            <MaximumStay Return Type="C" MaxStay="14" StayUnit="Days"/>
        </LengthOfStayRules>
        <ChargesRules>
            <VoluntaryChanges VolChangeInd="false"/>
        </ChargesRules>
    </RuleInfo>
    <FilingAirline>CO</FilingAirline>
    <DepartureAirport LocationCode="CHI"/>
    <ArrivalAirport LocationCode="LAX"/>
</FareInfo>
<FareInfo>
    <FareReference> "L" </FareReference>
    <RuleInfo>
        <ResTicketingRules>
            <AdvResTicketing AdvTicketingInd="true">
                <AdvTicketing FromResPeriod="24" FromResUnit="Hours"/>
            </AdvResTicketing>
        </ResTicketingRules>
        <LengthOfStayRules>
            <MinimumStay MinStay="1" StayUnit="Hours"/>
            <MaximumStay Return Type="C" MaxStay="14" StayUnit="Days"/>
        </LengthOfStayRules>
        <ChargesRules>
            <VoluntaryChanges VolChangeInd="false"/>
        </ChargesRules>
    </RuleInfo>
    <FilingAirline>CO</FilingAirline>
    <DepartureAirport LocationCode="LAX"/>
    <ArrivalAirport LocationCode="EWR"/>
</FareInfo>
</FareInfos>
</AirtineraryPricingInfo>
</PricedItinerary>
<PricedItinerary SequenceNumber="2">
    <AirtineraryPricingInfo>
        <ItinTotalFare>
            <BaseFare Amount="722.79" CurrencyCode="USD" />
            <TotalFare Amount="802.00" CurrencyCode="USD" />
        </ItinTotalFare>
        <FareInfos>
            <FareInfo>
                <FareReference> "H" </FareReference>
                <RuleInfo>
                    <ResTicketingRules>

```

```

        <AdvResTicketing AdvTicketingInd="true">
          <AdvTicketing FromDepartPeriod="7" FromDepartUnit="Days"/>
        </AdvResTicketing>
      </ResTicketingRules>
      <ChargesRules>
        <VoluntaryChanges VolChangeInd="false"/>
      </ChargesRules>
    </RuleInfo>
    <FilingAirline>DL</FilingAirline>
    <DepartureAirport LocationCode="JFK"/>
    <ArrivalAirport LocationCode="CHI"/>
  </FareInfo>
  <FareInfo>
    <FareReference> "H" </FareReference>
    <RuleInfo>
      <ResTicketingRules>
        <AdvResTicketing AdvTicketingInd="true">
          <AdvTicketing FromDepartPeriod="7" FromDepartUnit="Days"/>
        </AdvResTicketing>
      </ResTicketingRules>
      <ChargesRules>
        <VoluntaryChanges VolChangeInd="false">
          </VoluntaryChanges>
        </ChargesRules>
      </RuleInfo>
      <FilingAirline>DL</FilingAirline>
      <DepartureAirport LocationCode="CHI"/>
      <ArrivalAirport LocationCode="LAX"/>
    </FareInfo>
    <FareInfo>
      <FareReference> "Q" </FareReference>
      <RuleInfo>
        <ResTicketingRules>
          <AdvResTicketing AdvTicketingInd="true">
            <AdvTicketing FromDepartPeriod="7" FromDepartUnit="Days"/>
          </AdvResTicketing>
        </ResTicketingRules>
        <ChargesRules>
          <VoluntaryChanges VolChangeInd="false">
            </VoluntaryChanges>
          </ChargesRules>
        </RuleInfo>
        <FilingAirline>DL</FilingAirline>
        <DepartureAirport LocationCode="LAX"/>
        <ArrivalAirport LocationCode="JFK"/>
      </FareInfo>
    </FareInfos>
  </AirtineraryPricingInfo>
</PricedItinerary>
<PricedItinerary SequenceNumber="3">
  <AirtineraryPricingInfo>
    <ItinTotalFare>
      <BaseFare Amount="2062.32" CurrencyCode="USD" />
      <TotalFare Amount="2245.50" CurrencyCode="USD" />
    </ItinTotalFare>
    <FareInfos>
      <FareInfo>
        <FareReference> "Y26" </FareReference>
        <RuleInfo>
          <ResTicketingRules>
            <AdvResTicketing AdvTicketingInd="false"/>
          </ResTicketingRules>
          <ChargesRules>
            <VoluntaryChanges VolChangeInd="false">
              <Penalty Amount="10.00" CurrencyCode="USD" />
            </VoluntaryChanges>
          </ChargesRules>
        </RuleInfo>
      </FareInfo>
    </FareInfos>
  </AirtineraryPricingInfo>
</PricedItinerary>

```

```

        </ChargesRules>
      </RuleInfo>
      <FilingAirline>AA</FilingAirline>
      <DepartureAirport LocationCode="JFK"/>
      <ArrivalAirport LocationCode="CHI"/>
    </FareInfo>
    <FareInfo>
      <FareReference> "Y26"</FareReference>
      <RuleInfo>
        <ResTicketingRules>
          <AdvResTicketing AdvTicketingInd="false"/>
        </ResTicketingRules>
        <ChargesRules>
          <VoluntaryChanges VolChangeInd="false"/>
        </ChargesRules>
      </RuleInfo>
      <FilingAirline>AA</FilingAirline>
      <DepartureAirport LocationCode="CHI"/>
      <ArrivalAirport LocationCode="LAX"/>
    </FareInfo>
    <FareInfo>
      <FareReference> "Y"</FareReference>
      <RuleInfo>
        <ResTicketingRules>
          <AdvResTicketing AdvTicketingInd="false">
        </AdvResTicketing>
        </ResTicketingRules>
        <ChargesRules>
          <VoluntaryChanges VolChangeInd="false"/>
        </ChargesRules>
      </RuleInfo>
      <FilingAirline>AA</FilingAirline>
      <DepartureAirport LocationCode="LAX"/>
      <ArrivalAirport LocationCode="JFK"/>
    </FareInfo>
  </FareInfos>
</AirtineraryPricingInfo>
</PricedItinerary>
</PricedItineraries>
</OTA_AirLowFareSearchRS>

```

4.8. OTA_AirPriceRQ/RS

The Air Price Request message requests pricing information for specific flights on certain dates for a specific number and type of passengers. The message allows for optional information such as fare restriction preferences and negotiated fare contract codes to be included.

The pricing request contains the information necessary to perform an availability / sell from availability / price series of entries on an airline CRS or GDS.

The Pricing Response message contains a 'Priced Itinerary'. This includes:

- The set of flights sent in the Pricing request message
- Pricing information including taxes and full fare breakdown for each passenger type
- Ticketing information
- Fare Basis Codes and the information necessary to make a Fare Rules entry.

4.8.1. Use Case1

4.8.1.1. Request: Air Price

Mickey Mouse has booked flights from Atlanta to Los Angeles and then on to Honolulu. He now wants to price this itinerary so he requests that the itinerary be priced. Mickey's travel agent sends a request to price the itinerary.

OTA_AirPriceRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirPriceRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_AirPriceRQ.xsd" EchoToken="36732" TimeStamp="2003-11-14T10:30:00" Target="Production"
  Version="2.001" SequenceNmbr="284" PrimaryLangID="en">
  <POS>
    <Source AgentSine="2BB" PseudoCityCode="ATL" ISOCountry="US" ISOCurrency="USD"
      AirlineVendorID="1P">
      <RequestorID Type="5" ID="35896241"/>
      <BookingChannel Type="1"/>
    </Source>
  </POS>
  <Airtinerary DirectionInd="Circle">
    <OriginDestinationOptions>
      <OriginDestinationOption>
        <FlightSegment DepartureDateTime="2003-12-12T12:50:00" ArrivalDateTime="2003-12-
12T14:34:00" StopQuantity="0" FlightNumber="242" ResBookDesigCode="L" NumberInParty="2"
Status="30">
          <DepartureAirport LocationCode="ATL"/>
          <ArrivalAirport LocationCode="LAX"/>
          <MarketingAirline Code="DL"/>
        </FlightSegment>
      </OriginDestinationOption>
      <OriginDestinationOption>
        <FlightSegment DepartureDateTime="2003-12-12T15:30:00" ArrivalDateTime="2003-12-
12T19:15:00" StopQuantity="0" FlightNumber="1579" ResBookDesigCode="L" NumberInParty="2"
Status="30">
          <DepartureAirport LocationCode="LAX"/>
          <ArrivalAirport LocationCode="HNL"/>
          <MarketingAirline Code="DL"/>
        </FlightSegment>
      </OriginDestinationOption>
      <OriginDestinationOption>
        <FlightSegment DepartureDateTime="2003-12-20T22:00:00" ArrivalDateTime="2003-12-
21T05:05:00" StopQuantity="0" FlightNumber="1852" ResBookDesigCode="L" NumberInParty="1"
Status="30">
          <DepartureAirport LocationCode="HNL"/>
          <ArrivalAirport LocationCode="LAX"/>
          <MarketingAirline Code="DL"/>
        </FlightSegment>
      </OriginDestinationOption>
      <OriginDestinationOption>
        <FlightSegment DepartureDateTime="2003-12-21T06:00:00" ArrivalDateTime="2003-12-
21T13:03:00" StopQuantity="0" FlightNumber="744" ResBookDesigCode="L" NumberInParty="1"
Status="30">
          <DepartureAirport LocationCode="LAX"/>
          <ArrivalAirport LocationCode="ATL"/>
          <MarketingAirline Code="DL"/>
        </FlightSegment>
      </OriginDestinationOption>
    </OriginDestinationOptions>
  </Airtinerary>
</OTA_AirPriceRQ>
```



```

        </OriginDestinationOption>
      </OriginDestinationOptions>
    </Airtinerary>
  <TravelerInfoSummary>
    <AirTravelerAvail>
      <PassengerTypeQuantity Code="ADT" Quantity="1"/>
      <AirTraveler PassengerTypeCode="ADT">
        <PersonName>
          <GivenName>Mickey</GivenName>
          <Surname>Mouse</Surname>
        </PersonName>
        <TravelerRefNumber RPH="1"/>
      </AirTraveler>
    </AirTravelerAvail>
  </TravelerInfoSummary>
</OTA_AirPriceRQ>

```

4.8.1.2. Response: Air Price

A response is received with the itinerary priced.

OTA_AirPriceRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirPriceRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_AirPriceRS.xsd" EchoToken="36732" TimeStamp="2003-11-14T10:30:00" Target="Production"
  Version="2.001" SequenceNmbr="285" PrimaryLangID="en">
  <Success/>
  <PricedItineraries>
    <PricedItinerary SequenceNumber="1">
      <Airtinerary DirectionInd="Circle">
        <OriginDestinationOptions>
          <OriginDestinationOption>
            <FlightSegment DepartureDateTime="2003-12-12T12:50:00" ArrivalDateTime="2003-
12-12T14:34:00" StopQuantity="0" FlightNumber="242" ResBookDesigCode="L" NumberInParty="2"
Status="30">
              <DepartureAirport LocationCode="ATL"/>
              <ArrivalAirport LocationCode="LAX"/>
              <MarketingAirline Code="DL"/>
            </FlightSegment>
          </OriginDestinationOption>
          <OriginDestinationOption>
            <FlightSegment DepartureDateTime="2003-12-12T15:30:00" ArrivalDateTime="2003-
12-12T19:15:00" StopQuantity="0" FlightNumber="1579" ResBookDesigCode="L" NumberInParty="2"
Status="30">
              <DepartureAirport LocationCode="LAX"/>
              <ArrivalAirport LocationCode="HNL"/>
              <MarketingAirline Code="DL"/>
            </FlightSegment>
          </OriginDestinationOption>
          <OriginDestinationOption>
            <FlightSegment DepartureDateTime="2003-12-20T22:00:00" ArrivalDateTime="2003-
12-21T05:05:00" StopQuantity="0" FlightNumber="1852" ResBookDesigCode="L" NumberInParty="2"
Status="30">
              <DepartureAirport LocationCode="HNL"/>
              <ArrivalAirport LocationCode="LAX"/>
              <MarketingAirline Code="DL"/>
            </FlightSegment>
          </OriginDestinationOption>
          <OriginDestinationOption>

```

```

        <FlightSegment DepartureDateTime="2003-12-21T06:00:00" ArrivalDateTime="2003-
12-21T13:03:00" StopQuantity="0" FlightNumber="744" ResBookDesignCode="L" NumberInParty="2"
Status="30">
            <DepartureAirport LocationCode="LAX"/>
            <ArrivalAirport LocationCode="ATL"/>
            <MarketingAirline Code="DL"/>
        </FlightSegment>
    </OriginDestinationOption>
</OriginDestinationOptions>
</Airtinerary>
<AirtineraryPricingInfo PricingSource="Published">
    <ItinTotalFare NegotiatedFare="false">
        <BaseFare Amount="783.88" CurrencyCode="USD"/>
        <Taxes>
            <Tax TaxCode="US" Amount="38.72" CurrencyCode="USD"/>
            <Tax TaxCode="AY" Amount="10.00" CurrencyCode="USD"/>
            <Tax TaxCode="ZP" Amount="12.00" CurrencyCode="USD"/>
            <Tax TaxCode="XF" Amount="13.50" CurrencyCode="USD"/>
        </Taxes>
        <TotalFare Amount="858.10" CurrencyCode="USD"/>
    </ItinTotalFare>
    <FareInfos>
        <FareInfo NegotiatedFare="false">
            <DepartureDate>2003-12-12T00:00:00</DepartureDate>
            <FareReference>LLPE30N</FareReference>
            <RuleInfo>
                <ResTicketingRules>
                    <AdvResTicketing AdvResInd="false">
                        <AdvTicketing FromResTimeOfDay="23:59:59"/>
                    </AdvResTicketing>
                </ResTicketingRules>
                <LengthOfStayRules StayRestrictionsInd="true">
                    <MinimumStay MinStay="4" StayUnit="Days"/>
                    <MaximumStay MaxStay="30" StayUnit="Days"/>
                </LengthOfStayRules>
            </RuleInfo>
            <FilingAirline Code="DL"/>
            <DepartureAirport LocationCode="ATL"/>
            <ArrivalAirport LocationCode="ATL"/>
        </FareInfo>
    </FareInfos>
</AirtineraryPricingInfo>
</PricedItinerary>
</PricedItineraries>
</OTA_AirPriceRS>

```

4.9. OTA_AirRulesRQ/RS

The Rules Request message requests text rules for a specific fare basis code for an airline and city pair on a specific date. Optional information allows negotiated fare contract codes to be included in the request.

The Rules Response message contains a set of text (human readable) rule information paragraphs. Each paragraph is identified by a rule code.

4.9.1. Use Case 1

4.9.1.1. Request: Air Rules

A customer has priced itinerary for Atlanta to Seattle and now wants to see the rules associated with the fare basis code UE14OPNX. The customer sends a request to get the rules for this code.

OTA_AirRulesRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirRulesRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_AirRulesRQ.xsd" EchoToken="36732" TimeStamp="2003-11-15T11:00:00" Target="Production"
  Version="2.001" SequenceNmbr="293" PrimaryLangID="en">
  <POS>
    <Source AgentSine="2BB" PseudoCityCode="ATL" ISOCountry="US" ISOCurrency="USD"
      AirlineVendorID="1P">
      <RequestorID Type="5" ID="35896241"/>
      <BookingChannel Type="1"/>
    </Source>
  </POS>
  <RuleReqInfo NegotiatedFare="false">
    <FareReference>UE14OPNX</FareReference>
    <RuleInfo/>
    <FilingAirline Code="DL"/>
    <DepartureAirport LocationCode="ATL"/>
    <ArrivalAirport LocationCode="SEA"/>
  </RuleReqInfo>
</OTA_AirRulesRQ>
```

4.9.1.2. Response: Air Rules

A response is received with the rules for the requested fare basis code.

OTA_AirRulesRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirRulesRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_AirRulesRS.xsd" EchoToken="36732" TimeStamp="2003-11-15T11:00:00" Target="Production"
  Version="2.001" SequenceNmbr="294" PrimaryLangID="en">
  <Success/>
  <FareRuleResponseInfo>
    <FareRuleInfo NegotiatedFare="false">
      <FareReference>UE14OPNX</FareReference>
      <RuleInfo>
        <ResTicketingRules>
          <AdvResTicketing AdvResInd="true" AdvTicketingInd="true">
            <AdvReservation LatestPeriod="14" LatestUnit="Days"/>
            <AdvTicketing FromResPeriod="1" FromResUnit="Days" FromDepartPeriod="14"
              FromDepartUnit="Days"/>
          </AdvResTicketing>
        </ResTicketingRules>
        <LengthOfStayRules StayRestrictionsInd="true">
          <MinimumStay MinStay="1" StayUnit="SUN"/>
          <MaximumStay/>
        </LengthOfStayRules>
      </RuleInfo>
    </FareRuleInfo>
  </FareRuleResponseInfo>
</OTA_AirRulesRS>
```

```

        <ChargesRules>
          <VoluntaryChanges VolChangeInd="true">
            <Penalty PenaltyType="Reissue Cancellation Refund Failure to use"
Amount="100.00" CurrencyCode="USD"/>
          </VoluntaryChanges>
        </ChargesRules>
      </RuleInfo>
      <FilingAirline Code="DL"/>
      <MarketingAirline Code="DL"/>
      <DepartureAirport LocationCode="ATL"/>
      <ArrivalAirport LocationCode="SEA"/>
    </FareRuleInfo>
    <FareRules>
      <SubSection SubTitle="Surcharges">
        <Paragraph>
          <Text Formatted="false">$9.30 USD OW miscellaneous/other surcharge applies.</Text>
        </Paragraph>
      </SubSection>
      <SubSection SubTitle="Governing rule">
        <Paragraph>
          <Text Formatted="false">5050 TRF-011</Text>
        </Paragraph>
      </SubSection>
      <SubSection SubTitle="Day/time">
        <Paragraph>
          <Text Formatted="false">Travel at this fare permitted 1200Mon-1159Thu 1200Sat-
2359Sat</Text>
        </Paragraph>
      </SubSection>
      <SubSection SubTitle="Flights">
        <Paragraph>
          <Text Formatted="false">Must be via DL 0001 thru DL 9999</Text>
        </Paragraph>
      </SubSection>
      <SubSection SubTitle="Res/Tktg">
        <Paragraph>
          <Text Formatted="false">For travel on/before 28Feb04. Passengers holding confirmed
resrvations and tickets may standby for earlier/later dame day flights between same
origin/destination/stopover without charge. Same day confirm//DSC - passengers holding confirmed
reservations and tickets may confirm earlier/later same day flights between origin/destination/stopover points
for a non-refundable fee of USD 25.00. New itinerary may not be confirmed more than 3 hours prior to
departure time of new outboutn flight. The new itinerary must be valid for the original fare purchased. See
penalties/voluntary changes for complete rules and restrictions.</Text>
        </Paragraph>
      </SubSection>
      <SubSection SubTitle="Stopovers">
        <Paragraph>
          <Text Formatted="false">No enroute free stopover/s/permitted</Text>
        </Paragraph>
      </SubSection>
      <SubSection SubTitle="Penalty">
        <Paragraph>
          <Text Formatted="false">$100.00 USD/for resissue of tkt or for tkt reval or for an
unticketed PTA or for cancellation or for failuse to use confirmed space or for a ticket refund or for an
unticketed PTA/tkt non ref...$100.00 USD/charge per tkt/for lost tkt.</Text>
        </Paragraph>
      </SubSection>
      <SubSection SubTitle="Open jaw">
        <Paragraph>
          <Text Formatted="false">Permitted at origin or destination/double open jaw not
permitted...maximum 2 fare components...single open jaw:permitted/may not be combined with other
airlines.</Text>
        </Paragraph>
      </SubSection>
      <SubSection SubTitle="Circle trip">
        <Paragraph>

```

```

                <Text Formatted="false">2 component: permitted/may not be combined with other
airlines...more than 2 component: permitted/may not be combined with other airlines/max fare breaks -
2.</Text>
            </Paragraph>
        </SubSection>
        <SubSection SubTitle="End-to-end">
            <Paragraph>
                <Text Formatted="false">Combinaitons are permitted. Travel must be via the point of
combination. Round trip excusion fares may not be combined end-to-end with any round trip fare when these
fares have overlapping travel periods and are to/from the same cities of origin and destination as a stopover
or fare break point.</Text>
            </Paragraph>
        </SubSection>
    </FareRules>
</FareRuleResponseInfo>
</OTA_AirRulesRS>

```

4.10. OTA_AirSchedulesRQ/RS

The Air Schedules message set is intended to provide a customer or a third party entity with the ability to view airline flight schedules. This message set requires the customer to specify the Departure and Arrival cities for a specific date. It offers flight information on airlines that provide service between the requested cities.

The Schedules messages could be used for the following circumstances:

- Customer may want to determine what airlines offer service to/from specific cities.
- Customer is looking for a specific flight number. By entering the arrival and departure cities and knowing the approximate arrival or departure time the customer can locate their specific flight number.
- Customer needs to determine the days of the week that service is scheduled to and from the requested destination.
- Customer will be able to determine the type of aircraft used to fly that route. Some customers prefer to fly on larger types of aircraft.

The schedules message also contains other information that customers are interested in: meal service, duration of flight, on-time statistics and if smoking is allowed. In addition, these messages provide the foundation for electronic timetables.

4.10.1. Use Case 1

4.10.1.1. Request: Air Schedules

Mr. Sam Jones, a United Airlines Mileage Plus member, is interested in traveling from Denver (DEN) to Los Angeles (LAX) for a business meeting. His meeting is on December 1, 2003 in the late afternoon. He would like to take a flight that will leave in the morning around 9:00am, so that he can get into Los Angeles in time for his meeting. He is only interested in seeing flight options for United, given his frequent flyer loyalty. Mr. Jones appreciates the comfort of business

class and large planes, so would prefer a schedule with these options. He is also concerned about his meal options because he does not want to take the time to stop on his way to his meeting to get lunch.

Using his wireless palm device, Mr. Sam Jones requests flight schedule information on United Airlines departing Denver around 9:00a.m. and arriving in Los Angeles on December 1, 2003.

OTA_AirScheduleRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirScheduleRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_AirScheduleRQ.xsd" EchoToken="75657" TimeStamp="2003-03-17T09:30:47-05:00"
  Target="Production" Version="1.002" SequenceNbr="1">
  <OriginDestinationInformation>
    <DepartureDateTime>2003-12-01T09:00:00</DepartureDateTime>
    <OriginLocation LocationCode="DEN"/>
    <DestinationLocation LocationCode="LAX"/>
  </OriginDestinationInformation>
  <FlightInfo>
    <BookingClassPref ResBookDesigCode="C" PreferLevel="Preferred"/>
  </FlightInfo>
  <VendorPref Code="UA" PreferLevel="Only"/>
</OTA_AirScheduleRQ>
```

4.10.1.2. Response: Air Schedules

He receives the following options in response to his request:

Option 1: United Airlines flight 443, which departs at 9:00a.m. and arrives at 10:24am. Mr. Jones sees that this flight is usually on time with an on time rating of 8. This flight is a non-stop flight in a Boeing 777 (large plane). The cabin class shown is business because Mr. Jones has chosen to see schedules with this class of service. Mr. Jones sees that breakfast is served on this flight. He also notes that this flight is available all days of the week.

Option 2: United Airlines flight 781, which departs at 10:50a.m. and arrives at 12:15p.m.. Mr. Jones sees that this flight is usually on time with an on time rating of 8. This flight is a non-stop flight in a Boeing 777 (large plane). The cabin class shown is business because Mr. Jones has chosen to see schedules with this class of service. Mr. Jones sees that a snack is served on this flight. He also notes that this flight is only available on Sundays.

OTA_AirScheduleRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirScheduleRS EchoToken="75657" TimeStamp="2003-03-17T09:30:47-05:00" Target="Production"
  Version="1.002" SequenceNbr="1" xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_AirScheduleRS.xsd">
  <Success/>
  <OriginDestinationOptions>
    <OriginDestinationOption>
```

```

    <FlightSegment DepartureDateTime="2003-12-01T09:00:00" ArrivalDateTime="2003-12-
01T10:24:00" StopQuantity="0" FlightNumber="443" OnTimeRate="8" ScheduleValidStartDate="2003-06-15"
ScheduleValidEndDate="2003-12-29">
      <DepartureAirport LocationCode="DEN"/>
      <ArrivalAirport LocationCode="LAX"/>
      <Equipment AirEquipType="777">Boeing 777</Equipment>
      <MarketingAirline CompanyShortName="United" Code="UA">United
Airlines</MarketingAirline>
      <MarketingCabin CabinType="Business" RPH="1">
        <Meal MealCode="Breakfast"/>
      </MarketingCabin>
      <DaysOfOperation>
        <OperationSchedule>
          <OperationTimes>
            <OperationTime Mon="1" Tue="1" Weds="1" Thur="1" Fri="1" Sat="1" Sun="1"/>
          </OperationTimes>
        </OperationSchedule>
      </DaysOfOperation>
    </FlightSegment>
  </OriginDestinationOption>
</OriginDestinationOption>
  <FlightSegment DepartureDateTime="2003-12-01T10:50:00" ArrivalDateTime="2003-12-
01T12:15:00" StopQuantity="0" FlightNumber="781" OnTimeRate="8" ScheduleValidStartDate="2003-04-01"
ScheduleValidEndDate="2004-01-06">
    <DepartureAirport LocationCode="DEN"/>
    <ArrivalAirport LocationCode="LAX"/>
    <Equipment AirEquipType="777">Boeing 777</Equipment>
    <MarketingAirline CompanyShortName="United" Code="UA">United
Airlines</MarketingAirline>
    <MarketingCabin CabinType="Business" RPH="1">
      <Meal MealCode="Snack"/>
    </MarketingCabin>
    <DaysOfOperation>
      <OperationSchedule>
        <OperationTimes>
          <OperationTime Mon="0" Tue="0" Weds="0" Thur="0" Fri="0" Sat="0" Sun="1"/>
        </OperationTimes>
      </OperationSchedule>
    </DaysOfOperation>
  </FlightSegment>
</OriginDestinationOption>
</OriginDestinationOptions>
</OTA_AirScheduleRS>

```

4.11. OTA_AirSeatMapRQ/RS

Seat maps display which seats are available for a given flight, as well as their location within the aircraft. To make a seat assignment, when using an online booking product, a customer will frequently access a seat map display to determine which seats are available. Then they will make a separate seating request. These messages identify all the information necessary to request and return an available seat map for a particular flight.

Types of information for the seat map request include: airline, flight number, date of travel, class of service and frequent flier status. The response message includes: flight, aircraft and seat description information.

4.11.1. Use Case 1

4.11.1.1. Request: Seat Maps for One Passenger with Two Flight Segments

Mr. Sam Jones is flying from Calcutta to London via Bombay. For the Calcutta – Bombay sector, he is booked on Indian Airline 273 on 26th Sep 03 in the business class while for the Bombay – London sector he is booked on Air India 101 on 27th Sep 03 in first class. The booking was done by the Sabre agent ‘Indian Travels Calcutta’, with the IATA code 0001. The Sabre PNR is 123456 while the Indian Airlines PNR is 345678 and the Air India PNR is H1234.

Mr. Jones is a Frequent Flier with Air India and his number is C12345. He has advised his travel agent that he would like a non-smoking, aisle seat preferably near toilets.

A request is sent to retrieve the seat map for flight IC273 and AI101.

Note: If the Seat Map request message contains flight segments that represent a change of gauge, the expected response should be an OTA Error message. As of 2003B, the Seat Map response message is not designed to provide Seat Maps across change of gauge.

OTA_AirSeatMapRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirSeatMapRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_AirSeatMapRQ.xsd" Version="1.001">
  <POS>
    <Source>
      <RequestorID Type="5" ID="0001">
        <CompanyName>Indian Travels,Calcutta</CompanyName>
      </RequestorID>
    </Source>
  </POS>
  <SeatMapRequests>
    <SeatMapRequest>
      <FlightSegmentInfo DepartureDateTime="2003-09-26T18:30:00" FlightNumber="273">
        <DepartureAirport LocationCode="CCU"/>
        <ArrivalAirport LocationCode="BOM"/>
        <MarketingAirline CompanyShortName="Air India" Code="AI"/>
      </FlightSegmentInfo>
    </SeatMapRequest>
    <SeatMapRequest>
      <FlightSegmentInfo DepartureDateTime="2003-09-27T08:30:00" FlightNumber="101">
        <DepartureAirport LocationCode="BOM" />
        <ArrivalAirport LocationCode="LHR" />
        <MarketingAirline CompanyShortName="Air India" Code="AI"/>
      </FlightSegmentInfo>
    </SeatMapRequest>
  </SeatMapRequests>
  <AirTravelers>
    <AirTraveler PassengerTypeCode="ADT">
      <PersonName>
        <NamePrefix>Mr</NamePrefix>
        <GivenName>Sam</GivenName>
        <Surname>Jones</Surname>
      </PersonName>
    </AirTraveler>
  </AirTravelers>
</OTA_AirSeatMapRQ>
```



```

        <CustLoyalty MembershipID="C12345" ProgramID="AI"/>
    </AirTraveler>
</AirTravelers>
<BookingReferenceID Type="20" ID="345678">
    <CompanyName>IC</CompanyName>
</BookingReferenceID>
<BookingReferenceID Type="20" ID="H1234">
    <CompanyName>AI</CompanyName>
</BookingReferenceID>
<BookingReferenceID Type="20" ID="123456">
    <CompanyName>1W</CompanyName>
</BookingReferenceID>
</OTA_AirSeatMapRQ>

```

4.11.1.2. Response: Seat Maps for Two Flight Segments

The seat map response contains only the cabin class in which the Mr Jones is booked, namely business class and first class in the two flight segments respectively.

Note: In the XML response the seat details of only one zone of the economy class is included to keep the document short. Also only certain seat characteristic values have been returned for each seat; numerous other values could be returned.

OTA_AirSeatMapRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirSeatMapRS Version="1.001" xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
  OTA_AirSeatMapRS.xsd">
  <Success/>
  <SeatMapResponses>
    <SeatMapResponse>
      <FlightSegmentInfo DepartureDateTime="2003-09-26T18:30:00" FlightNumber="273">
        <DepartureAirport LocationCode="CCU" />
        <ArrivalAirport LocationCode="BOM" />
        <Equipment AirEquipType="310"/>
        <MarketingAirline Code="IC"/>
      </FlightSegmentInfo>
      <SeatMapDetails>
        <CabinClass CabinType="Business">
          <AirRows>
            <AirRow RowNumber="1">
              <AirSeats>
                <AirSeat SeatNumber="A" SeatAvailability="1" SeatCharacteristics="85 35"/>
                <AirSeat SeatNumber="B" SeatAvailability="2" SeatCharacteristics="35 3"/>
                <AirSeat SeatNumber="C" SeatAvailability="1" SeatCharacteristics="35 3"/>
                <AirSeat SeatNumber="F" SeatAvailability="1" SeatCharacteristics="35 3"/>
                <AirSeat SeatNumber="G" SeatAvailability="1" SeatCharacteristics="35 3"/>
                <AirSeat SeatNumber="H" SeatAvailability="1" SeatCharacteristics="85 35"/>
              </AirSeats>
              <AirRowCharacteristics CharacteristicList="11"/>
            </AirRow>
            <AirRow RowNumber="2">
              <AirSeats>
                <AirSeat SeatNumber="A" SeatAvailability="1" SeatCharacteristics="85"/>
                <AirSeat SeatNumber="B" SeatAvailability="1" SeatCharacteristics="3"/>
                <AirSeat SeatNumber="C" SeatAvailability="1" SeatCharacteristics="3"/>
                <AirSeat SeatNumber="F" SeatAvailability="1" SeatCharacteristics="3"/>
                <AirSeat SeatNumber="G" SeatAvailability="1" SeatCharacteristics="3"/>
              </AirSeats>
            </AirRow>
          </AirRows>
        </CabinClass>
      </SeatMapDetails>
    </SeatMapResponse>
  </SeatMapResponses>
</OTA_AirSeatMapRS>

```

```

        <AirSeat SeatNumber="H" SeatAvailability="1" SeatCharacteristics="85"/>
    </AirSeats>
    <AirRowCharacteristics CharacteristicList="11"/>
</AirRow>
<AirRow RowNumber="3">
    <AirSeats>
        <AirSeat SeatNumber="A" SeatAvailability="1" SeatCharacteristics="85"/>
        <AirSeat SeatNumber="B" SeatAvailability="1" SeatCharacteristics="3"/>
        <AirSeat SeatNumber="G" SeatAvailability="1" SeatCharacteristics="3"/>
        <AirSeat SeatNumber="H" SeatAvailability="1" SeatCharacteristics="85"/>
    </AirSeats>
    <AirRowCharacteristics CharacteristicList="11"/>
</AirRow>
<AirRow RowNumber="4">
    <AirSeats>
        <AirSeat SeatNumber="A" SeatAvailability="1" SeatCharacteristics="85"/>
        <AirSeat SeatNumber="B" SeatAvailability="1" SeatCharacteristics="3"/>
        <AirSeat SeatNumber="G" SeatAvailability="1" SeatCharacteristics="3"/>
        <AirSeat SeatNumber="H" SeatAvailability="1" SeatCharacteristics="85"/>
    </AirSeats>
    <AirRowCharacteristics CharacteristicList="11"/>
</AirRow>
</AirRows>
</CabinClass>
</SeatMapDetails>
</SeatMapResponse>
<SeatMapResponse>
    <FlightSegmentInfo DepartureDateTime="2003-09-27T08:30:00" FlightNumber="101">
        <DepartureAirport LocationCode="BOM" />
        <ArrivalAirport LocationCode="LHR" />
        <Equipment AirEquipType="747"/>
        <MarketingAirline Code="AI"/>
    </FlightSegmentInfo>
    <SeatMapDetails>
        <CabinClass CabinType="First">
            <AirRows>
                <AirRow RowNumber="1">
                    <AirSeats>
                        <AirSeat SeatNumber="A" SeatAvailability="1" SeatCharacteristics="85"/>
                        <AirSeat SeatNumber="B" SeatAvailability="1" SeatCharacteristics="3"/>
                        <AirSeat SeatNumber="J" SeatAvailability="1" SeatCharacteristics="3"/>
                        <AirSeat SeatNumber="K" SeatAvailability="1" SeatCharacteristics="85"/>
                    </AirSeats>
                    <AirRowCharacteristics CharacteristicList="10"/>
                </AirRow>
                <AirRow RowNumber="2">
                    <AirSeats>
                        <AirSeat SeatNumber="A" SeatAvailability="1" SeatCharacteristics="85"/>
                        <AirSeat SeatNumber="B" SeatAvailability="1" SeatCharacteristics="3"/>
                        <AirSeat SeatNumber="J" SeatAvailability="1" SeatCharacteristics="3"/>
                        <AirSeat SeatNumber="K" SeatAvailability="1" SeatCharacteristics="85"/>
                    </AirSeats>
                    <AirRowCharacteristics CharacteristicList="10"/>
                </AirRow>
                <AirRow RowNumber="3">
                    <AirSeats>
                        <AirSeat SeatNumber="A" SeatAvailability="2" SeatCharacteristics="85"/>
                        <AirSeat SeatNumber="B" SeatAvailability="2" SeatCharacteristics="3"/>
                        <AirSeat SeatNumber="J" SeatAvailability="2" SeatCharacteristics="3"/>
                        <AirSeat SeatNumber="K" SeatAvailability="2" SeatCharacteristics="85"/>
                    </AirSeats>
                    <AirRowCharacteristics CharacteristicList="10"/>
                </AirRow>
                <AirRow RowNumber="10">
                    <AirSeats>
                        <AirSeat SeatNumber="A" SeatAvailability="2" SeatCharacteristics="85 35"/>

```

```

        <AirSeat SeatNumber="B" SeatAvailability="2" SeatCharacteristics="35 3"/>
        <AirSeat SeatNumber="J" SeatAvailability="2" SeatCharacteristics="35 3"/>
        <AirSeat SeatNumber="K" SeatAvailability="2" SeatCharacteristics="35 85"/>
    </AirSeats>
    <AirRowCharacteristics CharacteristicList="20"/>
</AirRow>
<AirRow RowNumber="11">
    <AirSeats>
        <AirSeat SeatNumber="A" SeatAvailability="2" SeatCharacteristics="85"/>
        <AirSeat SeatNumber="B" SeatAvailability="2" SeatCharacteristics="3"/>
        <AirSeat SeatNumber="J" SeatAvailability="2" SeatCharacteristics="3"/>
        <AirSeat SeatNumber="K" SeatAvailability="2" SeatCharacteristics="85"/>
    </AirSeats>
    <AirRowCharacteristics CharacteristicList="20"/>
</AirRow>
<AirRow RowNumber="12">
    <AirSeats>
        <AirSeat SeatNumber="A" SeatAvailability="2" SeatCharacteristics="85"/>
        <AirSeat SeatNumber="B" SeatAvailability="2" SeatCharacteristics="3"/>
        <AirSeat SeatNumber="J" SeatAvailability="2" SeatCharacteristics="3"/>
        <AirSeat SeatNumber="K" SeatAvailability="2" SeatCharacteristics="85"/>
    </AirSeats>
    <AirRowCharacteristics CharacteristicList="20"/>
</AirRow>
<AirRow RowNumber="15">
    <AirSeats>
        <AirSeat SeatNumber="A" SeatAvailability="1" SeatCharacteristics="85"/>
        <AirSeat SeatNumber="B" SeatAvailability="1" SeatCharacteristics="3"/>
        <AirSeat SeatNumber="J" SeatAvailability="1" SeatCharacteristics="3"/>
        <AirSeat SeatNumber="K" SeatAvailability="1" SeatCharacteristics="85"/>
    </AirSeats>
    <AirRowCharacteristics CharacteristicList="20"/>
</AirRow>
<AirRow RowNumber="16">
    <AirSeats>
        <AirSeat SeatNumber="A" SeatAvailability="1" SeatCharacteristics="85"/>
        <AirSeat SeatNumber="B" SeatAvailability="1" SeatCharacteristics="3"/>
        <AirSeat SeatNumber="J" SeatAvailability="1" SeatCharacteristics="3"/>
        <AirSeat SeatNumber="K" SeatAvailability="1" SeatCharacteristics="85"/>
    </AirSeats>
    <AirRowCharacteristics CharacteristicList="20"/>
</AirRow>
<AirRow RowNumber="17">
    <AirSeats>
        <AirSeat SeatNumber="A" SeatAvailability="2" SeatCharacteristics="86"/>
        <AirSeat SeatNumber="K" SeatAvailability="2" SeatCharacteristics="86"/>
    </AirSeats>
    <AirRowCharacteristics CharacteristicList="20"/>
</AirRow>
<AirRow RowNumber="18">
    <AirSeats>
        <AirSeat SeatNumber="K" SeatAvailability="2" SeatCharacteristics="34 86"/>
    </AirSeats>
    <AirRowCharacteristics CharacteristicList="20"/>
</AirRow>
</AirRows>
</CabinClass>
</SeatMapDetails>
</SeatMapResponse>
<AirTravelers>
    <AirTraveler PassengerTypeCode="ADT">
        <PersonName>
            <NamePrefix>Mr</NamePrefix>
            <GivenName>Sam</GivenName>
            <Surname>Jones</Surname>
        </PersonName>
    </AirTraveler>

```

```

        <CustLoyalty MembershipID="C12345" ProgramID="AI"/>
    </AirTraveler>
</AirTravelers>
</SeatMapResponses>
</OTA_AirSeatMapRS>

```

4.11.2. Use Case 2

4.11.2.1. Request: Seat Maps for Multiple Passengers with an Upgrade Requested

Mr. Sam Jones is traveling to London from Bombay with his friend John Smith on 2 Oct 03 on Air India 111 flight. Both have been booked in economy class. The booking was done by the Sabre agent 'Indian Travels Calcutta', with the IATA CODE 0001. The Sabre PNR is 123456 while the Air India PNR is H1234.

Mr. Jones is a Frequent Flier with Air India and his number is C12345. He has advised his travel agent that he would like to upgrade to a seat in the First class cabin.

The seat map request is sent with a request for the seat map of one flight segment in the itinerary for the two passengers in the PNR.

OTA_AirSeatMapRQ2.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirSeatMapRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_AirSeatMapRQ.xsd" Version="1.001">
  <POS>
    <Source>
      <RequestorID Type="5" ID="0001">
        <CompanyName>Indian Travels,Calcutta</CompanyName>
      </RequestorID>
    </Source>
  </POS>
  <SeatMapRequests>
    <SeatMapRequest>
      <FlightSegmentInfo DepartureDateTime="2003-02-10T06:30:00" FlightNumber="111">
        <DepartureAirport LocationCode="BOM" />
        <ArrivalAirport LocationCode="LHR" />
        <MarketingAirline Code="AI"/>
      </FlightSegmentInfo>
      <SeatDetails SeatUpgrade="true"/>
    </SeatMapRequest>
  </SeatMapRequests>
  <AirTravelers>
    <AirTraveler PassengerTypeCode="ADT">
      <PersonName>
        <NamePrefix>Mr.</NamePrefix>
        <GivenName>Sam</GivenName>
        <Surname>Jones</Surname>
      </PersonName>
      <CustLoyalty MembershipID="C12345" ProgramID="AI"/>
    </AirTraveler>
    <AirTraveler PassengerTypeCode="ADT">
      <PersonName>
        <NamePrefix>Mr.</NamePrefix>
        <GivenName>John</GivenName>

```

```

        <Surname>Smith</Surname>
      </PersonName>
      <CustLoyalty/>
    </AirTraveler>
  </AirTravelers>
  <BookingReferenceID Type="20" ID="H1234">
    <CompanyName Code="AI"/>
  </BookingReferenceID>
  <BookingReferenceID Type="20" ID="123456">
    <CompanyName Code="1W"/>
  </BookingReferenceID>
</OTA_AirSeatMapRQ>

```

4.11.2.2. Response: Seat Map for Two Cabins

Since Mr. Jones is booked in economy, but is hoping for an upgrade to first class, the seat availability is returned for both first and coach cabins.

OTA_AirSeatMapRS2.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirSeatMapRS Version="1.001" xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_AirSeatMapRS.xsd">
  <Success/>
  <SeatMapResponses>
    <SeatMapResponse SeatUpgradeApplied="true">
      <FlightSegmentInfo DepartureDateTime="2003-02-10T06:30:00" FlightNumber="111">
        <DepartureAirport LocationCode="BOM"/>
        <ArrivalAirport LocationCode="LHR"/>
        <Equipment AirEquipType="747"/>
        <MarketingAirline Code="AI"/>
      </FlightSegmentInfo>
      <SeatMapDetails>
        <CabinClass CabinType="First">
          <AirRows>
            <AirRow RowNumber="1">
              <AirSeats>
                <AirSeat SeatNumber="A" SeatAvailability="1" SeatCharacteristics="85"/>
                <AirSeat SeatNumber="B" SeatAvailability="1" SeatCharacteristics="3"/>
                <AirSeat SeatNumber="J" SeatAvailability="1" SeatCharacteristics="3"/>
                <AirSeat SeatNumber="K" SeatAvailability="1" SeatCharacteristics="85"/>
              </AirSeats>
              <AirRowCharacteristics CharacteristicList="10"/>
            </AirRow>
            <AirRow RowNumber="2">
              <AirSeats>
                <AirSeat SeatNumber="A" SeatAvailability="1" SeatCharacteristics="85"/>
                <AirSeat SeatNumber="B" SeatAvailability="1" SeatCharacteristics="3"/>
                <AirSeat SeatNumber="J" SeatAvailability="1" SeatCharacteristics="3"/>
                <AirSeat SeatNumber="K" SeatAvailability="1" SeatCharacteristics="85"/>
              </AirSeats>
              <AirRowCharacteristics CharacteristicList="10"/>
            </AirRow>
            <AirRow RowNumber="3">
              <AirSeats>
                <AirSeat SeatNumber="A" SeatAvailability="2" SeatCharacteristics="85"/>
                <AirSeat SeatNumber="B" SeatAvailability="2" SeatCharacteristics="3"/>
                <AirSeat SeatNumber="J" SeatAvailability="2" SeatCharacteristics="3"/>
                <AirSeat SeatNumber="K" SeatAvailability="2" SeatCharacteristics="85"/>
              </AirSeats>
            </AirRow>
          </AirRows>
        </CabinClass>
      </SeatMapDetails>
    </SeatMapResponse>
  </SeatMapResponses>
</OTA_AirSeatMapRS>

```

```

        <AirRowCharacteristics CharacteristicList="10"/>
    </AirRow>
    <AirRow RowNumber="10">
        <AirSeats>
            <AirSeat SeatNumber="A" SeatAvailability="2" SeatCharacteristics="85 35"/>
            <AirSeat SeatNumber="B" SeatAvailability="2" SeatCharacteristics="35 3"/>
            <AirSeat SeatNumber="J" SeatAvailability="2" SeatCharacteristics="35 3"/>
            <AirSeat SeatNumber="K" SeatAvailability="2" SeatCharacteristics="35 85"/>
        </AirSeats>
        <AirRowCharacteristics CharacteristicList="20"/>
    </AirRow>
    <AirRow RowNumber="11">
        <AirSeats>
            <AirSeat SeatNumber="A" SeatAvailability="2" SeatCharacteristics="85"/>
            <AirSeat SeatNumber="B" SeatAvailability="2" SeatCharacteristics="3"/>
            <AirSeat SeatNumber="J" SeatAvailability="2" SeatCharacteristics="3"/>
            <AirSeat SeatNumber="K" SeatAvailability="2" SeatCharacteristics="85"/>
        </AirSeats>
        <AirRowCharacteristics CharacteristicList="20"/>
    </AirRow>
    <AirRow RowNumber="12">
        <AirSeats>
            <AirSeat SeatNumber="A" SeatAvailability="2" SeatCharacteristics="85"/>
            <AirSeat SeatNumber="B" SeatAvailability="2" SeatCharacteristics="3"/>
            <AirSeat SeatNumber="J" SeatAvailability="2" SeatCharacteristics="3"/>
            <AirSeat SeatNumber="K" SeatAvailability="2" SeatCharacteristics="85"/>
        </AirSeats>
        <AirRowCharacteristics CharacteristicList="20"/>
    </AirRow>
    <AirRow RowNumber="15">
        <AirSeats>
            <AirSeat SeatNumber="A" SeatAvailability="1" SeatCharacteristics="85"/>
            <AirSeat SeatNumber="B" SeatAvailability="1" SeatCharacteristics="3"/>
            <AirSeat SeatNumber="J" SeatAvailability="1" SeatCharacteristics="3"/>
            <AirSeat SeatNumber="K" SeatAvailability="1" SeatCharacteristics="85"/>
        </AirSeats>
        <AirRowCharacteristics CharacteristicList="20"/>
    </AirRow>
    <AirRow RowNumber="16">
        <AirSeats>
            <AirSeat SeatNumber="A" SeatAvailability="1" SeatCharacteristics="85"/>
            <AirSeat SeatNumber="B" SeatAvailability="1" SeatCharacteristics="3"/>
            <AirSeat SeatNumber="J" SeatAvailability="1" SeatCharacteristics="3"/>
            <AirSeat SeatNumber="K" SeatAvailability="1" SeatCharacteristics="85"/>
        </AirSeats>
        <AirRowCharacteristics CharacteristicList="20"/>
    </AirRow>
    <AirRow RowNumber="17">
        <AirSeats>
            <AirSeat SeatNumber="A" SeatAvailability="2" SeatCharacteristics="86"/>
            <AirSeat SeatNumber="K" SeatAvailability="2" SeatCharacteristics="86"/>
        </AirSeats>
        <AirRowCharacteristics CharacteristicList="20"/>
    </AirRow>
    <AirRow RowNumber="18">
        <AirSeats>
            <AirSeat SeatNumber="K" SeatAvailability="2" SeatCharacteristics="34 86"/>
        </AirSeats>
        <AirRowCharacteristics CharacteristicList="20"/>
    </AirRow>
</AirRows>
</CabinClass>
<CabinClass CabinType="Economy">
    <AirRows>
        <AirRow RowNumber="31">
            <AirSeats>

```

```

        <AirRowCharacteristics CharacteristicList="10"/>
      </AirRow>
    <AirRow RowNumber="36">
      <AirSeats>
        <AirSeat SeatNumber="A" SeatCharacteristics="85"/>
        <AirSeat SeatNumber="B" SeatCharacteristics="12"/>
        <AirSeat SeatNumber="C" SeatCharacteristics="3"/>
        <AirSeat SeatNumber="H" SeatCharacteristics="3"/>
        <AirSeat SeatNumber="J" SeatCharacteristics="12"/>
        <AirSeat SeatNumber="K" SeatCharacteristics="85"/>
      </AirSeats>
      <AirRowCharacteristics CharacteristicList="10"/>
    </AirRow>
  </AirRows>
</CabinClass>
</SeatMapDetails>
</SeatMapResponse>
<AirTravelers>
  <AirTraveler PassengerTypeCode="ADT">
    <PersonName>
      <NamePrefix>Mr</NamePrefix>
      <GivenName>Sam</GivenName>
      <Surname>Jones</Surname>
    </PersonName>
    <CustLoyalty MembershipID="C12345" ProgramID="AI"/>
  </AirTraveler>
  <AirTraveler PassengerTypeCode="ADT">
    <PersonName>
      <NamePrefix>Mr.</NamePrefix>
      <GivenName>John</GivenName>
      <Surname>Smith</Surname>
    </PersonName>
    <CustLoyalty/>
  </AirTraveler>
</AirTravelers>
</SeatMapResponses>
</OTA_AirSeatMapRS>

```

4.12. OTA_AirBookModifyRQ/OTA_AirBookRS

The Book Modify Request message requests to modify an existing booking file. The message contains all elements of OTA_AirBookRQ plus a general type of modification, i.e. name change, split, cancel or other is indicated with the attribute 'ModificationType'.

The modification operation on the different elements is either indicated with the existing attribute 'Status' (for air segments, SSR's and seat requests) or with attribute 'Operation' of Type ActionType for the other elements (i.e. Other service information, remarks, AirTraveler Elements).

In the AirBookModifyRQ element all the data to be changed is submitted and in the AirReservation element all existing data may be submitted. This allows the receiving system to perform a consistency check before updating the booking file. In order to keep the message small, this can be omitted.

Changes to a booking may result in required updates of the ticket (e.g. revalidation), imply charges for a change, the pricing may change or some fees may need to be collected. In order to achieve a basic concept for AirBookModify

ticketing, pricing and fulfillment are out of scope and are not referenced in the following use cases.

The response to the OTA_AirBookModifyRQ message is the OTA_AirBookRS message.

4.12.1. Use Case 1

4.12.1.1. Request: Name change for one passenger

The name of passenger Anthony Miller is spelled incorrectly. His name is actually Anthony Mueller. This is the only change made to the booking file; itinerary and special service all remain the same. Additionally, processing will place the booking file on Queue 9 of city LHR.

Note(s): The sending of existing SpecialServiceRequests, SeatRequests, OtherServiceInformation or AirTraveler information (except for the passenger name and the RPH number) in the AirReservation element is optional.

OTA_AirBookModifyRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirBookModifyRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_AirBookModifyRQ.xsd" TimeStamp="2005-01-31T09:30:47" Target="Production" Version="1.000"
  SequenceNbr="1" PrimaryLangID="en-us">
  <POS>
    <Source PseudoCityCode="H1L" ISOCountry="CH" ISOCurrency="CHF" AirlineVendorID="XY"
      AirportCode="ZRH" ERSP_UserID="1234567890" TerminalID="019293893">
      <RequestorID Type="13" ID="12345678"/>
    </Source>
  </POS>
  <AirBookModifyRQ BookingReferenceID="ABCDEF" ModificationType="3">
    <TravelerInfo>
      <AirTraveler PassengerTypeCode="ADT">
        <PersonName>
          <GivenName>Anthony</GivenName>
          <Surname>Mueller</Surname>
          <NameTitle>Mr</NameTitle>
        </PersonName>
        <TravelerRefNumber RPH="3"/>
      </AirTraveler>
    </TravelerInfo>
    <Queues>
      <Queue PseudoCityCode="LHR" QueueNumber="9"/>
    </Queues>
  </AirBookModifyRQ>
  <AirReservation LastModified="2004-09-30T08:35:00">
    <AirItinerary DirectionInd="OneWay">
      <OriginDestinationOptions>
        <OriginDestinationOption>
          <FlightSegment DepartureDateTime="2005-09-30T08:35:00" ArrivalDateTime="2005-09-
30T11:25:00"
            RPH="1" FlightNumber="317" ResBookDesigCode="L" Status="30"
            NumberInParty="3">
            <DepartureAirport LocationCode="LHR"/>
            <ArrivalAirport LocationCode="ZRH"/>
            <MarketingAirline Code="LX"/>
          </FlightSegment>
        </OriginDestinationOption>
      </OriginDestinationOptions>
    </AirItinerary>
  </AirReservation>
</OTA_AirBookModifyRQ>
```

```

        <MarriageGrp>1</MarriageGrp>
    </FlightSegment>
    <FlightSegment DepartureDateTime="2005-09-30T12:30:00" ArrivalDateTime="2005-09-
30T15:10:00"
        RPH="2" FlightNumber="16" ResBookDesigCode="L" Status="30"
NumberInParty="3">
        <DepartureAirport LocationCode="ZRH"/>
        <ArrivalAirport LocationCode="JFK"/>
        <MarketingAirline Code="LX"/>
        <MarriageGrp>1</MarriageGrp>
    </FlightSegment>
</OriginDestinationOption>
<OriginDestinationOption>
    <FlightSegment DepartureDateTime="2005-10-10T17:20:00" ArrivalDateTime="2005-11-
10T07:05:00"
        RPH="3" FlightNumber="3001" ResBookDesigCode="L" Status="30"
NumberInParty="3">
        <DepartureAirport LocationCode="JFK"/>
        <ArrivalAirport LocationCode="ZRH"/>
        <OperatingAirline Code="AA" FlightNumber="0064"/>
        <MarketingAirline Code="LX"/>
    </FlightSegment>
</OriginDestinationOption>
</OriginDestinationOptions>
</Airtinerary>
<TravelerInfo>
    <AirTraveler PassengerTypeCode="ADT">
        <PersonName>
            <GivenName>Bertram</GivenName>
            <Surname>King</Surname>
            <NameTitle>Mr</NameTitle>
        </PersonName>
        <Telephone PhoneLocationType="5" PhoneTechType="1" PhoneNumber="41 43 8120073"/>
        <Email EmailType="2">b_king@email.com </Email>
        <Address FormattedInd="false" Type="1">
            <AddressLine>Hauptstrasse 3A</AddressLine>
            <AddressLine>8046 Zurich</AddressLine>
            <AddressLine>Switzerland</AddressLine>
        </Address>
        <CustLoyalty ProgramID="LX" MembershipID="015015437" LoyaltyLevel="FQTV"
VendorCode="LX"/>
    <TravelerRefNumber RPH="1"/>
</AirTraveler>
    <AirTraveler PassengerTypeCode="ADT">
        <PersonName>
            <GivenName>Jonathan</GivenName>
            <Surname>Ironheart</Surname>
            <NameTitle>Mr</NameTitle>
        </PersonName>
        <Telephone PhoneLocationType="5" PhoneTechType="1" PhoneNumber="41 43 8120073"/>
        <Email EmailType="2">iron@heart.com </Email>
        <Address FormattedInd="false" Type="1">
            <AddressLine>37 Mill Way</AddressLine>
            <AddressLine>CRD London 7HD</AddressLine>
            <AddressLine>England</AddressLine>
        </Address>
        <CustLoyalty ProgramID="AA" MembershipID="A123D45" LoyaltyLevel="FQTV"
VendorCode="LX"/>
    <TravelerRefNumber RPH="2"/>
</AirTraveler>
    <AirTraveler PassengerTypeCode="ADT">
        <PersonName>
            <GivenName>Anthony</GivenName>
            <Surname>Miller</Surname>
            <NameTitle>Mr</NameTitle>
        </PersonName>

```

```

        <Telephone PhoneLocationType="5" PhoneTechType="1" PhoneNumber="41 43 8120073"/>
        <Email EmailType="2">a_mueller@email.com </Email>
        <Address FormattedInd="false" Type="1">
            <AddressLine>Zeltweg 47</AddressLine>
            <AddressLine>8302 Kloten</AddressLine>
            <AddressLine>Switzerland</AddressLine>
        </Address>
        <CustLoyalty ProgramID="LX" MembershipID="03368437" LoyalLevel="Circle"
VendorCode="LX"/>
        <TravelerRefNumber RPH="3"/>
    </AirTraveler>
    <SpecialReqDetails>
        <SeatRequests>
            <SeatRequest SmokingAllowed="false" SeatNumber="34A"
TravelerRefNumberRPHList="1"
                FlightRefNumberRPHList="2" Status="30">
                    <DepartureAirport LocationCode="ZRH"/>
                    <ArrivalAirport LocationCode="JFK"/>
                </SeatRequest>
            <SeatRequest SmokingAllowed="false" SeatNumber="34B"
TravelerRefNumberRPHList="2"
                FlightRefNumberRPHList="2" Status="30">
                    <DepartureAirport LocationCode="ZRH"/>
                    <ArrivalAirport LocationCode="JFK"/>
                </SeatRequest>
        </SeatRequests>
        <SpecialServiceRequests>
            <SpecialServiceRequest SSRCode="VGML" TravelerRefNumberRPHList="2"
FlightRefNumberRPHList="1" Status="30">
                </SpecialServiceRequest>
            <SpecialServiceRequest SSRCode="VGML" TravelerRefNumberRPHList="2"
FlightRefNumberRPHList="2" Status="30">
                </SpecialServiceRequest>
            <SpecialServiceRequest SSRCode="VGML" TravelerRefNumberRPHList="2"
FlightRefNumberRPHList="3" Status="30">
                </SpecialServiceRequest>
        </SpecialServiceRequests>
        <OtherServiceInformations>
            <OtherServiceInformation>
                <TravelerRefNumber RPH="1"/>
                <Airline Code="LX"/>
                <Text>1VIP 1King/BertramMR</Text>
            </OtherServiceInformation>
        </OtherServiceInformations>
    </SpecialReqDetails>
</TravelerInfo>
</AirReservation>
</OTA_AirBookModifyRQ>

```

4.12.1.2. Response: Updated Booking File

The name is changed and returned with the same RPH as before.

OTA_AirBookRS3.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirBookRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_AirBookRS.xsd" Cancel="false" TimeStamp="2005-01-31T09:30:47-05:00" Target="Production"
Version="1.000" SequenceNmbr="1" TransactionStatusCode="Start" PrimaryLangID="en-us" AltLangID="en-
us">

    <Success/>

```

```

    <AirReservation LastModified="2004-09-30T08:35:00">
      <Airtinerary DirectionInd="OneWay">
        <OriginDestinationOptions>
          <OriginDestinationOption>
            <FlightSegment DepartureDateTime="2005-09-30T08:35:00" ArrivalDateTime="2005-09-
30T11:25:00"
              RPH="1" FlightNumber="317" ResBookDesigCode="L" Status="30"
NumberInParty="3">
              <DepartureAirport LocationCode="LHR"/>
              <ArrivalAirport LocationCode="ZRH"/>
              <MarketingAirline Code="LX"/>
              <MarriageGrp>1</MarriageGrp>
            </FlightSegment>
            <FlightSegment DepartureDateTime="2005-09-30T12:30:00" ArrivalDateTime="2005-09-
30T15:10:00"
              RPH="2" FlightNumber="16" ResBookDesigCode="L" Status="30"
NumberInParty="3">
              <DepartureAirport LocationCode="ZRH"/>
              <ArrivalAirport LocationCode="JFK"/>
              <MarketingAirline Code="LX"/>
              <MarriageGrp>1</MarriageGrp>
            </FlightSegment>
          </OriginDestinationOption>
          <OriginDestinationOption>
            <FlightSegment DepartureDateTime="2005-10-10T17:20:00" ArrivalDateTime="2005-11-
10T07:05:00"
              RPH="3" FlightNumber="3001" ResBookDesigCode="L" Status="30"
NumberInParty="3">
              <DepartureAirport LocationCode="JFK"/>
              <ArrivalAirport LocationCode="ZRH"/>
              <OperatingAirline Code="AA" FlightNumber="0064"/>
              <MarketingAirline Code="LX"/>
            </FlightSegment>
          </OriginDestinationOption>
        </OriginDestinationOptions>
      </Airtinerary>
      <TravelerInfo>
        <AirTraveler PassengerTypeCode="ADT">
          <PersonName>
            <GivenName>Bertram</GivenName>
            <Surname>King</Surname>
            <NameTitle>Mr</NameTitle>
          </PersonName>
          <Telephone PhoneLocationType="5" PhoneTechType="1" PhoneNumber="41 43 8120073"/>
          <Email EmailType="2">b_king@email.com </Email>
          <Address FormattedInd="false" Type="1">
            <AddressLine>Hauptstrasse 3A</AddressLine>
            <AddressLine>8046 Zurich</AddressLine>
            <AddressLine>Switzerland</AddressLine>
          </Address>
          <CustLoyalty ProgramID="LX" MembershipID="015015437" LoyaltyLevel="FQTV"
VendorCode="LX"/>
          <TravelerRefNumber RPH="1"/>
        </AirTraveler>
        <AirTraveler PassengerTypeCode="ADT">
          <PersonName>
            <GivenName>Jonathan</GivenName>
            <Surname>Ironheart</Surname>
            <NameTitle>Mr</NameTitle>
          </PersonName>
          <Telephone PhoneLocationType="5" PhoneTechType="1" PhoneNumber="41 43 8120073"/>
          <Email EmailType="2">iron@heart.com </Email>
          <Address FormattedInd="false" Type="1">
            <AddressLine>37 Mill Way</AddressLine>
            <AddressLine>CRD London 7HD</AddressLine>
            <AddressLine>England</AddressLine>

```

```

        </Address>
        <CustLoyalty ProgramID="AA" MembershipID="A123D45" LoyalLevel="FQTV"
VendorCode="LX"/>
        <TravelerRefNumber RPH="2"/>
    </AirTraveler>
    <AirTraveler PassengerTypeCode="ADT">
        <PersonName>
            <GivenName>Anthony</GivenName>
            <Surname>Mueller</Surname>
            <NameTitle>Mr</NameTitle>
        </PersonName>
        <Telephone PhoneLocationType="5" PhoneTechType="1" PhoneNumber="41 43 8120073"/>
        <Email EmailType="2">a_mueller@email.com </Email>
        <Address FormattedInd="false" Type="1">
            <AddressLine>Zeltweg 47</AddressLine>
            <AddressLine>8302 Kloten</AddressLine>
            <AddressLine>Switzerland</AddressLine>
        </Address>
        <CustLoyalty ProgramID="LX" MembershipID="03368437" LoyalLevel="Circle"
VendorCode="LX"/>
        <TravelerRefNumber RPH="3"/>
    </AirTraveler>
    <SpecialReqDetails>
        <SeatRequests>
            <SeatRequest SmokingAllowed="false" SeatNumber="34A"
TravelerRefNumberRPHList="1"
                FlightRefNumberRPHList="2" Status="30">
                    <DepartureAirport LocationCode="ZRH"/>
                    <ArrivalAirport LocationCode="JFK"/>
                </SeatRequest>
            <SeatRequest SmokingAllowed="false" SeatNumber="34B"
TravelerRefNumberRPHList="2"
                FlightRefNumberRPHList="2" Status="30">
                    <DepartureAirport LocationCode="ZRH"/>
                    <ArrivalAirport LocationCode="JFK"/>
                </SeatRequest>
        </SeatRequests>
        <SpecialServiceRequests>
            <SpecialServiceRequest SSRCode="VGML" TravelerRefNumberRPHList="2"
FlightRefNumberRPHList="1" Status="30">
                </SpecialServiceRequest>
            <SpecialServiceRequest SSRCode="VGML" TravelerRefNumberRPHList="2"
FlightRefNumberRPHList="2" Status="30">
                </SpecialServiceRequest>
            <SpecialServiceRequest SSRCode="VGML" TravelerRefNumberRPHList="2"
FlightRefNumberRPHList="3" Status="30">
                </SpecialServiceRequest>
        </SpecialServiceRequests>
        <OtherServiceInformations>
            <OtherServiceInformation>
                <TravelerRefNumber RPH="1"/>
                <Airline Code="LX"/>
                <Text>1VIP 1King/BertramMR</Text>
            </OtherServiceInformation>
        </OtherServiceInformations>
    </SpecialReqDetails>
</TravelerInfo>
</AirReservation>
</OTA_AirBookRS>

```

4.12.2. Use Case 2

4.12.2.1. Request: Split and update of a booking file message

Mr. Bertram King is unable to travel from London to New York via Zurich on 30 Sep 04. He is changing his travel plans to travel on 2 Oct 04 and wishes to reserve a seat and requests his vegetarian meals.

Note(s): The originally booked Seats and Meals do not need to be cancelled, as the Airline reservation systems usually do this automatically. However, if required, they can be specifically cancelled by sending them in the AirBookModifyRQ element with status="16" (cancelled).

As the return flight JFK-ZRH on 10 Nov 04 remains unchanged it does not need to be sent again in the AirBookModifyRQ element.

OTA_AirBookModifyRQ2.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirBookModifyRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_AirBookModifyRQ.xsd" TimeStamp="2005-01-31T09:30:47" Target="Production" Version="1.000"
  SequenceNbr="1" PrimaryLangID="en-us">
  <POS>
    <Source PseudoCityCode="H1L" ISOCountry="CH" ISOCurrency="CHF" AirlineVendorID="XY"
      AirportCode="ZRH" ERSP_UserID="1234567890" TerminalID="019293893">
      <RequestorID Type="13" ID="12345678"/>
    </Source>
  </POS>
  <AirBookModifyRQ BookingReferenceID="ABCDEF" ModificationType="7">
    <Airtinerary DirectionInd="OneWay">
      <OriginDestinationOptions>
        <OriginDestinationOption>
          <FlightSegment DepartureDateTime="2005-09-30T08:35:00" ArrivalDateTime="2005-09-
30T11:25:00"
            RPH="1" FlightNumber="317" ResBookDesigCode="L" Status="16"
            NumberInParty="1">
              <DepartureAirport LocationCode="LHR"/>
              <ArrivalAirport LocationCode="ZRH"/>
              <MarketingAirline Code="LX"/>
              <MarriageGrp>1</MarriageGrp>
            </FlightSegment>
          <FlightSegment DepartureDateTime="2005-09-30T12:30:00" ArrivalDateTime="2005-09-
30T15:10:00"
            RPH="2" FlightNumber="16" ResBookDesigCode="L" Status="16"
            NumberInParty="1">
              <DepartureAirport LocationCode="ZRH"/>
              <ArrivalAirport LocationCode="JFK"/>
              <MarketingAirline Code="LX"/>
              <MarriageGrp>1</MarriageGrp>
            </FlightSegment>
          </OriginDestinationOption>
          <OriginDestinationOption>
            <FlightSegment DepartureDateTime="2005-10-02T08:35:00" ArrivalDateTime="2005-10-
02T11:25:00"
              RPH="1" FlightNumber="317" ResBookDesigCode="L" Status="11"
              NumberInParty="1">
                <DepartureAirport LocationCode="LHR"/>
                <ArrivalAirport LocationCode="ZRH"/>
```

```

        <MarketingAirline Code="LX"/>
        <MarriageGrp>1</MarriageGrp>
    </FlightSegment>
    <FlightSegment DepartureDateTime="2005-10-02T12:30:00" ArrivalDateTime="2005-10-
02T15:10:00"
        RPH="2" FlightNumber="16" ResBookDesigCode="L" Status="11"
NumberInParty="1">
        <DepartureAirport LocationCode="ZRH"/>
        <ArrivalAirport LocationCode="JFK"/>
        <MarketingAirline Code="LX"/>
        <MarriageGrp>1</MarriageGrp>
    </FlightSegment>
    </OriginDestinationOption>
</OriginDestinationOptions>
</Airtinerary>
<TravelerInfo>
    <AirTraveler PassengerTypeCode="ADT">
        <PersonName>
            <GivenName>Bertram</GivenName>
            <Surname>King</Surname>
            <NameTitle>Mr</NameTitle>
        </PersonName>
        <TravelerRefNumber RPH="1"/>
    </AirTraveler>
    <SpecialReqDetails>
        <SeatRequests>
            <SeatRequest SmokingAllowed="false" SeatNumber="17A"
TravelerRefNumberRPHList="1"
                FlightRefNumberRPHList="2" Status="11">
                <DepartureAirport LocationCode="ZRH"/>
                <ArrivalAirport LocationCode="JFK"/>
            </SeatRequest>
        </SeatRequests>
        <SpecialServiceRequests>
            <SpecialServiceRequest SSRCode="VGML" TravelerRefNumberRPHList="1"
                FlightRefNumberRPHList="1" Status="11">
            </SpecialServiceRequest>
            <SpecialServiceRequest SSRCode="VGML" TravelerRefNumberRPHList="1"
                FlightRefNumberRPHList="2" Status="11">
            </SpecialServiceRequest>
        </SpecialServiceRequests>
        <Remarks>
            <Remark Operation="Add">Passenger unable to travel on original date.</Remark>
            <Remark Operation="Add">Passenger is travelling a day later</Remark>
        </Remarks>
    </SpecialReqDetails>
</TravelerInfo>
<Queues>
    <Queue PseudoCityCode="LHR" QueueNumber="9"/>
</Queues>
</AirBookModifyRQ>
<AirReservation LastModified="2004-09-30T08:35:00">
    <Airtinerary DirectionInd="OneWay">
        <OriginDestinationOptions>
            <OriginDestinationOption>
                <FlightSegment DepartureDateTime="2005-09-30T08:35:00" ArrivalDateTime="2005-09-
30T11:25:00"
                    RPH="1" FlightNumber="317" ResBookDesigCode="L" Status="30"
NumberInParty="3">
                    <DepartureAirport LocationCode="LHR"/>
                    <ArrivalAirport LocationCode="ZRH"/>
                    <MarketingAirline Code="LX"/>
                    <MarriageGrp>1</MarriageGrp>
                </FlightSegment>
                <FlightSegment DepartureDateTime="2005-09-30T12:30:00" ArrivalDateTime="2005-09-
30T15:10:00"

```

```

RPH="2" FlightNumber="16" ResBookDesigCode="L" Status="30"
NumberInParty="3">
  <DepartureAirport LocationCode="ZRH"/>
  <ArrivalAirport LocationCode="JFK"/>
  <MarketingAirline Code="LX"/>
  <MarriageGrp>1</MarriageGrp>
</FlightSegment>
</OriginDestinationOption>
<OriginDestinationOption>
  <FlightSegment DepartureDateTime="2005-10-10T17:20:00" ArrivalDateTime="2005-11-
10T07:05:00"
RPH="3" FlightNumber="3001" ResBookDesigCode="L" Status="30"
NumberInParty="3">
  <DepartureAirport LocationCode="JFK"/>
  <ArrivalAirport LocationCode="ZRH"/>
  <OperatingAirline Code="AA" FlightNumber="0064"/>
  <MarketingAirline Code="LX"/>
</FlightSegment>
</OriginDestinationOption>
</OriginDestinationOptions>
</Airtinerary>
<TravelerInfo>
  <AirTraveler PassengerTypeCode="ADT">
    <PersonName>
      <GivenName>Bertram</GivenName>
      <Surname>King</Surname>
      <NameTitle>Mr</NameTitle>
    </PersonName>
    <TravelerRefNumber RPH="1"/>
  </AirTraveler>
  <AirTraveler PassengerTypeCode="ADT">
    <PersonName>
      <GivenName>Jonathan</GivenName>
      <Surname>Ironheart</Surname>
      <NameTitle>Mr</NameTitle>
    </PersonName>
    <TravelerRefNumber RPH="2"/>
  </AirTraveler>
  <AirTraveler PassengerTypeCode="ADT">
    <PersonName>
      <GivenName>Anthony</GivenName>
      <Surname>Mueller</Surname>
      <NameTitle>Mr</NameTitle>
    </PersonName>
    <TravelerRefNumber RPH="3"/>
  </AirTraveler>
  <SpecialReqDetails>
    <SeatRequests>
      <SeatRequest SmokingAllowed="false" SeatNumber="34A"
TravelerRefNumberRPHList="1"
      FlightRefNumberRPHList="2" Status="30">
        <DepartureAirport LocationCode="ZRH"/>
        <ArrivalAirport LocationCode="JFK"/>
      </SeatRequest>
      <SeatRequest SmokingAllowed="false" SeatNumber="34B"
TravelerRefNumberRPHList="2"
      FlightRefNumberRPHList="2" Status="30">
        <DepartureAirport LocationCode="ZRH"/>
        <ArrivalAirport LocationCode="JFK"/>
      </SeatRequest>
    </SeatRequests>
    <SpecialServiceRequests>
      <SpecialServiceRequest SSRCode="VGML" TravelerRefNumberRPHList="2"
      FlightRefNumberRPHList="1" Status="30">
      </SpecialServiceRequest>
      <SpecialServiceRequest SSRCode="VGML" TravelerRefNumberRPHList="2"

```



```

        FlightRefNumberRPHList="2" Status="30">
      </SpecialServiceRequest>
      <SpecialServiceRequest SSRCode="VGML" TravelerRefNumberRPHList="2"
        FlightRefNumberRPHList="3" Status="30">
      </SpecialServiceRequest>
    </SpecialServiceRequests>
    <OtherServiceInformations>
      <OtherServiceInformation>
        <TravelerRefNumber RPH="1"/>
        <Airline Code="LX"/>
        <Text>1VIP 1King/BertramMR</Text>
      </OtherServiceInformation>
    </OtherServiceInformations>
  </SpecialReqDetails>
</TravelerInfo>
</AirReservation>
</OTA_AirBookModifyRQ>

```

4.12.2.2. Response: Split off Booking File

The response shows the split off booking file with the modifications.

OTA_AirBookRS4.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirBookRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_AirBookRS.xsd" Cancel="false" TimeStamp="2005-01-31T09:30:47-05:00" Target="Production"
  Version="1.000" SequenceNmbr="1" TransactionStatusCode="Start" PrimaryLangID="en-us" AltLangID="en-
  us">
  <Success/>
  <AirReservation BookingReferenceID="GHIJKL" LastModified="2004-09-30T08:35:00">
    <Airtinerary DirectionInd="OneWay">
      <OriginDestinationOptions>
        <OriginDestinationOption>
          <FlightSegment DepartureDateTime="2005-10-02T08:35:00" ArrivalDateTime="2005-10-
02T11:25:00"
            RPH="1" FlightNumber="317" ResBookDesigCode="L" Status="30"
            NumberInParty="1">
              <DepartureAirport LocationCode="LHR"/>
              <ArrivalAirport LocationCode="ZRH"/>
              <MarketingAirline Code="LX"/>
              <MarriageGrp>1</MarriageGrp>
            </FlightSegment>
          <FlightSegment DepartureDateTime="2005-10-02T12:30:00" ArrivalDateTime="2005-10-
02T15:10:00"
            RPH="2" FlightNumber="16" ResBookDesigCode="L" Status="30"
            NumberInParty="1">
              <DepartureAirport LocationCode="ZRH"/>
              <ArrivalAirport LocationCode="JFK"/>
              <MarketingAirline Code="LX"/>
              <MarriageGrp>1</MarriageGrp>
            </FlightSegment>
          </OriginDestinationOption>
          <OriginDestinationOption>
            <FlightSegment DepartureDateTime="2005-10-10T17:20:00" ArrivalDateTime="2005-11-
10T07:05:00"
              RPH="3" FlightNumber="3001" ResBookDesigCode="L" Status="30"
              NumberInParty="1">
                <DepartureAirport LocationCode="JFK"/>
                <ArrivalAirport LocationCode="ZRH"/>
                <OperatingAirline Code="AA" FlightNumber="0064"/>
                <MarketingAirline Code="LX"/>
              </FlightSegment>
            </OriginDestinationOption>
          </OriginDestinationOptions>
        </OriginDestinationOption>
      </Airtinerary>
    </AirReservation>
  </OTA_AirBookRS>

```

```

        </FlightSegment>
      </OriginDestinationOption>
    </OriginDestinationOptions>
  </Airtinerary>
  <TravelerInfo>
    <AirTraveler PassengerTypeCode="ADT">
      <PersonName>
        <GivenName>Bertram</GivenName>
        <Surname>King</Surname>
        <NameTitle>Mr</NameTitle>
      </PersonName>
      <TravelerRefNumber RPH="1"/>
    </AirTraveler>
    <SpecialReqDetails>
      <SeatRequests>
        <SeatRequest SmokingAllowed="false" SeatNumber="17A"
TravelerRefNumberRPHList="1"
FlightRefNumberRPHList="2" Status="30">
          <DepartureAirport LocationCode="ZRH"/>
          <ArrivalAirport LocationCode="JFK"/>
        </SeatRequest>
      </SeatRequests>
      <SpecialServiceRequests>
        <SpecialServiceRequest SSRCode="VGML" TravelerRefNumberRPHList="1"
FlightRefNumberRPHList="1" Status="30">
          </SpecialServiceRequest>
        <SpecialServiceRequest SSRCode="VGML" TravelerRefNumberRPHList="1"
FlightRefNumberRPHList="2" Status="30">
          </SpecialServiceRequest>
        </SpecialServiceRequests>
        <OtherServiceInformations>
          <OtherServiceInformation>
            <TravelerRefNumber RPH="1"/>
            <Airline Code="LX"/>
            <Text>1VIP 1King/BertramMR</Text>
          </OtherServiceInformation>
        </OtherServiceInformations>
        <Remarks>
          <Remark RPH="1">Passenger unable to travel on original date.</Remark>
          <Remark RPH="2">Passenger is travelling a day later</Remark>
        </Remarks>
      </SpecialReqDetails>
    </TravelerInfo>
  </AirReservation>
</OTA_AirBookRS>

```

4.12.3. Use Case 3

4.12.3.1. Request: Reduce number in party

Mr. Bertram King is not able to travel at all. His entire booking must be cancelled.

OTA_AirBookModifyRQ3.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirBookModifyRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_AirBookModifyRQ.xsd" TimeStamp="2005-01-31T09:30:47-05:00" Target="Production" Version="1.000"
SequenceNmbr="1" PrimaryLangID="en-us">

```

```

<POS>
  <Source PseudoCityCode="H1L" ISOCountry="CH" ISOCurrency="CHF" AirlineVendorID="XY"
AirportCode="ZRH" ERSP_UserID="1234567890" TerminalID="019293893">
    <RequestorID Type="13" ID="12345678"/>
  </Source>
</POS>
<AirBookModifyRQ BookingReferenceID="ABCDEF" ModificationType="2">
  <TravelerInfo>
    <AirTraveler PassengerTypeCode="ADT">
      <PersonName>
        <GivenName>Bertram</GivenName>
        <Surname>King</Surname>
        <NameTitle>Mr</NameTitle>
      </PersonName>
      <TravelerRefNumber RPH="1"/>
    </AirTraveler>
  </TravelerInfo>
</AirBookModifyRQ>
<AirReservation LastModified="2004-09-30T08:35:00"/>
</OTA_AirBookModifyRQ>

```

4.12.3.2. Response: Error, due to out of sync situation

The receiving system was not able to perform the reduce number in party transaction, due to an out of sync situation of the existing booking file, which was already cancelled (Code 95).

OTA_AirBookRS5.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirBookRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_AirBookRS.xsd" TimeStamp="2005-01-31T09:30:47-05:00" Target="Production" Version="1.000"
SequenceNbr="1" PrimaryLangID="en-us">
  <Errors>
    <Error Type="3" Code="95"/>
  </Errors>
</OTA_AirBookRS>

```

4.12.4. Use Case 4

4.12.4.1. Request: Cancellation of an entire booking file

Mr. Ironheart, Mr. King and Mr. Mueller are not able to travel at all. The entire booking must be cancelled.

OTA_AirBookModifyRQ4.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirBookModifyRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_AirBookModifyRQ.xsd" TimeStamp="2005-01-31T09:30:47-05:00" Target="Production" Version="1.000"
SequenceNbr="1" PrimaryLangID="en-us">
  <POS>
    <Source PseudoCityCode="H1L" ISOCountry="CH" ISOCurrency="CHF" AirlineVendorID="XY"
AirportCode="ZRH" ERSP_UserID="1234567890" TerminalID="019293893">
      <RequestorID Type="13" ID="12345678"/>
    </Source>

```

```

</POS>
<AirBookModifyRQ BookingReferenceID="ABCDEF" ModificationType="1"/>
<AirReservation LastModified="2004-09-10T08:35:00">
  <Airtinerary DirectionInd="OneWay">
    <OriginDestinationOptions>
      <OriginDestinationOption>
        <FlightSegment DepartureDateTime="2005-09-30T08:35:00" ArrivalDateTime="2005-09-
30T11:25:00" RPH="1" FlightNumber="317" ResBookDesigCode="L" Status="30" NumberInParty="3">
          <DepartureAirport LocationCode="LHR"/>
          <ArrivalAirport LocationCode="ZRH"/>
          <MarketingAirline Code="LX"/>
          <MarriageGrp>1</MarriageGrp>
        </FlightSegment>
        <FlightSegment DepartureDateTime="2005-09-30T12:30:00" ArrivalDateTime="2005-09-
30T15:10:00" RPH="2" FlightNumber="16" ResBookDesigCode="L" Status="30" NumberInParty="3">
          <DepartureAirport LocationCode="ZRH"/>
          <ArrivalAirport LocationCode="JFK"/>
          <MarketingAirline Code="LX"/>
          <MarriageGrp>1</MarriageGrp>
        </FlightSegment>
      </OriginDestinationOption>
      <OriginDestinationOption>
        <FlightSegment DepartureDateTime="2005-10-10T17:20:00" ArrivalDateTime="2005-11-
10T07:05:00" RPH="3" FlightNumber="3001" ResBookDesigCode="L" Status="30" NumberInParty="3">
          <DepartureAirport LocationCode="JFK"/>
          <ArrivalAirport LocationCode="ZRH"/>
          <OperatingAirline Code="AA" FlightNumber="0064"/>
          <MarketingAirline Code="LX"/>
        </FlightSegment>
      </OriginDestinationOption>
    </OriginDestinationOptions>
  </Airtinerary>
  <TravelerInfo>
    <AirTraveler PassengerTypeCode="ADT">
      <PersonName>
        <GivenName>Bertram</GivenName>
        <Surname>King</Surname>
        <NameTitle>Mr</NameTitle>
      </PersonName>
      <TravelerRefNumber RPH="1"/>
    </AirTraveler>
    <AirTraveler PassengerTypeCode="ADT">
      <PersonName>
        <GivenName>Jonathan</GivenName>
        <Surname>Ironheart</Surname>
        <NameTitle>Mr</NameTitle>
      </PersonName>
      <TravelerRefNumber RPH="2"/>
    </AirTraveler>
    <AirTraveler PassengerTypeCode="ADT">
      <PersonName>
        <GivenName>Anthony</GivenName>
        <Surname>Mueller</Surname>
        <NameTitle>Mr</NameTitle>
      </PersonName>
      <TravelerRefNumber RPH="3"/>
    </AirTraveler>
  </TravelerInfo>
</AirReservation>
</OTA_AirBookModifyRQ>

```

4.12.4.2. Response: Cancelled booking file

The booking file was successfully cancelled.

OTA_AirBookRS6.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirBookRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_AirBookRS.xsd" TimeStamp="2005-01-31T09:30:47-05:00" Target="Production" Version="1.000"
SequenceNmbr="1" PrimaryLangID="en-us">
<Success/>
<AirReservation BookingReferenceID="ABCDEF" LastModified="2004-09-30T08:35:00"/>
</OTA_AirBookRS>
```

4.12.5. Use Case 5

4.12.5.1. Request: Itinerary Modification

Mr. Ironheart, Mr. King and Mr Mueller are not able to travel on 30 Sep 04. They wish to travel on 2 Oct.04 instead on the same flight numbers. The segments LHR-ZRH and ZRH-JFK in L class are cancelled with Status="16". From LHR to ZRH L class is still available and the new flight segment is requested in L class on 2 Oct 04. From ZRH to JFK L class is no longer available so the passengers decide to fly C class.

Note: In the example below, the original seat and meal requests are automatically cancelled with the cancellation of the segments. If the passengers wish to request these services again, they have to be requested in the AirBookModifyRQ Element.

OTA_AirBookModifyRQ5.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirBookModifyRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_AirBookModifyRQ.xsd" TimeStamp="2005-01-31T09:30:47-05:00" Target="Production" Version="1.000"
SequenceNmbr="1" PrimaryLangID="en-us">
  <POS>
    <Source PseudoCityCode="H1L" ISOCountry="CH" ISOCurrency="CHF" AirlineVendorID="XY"
AirportCode="ZRH" ERSF_UserID="1234567890" TerminalID="019293893">
      <RequestorID Type="13" ID="12345678"/>
    </Source>
  </POS>
  <AirBookModifyRQ BookingReferenceID="ABCDEF" ModificationType="5">
    <AirItinerary DirectionInd="OneWay">
      <OriginDestinationOptions>
        <OriginDestinationOption>
          <FlightSegment DepartureDateTime="2005-09-30T08:35:00" ArrivalDateTime="2005-09-30T11:25:00" RPH="1" FlightNumber="317" ResBookDesignCode="L" Status="16" NumberInParty="3">
            <DepartureAirport LocationCode="LHR"/>
            <ArrivalAirport LocationCode="ZRH"/>
            <MarketingAirline Code="LX"/>
            <MarriageGrp>1</MarriageGrp>
          </FlightSegment>
          <FlightSegment DepartureDateTime="2005-09-30T12:30:00" ArrivalDateTime="2005-09-30T15:10:00" RPH="2" FlightNumber="16" ResBookDesignCode="L" Status="16" NumberInParty="3">
            <DepartureAirport LocationCode="ZRH"/>
            <ArrivalAirport LocationCode="JFK"/>
            <MarketingAirline Code="LX"/>
            <MarriageGrp>1</MarriageGrp>
          </FlightSegment>
        </OriginDestinationOption>
      </OriginDestinationOptions>
    </AirItinerary>
  </AirBookModifyRQ>
</OTA_AirBookModifyRQ>
```

```

        </FlightSegment>
      </OriginDestinationOption>
    </OriginDestinationOptions>
    <FlightSegment DepartureDateTime="2005-10-02T08:35:00" ArrivalDateTime="2005-10-
02T11:25:00" RPH="1" FlightNumber="317" ResBookDesigCode="L" Status="11" NumberInParty="3">
      <DepartureAirport LocationCode="LHR"/>
      <ArrivalAirport LocationCode="ZRH"/>
      <MarketingAirline Code="LX"/>
    </FlightSegment>
    <FlightSegment DepartureDateTime="2005-10-02T12:30:00" ArrivalDateTime="2005-10-
02T15:10:00" RPH="2" FlightNumber="16" ResBookDesigCode="C" Status="11" NumberInParty="3">
      <DepartureAirport LocationCode="ZRH"/>
      <ArrivalAirport LocationCode="JFK"/>
      <MarketingAirline Code="LX"/>
    </FlightSegment>
  </OriginDestinationOption>
</OriginDestinationOptions>
</Airtinerary>
</AirBookModifyRQ>
<AirReservation LastModified="2004-09-30T08:35:00">
  <Airtinerary DirectionInd="OneWay">
    <OriginDestinationOptions>
      <OriginDestinationOption>
        <FlightSegment DepartureDateTime="2005-09-30T08:35:00" ArrivalDateTime="2005-09-
30T11:25:00" RPH="1" FlightNumber="317" ResBookDesigCode="L" Status="30" NumberInParty="3">
          <DepartureAirport LocationCode="LHR"/>
          <ArrivalAirport LocationCode="ZRH"/>
          <MarketingAirline Code="LX"/>
          <MarriageGrp>1</MarriageGrp>
        </FlightSegment>
        <FlightSegment DepartureDateTime="2005-09-30T12:30:00" ArrivalDateTime="2005-09-
30T15:10:00" RPH="2" FlightNumber="16" ResBookDesigCode="L" Status="30" NumberInParty="3">
          <DepartureAirport LocationCode="ZRH"/>
          <ArrivalAirport LocationCode="JFK"/>
          <MarketingAirline Code="LX"/>
          <MarriageGrp>1</MarriageGrp>
        </FlightSegment>
      </OriginDestinationOption>
    </OriginDestinationOptions>
    <FlightSegment DepartureDateTime="2005-10-10T17:20:00" ArrivalDateTime="2005-11-
10T07:05:00" RPH="3" FlightNumber="3001" ResBookDesigCode="L" Status="30" NumberInParty="3">
      <DepartureAirport LocationCode="JFK"/>
      <ArrivalAirport LocationCode="ZRH"/>
      <OperatingAirline Code="AA" FlightNumber="0064"/>
      <MarketingAirline Code="LX"/>
    </FlightSegment>
  </OriginDestinationOption>
</OriginDestinationOptions>
</Airtinerary>
<TravelerInfo>
  <AirTraveler PassengerTypeCode="ADT">
    <PersonName>
      <GivenName>Bertram</GivenName>
      <Surname>King</Surname>
      <NameTitle>Mr</NameTitle>
    </PersonName>
    <TravelerRefNumber RPH="1"/>
  </AirTraveler>
  <AirTraveler PassengerTypeCode="ADT">
    <PersonName>
      <GivenName>Jonathan</GivenName>
      <Surname>Ironheart</Surname>
      <NameTitle>Mr</NameTitle>
    </PersonName>
    <TravelerRefNumber RPH="2"/>
  </AirTraveler>

```

```

    <AirTraveler PassengerTypeCode="ADT">
      <PersonName>
        <GivenName>Anthony</GivenName>
        <Surname>Mueller</Surname>
        <NameTitle>Mr</NameTitle>
      </PersonName>
      <TravelerRefNumber RPH="3"/>
    </AirTraveler>
  </TravelerInfo>
</AirReservation>
</OTA_AirBookModifyRQ>

```

4.12.5.2. Response: Updated Booking File

The booking file was successfully updated.

OTA_AirBookRS7.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirBookRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_AirBookRS.xsd" Cancel="false" TimeStamp="2005-01-31T09:30:47-05:00" Target="Production"
  Version="1.000" SequenceNmbr="1" TransactionStatusCode="Start" PrimaryLangID="en-us" AltLangID="en-
us">
  <Success/>
  <AirReservation BookingReferenceID="ABCDEF" LastModified="2004-09-30T08:35:00">
    <Airtinerary DirectionInd="OneWay">
      <OriginDestinationOptions>
        <OriginDestinationOption>
          <FlightSegment DepartureDateTime="2005-10-02T08:35:00" ArrivalDateTime="2005-10-
02T11:25:00" RPH="1" FlightNumber="317" ResBookDesigCode="L" Status="30" NumberInParty="3">
            <DepartureAirport LocationCode="LHR"/>
            <ArrivalAirport LocationCode="ZRH"/>
            <MarketingAirline Code="LX"/>
          </FlightSegment>
          <FlightSegment DepartureDateTime="2005-10-02T12:30:00" ArrivalDateTime="2005-10-
02T15:10:00" RPH="2" FlightNumber="16" ResBookDesigCode="C" Status="30" NumberInParty="3">
            <DepartureAirport LocationCode="ZRH"/>
            <ArrivalAirport LocationCode="JFK"/>
            <MarketingAirline Code="LX"/>
          </FlightSegment>
        </OriginDestinationOption>
        <OriginDestinationOption>
          <FlightSegment DepartureDateTime="2005-10-10T17:20:00" ArrivalDateTime="2005-11-
10T07:05:00" RPH="3" FlightNumber="3001" ResBookDesigCode="L" Status="30" NumberInParty="3">
            <DepartureAirport LocationCode="JFK"/>
            <ArrivalAirport LocationCode="ZRH"/>
            <OperatingAirline Code="AA" FlightNumber="0064"/>
            <MarketingAirline Code="LX"/>
          </FlightSegment>
        </OriginDestinationOption>
      </OriginDestinationOptions>
    </Airtinerary>
    <TravelerInfo>
      <AirTraveler PassengerTypeCode="ADT">
        <PersonName>
          <GivenName>Bertram</GivenName>
          <Surname>King</Surname>
          <NameTitle>Mr</NameTitle>
        </PersonName>
        <TravelerRefNumber RPH="1"/>
      </AirTraveler>
    <AirTraveler PassengerTypeCode="ADT">

```

```

        <PersonName>
          <GivenName>Jonathan</GivenName>
          <Surname>Ironheart</Surname>
          <NameTitle>Mr</NameTitle>
        </PersonName>
        <TravelerRefNumber RPH="2"/>
      </AirTraveler>
      <AirTraveler PassengerTypeCode="ADT">
        <PersonName>
          <GivenName>Anthony</GivenName>
          <Surname>Mueller</Surname>
          <NameTitle>Mr</NameTitle>
        </PersonName>
        <TravelerRefNumber RPH="3"/>
      </AirTraveler>
    </TravelerInfo>
  </AirReservation>
</OTA_AirBookRS>

```

4.12.6. Use Case 6

4.12.6.1. Request: Modification of a seat or special service request

Mr. Mueller has changed his mind. He would prefer an Asian vegetarian meal to the western vegetarian meal already requested. Additionally, all three gentlemen require wheelchairs (WCHR) on all three segments.

OTA_AirBookModifyRQ6.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirBookModifyRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_AirBookModifyRQ.xsd" TimeStamp="2005-01-31T09:30:47-05:00" Target="Production" Version="1.000"
  SequenceNbr="1" PrimaryLangID="en-us">
  <POS>
    <Source PseudoCityCode="H1L" ISOCountry="CH" ISOCurrency="CHF" AirlineVendorID="XY"
      AirportCode="ZRH" ERSP_UserID="1234567890" TerminalID="019293893">
      <RequestorID Type="13" ID="12345678"/>
    </Source>
  </POS>
  <AirBookModifyRQ BookingReferenceID="ABCDEF" ModificationType="5">
    <TravelerInfo>
      <SpecialReqDetails>
        <SpecialServiceRequests>
          <SpecialServiceRequest SSRCode="VGML" TravelerRefNumberRPHList="2"
            FlightRefNumberRPHList="1" Status="16"/>
          <SpecialServiceRequest SSRCode="VGML" TravelerRefNumberRPHList="2"
            FlightRefNumberRPHList="2" Status="16"/>
          <SpecialServiceRequest SSRCode="VGML" TravelerRefNumberRPHList="2"
            FlightRefNumberRPHList="3" Status="16"/>
          <SpecialServiceRequest SSRCode="AVML" TravelerRefNumberRPHList="2"
            FlightRefNumberRPHList="1" Status="11"/>
          <SpecialServiceRequest SSRCode="AVML" TravelerRefNumberRPHList="2"
            FlightRefNumberRPHList="2" Status="11"/>
          <SpecialServiceRequest SSRCode="AVML" TravelerRefNumberRPHList="2"
            FlightRefNumberRPHList="3" Status="11"/>
          <SpecialServiceRequest SSRCode="WCHR" TravelerRefNumberRPHList="1"
            FlightRefNumberRPHList="1" Status="11"/>
          <SpecialServiceRequest SSRCode="WCHR" TravelerRefNumberRPHList="1"
            FlightRefNumberRPHList="2" Status="11"/>

```

```

        <SpecialServiceRequest SSRCode="WCHR" TravelerRefNumberRPHList="1"
FlightRefNumberRPHList="3" Status="11"/>
        <SpecialServiceRequest SSRCode="WCHR" TravelerRefNumberRPHList="2"
FlightRefNumberRPHList="1" Status="11"/>
        <SpecialServiceRequest SSRCode="WCHR" TravelerRefNumberRPHList="2"
FlightRefNumberRPHList="2" Status="11"/>
        <SpecialServiceRequest SSRCode="WCHR" TravelerRefNumberRPHList="2"
FlightRefNumberRPHList="3" Status="11"/>
        <SpecialServiceRequest SSRCode="WCHR" TravelerRefNumberRPHList="3"
FlightRefNumberRPHList="1" Status="11"/>
        <SpecialServiceRequest SSRCode="WCHR" TravelerRefNumberRPHList="3"
FlightRefNumberRPHList="2" Status="11"/>
        <SpecialServiceRequest SSRCode="WCHR" TravelerRefNumberRPHList="3"
FlightRefNumberRPHList="3" Status="11"/>
    </SpecialServiceRequests>
</SpecialReqDetails>
</TravelerInfo>
</AirBookModifyRQ>
<AirReservation LastModified="2004-09-30T08:35:00">
    <Airtinerary DirectionInd="OneWay">
        <OriginDestinationOptions>
            <OriginDestinationOption>
                <FlightSegment DepartureDateTime="2005-09-30T08:35:00" ArrivalDateTime="2005-09-
30T11:25:00" RPH="1" FlightNumber="317" ResBookDesigCode="L" Status="30" NumberInParty="3">
                    <DepartureAirport LocationCode="LHR"/>
                    <ArrivalAirport LocationCode="ZRH"/>
                    <MarketingAirline Code="LX"/>
                    <MarriageGrp>1</MarriageGrp>
                </FlightSegment>
                <FlightSegment DepartureDateTime="2005-09-30T12:30:00" ArrivalDateTime="2005-09-
30T15:10:00" RPH="2" FlightNumber="16" ResBookDesigCode="L" Status="30" NumberInParty="3">
                    <DepartureAirport LocationCode="ZRH"/>
                    <ArrivalAirport LocationCode="JFK"/>
                    <MarketingAirline Code="LX"/>
                    <MarriageGrp>1</MarriageGrp>
                </FlightSegment>
            </OriginDestinationOption>
            <OriginDestinationOption>
                <FlightSegment DepartureDateTime="2005-10-10T17:20:00" ArrivalDateTime="2005-11-
10T07:05:00" RPH="3" FlightNumber="3001" ResBookDesigCode="L" Status="30" NumberInParty="3">
                    <DepartureAirport LocationCode="JFK"/>
                    <ArrivalAirport LocationCode="ZRH"/>
                    <OperatingAirline Code="AA" FlightNumber="0064"/>
                    <MarketingAirline Code="LX"/>
                </FlightSegment>
            </OriginDestinationOption>
        </OriginDestinationOptions>
    </Airtinerary>
</TravelerInfo>
    <AirTraveler PassengerTypeCode="ADT">
        <PersonName>
            <GivenName>Bertram</GivenName>
            <Surname>King</Surname>
            <NameTitle>Mr</NameTitle>
        </PersonName>
        <TravelerRefNumber RPH="1"/>
    </AirTraveler>
    <AirTraveler PassengerTypeCode="ADT">
        <PersonName>
            <GivenName>Jonathan</GivenName>
            <Surname>Ironheart</Surname>
            <NameTitle>Mr</NameTitle>
        </PersonName>
        <TravelerRefNumber RPH="2"/>
    </AirTraveler>
    <AirTraveler PassengerTypeCode="ADT">

```

```

        <PersonName>
          <GivenName>Anthony</GivenName>
          <Surname>Mueller</Surname>
          <NameTitle>Mr</NameTitle>
        </PersonName>
        <TravelerRefNumber RPH="3"/>
      </AirTraveler>
    <SpecialReqDetails>
      <SpecialServiceRequests>
        <SpecialServiceRequest SSRCode="VGML" TravelerRefNumberRPHList="2"
FlightRefNumberRPHList="1" Status="30">
          </SpecialServiceRequest>
        <SpecialServiceRequest SSRCode="VGML" TravelerRefNumberRPHList="2"
FlightRefNumberRPHList="2" Status="30">
          </SpecialServiceRequest>
        <SpecialServiceRequest SSRCode="VGML" TravelerRefNumberRPHList="2"
FlightRefNumberRPHList="3" Status="30">
          </SpecialServiceRequest>
        </SpecialServiceRequests>
      </SpecialReqDetails>
    </TravelerInfo>
  </AirReservation>
</OTA_AirBookModifyRQ>

```

4.12.6.2. Request: Modified Booking file

The following section represents an optimized rendition of the SpecialServiceRequest elements in the AirBookModifyRQ Schema. This leverages the OTA ListOfRPH type that allows for multiple RPH values to be carried in a single field. This results in a more compact message, but may not be as readily understood. Trading partners may choose to use either of these approaches, depending on their needs.

OTA_AirBookRQ7.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirBookModifyRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_AirBookModifyRQ.xsd" TimeStamp="2005-01-31T09:30:47-05:00" Target="Production" Version="1.000"
SequenceNmbr="1" PrimaryLangID="en-us">
  <POS>
    <Source PseudoCityCode="H1L" ISOCountry="CH" ISOCurrency="CHF" AirlineVendorID="XY"
AirportCode="ZRH" ERSP_UserID="1234567890" TerminalID="019293893">
      <RequestorID Type="13" ID="12345678"/>
    </Source>
  </POS>
  <AirBookModifyRQ BookingReferenceID="ABCDEF" ModificationType="5">
    <TravelerInfo>
      <SpecialReqDetails>
        <SpecialServiceRequests>
          <SpecialServiceRequest SSRCode="VGML" TravelerRefNumberRPHList="2"
FlightRefNumberRPHList="1 2 3" Status="16"/>
          <SpecialServiceRequest SSRCode="AVML" TravelerRefNumberRPHList="2"
FlightRefNumberRPHList="1 2 3" Status="11"/>
          <SpecialServiceRequest SSRCode="WCHR" TravelerRefNumberRPHList="1 2 3"
FlightRefNumberRPHList="1 2 3" Status="11"/>
        </SpecialServiceRequests>
      </SpecialReqDetails>
    </TravelerInfo>
  </AirBookModifyRQ>
</OTA_AirBookModifyRQ>

```

4.12.6.3. Response: Modified Booking file

The transaction was processed, but Asian vegetarian meals are not offered on the flights, therefore a warning was issued (code 115):

OTA_AirBookRS8.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirBookRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_AirBookRS.xsd" TimeStamp="2005-01-31T09:30:47-05:00" Target="Production" Version="1.000"
SequenceNmbr="1" PrimaryLangID="en-us">
<Success/>
<Warnings>
  <Warning Type="1" Code="115"/>
</Warnings>
<AirReservation LastModified="2004-09-30T08:35:00">
  <Airtinerary DirectionInd="OneWay">
    <OriginDestinationOptions>
      <OriginDestinationOption>
        <FlightSegment DepartureDateTime="2005-09-30T08:35:00" ArrivalDateTime="2005-09-
30T11:25:00" RPH="1" FlightNumber="317" ResBookDesigCode="L" Status="30" NumberInParty="3">
          <DepartureAirport LocationCode="LHR"/>
          <ArrivalAirport LocationCode="ZRH"/>
          <MarketingAirline Code="LX"/>
          <MarriageGrp>1</MarriageGrp>
        </FlightSegment>
        <FlightSegment DepartureDateTime="2005-09-30T12:30:00" ArrivalDateTime="2005-09-
30T15:10:00" RPH="2" FlightNumber="16" ResBookDesigCode="L" Status="30" NumberInParty="3">
          <DepartureAirport LocationCode="ZRH"/>
          <ArrivalAirport LocationCode="JFK"/>
          <MarketingAirline Code="LX"/>
          <MarriageGrp>1</MarriageGrp>
        </FlightSegment>
      </OriginDestinationOption>
      <OriginDestinationOption>
        <FlightSegment DepartureDateTime="2005-10-10T17:20:00" ArrivalDateTime="2005-11-
10T07:05:00" RPH="3" FlightNumber="3001" ResBookDesigCode="L" Status="30" NumberInParty="3">
          <DepartureAirport LocationCode="JFK"/>
          <ArrivalAirport LocationCode="ZRH"/>
          <OperatingAirline Code="AA" FlightNumber="0064"/>
          <MarketingAirline Code="LX"/>
        </FlightSegment>
      </OriginDestinationOption>
    </OriginDestinationOptions>
  </Airtinerary>
  <TravelerInfo>
    <AirTraveler PassengerTypeCode="ADT">
      <PersonName>
        <GivenName>Bertram</GivenName>
        <Surname>King</Surname>
        <NameTitle>Mr</NameTitle>
      </PersonName>
      <TravelerRefNumber RPH="1"/>
    </AirTraveler>
    <AirTraveler PassengerTypeCode="ADT">
      <PersonName>
        <GivenName>Jonathan</GivenName>
        <Surname>Ironheart</Surname>
        <NameTitle>Mr</NameTitle>
      </PersonName>
```

```

        <TravelerRefNumber RPH="2"/>
    </AirTraveler>
    <AirTraveler PassengerTypeCode="ADT">
        <PersonName>
            <GivenName>Anthony</GivenName>
            <Surname>Mueller</Surname>
            <NameTitle>Mr</NameTitle>
        </PersonName>
        <TravelerRefNumber RPH="3"/>
    </AirTraveler>
    <SpecialReqDetails>
        <SpecialServiceRequests>
            <SpecialServiceRequest SSRCode="WCHR" TravelerRefNumberRPHList="1 2 3"
FlightRefNumberRPHList="1 2 3" Status="30"/>
        </SpecialServiceRequests>
    </SpecialReqDetails>
</TravelerInfo>
</AirReservation>
</OTA_AirBookRS>

```

4.12.7. Use Case 7

4.12.7.1. Request: Modification of Other Service Information

Mr. King has been recognized as a VIP on the original booking. It is later realized that he is actually a CIP who gets a different treatment. The original OSI VIP must be deleted and a new OSI CIP must be added to the booking. Additionally an OSI with the language code is supplied.

Note: The sending of the original OSI VIP in the element AirReservation is optional.

OTA_AirBookModifyRQ8.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirBookModifyRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_AirBookModifyRQ.xsd" TimeStamp="2005-01-31T09:30:47-05:00" Target="Production" Version="1.00"
SequenceNbr="1" PrimaryLangID="en-us" >
    <POS>
        <Source PseudoCityCode="H1L" ISOCountry="CH" ISOCurrency="CHF" AirlineVendorID="XY"
AirportCode="ZRH" ERSP_UserID="1234567890" TerminalID="019293893">
            <RequestorID Type="13" ID="12345678"/>
        </Source>
    </POS>
    <AirBookModifyRQ BookingReferenceID="ABCDEF" ModificationType="5">
        <TravelerInfo>
            <SpecialReqDetails>
                <OtherServiceInformations>
                    <OtherServiceInformation Operation="Delete">
                        <TravelerRefNumber RPH="1"/>
                        <Airline Code="LX"/>
                        <Text>1VIP 1KING/BMR</Text>
                    </OtherServiceInformation>
                    <OtherServiceInformation Operation="Add">
                        <TravelerRefNumber RPH="1"/>
                        <Airline Code="LX"/>
                        <Text>1CIP 1KING/BMR</Text>
                    </OtherServiceInformation>
                </OtherServiceInformations>
            </SpecialReqDetails>
        </TravelerInfo>
    </AirBookModifyRQ>
</OTA_AirBookModifyRQ>

```

```

        <OtherServiceInformation Operation="Add">
            <TravelerRefNumber RPH="1"/>
            <Airline Code="LX"/>
            <Text>Language German</Text>
        </OtherServiceInformation>
    </OtherServiceInformations>
</SpecialReqDetails>
</TravelerInfo>
</AirBookModifyRQ>
<AirReservation LastModified="2004-09-30T08:35:00">
    <Airtinerary DirectionInd="OneWay">
        <OriginDestinationOptions>
            <OriginDestinationOption>
                <FlightSegment DepartureDateTime="2005-09-30T08:35:00" ArrivalDateTime="2005-09-30T11:25:00" RPH="1" FlightNumber="317" ResBookDesigCode="L" Status="30" NumberInParty="3">
                    <DepartureAirport LocationCode="LHR"/>
                    <ArrivalAirport LocationCode="ZRH"/>
                    <MarketingAirline Code="LX"/>
                    <MarriageGrp>1</MarriageGrp>
                </FlightSegment>
                <FlightSegment DepartureDateTime="2005-09-30T12:30:00" ArrivalDateTime="2005-09-30T15:10:00" RPH="2" FlightNumber="16" ResBookDesigCode="L" Status="30" NumberInParty="3">
                    <DepartureAirport LocationCode="ZRH"/>
                    <ArrivalAirport LocationCode="JFK"/>
                    <MarketingAirline Code="LX"/>
                    <MarriageGrp>1</MarriageGrp>
                </FlightSegment>
            </OriginDestinationOption>
        </OriginDestinationOptions>
        <FlightSegment DepartureDateTime="2005-10-10T17:20:00" ArrivalDateTime="2005-11-10T07:05:00" RPH="3" FlightNumber="3001" ResBookDesigCode="L" Status="30" NumberInParty="3">
            <DepartureAirport LocationCode="JFK"/>
            <ArrivalAirport LocationCode="ZRH"/>
            <OperatingAirline Code="AA" FlightNumber="0064"/>
            <MarketingAirline Code="LX"/>
        </FlightSegment>
    </OriginDestinationOption>
</Airtinerary>
<TravelerInfo>
    <AirTraveler PassengerTypeCode="ADT">
        <PersonName>
            <GivenName>Bertram</GivenName>
            <Surname>King</Surname>
            <NameTitle>Mr</NameTitle>
        </PersonName>
        <TravelerRefNumber RPH="1"/>
    </AirTraveler>
    <AirTraveler PassengerTypeCode="ADT">
        <PersonName>
            <GivenName>Jonathan</GivenName>
            <Surname>Ironheart</Surname>
            <NameTitle>Mr</NameTitle>
        </PersonName>
        <TravelerRefNumber RPH="2"/>
    </AirTraveler>
    <AirTraveler PassengerTypeCode="ADT">
        <PersonName>
            <GivenName>Anthony</GivenName>
            <Surname>Mueller</Surname>
            <NameTitle>Mr</NameTitle>
        </PersonName>
        <TravelerRefNumber RPH="3"/>
    </AirTraveler>
</TravelerInfo>
</AirReservation>

```

</OTA_AirBookModifyRQ>

4.12.7.2. Response: Modified Booking File

The booking file was successfully updated.

OTA_AirBookRS9.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirBookRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_AirBookRS.xsd" Cancel="false" TimeStamp="2005-01-31T09:30:47-05:00" Target="Production"
  Version="1.000" SequenceNbr="1" TransactionStatusCode="Start" PrimaryLangID="en-us" AltLangID="en-
us">
  <Success/>
  <AirReservation BookingReferenceID="ABCDEF" LastModified="2004-09-30T08:35:00">
    <Airtinerary DirectionInd="OneWay">
      <OriginDestinationOptions>
        <OriginDestinationOption>
          <FlightSegment DepartureDateTime="2005-09-30T08:35:00" ArrivalDateTime="2005-09-
30T11:25:00" RPH="1" FlightNumber="317" ResBookDesigCode="L" Status="30" NumberInParty="3">
            <DepartureAirport LocationCode="LHR"/>
            <ArrivalAirport LocationCode="ZRH"/>
            <MarketingAirline Code="LX"/>
            <MarriageGrp>1</MarriageGrp>
          </FlightSegment>
          <FlightSegment DepartureDateTime="2005-09-30T12:30:00" ArrivalDateTime="2005-09-
30T15:10:00" RPH="2" FlightNumber="16" ResBookDesigCode="L" Status="30" NumberInParty="3">
            <DepartureAirport LocationCode="ZRH"/>
            <ArrivalAirport LocationCode="JFK"/>
            <MarketingAirline Code="LX"/>
            <MarriageGrp>1</MarriageGrp>
          </FlightSegment>
        </OriginDestinationOption>
        <OriginDestinationOption>
          <FlightSegment DepartureDateTime="2005-10-10T17:20:00" ArrivalDateTime="2005-11-
10T07:05:00" RPH="3" FlightNumber="3001" ResBookDesigCode="L" Status="30" NumberInParty="3">
            <DepartureAirport LocationCode="JFK"/>
            <ArrivalAirport LocationCode="ZRH"/>
            <OperatingAirline Code="AA" FlightNumber="0064"/>
            <MarketingAirline Code="LX"/>
          </FlightSegment>
        </OriginDestinationOption>
      </OriginDestinationOptions>
    </Airtinerary>
    <TravelerInfo>
      <AirTraveler PassengerTypeCode="ADT">
        <PersonName>
          <GivenName>Bertram</GivenName>
          <Surname>King</Surname>
          <NameTitle>Mr</NameTitle>
        </PersonName>
        <TravelerRefNumber RPH="1"/>
      </AirTraveler>
      <AirTraveler PassengerTypeCode="ADT">
        <PersonName>
          <GivenName>Jonathan</GivenName>
          <Surname>Ironheart</Surname>
          <NameTitle>Mr</NameTitle>
        </PersonName>
        <TravelerRefNumber RPH="2"/>
      </AirTraveler>
      <AirTraveler PassengerTypeCode="ADT">
```

```

        <PersonName>
          <GivenName>Anthony</GivenName>
          <Surname>Mueller</Surname>
          <NameTitle>Mr</NameTitle>
        </PersonName>
        <TravelerRefNumber RPH="3"/>
      </AirTraveler>
    <SpecialReqDetails>
      <OtherServiceInformations>
        <OtherServiceInformation RPH="1">
          <TravelerRefNumber RPH="1"/>
          <Airline Code="LX"/>
          <Text>1CIP 1KING/BMR</Text>
        </OtherServiceInformation>
        <OtherServiceInformation RPH="2">
          <TravelerRefNumber RPH="1"/>
          <Airline Code="LX"/>
          <Text>Language German</Text>
        </OtherServiceInformation>
      </OtherServiceInformations>
    </SpecialReqDetails>
  </TravelerInfo>
</AirReservation>
</OTA_AirBookRS>

```

4.12.8. Use Case 8

4.12.8.1. Request: Modification of Remarks

The existing remarks that the passenger is unable to travel on the original date have to be deleted (RPH 3 and 4). A new remark must be added indicating that the passenger has been informed about travel insurance information, in-flight amenities, etc.

Note: Any other existing remarks remain unchanged; they can optionally be sent in the AirReservation element.

OTA_AirBookModifyRQ9.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirBookModifyRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_AirBookModifyRQ.xsd" TimeStamp="2005-01-31T09:30:47-05:00" Target="Production" Version="1.000"
  SequenceNmbr="1" PrimaryLangID="en-us">
  <POS>
    <Source PseudoCityCode="H1L" ISOCountry="CH" ISOCurrency="CHF" AirlineVendorID="XY"
      AirportCode="ZRH" ERS_P_UserID="1234567890" TerminalID="019293893">
      <RequestorID Type="13" ID="12345678"/>
    </Source>
  </POS>
  <AirBookModifyRQ BookingReferenceID="ABCDEF" ModificationType="5">
    <TravelerInfo>
      <SpecialReqDetails>
        <Remarks>
          <Remark RPH="3" Operation="Delete">Passenger unable to travel on original
date.</Remark>
          <Remark RPH="4" Operation="Delete">Passenger is traveling a day later</Remark>
          <Remark Operation="Add">Passenger has been advised about insurance</Remark>
        </Remarks>

```

```

        </SpecialReqDetails>
    </TravelerInfo>
</AirBookModifyRQ>
<AirReservation LastModified="2004-09-30T08:35:00">
    <Airtinerary DirectionInd="OneWay">
        <OriginDestinationOptions>
            <OriginDestinationOption>
                <FlightSegment DepartureDateTime="2005-09-30T08:35:00" ArrivalDateTime="2005-09-
30T11:25:00" RPH="1" FlightNumber="317" ResBookDesigCode="L" Status="30" NumberInParty="3">
                    <DepartureAirport LocationCode="LHR"/>
                    <ArrivalAirport LocationCode="ZRH"/>
                    <MarketingAirline Code="LX"/>
                    <MarriageGrp>1</MarriageGrp>
                </FlightSegment>
                <FlightSegment DepartureDateTime="2005-09-30T12:30:00" ArrivalDateTime="2005-09-
30T15:10:00" RPH="2" FlightNumber="16" ResBookDesigCode="L" Status="30" NumberInParty="3">
                    <DepartureAirport LocationCode="ZRH"/>
                    <ArrivalAirport LocationCode="JFK"/>
                    <MarketingAirline Code="LX"/>
                    <MarriageGrp>1</MarriageGrp>
                </FlightSegment>
            </OriginDestinationOption>
            <OriginDestinationOption>
                <FlightSegment DepartureDateTime="2005-10-10T17:20:00" ArrivalDateTime="2005-11-
10T07:05:00" RPH="3" FlightNumber="3001" ResBookDesigCode="L" Status="30" NumberInParty="3">
                    <DepartureAirport LocationCode="JFK"/>
                    <ArrivalAirport LocationCode="ZRH"/>
                    <OperatingAirline Code="AA" FlightNumber="0064"/>
                    <MarketingAirline Code="LX"/>
                </FlightSegment>
            </OriginDestinationOption>
        </OriginDestinationOptions>
    </Airtinerary>
    <TravelerInfo>
        <AirTraveler PassengerTypeCode="ADT">
            <PersonName>
                <GivenName>Bertram</GivenName>
                <Surname>King</Surname>
                <NameTitle>Mr</NameTitle>
            </PersonName>
            <TravelerRefNumber RPH="1"/>
        </AirTraveler>
        <AirTraveler PassengerTypeCode="ADT">
            <PersonName>
                <GivenName>Jonathan</GivenName>
                <Surname>Ironheart</Surname>
                <NameTitle>Mr</NameTitle>
            </PersonName>
            <TravelerRefNumber RPH="2"/>
        </AirTraveler>
        <AirTraveler PassengerTypeCode="ADT">
            <PersonName>
                <GivenName>Anthony</GivenName>
                <Surname>Mueller</Surname>
                <NameTitle>Mr</NameTitle>
            </PersonName>
            <TravelerRefNumber RPH="3"/>
        </AirTraveler>
    </SpecialReqDetails>
    <Remarks>
        <Remark RPH="1">Passengers are traveling for test purposes only</Remark>
        <Remark RPH="2">Do not delete this booking</Remark>
        <Remark RPH="3">Passenger unable to travel on original date.</Remark>
        <Remark RPH="4">Passenger is traveling a day later</Remark>
    </Remarks>
</SpecialReqDetails>

```



```

    </TravelerInfo>
  </AirReservation>
</OTA_AirBookModifyRQ>

```

4.12.8.2. Response: Modified Booking File

The booking file was successfully updated.

OTA_AirBookRS10.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirBookRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_AirBookRS.xsd" Cancel="false" TimeStamp="2005-01-31T09:30:47-05:00" Target="Production"
  Version="1.000" SequenceNbr="1" TransactionStatusCode="Start" PrimaryLangID="en-us" AltLangID="en-
us">
  <Success/>
  <AirReservation LastModified="2004-09-30T08:35:00">
    <Airtinerary DirectionInd="OneWay">
      <OriginDestinationOptions>
        <OriginDestinationOption>
          <FlightSegment DepartureDateTime="2005-09-30T08:35:00" ArrivalDateTime="2005-09-
30T11:25:00" RPH="1" FlightNumber="317" ResBookDesigCode="L" Status="30" NumberInParty="3">
            <DepartureAirport LocationCode="LHR"/>
            <ArrivalAirport LocationCode="ZRH"/>
            <MarketingAirline Code="LX"/>
            <MarriageGrp>1</MarriageGrp>
          </FlightSegment>
          <FlightSegment DepartureDateTime="2005-09-30T12:30:00" ArrivalDateTime="2005-09-
30T15:10:00" RPH="2" FlightNumber="16" ResBookDesigCode="L" Status="30" NumberInParty="3">
            <DepartureAirport LocationCode="ZRH"/>
            <ArrivalAirport LocationCode="JFK"/>
            <MarketingAirline Code="LX"/>
            <MarriageGrp>1</MarriageGrp>
          </FlightSegment>
        </OriginDestinationOption>
        <OriginDestinationOption>
          <FlightSegment DepartureDateTime="2005-10-10T17:20:00" ArrivalDateTime="2005-11-
10T07:05:00" RPH="3" FlightNumber="3001" ResBookDesigCode="L" Status="30" NumberInParty="3">
            <DepartureAirport LocationCode="JFK"/>
            <ArrivalAirport LocationCode="ZRH"/>
            <OperatingAirline Code="AA" FlightNumber="0064"/>
            <MarketingAirline Code="LX"/>
          </FlightSegment>
        </OriginDestinationOption>
      </OriginDestinationOptions>
    </Airtinerary>
    <TravelerInfo>
      <AirTraveler PassengerTypeCode="ADT">
        <PersonName>
          <GivenName>Bertram</GivenName>
          <Surname>King</Surname>
          <NameTitle>Mr</NameTitle>
        </PersonName>
        <TravelerRefNumber RPH="1"/>
      </AirTraveler>
      <AirTraveler PassengerTypeCode="ADT">
        <PersonName>
          <GivenName>Jonathan</GivenName>
          <Surname>Ironheart</Surname>
          <NameTitle>Mr</NameTitle>
        </PersonName>
        <TravelerRefNumber RPH="2"/>
      </AirTraveler>
    </TravelerInfo>
  </AirReservation>
</OTA_AirBookRS>

```

```

</AirTraveler>
<AirTraveler PassengerTypeCode="ADT">
  <PersonName>
    <GivenName>Anthony</GivenName>
    <Surname>Mueller</Surname>
    <NameTitle>Mr</NameTitle>
  </PersonName>
  <TravelerRefNumber RPH="3"/>
</AirTraveler>
<SpecialReqDetails>
  <Remarks>
    <Remark RPH="1">Passengers are traveling for test purposes only</Remark>
    <Remark RPH="2">Do not delete this booking</Remark>
    <Remark RPH="3">Passenger has been advised about insurance</Remark>
  </Remarks>
</SpecialReqDetails>
</TravelerInfo>
</AirReservation>
</OTA_AirBookRS>

```

4.12.9. Use Case 9

4.12.9.1. Request: Modification of elements in AirTraveler

Mr. King has supplied a new telephone number 01 812 00 73 (i.e., the old telephone number has to be cancelled and the new one added.) Additionally, he supplied his new email address (b.king@email.com) as well as his frequent flyer membership number (LX-23423443), which have to be added to the booking. The old eMail address (b.king@eemail.com) needs to be deleted.

He also would like his new address to be stored in the booking file (i.e., the old address has to be deleted and the new one to be added.)

Note: The individual child elements of the address cannot be modified. For any change of any of the address elements, the full address has to be deleted and the full new address has to be added.

OTA_AirBookModifyRQ10.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirBookModifyRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_AirBookModifyRQ.xsd" TimeStamp="2005-01-31T09:30:47-05:00" Target="Production" Version="1.000"
  SequenceNmbr="1" PrimaryLangID="en-us">
  <POS>
    <Source PseudoCityCode="H1L" ISOCountry="CH" ISOCurrency="CHF" AirlineVendorID="XY"
      AirportCode="ZRH" ERSF_UserID="1234567890" TerminalID="019293893">
      <RequestorID Type="13" ID="12345678"/>
    </Source>
  </POS>
  <AirBookModifyRQ BookingReferenceID="ABCDEF" ModificationType="5">
    <TravelerInfo>
      <AirTraveler PassengerTypeCode="ADT">
        <PersonName>
          <GivenName>Bertram</GivenName>
          <Surname>King</Surname>

```

```

        <NameTitle>Mr</NameTitle>
      </PersonName>
      <Telephone PhoneLocationType="5" PhoneTechType="1" PhoneNumber="043 317 36 75"
Operation="Delete"/>
      <Telephone PhoneLocationType="5" PhoneTechType="1" PhoneNumber="01 812 00 73"
Operation="Add"/>
      <Email EmailType="2" Operation="Delete">b.king@eemail.com</Email>
      <Email EmailType="2" Operation="Add">b.king@email.com</Email>
      <Address FormattedInd="false" Type="1" Operation="Delete">
        <AddressLine>Hauptstrasse 37b</AddressLine>
        <AddressLine>8302 Kloten</AddressLine>
        <AddressLine>Switzerland</AddressLine>
      </Address>
      <Address FormattedInd="false" Type="1" Operation="Add">
        <AddressLine>Zeltweg 3a</AddressLine>
        <AddressLine>8302 Kloten</AddressLine>
        <AddressLine>Switzerland</AddressLine>
      </Address>
      <CustLoyalty ProgramID="LX" MembershipID="234234343" LoyalLevel="Platinum"
Operation="Add" VendorCode="LX"/>
      <TravelerRefNumber RPH="1"/>
    </AirTraveler>
  </TravelerInfo>
</AirBookModifyRQ>
<AirReservation LastModified="2004-09-30T08:35:00">
  <Airtinerary DirectionInd="OneWay">
    <OriginDestinationOptions>
      <OriginDestinationOption>
        <FlightSegment DepartureDateTime="2005-09-30T08:35:00" ArrivalDateTime="2005-09-
30T11:25:00" RPH="1" FlightNumber="317" ResBookDesigCode="L" Status="30" NumberInParty="3">
          <DepartureAirport LocationCode="LHR"/>
          <ArrivalAirport LocationCode="ZRH"/>
          <MarketingAirline Code="LX"/>
          <MarriageGrp>1</MarriageGrp>
        </FlightSegment>
        <FlightSegment DepartureDateTime="2005-09-30T12:30:00" ArrivalDateTime="2005-09-
30T15:10:00" RPH="2" FlightNumber="16" ResBookDesigCode="L" Status="30" NumberInParty="3">
          <DepartureAirport LocationCode="ZRH"/>
          <ArrivalAirport LocationCode="JFK"/>
          <MarketingAirline Code="LX"/>
          <MarriageGrp>1</MarriageGrp>
        </FlightSegment>
      </OriginDestinationOption>
      <OriginDestinationOption>
        <FlightSegment DepartureDateTime="2005-10-10T17:20:00" ArrivalDateTime="2005-11-
10T07:05:00" RPH="3" FlightNumber="3001" ResBookDesigCode="L" Status="30" NumberInParty="3">
          <DepartureAirport LocationCode="JFK"/>
          <ArrivalAirport LocationCode="ZRH"/>
          <OperatingAirline Code="AA" FlightNumber="0064"/>
          <MarketingAirline Code="LX"/>
        </FlightSegment>
      </OriginDestinationOption>
    </OriginDestinationOptions>
  </Airtinerary>
  <TravelerInfo>
    <AirTraveler PassengerTypeCode="ADT">
      <PersonName>
        <GivenName>Bertram</GivenName>
        <Surname>King</Surname>
        <NameTitle>Mr</NameTitle>
      </PersonName>
      <TravelerRefNumber RPH="1"/>
    </AirTraveler>
    <AirTraveler PassengerTypeCode="ADT">
      <PersonName>
        <GivenName>Jonathan</GivenName>

```

```

        <Surname>Ironheart</Surname>
        <NameTitle>Mr</NameTitle>
      </PersonName>
      <TravelerRefNumber RPH="2"/>
    </AirTraveler>
    <AirTraveler PassengerTypeCode="ADT">
      <PersonName>
        <GivenName>Anthony</GivenName>
        <Surname>Mueller</Surname>
        <NameTitle>Mr</NameTitle>
      </PersonName>
      <TravelerRefNumber RPH="3"/>
    </AirTraveler>
  </TravelerInfo>
</AirReservation>
</OTA_AirBookModifyRQ>

```

4.12.9.2. Response: Modified Booking File

The booking file was successfully updated.

OTA_AirBookRS11.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_AirBookRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_AirBookRS.xsd" Cancel="false" TimeStamp="2005-01-31T09:30:47-05:00" Target="Production"
  Version="1.000" SequenceNmbr="1" TransactionStatusCode="Start" PrimaryLangID="en-us" AltLangID="en-
us">
  <Success/>
  <AirReservation BookingReferenceID="ABCDEF" LastModified="2004-09-30T08:35:00">
    <Airtinerary DirectionInd="OneWay">
      <OriginDestinationOptions>
        <OriginDestinationOption>
          <FlightSegment DepartureDateTime="2005-09-30T08:35:00" ArrivalDateTime="2005-09-
30T11:25:00" RPH="1" FlightNumber="317" ResBookDesigCode="L" Status="30" NumberInParty="3">
            <DepartureAirport LocationCode="LHR"/>
            <ArrivalAirport LocationCode="ZRH"/>
            <MarketingAirline Code="LX"/>
            <MarriageGrp>1</MarriageGrp>
          </FlightSegment>
          <FlightSegment DepartureDateTime="2005-09-30T12:30:00" ArrivalDateTime="2005-09-
30T15:10:00" RPH="2" FlightNumber="16" ResBookDesigCode="L" Status="30" NumberInParty="3">
            <DepartureAirport LocationCode="ZRH"/>
            <ArrivalAirport LocationCode="JFK"/>
            <MarketingAirline Code="LX"/>
            <MarriageGrp>1</MarriageGrp>
          </FlightSegment>
        </OriginDestinationOption>
        <OriginDestinationOption>
          <FlightSegment DepartureDateTime="2005-10-10T17:20:00" ArrivalDateTime="2005-11-
10T07:05:00" RPH="3" FlightNumber="3001" ResBookDesigCode="L" Status="30" NumberInParty="3">
            <DepartureAirport LocationCode="JFK"/>
            <ArrivalAirport LocationCode="ZRH"/>
            <OperatingAirline Code="AA" FlightNumber="0064"/>
            <MarketingAirline Code="LX"/>
          </FlightSegment>
        </OriginDestinationOption>
      </OriginDestinationOptions>
    </Airtinerary>
    <TravelerInfo>
      <AirTraveler PassengerTypeCode="ADT">
        <PersonName>

```

```
        <GivenName>Bertram</GivenName>
        <Surname>King</Surname>
        <NameTitle>Mr</NameTitle>
    </PersonName>
    <Telephone PhoneLocationType="5" PhoneTechType="1" PhoneNumber="01 812 00 73"
Operation="Add"/>
    <Email EmailType="2" Operation="Add">b.king@email.com</Email>
    <Address FormattedInd="false" Type="1" Operation="Add">
        <AddressLine>Zeltweg 3a</AddressLine>
        <AddressLine>8302 Kloten</AddressLine>
        <AddressLine>Switzerland</AddressLine>
    </Address>
    <CustLoyalty ProgramID="LX" MembershipID="234234343" LoyalLevel="Platinum"
VendorCode="LX"/>
    <TravelerRefNumber RPH="1"/>
</AirTraveler>
    <AirTraveler PassengerTypeCode="ADT">
    <PersonName>
        <GivenName>Jonathan</GivenName>
        <Surname>Ironheart</Surname>
        <NameTitle>Mr</NameTitle>
    </PersonName>
    <TravelerRefNumber RPH="2"/>
</AirTraveler>
    <AirTraveler PassengerTypeCode="ADT">
    <PersonName>
        <GivenName>Anthony</GivenName>
        <Surname>Mueller</Surname>
        <NameTitle>Mr</NameTitle>
    </PersonName>
    <TravelerRefNumber RPH="3"/>
</AirTraveler>
</TravelerInfo>
</AirReservation>
</OTA_AirBookRS>
```

Section 5—Car Messages

5.1. OTA_VehAvailRateRQ/RS

The Availability with Rates message set is intended for a simple reservation. This message set assumes the customer has already performed a location search and has found a specific rental branch.

The Availability with Rates message could be used in any of the following circumstances:

- Customer is performing a simple booking and will come into the branch office to pick-up and drop off the vehicle.
- Customer requires a pick-up service at his/her home or office. In this case the Off Location Services element can be used to provide basic address information as well as special instructions.
- Customer requires a delivery and collection service, where a car will be delivered to a specific location and the keys left in a secure place. Again, the Off Location Services element can be used to hold address information as well as special instructions.

Only one set of date/times may be sent for the availability message. Multiple dates and times will require multiple messages.

Special equipment, such as hand controls or a baby seat can be accommodated through this message set. Special equipment may be associated with a specific car or, rather than as part of the more general reservation. Special circumstances such as chauffeur-driven cars are not accommodated in this message.

5.1.1. Use Case 1

5.1.1.1. Request: Vehicle Availability Rate

Joe Bailey is arriving at London Heathrow Airport on December 12. He has gone to Fun Travel's web site to shop rates for a Hertz rental. He would like to know the rate for a compact 4-door car with automatic transmission and air-conditioning. He would also like a child seat. He is arriving on December 12 on American Airlines flight 2935 and will pick up the car at 10:30 a.m. He will return the car on December 20 at 10:30 a.m.

OTA_VehAvailRateRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehAvailRateRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_VehAvailRateRQ.xsd" Version="1.002">
```

```

<POS>
  <Source ISOCountry="US" ISOCurrency="USD">
    <RequestorID Type="5" ID="12345678"/>
  </Source>
  <Source>
    <RequestorID Type="4" ID="1A2B">
      <CompanyName>FunTravel</CompanyName>
    </RequestorID>
  </Source>
</POS>
<VehAvailRQCore Status="Available">
  <VehRentalCore PickupDateTime="2003-12-12T10:30:00" ReturnDateTime="2003-12-
20T10:30:00">
    <PickUpLocation LocationCode="LHR"/>
    <ReturnLocation LocationCode="LHR"/>
  </VehRentalCore>
  <VendorPrefs>
    <VendorPref CompanyShortName="Hertz" Code="ZE" PreferLevel="Preferred"/>
  </VendorPrefs>
  <VehPrefs>
    <VehPref AirConditionInd="true" TransmissionType="Automatic" AirConditionPref="Only"
TransmissionPref="Only">
      <VehType VehicleCategory="1" DoorCount="4"/>
      <VehClass Size="4"/>
    </VehPref>
  </VehPrefs>
  <SpecialEquipPrefs>
    <SpecialEquipPref EquipType="8" Quantity="1"/>
  </SpecialEquipPrefs>
</VehAvailRQCore>
<VehAvailRQInfo>
  <Customer>
    <Primary>
      <PersonName>
        <GivenName>Joe</GivenName>
        <Surname>Bailey</Surname>
      </PersonName>
    </Primary>
  </Customer>
  <ArrivalDetails TransportationCode="14" Number="2935">
    <OperatingCompany Code="AA"/>
  </ArrivalDetails>
</VehAvailRQInfo>
</OTA_VehAvailRateRQ>

```

5.1.1.2. Response: Vehicle Availability Rate

Hertz responds with the following information:

Recap of rental information

Pickup Date/Time:	12/12/2003 at 10:30 a.m.
Return Date/Time:	12/20/2003 at 10:00 a.m.
Pickup/Return Location:	LHR
Vehicle Information:	Compact 4-door car with automatic transmission and a/c.

Rental Rate Information:

Mileage:	Unlimited
Base Rate Total:	USD \$200.00
Tax Information:	USD \$24.00 / 12%

Rate Breakdown:	\$150.00 per week / \$50.00 per day
Rate Category/Plan:	Leisure - ABC123
Estimated Total:	USD \$324.00
Equipment Charges:	USD \$25.00 - \$25.00/week - \$5.00/day – charge not included in rate
Fees:	1 @ \$25 and 1 @ \$75
Coverages:	CDW (7), LIS (27) and PPI (38) are all included in the rental rate
Rules:	Prepayment is required in the amount of USD \$324.00

Additional Information:

Hertz has returned a vendor message to advise the customer that the rate returned requires prepayment.

OTA_VehAvailRateRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehAvailRateRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_VehAvailRateRS.xsd" Version="2.001">
  <Success/>
  <VehAvailRSCore>
    <VehRentalCore PickupDateTime="2003-12-12T10:30:00" ReturnDateTime="2003-12-20T10:00:00">
      <PickUpLocation LocationCode="LHR"/>
      <ReturnLocation LocationCode="LHR"/>
    </VehRentalCore>
    <VehVendorAvails>
      <VehVendorAvail>
        <Vendor Code="ZE"/>
      </VehVendorAvail>
      <VehAvails>
        <VehAvail>
          <VehAvailCore Status="Available">
            <Vehicle AirConditionInd="true" TransmissionType="Automatic">
              <VehType VehicleCategory="1" DoorCount="4"/>
              <VehClass Size="4"/>
            </Vehicle>
            <RentalRate>
              <RateDistance Unlimited="true" DistUnitName="Mile"
VehiclePeriodUnitName="RentalPeriod"/>
            </RentalRate>
            <VehicleCharges>
              <VehicleCharge Amount="200.00" CurrencyCode="USD" TaxInclusive="false"
GuaranteedInd="true" Purpose="1">
                <TaxAmounts>
                  <TaxAmount Total="24.00" CurrencyCode="USD" Percentage="12.00"
Description="Tax"/>
                </TaxAmounts>
              </VehicleCharge>
              <Calculation UnitCharge="150.00" UnitName="Week" Quantity="1"/>
              <Calculation UnitCharge="50.00" UnitName="Day" Quantity="1"/>
            </VehicleCharges>
            <RateQualifier RateCategory="3" RateQualifier="ABC123"/>
          </VehAvail>
        </VehAvails>
      </VehVendorAvails>
      <TotalCharge RateTotalAmount="200.00" EstimatedTotalAmount="324.00"
CurrencyCode="USD"/>
      <PricedEquips>
        <PricedEquip>
          <Equipment EquipType="8"/>
          <Charge Amount="30.00" CurrencyCode="USD" TaxInclusive="false"
IncludedInRate="false">
            <TaxAmounts>
```

```

        <TaxAmount Total="3.90" CurrencyCode="USD" Percentage="12.00"/>
    </TaxAmounts>
    <Calculation UnitCharge="25.00" UnitName="Week" Quantity="1"/>
    <Calculation UnitCharge="5.00" UnitName="Day" Quantity="1"/>
    </Charge>
</PricedEquip>
</PricedEquips>
<Fees>
    <Fee Amount="25.00" CurrencyCode="USD" TaxInclusive="false"
Description="SURCHARGE A:" Purpose="5"/>
    <Fee Amount="75.00" CurrencyCode="USD" TaxInclusive="false"
Description="SURCHARGE B:" Purpose="5"/>
</Fees>
    <VehAvailCore>
    <VehAvailInfo>
        <PricedCoverages>
            <PricedCoverage>
                <Coverage CoverageType="7"/>
                <Charge Amount="00.00" TaxInclusive="true" IncludedInRate="true"/>
            </PricedCoverage>
            <PricedCoverage>
                <Coverage CoverageType="27"/>
                <Charge Amount="00.00" TaxInclusive="true" IncludedInRate="true"/>
            </PricedCoverage>
            <PricedCoverage>
                <Coverage CoverageType="38"/>
                <Charge Amount="00.00" TaxInclusive="true" IncludedInRate="true"/>
            </PricedCoverage>
        </PricedCoverages>
        <PaymentRules>
            <PaymentRule Amount="324.00" CurrencyCode="USD" RuleType="3"/>
        </PaymentRules>
    </VehAvailInfo>
    </VehAvail>
</VehAvails>
<Info>
    <VendorMessages>
        <VendorMessage InfoType="4">
            <SubSection>
                <Paragraph>
                    <Text>THIS RATE REQUIRES PREPAYMENT</Text>
                </Paragraph>
            </SubSection>
        </VendorMessage>
    </VendorMessages>
</Info>
</VehVendorAvail>
</VehVendorAvails>
</VehAvailRSCore>
</OTA_VehAvailRateRS>

```

5.2. OTA_VehCancelRQ/RS

The Vehicle Cancel message set has been extended from the generic OTA cancel functionality. To cancel a reservation, the trading partner or customer must provide the supplier or integrator with the exact Unique ID. If the Unique ID is unknown, the trading partner may use the Retrieve Reservation message set to search for an exact match. The Vehicle Cancel message set does not require a Retrieve Reservation message. Some suppliers may require a Retrieve Reservation message to be used prior to a Cancel message. The Vehicle Cancel

message set can only be used to cancel a single, specific reservation; it cannot be used to cancel multiple reservations at one time.

The generic cancel response message was extended to provide additional details of the vehicle reservation information to the customer. This will aid the customer in understanding the consequences of a cancellation message.

A Vehicle Cancel message set can be a single phase or two-phase approach. In a single-phase message the customer simply requests to “cancel this reservation”. A two-phase message introduces the concept of a “what if” question (what if I cancel this reservation?). The response to the first phase will identify any penalties, any subsequent costs, etc. The second phase is where the action is confirmed to “go ahead and complete the request” or “ignore the request I just sent.”

The purpose of the request message is indicated using the Type Attribute:

- **Initiate**—indicates the initial request
- **Ignore**—stop the request
- **Confirm**—to complete the modification

The state of the reservation is then indicated in the response message using the Status Attribute:

- **Pending**—cancellation is possible but not completed
- **Ignored**—cancellation ignored
- **Cancelled**—cancellation completed

5.2.1. Use Case 1

5.2.1.1. Request: Vehicle Cancel Reservation without Penalties

Mike Pires has previously made a vehicle reservation with Alamo (AL) via a tour site (CarTour - IATA #11223344), but he now needs to cancel the reservation. He knows his reservation confirmation number (27371319), and pick-up/drop-off locations (FLLT01). He sends a request to cancel his reservation.

OTA_VehCancelRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehCancelRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_VehCancelRQ.xsd" Version="1.002">
  <POS>
    <Source>
      <RequestorID Type="11" ID="111222"/>
    </Source>
    <Source>
      <RequestorID Type="16" ID="11223344"/>
    </Source>
  </POS>
  <VehCancelRQCore CancelType="Book">
    <UniqueID Type="15" ID="27371319"/>
  </VehCancelRQCore>
</OTA_VehCancelRQ>
```

```

    <PersonName>
      <GivenName>MIKE</GivenName>
      <Surname>PIRES</Surname>
    </PersonName>
  </VehCancelRQCore>
</VehCancelRQInfo>
  <RentalInfo>
    <PickUpLocation LocationCode="FLLT01"/>
    <ReturnLocation LocationCode="FLLT01"/>
  </RentalInfo>
</VehCancelRQInfo>
</OTA_VehCancelRQ>

```

5.2.1.2. Response: Vehicle Reservation CancelConfirmed

Alamo returns a response containing the new status of cancelled and echoes back the renter's first and last name (Mike Pires), along with the original confirmation number (27371319), and the pick-up/drop-off location IDs.

OTA_VehCancelRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehCancelRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_VehCancelRS.xsd" Version="2.001">
  <Success/>
  <VehCancelRSCore CancelStatus="Cancelled"/>
  <VehCancelRSInfo>
    <VehReservation>
      <Customer>
        <Primary>
          <PersonName>
            <GivenName>MIKE</GivenName>
            <Surname>PIRES</Surname>
          </PersonName>
        </Primary>
      </Customer>
      <VehSegmentCore>
        <ConfID Type="16" ID="27371319"/>
        <VehRentalCore>
          <PickUpLocation LocationCode="FLLT01"/>
          <ReturnLocation LocationCode="FLLT01"/>
        </VehRentalCore>
        <Vehicle/>
      </VehSegmentCore>
    </VehReservation>
  </VehCancelRSInfo>
</OTA_VehCancelRS>

```

5.3. OTA_VehCheckOutRQ/RS

The goal of the Check Out Request message is to provide all the data fields needed to capture the pertinent detail data related to renting a specific car to a customer, and send that information to automated systems that have a “need to know” that a rental vehicle was “checked out.” This would include rental location, customer information, payment information, intended length of rental, and monetary amounts for vehicle rental, surcharges, fees, taxes, insurance, and ancillary services and equipment. The “need to know” systems could be travel agent, car rental agency inventory management, or OTA travel partner hosted systems.

The goal of the CheckOut Response message is to confirm that the rental agreement is active or to request additional information.

Vehicle Check Out messages could be used in any of the following circumstances:

- Initiate a Check Out transaction utilizing an existing reservation
- Initiate a Check Out transaction without an existing reservation, based on a vehicle request

Only one “vehicle rental” request at a time may be made with the Vehicle Check Out. The response will include any legal wording related to the rental transaction.

5.3.1. Use Case 1

5.3.1.1. Request: Vehicle CheckOut

Mr. Joe Bailey would like to checkout an Intermediate car (with automatic transmission and air conditioning) in Oklahoma City. He has a reservation at Hertz for a 4-door car and will need a child seat. He arrives in Oklahoma City on American Airlines flight 1234 at the Oklahoma City Airport on November 1 at 10:30 a.m. The reservation includes an American Airlines frequent flyer number.

The counter agent pulls up the reservation and opens a Check-Out Request Message. Reservation data is pulled into the Check-Out message and the agent swipes the Visa card that will be used for the rental. The agent collects the following information from the customer:

Reservation number: C21358AC036

Drivers License number, state, and expiration: L1759302, MO, 12/13/07

Date of Birth: 7/11/62

Alternate Contact number: 405-555-1212

Credit card number, type and expiration date: Visa 48484848484849999, 9/09

After talking to the agent, Mr. Bailey agrees to accept the Collision Damage Waiver.

A checkout request message is sent with the following data:

Name: Mr. Joe Bailey

Reservation number: C21358AC036

Drivers License number, state, and expiration: L1759302, MO, 12/13/07

Date of Birth: 7/11/62

Contact number: 405-555-1212 (Customer’s cell phone)

Checkout Location: OKC

Checkout Date/Time: 11/1/05, 10:30 am

Expected Return Location: OKC

Expected Return Date/Time: 11/09/05 10:00 am

Vehicle Asset Number: Car054

Mileage: 4560

Fuel level: full (need to reference enumeration annotation)

Credit card number, type and expiration date: Visa 48484848484849999, 9/09

Equipment Preference: Infant/Toddler Car seat

Coverage Preference: Collision Damage Waiver

Terminal ID: T549k

Agent ID: E3549K

OTA_VehCheckOutRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehCheckOutRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_VehCheckOutRQ.xsd" Version="1.0">
  <POS>
    <Source AgentSine="E3549K" TerminalID="T549K"/>
  </POS>
  <Customer>
    <Primary>
      <PersonName>
        <NamePrefix>Mr.</NamePrefix>
        <GivenName>Joe</GivenName>
        <Surname>Bailey</Surname>
      </PersonName>
      <Telephone PhoneNumber="4055551212" PhoneTechType="5"/>
      <!--Code value of 5 indicates this is a mobile phone-->
      <Document DocIssueStateProv="MO" DocIssueCountry="US" DocID="L1759302"
        DocType="4" BirthDate="1962-07-11" ExpireDate="2007-12-13"/>
    </Primary>
  </Customer>
  <PickUpReturnDetails PickupDateTime="2005-11-01T10:30:00" ReturnDateTime="2005-11-
    09T10:00:00">
    <PickUpLocation LocationCode="OKC"/>
    <ReturnLocation LocationCode="OKC"/>
  </PickUpReturnDetails>
  <VehPref AirConditionInd="true" TransmissionType="Automatic">
    <VehType VehicleCategory="1"/>
    <VehClass Size="6"/>
  </VehPref>
  <VehIdentity VehicleAssetNumber="Car054"/>
  <VehDetailsOut>
    <FuelLevelDetails FuelLevelValue="8"/>
    <!--Fuel is measured in 1/8 increments; 8 in FuelLevelValue represents a full tank-->
    <OdometerReading UnitOfMeasureQuantity="4560" UnitOfMeasure="Miles"/>
  </VehDetailsOut>
</OTA_VehCheckOutRQ>
```

```
<SpecialEquipPrefs>
  <SpecialEquipPref EquipType="8" Quantity="1"/>
</SpecialEquipPrefs>
<ConfID Type="14" ID="C21358AC036"/>
<VehRentalAdditionalInfo>
  <CoveragePrefs>
    <CoveragePref CoverageType="7"/>
  </CoveragePrefs>
  <RentalPaymentPref>
    <PaymentCard CardType="1" CardCode="VI" CardNumber="48484848484849999"
ExpireDate="0909"/>
  </RentalPaymentPref>
</VehRentalAdditionalInfo>
</OTA_VehCheckOutRQ>
```

5.3.1.2. Response: Vehicle CheckOut

A CheckOutRS message returns with the following data

Name: Mr. Joe Bailey

Confirmation number: C21358AC036

Rental Agreement/Contract number: 123456789

Drivers License number, state, and expiration: L1759302, MO, 12/13/07

Date of Birth: 7/11/62

Contact number: 405-555-1212 (Cell Phone)

Checkout Location: OKC

Vendor: Hertz

Checkout Location address: 7100 Terminal Drive, Unit 966, OKC 73159-0966

Checkout Location phone: 405-685-4193

Checkout Date/Time: 11/1/05, 10:30 am

Expected Return Location: OKC

Expected Return Date/Time: 11/09/05 10:00 am

Credit card number, type and expiration date: Visa xxxxxxxxxxxxxx9999, 9/09

Authorized Deposit \$200

PricedEquipment: Infant/Toddler Car seat @ \$4.00/day

PricedCoverage: Collision Damage Waiver @ 9.99/day

Estimated Charges:

Mileage: Unlimited

Base rate total: USD \$200.00

Tax information: 12%

Rate Breakdown: \$150/week and \$50/day

RateCategoryPlan: Leisure – ABC123

EquipmentCharges: \$32

**Special equipment is not included in the rental rate and the rate returned does not include tax

CDW: \$79.92

***CDW is not included in the rental rate and the rate returned does not include tax.

Vehicle Information

Vehicle Class: Intermediate

Vehicle Asset Number: Car054

Mileage: 4560

Fuel level: full

VIN: 363636363636363636V

Year, make, model: 2004 Mazda 626

Color: white

VehLicenseNumber and state: OK 335ZBL

Stall Number: 8

Terminal ID: T549k

Agent ID: E3549K

OTA_VehCheckOutRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehCheckOutRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_VehCheckOutRS.xsd" Version="1.0">
  <Success/>
  <Customer>
    <Primary>
      <PersonName>
        <NamePrefix>Mr.</NamePrefix>
        <GivenName>Joe</GivenName>
        <Surname>Bailey</Surname>
      </PersonName>
      <Telephone PhoneNumber="4055551212" PhoneTechType="5"/>
      <!--Coded value of 5 in PhoneTechType indicates this is the customer's mobile phone-->
      <Document DocIssueStateProv="MO" DocIssueCountry="US" DocID="L1759302"
DocType="4" BirthDate="1962-07-11" ExpireDate="2007-12-13"/>
    </Primary>
  </Customer>
</OTA_VehCheckOutRS>
```

```

</Customer>
<VehRentalTransaction>
  <PickUpReturnDetails PickUpDateTime="2005-11-01T10:30:00" ReturnDateTime="2005-11-
09T10:00:00">
    <PickUpLocation LocationCode="OKC"/>
    <ReturnLocation LocationCode="OKC"/>
  </PickUpReturnDetails>
  <Vehicle AirConditionInd="true" TransmissionType="Automatic">
    <VehType VehicleCategory="1"/>
    <VehClass Size="6"/>
    <VehMakeModel Name="Mazda 626" ModelYear="2004"/>
    <VehIdentity VehicleAssetNumber="Car054" LicensePlateNumber="335ZBL"
StateProvCode="OK" CountryCode="US" VehicleID_Number="36363636363636363636V"
VehicleColor="white"/>
    <VehRentalDetails ParkingLocation="8">
      <FuelLevelDetails FuelLevelValue="8"/>
      <!--Fuel is measured in 1/8 increments; 8 in FuelLevelValue represents a full tank-->
      <OdometerReading UnitOfMeasureQuantity="4560" UnitOfMeasure="Miles"/>
    </VehRentalDetails>
  </Vehicle>
  <RentalRate>
    <RateDistance Unlimited="true" DistUnitName="Mile"
VehiclePeriodUnitName="RentalPeriod"/>
    <VehicleCharges>
      <VehicleCharge Amount="200.00" CurrencyCode="USD" TaxInclusive="false"
Purpose="1">
        <TaxAmounts>
          <TaxAmount Total="24.00" CurrencyCode="USD" Percentage="12"/>
        </TaxAmounts>
        <Calculation UnitCharge="150.00" UnitName="Week" Quantity="1"/>
        <Calculation UnitCharge="50.00" UnitName="Day" Quantity="1"/>
      </VehicleCharge>
    </VehicleCharges>
    <RateQualifier RateCategory="3" RateQualifier="ABC123"/>
  </RentalRate>
  <PricedEquips>
    <PricedEquip>
      <Equipment EquipType="8">
        </Equipment>
        <Charge Amount="32.00" IncludedInRate="false" TaxInclusive="false">
          <Calculation Quantity="8" UnitCharge="4.00" UnitName="Day"/>
        </Charge>
      </PricedEquip>
    </PricedEquips>
    <ConflID Type="14" ID="C21358AC036"/>
    <ContractID Type="8" ID="123456789"/>
  </VehRentalTransaction>
  <VehAdditionalInfo>
    <RentalPaymentAmount PaymentTransactionTypeCode="reserve">
      <PaymentCard CardType="VI" CardNumber="48484848484849999"
ExpireDate="0904"/>
      <PaymentAmount Amount="200.00" CurrencyCode="USD"/>
    </RentalPaymentAmount>
    <PricedCoverages>
      <PricedCoverage>
        <Coverage CoverageType="7"/>
        <Charge Amount="79.92" IncludedInRate="false" TaxInclusive="false">
          <Calculation Quantity="8" UnitName="Day" UnitCharge="9.99"/>
        </Charge>
      </PricedCoverage>
    </PricedCoverages>
    <LocationDetails AtAirport="true" Code="OKOKC11">
      <Address>
        <AddressLine>7100 Terminal Drive</AddressLine>
        <AddressLine>Unit 966</AddressLine>
        <CityName>Oklahoma City</CityName>
      </Address>
    </LocationDetails>
  </VehAdditionalInfo>
</VehRentalTransaction>

```

```
<PostalCode>73159-0966</PostalCode>
<StateProv StateCode="OK"/>
</Address>
<Telephone PhoneNumber="405-685-4193"/>
</LocationDetails>
</VehAdditionalInfo>
</OTA_VehCheckOutRS>
```

5.3.2. Use Case 2

5.3.2.1. Request: Vehicle CheckOut

Mr. Joe Bailey checked out a Hertz rental car on November 1. He has returned to a Hertz rental counter on November 5 to add his brother, Curtis Smith as an additional driver. Mr. Smith only needs to drive the car for one day, until November 6. Mr. Smith is an employee of Smith Marketing with a Corporate Discount Number of 987789 and has produced a Round Trip airline ticket to qualify as an additional driver. The following information is provided:

Driver's license and affiliation information for additional driver:

Name – Curtis Smith

Issuing State – Oklahoma

Issuing Country – US

Drivers License Number – 884257364

Drivers License Expiration Date – January 31, 2008

Birth date – January 6, 1965

Corporate discount number – 987789

Corporate discount name – Smith Marketing

Rental contract information:

Confirmation number - C21358AC036

Rental Agreement number – 123456789

The following Veh_CheckOutRQ message is sent:

OTA_VehCheckOutRQ2.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehCheckOutRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="
    http://www.opentravel.org/OTA/2003/05
    OTA_VehCheckOutRQ.xsd" Version="1.001" RentalActionCode="Modify">
  <POS>
    <Source AgentSine="E3549K" TerminalID="T549K"/>
  </POS>
```

```

    <Customer>
      <Primary>
        <PersonName>
          <NamePrefix>Mr.</NamePrefix>
          <GivenName>Joe</GivenName>
          <Surname>Bailey</Surname>
        </PersonName>
        <Telephone PhoneNumber="4055551212"
PhoneTechType="5"/>
        <!--Code value of 5 indicates this is a mobile
phone-->
        <RelatedTraveler Relation="Brother"/>
        <Document DocIssueStateProv="MO"
DocIssueCountry="US"
DocID="L1759302" DocType="4" BirthDate="1962-07-11"
ExpireDate="2007-12-13"/>
        </Primary>
        <Additional Start="2005-11-05" End="2005-11-06"
CorpDiscountName="Smith Marketing" CorpDiscountNmbr="987789"
QualificationMethod="RT_AirlineTicket">
          <PersonName>
            <GivenName>Curtis</GivenName>
            <Surname>Smith</Surname>
          </PersonName>
          <Telephone PhoneNumber="4055555678"
PhoneTechType="5"/>
          <!--Code value of 5 indicates this is a mobile
phone-->
          <Document DocIssueStateProv="OK"
DocIssueCountry="US"
DocID="884257364" DocType="4" BirthDate="1965-01-06"
ExpireDate="2008-01-31"/>
        </Additional>
      </Customer>
      <PickUpReturnDetails PickUpDateTime="2005-11-01T10:30:00"
ReturnDateTime="2005-11-09T10:00:00">
        <PickUpLocation LocationCode="OKC"/>
        <ReturnLocation LocationCode="OKC"/>
      </PickUpReturnDetails>
      <VehPref AirConditionInd="true" TransmissionType="Automatic">
        <VehType VehicleCategory="1"/>
        <VehClass Size="6"/>
      </VehPref>
      <VehIdentity VehicleAssetNumber="Car054"/>
      <VehDetailsOut>
        <FuelLevelDetails FuelLevelValue="8"/>
        <!--Fuel is measured in 1/8 increments; 8 in FuelLevelValue
represents a full tank-->
        <OdometerReading UnitOfMeasureQuantity="4560"
UnitOfMeasure="
Miles"/>
      </VehDetailsOut>
      <PricedCoverage>
        <Coverage CoverageType="7"/>
        <Charge>
          <Calculation UnitCharge="9.99" UnitName="Day"/>
        </Charge>
      </PricedCoverage>
      <SpecialEquipPrefs>
        <SpecialEquipPref EquipType="8" Quantity="1"/>
      </SpecialEquipPrefs>
      <ConfID Type="14" ID="C21358AC036"/>
      <VehRentalAdditionalInfo>
        <CoveragePrefs>
          <CoveragePref CoverageType="7"/>
        </CoveragePrefs>

```

```
<RentalPaymentPref>
  <PaymentCard CardType="1" CardCode="VI" MaskedCardNumber="484848484849999"
  ExpireDate="0909"/>
</RentalPaymentPref>
</VehRentalAdditionalInfo>
</OTA_VehCheckOutRQ>
```

5.3.2.2. Response: Vehicle CheckOut

The additional driver is accepted and the system responds with the full checkout response, including the charge for the additional driver \$5 - \$5 per day for the 1 day Mr. Smith will be driving the vehicle) and a recap of the rental car details:

OTA_VehCheckOutRS2.xml

[illegible]

```
VehiclePeriodUnitName="RentalPeriod"/>
  <VehicleCharges>
    <VehicleCharge Amount="200.00" CurrencyCode="USD"
TaxInclusive="false" Purpose="1">
      <TaxAmounts>
        <TaxAmount Total="24.00" CurrencyCode="USD"
Percentage="12"/>
      </TaxAmounts>
      <Calculation UnitCharge="150.00" UnitName="Week"
Quantity="1"/>
      <Calculation UnitCharge="50.00" UnitName="Day"
Quantity="1"/>
    </VehicleCharge>
    <VehicleCharge Amount="5.00" CurrencyCode="USD" TaxInclusive="false" Purpose="12">
      <Calculation UnitCharge="5.00" UnitName="Day" Quantity="1"/>
    </VehicleCharge>
  </VehicleCharges>
  <RateQualifier RateCategory="3" RateQualifier="ABC123"/>
</RentalRate>
<PricedEquips>
  <PricedEquip>
    <Equipment EquipType="8">
</Equipment>
    <Charge Amount="32.00" IncludedInRate="false"
TaxInclusive="false">
      <Calculation Quantity="8" UnitCharge="4.00" UnitName="Day"/>
    </Charge>
  </PricedEquip>
</PricedEquips>
  <TotalCharge RateTotalAmount="316.92"
EstimatedTotalAmount="354.95"/>
  <ConfID Type="14" ID="C21358AC036"/>
  <ContractID Type="8" ID="123456789"/>
</VehRentalTransaction>
<VehAdditionalInfo>
  <RentalPaymentAmount PaymentTransactionTypeCode="reserve">
    <PaymentCard CardType="VI" CardNumber="48484848484849999"
ExpireDate="0904"/>
    <PaymentAmount Amount="200.00" CurrencyCode="USD"/>
  </RentalPaymentAmount>
  <PricedCoverages>
    <PricedCoverage>
      <Coverage CoverageType="7"/>
      <Charge Amount="79.92" IncludedInRate="false"
TaxInclusive="false">
        <Calculation Quantity="8" UnitName="Day" UnitCharge="9.99"/>
      </Charge>
    </PricedCoverage>
  </PricedCoverages>
  <LocationDetails AtAirport="true" Code="OKOKC11">
    <Address>
      <AddressLine>7100 Terminal Drive</AddressLine>
      <AddressLine>Unit 966</AddressLine>
      <CityName>Oklahoma City</CityName>
      <PostalCode>73159-0966</PostalCode>
      <StateProv StateCode="OK"/>
    </Address>
    <Telephone PhoneNumber="405-685-4193"/>
  </LocationDetails>
</VehAdditionalInfo>
</OTA_VehCheckOutRS>
```

5.3.3. Use Case 3

5.3.3.1. Request: Vehicle CheckOut

Joe Bailey arrives at Denver airport on February 20 for the birth of his first grandchild. Upon arrival at the airport, he learns that his daughter is already in labor and will not be able to pick him up at the airport. Joe decides to rent a car from the terminal and meet his daughter and son-in-law at the hospital.

Joe goes to Enterprise where the agent tells her they have 2 pick-up trucks available. Joe agrees to accept a pick-up truck for his trip.

The Request Message is sent with the following

- Rental Action Code: Initiate
- Name: Joe Bailey
- Drivers License number, state, and expiration: L1759302, MO, 12/13/07
- Date of Birth: 7/11/62
- Contact number: 314-555-1212 (Customer's cell phone)
- Checkout Location: DEN
- Checkout Date/Time: 02/20/05, 10:30 am
- Expected Return Location: DEN
- Expected Return Date/Time: 03/15/05 10:00 am
- Credit card number, type and expiration date: Visa 2221 4444 5555 6322, 9/09
- Authorized Deposit \$200
- PricedCoverage: Collision Damage Waiver @ 9.99/day
- Fuel purchase option: none
- Mileage: Unlimited
- RateCategoryPlan: Leisure – ABC123
- Vehicle Class: Pick-up truck

OTA_VehCheckOutRQ3.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehCheckOutRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_VehCheckOutRQ.xsd" Version="1.001"
  RentalActionCode="Initiate">
  <POS>
    <Source AgentSine="E3549K" TerminalID="T549K"/>
  </POS>
  <Customer>
    <Primary>
      <PersonName>
        <GivenName>Joe</GivenName>
```

```

        <Surname>Bailey</Surname>
    </PersonName>
    <Telephone PhoneNumber="3145551212" PhoneTechType="5"/>
    <Document DocIssueStateProv="MO" DocIssueCountry="US" DocID="L1759302"
DocType="4" BirthDate="1962-07-11" ExpireDate="2007-12-13"/>
    </Primary>
    <Customer>
    <PickUpReturnDetails PickUpDateTime="2005-02-20T10:30:00" ReturnDateTime="2005-03-
15T10:00:00">
        <PickUpLocation LocationCode="DEN"/>
        <ReturnLocation LocationCode="DEN"/>
    </PickUpReturnDetails>
    <VehPref AirConditionInd="true" TransmissionType="Automatic">
        <VehType VehicleCategory="9"/>
        <VehClass Size="6"/>
    </VehPref>
    <RateQualifier RateCategory="3" RateQualifier="ABC123"/>
    <RentalPaymentAmount>
        <PaymentCard CardType="1" CardCode="VI" CardNumber="2221444455556322"
ExpireDate="0909"/>
        <PaymentAmount Amount="200.00" CurrencyCode="USD"/>
    </RentalPaymentAmount>
    <VehRentalAdditionalInfo>
        <CoveragePrefs>
            <CoveragePref CoverageType="7"/>
        </CoveragePrefs>
    </VehRentalAdditionalInfo>
</OTA_VehCheckOutRQ>

```

5.3.3.2. Response: Vehicle CheckOut

The System responds with:

- Rental Action Code: Commit
- Name: Joe Bailey
- Rental agreement number: 223456789
- Drivers License number, state, and expiration: L1759302, MO, 12/13/07
- Date of Birth: 7/11/62
- Contact number: 314-555-1212 (Customer's cell phone)
- Checkout Location: DEN
- Checkout Date/Time: 02/20/05, 10:30 am
- Expected Return Location: DEN
- Expected Return Date/Time: 03/15/05 10:00 am
- Credit card number, type and expiration date: Visa xxxx xxxx xxxx 6322, 9/09
- Authorized Deposit \$200
- Priced Coverage: Collision Damage Waiver @ 9.99/day
- Fuel purchase option: none
- Estimated Charges: \$1239.84

- \$339/week x 3 weeks = \$1017
- \$45/day X 2 days = \$90
- Base rate total: \$1107
- Tax information: 12% - \$132.84
- Rate Category Plan: Leisure – ABC123
- CDW: \$ 229.77 (9.99/day for 23 days)
- ***CDW is not included in the rental rate and the rate returned does not include tax
- Vehicle Information
 - Vehicle Class: Pick-up truck
 - Vehicle Asset Number: Truck072
 - VIN: 474747474747474747V
 - Year, make, model: Chevy S-10 2004
 - Color: green
 - Veh License Number and state: CO 335ZBL
 - Vehicle condition: no damage
- Fuel Level detail: full tank of gas
- Odometer reading: 2730 miles
- Terminal ID: T659K
- Agent ID: 93254

OTA_VehCheckOutRS3.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehCheckOutRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_VehCheckOutRS.xsd" Version="1.001"
RentalActionCode="Commit">
  <Success/>
  <POS>
    <Source AgentSine="93254" TerminalID="T659K"/>
  </POS>
  <Customer>
    <Primary>
      <PersonName>
        <GivenName>Joe</GivenName>
        <Surname>Bailey</Surname>
      </PersonName>
      <Telephone PhoneNumber="3145551212" PhoneTechType="5"/>
      <!--Coded value of 5 in PhoneTechType indicates this is the customer's mobile phone-->
      <Document DocIssueStateProv="MO" DocIssueCountry="US" DocID="L1759302"
DocType="4" BirthDate="1962-07-11" ExpireDate="2007-12-13"/>
    </Primary>
  </Customer>
  <VehRentalTransaction>
    <PickUpReturnDetails PickUpDateTime="2005-02-20T10:30:00" ReturnDateTime="2005-03-
15T10:00:00">
      <PickUpLocation LocationCode="DEN"/>
      <ReturnLocation LocationCode="DEN"/>
    </PickUpReturnDetails>
    <Vehicle AirConditionInd="true" TransmissionType="Automatic">
      <VehType VehicleCategory="9"/>
      <VehClass Size="6"/>
    </Vehicle>
  </VehRentalTransaction>
</OTA_VehCheckOutRS>
```

```

        <VehMakeModel Name="Chevrolet S-10" ModelYear="2004"/>
        <VehIdentity VehicleAssetNumber="Truck072" LicensePlateNumber="335ZBL"
StateProvCode="CO" CountryCode="US" VehicleID_Number="4747474747474747V"
VehicleColor="green"/>
        <VehRentalDetails ParkingLocation="8">
            <FuelLevelDetails FuelLevelValue="8"/>
            <!--Fuel is measured in 1/8 increments; 8 in FuelLevelValue represents a full tank-->
            <OdometerReading UnitOfMeasureQuantity="2730" UnitOfMeasure="Miles"/>
        </VehRentalDetails>
    </Vehicle>
    <RentalRate>
        <RateDistance Unlimited="true" DistUnitName="Mile"
VehiclePeriodUnitName="RentalPeriod"/>
    <VehicleCharges>
        <VehicleCharge Amount="1107.00" CurrencyCode="USD" TaxInclusive="false"
Purpose="1">
            <TaxAmounts>
                <TaxAmount Total="132.84" CurrencyCode="USD" Percentage="12"/>
            </TaxAmounts>
            <Calculation UnitCharge="339.00" UnitName="Week" Quantity="3"/>
            <Calculation UnitCharge="45.00" UnitName="Day" Quantity="2"/>
        </VehicleCharge>
    </VehicleCharges>
    <RateQualifier RateCategory="3" RateQualifier="ABC123"/>
</RentalRate>
<TotalCharge RateTotalAmount="1107.00" EstimatedTotalAmount="1239.84"/>
<ContractID Type="8" ID="223456789"/>
</VehRentalTransaction>
<VehAdditionalInfo>
    <RentalPaymentAmount PaymentTransactionTypeCode="reserve">
        <PaymentCard CardType="VI" MaskedCardNumber="xxxxxxxxxxxx9999" ExpireDate="0904"/>
        <PaymentAmount Amount="200.00" CurrencyCode="USD"/>
    </RentalPaymentAmount>
    <PricedCoverages>
        <PricedCoverage>
            <Coverage CoverageType="7"/>
            <Charge Amount="229.77" IncludedInRate="false" TaxInclusive="false">
                <Calculation Quantity="23" UnitName="Day" UnitCharge="9.99"/>
            </Charge>
        </PricedCoverage>
    </PricedCoverages>
</VehAdditionalInfo>
</OTA_VehCheckOutRS>

```

5.4. OTA_VehCheckInRQ/RS

The goal of the CheckIn Request message is to provide the detail information related to the return of a rented vehicle to systems with a “need to know” that a vehicle has been returned and the rental agreement closed. The detail information would include date and time of return, condition (e.g., damage, fuel, mileage) of the vehicle and associated equipment, location of the return, and method of payment. This would be sent to systems that need to know that the vehicle can be returned to inventory, and that a rental agreement can be closed and the customer billed for the financial charges associated with renting the vehicle.

The goal of the Check In Response message is to confirm that the rental agreement is closed or to request additional information.

Vehicle Check In messages could be used in the following circumstance:

-
- Initiate a CheckIn transaction utilizing an existing rental agreement

Only one “vehicle return” request at a time may be made with the Vehicle CheckIn. The response will include any legal wording related to the rental transaction.

5.4.1. Use Case 1

5.4.1.1. Request: Vehicle CheckIn

Mr. Joe Bailey arrives back at the Oklahoma City counter on November 9 to return his Mazda 626 (Intermediate). There are no drop charges since vehicle is returned to the original rental location. There is no damage to the vehicle and the car seat was returned in good condition. The vehicle is returned with half a tank and is 2.5 hours later than originally anticipated. The agent asks if Mr. Bailey would like to keep the final charges on the same credit card and he answers affirmatively.

The counter agent pulls up the open ticket based on the rental agreement number: 123456789 and collects the following information:

Mileage: 4750
Fuel level: half-tank
Vehicle condition= OK
Equipment: OK
Vehicle asset number: Car054

A check-in request message is sent with the following data:

Mileage: 4750
Fuel level: half-tank
Vehicle condition: OK
Equipment: Return 1 child seat
Vehicle asset number: Car054
Confirmation number: C21358AC036
Rental agreement number: 123456789
Terminal ID: S549K
Agent ID: 9435E
Date/Time: November 9, 12:30 PM

OTA_VehCheckInRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehCheckInRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_VehCheckInRQ.xsd" Version="1.0">
  <POS>
    <Source AgentSine="9435E" TerminalID="S549K"/>
  </POS>
  <ConfID Type="14" ID="C21358AC036"/>
  <!-- Coded value of 14 in Type indicates Confirmation-->
```

```
<ContractID Type="8" ID="123456789"/>
<!--Coded value of 8 in Type indicates Car Rental-->
<PickUpReturnDetails ReturnDateTime="2004-11-09T12:30:00"/>
<Vehicle>
  <VehIdentity VehicleAssetNumber="Car054"/>
</Vehicle>
<VehRentalDetails>
  <FuelLevelDetails FuelLevelValue="4"/>
  <OdometerReading UnitOfMeasureQuantity="4750" UnitOfMeasure="Miles"/>
  <ConditionReport Condition="OK"/>
</VehRentalDetails>
<PricedEquips>
  <PricedEquip>
    <Equipment EquipType="8" Quantity="1"/>
  </PricedEquip>
</PricedEquips>
</OTA_VehCheckInRQ>
```

5.4.1.2. Response: Vehicle CheckIn

A check-in Response message is returned with the following data:

Name: Mr. Joe Bailey

Confirmation number: C21358AC036

Rental agreement number: 123456789

Drivers License number, state, and expiration: L1759302, MO, 12/13/07

Date of Birth: 7/11/62

Contact number: 405-555-1212 (Customer's cell phone)

Checkout Location: OKC

Checkout Date/Time: 11/1/05, 10:30 am

Checkin Location: OKC

Check in time: 11/09/05 12:30 pm

Expected Return Location: OKC

Expected Return Date/Time: 11/09/05 10:00 am

Credit card number, type and expiration date: Visa xxxxxxxxxxxxxx9999, 9/09

Authorized Deposit \$200

PricedEquipment: Infant/Toddler Car seat @ \$4.00/day

PricedCoverage: Collision Damage Waiver @ 9.99/day

Fuel purchase option: none

Final Charges:

Mileage: Unlimited

Base rate total: USD \$220.00

Tax information: 12%

RateCategoryPlan: Leisure – ABC123

Rate Breakdown: \$150/week and \$50/day and \$10/hour = \$220

EquipmentCharges: \$32

**Special equipment is not included in the rental rate and the rate returned does not include tax

CDW: \$79.92

***CDW is not included in the rental rate and the rate returned does not include tax.

Fuel charges: \$20

Total charges: \$351.92

Tax @ 12% = \$ 42.23

Total \$394.15

Vehicle Information

Vehicle Class: Intermediate

Vehicle Asset Number: Car054

VIN: 363636363636363636V

Year, make, model: 2004 Mazda 626

Color: white

VehLicenseNumber and state: OK 335ZBL

Vehicle condition: no damage

Terminal ID: S549K

Agent ID: 9435E

OTA_VehCheckInRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehCheckInRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_VehCheckInRS.xsd" Version="1.0">
  <Success/>
  <Customer>
    <Primary>
      <PersonName>
        <NamePrefix>Mr.</NamePrefix>
        <GivenName>Joe</GivenName>
        <Surname>Bailey</Surname>
      </PersonName>
      <Telephone PhoneNumber="4055551212" PhoneTechType="5"/>
      <!--Code value of 5 indicates this is a mobile phone-->
      <Document DocIssueStateProv="MO" DocIssueCountry="US" DocID="L1759302"
        DocType="4" BirthDate="1962-07-11" ExpireDate="2007-12-13"/>
      <!-- Code value of 4 in DocType indicates drivers license -->
```

```

        </Primary>
    </Customer>
    <VehRentalTransaction>
        <PickUpReturnDetails ExpectedActualCode="Actual" PickUpDateTime="2005-11-
01T13:30:00" ReturnDateTime="2005-11-09T12:30:00">
            <PickUpLocation LocationCode="OKC"/>
            <ReturnLocation LocationCode="OKC"/>
        </PickUpReturnDetails>
        <PickUpReturnDetails ExpectedActualCode="Expected" PickUpDateTime="2005-11-
01T13:30:00" ReturnDateTime="2005-11-09T10:00:00">
            <PickUpLocation LocationCode="OKC"/>
            <ReturnLocation LocationCode="OKC"/>
        </PickUpReturnDetails>
        <Vehicle AirConditionInd="true" TransmissionType="Automatic">
            <VehType VehicleCategory="1"/>
            <VehClass Size="6"/>
            <VehMakeModel Name="Mazda 626" ModelYear="2004"/>
            <VehIdentity VehicleAssetNumber="Car054" LicensePlateNumber="335ZBL"
StateProvCode="OK" CountryCode="US" VehicleID_Number="363636363636363636V"
VehicleColor="white"/>
            <VehRentalDetails>
                <ConditionReport Condition="OK"/>
            </VehRentalDetails>
        </Vehicle>
        <RentalRate>
            <RateDistance Unlimited="true" DistUnitName="Mile"
VehiclePeriodUnitName="RentalPeriod"/>
            <VehicleCharges>
                <VehicleCharge Amount="220.00" CurrencyCode="USD" TaxInclusive="false"
Purpose="1">
                    <!--Code Value of 1 in Purpose indicates this charge is for the vehicle rental-->
                    <TaxAmounts>
                        <TaxAmount Total="42.23" CurrencyCode="USD" Percentage="12"/>
                    </TaxAmounts>
                    <Calculation UnitCharge="150.00" UnitName="Week" Quantity="1"/>
                    <Calculation UnitCharge="50.00" UnitName="Day" Quantity="1"/>
                    <Calculation UnitCharge="10.00" UnitName="Hour" Quantity="2"/>
                </VehicleCharge>
                <VehicleCharge Amount="20.00" CurrencyCode="USD" TaxInclusive="false"
Purpose="20"/>
                    <!-- Coded value of 20 indicates the VehicleCharge is for fuel as vehicle was returned
with only 1/2 tank -->
                </VehicleCharges>
            <RateQualifier RateQualifier="ABC123"/>
        </RentalRate>
        <PricedEquips>
            <PricedEquip>
                <Equipment EquipType="8" Quantity="1"/>
                <!--Code Value of 8 in EquipType indicates a child seat-->
                <Charge Amount="32.00" CurrencyCode="USD" TaxInclusive="false">
                    <Calculation UnitCharge="4.00" UnitName="Day" Quantity="8"/>
                </Charge>
            </PricedEquip>
        </PricedEquips>
        <TotalCharge RateTotalAmount="220.00" EstimatedTotalAmount="394.15"
CurrencyCode="USD"/>
        <ConfID Type="14" ID="C21358AC036"/>
        <!--Code value of 14 in Type indicates Confirmation number-->
        <ContractID Type="8" ID="123456789"/>
        <!--Code value of 8 in Type indicates Car Rental-->
    </VehRentalTransaction>
    <VehCheckInInfo>
        <RentalPaymentAmount PaymentTransactionTypeCode="charge">
            <PaymentCard CardType="1" CardCode="VI" CardNumber="48484848484849999"
ExpireDate="0909"/>
            <PaymentAmount Amount="394.15" CurrencyCode="USD"/>
        </RentalPaymentAmount>
    </VehCheckInInfo>

```

```

        </RentalPaymentAmount>
        <PricedCoverages>
          <PricedCoverage>
            <Coverage CoverageType="7"/>
            <!--Code value of 7 indicates CDW - collision damage waiver-->
            <Charge Amount="79.92" CurrencyCode="USD" TaxInclusive="false">
              <Calculation UnitCharge="9.99" UnitName="Day" Quantity="8"/>
            </Charge>
          </PricedCoverage>
        </PricedCoverages>
      </VehCheckInInfo>
    </OTA_VehCheckInRS>
  
```

5.4.2. Use Case 2

5.4.2.1. Request: Vehicle CheckIn

Customer has returned a vehicle with a full tank of gas however his rental receipt shows a charge for fuel. The complete CheckIn request is sent again with the updated information indicating the new fuel level:

OTA_VehCheckInRQ2.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehCheckInRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_VehCheckInRQ.xsd" Version="1.0"
  RentalActionCode="Modify">
  <POS>
    <Source AgentSine="9435E" TerminalID="S549K"/>
  </POS>
  <ConfID Type="14" ID="C21358AC036"/>
  <!-- Coded value of 14 in Type indicates Confirmation-->
  <ContractID Type="8" ID="123456789"/>
  <!--Coded value of 8 in Type indicates Car Rental-->
  <PickUpReturnDetails ReturnDateTime="2004-11-09T12:30:00"/>
  <Vehicle>
    <VehIdentity VehicleAssetNumber="Car054"/>
  </Vehicle>
  <VehRentalDetails>
    <FuelLevelDetails FuelLevelValue="8"/>
    <OdometerReading UnitOfMeasureQuantity="4750" UnitOfMeasure="Miles"/>
    <ConditionReport Condition="OK"/>
  </VehRentalDetails>
  <PricedEquips>
    <PricedEquip>
      <Equipment EquipType="8" Quantity="1"/>
    </PricedEquip>
  </PricedEquips>
</OTA_VehCheckInRQ>
  
```

5.4.2.2. Response: Vehicle CheckIn

A full CheckIn response message is returned with the adjusted rate information as follows:

Name: Mr. Joe Bailey

Confirmation number: C21358AC036

Rental agreement number: 123456789

Drivers License number, state, and expiration: L1759302, MO, 12/13/07

Date of Birth: 7/11/62

Contact number: 405-555-1212 (Customer's cell phone)

Checkout Location: OKC

Checkout Date/Time: 11/1/05, 10:30 am

Checkin Location: OKC

Check in time: 11/09/05 12:30 pm

Expected Return Location: OKC

Expected Return Date/Time: 11/09/05 10:00 am

Credit card number, type and expiration date: Visa xxxxxxxxxxxxxx9999, 9/09

Authorized Deposit \$200

PricedEquipment: Infant/Toddler Car seat @ \$4.00/day

PricedCoverage: Collision Damage Waiver @ 9.99/day

Fuel purchase option: none

Final Charges:

Mileage: Unlimited

Base rate total: USD \$220.00

Tax information: 12%

RateCategoryPlan: Leisure – ABC123

Rate Breakdown: \$150/week and \$50/day and \$10/hour = \$220

EquipmentCharges: \$32

**Special equipment is not included in the rental rate and the rate returned does not include tax

CDW: \$79.92

***CDW is not included in the rental rate and the rate returned does not include tax.

Total charges: \$351.92

Tax @ 12% = \$ 42.23

Total \$394.15

Vehicle Information

Vehicle Class: Intermediate

Vehicle Asset Number: Car054

VIN: 363636363636363636V

Year, make, model: 2004 Mazda 626

Color: white

VehLicenseNumber and state: OK 335ZBL

Vehicle condition: no damage

3 December 2004

Terminal ID: S549K

Agent ID: 9435E

OTA_VehCheckInRS2.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehCheckInRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_VehCheckInRS.xsd" Version="1.0">
  <Success/>
  <POS>
    <Source AgentSine="9435E" TerminalID="S549K"/>
  </POS>
  <Customer>
    <Primary>
      <PersonName>
        <NamePrefix>Mr.</NamePrefix>
        <GivenName>Joe</GivenName>
        <Surname>Bailey</Surname>
      </PersonName>
      <Telephone PhoneNumber="4055551212" PhoneTechType="5"/>
      <!--Code value of 5 indicates this is a mobile phone-->
      <Document DocIssueStateProv="MO" DocIssueCountry="US" DocID="L1759302"
        DocType="4" BirthDate="1962-07-11" ExpireDate="2007-12-13"/>
      <!-- Code value of 4 in DocType indicates drivers license -->
    </Primary>
  </Customer>
  <VehRentalTransaction>
    <PickUpReturnDetails ExpectedActualCode="Actual" PickUpDateTime="2005-11-01T13:30:00"
      ReturnDateTime="2005-11-09T12:30:00">
      <PickUpLocation LocationCode="OKC"/>
      <ReturnLocation LocationCode="OKC"/>
    </PickUpReturnDetails>
    <PickUpReturnDetails ExpectedActualCode="Expected" PickUpDateTime="2005-11-01T13:30:00"
      ReturnDateTime="2005-11-09T10:00:00">
      <PickUpLocation LocationCode="OKC"/>
      <ReturnLocation LocationCode="OKC"/>
    </PickUpReturnDetails>
    <Vehicle AirConditionInd="true" TransmissionType="Automatic">
      <VehType VehicleCategory="1"/>
    </Vehicle>
  </VehRentalTransaction>
</OTA_VehCheckInRS>
```

```

        <VehClass Size="6"/>
        <VehMakeModel Name="Mazda 626" ModelYear="2004"/>
        <VehIdentity VehicleAssetNumber="Car054" LicensePlateNumber="335ZBL"
StateProvCode="OK" CountryCode="US" VehicleID_Number="3636363636363636V"
VehicleColor="white"/>
        <VehRentalDetails>
            <ConditionReport Condition="OK"/>
        </VehRentalDetails>
    </Vehicle>
    <RentalRate>
        <RateDistance Unlimited="true" DistUnitName="Mile"
VehiclePeriodUnitName="RentalPeriod"/>
        <VehicleCharges>
            <VehicleCharge Amount="220.00" CurrencyCode="USD" TaxInclusive="false"
Purpose="1">
                <!--Code Value of 1 in Purpose indicates this charge is for the vehicle rental-->
                <TaxAmounts>
                    <TaxAmount Total="42.23" CurrencyCode="USD" Percentage="12"/>
                </TaxAmounts>
                <Calculation UnitCharge="150.00" UnitName="Week" Quantity="1"/>
                <Calculation UnitCharge="50.00" UnitName="Day" Quantity="1"/>
                <Calculation UnitCharge="10.00" UnitName="Hour" Quantity="2"/>
            </VehicleCharge>
        </VehicleCharges>
        <RateQualifier RateQualifier="ABC123"/>
    </RentalRate>
    <PricedEquips>
        <PricedEquip>
            <Equipment EquipType="8" Quantity="1"/>
            <!--Code Value of 8 in EquipType indicates a child seat-->
            <Charge Amount="32.00" CurrencyCode="USD" TaxInclusive="false">
                <Calculation UnitCharge="4.00" UnitName="Day" Quantity="8"/>
            </Charge>
        </PricedEquip>
    </PricedEquips>
    <TotalCharge RateTotalAmount="220.00" EstimatedTotalAmount="351.92" CurrencyCode="USD"/>
    <ConfID Type="14" ID="C21358AC036"/>
    <!--Code value of 14 in Type indicates Confirmation number-->
    <ContractID Type="8" ID="123456789"/>
    <!--Code value of 8 in Type indicates Car Rental-->
</VehRentalTransaction>
<VehCheckInInfo>
    <RentalPaymentAmount PaymentTransactionTypeCode="charge">
        <PaymentCard CardType="1" CardCode="VI" CardNumber="48484848484849999"
ExpireDate="0909"/>
        <PaymentAmount Amount="394.15" CurrencyCode="USD"/>
    </RentalPaymentAmount>
    <PricedCoverages>
        <PricedCoverage>
            <Coverage CoverageType="7"/>
            <!--Code value of 7 indicates CDW - collision damage waiver-->
            <Charge Amount="79.92" CurrencyCode="USD" TaxInclusive="false">
                <Calculation UnitCharge="9.99" UnitName="Day" Quantity="8"/>
            </Charge>
        </PricedCoverage>
    </PricedCoverages>
</VehCheckInInfo>
</OTA_VehCheckInRS>

```

5.4.3. Use Case 3

5.4.3.1. Request: Vehicle CheckIn

Mr. Joe Bailey has returned his rental car to Hertz and a successful CheckIn transaction has already taken place. Mr. Bailey comments to the Hertz customer service representative that he was unhappy with the condition of the car and would like Hertz to compensate him. The agent agrees to take \$25 off the rental.

A CheckIn Request message is sent with the following information:

Rental Action Code – Modify

Confirmation Number - C21358AC036

Rental Agreement/Contract number – 123456789

Return Date/Time – November 9, 2005 @ 12:30 p.m.

Vehicle Asset Number - Car054

Fuel Level Details – 4 (Vehicle was returned with a half tank of gas)

Odometer reading – 4750 miles

Condition – OK

Adjustment Details

Adjustment Amount - \$25.00

Description – Customer Service

OTA_VehCheckInRQ3.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehCheckInRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_VehCheckInRQ.xsd" Version="1.000"
  RentalActionCode="Modify">
  <POS>
    <Source AgentSine="9435E" TerminalID="S549K"/>
  </POS>
  <ConfID Type="14" ID="C21358AC036"/>
  <!-- Coded value of 14 in Type indicates Confirmation-->
  <ContractID Type="8" ID="123456789"/>
  <!-- Coded value of 8 in Type indicates Car Rental-->
  <PickUpReturnDetails ReturnDateTime="2004-11-09T12:30:00"/>
  <Vehicle>
    <VehIdentity VehicleAssetNumber="Car054"/>
  </Vehicle>
  <VehRentalDetails>
    <FuelLevelDetails FuelLevelValue="4"/>
    <OdometerReading UnitOfMeasureQuantity="4750" UnitOfMeasure="Miles"/>
    <ConditionReport Condition="OK"/>
  </VehRentalDetails>
  <PricedEquips>
    <PricedEquip>
      <Equipment EquipType="8" Quantity="1"/>
    </PricedEquip>
  </PricedEquips>
</OTA_VehCheckInRQ>
```

```
</PricedEquip>
</PricedEquips>
<AdjustmentDetails>
  <AdjustmentDetail Amount="25.00" CurrencyCode="USD" Description="Customer Service"/>
</AdjustmentDetails>
</OTA_VehCheckInRQ>
```

5.4.3.2. Response: Vehicle CheckIn

The Hertz system responds with a full CheckIn Response message including the adjusted rate information:

Name: Mr. Joe Bailey

Confirmation number: C21358AC036

Rental agreement number: 123456789

Drivers License number, state, and expiration: L1759302, MO, 12/13/07

Date of Birth: 7/11/62

Contact number: 405-555-1212 (Customer's cell phone)

Checkout Location: OKC

Checkout Date/Time: 11/1/05, 10:30 am

5-67 3 December 2004

Checkin Location: OKC

Check in time: 11/09/05 12:30 pm

Expected Return Location: OKC

Expected Return Date/Time: 11/09/05 10:00 am

Credit card number, type and expiration date: Visa xxxxxxxxxxxxxx9999, 9/09

Authorized Deposit \$200

PricedEquipment: Infant/Toddler Car seat @ \$4.00/day

PricedCoverage: Collision Damage Waiver @ 9.99/day

Fuel purchase option: none

Final Charges:

Mileage: Unlimited

Base rate total: USD \$220.00

Tax information: 12%

RateCategoryPlan: Leisure – ABC123

Rate Breakdown: \$150/week and \$50/day and \$10/hour = \$220

EquipmentCharges: \$32

**Special equipment is not included in the rental rate and the rate returned does not include tax

CDW: \$79.92

***CDW is not included in the rental rate and the rate returned does not include tax.

Fuel charges: \$20

Tax @ 12% = \$ 42.23

Total \$394.15

Adjustment - \$25.00

Total charges: \$369.15

Vehicle Information

Vehicle Class: Intermediate

Vehicle Asset Number: Car054

VIN: 363636363636363636V

Year, make, model: 2004 Mazda 626

Color: white

VehLicenseNumber and state: OK 335ZBL

Vehicle condition: no damage

3 December 2004

Terminal ID: S549K

Agent ID: 9435E

OTA_VehCheckInRS3.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehCheckInRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_VehCheckInRS.xsd" Version="1.00">
<Success/>
  <POS>
    <Source AgentSine="9435E" TerminalID="S549K"/>
  </POS>
  <Customer>
    <Primary>
      <PersonName>
        <NamePrefix>Mr.</NamePrefix>
        <GivenName>Joe</GivenName>
      </PersonName>
    </Primary>
  </Customer>
</OTA_VehCheckInRS>
```

```

        <!--Code value of 8 in Type indicates Car Rental-->
    </VehRentalTransaction>
    <VehCheckInInfo>
        <RentalPaymentAmount PaymentTransactionTypeCode="reserve">
            <PaymentCard CardType="1" CardCode="VI" CardNumber="4848484848484999"
ExpireDate="0909"/>
            <PaymentAmount Amount="200.00" CurrencyCode="USD"/>
        </RentalPaymentAmount>
        <PricedCoverages>
            <PricedCoverage>
                <Coverage CoverageType="7"/>
                <!--Code value of 7 indicates CDW - collision damage waiver-->
                <Charge Amount="79.92" CurrencyCode="USD" TaxInclusive="false">
                    <Calculation UnitCharge="9.99" UnitName="Day" Quantity="8"/>
                </Charge>
            </PricedCoverage>
        </PricedCoverages>
    </VehCheckInInfo>
</OTA_VehCheckInRS>

```

5.5. OTA_VehLocDetailsNotifRQ/RS *

This message provides the capability for a car supplier to send location detail information to another system for the purpose of updating the other system's database. Multiple vehicle locations can be sent in one message and the action to be taken may include adding, deleting or doing a full replace on a location or it may include adding, deleting, or replacing certain items of data for an existing location.

5.5.1. Use Case 1

5.5.1.1. Request: Supplier provides location details update

Hertz has a relationship with a global distribution system that maintains a data base of their rental car locations. Hertz has previously sent a download of all of their locations, but now needs to add a new location at Dallas (DFW) and update an existing location in New York (JFK).

OTA_VehLocDetailsNotifRQ.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehLocDetailsNotifRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_VehLocDetailsNotifRQ.xsd"
EchoToken="1234567" TimeStamp="2006-05-17T09:30:47-05:00" Target="Production" Version="1.000"
PrimaryLangID="en-us">
    <POS>
        <Source AgentSine="ZE"/>
    </POS>
    <LocationDetails LocationQuantity="2">
        <LocationDetail Code="DFW" AssocAirportLocList="DFW" CounterLoc="1" CorporateLocInd="true"
DistanceUnit="Mile" RecordID="92345">
            <!--CounterLoc 1=Terminal-->
            <ProcessingInfo Action="Add" CompanyShortName="HERTZ"/>
            <Address FormattedInd="false" LocationName="DALLAS FT WORTH AIRPORT">
                <AddressLine>3200 EAST AIRFIELD DRIVE</AddressLine>
            </Address>
        </LocationDetail>
    </LocationDetails>
</OTA_VehLocDetailsNotifRQ>

```

```

        <CityName>DALLAS</CityName>
        <PostalCode>75261-4904</PostalCode>
        <StateProv StateCode="TX"/>
        <CountryName Code="US"/>
    </Address>
    <Telephone PhoneTechType="1" AreaCityCode="972" PhoneNumber="453-4600"
MovePhoneNbrToPNR_Ind="true"/>
    <!--PhoneTechType 1=Voice-->
    <Telephone PhoneTechType="1" AreaCityCode="972" PhoneNumber="453-4780"
MovePhoneNbrToPNR_Ind="true"/>
    <!--PhoneTechType 1=Voice-->
    <Telephone PhoneTechType="1" AreaCityCode="800" PhoneNumber="654-5060"
MovePhoneNbrToPNR_Ind="false"/>
    <!--PhoneTechType 1=Voice-->
    <Keywords>
        <Keyword Name="AGE" PolicyNumber="15" Start="2006-01-01" End="2006-12-31">
            <Text>ON MOST RENTALS THE MINIMUM AGE IS 25 WITHOUT AN ADDITIONAL
AGE DIFFEENTIAL CHARGE AND 21 WITH AN ADDITIONAL AGE DIFFERENTIAL CHARGE.</Text>
            <Text>AGE DIFFERENTIAL CHARGE POLICY - AT CORPORATE LOCATIONS AND
LICENSEE LOCATIONS IN THE UNITED STATES/PUERTO RICO/ST. THOMAS HERTZ WILL RENT
SELECTED CAR CLASS VEHICLES//PRESTIGE COLLECTION AND SOME OTHER MODELS EXCLUDED// TO
CUSTOMERS WHO ARE AGE 21-24 WITH A PER DAY AGE DIFFERENTIAL CHARGE IN ADDITION TO THE
NORMAL RENTAL RATE</Text>
        </Keyword>
        <Keyword Name="EXPRESS" Start="2006-01-01" End="2006-12-31">
            <Text>GOLD SERVICE COUNTER - TAKE THE COMMON BUS TO THE CAR
RENTAL AREA. CUSTOMERS WILL BE MET BY A HERTZ CUSTOMER SERVICE REPRESENTATIVE WHO
WILL ADVISE THE COUNTER OF THEIR ARRIVAL. THEY WILL THEN GO TO THE COUNTER - SHOW
THEIR DRIVERS LICENSE - SIGN THE GOLD LOG AND COLLECT THE CONTRACT AND KEYS.</Text>
        </Keyword>
        <Keyword Name="GAS" Start="2006-01-01" End="2007-12-31">
            <Text>HERTZ HAS THREE REFUELING OPTIONS AVAILABLE TO MEET YOUR
NEEDS</Text>
            <Text>YOU MAY PURCHASE A TANK OF GAS FROM HERTZ AT TIME OF RENTAL
AND RETURN THE VEHICLE WITH AS LITTLE GAS AS YOU PREFER. PLEASE BE AWARE THAT WE ARE
UNABLE TO ISSUE A REFUND FOR UNUSED FUEL. HOWEVER THIS METHOD ELIMINATES THE NEED
FOR YOU TO REFUEL THE TANK PRIOR TO RETURNING.</Text>
            <Text>YOU CAN LET US REFUEL FOR YOU AND ONLY PAY FOR THE FUEL
REQUIRED TO REPLACE THE FUEL YOU USED AND FOR THE SERVICE AND CONVENIENCE OF
REFUELING THE TANK.</Text>
            <Text>YOU CAN STOP AND REFUEL THE TANK YOURSELF IMMEDIATELY PRIOR
TO RETURNING THE VEHICLE.</Text>
        </Keyword>
    </Keywords>
    <OperationSchedules>
        <OperationSchedule>
            <OperationTimes>
                <OperationTime Sun="true" Start="00:00:00" End="23:59:00"/>
                <OperationTime Mon="true" Start="00:00:00" End="23:59:00"/>
                <OperationTime Tue="true" Start="00:00:00" End="23:59:00"/>
                <OperationTime Weds="true" Start="00:00:00" End="23:59:00"/>
                <OperationTime Thur="true" Start="00:00:00" End="23:59:00"/>
                <OperationTime Fri="true" Start="00:00:00" End="23:59:00"/>
                <OperationTime Sat="true" Start="00:00:00" End="23:59:00"/>
            </OperationTimes>
        </OperationSchedule>
    </OperationSchedules>
    <SpecialEquipments PolicyNumber="22">

```

```

        <SpecialEquipment EquipType="7" GDS_TypeCode="CSI" Name="CHILD SEAT/INFANT"
Start="2006-01-01" ReadEquipPolicyInd="true"/>
        <!-- EquipType 7=Infant toddler seat -->
        <SpecialEquipment EquipType="8" GDS_TypeCode="CST" Name="CHILD SEAT/TODDLER"
Start="2006-01-01" ReadEquipPolicyInd="true"/>
        <!-- EquipType 8=Child toddler seat -->
        <SpecialEquipment EquipType="12" GDS_TypeCode="HCL" Name="HAND CONTROL/LEFT"
Start="2006-01-01" ReadEquipPolicyInd="true"/>
        <!-- EquipType 12=Hand control left-->
        <SpecialEquipment EquipType="11" GDS_TypeCode="HCR" Name="HAND
CONTROL/RIGHT" Start="2006-01-01" ReadEquipPolicyInd="true"/>
        <!-- EquipType 11=Hand control right-->
        <SpecialEquipment EquipType="3" GDS_TypeCode="LUGI" Name="LUGGAGE RACK"
Start="2006-01-01"/>
        <!-- EquipType 3=Luggage rack-->
        <SpecialEquipment EquipType="13" GDS_TypeCode="NVS" Name="NAVIGATIONAL
SYSTEM" Start="2006-01-01" ReadEquipPolicyInd="true"/>
        <!-- EquipType 13=Navigational system -->
        <SpecialEquipment EquipType="1" GDS_TypeCode="MOB" Name="MOBILE PHONE"
Start="2006-01-01"/>
        <!-- EquipType 1=Mobile phone-->
    </SpecialEquipments>
    <Vehicles>
        <VehicleInfos>
            <VehicleInfo Type="GeneralInformation">
                <SubSection>
                    <Paragraph>
                        <Text>**ABOVE MODELS ARE REPRESENTATIVE ONLY**
MAKE/MODEL CANNOT BE GUARANTEED</Text>
                    </Paragraph>
                </SubSection>
            </VehicleInfo>
        </VehicleInfos>
        <Vehicle AirConditionInd="true" TransmissionType="Automatic" PassengerQuantity="4"
BaggageQuantity="4" IsConfirmableInd="true" DistanceUnit="Mile" DistancePerFuelUnit="28">
            <VehType VehicleCategory="1" DoorCount="2-4"/>
            <!-- VehicleCategory=Car-->
            <VehClass Size="3"/>
            <!-- Size=Economy-->
            <VehMakeModel Name="HYUNDAI ACCENT"/>
        </Vehicle>
        <Vehicle AirConditionInd="true" TransmissionType="Automatic" PassengerQuantity="4"
BaggageQuantity="4" IsConfirmableInd="true" DistanceUnit="Mile" DistancePerFuelUnit="20">
            <VehType VehicleCategory="1" DoorCount="2"/>
            <!-- VehicleCategory=Car-->
            <VehClass Size="7"/>
            <!-- Size=Standard-->
            <VehMakeModel Name="FORD"/>
        </Vehicle>
    </Vehicles>
    <CreditCardRequirements Start="2006-01-01">
        <CreditCardPurpose PurposeType="Deposit">
            <CreditCardCode CardCode="AX"/>
            <CreditCardCode CardCode="BF"/>
            <CreditCardCode CardCode="CA"/>
            <CreditCardCode CardCode="CB"/>

```

```

        <CreditCardCode CardCode="CS"/>
        <CreditCardCode CardCode="CX"/>
        <CreditCardCode CardCode="DC"/>
        <CreditCardCode CardCode="DT"/>
        <CreditCardCode CardCode="JC"/>
        <CreditCardCode CardCode="MC"/>
        <CreditCardCode CardCode="VI"/>
    </CreditCardPurpose>
    <CreditCardPurpose PurposeType="Guarantee">
        <CreditCardCode CardCode="AX"/>
        <CreditCardCode CardCode="BF"/>
        <CreditCardCode CardCode="CA"/>
        <CreditCardCode CardCode="CB"/>
        <CreditCardCode CardCode="CS"/>
        <CreditCardCode CardCode="CX"/>
        <CreditCardCode CardCode="DC"/>
        <CreditCardCode CardCode="DT"/>
        <CreditCardCode CardCode="JC"/>
        <CreditCardCode CardCode="LH"/>
        <CreditCardCode CardCode="MC"/>
    </CreditCardPurpose>
</CreditCardRequirements>
<ShuttleInfo Type="In-terminal">
    <ShuttleDesc Type="Hours">
        <SubSection>
            <Paragraph>
                <Text>SHUTTLE AVAILABLE 24 HOURS DAILY</Text>
            </Paragraph>
        </SubSection>
    </ShuttleDesc>
    <ShuttleDesc Type="Frequency">
        <SubSection>
            <Paragraph>
                <Text>THE BUS RUNS EVERY 5 MINUTES.</Text>
            </Paragraph>
        </SubSection>
    </ShuttleDesc>
    <ShuttleDesc Type="PickupInfo">
        <SubSection>
            <Paragraph>
                <Text>COLLECT YOUR BAGGAGE AND THEN PROCEED TO THE
LOWER</Text>
                <Text>LEVEL OF THE AIRPORT AND TAKE THE BUS THAT READS</Text>
                <Text>*RENTAL CAR SHUTTLE* OR *RENTAL CAR CONSOLIDATED
FACILITY*</Text>
                <Text>WALKINS - FOLLOW THE HIGHWAY SIGNS FOR *AUTO
RENTAL</Text>
                <Text>RETURN*. TAKE THE SERVICE ROAD, DO NOT ENTER THE
TOLL</Text>
                <Text>PLAZA</Text>
            </Paragraph>
        </SubSection>
    </ShuttleDesc>
    <ShuttleDesc Type="Fee">
        <SubSection>

```

```

        <Paragraph>
            <Text>NONE</Text>
        </Paragraph>
    </SubSection>
</ShuttleDesc>
<ShuttleDesc Type="Distance">
    <SubSection>
        <Paragraph>
            <Text>INFORMATION NOT AVAILABLE.</Text>
        </Paragraph>
    </SubSection>
</ShuttleDesc>
<ShuttleDesc Type="ElapsedTime">
    <SubSection>
        <Paragraph>
            <Text>INFORMATION NOT AVAILABLE.</Text>
        </Paragraph>
    </SubSection>
</ShuttleDesc>
</ShuttleInfo>
<Liabilities>
    <Coverages>
        <Coverage Type="24" RequiredInd="true">
            <!--Type=Loss damage waiver-->
            <CoverageInfo>
                <SubSection>
                    <Paragraph>
                        <Text>ALLOWED VEHICLES HAVE THESE CHARGES</Text>
                    </Paragraph>
                </SubSection>
            </CoverageInfo>
            <CoverageFees>
                <CoverageFee>
                    <Charge>
                        <Calculation UnitCharge="10.00" UnitName="RentalPeriod"/>
                        <Calculation UnitCharge="22.99" UnitName="Day"/>
                        <Calculation UnitCharge="137.94" UnitName="Week"/>
                    </Charge>
                </CoverageFee>
            </CoverageFees>
            <Vehicles>
                <Vehicle AirConditionInd="true" TransmissionType="Automatic"
IncludeExclude="Allowed">
                    <VehType VehicleCategory="1"/>
                    <!--VehicleCategory=Car-->
                    <VehClass Size="3"/>
                    <!--Size=Economy-->
                </Vehicle>
                <Vehicle AirConditionInd="true" TransmissionType="Automatic"
IncludeExclude="Allowed">
                    <VehType VehicleCategory="1"/>
                    <!--VehicleCategory=Car-->
                    <VehClass Size="4"/>
                    <!--Size=Compact-->
                </Vehicle>
                <Vehicle AirConditionInd="true" TransmissionType="Automatic"
IncludeExclude="Allowed">

```

```

        <VehType VehicleCategory="1"/>
        <!--VehicleCategory=Car-->
        <VehClass Size="7"/>
        <!--Size=Standard-->
    </Vehicle>
</Vehicles>
</CoverageFee>
</CoverageFees>
</Coverage>
<Coverage Type="24" RequiredInd="true">
    <!--Type=Loss damage waiver-->
    <CoverageInfo>
        <SubSection>
            <Paragraph>
                <Text>ALLOWED VEHICLES HAVE THESE CHARGES</Text>
            </Paragraph>
        </SubSection>
    </CoverageInfo>
    <CoverageFees>
        <CoverageFee>
            <Charge>
                <Calculation UnitCharge="15.00" UnitName="RentalPeriod"/>
                <Calculation UnitCharge="34.99" UnitName="Day"/>
                <Calculation UnitCharge="209.94" UnitName="Week"/>
            </Charge>
        </Vehicles>
        <Vehicle AirConditionInd="true" TransmissionType="Automatic"
IncludeExclude="Allowed">

            <VehType VehicleCategory="13"/>
            <!--VehicleCategory=Sport-->
            <VehClass Size="32"/>
            <!--Size=Special-->
        </Vehicle>
        <Vehicle AirConditionInd="true" TransmissionType="Automatic"
IncludeExclude="Allowed">

            <VehType VehicleCategory="1"/>
            <!--VehicleCategory=Car-->
            <VehClass Size="8"/>
            <!--Size=Fullsize-->
        </Vehicle>
        <Vehicle AirConditionInd="true" TransmissionType="Automatic"
IncludeExclude="Allowed">

            <VehType VehicleCategory="11"/>
            <!--VehicleCategory=All-terrain-->
            <VehClass Size="8"/>
            <!--Size=Fullsize-->
        </Vehicle>
        <Vehicle AirConditionInd="true" TransmissionType="Automatic"
IncludeExclude="Allowed">

            <VehType VehicleCategory="8"/>
            <!--VehicleCategory=Station wagon-->
            <VehClass Size="3"/>
            <!--Size=Economy-->
        </Vehicle>
        <Vehicle AirConditionInd="true" TransmissionType="Automatic"
IncludeExclude="Allowed">

```

```

        <VehType VehicleCategory="3"/>
        <!--VehicleCategory=SUV-->
        <VehClass Size="8"/>
        <!--Size=Fullsize-->
    </Vehicle>
</Vehicles>
</CoverageFee>
</CoverageFees>
</Coverage>
<Coverage Type="32">
    <!--Type=Personal accident insurance-->
    <CoverageInfo>
        <SubSection>
            <Paragraph>
                <!-- PH ask Becky if these should be continuous or broken as is -->
                <Text>PERSONAL ACCIDENT INSURANCE/PERSONAL EFFECTS

                <Text>BOTH COVERAGE OPTIONS, PAI AND PEC, ARE

                <Text>SINGULAR FEE OF USD 5.50 PER DAY.</Text>
                <Text>.</Text>
                <Text>PAI PROVIDES CERTAIN LIVE AND MEDICAL BENEFITS

                <Text>EVENT OF ACCIDENTAL DEATH AND/OR INJURY

                <Text>THE RENTAL. PAI COVERAGE EXTENDS TO THE

                <Text>THE DURATION OF THE RENTAL AND TO ALL

                <Text>ENTERING, EXITING AND OCCUPYING THE CAR.</Text>
                <Text>PEC PROVIDES LIMITED PROTECTION FOR LOSS OF OR

                <Text>TO COVERED PERSONAL EFFECTS WHILE SUCH

                <Text>ARE IN TRANSIT OR IN ANY HOTEL OR OTHER

                <Text>ROUTE DURING THE RENTAL PERIOD. COVERAGE

                <Text>THE CUSTOMER AND MEMBERS OF THE CUSTOMER*S

                <Text>FAMILY WHO PERMANENTLY RESIDE IN THE

                <Text>HOUSEHOLD AND ARE TRAVELING WITH THE

                <Text>.</Text>
                <Text>PAI AND PEC ARE AVAILABLE FOR A SINGULAR

                <Text>EACH FULL OR PARTIAL DAY.</Text>
            </Paragraph>
        </SubSection>
    </CoverageInfo>
</Coverage>
<Coverage Type="27">
    <!--Type=Liability insurance supplement-->
    <CoverageInfo>
        <SubSection>
            <Paragraph>

```

COVERAGE</Text>

INCLUDED IN A</Text>

IN THE</Text>

OCCURRING DURING</Text>

CUSTOMER FOR</Text>

PASSENGERS WHILE</Text>

DAMAGE</Text>

PERSONAL EFFECTS</Text>

BUILDING EN</Text>

APPLIES TO</Text>

IMMEDIATE</Text>

CUSTOMER*S</Text>

RENTER.</Text>

CHARGE FOR</Text>

PER DAY.</Text>
 <Text>LIABILITY INSURANCE SUPPLEMENT - LIS</Text>
 <Text>AVAILABLE FOR AN ADDITIONAL CHARGE OF USD 9.24

OPERATORS OF THE</Text>
 <Text>LIST PROVIDES THE RENTER AND AUTHORIZED

PROTECTION FOR</Text>
 <Text>RENTAL VEHICLE WITH PRIMARY LIABILITY

SINGLE</Text>
 <Text>THIRD PARTY ACCIDENT CLAIMS UP TO A COMBINED

INCLUDING</Text>
 <Text>LIMIT OF USD 1,000,000.00 FOR BODILY INJURY,

OCCURENCE. THE LIS</Text>
 <Text>DEATH AND PROPERTY DAMAGE FOR EACH

RENTAL</Text>
 <Text>CHARGE APPLIES TO EACH FULL OR PARTIAL

</Paragraph>

</SubSection>

</CoverageInfo>

</Coverage>

</Coverages>

</Liabilities>

<VehicleVendorSupplier Code="ZE">

<Vehicles>

<Vehicle AirConditionInd="false" TransmissionType="Manual">

<VehType VehicleCategory="14"/>

<!-- VehicleCategory=Special-->

<VehClass Size="32"/>

<!--Size=Special-->

</Vehicle>

</Vehicles>

</VehicleVendorSupplier>

<VehicleVendorSupplier Code="ZI">

<Vehicles>

<Vehicle AirConditionInd="true" TransmissionType="Automatic">

<VehType VehicleCategory="3"/>

<!-- VehicleCategory=SUV-->

<VehClass Size="7"/>

<!--Size=Standard-->

</Vehicle>

</Vehicles>

</VehicleVendorSupplier>

</LocationDetail>

<LocationDetail Code="JFK" AssocAirportLocList="JFK" CounterLoc="2" RecordID="53487">

<!--CounterLoc 2=Shuttle on airport-->

<ProcessingInfo CompanyShortName="HERTZ"/>

<Keywords>

<Keyword Name="AGE" PolicyNumber="15" Start="2006-01-01" End="2006-12-31"

Action="Add">

<Text>ON MOST RENTALS THE MINIMUM AGE IS 25 WITHOUT AN ADDITIONAL

AGE DIFFEENTIAL CHARGE AND 21 WITH AN ADDITIONAL AGE DIFFERENTIAL CHARGE.</Text>

<Text>AGE DIFFERENTIAL CHARGE POLICY - AT CORPORATE LOCATIONS AND

LICENSEE LOCATIONS IN THE UNITED STATES/PUERTO RICO/ST. THOMAS HERTZ WILL RENT

SELECTED CAR CLASS VEHICLES//PRESTIGE COLLECTION AND SOME OTHER MODELS EXCLUDED// TO

CUSTOMERS WHO ARE AGE 21-24 WITH A PER DAY AGE DIFFERENTIAL CHARGE IN ADDITION TO THE

NORMAL RENTAL RATE</Text>

</Keyword>

<Keyword Name="EXPRESS" Start="2006-01-01" End="2006-12-31" Action="Replace">

```

    <Text>GOLD SERVICE COUNTER - TAKE THE COMMON BUS TO THE CAR
    RENTAL AREA. CUSTOMERS WILL BE MET BY A HERTZ CUSTOMER SERVICE REPRESENTATIVE WHO
    WILL ADVISE THE COUNTER OF THEIR ARRIVAL. THEY WILL THEN GO TO THE COUNTER - SHOW
    THEIR DRIVERS LICENSE - SIGN THE GOLD LOG AND COLLECT THE CONTRACT AND KEYS.</Text>
    </Keyword>
    <Keyword Name="GAS" Action="Delete"/>
  </Keywords>
  <OperationSchedules Action="Replace">
    <OperationSchedule Start="2006-06-01" End="2006-12-31">
      <OperationTimes>
        <OperationTime Sun="true" Mon="true" Tue="true" Weds="true" Thur="true"
        Fri="true" Sat="true" Start="00:00:00" End="23:59:00"/>
      </OperationTimes>
    </OperationSchedule>
  </OperationSchedules>
  <SpecialEquipments PolicyNumber="22" Action="Add">
    <SpecialEquipment EquipType="7" GDS_TypeCode="CSI" Name="CHILD SEAT/INFANT"
    Start="2006-06-01" ReadEquipPolicyInd="true">
      <!-- EquipType 7=Infant toddler seat -->
      <Description>Infant seats are available at this location. The seats commonly used by Hertz
      are the century Samartfit for infants up to 20 pounds. The seat is to be installed in the rear seat by the renter, facing
      toward the back. Should the renter decline to install the seat, the Hertz representative may install the seat according to
      manufacturer specifications.</Description>
    </SpecialEquipment>
    <SpecialEquipment EquipType="8" GDS_TypeCode="CST" Name="CHILD SEAT/TODDLER"
    Start="2006-06-01" ReadEquipPolicyInd="true">
      <!-- EquipType 8=Child toddler seat -->
      <Description>Child seats are available at this location. The seat commonly used by Hertz is
      the century 2000 for children 21-40 pounds. The seat is to be installed in the rear seat by the renter, facing toward the
      back. Should the renter decline to install the seat, the Hertz representative may install the seat according to manufacturer
      specifications.</Description>
    </SpecialEquipment>
    <SpecialEquipment EquipType="12" GDS_TypeCode="HCL" Name="HAND CONTROL/LEFT"
    Start="2006-06-01" ReadEquipPolicyInd="true">
      <!-- EquipType 12=Hand control left-->
      <Description>Hand controlled equipment is a device that attaches to the brake and gas pedal.
      This allows a person to drive the vehicle without using legs. It is available at no additional cost. Equipment may be
      confirmed with 24 hrs advance booking. If advance booking is not met equipment will be requested. The equipment
      may be used on one-way rentals free of charge. Left hand controls are not installed on PXAR, LWAR, PSAR and may
      be requested only on STAR and SFAR. Renters must bring their own handicapped parking permit as Hertz does not
      provide handicapped ID cards or car stickers.</Description>
    </SpecialEquipment>
    <SpecialEquipment EquipType="11" GDS_TypeCode="HCR" Name="HAND
    CONTROL/RIGHT" Start="2006-06-01" ReadEquipPolicyInd="true">
      <!-- EquipType 11=Hand control right-->
      <Description>Hand controlled equipment is a device that attaches to the brake and gas pedal.
      This allows a person to drive the vehicle without using legs. It is available at no additional cost. Equipment may be
      confirmed with 24 hrs advance booking. If advance booking is not met equipment will be requested. The equipment
      may be used on one-way rentals free of charge. Right hand controls are not installed on PXAR, LWAR, PSAR and may
      be requested only on STAR and SFAR. Renters must bring their own handicapped parking permit as Hertz does not
      provide handicapped ID cards or car stickers.</Description>
    </SpecialEquipment>
    <SpecialEquipment EquipType="13" GDS_TypeCode="NVS" Name="NAVIGATIONAL
    SYSTEM" Start="2006-06-01" ReadEquipPolicyInd="true">
      <!-- EquipType 13=Navigational system -->
      <Description>Neverlost is confirmable at this location. Neverlost is an on-board navigational
      system. It is a route guidance system that provides turn-by-turn driving directions to thousands of destinations within
      each participating locale by means of an in-car, 4 inch LCD video screen and computer generated voice instructions.
      Neverlost is offered on CAR/IDAR/FCAR/PCAR/LCAR at most locations.</Description>
    </SpecialEquipment>
  </SpecialEquipments>

```

```
        </SpecialEquipment>
    </SpecialEquipments>
</LocationDetail>
</LocationDetails>
</OTA_VehLocDetailsNotifRQ>
```

5.5.1.2. Response

OTA_VehLocDetailsNotifRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehLocDetailsNotifRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_VehLocDetailsNotifRS.xsd"
EchoToken="1234567" TimeStamp="2006-05-17T09:30:47-05:02" Target="Production" Version="1.00"
PrimaryLangID="en-us">
    <Success/>
</OTA_VehLocDetailsNotifRS>
```

5.6. OTA_VehExchangeRQ/RS

This message provides the capability to exchange a vehicle. OTA_VehCheckOut.xsd was not used because a vehicle exchange is a specialized version of a CheckIn/CheckOut in that it provides the ability to put the details of two vehicles inside one message.

This transaction is part of a rental scenario and does not create a separate rental agreement. The message only accommodates one vehicle exchange at a time (i.e., group exchanges are not accommodated). Additionally, the message assumes an exchange will be made on a one-to-one basis (i.e. you won't exchange 1 car for 2 cars).

The vehicle exchange message will require an identifying rental agreement number. The response will be able to contain detailed charge information for the customer. The response will include any legal wording related to the rental transaction.

The goal of the vehicle exchange request message is to provide the data related to exchanging a specific car with another car and sending that information to automated systems that need to know that rental vehicles were exchanged. These systems could include car rental agency inventory management or OTA travel partner hosted systems.

This data may include, but is not limited to, contract number, rental location, reason for exchange, exchange location, incoming vehicle information, and outgoing vehicle information. Vehicle information may include incoming and outgoing vehicle asset numbers, fuel levels, and damage information, etc.

The exchange message does not change original car fuel level or conditions from the checkout. That data is available from the backend system by recalling the original checkout information.

5.6.1. Use Case 1

5.6.1.1. Request: Initiate a Vehicle Exchange transaction utilizing an existing Rental Agreement

Mr. Joe Bailey has picked up a rental car from Hertz at the Atlanta airport and a successful checkout transaction has already taken place. Mr. Bailey discovered his trunk would not close. Mr. Bailey finds the closest rental location in downtown Atlanta to have his vehicle exchanged. Mr. Bailey provides his rental contract number to the counter agent. The counter agent issues Mr. Bailey a replacement car. There are no additional charges being assessed.

A Vehicle Exchange Request message is sent with the following information:

Details regarding in-coming car

Rental Agreement/Contract number – 123456789 (*required*)

Incoming Vehicle Asset Number - Car054

Incoming Fuel Level Details – 4 (Vehicle was returned with a half tank of gas)

Incoming Odometer reading – 4750 miles

Incoming Condition – Trunk won't close

Exchange Location Code: ATLC03 (Downtown Atlanta)

Exchange Date/Time: 11/1/05, 12:30 pm

Reason for Exchange: Mechanical conditions

Outgoing Vehicle Asset Number - Car055

Outgoing Fuel Level Details – 8 (Vehicle was rented with a full tank of gas)

Outgoing Odometer reading – 0100 miles

Outgoing Condition – No damage

Outgoing Vehicle Class: Intermediate

Outgoing VIN: 475475475475V

Outgoing Year, make, model: 2005 Toyota Corolla

Outgoing Color: black

Outgoing VehLicenseNumber and state: GA 665ZPL

Outgoing Stall Number: 9

Terminal ID: T999A

Agent ID: E2295K

OTA_VehExchangeRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehExchangeRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_VehExchangeRQ.xsd" Version="1.0">
  <ContractID Type="14" ID="C21358AC036"/>
  <ContractID Type="8" ID="123456789"/>
  <ExchangeLocation LocationCode="ATLC03" ExchangeDateTime="2005-11-01T12:30:00"/>
  <Vehicle ReturnVehicleIndicator="true">
    <VehIdentity VehicleAssetNumber="Car054"/>
    <VehRentalDetails>
      <FuelLevelDetails FuelLevelValue="4"/>
      <!-- FuelLevelValue 4 indicates 1/2 tank of gas -->
      <OdometerReading UnitOfMeasureQuantity="4750" UnitOfMeasure="miles"/>
      <ConditionReport>Trunk won't close</ConditionReport>
    </VehRentalDetails>
  </Vehicle>
  <Vehicle AirConditionInd="true" TransmissionType="Automatic" ReturnVehicleIndicator="false">
    <VehType VehicleCategory="1"/>
    <!-- Code Value of 1 in Vehicle Category indicates a "car" -->
    <VehClass Size="6"/>
    <!-- Code Value of 6 in Size indicates Intermediate -->
    <VehMakeModel Name="Toyota Corolla" ModelYear="2005"/>
    <VehIdentity VehicleAssetNumber="Car055" LicensePlateNumber="665ZPL" StateProvCode="GA"
VehicleID_Number="475475475475V" VehicleColor="black"/>
    <VehRentalDetails ParkingLocation="9">
      <FuelLevelDetails FuelLevelValue="8"/>
      <!-- FuelLevelValue 8 indicates a full tank of gas -->
      <OdometerReading UnitOfMeasureQuantity="0100" UnitOfMeasure="miles"/>
      <ConditionReport>No Damage</ConditionReport>
    </VehRentalDetails>
  </Vehicle>
  <ExchangeReason>
    <Text>Mechanical Conditions</Text>
  </ExchangeReason>
</OTA_VehExchangeRQ>
```

5.6.1.2. Response: Vehicle Exchange Information

Initiate a Vehicle Exchange transaction utilizing an existing Rental Agreement

The system returns an OTA_VehExchangeRS with the following information:

Rental Agreement/Contract number: 123456789

Original Checkout Location: ATL (Atlanta airport)

Original Checkout Date/Time: 11/1/05, 10:30 am

Expected Return Location: ATL (Atlanta airport)

Expected Return Date/Time: 11/09/05 10:00 am

Exchange Location: ATLC03 (Downtown Atlanta)

Exchange Date/Time: 11/1/05, 12:30 p.m.

Estimated Charges:

Mileage: Unlimited

Base rate total: USD \$200.00

Tax information: 12%

Rate Breakdown: \$150/week and \$50/day

RateCategoryPlan: Leisure – ABC123

Incoming Vehicle Information:

Vehicle Class: Intermediate

Vehicle Asset Number: Car054

Mileage: 4560

Fuel level: ½ tank

Year, make, model: 2004 Mazda 626

Color: white

VehLicenseNumber and state: OK 335ZBL

Outgoing Vehicle Information:

Vehicle Class: Intermediate

Vehicle Asset Number: Car055

Mileage: 0100

Fuel level: full

VIN: 475475475475V

Year, make, model: 2005 Honda Civic

Color: black

VehLicenseNumber and state: GA 665ZPL

Terminal ID: T999A

Agent ID: E2295K

OTA_VehExchangeRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehExchangeRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_VehExchangeRS.xsd" Version="1.0">
  <Success/>
  <ContractID Type="8" ID="123456789"/>
  <PickUpReturnDetails PickUpDateTime="2005-11-01T10:30:00" ReturnDateTime="2005-11-09T10:00:00">
    <PickUpLocation LocationCode="ATL"/>
```

```

        <ReturnLocation LocationCode="ATL"/>
    </PickUpReturnDetails>
    <ExchangeLocationDetails AtAirport="false" Code="ATLC03"/>
    <Vehicle TransmissionType="Automatic" AirConditionInd="true" ReturnVehicleIndicator="true">
        <VehType VehicleCategory="1"/>
        <VehClass Size="6"/>
        <VehMakeModel Name="Mazda 626" ModelYear="2004"/>
        <VehIdentity VehicleAssetNumber="Car054" LicensePlateNumber="335ZBL" StateProvCode="OK"
VehicleColor="white"/>
        <VehRentalDetails>
            <FuelLevelDetails FuelLevelValue="4"/>
            <!-- FuelLevelValue 4 indicates a half tank of gas -->
            <OdometerReading UnitOfMeasureQuantity="4750" UnitOfMeasure="miles"/>
            <ConditionReport>Trunk won't close</ConditionReport>
        </VehRentalDetails>
    </Vehicle>
    <Vehicle AirConditionInd="true" TransmissionType="Automatic" ReturnVehicleIndicator="false">
        <VehType VehicleCategory="1"/>
        <VehClass Size="6"/>
        <VehMakeModel Name="Toyota Corolla" ModelYear="2005"/>
        <VehIdentity VehicleAssetNumber="Car055" LicensePlateNumber="665ZPL" StateProvCode="GA"
VehicleID_Number="475475475475V" VehicleColor="black"/>
        <VehRentalDetails ParkingLocation="9">
            <FuelLevelDetails FuelLevelValue="8"/>
            <!-- FuelLevelValue 8 indicates a full tank -->
            <OdometerReading UnitOfMeasureQuantity="0100" UnitOfMeasure="miles"/>
            <ConditionReport>No Damage</ConditionReport>
        </VehRentalDetails>
    </Vehicle>
    <RentalRate>
        <RateDistance Unlimited="true" DistUnitName="Mile" VehiclePeriodUnitName="RentalPeriod"/>
        <VehicleCharges>
            <VehicleCharge Amount="200.00" CurrencyCode="USD" TaxInclusive="false" Purpose="1">
                <TaxAmounts>
                    <TaxAmount Total="24.00" CurrencyCode="USD" Percentage="12"/>
                </TaxAmounts>
                <Calculation UnitCharge="150.00" UnitName="Week" Quantity="1"/>
                <Calculation UnitCharge="50.00" UnitName="Day" Quantity="1"/>
            </VehicleCharge>
        </VehicleCharges>
        <RateQualifier RateCategory="3" RateQualifier="ABC123"/>
    </RentalRate>
</OTA_VehExchangeRS>

```

5.7. OTA_VehLocDetailRQ/RS

The Vehicle Rental Location Detail Request message provides detail information regarding a vendor's location based on an input location code. Only one location can be requested in each message.

The Vehicle Rental Location Detail Response message returns detail information regarding a vendor's location. The information can include full address, phone number, hours of operation, delivery/collection services, seasonal dates open, customer loyalty services and hours, special program participation and credit cards accepted.

5.7.1. Use Case 1

5.7.1.1. Request: Full Details for Specific Rental Location

A customer wishes to find out all the details about the Hertz rental location at Dallas / Ft. Worth Airport.

OTA_VehLocDetailRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehLocDetailRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_VehLocDetailRQ.xsd" Version="1.0">
  <POS>
    <Source>
      <RequestorID Type="5" ID="11112267"/>
    </Source>
  </POS>
  <Location LocationCode="DFW"/>
  <Vendor Code="ZE"/>
</OTA_VehLocDetailRQ>
```

5.7.1.2. Response: Full Details for a Specific Rental Location

Hertz sends back a response with full details about its location at the Dallas / Ft. Worth Airport.

OTA_VehLocDetailRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehLocDetailRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_VehLocDetailRS.xsd" Version="1.0">
  <Success/>
  <Vendor Code="ZE"/>
  <LocationDetail AtAirport="true" Code="JFK" CodeContext="oag">
    <Address>
      <AddressLine>JFK AIRPORT</AddressLine>
      <AddressLine>Building 300</AddressLine>
      <CityName>Jamaica</CityName>
      <PostalCode>11430</PostalCode>
      <StateProv StateCode="NY"/>
    </Address>
    <Telephone AreaCityCode="718" PhoneNumber="6567600"/>
    <AdditionalInfo>
      <ParkLocation Location="2"/>
      <CounterLocation Location="2"/>
      <OperationSchedules>
        <OperationSchedule Start="2005-01-01" End="2005-12-31">
          <OperationTimes>
            <OperationTime Mon="true" Tue="true" Weds="true" Thur="true" Fri="true" Sat="true"
              Sun="true" Start="00:00:00" End="23:59:00"/>
          </OperationTimes>
        </OperationSchedule>
      </OperationSchedules>
    </AdditionalInfo>
  </LocationDetail>
  <Vehicles>
    <Vehicle AirConditionInd="true" TransmissionType="Automatic">
      <VehType VehicleCategory="1"/>
      <VehClass Size="3"/>
    </Vehicle>
  </Vehicles>
</OTA_VehLocDetailRS>
```

```

    <VehMakeModel Name="HYUNDAI ACCENT OR SIMILAR" Code="ECAR"/>
  </Vehicle>
  <Vehicle AirConditionInd="true" TransmissionType="Automatic">
    <VehType VehicleCategory="1"/>
    <VehClass Size="4"/>
    <VehMakeModel Name="FORD FOCUS OR SIMILAR" Code="CCAR"/>
  </Vehicle>
  <Vehicle AirConditionInd="true" TransmissionType="Automatic">
    <VehType VehicleCategory="1"/>
    <VehClass Size="6"/>
    <VehMakeModel Name="MAZDA 6 OR SIMILAR" Code="ICAR"/>
  </Vehicle>
  <Vehicle AirConditionInd="true" TransmissionType="Automatic">
    <VehType VehicleCategory="1"/>
    <VehClass Size="7"/>
    <VehMakeModel Name="MUSTANG COUPE OR SIMILAR" Code="SCAR"/>
  </Vehicle>
  <Vehicle AirConditionInd="true" TransmissionType="Automatic">
    <VehType VehicleCategory="1"/>
    <VehClass Size="8"/>
    <VehMakeModel Name="FORD TAURUS OR SIMILAR" Code="FCAR"/>
  </Vehicle>
  <Vehicle AirConditionInd="true" TransmissionType="Automatic">
    <VehType VehicleCategory="1"/>
    <VehClass Size="10"/>
    <VehMakeModel Name="MERCURY GRAND MARQUIS OR SIMILAR" Code="PCAR"/>
  </Vehicle>
  <Vehicle AirConditionInd="true" TransmissionType="Automatic">
    <VehType VehicleCategory="1"/>
    <VehClass Size="9"/>
    <VehMakeModel Name="LINCOLN TOWN CAR OR SIMILAR" Code="LCAR"/>
  </Vehicle>
  <Vehicle AirConditionInd="true" TransmissionType="Automatic">
    <VehType VehicleCategory="3"/>
    <VehClass Size="7"/>
    <VehMakeModel Name="FORD EXPLORER OR SIMILAR" Code="SFAR"/>
  </Vehicle>
  <Vehicle AirConditionInd="true" TransmissionType="Automatic">
    <VehType VehicleCategory="2"/>
    <VehClass Size="11"/>
    <VehMakeModel Name="FORD FREESTAR OR SIMILAR" Code="MVAR"/>
  </Vehicle>
</Vehicles>
<Requirements>
  <Age MinimumAge="25"/>
</Requirements>
<AdditionalFees>
  <Taxes>
    <Tax Percentage="15.00">
      <Info>
        <SubSection>
          <Paragraph>
            <Text Formatted="false">State and/or local taxes of 15 percent will be
applied.</Text>
          </Paragraph>
        </SubSection>
      </Info>
    </Tax>
  </Taxes>
  <Fees>
    <Fee CurrencyCode="USD" TaxInclusive="false" Description="Customer Facility Charge"
IncludedInRate="false">
      <Calculation UnitCharge="4.00" UnitName="Day"/>
      <Info>
        <SubSection>
          <Paragraph>

```

```

        <Text Formatted="false">A customer facility charge of USD 4.00 per day will be
applied to all rentals.</Text>
    </Paragraph>
</SubSection>
</Info>
</Fee>
<Fee CurrencyCode="USD" TaxInclusive="false" Description="Property Tax, Title License Fee
Reimbursement" IncludedInRate="false">
    <Calculation UnitCharge="1.35" UnitName="Day"/>
    <Info>
        <SubSection>
            <Paragraph>
                <Text Formatted="false">A property tax, title license fee reimbursement of USD
1.35 per day will be applied to the rental.</Text>
            </Paragraph>
        </SubSection>
    </Info>
</Fee>
<Fee CurrencyCode="USD" TaxInclusive="false" Description="Airport Concession Fee"
IncludedInRate="false">
    <Calculation Percentage="11.1"/>
    <Info>
        <SubSection>
            <Paragraph>
                <Text Formatted="false">There is an 11.1 percent airport concession fee
recovery applied to all rentals.</Text>
            </Paragraph>
        </SubSection>
    </Info>
</Fee>
<Fee CurrencyCode="USD" TaxInclusive="false" Description="Government Rate Supplement"
IncludedInRate="false">
    <Calculation UnitCharge="5.00" UnitName="Day"/>
    <Info>
        <SubSection>
            <Paragraph>
                <Text Formatted="false">When traveling on official U. S. Government business,
renter will be charged a standard mandatory Government Administrative Rate Supplement (GARS) of USD
5.00 per day in addition to the rates listed.</Text>
            </Paragraph>
        </SubSection>
    </Info>
</Fee>
<Fee CurrencyCode="USD" TaxInclusive="false" Description="Fuel" IncludedInRate="false">
    <Calculation UnitCharge="4.96" UnitName="Gallon"/>
    <Info>
        <SubSection>
            <Paragraph>
                <Text Formatted="false">A refueling charge of approximately USD 4.96 per
gallon will be applied to the rental if the vehicle is returned with less than a full tank. Fuel purchase option is
available at time of rental and allows you to return the car without refueling the gas tank. The cost is based on
the self-service gas prices in the area.</Text>
            </Paragraph>
        </SubSection>
    </Info>
</Fee>
</Fees>
<Surcharges>
    <Surcharge CurrencyCode="USD" TaxInclusive="false" Description="Frequent Flyer
Surcharges">
        <MinMax MaxCharge="2.00"/>
        <Calculation UnitCharge="0.50" UnitName="Day"/>
        <Info>
            <SubSection>
                <Paragraph>

```

<Text Formatted="false">For rentals in the U.S, Puerto Rico, and Canada when the renter chooses to receive frequent flyer miles or credits from the following us airline programs Hertz will assess a frequent flyer surcharge equivalent to USD 0.50 per day up to a maximum of USD 2.00 per rental. The amount assessed is collected by Hertz to offset a portion of Hertz annual cost of participation in frequent flyer programs.</Text>

</Paragraph>

<Paragraph>

<ListItem>America West Airlines</ListItem>

<ListItem>Alaska Airlines</ListItem>

<ListItem>Aloha Airlines</ListItem>

<ListItem>Continental Airlines</ListItem>

<ListItem>Delta Air Lines</ListItem>

<ListItem>Frontier Airlines</ListItem>

<ListItem>Hawaiian Airlines</ListItem>

<ListItem>Midwest Airlines</ListItem>

<ListItem>Southwest Airlines</ListItem>

<ListItem>United Airlines</ListItem>

<ListItem>US Airways</ListItem>

</Paragraph>

<Paragraph>

<Text Formatted="false">For rentals in the US, Puerto Rico, and Canada when the renter chooses to receive miles in the American Airlines AAdvantage program the frequent flyer surcharge will be calculated based on the federal excise tax expense incurred by Hertz when it purchases miles from American Airlines. Under the tax relief act of 1997, all companies that purchase frequent flyer miles from airlines must pay a 7.5 percent excise tax on the cost of those miles (approximately 3 cents per rental day).</Text>

</Paragraph>

<Paragraph>

<Text Formatted="false">Surcharge is not applicable to mileage/points or credits earned on international airlines, hotel programs or other non-airline frequency programs.</Text>

</Paragraph>

</SubSection>

</Info>

</Surcharge>

</Surcharges>

</AdditionalFees>

<Liabilities>

<Coverages>

<Coverage Type="21">

<CoverageInfo Title="Insurance">

<SubSection>

<Paragraph>

<Text Formatted="false">On all rentals commencing in the state of Texas, Hertz will provide secondary liability protection. The renters personal/business insurance is used to its limits. In the event of no applicable liability protection, Hertz - by default - becomes primary.</Text>

</Paragraph>

<Paragraph>

<Text Formatted="false">Hertz will become primary if the liability insurance supplement - LIS - is purchased.</Text>

</Paragraph>

</SubSection>

</CoverageInfo>

</Coverage>

<Coverage Type="32">

<CoverageInfo Title="PAI-Personal Accident Insurance">

<SubSection>

<Paragraph>

<Text Formatted="false">Personal Accident Insurance/Personal Effects Coverage. Both coverage options ,PAI and PEC, are included in a singular fee of USD 5.50 per day.</Text>

</Paragraph>

<Paragraph>

<Text Formatted="false">PAI provides certain live and medical benefits in the event of accidental death and/or injury occurring during the rental. PAI coverage extends to the customer for the duration of the rental and to all passengers while entering, exiting and occupying the car.</Text>

</Paragraph>

<Paragraph>

<Text Formatted="false">PEC provides limited protection for loss of or damage to covered personal effects while such personal effects are in transit or in any hotel or other building enroute during the rental period. Coverage applies to the customer and members of the customer's immediate family who permanently reside in the customer's household and are traveling with the renter.</Text>

</Paragraph>

<Paragraph>

<Text Formatted="false">PAI and PEC are available for a singular charge for each full or partial day.</Text>

</Paragraph>

</SubSection>

</CoverageInfo>

</Coverage>

<Coverage Type="27">

<CoverageInfo Title="Liability Insurance Supplement">

<SubSection>

<Paragraph>

<Text Formatted="false">Available for an additional charge of USD 8.83 per day. LIS provides the renter and authorized operators of the rental vehicle with primary liability protection for third party accident claims up to a combined single limit of USD 1,000,000.00 for bodily injury, including death and property damage for each occurrence. The LIS charge applies to each full or partial rental day.</Text>

</Paragraph>

</SubSection>

</CoverageInfo>

</Coverage>

<Coverage Type="24">

<CoverageInfo Title="LDW-Loss Damage Waiver">

<SubSection>

<Paragraph>

<Text Formatted="false">Loss damage waiver - LDW - is not insurance. It is an optional customer service which relieves the customer from responsibility for the loss of or damage to the rental car resulting from any cause provided the car is in accordance with the terms of the rental agreement.</Text>

</Paragraph>

<Paragraph>

<Text Formatted="false">Loss damage waiver varies according to car type.</Text>

</Paragraph>

<Paragraph>

<ListItem Formatted="false">USD 20.99 per day for ECAR, CCAR, CDAR, ICAR, IDAR, SCAR, FCAR, FDAR, SWAR, MCAN, IPAR, FPAR, CPAR, XDAR.</ListItem>

<ListItem Formatted="false">USD 25.99 per day for LCAR, LDAR, LWAR, PSAR, LXAR, XSAR, XXAR, XCAR, SJAR, LFAR, PFAR, PWAR, LSAR.</ListItem>

<ListItem Formatted="false">USD 34.99 per day for PTAR.</ListItem>

<ListItem Formatted="false">USD 21.99 per day for all other car types.</ListItem>

</Paragraph>

</SubSection>

</CoverageInfo>

<CoverageFees>

<CoverageFee>

<Charge CurrencyCode="USD" TaxInclusive="false" IncludedInRate="false">

<Calculation UnitCharge="20.99" UnitName="Day"/>

</Charge>

<Vehicles>

<Vehicle AirConditionInd="true" TransmissionType="Automatic">

<VehType VehicleCategory="1"/>

<VehClass Size="1"/>

</Vehicle>

<Vehicle AirConditionInd="true" TransmissionType="Automatic">

<VehType VehicleCategory="1"/>

<VehClass Size="2"/>

</Vehicle>

</Vehicles>

</CoverageFee>

</CoverageFees>

</Coverage>

</Coverages>

```

</Liabilities>
<ServicesOffered>
  <OnLocationServices>
    <OnLocationService Type="ComputerDrivingDirections">
      <OnLocServiceDesc Title="Computerized Driving Directions - CDD">
        <SubSection>
          <Paragraph>
            <Text>Various airports offer an easy to use touch-screen for mapping out local
            routes to landmarks, hotels, tourist attractions, restaurants, etc., Which can be printed out and taken with you
            in your rental car. Computerized driving directions are available at this airport location.</Text>
          </Paragraph>
        </SubSection>
      </OnLocServiceDesc>
    </OnLocationService>
    <OnLocationService Type="ExpressReturnService">
      <OnLocServiceDesc Title="Instant Return Service">
        <SubSection>
          <Paragraph>
            <Text>Available to charge card customers at this airport location. You will meet a
            Hertz representative in the car return area and will be given a completed rental receipt from a hand-held
            computer. There is no need to go to the rental counter which saves you time.</Text>
          </Paragraph>
        </SubSection>
      </OnLocServiceDesc>
    </OnLocationService>
    <OnLocationService Type="SpecialNeeds">
      <OnLocServiceDesc Title="Special Needs">
        <SubSection>
          <Paragraph Name="Accessible Parking">
            <Text>All Hertz corporate locations have designated accessible parking at car
            return areas. Customers must provide their own handicapped permit. Due to safety reasons, Hertz does not
            provide identification cards or car stickers.</Text>
          </Paragraph>
          <Paragraph Name="Drivers for the Blind or Physically-Impaired Persons">
            <Text>A driver who has a valid drivers license and is at least 25 years of age may
            drive a Hertz car rented by a person with visual or other physical impairment.</Text>
          </Paragraph>
          <Paragraph Name="Telephone Service for the Hearing-Impaired">
            <Text>For persons with hearing or speech impairment, the Hertz worldwide
            reservation center offers a telephone device for the deaf--TDD--24 hours a day. Call toll free within the U.S. ...
            1-800-654-2280</Text>
          </Paragraph>
          <Paragraph>
            <Text>If the customer is unable to board the courtesy bus due to physical
            restrictions, during the hours of 0800-2000 they may use the Hertz phone located in the baggage claim area
            to call for pickup arrangements. The customer will be taken to the service center to complete their rental
            paperwork.</Text>
          </Paragraph>
        </SubSection>
      </OnLocServiceDesc>
    </OnLocationService>
    <OnLocationService Type="FrequentRenter">
      <OnLocServiceDesc Title="Gold Service">
        <SubSection>
          <Paragraph>
            <Text>Hertz number one club gold provides you with expedited *counter* service.
            Simply go to the specially designated gold counter where a Hertz representative will have a prepared rental
            agreement with the pre-selected car class, optional services and credit card taken care of. Our representative
            will check the drivers license, hand you your keys and you're on your way. When Hertz number one gold
            *counter* service is confirmed, the letters CNTR will be appended to the confirmation number.</Text>
          </Paragraph>
          <Paragraph>
            <Text>Take the common bus to the car rental area. You will be met by a Hertz
            customer service representative who will advise the counter of your arrival. You will then go to the counter,
            show your driver's license, sign the gold log and collect your contract and keys.</Text>
          </Paragraph>
        </SubSection>
      </OnLocServiceDesc>
    </OnLocationService>
  </OnLocationServices>
</ServicesOffered>

```

```

        <Paragraph>
        <Text>Number One Club Gold applications can be requested by phone at 1-800-
654-3131 or may be obtained through most travel agencies.</Text>
        </Paragraph>
    </SubSection>
</OnLocServiceDesc>
</OnLocationService>
</OnLocationServices>
<OffLocationServices>
    <OffLocationService Type="CustPickUp">
        <OffLocServiceDesc>
            <SubSection>
                <Paragraph Name="Prestige Pickup Service">
                    <Text>Prestige Vehicle Customers will be picked up at hotels and resorts within a
15 mile radius of the prestige collection. Pickup service beyond the 15 mile radius may be available for an
additional fee. Advise customer to call the location at 972-453-4785 and speak to a manager to finalize pickup
arrangements.</Text>
                </Paragraph>
            </SubSection>
        </OffLocServiceDesc>
    </OffLocationService>
</OffLocationServices>
<SpecialEquipments>
    <SpecialEquipment Type="18">
        <EquipDesc>
            <SubSection SubTitle="Spinner Kobs">
                <Paragraph>
                    <Text>The spinner knob is a device attached to the steering wheel allowing a
physically disabled person easier steering movement. 72 hours advance booking is required. Available at no
additional cost. This item cannot be reserved via this reservation system. To confirm, call your local Hertz
reservation center.</Text>
                </Paragraph>
            </SubSection>
        </EquipDesc>
    </SpecialEquipment>
    <SpecialEquipment Type="28">
        <EquipDesc>
            <SubSection SubTitle="Wheelchair Accessible Vans">
                <Paragraph>
                    <Text>Wheelchair accessible vans are now available by calling your local Hertz
reservation center. Hertz will then put you in touch with the wheelchair van company.</Text>
                </Paragraph>
            </SubSection>
        </EquipDesc>
    </SpecialEquipment>
    <SpecialEquipment Type="7">
        <EquipDesc>
            <SubSection SubTitle="CSI - Child Seat Infant">
                <Paragraph>
                    <Text>Infant seats are available at this location. The cost is USD 8.00 per day,
USD 40.00 per week up to a maximum charge of USD 60.00. This equipment is available for one-way rentals
at no additional charge. The seats commonly used by Hertz are the century Smartfit for infants up to 20
pounds. The seat is to be installed in the rear seat by the renter, facing toward the back. Should the renter
decline to install the seat, the Hertz representative may install the seat according to manufacturer
specifications.</Text>
                </Paragraph>
            </SubSection>
        </EquipDesc>
    </SpecialEquipment>
    <SpecialEquipment Type="7">
        <EquipDesc>
            <SubSection SubTitle="CSI - Child Seat Infant">
                <Paragraph>
                    <Text>In California, child safety seats are required by law for children less than 2
years of age.</Text>
                </Paragraph>
            </SubSection>
        </EquipDesc>
    </SpecialEquipment>
    <EquipCharges>
        <EquipCharge TaxInclusive="false" CurrencyCode="USD">
            <MinMax MaxCharge="60.00"/>
            <Calculation UnitCharge="8.00" UnitName="Day"/>
        </EquipCharge>
    </EquipCharges>

```

```

        <Calculation UnitCharge="40.00" UnitName="Week"/>
      </EquipCharge>
    </EquipCharges>
  </SpecialEquipment>
  <SpecialEquipment Type="8">
    <EquipDesc>
      <SubSection SubTitle="CST - Child Seat Toddler">
        <Paragraph>
          <Text>Child seats are available at this location. The cost is USD 8.00 per day,
USD 40.00 per week up to a maximum charge of USD 60.00. This equipment is available for one-way rentals
at no additional charge. The seat commonly used by hertz is the century 2000 for children 21-40 pounds. The
seat is to be installed by the renter in the back seat of the car, facing forward. Should the renter decline to
install the seat, the Hertz representative may install the seat according to manufacturer specifications.</Text>
        </Paragraph>
        <Paragraph>
          <Text>In Texas, child safety seats are required by law for children less than 2
years of age.</Text>
        </Paragraph>
      </SubSection>
    </EquipDesc>
    <EquipCharges>
      <EquipCharge TaxInclusive="false" CurrencyCode="USD">
        <MinMax MaxCharge="60.00"/>
        <Calculation UnitCharge="8.00" UnitName="Day"/>
        <Calculation UnitCharge="40.00" UnitName="Week"/>
      </EquipCharge>
    </EquipCharges>
  </SpecialEquipment>
  <SpecialEquipment Type="11">
    <EquipDesc>
      <SubSection SubTitle="HCR - Hand Control Right">
        <Paragraph>
          <Text>Hand controlled equipment is a device that attaches to the brake and gas
pedal. This allows a person to drive the vehicle without using legs. It is available at no additional cost.
Equipment may be confirmed with 24 hours advance booking. If advance booking is not met, equipment will
be requested. The equipment may be used on one-way rentals free of charge. Right hand controls are not
installed on PXAR, LWAR, PSAR, LDAR, LXAR, XSAR, XXAR, XCAR, PVAR, FVAR, LVAR, FKAR, IJAR,
SJAR, FJAR, IPAR, XDAR, PWAR and may be requested only on STAR and SFAR. Renters must bring their
own handicapped parking permit as Hertz does not provide handicapped ID cards or car stickers.</Text>
        </Paragraph>
      </SubSection>
    </EquipDesc>
  </SpecialEquipment>
  <SpecialEquipment Type="12">
    <EquipDesc>
      <SubSection SubTitle="HCL - Hand Control Left">
        <Paragraph>
          <Text>Hand controlled equipment is a device that attaches to the brake and gas
pedal. This allows a person to drive the vehicle without using legs. It is available at no additional cost.
Equipment may be confirmed with 24 hours advance booking. If advance booking is not met, equipment will
be requested. The equipment may be used on one-way rentals free of charge. Right hand controls are not
installed on PXAR, LWAR, PSAR, LDAR, LXAR, XSAR, XXAR, XCAR, PVAR, FVAR, LVAR, FKAR, IJAR,
SJAR, FJAR, IPAR, XDAR, PWAR and may be requested only on STAR and SFAR. Renters must bring their
own handicapped parking permit as Hertz does not provide handicapped ID cards or car stickers.</Text>
        </Paragraph>
      </SubSection>
    </EquipDesc>
  </SpecialEquipment>
  <SpecialEquipment Type="13">
    <EquipDesc>
      <SubSection SubTitle="NAV - Navigational System">
        <Paragraph>
          <Text>Neverlost is confirmable at this location. Neverlost is an on-board
navigational system. It is a route guidance system that provides turn-by-turn driving directions to thousands of
destinations within each participating locale by means of an in-car, 4 inch LCD video screen and computer

```

generated voice instructions. Neverlost is offered on CAR/IDAR/FCAR/FDAR/PCAR/LCAR at most locations, at a cost of USD 8.00 per day, USD 40.00 per week.</Text>

</Paragraph>
</SubSection>
</EquipDesc>
</SpecialEquipment>
</SpecialEquipments>
</ServicesOffered>
</OTA_VehLocDetailRS>

5.8. OTA_VehLocSearchRQ/RS

The Vehicle Location Search request message provides for a search of vendor locations based on input criteria. This allows the customer to find a location that is non-airport or a location when the customer does not know the airport code.

The criteria must be one or more of the following:

- a full address
- zip/postal code
- area code
- area code/exchange
- landmark name.

Note that only one search may be requested in the OTA_VehLocSearchRQ message. Multiple searches require the sending of multiple OTA_VehLocSearchRQ messages.

In the response, one or more vendor locations may be returned in a list format. The message shall include high-level information such as specific address and number of miles from the requested criteria.

5.8.1. Use Case1

5.8.1.1. Request: Vehicle Vendors at a Location

A traveler will be arriving at Heathrow Airport and inputs the airport code LHR to find out which rental car agencies are nearby.

OTA_VehLocSearchRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehLocSearchRQ xmlns="http://www.opentravel.org/OTA/2003/05" EchoToken="18723222"
TimeStamp="2003-03-31T16:10:00Z" Version="1.002" Target="Production" SequenceNmbr="1566"
ReqRespVersion="2.001" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_VehLocSearchRQ.xsd">
  <POS>
    <Source>
      <RequestorID URL="TrailFinders" Type="3" ID="IDJC595N"/>
      <BookingChannel Type="2" Primary="true"/>
    </Source>
```

```

    <Source>
      <RequestorID Type="5" ID="91201504"/>
    </Source>
  </POS>
  <VehLocSearchCriterion ExactMatch="true" ImportanceType="Mandatory">
    <RefPoint>LHR</RefPoint>
  </VehLocSearchCriterion>
</OTA_VehLocSearchRQ>

```

5.8.1.2. Response: Vehicle Vendors at a Location

Avis returns the following list of locations to the client:

London Heathrow Airport – located AT airport
 Northrop Rd.
 Hounslow, Middlesex
 London TW6 2QA
 United Kingdom Telephone: (44) 020 8899 1000

Park Road – located OFF Airport
 Sunbury-On-Thames TW16 5BZ
 United Kingdom Telephone: (44) 01932-781040

Park Royal – located OFF Airport
 243 Acton Lane
 London NW10 7NR
 United Kingdom Telephone: (44) 0208 453 1212

Kingston Autoway Svc Station – located OFF Airport
 Shannon Corner Kingston Bypass
 New Malden Surrey KT3 6HF
 United Kingdom Telephone: (44) 020 8949 7850

London W14 (Kensington) – Located OFF Airport
 (Earls Court)
 181-183 Warwick Road
 London W14 8PU
 United Kingdom Telephone: (44) 0207-244 6577

OTA_VehLocSearchRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehLocSearchRS EchoToken="18723222-J0AE-0940" SequenceNmbr="1566" Target="Production"
TimeStamp="2003-03-31T19:39:30Z" Version="2.001" xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_VehLocSearchRS.xsd">
  <Success/>
  <VehMatchedLocs>
    <VehMatchedLoc>
      <LocationDetail AtAirport="true" Code="LHR" Name="London Heathrow Airport">
        <Address>
          <StreetNmbr>Northrop Rd</StreetNmbr>
          <AddressLine>Hounslow, Middlesex</AddressLine>
          <CityName>London</CityName>
          <PostalCode>TW6 2QA</PostalCode>
        </Address>
      </LocationDetail>
    </VehMatchedLoc>
  </VehMatchedLocs>
</OTA_VehLocSearchRS>

```

```

        <CountryName Code="GB">United Kingdom</CountryName>
      </Address>
      <Telephone PhoneNumber="(44) 020 8899 1000" FormattedInd="false"/>
    </LocationDetail>
  </VehMatchedLoc>
  <VehMatchedLoc>
    <LocationDetail AtAirport="false" Code="HD3" Name="Park Road">
      <Address>
        <CityName>Sunbury-On-Thames</CityName>
        <PostalCode>TW16 5BZ</PostalCode>
        <CountryName Code="GB">United Kingdom</CountryName>
      </Address>
      <Telephone PhoneNumber="(44) 01932-781040" FormattedInd="false"/>
    </LocationDetail>
  </VehMatchedLoc>
  <VehMatchedLoc>
    <LocationDetail AtAirport="false" Code="PR5" Name="Park Royal">
      <Address>
        <StreetNmbr>243 Acton Lane</StreetNmbr>
        <CityName>London</CityName>
        <PostalCode>NW10 7NR</PostalCode>
        <CountryName Code="GB">United Kingdom</CountryName>
      </Address>
      <Telephone PhoneNumber="(44) 0208 453 1212" FormattedInd="false"/>
    </LocationDetail>
  </VehMatchedLoc>
  <VehMatchedLoc>
    <LocationDetail AtAirport="false" Code="KL7" Name="Kingston Autoway Svc Station">
      <Address>
        <StreetNmbr>Shannons Cornr Kingston Bypass</StreetNmbr>
        <CityName>New Malden Surrey</CityName>
        <PostalCode>KT3 6HF</PostalCode>
        <CountryName Code="GB">United Kingdom</CountryName>
      </Address>
      <Telephone PhoneNumber="(44) 020 8949 7850" FormattedInd="false"/>
    </LocationDetail>
  </VehMatchedLoc>
  <VehMatchedLoc>
    <LocationDetail AtAirport="false" Code="LO3" Name="London W14 (Kensington)">
      <Address>
        <StreetNmbr>(Earls Court)</StreetNmbr>
        <AddressLine>181-183 Warwick Rd</AddressLine>
        <CityName>London</CityName>
        <PostalCode>W14 8PU</PostalCode>
        <CountryName Code="GB">United Kingdom</CountryName>
      </Address>
      <Telephone PhoneNumber="(44) 0207-244 6577" FormattedInd="false"/>
    </LocationDetail>
  </VehMatchedLoc>
</VehMatchedLocs>
<Vendor>Avis</Vendor>
</OTA_VehLocSearchRS>

```

5.9. OTA_VehModifyRQ/RS

The Vehicle Modify message set is intended for customers to change information on an existing reservation. The Vehicle Modify message pair does not require a Retrieve Reservation message set to be used prior to the modify, but may be used in conjunction with one. The Vehicle Modify message set can only be used for a single, specific reservation and cannot be used to change multiple reservations at one time. A Vehicle Modify message can be a single phase or two-phase

approach. For a single-phase message the client simply requests to “modify this reservation as follows....”. A two-phase message introduces the concept of a “what if” question (what if I modify this message as follows?). The response to the first phase will identify any penalties, any subsequent costs, etc. The second phase is where the action is confirmed to “go ahead and complete the request” or “ignore the request I just sent.”

The purpose of the request message is indicated using the Type Attribute:

- **Initiate**—indicates the initial request
- **Ignore**—stop the request
- **Confirm**—to complete the modification

The state of the response message using the Status Attribute:

- **Pending**—modification is possible but not completed
- **Ignored**— modification ignored
- **Cancelled**— modification completed

Vehicle Modify could be used in any of the following circumstances:

- Flight may be delayed or cancelled and customer would need to update their reservation arrival.
- Customer has additional passengers so would need to change the car reserved.
- Customer now requires special equipment that was not on their original reservation.
- Customer has changed travel plans to fly in to a different city so will need to adjust the arrival city.
- Customer has changed travel plans to fly in or out on a different date and/or time so will need to adjust the dates and/or times.
- Customer originally listed on the reservation is not going so the name on the reservation would need to change.

There are many other individual elements that could be changed but these are too numerous to list.

5.9.1. Use Case 1

This use case assumes that a single reservation has already been retrieved. For additional information, see the use case for Retrieve Reservation.

5.9.1.1. Request: Modify a Reservation Following Reservation Retrieval

Jeanne Grey reviews the information in the reservation and changes her drop-off date and time to July 27 at 6:30 pm. Since she is keeping the car for an extra day, this will have the effect of changing her rate and total charges.

OTA_VehModifyRQ.xml

```
<OTA_VehModifyRQ EchoToken="JSP1234" TimeStamp="2001-12-17T09:30:47-05:00" Version="1.002"
SequenceNmbr="1"
xmlns="http://www.opentravel.org/OTA/2003/05" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_VehModifyRQ.xsd">
  <POS>
    <Source>
      <RequestorID Type="1" ID="TrailFinders"/>
      <!-- Type 1= Customer -->
    </Source>
    <Source>
      <RequestorID Type="6" ID="0108146B"/>
      <!-- Type 5= Travel agency, 6= Airline, 11= Tour Operator, 16= Reference -->
    </Source>
  </POS>
  <VehModifyRQCore Status="Available" ModifyType="Modify">
    <UniqueID Type="14" ID="04235134US1"/>
    <!-- Type 14= Reservation -->
    <VehRentalCore PickUpDateTime="2003-07-25T15:30:00" ReturnDateTime="2003-07-27T18:30:00">
      <PickUpLocation LocationCode="STL"/>
      <ReturnLocation LocationCode="STL"/>
    </VehRentalCore>
    <Customer>
      <Primary>
        <PersonName>
          <GivenName>Jeanne</GivenName>
          <Surname>Grey</Surname>
        </PersonName>
        <CitizenCountryName Code="US"/>
      </Primary>
    </Customer>
    <VendorPref CompanyShortName="Avis">Avis Rent-A-Car</VendorPref>
    <VehPref TypePref="Preferred" ClassPref="Only" AirConditionPref="Only" TransmissionPref="Only"
TransmissionType="Manual">
      <VehType VehicleCategory="1"/>
      <!-- 1=car, 2=van, 3=SUV-->
      <VehClass Size="5"/>
      <!-- 2= subcompact, 3= economy, 4= compact, 5= midsize, 6=intermediate, 7= std, 8=full, 9= lux, 10= prem -->
    </VehPref>
    <RateQualifier RateQualifier="F7" RateCategory="8G"/>
    <!-- RateCategory 2=business, 3=leisure, 6=all -->
  </VehModifyRQCore>
</OTA_VehModifyRQ>
```

5.9.1.2. Response: Modify a Reservation

The system confirms the change with the following information

Confirmation Number: 451J72
Name: Jeanne Grey
Pick Up Date: July 25, 2003 at 3:30 pm
Drop Off Date: July 27, 2003 at 6:30 pm

Rental Office Address and Phone Number:
ST. LOUIS AIRPORT (ON-SITE)
10278 NATURAL BRIDGE ROAD
BERKELEY, MO 63134-3313
(314) 552-2500

Office Hours:
24 hours a day, 7 days a week

Car and Rate Information:

Intermediate

\$36.00	(Daily 2 Days @ 18.00)
\$ 6.00	(Hourly 3 hours @ 2.00)
\$10.00	(SURCHARGE 2 Days @ 5.00)
\$52.00	(Subtotal)

SURCHARGE

\$2.10 (AIRPORT ACCESS FEE)

Total charges \$54.10

Unlimited free miles

OTA_VehModifyRS.xml

```
<OTA_VehModifyRS EchoToken="JSP12345" Target="Production" Version="2.001" SequenceNmbr="0"
xmlns="http://www.opentravel.org/OTA/2003/05" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_VehModifyRS.xsd">
  <Success/>
  <VehModifyRSCore ModifyStatus="Modified">
    <VehReservation>
      <Customer>
        <Primary/>
      </Customer>
      <VehSegmentCore>
        <ConflID Type="14" ID="04235134US1"/>
        <Vendor>Avis</Vendor>
        <VehRentalCore PickupDateTime="2003-07-25T15:30:00" ReturnDateTime="2003-07-
27T18:30:00">
          <PickUpLocation LocationCode="STL" CodeContext="IATA"/>
          <ReturnLocation LocationCode="STL" CodeContext="IATA"/>
        </VehRentalCore>
        <Vehicle AirConditionInd="true" TransmissionType="Manual">
          <VehType VehicleCategory="1"/>
          <!-- 1=car, 2=van, 3=SUV-->
          <VehClass Size="5"/>
          <!-- 2= subcompact, 3= economy, 4= compact, 5= midsize, 6=intermediate, 7= std, 8=full, 9= lux, 10=
prem-->
        </Vehicle>
        <RentalRate>
          <RateDistance Unlimited="true" DistUnitName="Mile" VehiclePeriodUnitName="RentalPeriod"/>
          <VehicleCharges>
            <VehicleCharge TaxInclusive="false" GuaranteedInd="false" IncludedInRate="true"
Amount="42.00" CurrencyCode="USD" Purpose="1">
              <TaxAmounts>
                <TaxAmount Total="5.58" CurrencyCode="USD" Description="Includes taxes and
surcharges"/>
              </TaxAmounts>
              <Calculation UnitName="Day" UnitCharge="18.00" Quantity="2"/>
              <Calculation UnitName="Hour" UnitCharge="2.00" Quantity="3"/>
            </VehicleCharge>
            <VehicleCharge TaxInclusive="true" Description="Additional Distance Charge"
GuaranteedInd="false" IncludedInRate="false" Amount="0.00" CurrencyCode="USD" Purpose="8"/>
          </VehicleCharges>
        </RentalRate>
      </VehSegmentCore>
    </VehReservation>
  </VehModifyRSCore>
</OTA_VehModifyRS>
```

```

        <VehicleCharge TaxInclusive="true" Description="Surcharge" GuaranteedInd="false"
IncludedInRate="false" Amount="10.00" CurrencyCode="USD" Purpose="5"/>
        <VehicleCharge TaxInclusive="true" Description="Airport Access Fee" GuaranteedInd="false"
IncludedInRate="false" Amount="2.10" CurrencyCode="USD" Purpose="5"/>
    </VehicleCharges>
    <RateQualifier RateCategory="2" RateQualifier="8G"/>
</RentalRate>
<TotalCharge RateTotalAmount="42.00" EstimatedTotalAmount="54.10" CurrencyCode="USD"/>
</VehSegmentCore>
<VehSegmentInfo>
    <PricedCoverages>
        <PricedCoverage>
            <Coverage CoverageType="1" Code="ALI">
                <Details CoverageTextType="Description">Additional Liability Insurance (ALI)</Details>
            </Coverage>
            <Charge TaxInclusive="false" Description="Coverage costs are quoted per day"
IncludedInRate="false" Amount="10.95" CurrencyCode="USD"/>
        </PricedCoverage>
        <PricedCoverage>
            <Coverage CoverageType="35" Code="PEP">
                <Details CoverageTextType="Description">Personal Effects Protection (PEP)</Details>
            </Coverage>
            <Charge TaxInclusive="false" Description="Coverage costs are quoted per day"
IncludedInRate="false" Amount="1.00" CurrencyCode="USD"/>
        </PricedCoverage>
        <PricedCoverage>
            <Coverage CoverageType="32" Code="PAI">
                <Details CoverageTextType="Description">Personal Accident Insurance (PAI)</Details>
            </Coverage>
            <Charge TaxInclusive="false" Description="Coverage costs are quoted per day"
IncludedInRate="false" Amount="2.00" CurrencyCode="USD"/>
        </PricedCoverage>
    </PricedCoverages>
    <LocationDetails AtAirport="true" Code="STL" Name="St. Louis Lambert International Airport"
CodeContext="Pickup Location">
        <Address>
            <StreetNmbr>10278 Natural Bridge Road</StreetNmbr>
            <CityName>Berkeley</CityName>
            <PostalCode>63134-3300</PostalCode>
            <StateProv StateCode="MO">Missouri</StateProv>
            <CountryName Code="US">U S A</CountryName>
        </Address>
        <Telephone PhoneNumber="(1) 314-552-2500"/>
    </LocationDetails>
    <LocationDetails AtAirport="true" Code="STL" Name="St. Louis Lambert International Airport"
CodeContext="Return Location">
        <Address>
            <StreetNmbr>10278 Natural Bridge Road</StreetNmbr>
            <CityName>Berkeley</CityName>
            <PostalCode>63134-3300</PostalCode>
            <StateProv StateCode="MO">Missouri</StateProv>
            <CountryName Code="US">U S A</CountryName>
        </Address>
        <Telephone PhoneNumber="(1) 314-552-2500"/>
    </LocationDetails>
</VehSegmentInfo>
</VehReservation>
</VehModifyRSCore>
</OTA_VehModifyRS>

```

5.10. OTA_VehRateRuleRQ/RS *

The OTA_VehRateRule message pair may be used to obtain detailed information regarding a previously quoted rate or previously confirmed booking. In the

request message, the requestor is required to send either a reference to a previously quoted rate or previously confirmed booking, or detailed rental information. The response message includes, but is not limited to, advance booking requirements, min/max keep restrictions, cancellation penalty fees, etc.

5.10.1. Use Case 1

5.10.1.1. Request: Requesting a Rate Rule from a confirmed booking *

Joe Bailey has a confirmed Hertz reservation and would like to get detailed information about the rate he has confirmed. An OTA_VehRateRuleRQ message is sent to Hertz with the following information:

Travel agent iata: 11992288

Confirmation number: 229556642

OTA_VehRateRuleRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehRateRuleRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_VehRateRuleRQ.xsd" Version="1.0">
  <POS>
    <Source>
      <RequestorID Type="4" ID="11992288"/>
      <!-- Type 4= company -->
    </Source>
  </POS>
  <Reference Type="14" ID="229556642"/>
  <!-- Type 14= reservation number -->
</OTA_VehRateRuleRQ>
```

5.10.1.2. Response: Responding with a Rate Rule from a confirmed booking *

Hertz returns an OTA_VehRateRuleRS with the following information:

Recap of rental information

Pickup Date/Time: 10/1/2006 at 10:30 a.m.

Return Date/Time: 10/9/2006 at 10:00 a.m.

Pickup/Return Location: OKC

Vehicle Information: Compact 4-door car with automatic transmission and a/c.

Rental Rate Information:

Mileage: Unlimited

Base Rate Total: USD \$200.00

Tax Information: USD \$21.60 / 12%

Rate Breakdown: \$150.00 per week / \$50.00 per day

Rate Category/Plan: Leisure - ABC123

Mandatory Charge Total: USD \$121.60

Estimated Total: USD \$301.60

Equipment Charges: USD \$25.00 - \$25.00/week - \$5.00/day – charge not included in rate

Fees: 1 @ \$25 and 1 @ \$75

Discount: 10% or \$20

Coverages: CDW (7), LIS (27) and PPI (38) are all included in the rental rate

Advance Booking – 2 day advance booking required

Guarantee – Credit card guarantee is required

Penalty fee – USD \$100

Penalty period – 24 hours prior to pickup date

Minimum Keep – 7 days

Maximum Keep – 62 days

Guarantee Period – Rate is guaranteed for 120 days

Location information:

Address: 6800 S. Meridian, Oklahoma City, OK 73159

Phone: 405-555-1212

Hours: Monday – Friday: 5 a.m. – 1 a.m.; Saturday-Sunday: 7 a.m. – 10 p.m.

Counter Location: In Terminal

OTA_VehRateRuleRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehRateRuleRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_VehRateRuleRS.xsd" Version="1.0">
  <Success/>
  <VehRentalCore PickUpDateTime="2006-10-01T10:30:00" ReturnDateTime="2006-10-09T10:00:00">
    <PickUpLocation LocationCode="OKC"/>
    <ReturnLocation LocationCode="OKC"/>
  </VehRentalCore>
</OTA_VehRateRuleRS>
```

```

</VehRentalCore>
<Vehicle AirConditionInd="true" TransmissionType="Automatic">
  <VehType VehicleCategory="1" DoorCount="4"/>
  <!-- A value of 1 in VehicleCategory indicates a 'car' -->
  <VehClass Size="4"/>
  <!-- A value of 4 in Size indicates the request is for a compact -->
</Vehicle>
<RentalRate>
  <RateDistance Unlimited="true" DistUnitName="Mile" VehiclePeriodUnitName="RentalPeriod"/>
  <VehicleCharges>
    <VehicleCharge Amount="200.00" CurrencyCode="USD" TaxInclusive="false" Purpose="1">
      <!-- A value of 1 in Purpose indicates this VehicleCharge occurrence is for the vehicle rental -->
      <TaxAmounts>
        <TaxAmount Total="21.60" CurrencyCode="USD" Percentage="12"/>
      </TaxAmounts>
      <Calculation UnitCharge="150.00" UnitName="Week" Quantity="1"/>
      <Calculation UnitCharge="50.00" UnitName="Day" Quantity="1"/>
    </VehicleCharge>
    <VehicleCharge Amount="20.00" CurrencyCode="USD" Purpose="3">
      <!-- A Purpose of 3 indicates this is the discount amount-->
      <Calculation Percentage="10"/>
    </VehicleCharge>
    <VehicleCharge Amount="121.60" CurrencyCode="USD" Purpose="26"/>
    <!-- A value of 26 in Purpose indicates this is the total of the mandatory charges -->
  </VehicleCharges>
  <RateQualifier RateCategory="3" RateQualifier="ABC123"/>
  <!-- A value of 3 in RateCategory indicates this is a leisure rate -->
</RentalRate>
<TotalCharge RateTotalAmount="200.00" EstimatedTotalAmount="301.60" CurrencyCode="USD"/>
<RateRules MaximumKeep="P0Y0M62D" MinimumKeep="P0Y0M7D">
  <AdvanceBooking OffsetDropTime="BeforeArrival" OffsetTimeUnit="Day" OffsetUnitMultiplier="2"/>
  <RateGuarantee OffsetDropTime="AfterBooking" OffsetTimeUnit="Day" OffsetUnitMultiplier="120"/>
  <CancelPenaltyInfo GuaranteeRequiredInd="true">
    <Deadline OffsetDropTime="BeforeArrival" OffsetTimeUnit="Hour" OffsetUnitMultiplier="24"/>
    <PenaltyFee Amount="100.00" CurrencyCode="USD"/>
  </CancelPenaltyInfo>
</RateRules>
<PricedEquips>
  <PricedEquip>
    <Equipment EquipType="8">
      <!-- A value of 8 in EquipType indicates a child seat -->
    </Equipment>
    <Charge Amount="32.00" CurrencyCode="USD" IncludedInRate="false" TaxInclusive="false">
      <Calculation Quantity="8" UnitCharge="4.00" UnitName="Day"/>
    </Charge>
  </PricedEquip>
</PricedEquips>
<Fees>
  <Fee Amount="25.00" CurrencyCode="USD" TaxInclusive="false" Description="SURCHARGE A:"
Purpose="5"/>
  <Fee Amount="75.00" CurrencyCode="USD" TaxInclusive="false" Description="SURCHARGE B:"
Purpose="5"/>
  <!-- A code value of 5 in Purpose indicates this is a surcharge -->
</Fees>
<PricedCoverages>

```

```

<PricedCoverage>
  <Coverage CoverageType="7"/>
  <!-- A code value of 7 in CoverageType indicates CDW -->
  <Charge Amount="00.00" TaxInclusive="true" IncludedInRate="true"/>
</PricedCoverage>
<PricedCoverage>
  <Coverage CoverageType="27"/>
  <!-- A code value of 27 in CoverageType indicates Liability Insurance Supplement -->
  <Charge Amount="00.00" TaxInclusive="true" IncludedInRate="true"/>
</PricedCoverage>
<PricedCoverage>
  <Coverage CoverageType="38"/>
  <!-- A code value of 38 in CoverageType indicates Personal Property Insurance -->
  <Charge Amount="00.00" TaxInclusive="true" IncludedInRate="true"/>
</PricedCoverage>
</PricedCoverages>
</OTA_VehRateRuleRS>

```

5.11. OTA_VehResRQ/RS

The Reservation message set is intended for a single reservation. This message set requires the customer to specify the location, either by a location search or by knowledge of the rental facility. This message set assumes the customer has already performed some kind of location search and pinpointed a specific rental branch. An Availability with Rates message set may have been exchanged prior to the Reservation message set, but this is not necessary. A vendor may make a single reservation upon receiving only the reservation message.

The Reservation messages can be used in any of the following circumstances:

- Customer is performing a single booking and will come into the branch office to pick-up and drop off the vehicle.
- Customer requires a pick-up service at their home or office. In this case, the *Off Location Services* element can be used to provide basic address information as well as special instructions.
- Customer requires delivery and collection service, where a car will be delivered to a specific location and the keys left in a secure place. Again, the *Off Location Services* element can be used to hold address information as well as special instructions.

Rates are already known to the customer or trading partner and only a reservation is needed to communicate the rental need.

Special equipment, such as hand controls or a baby seat can be accommodated through this message set. Special equipment can be returned related to a specific car, rather than as part of the more general reservation. Special circumstances such as chauffeur-driven cars are not accommodated in this message.

5.11.1. Use Case1

5.11.1.1. Request: Vehicle Reservation

Mr. Joe Bailey would like to rent an Intermediate car (with automatic transmission and air conditioning) in Oklahoma City. Mr. Bailey has indicated that he would like a 4-door car and will need a child seat. He will be arriving in Oklahoma City on American Airlines flight 1234 and will be picking up the car at the Oklahoma City Airport on November 1 at 10:30 a.m. and returning the car to the same location on November 9 at 10:00 a.m. He has indicated that he would prefer to rent from Hertz

Mr. Bailey has included his mailing address, phone number, e-mail address, Hertz #1 Club Gold number and American Airlines frequent flyer number in his rental request. Mr. Bailey has also included his Visa as the payment card for the rental.

OTA_VehResRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_VehResRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_VehResRQ.xsd" Version="1.002">
  <POS>
    <Source PseudoCityCode="WXYZ" ISOCountry="US">
      <RequestorID Type="5" ID="88888888"/>
    </Source>
    <Source>
      <RequestorID Type="4" ID="T185">
        <CompanyName>Fun Travel</CompanyName>
      </RequestorID>
    </Source>
  </POS>
  <VehResRQCore Status="All">
    <VehRentalCore PickupDateTime="2003-11-01T10:30:00" ReturnDateTime="2003-11-
09T10:00:00">
      <PickUpLocation LocationCode="OKC"/>
      <ReturnLocation LocationCode="OKC"/>
    </VehRentalCore>
    <Customer>
      <Primary>
        <PersonName>
          <NamePrefix>Mr.</NamePrefix>
          <GivenName>Joe</GivenName>
          <Surname>Bailey</Surname>
          <NameSuffix>Jr.</NameSuffix>
        </PersonName>
        <Telephone PhoneTechType="1" AreaCityCode="405" PhoneNumber="5555828"/>
        <Email EmailType="2">JoeBailey@work.com</Email>
        <Address Type="2">
          <StreetNmbr>>123 Elm St.</StreetNmbr>
          <CityName>Oklahoma City</CityName>
          <PostalCode>73112</PostalCode>
          <StateProv>Oklahoma</StateProv>
        </Address>
        <CustLoyalty ProgramID="ZE" MembershipID="86720798" TravelSector="2"/>
        <CustLoyalty ProgramID="AA" MembershipID="1234567890" TravelSector="1"/>
      </Primary>
    </Customer>
    <VendorPref CompanyShortName="Hertz" Code="ZE" PreferLevel="Preferred"/>
  </VehResRQCore>
</OTA_VehResRQ>
```

```

    <VehPref AirConditionInd="true" TransmissionType="Automatic">
      <VehType VehicleCategory="1" DoorCount="4"/>
      <VehClass Size="6"/>
    </VehPref>
    <DriverType Age="29"/>
    <RateQualifier TravelPurpose="1" CorpDiscountNmbr="12345"/>
    <SpecialEquipPrefs>
      <SpecialEquipPref EquipType="8" Quantity="1"/>
    </SpecialEquipPrefs>
  </VehResRQCore>
  <VehResRQInfo>
    <ArrivalDetails TransportationCode="14" Number="1234">
      <OperatingCompany Code="AA"/>
    </ArrivalDetails>
    <RentalPaymentPref>
      <PaymentCard CardType="1" CardCode="VI" CardNumber="4128000548320918"
      ExpireDate="0707">
        <CardHolderName>Joe Bailey Jr</CardHolderName>
      </PaymentCard>
    </RentalPaymentPref>
  </VehResRQInfo>
</OTA_VehResRQ>

```

5.11.1.2. Event: Response

Hertz confirms Mr. Bailey's booking and returns the following information:
 Confirmation Number: C21358AC036

Recap of rental information:

Pickup Date/Time: 11/1/2003 at 10:30 a.m.
 Return Date/Time: 11/9/2003 at 10:00 a.m.
 Pickup/Return Location: OKC
 Vehicle Information: Intermediate 4-door car with automatic transmission and
 a/c
 Vehicle Descriptive Text: "FORD CONTOUR OR SIMILAR"
 Rental Rate Information:
 Mileage: Unlimited
 Base Rate Total: USD \$200.00
 Tax Information: USD \$24.00 / 12%
 Rate Breakdown: \$150.00 per week / \$50.00 per day
 Rate Category/Plan: Leisure - ABC123
 Equipment Charges: USD \$30.00 - \$25.00/week - \$5.00/day
 Fees: 1 @ \$25 and 1 @ \$75

Additional Information:

Advisory text
 Location Information (name, address and phone number)

OTA_VehResRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
```

```

<OTA_VehResRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_VehResRS.xsd" Version="2.001">
  <Success/>
  <VehResRSCore>
    <VehReservation>
      <Customer>
        <Primary>
          <PersonName>
            <NamePrefix>Mr.</NamePrefix>
            <GivenName>JOE</GivenName>
            <Surname>BAILEY</Surname>
            <NameSuffix>Jr.</NameSuffix>
          </PersonName>
        </Primary>
      </Customer>
      <VehSegmentCore>
        <ConflID Type="14" ID="C21358AC036"/>
        <Vendor CompanyShortName="Hertz" Code="ZE"/>
        <VehRentalCore PickupDateTime="2003-11-01T10:30:00" ReturnDateTime="2003-11-
09T10:00:00">
          <PickUpLocation LocationCode="OKC"/>
          <ReturnLocation LocationCode="OKC"/>
        </VehRentalCore>
        <Vehicle AirConditionInd="true" TransmissionType="Automatic">
          <VehType VehicleCategory="1" DoorCount="4"/>
          <VehClass Size="6"/>
          <VehMakeModel Name="FORD CONTOUR OR SIMILAR"/>
        </Vehicle>
        <RentalRate>
          <RateDistance Unlimited="true" DistUnitName="Mile"
VehiclePeriodUnitName="RentalPeriod"/>
          <VehicleCharges>
            <VehicleCharge Amount="200.00" CurrencyCode="USD" TaxInclusive="false"
GuaranteedInd="true" Purpose="1">
              <TaxAmounts>
                <TaxAmount Total="24.00" CurrencyCode="USD" Percentage="12.00"
Description="Tax"/>
              </TaxAmounts>
              <Calculation UnitCharge="150.00" UnitName="Week" Quantity="0001"/>
              <Calculation UnitCharge="50.00" UnitName="Day" Quantity="0001"/>
            </VehicleCharge>
          </VehicleCharges>
          <RateQualifier RateCategory="3" RateQualifier="ABC123"/>
        </RentalRate>
        <PricedEquips>
          <PricedEquip>
            <Equipment EquipType="8"/>
            <Charge Amount="30.00" CurrencyCode="USD" TaxInclusive="false"
IncludedInRate="false">
              <TaxAmounts>
                <TaxAmount Total="3.90" CurrencyCode="USD" Percentage="12"/>
              </TaxAmounts>
              <Calculation UnitCharge="25.00" UnitName="Week" Quantity="0001"/>
              <Calculation UnitCharge="5.00" UnitName="Day" Quantity="0001"/>
            </Charge>
          </PricedEquip>
        </PricedEquips>
        <Fees>
          <Fee Amount="25.00" CurrencyCode="USD" TaxInclusive="false"
Description="SURCHARGE A:" Purpose="5"/>
          <Fee Amount="75.00" CurrencyCode="USD" TaxInclusive="false"
Description="SURCHARGE B:" Purpose="5"/>
        </Fees>
      </VehSegmentCore>
    </VehReservation>
  </VehResRSCore>
</OTA_VehResRS>

```

```

        <TotalCharge RateTotalAmount="200.00" EstimatedTotalAmount="324.00"
CurrencyCode="USD"/>
    </VehSegmentCore>
    <VehSegmentInfo>
    <VendorMessages>
        <VendorMessage>
            <SubSection>
                <Paragraph>
                    <Text>GOOD DRIVING RECORD REQUIRED</Text>
                    <Text>GOLD SERVICE CONFIRMED</Text>
                </Paragraph>
            </SubSection>
        </VendorMessage>
    </VendorMessages>
    <LocationDetails AtAirport="true" Code="OKCT11" Name="OKC-WILL ROGERS WORLD AP">
        <Address>
            <StreetNmbr>7100 Terminal Drive</StreetNmbr>
            <CityName>Oklahoma City</CityName>
            <PostalCode>73999</PostalCode>
            <StateProv>Oklahoma</StateProv>
        </Address>
        <Telephone PhoneTechType="1" AreaCityCode="405" PhoneNumber="6812341"/>
    </LocationDetails>
    </VehSegmentInfo>
</VehReservation>
</VehResRSCore>
</OTA_VehResRS>

```

5.12. OTA_VehRetResRQ/RS

The Vehicle Retrieve Reservation message set is intended for customers to display their previously made reservation. This message set will allow a customer to retrieve one specific reservation or receive a list of reservations that match specific criteria. At least one field is required for a reservation match to occur. These fields are unique ID (reservation number) name, phone number or customer loyalty number. Trading partners may make additional fields mandatory. In the case where a list of reservations is retrieved, the list will provide key high- level information; such as, dates and times, pick-up location, name and type of class of the vehicle. From the list, the customer can then drill down and retrieve one specific reservation.

Vehicle Retrieve Reservation Request and Response could be used in any of the following circumstances:

- Customer may want to verify all information as being accurate. This reservation may have been made months ago or by a third party. The traveler may wish to verify that the reservation was made accurately and that all the information has not changed from the time the reservation was made.
- Customer is on the road and does not have his itinerary for his next location. Depending on the trading partner, this customer may be able to retrieve the reservation and see their next location or a list of locations to which they are going.

- Customer may want to modify their reservation. Depending on the trading partner, a Vehicle Retrieve Reservation may be required before a Vehicle Modify can be done.
- Customer wants to modify or cancel an existing reservation, but does not have the Unique ID (reservation number). In this case, the retrieve message function could be used to retrieve a list of reservations that matched the search criteria and the customer could then select a single reservation from the list on which to perform further action.

One of the following is required to complete a Vehicle Retrieve Reservation Request: a Unique ID, Customer Loyalty Number, or PersonName. Many companies may require a combination of these three. Other optional items are pickup information, telephone number, and vendor.

A Vehicle Retrieve Reservation Response may provide the same information as the Vehicle Reservation Response message.

5.12.1. Use Case 1

5.12.1.1. Request: Retrieve Reservation by Confirmation Number

Jeanne Grey has previously made a vehicle reservation with Avis, but she now needs to keep the car an extra day. Jeanne sends her reservation confirmation number of 451J72 and last name to the system.

OTA_VehRetResRQ.xml

```
<OTA_VehRetResRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_VehRetResRQ.xsd" Version="1.002"
EchoToken="JSP12345">
  <POS>
    <Source>
      <RequestorID Type="1" ID="TrailFinders"/>
      <!-- Type 1= Customer -->
    </Source>
  </POS>
  <VehRetResRQCore>
    <UniqueID Type="14" ID="04235134US1"/>
    <!-- Type 14= Reservation -->
    <PersonName>
      <Surname>Grey</Surname>
    </PersonName>
  </VehRetResRQCore>
</OTA_VehRetResRQ>
```

5.12.1.2. Response: Reservation Returned

Avis returns the following information:

Confirmation Number: 451J72
 Name: Jeanne Grey
 Pick Up Date: July 25, 2003 at 3:30 pm
 Drop Off Date: July 26, 2003 at 8:30 am

Rental Office Address and Phone Number:
ST. LOUIS AIRPORT (ON-SITE)
10278 NATURAL BRIDGE ROAD
BERKELEY, MO 63134-3300
(314) 552-2500

Office Hours:
24 hours a day, 7 days a week.

Car and Rate Information:
Intermediate
\$18.00 (Daily 1 Days @ 18.00)
\$5.00 (SURCHARGE 1 Days @ 5.00)
\$23.00 (Subtotal)

SURCHARGE
\$2.10 (AIRPORT ACCESS FEE)

Total charges \$25.10

Unlimited free miles

OTA_VehRetResRS.xml

```
<OTA_VehRetResRS EchoToken="JSP12345" Target="Production" Version="1.002" SequenceNmbr="0"
xmlns="http://www.opentravel.org/OTA/2003/05" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_VehRetResRS.xsd">
  <Success/>
  <VehRetResRSCore>
    <VehReservation>
      <Customer>
        <Primary/>
      </Customer>
      <VehSegmentCore>
        <ConfilD Type="14" ID="04235134US1"/>
        <Vendor>Avis</Vendor>
        <VehRentalCore PickUpDateTime="2003-07-25T15:30:00" ReturnDateTime="2003-07-
26T08:30:00">
          <PickUpLocation LocationCode="STL" CodeContext="IATA"/>
          <ReturnLocation LocationCode="STL" CodeContext="IATA"/>
        </VehRentalCore>
        <Vehicle AirConditionInd="true" TransmissionType="Manual">
          <VehType VehicleCategory="1"/>
          <!-- 1=car, 2=van, 3=SUV-->
          <VehClass Size="5"/>
          <!-- 2= subcompact, 3= economy, 4= compact, 5= midsize, 6=intermediate, 7= std, 8=full, 9= lux, 10=
prem-->
        </Vehicle>
        <RentalRate>
          <RateDistance Unlimited="true" DistUnitName="Mile" VehiclePeriodUnitName="RentalPeriod"/>
          <VehicleCharges>
            <VehicleCharge TaxInclusive="false" GuaranteedInd="false" IncludedInRate="true"
Amount="18.00" CurrencyCode="USD" Purpose="1">
              <TaxAmounts>
                <TaxAmount Total="2.39" CurrencyCode="USD" Description="Includes taxes and
surcharges"/>
            </VehicleCharge>
          </VehicleCharges>
        </RentalRate>
      </VehSegmentCore>
    </VehReservation>
  </VehRetResRSCore>
</OTA_VehRetResRS>
```

```

        </TaxAmounts>
        <Calculation UnitName="Day" UnitCharge="18.00" Quantity="1"/>
    </VehicleCharge>
    <VehicleCharge TaxInclusive="true" Description="Additional Distance Charge" GuaranteedInd="false"
IncludedInRate="false" Amount="0.00" CurrencyCode="USD" Purpose="8"/>
    <VehicleCharge TaxInclusive="true" Description="Surcharge" GuaranteedInd="false" IncludedInRate="false"
Amount="5.00" CurrencyCode="USD" Purpose="5"/>
    <VehicleCharge TaxInclusive="true" Description="Airport Access Fee" GuaranteedInd="false"
IncludedInRate="false" Amount="2.10" CurrencyCode="USD" Purpose="5"/>
</VehicleCharges>
<RateQualifier RateCategory="2" RateQualifier="8G"/>
</RentalRate>
<TotalCharge RateTotalAmount="18.00" EstimatedTotalAmount="25.10" CurrencyCode="USD"/>
</VehSegmentCore>
<VehSegmentInfo>
    <PricedCoverages>
        <PricedCoverage>
            <Coverage CoverageType="1" Code="ALI">
                <Details CoverageTextType="Description">Additional Liability Insurance (ALI)</Details>
            </Coverage>
            <Charge TaxInclusive="false" Description="Coverage costs are quoted per day"
IncludedInRate="false" Amount="10.95" CurrencyCode="USD"/>
        </PricedCoverage>
        <PricedCoverage>
            <Coverage CoverageType="35" Code="PEP">
                <Details CoverageTextType="Description">Personal Effects Protection (PEP)</Details>
            </Coverage>
            <Charge TaxInclusive="false" Description="Coverage costs are quoted per day"
IncludedInRate="false" Amount="1.00" CurrencyCode="USD"/>
        </PricedCoverage>
        <PricedCoverage>
            <Coverage CoverageType="32" Code="PAI">
                <Details CoverageTextType="Description">Personal Accident Insurance (PAI)</Details>
            </Coverage>
            <Charge TaxInclusive="false" Description="Coverage costs are quoted per day"
IncludedInRate="false" Amount="2.00" CurrencyCode="USD"/>
        </PricedCoverage>
    </PricedCoverages>
    <LocationDetails AtAirport="true" Code="STL" Name="St. Louis Lambert International Airport"
CodeContext="Pickup Location">
        <Address>
            <StreetNmbr>10278 Natural Bridge Road</StreetNmbr>
            <CityName>Berkeley</CityName>
            <PostalCode>63134-3300</PostalCode>
            <StateProv StateCode="MO">Missouri</StateProv>
            <CountryName Code="US">U S A</CountryName>
        </Address>
        <Telephone PhoneNumber="(1) 314-552-2500"/>
    </LocationDetails>
    <LocationDetails AtAirport="true" Code="STL" Name="St. Louis Lambert International Airport"
CodeContext="Return Location">
        <Address>
            <StreetNmbr>10278 Natural Bridge Road</StreetNmbr>
            <CityName>Berkeley</CityName>
            <PostalCode>63134-3300</PostalCode>
            <StateProv StateCode="MO">Missouri</StateProv>
            <CountryName Code="US">U S A</CountryName>
        </Address>
        <Telephone PhoneNumber="(1) 314-552-2500"/>
    </LocationDetails>
</VehSegmentInfo>
</VehReservation>
</VehRetResRSCore>
</OTA_VehRetResRS>

```

Section 6– Cruise Messages

Booking a cruise reservation normally involves searching for the cruise followed by the creation of the booking. First, the traveler must decide when and where the cruise is to be taken. After the sailing has been selected the traveler must decide on the fare type and accommodation costs. Finally the cruise is purchased.

In the following, the term “traveler” will be used. This could be a travel agency, a travel partner, a GDS, or anyone the cruise line has authorized to make bookings using these messages.

To book a cruise, the traveler will normally go through the following steps:

1. Search for a sailing using the CruiseSailAvailRQ/RS message pair which could be sent to one or more cruise lines. The cruise line(s) would reply with a list of sailings or a warning to inform the requester that no sailings are available that satisfy the request. Once a sailing is chosen, all subsequent messages will only be sent to the one cruise line.
2. Request available fares for the selected voyage with the CruiseFareAvailRQ/RS message pair. A list of available fares will be returned by the cruise line. The traveler will select a fare.
3. Request the available categories using the CruiseCategoryAvailRQ/RS message pair. A list of available categories will be returned by the cruise line. The traveler will select a category.
4. After the category has been selected, and any time prior to creating the booking, pricing can be requested with the CruisePriceBookingRQ/RS message pair. The cruise line will return all of the pricing items for both the individual traveler and the booking.
5. Request a list of available cabins in the selected category with the CruiseCabinAvailRQ/RS message pair. The cruise line will return a list of available cabins from which the traveler will make a selection.
6. Place one or more cabins on hold using the CruiseCabinHoldRQ/RS message pair. This takes the cabin(s) out of the cruise line’s available inventory for a short period of time, normally fifteen minutes.
7. If the traveler decides to request one or more different cabins to be held, the CruiseCabinUnholdRQ/RS message will be used to release the specific cabin(s) currently on hold.
8. Finally the traveler will create the booking with the CruiseBookRQ/RS message pair. In the request message the traveler will advise the cruise line of all the required information about the passengers. The cruise line will respond with the reservation number to confirm the booking.

Alternatively, if a traveler knows the cruise line's available voyages and available fares there would be no need to use the CruiseSailAvailRQ/RS or the CruiseFareAvailRQ/RS message pairs. The traveler could start the shopping process by requesting the available categories for a selected fare for a selected sailing.

6.1. OTA_CruiseCabinAvailRQ/RS

The Cabin Availability Request message requests a list of available cabins for a selected category on a voyage. The voyage information is defined by the VoyageID or the departure date and duration, depending on the cruise line. The fare code and the berthed and priced category codes are retained from the respective availability message.

The response message returns a list of cabins matching the specified criteria, and may provide the location, features and measurement information about the cabins.

6.1.1. Use Case 1 +

6.1.1.1. Request: Cabin Availability Search

Jose Marques has decided to sail on the Royal Caribbean Cruise ship NAVIGATOR OF THE SEAS for the seven day sailing on Oct 1, 2006. He is requesting a list of available cabins in berthed category "L" for two travelers using fare code "LAF". The priced category is "L".

OTA_CruiseCabinAvailRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseCabinAvailRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" Version="2.0" Target="Production"
  TransactionIdentifier="4444" TimeStamp="2006-05-17T09:41:22"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruiseCabinAvailRQ.xsd">
  <POS>
    <Source PseudoCityCode="LAS1S210D">
      <RequestorID Type="13" ID="Elleipsis01">
        <!--The Type value of 13 indicates this is an Internet Broker ID-->
        <CompanyName CompanyShortName="WORLDSPAN" Code="WSPICR"/>
      </RequestorID>
    </Source>
  </POS>
  <Guest>
    <GuestTransportation Mode="29">
      <!--The TransportationMode value of 29 indicates No Transportation (Cruise Only) -->
      <GuestCity LocationCode="ATL"/>
    </GuestTransportation>
  </Guest>
  <GuestCounts>
    <GuestCount Quantity="2"/>
  </GuestCounts>
  <SailingInfo>
```

```

        <SelectedSailing Start="2006-10-01" Duration="P7D">
            <CruiseLine VendorCode="RCC" ShipCode="NV"/>
        </SelectedSailing>
        <Currency DecimalPlaces="2" CurrencyCode="USD"/>
        <SelectedCategory BerthedCategoryCode="L" PricedCategoryCode="L"/>
    </SailingInfo>
    <SelectedFare FareCode="LAF"/>
</OTA_CruiseCabinAvailRQ>

```

6.1.1.2. Response: Cabin Availability Search

The response returns a list of 3 available cabins on Deck Eight that matched the input criteria. The response also contains information about the cabin location on the ship, the type of bed and possible bed configurations, cabin size, balcony size, and general information about the cabin.

OTA_CruiseCabinAvailRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseCabinAvailRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" Version="2.0" Target="Production"
TransactionIdentifier="4444" TimeStamp="2006-05-17T09:41:25"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruiseCabinAvailRS.xsd">
    <Success/>
    <SailingInfo>
        <SelectedSailing Start="2006-10-01" Duration="P7D" Status="36">
            <!--The Status value of 36 indicates this Sailing is Available-->
            <CruiseLine VendorCode="RCC" VendorName="ROYAL CARIBBEAN CRUISE" ShipCode="NV"
ShipName="NAVIGATOR OF THE SEAS"/>
        </SelectedSailing>
        <Currency DecimalPlaces="2" CurrencyCode="USD"/>
        <SelectedCategory BerthedCategoryCode="L" PricedCategoryCode="L"/>
    </SailingInfo>
    <SelectedFare FareCode="LAF"/>
    <CabinOptions>
        <CabinOption Status="36" CategoryLocation="Inside" PositionInShip="Aft" MaxOccupancy="2"
DeckName="DECK EIGHT" CabinNumber="8341">
            <!--The Status value of 36 indicates this cabin is Available-->
            <CabinConfiguration BedConfigurationCode="NO"/>
            <CabinConfiguration BedConfigurationCode="2L"/>
            <CabinConfiguration BedConfigurationCode="2D"/>
            <MeasurementInfo Code="CABIN" UnitOfMeasureQuantity="160" UnitOfMeasure="FTK"/>
            <Remark>CABIN CONNECTED TO 8339</Remark>
            <CabinFilters>
                <CabinFilter CabinFilterCode="4"/>
                <CabinFilter CabinFilterCode="10"/>
                <!--CabinFilterCode 4 indicates a connecting room and 10 indicates an inside cabin. -->
            </CabinFilters>
        </CabinOption>
        <CabinOption Status="36" CategoryLocation="Inside" PositionInShip="Aft" MaxOccupancy="2"
DeckName="DECK EIGHT" CabinNumber="8515">
            <!--The Status value of 36 indicates this cabin is Available-->
            <CabinConfiguration BedConfigurationCode="NO"/>
            <CabinConfiguration BedConfigurationCode="2L"/>

```

```

    <CabinConfiguration BedConfigurationCode="2D"/>
    <MeasurementInfo Code="CABIN" UnitOfMeasureQuantity="160" UnitOfMeasure="FTK"/>
    <Remark>CABIN CONNECTED TO 8513</Remark>
    <CabinFilters>
        <CabinFilter CabinFilterCode="4"/>
        <CabinFilter CabinFilterCode="10"/>
        <!--CabinFilterCode 4 indicates a connecting room and 10 indicates an inside cabin. -->
    </CabinFilters>
</CabinOption>
    <CabinOption Status="36" CategoryLocation="Inside" PositionInShip="Aft" MaxOccupancy="2"
DeckName="DECK EIGHT" CabinNumber="9341">
    <!--The Status value of 36 indicates this cabin is Available-->
    <CabinConfiguration BedConfigurationCode="NO"/>
    <CabinConfiguration BedConfigurationCode="2L"/>
    <CabinConfiguration BedConfigurationCode="2D"/>
    <MeasurementInfo Code="CABIN" UnitOfMeasureQuantity="160" UnitOfMeasure="FTK"/>
    <Remark>CABIN CONNECTED TO 9343</Remark>
    <CabinFilters>
        <CabinFilter CabinFilterCode="4"/>
        <CabinFilter CabinFilterCode="10"/>
        <!--CabinFilterCode 4 indicates a connecting room and 10 indicates an inside cabin. -->
    </CabinFilters>
</CabinOption>
</CabinOptions>
</OTA_CruiseCabinAvailRS>

```

6.2. OTA_CruiseCabinHoldRQ/RS

The CruiseCabinHold request message instructs a cruise line to remove a selected cabin from available inventory for a short time interval, normally fifteen minutes. This allows the user time to enter additional information which is required to complete the booking, without concern for losing the cabin. The voyage is identified by the VoyageID or the departure date and duration, depending on the cruise line. Multiple cabins are usually allowed to be placed on hold, up to a maximum defined by the cruise lines.

The response message indicates the status of each cabin for which a hold is requested. It is conceivable in the case of a request containing multiple cabins, that the status might be different for one or more cabins. If the cabin hold request was successful, the cruise line usually provides additional information in the response, such as the acceptable forms of payment. They also may indicate the length of time the cabin will be held before being automatically released back into inventory, as well as which data elements the cruise line requires to complete the booking, dining, insurance, and other options.

6.2.1. Use Case 1

6.2.1.1. Request: Cabin Hold

Jose Marques has chosen to sail on the Royal Caribbean Cruise ship NAVIGATOR OF THE SEAS for the seven day sailing on Oct 1, 2006. There

will be two travelers in this party. He has selected fare code “BRKF25” and category “L”. Jose has settled on cabin number 8341, and is issuing a cabin hold request to reserve it.

OTA_CruiseCabinHoldRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseCabinHoldRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" Version="1.0" Target="Production"
TransactionIdentifier="5555" TimeStamp="2006-05-17T09:51:16"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruiseCabinHoldRQ.xsd">
  <POS>
    <Source PseudoCityCode="LAS1S210D">
      <RequestorID Type="13" ID="Elleipsis01">
        <!--The Type value of 13 indicates this is an Internet Broker ID-->
        <CompanyName CompanyShortName="WORLDSPAN" Code="WSPICR"/>
      </RequestorID>
    </Source>
  </POS>
  <GuestCounts>
    <GuestCount Quantity="2"/>
  </GuestCounts>
  <SelectedSailing Start="2006-10-01" Duration="P7D" VendorCode="RCC" ShipCode="NV">
    <SelectedFare FareCode="BRKF25"/>
    <SelectedCategory BerthedCategoryCode="L" PricedCategoryCode="L">
      <SelectedCabin CabinNumber="8341" MaxOccupancy="2"/>
    </SelectedCategory>
  </SelectedSailing>
  <Guest>
    <GuestTransportation Mode="29">
      <!--The TransportationMode value of 29 indicates No Transportation (Cruise Only) -->
      <GatewayCity LocationCode="ATL"/>
    </GuestTransportation>
  </Guest>
  <Currency CurrencyCode="USD"/>
</OTA_CruiseCabinHoldRQ>
```

6.2.1.2. Response: Cabin Hold

The response message indicates the cabin was held successfully. The cruise line also conveys additional information on the available dining and insurance options offered by the cruise line, and cruise profile codes that indicate which data elements must be provided in order to complete this booking. The response also indicates the forms of payment that the cruise line accepts.

OTA_CruiseCabinHoldRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseCabinHoldRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" Version="1.0" Target="Production"
TransactionIdentifier="5555" TimeStamp="2006-05-17T09:51:18"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruiseCabinHoldRS.xsd">
  <Success/>
  <SelectedSailing Start="2006-10-01" Duration="P7D" VendorCode="RCC" VendorName="ROYAL
CARIBBEAN CRUISE" ShipCode="NV" ShipName="NAVIGATOR OF THE SEAS" Status="36">
    <!--The Status value of 36 indicates this Sailing is Available-->
    <SelectedCabin Status="26" CabinNumber="8341" HeldIndicator="true"/>
    <!--The Status value of 26 indicates Holds Successful -->
    <Dining TableSize="4" Sitting="Undefined"/>
    <Dining TableSize="8" Sitting="Undefined"/>
  </SelectedSailing>
</OTA_CruiseCabinHoldRS>
```

```

    <Dining AgeCode="5" Sitting="Undefined"/>
    <!--The AgeCode value of 5 indicates a dining table option for Under 17 age group-->
    <Dining AgeCode="1" Sitting="Undefined"/>
    <!--The AgeCode value of 1 indicates a dining table option for Over 21 age group-->
    <Dining AgeCode="2" Sitting="Undefined"/>
    <!--The AgeCode value of 2 indicates a dining table option for Over 65 age group-->
    <Insurance InsuranceCode="CRC" DefaultIndicator="true"/>
    <Insurance InsuranceCode="NON"/>
    <CruiseProfiles ProfileTypeIdentifier="Mandatory">
        <CruiseProfile Code="11"/>
        <!-- The CruiseProfile Code value of 11 indicates that Age must be provided to complete the booking -->
        <CruiseProfile Code="12"/>
        <!-- The CruiseProfile Code value of 12 indicates that Title must be provided to complete the booking --
    >
        <CruiseProfile Code="14"/>
        <!-- The CruiseProfile Code value of 14 indicates that the passengers' Gender must be provided to
complete the booking -->
        <CruiseProfile Code="16"/>
        <!-- The CruiseProfile Code value of 16 indicates that Dining Seating must be selected to complete the
booking -->
        <CruiseProfile Code="6"/>
        <!-- The CruiseProfile Code value of 6 indicates that proof of Citizenship must be provided to complete
the booking -->
    </CruiseProfiles>
    <AcceptedPayments>
        <AcceptedPayment>
            <PaymentCard CardCode="AX"/>
        </AcceptedPayment>
        <AcceptedPayment>
            <PaymentCard CardCode="CA"/>
        </AcceptedPayment>
        <AcceptedPayment>
            <PaymentCard CardCode="DS"/>
        </AcceptedPayment>
        <AcceptedPayment>
            <PaymentCard CardCode="VI"/>
        </AcceptedPayment>
    </AcceptedPayments>
    </SelectedSailing>
</OTA_CruiseCabinHoldRS>

```

6.3. OTA_CruiseCabinUnholdRQ/RS

The CruiseCabinUnhold request message is used to release a hold that was previously put on a cabin. This allows the cruise line to release the cabin back into its available inventory. The request message allows the user to Unhold multiple cabins, from multiple voyages, to allow for the situation where the same cabin is currently held for back-to-back cruises. The voyage is identified by the VoyageID or the departure date and duration, depending on the cruise line.

The response message indicates the status for each cabin in the request. If unsuccessful, a warning or advisory message is usually returned.

6.3.1. Use Case 1

6.3.1.1. Request: CruiseCabinUnhold

Jose Marques was shopping for a cruise and was interested in sailing on the Royal Caribbean Cruise ship NAVIGATOR OF THE SEAS on October 1, 2006. In his shopping process, he had cabin 8341 put on hold. Jose changed his mind and decided to continue shopping, and the CruiseCabinUnhold message is being sent to release the cabin.

OTA_CruiseCabinUnholdRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseCabinUnholdRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" Version="1.0" Target="Production"
TransactionIdentifier="5556" TimeStamp="2006-05-17T09:54:19"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruiseCabinUnholdRQ.xsd">
  <POS>
    <Source PseudoCityCode="LAS1S210D">
      <RequestorID Type="13" ID="Elleipsis01">
        <!--The Type value of 13 indicates this is an Internet Broker ID-->
        <CompanyName CompanyShortName="WORLDSPAN" Code="WSPICR"/>
      </RequestorID>
    </Source>
  </POS>
  <SelectedSailing Start="2006-10-01" Duration="P7D" VendorCode="RCC" ShipCode="NV">
    <SelectedCabin CabinNumber="8341"/>
  </SelectedSailing>
</OTA_CruiseCabinUnholdRQ>
```

6.3.1.2. Response: CruiseCabinUnhold

The response message from the cruise line indicates the requested cabin was successfully unheld.

OTA_CruiseCabinUnholdRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseCabinUnholdRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" Version="1.0" Target="Production"
TransactionIdentifier="5556" TimeStamp="2006-05-17T09:54:20"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruiseCabinUnholdRS.xsd">
  <Success/>
  <SelectedSailing Start="2006-10-01" Duration="P7D" VendorCode="RCC" ShipCode="NV">
    <SelectedCabin CabinNumber="8341" HeldIndicator="false"/>
  </SelectedSailing>
</OTA_CruiseCabinUnholdRS>
```

6.4. OTA_CruiseCancellationPricingRQ/RS *

The Cruise Cancellation Pricing message is sent to the cruise line vendor to request the penalties that would be charged if the requested reservation is canceled. The response message returns the penalties for both the booking and the individual travelers.

6.4.1. Use Case 1

6.4.1.1. Request: Cruise Cancellation Pricing

Jose Marques and his wife have a reservation on the seven day sailing on the Norwegian Dawn on Oct. 3, 2007. The reservation number is 12877326. He has paid the first deposit of \$200.00 per person for a total of \$400.00. He is having second thoughts about going on this cruise at this time so he is requesting the cruise cancellation pricing to find out how much the penalty costs would currently be if he decides to cancel the reservation.

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseCancellationPricingRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruiseCancellationPricingRQ.xsd" Version="1.0"
  Target="Production" TransactionIdentifier="6940" TimeStamp="2007-02-17T09:30:47">
  <POS>
    <Source AirportCode="MIA" ISOCountry="US" PseudoCityCode="MIANCL02">
      <RequestorID Type="5" ID="TA123456">
        <!-- Type value 5 indicates Travel Agency -->
        <CompanyName CompanyShortName="NCL" Code="NCLWEB"/>
      </RequestorID>
    </Source>
  </POS>
  <ReservationID Type="14" ID="12877326">
    <!-- Type value of 14 indicates this is a cruise line reservation number -->
  </ReservationID>
  <Currency DecimalPlaces="2" CurrencyCode="USD"/>
</OTA_CruiseCancellationPricingRQ>
```

6.4.1.2. Response: Cruise Cancellation Pricing

The response message contains the penalties for each traveler and for the reservation. The Marques family can see from the response that if they choose to cancel the reservation at this time, it will cost them \$250.00 for each person, for a total cost of \$500.00 in cancellation penalties.

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseCancellationPricingRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruiseCancellationPricingRS.xsd" Version="1.0"
  Target="Production" TransactionIdentifier="6940" TimeStamp="2007-02-17T09:30:47">
  <Success/>
  <ReservationID Type="14" ID="12877326"/>
  <!-- Type value of 14 indicates this is a cruise line reservation number -->
  <CancellationFees>
    <BookingPrices>
      <BookingPrice PriceTypeCode="ICF" Amount="50000"/>
    </BookingPrices>
    <GuestPrices>
      <GuestPrice GuestRefNumber="1">
        <PriceInfos>
          <PriceInfo PriceTypeCode="ICF" Amount="25000"/>
        </PriceInfos>
      </GuestPrice>
    </GuestPrices>
  </CancellationFees>
</OTA_CruiseCancellationPricingRS>
```

```

        <GuestPrice GuestRefNumber="2">
            <PriceInfos>
                <PriceInfo PriceTypeCode="ICF" Amount="25000"/>
            </PriceInfos>
        </GuestPrice>
    </GuestPrices>
    <CancellationFees>
</OTA_CruiseCancellationPricingRS>

```

6.5. OTA_CruiseCategoryAvailRQ/RS

The Category Availability Request message requests a list of cabin categories for a specified voyage and fare code. The voyage information is indicated by either the VoyageID or the departure date and duration depending on the cruise line.

The response message returns a list of cabin categories that correspond to the requested sailing and fare. In addition to the status, the response might typically contain information about the location of the category on the ship, the maximum occupancy of the cabins, priced and berthed codes, as well as price information about the category.

6.5.1. Use Case 1 +

6.5.1.1. Request: Category Availability Search

Jose Marques decided to sail on the Royal Caribbean Cruise ship NAVIGATOR OF THE SEAS for a seven day sailing on Oct 1, 2006. There will be two cruise only travelers coming from Atlanta on this voyage. Jose has chosen the fare code LAF, “LOWEST AVAILABLE FARE”, and is now requesting a list of available categories for that fare.

OTA_CruiseCategoryAvailRQ.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseCategoryAvailRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" Version="2.0" Target="Production"
TransactionIdentifier="3333" TimeStamp="2006-05-17T09:34:29"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruiseCategoryAvailRQ.xsd">
    <POS>
        <Source PseudoCityCode="LAS1S210D">
            <RequestorID Type="13" ID="Elleipsis01">
                <!--The Type value of 13 indicates this is an Internet Broker ID-->
                <CompanyName CompanyShortName="WORLDSPAN" Code="WSPICR"/>
            </RequestorID>
        </Source>
    </POS>
    <Guest>
        <GuestTransportation Mode="29">
            <!--The TransportationMode value of 29 indicates No Transportation (Cruise Only) -->
            <GatewayCity LocationCode="ATL"/>
        </GuestTransportation>
    </Guest>
</OTA_CruiseCategoryAvailRQ>

```

```

</Guest>
<GuestCounts>
  <GuestCount Quantity="2"/>
</GuestCounts>
<SailingInfo>
  <SelectedSailing Start="2006-10-01" Duration="P7D">
    <CruiseLine VendorCode="RCC" ShipCode="NV"/>
  </SelectedSailing>
  <Currency CurrencyCode="USD"/>
</SailingInfo>
<SelectedFare FareCode="LAF"/>
</OTA_CruiseCategoryAvailRQ>

```

6.5.1.2. Response: Category Availability Search

The response returned a list of categories for this voyage and LAF fare code. Four categories were found, with adult prices ranging from \$869 to \$3149 per person, for the first and second persons in the cabin. However, only the \$889 and \$1599 categories had availability remaining. The cabins in each of these categories have a maximum occupancy of four persons per cabin.

OTA_CruiseCategoryAvailRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseCategoryAvailRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" Version="2.0" Target="Production"
  TransactionIdentifier="3333" TimeStamp="2006-05-17T09:34:32"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruiseCategoryAvailRS.xsd">
  <Success/>
  <SailingInfo>
    <SelectedSailing Start="2006-10-01" Duration="P7D" Status="36">
      <!--The Status value of 36 indicates this Sailing is Available-->
      <CruiseLine VendorCode="RCC" VendorName="ROYAL CARIBBEAN CRUISE" ShipCode="NV"
        ShipName="NAVIGATOR OF THE SEAS"/>
    </SelectedSailing>
    <Currency CurrencyCode="USD"/>
  </SailingInfo>
  <FareOption FareCode="LAF">
    <CategoryOptions>
      <CategoryOption FareCode="LAF" Status="36" CategoryLocation="Outside" MaxOccupancy="4"
        PricedCategoryCode="JS" BerthedCategoryCode="JS">
        <!--The Status value of 36 indicates this category is Available-->
        <PriceInfos>
          <PriceInfo Amount="1599.00" AgeQualifyingCode="10" BreakdownType="1/2">
            <!--The AgeQualifyingCode value of 10 indicates the price is for an Adult -->
            <PriceDescription>Informative price</PriceDescription>
          </PriceInfo>
        </PriceInfos>
      </CategoryOption>
      <CategoryOption FareCode="LAF" Status="38" MaxOccupancy="4" PricedCategoryCode="W"
        BerthedCategoryCode="W">
        <!--The Status value of 38 indicates this category is Not Available-->
        <PriceInfos>

```

```

        <PriceInfo Amount="3149.00" AgeQualifyingCode="10" BreakdownType="1/2">
            <!--The AgeQualifyingCode value of 10 indicates the price is for an Adult -->
            <PriceDescription>Informative price</PriceDescription>
        </PriceInfo>
    </PriceInfos>
</CategoryOption>
    <CategoryOption FareCode="LAF" Status="36" CategoryLocation="Inside" MaxOccupancy="4"
PricedCategoryCode="L" BerthedCategoryCode="L">
        <!--The Status value of 36 indicates this category is Available-->
        <PriceInfos>
            <PriceInfo Amount="889.00" AgeQualifyingCode="10" BreakdownType="1/2">
                <!--The AgeQualifyingCode value of 10 indicates the price is for an Adult -->
                <PriceDescription>Informative price</PriceDescription>
            </PriceInfo>
        </PriceInfos>
    </CategoryOption>
    <CategoryOption FareCode="LAF" Status="38" CategoryLocation="Inside" MaxOccupancy="4"
PricedCategoryCode="M" BerthedCategoryCode="M">
        <!--The Status value of 38 indicates this category is Not Available-->
        <PriceInfos>
            <PriceInfo Amount="869.00" AgeQualifyingCode="10" BreakdownType="1/2">
                <!--The AgeQualifyingCode value of 10 indicates the price is for an Adult -->
                <PriceDescription>Informative price</PriceDescription>
            </PriceInfo>
        </PriceInfos>
    </CategoryOption>
</CategoryOptions>
</FareOption>
</OTA_CruiseCategoryAvailRS>

```

6.6. OTA_CruiseBookRQ/RS

The CruiseBook message is used to create a reservation on the cruise line reservation system, for a specific sailing, with a specified mode of transportation/gateway city pair and currency, and a selected fare/category pair, for one or more passengers, in a specific cabin.

Typically the request would be made by a Global Distribution System (GDS) or an Internet booker, or another travel broker. Prior to submitting a Create Booking request message, a cabin must have been placed on hold. The only exception to this is if a cabin is reserved as a guarantee, rather than a specific cabin.

The response message indicates if the request was successful, and returns a Reservation ID number. It may also integrate the booking into a GDS' PNR based on the cruise line reply.

6.6.1. Use Case 1 +

6.6.1.1. Request: Create Booking

Jose Marques has decided on a seven day sailing on the Norwegian Dawn on Oct. 3, 2006, voyage Id 570329. Jose and his wife Tamara do not yet have a cabin assigned to them, therefore they will be requesting a guarantee for a cabin in their requested category. This cabin will be in berthing and pricing category BA. The reservation will be priced at fare code BESTFARE – to get the best available fare for that Category. Tamara will be requesting a 2 night Pre-Package in New York (a non inclusive package) for herself only. Freestyle dining is being requested.

OTA_CruiseBookRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseBookRQ xmlns="http://www.opentravel.org/OTA/2003/05" TimeStamp="2006-06-07T17:27:21"
Target="Production" Version="2.0" TransactionIdentifier="6940" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance" xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruiseBookRQ.xsd">
  <POS>
    <Source AgentSine="PSMITH" PseudoCityCode="MIANC7101" ERSP_UserID="KAN"
TerminalID="58A0DD2A" AgentDutyCode="0011A">
      <RequestorID Type="13" ID="C12937">
        <!--The Type value of 13 indicates this is an Internet Broker ID-->
        <CompanyName CompanyShortName="Cendant" Code="CEN"/>
      </RequestorID>
    </Source>
  </POS>
  <AgentInfo Contact="JRoberge" ContactID="97125"/>
  <SailingInfo>
    <SelectedSailing Status="36" VoyageID="570329" Duration="P7D" Start="2006-10-03">
      <CruiseLine VendorCode="NCL" VendorName="NORWEGIAN CRUISE LINE" ShipCode="DA"
ShipName="Norwegian Dawn"/>
    </SelectedSailing>
    <Currency CurrencyCode="USD"/>
    <SelectedCategory BerthedCategoryCode="BA" PricedCategoryCode="BA">
      <SelectedCabin CabinNumber="GTY" Status="47"/>
      <!-- Status value of 47 indicates the cabin is guaranteed -->
    </SelectedCategory>
  </SailingInfo>
  <ReservationInfo>
    <GuestDetails>
      <GuestDetail GuestExistsIndicator="false">
        <SelectedFareCode FareCode="BESTFARE"/>
        <ContactInfo GuestRefNumber="1" Gender="Male" Age="63" Nationality="US"
BirthDate="1943-01-01">
          <PersonName>
            <NamePrefix>MR</NamePrefix>
            <GivenName>JOSE</GivenName>
            <Surname>MARQUES</Surname>
          </PersonName>
        </ContactInfo>
        <GuestTransportation Mode="14" Status="36">
          <!--The TransportationMode value of 14 indicates Plane -->
          <!--The Status value of 36 indicates this transportation method is Available-->
        </GuestTransportation>
      </GuestDetail>
    </GuestDetails>
  </ReservationInfo>
</OTA_CruiseBookRQ>
```



```

        <GuestCity LocationCode="ATL" CodeContext="IATA"/>
        <GatewayCity LocationCode="ATL" CodeContext="IATA"/>
    </GuestTransportation>
    <SelectedDining Sitting="FREESTYLE" Status="36"/>
    <!--The Status value of 36 indicates this dining option is Available-->
    <SelectedInsurance InsuranceCode="STD"/>
</GuestDetail>
<GuestDetail GuestExistsIndicator="false">
    <SelectedFareCode FareCode="BESTFARE"/>
    <ContactInfo GuestRefNumber="2" Gender="Female" Age="62" Nationality="US"
BirthDate="1944-03-19">
        <PersonName>
            <NamePrefix>MRS</NamePrefix>
            <GivenName>TAMARA</GivenName>
            <Surname>MARQUES</Surname>
        </PersonName>
    </ContactInfo>
    <GuestTransportation Mode="29" Status="36">
        <!--The TransportationMode value of 29 indicates No Transportation -->
        <!--The Status value of 36 indicates this transportation method is Available-->
        <GuestCity LocationCode="ATL" CodeContext="IATA"/>
        <GatewayCity LocationCode="ATL" CodeContext="IATA"/>
    </GuestTransportation>
    <SelectedDining Sitting="FREESTYLE" Status="36"/>
    <!--The Status value of 36 indicates this dining option is Available-->
    <SelectedInsurance InsuranceCode="STD"/>
    <SelectedPackages>
        <SelectedPackage PackageTypeCode="2" CruisePackageCode="504390"
InclusiveIndicator="false" Start="2006-10-01" Status="43" Duration="P2D"/>
        <!--The PackageTypeCode value of 2 indicates this is a Pre-cruise Package -->
        <!--The Status value of 43 indicates this Package Option is On Request-->
    </SelectedPackages>
    </GuestDetail>
</GuestDetails>
<ReservationInfo>
</OTA_CruiseBookRQ>

```

6.6.1.2. Response: Create Booking

The CruiseBook response message sent by the cruise line, indicates the successful booking by providing the reservation number 12272778.

OTA_CruiseCreateBookRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseBookRS xmlns="http://www.opentravel.org/OTA/2003/05" TimeStamp="2006-06-07T17:27:23"
Target="Production" Version="2.0" TransactionIdentifier="6940" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance" xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruiseBookRS.xsd">
    <Success/>
    <ReservationID Type="14" ID="12272778"/>
    <!--Type 14 indicates reservation ID -->
    <SailingInfo>
        <SelectedSailing VoyageID="570329" Start="2006-10-03" Duration="P7D" Status="36">
            <CruiseLine VendorCode="NCL" VendorName="NORWEGIAN CRUISE LINE" ShipCode="DA"
ShipName="Norwegian Dawn"/>
        </SelectedSailing>
    </SailingInfo>

```

```

</SailingInfo>
<PolicyInfo>
  <Text>NCL Consumer Advice: FOR EMBARKATION/RE-ENTRY INTO THE US: US/CANADIANMUST
  CARRY DOCUMENTARY PROOF OF CITIZENSHIP. REQUIREMENTS VARY BYAND GUESTS ARE
  RESPONSIBLE FOR VERIFYING THEIR REQUIREMENTS. OTHERMUST CARRY VALID PASSPORTS AND
  VERIFY THEIR VISA REQUIREMENTS WITHFOR EACH DESTINATION. GUESTS WITHOUT PROPER
  DOCUMENTATION WILL NOT BETO BOARD. TERMS AND CONDITIONS ARE IN THE NCL BROCHURES
  AND ARE ALSOAT http://www.ncl.com</Text>
</PolicyInfo>
</OTA_CruiseBookRS>

```

6.7. OTA_CruiseDiningAvailRQ/RS *

The Dining Availability Request message requests a list of dining options for a selected voyage and fare code. The voyage information will be entered via the VoyageID or the departure date and duration depending on the cruise line. Guest count is required. Optional request information can include:

- Dining Room name
- Dining Room operation times
- Type of restaurant (fast food, café, fine dining)
- Type of cuisine (French, Thai, Vegetarian)

6.7.1. Use Case 1

6.7.1.1. Request: Dining Availability Search

Jose Marques decided to sail on the Norwegian Cruise Line ship, the Norwegian Dawn, for a seven day sailing on October 3, 2007. There will be two cruise travelers. Fare code BESTFARE was chosen. Jose is requesting a list of available dining rooms which offer French cuisine in a fine dining environment.

OTA_CruiseDiningAvailRQ.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseDiningAvailRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruiseDiningAvailRQ.xsd" Version="1.0"
  Target="Production" PrimaryLangID="en-us" TransactionIdentifier="6940" TimeStamp="2007-05-22T09:30:47">
  <POS>
    <Source PseudoCityCode="LAS1S210D">
      <RequestorID Type="5" ID="Elleipsis"/>
      <!-- Type value of 5 indicates travel agency -->
    </Source>
  </POS>
  <GuestCounts>
    <GuestCount Quantity="2"/>
  </GuestCounts>
  <SailingInfo>
    <SelectedSailing Start="2007-10-03">
      <CruiseLine VendorCode="NCL" ShipCode="DA"/>
    </SelectedSailing>
  </SailingInfo>
  <DiningRoom>
    <InfoCodes>
      <InfoCode Code="9"/>
    </InfoCodes>
  </DiningRoom>
</OTA_CruiseDiningAvailRQ>

```

```

        <!-- Code value of 9 is the restaurant category code indicating fine dining -->
    </InfoCodes>
    <CuisineCodes>
        <CuisineCode Code="2"/>
        <!-- Type value of 2 is the code indicating French cuisine -->
    </CuisineCodes>
    <Seating TableSize="2"/>
    </DiningRoom>
    <SelectedFare FareCode="BESTFARE"/>
</OTA_CruiseDiningAvailRQ>

```

6.7.1.2. Response: Dining Availability Search

The response returns a list of two dining rooms. In this example the response contains smoking preferences and different dining times.

OTA_CruiseDiningAvailRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseDiningAvailRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruiseDiningAvailRS.xsd" Version="1.0"
  Target="Production" PrimaryLangID="en-us" TransactionIdentifier="6940" TimeStamp="2007-05-22T09:30:47">
    <Success/>
    <SailingInfo>
        <SelectedSailing Start="2007-10-03" Duration="P7D">
            <CruiseLine VendorCode="NCL" VendorName="Norwegian Cruise Line" ShipCode="DA"
            ShipName="Norwegian Dawn"/>
        </SelectedSailing>
    </SailingInfo>
    <DiningOptions>
        <DiningOption SelectionAllowedIndicator="true" Sitting="FREESTYLE" SittingStatus="Available">
            <DiningRoom RestaurantName="VENETIAN" SmokingAllowed="false">
                <SittingDetails>
                    <SittingDetail MealName="Lunch" MealStartTime="11:00:00" MealEndTime="14:00:00"/>
                    <SittingDetail MealName="Dinner" MealStartTime="18:00:00" MealEndTime="23:00:00"/>
                </SittingDetails>
            </DiningRoom>
            <DiningRoom RestaurantName="LE BISTRO" SmokingAllowed="false">
                <SittingDetails>
                    <SittingDetail MealName="Dinner" MealStartTime="18:00:00" MealEndTime="23:00:00"/>
                </SittingDetails>
            </DiningRoom>
        </DiningOption>
    </DiningOptions>
</OTA_CruiseDiningAvailRS>

```

6.8. OTA_CruiseFareAvailRQ/RS

The Fare Availability Request message requests a listing of available fares for a selected voyage. For some cruise lines, the voyage must be identified via the VoyageId; for others, the departure date and duration identifies the sailing. The guest count structure is used to communicate the number of guests that will be

sailing. Although GuestTransportation information is optional, in normal practice it is advisable to enter the mode of transportation and gateway city, because some fares have restrictions based on transportation.

The response message returns a list of available fares for which the traveler qualifies based upon the criteria provided.

6.8.1. Use Case 1 +

6.8.1.1. Request: Fare Availability Search

Jose Marques decided to sail on the Royal Caribbean Cruise ship NAVIGATOR OF THE SEAS for a seven day sailing on Oct 1, 2006. Two people will be sailing, the mode of transportation will be cruise only, and the passengers will be coming from Atlanta.

OTA_Cruise_FareAvailRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseFareAvailRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" Version="2.0" Target="Production"
  TransactionIdentifier="2222" TimeStamp="2006-05-17T09:30:47"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruiseFareAvailRQ.xsd">
  <POS>
    <Source PseudoCityCode="LAS1S210D">
      <RequestorID Type="13" ID="Elleipsis01">
        <!--The Type value of 13 indicates this is an Internet Broker ID-->
        <CompanyName CompanyShortName="WORLDSPAN" Code="WSPICR"/>
      </RequestorID>
    </Source>
  </POS>
  <Guest>
    <GuestTransportation Mode="29">
      <!--The TransportationMode value of 29 indicates No Transportation (Cruise Only)-->
      <GatewayCity LocationCode="ATL"/>
    </GuestTransportation>
  </Guest>
  <GuestCounts>
    <GuestCount Quantity="2"/>
  </GuestCounts>
  <SailingInfo>
    <SelectedSailing Start="2006-10-01" Duration="P7D">
      <CruiseLine VendorCode="RCC" ShipCode="NV"/>
    </SelectedSailing>
    <Currency CurrencyCode="USD"/>
  </SailingInfo>
</OTA_CruiseFareAvailRQ>
```

6.8.1.2. Response: Fare Availability Search

The response message returns a list of fares which match the specified criteria. Some cruise lines return only a listing of available fares. Others return a listing of available fares along with fares that are not available.

Eleven fares were found for the mode of transportation information provided. Six fares are available: LAF, BRKA25, BRKC25, BRKE25, BRKF25, and FIT. Five fares were also found which are not available: BRKA16, BRKB25, BRKD25, BRKG25, and BRK3C25.

OTA_Cruise_FareAvailRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseFareAvailRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" Version="2.0" TransactionIdentifier="2222"
TimeStamp="2006-05-17T09:30:50" xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_CruiseFareAvailRS.xsd">
  <Success/>
  <SailingInfo>
    <SelectedSailing Start="2006-10-01" Duration="P7D">
      <CruiseLine VendorCode="RCC" VendorName="ROYAL CARIBBEAN CRUISE" ShipCode="NV"
ShipName="NAVIGATOR OF THE SEAS"/>
      <DeparturePort LocationCode="MIA">Miami, FL, US</DeparturePort>
      <ArrivalPort LocationCode="MIA">Miami, FL, US</ArrivalPort>
    </SelectedSailing>
  </SailingInfo>
  <FareCodeOptions>
    <FareCodeOption Status="36" FareCode="LAF" FareDescription="LOWEST AVAILABLE FARE"/>
    <!--The Status value of 36 indicates this fare is Available-->
    <FareCodeOption Status="38" FareCode="BRKA16" FareDescription="BREAKTHRU"/>
    <!--The Status value of 38 indicates this fare is Closed -->
    <FareCodeOption Status="36" FareCode="BRKA25" FareDescription="BREAKTHRU">
      <!--The Status value of 36 indicates this fare is Available-->
      <FareRemark>"EXPIRES 12/31/2006"</FareRemark>
    </FareCodeOption>
    <FareCodeOption Status="38" FareCode="BRKB25" FareDescription="BREAKTHRU"/>
    <!--The Status value of 38 indicates this fare is Closed -->
    <FareCodeOption Status="36" FareCode="BRKC25" FareDescription="BREAKTHRU">
      <!--The Status value of 36 indicates this fare is Available-->
      <FareRemark>"EXPIRES 12/31/2006"</FareRemark>
    </FareCodeOption>
    <FareCodeOption Status="38" FareCode="BRKD25" FareDescription="BREAKTHRU"/>
    <!--The Status value of 38 indicates this fare is Closed -->
    <FareCodeOption Status="36" FareCode="BRKE25" FareDescription="BREAKTHRU">
      <!--The Status value of 36 indicates this fare is Available-->
      <FareRemark>"EXPIRES 12/31/2006"</FareRemark>
    </FareCodeOption>
    <FareCodeOption Status="36" FareCode="BRKF25" FareDescription="BREAKTHRU">
      <!--The Status value of 36 indicates this fare is Available-->
      <FareRemark>"EXPIRES 12/31/2006"</FareRemark>
    </FareCodeOption>
    <FareCodeOption Status="38" FareCode="BRKG25" FareDescription="BREAKTHRU"/>
    <!--The Status value of 38 indicates this fare is Closed -->
    <FareCodeOption Status="38" FareCode="BRK3C25" FareDescription="BREAKTHRU"/>
    <!--The Status value of 38 indicates this fare is Closed -->
    <FareCodeOption Status="36" FareCode="FIT" FareDescription="FULL INDIVIDUAL TARIFF">
      <!--The Status value of 36 indicates this fare is Available-->
      <FareRemark>"EXPIRES 10/01/2006"</FareRemark>
    </FareCodeOption>
  </FareCodeOptions>
```

</OTA_CruiseFareAvailRS>

6.9. OTA_CruiseItineraryDescRQ/RS *

The Cruise Itinerary Description message allows the travel customers to request the detailed Itinerary of a specific sailing.

The Cruise Itinerary Description request message can accept a reservation ID/booking number or a ship and sail date to retrieve the itinerary.

The response message contains the detailed Itinerary in the format below:

- Every location the ship visits in its entire voyage is listed as a port on the itinerary.
- The departure date and time are listed for each port except the disembarkation port.
- The arrival date and time are listed for each port except the embarkation port.
- The port element can also specify “At Sea”, indicating a sailing period.
- Each port listed contains an indicator to specify whether the ship docks at that specific location. This feature can be employed to include scenic locations such as “The Great Barrier Reef” on the itinerary, even though the ship does not dock at the location.
- Each port listed also contains an indicator to specify whether or not a shore excursion exists at that location.

6.9.1. Use Case 1

6.9.1.1. Request: Cruise Itinerary Description

Jose Marques submits a request message to receive the itinerary of the Norwegian Cruise Line ship PRIDE OF HAWAII, for the voyage sailing on February 17, 2007. The ship code “HA” and the start date are provided.

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseItineraryDescRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruiseItineraryDescRQ.xsd" Version="1.0"
  Target="Production" TransactionIdentifier="6940" TimeStamp="2007-02-17T09:30:47">
  <POS>
    <Source AirportCode="MIA" ISOCountry="US" PseudoCityCode="MIANCL02">
      <RequestorID Type="5" ID="TA123456">
        <!-- Type value 5 indicates Travel Agency -->
        <CompanyName CompanyShortName="NCL" Code="NCLWEB"/>
      </RequestorID>
    </Source>
  </POS>
  <SelectedSailing VendorCode="NCL" ShipCode="HA" Duration="P7D" Start="2007-02-17"/>
</OTA_CruiseItineraryDescRQ>
```

6.9.1.2. Response: Cruise Itinerary Description

The response message contains the details of the sailing such as the ship code and name, sailing departure date, sailing duration, cruise voyage number, vendor name, vendor code and the status of the sailing.

This is followed by the cruise itinerary information listed in chronological order.

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseItineraryDescRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruiseItineraryDescRS.xsd" Version="1.0"
Target="Production" TransactionIdentifier="6940" TimeStamp="2007-02-17T09:30:47">
  <Success/>
  <SelectedSailing VendorCode="NCL" VendorName="Norwegian Cruise Line" ShipCode="HA" ShipName="Pride
of Hawaii" Duration="P7D" Start="2007-02-17" VoyageID="743536" Status="36"/>
  <!-- Status value of 36 indicates this sailing is available -->
  <CruiseItinInfos>
    <CruiseItinInfo PortCode="HNL" PortCountryCode="US" PortName="HONOLULU" DockIndicator="true"
ShorexIndicator="false">
      <DateTimeDescription DateTimeQualifier="departure" DateTimeDetails="2007-02-17T20:00:00"/>
    </CruiseItinInfo>
    <CruiseItinInfo PortCode="ITO" PortCountryCode="US" PortName="HILO" DockIndicator="true"
ShorexIndicator="true">
      <DateTimeDescription DateTimeQualifier="arrival" DateTimeDetails="2007-02-18T08:00:00"/>
      <DateTimeDescription DateTimeQualifier="departure" DateTimeDetails="2007-02-18T19:00:00"/>
    </CruiseItinInfo>
    <CruiseItinInfo PortCode="ASE" PortName="AT SEA" DockIndicator="false" ShorexIndicator="false">
      <DateTimeDescription DateTimeQualifier="stay" DateTimeDetails="2007-02-18T19:01:00"/>
      <Information>
        <Text>EVENING SAIL BY MOUNT KILAUEA</Text>
      </Information>
    </CruiseItinInfo>
    <CruiseItinInfo PortCode="OGG" PortCountryCode="US" PortName="KAHULUI (MAUI)"
DockIndicator="true" ShorexIndicator="true">
      <DateTimeDescription DateTimeQualifier="arrival" DateTimeDetails="2007-02-19T08:00:00"/>
      <DateTimeDescription DateTimeQualifier="departure" DateTimeDetails="2007-02-20T18:00:00"/>
    </CruiseItinInfo>
    <CruiseItinInfo PortCode="KOA" PortCountryCode="US" PortName="KONA" DockIndicator="true"
ShorexIndicator="true">
      <DateTimeDescription DateTimeQualifier="arrival" DateTimeDetails="2007-02-21T07:00:00"/>
      <DateTimeDescription DateTimeQualifier="departure" DateTimeDetails="2007-02-21T18:00:00"/>
    </CruiseItinInfo>
    <CruiseItinInfo PortCode="ASE" PortName="AT SEA" DockIndicator="false" ShorexIndicator="false">
      <DateTimeDescription DateTimeQualifier="stay" DateTimeDetails="2007-02-22T00:00:00"/>
      <Information>
        <Text>SCENIC CRUISING</Text>
      </Information>
    </CruiseItinInfo>
    <CruiseItinInfo PortCode="NWK" PortCountryCode="US" PortName="NAWILIWILI (KAUAI)"
DockIndicator="true" ShorexIndicator="true">
      <DateTimeDescription DateTimeQualifier="arrival" DateTimeDetails="2007-02-22T10:00:00"/>
      <DateTimeDescription DateTimeQualifier="departure" DateTimeDetails="2007-02-23T18:00:00"/>
    </CruiseItinInfo>
    <CruiseItinInfo PortCode="HNL" PortCountryCode="US" PortName="HONOLULU" DockIndicator="true"
ShorexIndicator="true">
```

```

        <DateTimeDescription DateTimeQualifier="arrival" DateTimeDetails="2007-02-24T07:00:00"/>
    </CruiseItinInfo>
</CruiseItinInfos>
</OTA_CruiseItineraryDescRS>

```

6.10. OTA_CruisePkgAvailRQ/RS *

The Cruise Package Availability message is used to request information about the pre-cruise, post-cruise, or the inclusive-cruise packages associated with a sailing. A cruise package is normally a stay in a hotel for one or more days at the beginning or end of a cruise. The hotel is generally located near the port of embarkation or debarkation. The response message contains a list of requested packages along with the associated pricing for these packages.

6.10.1. Use Case 1

6.10.1.1. Request: Cruise Package Availability

Jose Marques and his wife are interested in spending two days in Miami sightseeing before their seven day cruise on the Norwegian Dawn, which sails Oct. 3, 2007. This sailing, voyage number 126488, sails from and returns to the port city of Miami.

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruisePkgAvailRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruisePkgAvailRQ.xsd" Version="1.0"
  Target="Production" PrimaryLangID="en-us" TransactionIdentifier="6940" SequenceNmbr="1" MaxResponses="15"
  Timestamp="2007-05-22T09:30:47" MoreDataEchoToken="1">
  <POS>
    <Source AirportCode="MIA" ISOCountry="US" PseudoCityCode="MIANCL02">
      <RequestorID Type="5" ID="TA123456">
        <!-- Type value 5 indicates Travel Agency -->
        <CompanyName CompanyShortName="NCL" Code="NCLWEB"/>
      </RequestorID>
    </Source>
  </POS>
  <GuestCounts>
    <GuestCount Quantity="2" Code="10"/>
    <!-- Code value of 10 indicates adult -->
  </GuestCounts>
  <SailingInfo>
    <SelectedSailing VoyageID="126488" Start="2007-10-03">
      <CruiseLine VendorCode="NCL" ShipCode="DA"/>
    </SelectedSailing>
    <Currency DecimalPlaces="2" CurrencyCode="USD"/>
  </SailingInfo>
  <PackageOption PackageTypeCode="2">
    <!-- PackageTypeCode value of 2 indicates Pre-Cruise package -->
  </PackageOption>
</OTA_CruisePkgAvailRQ>

```


6.10.1.2. Response: Cruise Package Availability

The response message contains a list of hotels with associated pricing.

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruisePkgAvailRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruisePkgAvailRS.xsd" TimeStamp="2007-05-
22T09:30:48" Version="1.0" Target="Production" TransactionIdentifier="6940" MoreIndicator="false">
  <Success/>
  <SailingInfo>
    <SelectedSailing VoyageID="126488" Start="2007-10-03" Duration="P7D">
      <CruiseLine ShipCode="DA" ShipName="Norwegian Dawn"/>
    </SelectedSailing>
  </SailingInfo>
  <CruisePackages>
    <CruisePackage Description="6 NIGHT RADISSON DOWNTOWN MIAMI PRE CRUISE PACKAGE"
TransferIncludedIndicator="true" SelectionAllowedIndicator="true" PackageTypeCode="2"
CruisePackageCode="818231" Start="2007-05-14" Duration="P6D">
      <!-- PackageTypeCode value of 2 indicates this is a pre-cruise hotel package -->
      <Location LocationCode="RADISSON MIA" LocationName="RADISSON DOWNTOWN MIAMI"/>
      <PriceInfo Status="36" AgeQualifyingCode="10" BreakdownType="DBL" Amount="70700"
CurrencyCode="USD" DecimalPlaces="2">
        <!-- Status value of 36 indicates this package is available -->
        <!-- AgeQualifyingCode value of 10 indicates pricing is per adult -->
      </PriceInfo>
    </CruisePackage>
    <CruisePackage Description="3 NIGHT RADISSON DOWNTOWN MIAMI PRE CRUISE PACKAGE"
TransferIncludedIndicator="true" SelectionAllowedIndicator="true" PackageTypeCode="2"
CruisePackageCode="782768" Start="2007-05-17" Duration="P3D">
      <!-- PackageTypeCode value of 2 indicates this is a pre-cruise hotel package -->
      <Location LocationCode="RADISSON MIA" LocationName="RADISSON DOWNTOWN MIAMI"/>
      <PriceInfo Status="36" AgeQualifyingCode="10" BreakdownType="DBL" Amount="31700"
CurrencyCode="USD" DecimalPlaces="2">
        <!-- Status value of 36 indicates this package is available -->
        <!-- AgeQualifyingCode value of 10 indicates pricing is per adult -->
      </PriceInfo>
    </CruisePackage>
    <CruisePackage Description="3 NIGHT RIU FLORIDA BEACH RESORT PRE CRUISE PACKAGE"
TransferIncludedIndicator="true" SelectionAllowedIndicator="true" PackageTypeCode="2"
CruisePackageCode="782149" Start="2007-05-17" Duration="P3D">
      <!-- PackageTypeCode value of 2 indicates this is a pre-cruise hotel package -->
      <Location LocationCode="RIU MIAMI" LocationName="RIU HOTELS & RESORTS"/>
      <PriceInfo Status="36" AgeQualifyingCode="10" BreakdownType="DBL" Amount="32900"
CurrencyCode="USD" DecimalPlaces="2">
        <!-- Status value of 36 indicates this package is available -->
        <!-- AgeQualifyingCode value of 10 indicates pricing is per adult -->
      </PriceInfo>
    </CruisePackage>
    <CruisePackage Description="3 NIGHT COURTYARD MIAMI BEACH PRE CRUISE PACKAGE"
TransferIncludedIndicator="true" SelectionAllowedIndicator="true" PackageTypeCode="2"
CruisePackageCode="782148" Start="2007-05-17" Duration="P3D">
      <!-- PackageTypeCode value of 2 indicates this is a pre-cruise hotel package -->
      <Location LocationCode="COURTYARD MIAMI" LocationName="COURTYARD MIAMI
BEACH"/>
      <PriceInfo Status="36" AgeQualifyingCode="10" BreakdownType="DBL" Amount="29700"
CurrencyCode="USD" DecimalPlaces="2">
        <!-- Status value of 36 indicates this package is available -->
```

```

        <!-- AgeQualifyingCode value of 10 indicates pricing is per adult -->
    </PriceInfo>
</CruisePackage>
    <CruisePackage Description="2 NIGHT RADISSON DOWNTOWN MIAMI PRE CRUISE PACKAGE"
TransferIncludedIndicator="true" SelectionAllowedIndicator="true" PackageTypeCode="2"
CruisePackageCode="818142" Start="2007-05-18" Duration="P2D">
    <!-- PackageTypeCode value of 2 indicates this is a pre-cruise hotel package -->
    <Location LocationCode="RADISSON MIA" LocationName="RADISSON DOWNTOWN MIAMI"/>
    <PriceInfo Status="36" AgeQualifyingCode="10" BreakdownType="DBL" Amount="22900"
CurrencyCode="USD" DecimalPlaces="2">
        <!-- Status value of 36 indicates this package is available -->
        <!-- AgeQualifyingCode value of 10 indicates pricing is per adult -->
    </PriceInfo>
</CruisePackage>
</CruisePackages>
</OTA_CruisePkgAvailRS>

```

6.11. OTA_CruisePriceBookingRQ/RS

The PriceBookingRequest message requests the pricing for all components of a booking. For the cruise pricing to be correct, all of the components to be purchased must be included in the CruisePriceBooking request. This includes the sailing by using either the VoyageId or the ship and sail date depending on the cruise line, the priced and berthed category, the fare code, the group code (when applicable), the air gateway, the pre and/or post land packages, the shore excursions, and any thing else the cruise line sells at the time of making a reservation.

The response message returns the pricing breakdown by component for both the booking and the individual travelers.

6.11.1. Use Case 1 +

6.11.1.1. Request: PriceBooking

Jose Marques has decided on a seven day sailing on the Norwegian Dawn on Oct. 3, 2006, voyage Id 570329. Jose and his wife Tamara will be berthed in cabin 8003. This cabin is in berthed and priced category AB. (The priced and berthed categories are the same, since there was no upgrade.) The reservation will be priced at fare code PG6. Jose will be purchasing a flight from Atlanta. Tamara is also coming from Atlanta, but she is providing her own transportation. Only Jose will be charged for the air fare. Freestyle dining is being requested.

OTA_CruisePriceBookingRQ.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruisePriceBookingRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" Version="2.0" Target="Production"
TransactionIdentifier="7777" TimeStamp="2006-06-07T17:56:19"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruisePriceBookingRQ.xsd">
    <POS>
        <Source PseudoCityCode="MIANC7101">

```

```

    <RequestorID Type="13" ID="C12937">
      <!--The Type value of 13 indicates this is an Internet Broker ID-->
      <CompanyName CompanyShortName="Cendant" Code="CEN"/>
    </RequestorID>
  </Source>
</POS>
<GuestCounts>
  <GuestCount Quantity="2"/>
</GuestCounts>
<SailingInfo>
  <SelectedSailing VoyageID="570329" Duration="P7D" Start="2006-10-03">
    <CruiseLine VendorCode="NCL" ShipCode="DA"/>
  </SelectedSailing>
  <Currency DecimalPlaces="2" CurrencyCode="USD"/>
  <SelectedCategory BerthedCategoryCode="AB" PricedCategoryCode="AB">
    <SelectedCabin CabinNumber="8003" Status="48"/>
    <!-- Status value of 48 indicates the cabin is held-->
  </SelectedCategory>
</SailingInfo>
<ReservationInfo>
  <GuestDetails>
    <GuestDetail>
      <SelectedFareCode FareCode="PG6"/>
      <ContactInfo GuestRefNumber="1" Nationality="US" Gender="Male">
        <PersonName>
          <GivenName>Jose</GivenName>
          <Surname>Marques</Surname>
        </PersonName>
      </ContactInfo>
      <GuestTransportation Mode="14" Status="36">
        <!--The Mode value of 14 indicates Plane -->
        <!--The Status value of 36 indicates this transportation method is Available-->
        <GuestCity LocationCode="ATL"/>
        <GatewayCity LocationCode="ATL"/>
      </GuestTransportation>
      <SelectedDining Sitting="FREESTYLE" Status="36"/>
      <!--The Status value of 36 indicates this dining option is Available-->
      <SelectedInsurance Status="36" InsuranceCode="STD"/>
      <!--The Status value of 36 indicates this insurance option is Available-->
    </GuestDetail>
    <GuestDetail>
      <SelectedFareCode FareCode="PG6"/>
      <ContactInfo GuestRefNumber="2" Nationality="US" Gender="Female">
        <PersonName>
          <GivenName>Tamara</GivenName>
          <Surname>Marques</Surname>
        </PersonName>
      </ContactInfo>
      <GuestTransportation Mode="29" Status="36">
        <!--The Mode value of 29 indicates No Transportation required -->
        <!--The Status value of 36 indicates this transportation method is Available -->
        <GuestCity LocationCode="ATL"/>
      </GuestTransportation>
      <SelectedDining Sitting="FREESTYLE" Status="36"/>
      <!--The Status value of 36 indicates this dining option is Available-->
    </GuestDetail>
  </GuestDetails>
</ReservationInfo>

```

```

        <SelectedInsurance Status="36" InsuranceCode="STD"/>
        <!--The Status value of 36 indicates this insurance option is Available-->
    </GuestDetail>
</GuestDetails>
</ReservationInfo>
</OTA_CruisePriceBookingRQ>

```

6.11.1.2. Response: PriceBooking

The response message returns the detailed pricing breakdown for the booking and for the individual travelers. Notice that traveler number 1, Jose, has an additional charge for Air Add On in the amount of \$446.00.

OTA_CruisePriceBookingRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruisePriceBookingRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" Version="2.0" Target="Production"
TransactionIdentifier="7777" TimeStamp="2006-06-07T17:56:21"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruisePriceBookingRS.xsd">
    <Success/>
    <SailingInfo>
        <SelectedSailing VoyageID="570329" Duration="P7D" Start="2006-10-03">
            <CruiseLine VendorCode="NCL" ShipCode="DA"/>
        </SelectedSailing>
        <Currency DecimalPlaces="2" CurrencyCode="USD"/>
        <SelectedCategory BerthedCategoryCode="AB" PricedCategoryCode="AB">
            <SelectedCabin CabinNumber="8003" Status="48"/>
            <!-- Status value of 48 indicates the cabin is held -->
        </SelectedCategory>
    </SailingInfo>
    <BookingPayment>
        <BookingPrices>
            <BookingPrice PriceTypeCode="8" Amount="5079.38"/>
            <!-- The PriceTypeCode value of 8 indicates Gross Totals -->
            <BookingPrice PriceTypeCode="3" Amount="5079.38"/>
            <!-- The PriceTypeCode value of 3 indicates Balance Due -->
            <BookingPrice PriceTypeCode="42" Amount="4324.04"/>
            <!-- The PriceTypeCode value of 42 indicates Net Totals -->
            <BookingPrice PriceTypeCode="5" Amount="3878.00"/>
            <!-- The PriceTypeCode value of 5 indicates Cruise Rate -->
            <BookingPrice PriceTypeCode="11" Amount="755.34"/>
            <!-- The PriceTypeCode value of 11 indicates Net Commission Total -->
            <BookingPrice PriceTypeCode="1" Amount="446.00"/>
            <!-- The PriceTypeCode value of 1 indicates Air Add On -->
            <BookingPrice PriceTypeCode="10" Amount="358.00"/>
            <!-- The PriceTypeCode value of 10 indicates Insurance -->
            <BookingPrice PriceTypeCode="12" Amount="280.00"/>
            <!-- The PriceTypeCode value of 12 indicates Non-Commissionable Fares -->
            <BookingPrice PriceTypeCode="18" Amount="117.38"/>
            <!-- The PriceTypeCode value of 18 indicates Taxes and Fees -->
            <BookingPrice PriceTypeCode="20" Amount="0"/>
            <!-- The PriceTypeCode value of 20 indicates VAT -->
            <BookingPrice PriceTypeCode="2" Amount="0"/>
            <!-- The PriceTypeCode value of 2 indicates Amount Received -->
        </BookingPrices>
    </BookingPayment>
</OTA_CruisePriceBookingRS>

```

```

        <BookingPrice PriceTypeCode="6" Amount="500.00"/>
        <!-- The PriceTypeCode value of 6 indicates Deposit Amount -->
    </BookingPrices>
    <GuestPrices>
        <GuestPrice GuestRefNumber="1">
            <GuestTransportation Mode="14">
                <!--The TransportationMode value of 14 indicates Plane -->
                <GuestCity LocationCode="ATL" CodeContext="IATA"/>
            </GuestTransportation>
            <PriceInfos>
                <PriceInfo PriceTypeCode="8" Amount="2772.69"/>
                <!-- The PriceTypeCode value of 8 indicates Gross Totals -->
                <PriceInfo PriceTypeCode="5" Amount="1939.00"/>
                <!-- The PriceTypeCode value of 5 indicates Cruise Rate -->
                <PriceInfo PriceTypeCode="1" Amount="446.00"/>
                <!-- The PriceTypeCode value of 1 indicates Air Add On -->
                <PriceInfo PriceTypeCode="10" Amount="189.00"/>
                <!-- The PriceTypeCode value of 10 indicates Insurance -->
                <PriceInfo PriceTypeCode="12" Amount="140.00"/>
                <!-- The PriceTypeCode value of 12 indicates Non-Commissionable Fares -->
                <PriceInfo PriceTypeCode="18" Amount="58.69"/>
                <!-- The PriceTypeCode value of 18 indicates Taxes and Fees -->
            </PriceInfos>
        </GuestPrice>
        <GuestPrice GuestRefNumber="2">
            <GuestTransportation Mode="29">
                <!--The TransportationMode value of 14 indicates No Transportation -->
                <GuestCity LocationCode="ATL" CodeContext="IATA"/>
            </GuestTransportation>
            <PriceInfos>
                <PriceInfo PriceTypeCode="8" Amount="2306.69"/>
                <!-- The PriceTypeCode value of 8 indicates Gross Totals -->
                <PriceInfo PriceTypeCode="5" Amount="1939.00"/>
                <!-- The PriceTypeCode value of 5 indicates Cruise Rate -->
                <PriceInfo PriceTypeCode="10" Amount="169.00"/>
                <!-- The PriceTypeCode value of 10 indicates Insurance -->
                <PriceInfo PriceTypeCode="12" Amount="140.00"/>
                <!-- The PriceTypeCode value of 12 indicates Non-Commissionable Fares -->
                <PriceInfo PriceTypeCode="18" Amount="58.69"/>
                <!-- The PriceTypeCode value of 18 indicates Taxes and Fees -->
            </PriceInfos>
        </GuestPrice>
    </GuestPrices>
    <BookingPayment>
</OTA_CruisePriceBookingRS>

```

6.12. OTA_CruisePNR_UpdateNotifRQ/RS *

The PNR update notification is an unsolicited message originating from the cruise line company to the GDS or travel partner. When a cruise booking is made, some travel partners may cache a copy of the booking information in their local application systems. However, there may be occasions where the cruise line makes changes to the booking on their end, which would cause the records to become unsynchronized. This could be for a number of reasons: Change in departure time, direct communication from the customer to the cruise line, bypassing the travel partner,

change from waitlisted status, cancellation for non-payment, reinstatement of a booking, etc.

This message pair provides a defined structure to push these unsolicited update messages to the travel partner, and enable passenger record synchronization between the cruise line company and the travel partner.

Precondition: A cruise booking by the travel partner exists, and the cruise line company has made changes.

Post-condition: The travel partner receives the change message.

6.12.1. Use Case 1

6.12.1.1. Request: Cruise PNR Update

Jose Marques has an existing booking created for his cruise on the Pride of Hawaii on February 17, 2007 at Norwegian Cruise Line through his travel agent. He has decided to change his pre-cruise hotel package from 2 nights stay to 3 nights, and has telephoned NCL directly to make the change. NCL now sends out a message to the travel agency notifying them of the change to the reservation. NCL's business process is to send out the full booking information (minus any payment amount information) for complete overlay. In the PNR update notification request, NCL provides the following elements:

- POS, and agency information
- Selected sailing information: cruise line and ship codes, voyage number, departure date, duration
- Selected currency
- Selected category and cabin information
- Cruise package option information
- Sailing profile information
- Reservation number, PNR record locator, synchronization date/time
- Guest level information:
 - Guest personal info: Guest reference number, name, past passenger number, etc.
 - Selected fare, group code, guest transportation, dining, insurance, options and amenities, selected packages, special services, air accommodation requests, cruise document information, guest profile information, etc.
- Linked traveler information
- Payment options

- Advisories or marketing messages

OTA_CruisePNR_UpdateNotifRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruisePNR_UpdateNotifRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruisePNR_UpdateNotifRQ.xsd" Version="1.0"
TransactionIdentifier="6940" TimeStamp="2006-11-13T17:22:09">
  <SailingInfo>
    <SelectedSailing VoyageID="771600" Start="2007-02-17" Duration="P7D" Status="36">
      <!-- Status value of 36 indicates this sailing is available -->
      <CruiseLine VendorCode="NCL" VendorName="Norwegian Cruise Line" ShipCode="HA"
ShipName="Pride of Hawaii"/>
      <Region RegionCode="HAW" RegionName="HAWAII"/>
    </SelectedSailing>
    <Currency CurrencyCode="USD" DecimalPlaces="2"/>
    <SelectedCategory BerthedCategoryCode="BA" PricedCategoryCode="BA">
      <CabinAttributes>
        <CabinAttribute CabinAttributeCode="81"/>
        <!-- CabinAttributeCode value of 81 indicates no cabin description is available -->
      </CabinAttributes>
      <SelectedCabin CabinNumber="10576" MaxOccupancy="4" DeckName="Deck 10" DeckNumber="10"
PositionInShip="Midship" ShipSide="Starboard" CategoryLocation="Outside" Status="49">
        <!-- Status value of 49 indicates booked -->
        <CabinConfiguration BedConfigurationCode="26"/>
        <!-- BedConfigurationCode value of 26 indicates this cabin contains convertible lower beds -->
        <CabinConfiguration BedConfigurationCode="7"/>
        <!-- BedConfigurationCode value of 7 indicates this cabin can accommodate a crib -->
        <CabinAttributes>
          <CabinAttribute CabinAttributeCode="81"/>
          <!-- CabinAttributeCode value of 81 indicates no cabin description is available -->
        </CabinAttributes>
      </SelectedCabin>
    </SelectedCategory>
  </SailingInfo>
  <SailingProfile ProfileTypeIDIdentifier="NotModifiable">
    <CruiseProfile Code="33"/>
    <!-- Code value of 33 indicates bed configuration can not be modified -->
  </SailingProfile>
  <ReservationInfo>
    <ReservationID Type="14" ID="12272430" StatusCode="49"/>
    <!-- Type value of 14 indicates this is a cruise line reservation ID-->
    <!-- StatusCode value of 49 indicates booked -->
    <ReservationID Type="24" ID="X8OLFJ" StatusCode="49" LastModifyDateTime="2006-11-
13T17:22:07"/>
    <!-- Type value of 24 indicates this is a travel agent PNR ID -->
    <!-- StatusCode value of 49 indicates booked -->
    <GuestDetails>
      <GuestDetail>
        <SelectedFareCode FareCode="PG6"/>
        <ContactInfo GuestRefNumber="1" Gender="Male" Age="66" BirthDate="1940-03-22">
          <PersonName>
            <NamePrefix>MR</NamePrefix>
            <GivenName>JOSE</GivenName>
          </PersonName>
        </ContactInfo>
      </GuestDetail>
    </GuestDetails>
  </ReservationInfo>
</OTA_CruisePNR_UpdateNotifRQ>
```

```

        <Surname>MARQUES</Surname>
    </PersonName>
</ContactInfo>
    <GuestTransportation Mode="29" Status="36">
        <!-- Mode value of 29 indicates no transportation (cruise only) -->
        <!-- StatusCode value of 36 indicates cruise only mode of transportation is available -->
        <GatewayCity LocationCode="MIA"/>
    </GuestTransportation>
    <LoyaltyInfo MembershipID="19625412"/>
    <SelectedDining Sitting="FREESTYLE" Status="36"/>
    <!-- Status value of 36 indicates Freestyle dining is available -->
    <SelectedInsurance InsuranceCode="NON" SelectedOptionIndicator="false"
DefaultIndicator="false"/>
    <SelectedInsurance InsuranceCode="PLT" SelectedOptionIndicator="false"
DefaultIndicator="false"/>
    <SelectedInsurance InsuranceCode="STD" SelectedOptionIndicator="true"
DefaultIndicator="true"/>
    <SelectedPackages>
        <SelectedPackage PackageTypeCode="2" CruisePackageCode="771600" Start="2007-02-15"
Status="36" Duration="P3D">
            <!-- PackageTypeCode value of 2 indicates pre-cruise package -->
            <!-- Status value of 36 indicates available -->
            <Location LocationCode="HNL">
                <Information>
                    <Text>3 NIGHT SHERATON PRINCESS KAIULANI PRE CRUISE
PACKAGE</Text>
                </Information>
            </Location>
        </SelectedPackage>
        <SelectedPackage PackageTypeCode="3" CruisePackageCode="791304" Start="2007-02-24"
Status="36" Duration="P5D">
            <!-- PackageTypeCode value of 3 indicates post-cruise package -->
            <!-- Status value of 36 indicates available -->
            <Location LocationCode="HNL">
                <Information>
                    <Text>5 NIGHT MARRIOTT WAIKIKI BEACH POST CRUISE
PACKAGE</Text>
                </Information>
            </Location>
        </SelectedPackage>
    </SelectedPackages>
    <SelectedSpecialServices>
        <SelectedSpecialService Type="Occasion" Code="S001" CodeDetail="ANNIVERSARY"
AssociationType="Passenger" Date="2007-02-20"/>
        <SelectedSpecialService Type="Dietary" Code="VGML" CodeDetail="VEGETARIAN
MEALS" AssociationType="Passenger"/>
    </SelectedSpecialServices>
    <Profiles ProfileTypeIdentifier="NotModifiable">
        <CruiseProfile Code="16"/>
        <!-- Code value of 16 indicates dining seating may not be modified -->
    </Profiles>
    <Profiles ProfileTypeIdentifier="Mandatory">
        <CruiseProfile Code="13"/>
        <!-- Code value of 13 indicates passenger address is required -->
        <CruiseProfile Code="15"/>
        <!-- Code value of 15 indicates passenger telephone number is required -->
    </Profiles>

```

```

        <CruiseProfile Code="22"/>
        <!-- Code value of 22 indicates emergency contact is required -->
        <CruiseProfile Code="42"/>
        <!-- Code value of 42 indicates flight information is required -->
    </Profiles>
</GuestDetail>
<GuestDetail>
    <SelectedFareCode FareCode="PG6"/>
    <ContactInfo GuestRefNumber="2" Gender="Female" Age="64" BirthDate="1942-10-19">
        <PersonName>
            <NamePrefix>MRS</NamePrefix>
            <GivenName>TAMARA</GivenName>
            <Surname>MARQUES</Surname>
        </PersonName>
    </ContactInfo>
    <GuestTransportation Mode="29" Status="36">
        <!-- Mode value of 29 indicates no transportation (cruise only) -->
        <!-- StatusCode value of 36 indicates cruise only mode of transportation is available -->
        <GatewayCity LocationCode="MIA"/>
    </GuestTransportation>
    <LoyaltyInfo MembershipID="19873521"/>
    <SelectedDining Sitting="FREESTYLE" Status="36"/>
    <!-- Status value of 36 indicates Freestyle dining is available -->
    <SelectedInsurance InsuranceCode="NON" SelectedOptionIndicator="false"
DefaultIndicator="false"/>
    <SelectedInsurance InsuranceCode="PLT" SelectedOptionIndicator="false"
DefaultIndicator="false"/>
    <SelectedInsurance InsuranceCode="STD" SelectedOptionIndicator="true"
DefaultIndicator="true"/>
    <SelectedPackages>
        <SelectedPackage PackageTypeCode="2" CruisePackageCode="791068" Start="2007-02-15"
Status="36" Duration="P3D">
            <!-- PackageTypeCode value of 2 indicates pre-cruise package -->
            <!-- Status value of 36 indicates available -->
            <Location LocationCode="HNL">
                <Information>
                    <Text>3 NIGHT MARRIOTT WAIKIKI BEACH PRE CRUISE
PACKAGE</Text>
                </Information>
            </Location>
        </SelectedPackage>
        <SelectedPackage PackageTypeCode="3" CruisePackageCode="811396" Start="2007-02-24"
Status="36" Duration="P2D">
            <!-- PackageTypeCode value of 3 indicates post-cruise package -->
            <!-- Status value of 36 indicates available -->
            <Location LocationCode="HNL">
                <Information>
                    <Text>2 NIGHT SHERATON MOANA SURFRIDER POST CRUISE
PACKAGE</Text>
                </Information>
            </Location>
        </SelectedPackage>
    </SelectedPackages>
    <SelectedSpecialServices>
        <SelectedSpecialService Type="Occasion" Code="S001" CodeDetail="ANNIVERSARY"
AssociationType="Passenger" Date="2007-02-20"/>

```

```

        <SelectedSpecialService Type="Dietary" Code="LFML" CodeDetail="LOW
CHOLESTEROL MEALS" AssociationType="Passenger"/>
    </SelectedSpecialServices>
    <Profiles ProfileTypeIdentifier="NotModifiable">
        <CruiseProfile Code="16"/>
        <!-- Code value of 16 indicates dining seating may not be modified -->
    </Profiles>
    <Profiles ProfileTypeIdentifier="Mandatory">
        <CruiseProfile Code="13"/>
        <!-- Code value of 13 indicates passenger address is required -->
        <CruiseProfile Code="15"/>
        <!-- Code value of 15 indicates passenger telephone number is required -->
        <CruiseProfile Code="22"/>
        <!-- Code value of 22 indicates emergency contact is required -->
        <CruiseProfile Code="42"/>
        <!-- Code value of 42 indicates flight information is required -->
    </Profiles>
</GuestDetail>
</GuestDetails>
<PaymentOptions>
    <PaymentOption>
        <PaymentCard CardType="1" CardCode="AX"/>
        <!-- CardType value of 1 indicates credit card -->
    </PaymentOption>
    <PaymentOption>
        <PaymentCard CardType="1" CardCode="DS"/>
        <!-- CardType value of 1 indicates credit card -->
    </PaymentOption>
    <PaymentOption>
        <PaymentCard CardType="1" CardCode="CA"/>
        <!-- CardType value of 1 indicates credit card -->
    </PaymentOption>
    <PaymentOption>
        <PaymentCard CardType="1" CardCode="VI"/>
        <!-- CardType value of 1 indicates credit card -->
    </PaymentOption>
    <PaymentOption>
        <BankAcct ChecksAcceptedInd="true"/>
    </PaymentOption>
</PaymentOptions>
</ReservationInfo>
<PaymentsDue>
    <PaymentDue PaymentNumber="1" DueDate="2006-03-17"/>
    <PaymentDue PaymentNumber="2" DueDate="2006-12-04"/>
</PaymentsDue>
<POS>
    <Source PseudoCityCode="MIANC7101" ISOCountry="US" TerminalID="001AB0142">
        <RequestorID Type="14" ID="NCLMIA01"/>
    </Source>
</POS>
</OTA_CruisePNR_UpdateNotifRQ>

```

6.12.1.2. Response: Cruise PNR Update

As an acknowledgment of receipt, in this case the travel partner responds with the cruise line reservation ID and the travel partner PNR record locator.

OTA_CruisePNR_UpdateNotifRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruisePNR_UpdateNotifRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruisePNR_UpdateNotifRS.xsd" Version="1.0"
  TransactionIdentifier="6940" TimeStamp="2006-12-13T17:22:11">
  <Success/>
  <ReservationID Type="14" ID="12272430" StatusCode="49">
    <!-- Type value of 14 indicates this is a cruise line reservation ID-->
    <!-- StatusCode value of 49 indicates booked -->
  </ReservationID>
  <ReservationID Type="24" ID="X8OLFJ" StatusCode="49">
    <!-- Type value of 24 indicates this is a travel agent PNR ID -->
    <!-- StatusCode value of 49 indicates booked -->
    <CompanyName CompanyShortName="REVELEX" Code="REV"/>
  </ReservationID>
</OTA_CruisePNR_UpdateNotifRS>
```

6.13. OTA_CruiseSailAvailRQ/RS

The Sailing Availability Request message requests a listing of available voyages for a date range, for a specific geographic region and/or a specific ship code.

The response message returns a list of voyages matching the specified criteria. Cruise vendors typically don't restrict the returned list of voyages to an exact request date, but will return sailings that fall within a time window around the requested date.

There are two different ways within the cruise industry of identifying a sailing. Some cruise lines return the VoyageID, and other cruise lines only return the DepartureDate and Duration to identify the sailing.

6.13.1. Use Case 1 +

6.13.1.1. Request: Sailing Availability Search

Jose Marques is planning on going on a seven day cruise with another adult to the Western Caribbean, leaving on September 15, 2006. Jose is interested in voyages offered by Columbus Cruises, and he is using an internet search engine that books through Elleipsis to plan his travel.

OTA_CruiseSailAvailRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseSailAvailRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" Version="1.0" Target="Production" MoreIndicator="false"
  TransactionIdentifier="1234" TimeStamp="2006-03-17T09:30:47"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruiseSailAvailRQ.xsd">
```

```

<POS>
  <Source PseudoCityCode="LAS1S210D">
    <RequestorID Type="13" ID="Elleipsis01">
      <!--The Type value of 13 indicates this is an Internet Broker ID-->
      <CompanyName CompanyShortName="WORLDSPAN" Code="WSPICR"/>
    </RequestorID>
  </Source>
</POS>
<GuestCounts>
  <GuestCount Quantity="2"/>
</GuestCounts>
<SailingDateRange Start="2006-09-15" Duration="P7D"/>
<CruiseLinePrefs>
  <CruiseLinePref VendorCode="COL"/>
</CruiseLinePrefs>
<RegionPref RegionCode="CAW"/>
</OTA_CruiseSailAvailRQ>

```

6.13.1.2. Response: Sailing Availability Search

Columbus Cruises returns a list of 3 seven-day sailings offered around the requested date:

- The cruise ship Nina, sailing on 09/24/06, departing from Fort Lauderdale, FL, has 6 ports of call, and offers Air and Cruise Only modes of transportation for the sailing. It also has First, Second, and Open dining sittings available on the voyage.
- The cruise ship Pinta, sailing on 10/01/06, departing from Miami, FL, has inside cabins available and offers Air and Cruise Only modes of transportation for the sailing. This sailing visits 5 ports of call, and has First sitting dining available.
- The ship named Santa Maria, sailing on 10/09/06, departing from Fort Lauderdale, FL, has 6 ports of call, and offers Air and Cruise Only modes of transportation for the sailing. First sitting dining is closed on this voyage, but Second and Open dining sittings are available.

OTA_CruiseSailAvailRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseSailAvailRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" Version="2.0" TransactionIdentifier="1234"
  TimeStamp="2006-03-17T09:30:49" xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
  OTA_CruiseSailAvailRS.xsd">
  <Success/>
  <SailingOptions>
    <SailingOption MaxCabinOccupancy="4">
      <SelectedSailing Start="2006-09-24" Duration="P7D" VoyageID="B540" PortsOfCallQuantity="6"
      Status="36">
        <!--The Status value of 36 indicates this sailing is Available-->
        <CruiseLine VendorCode="COL" VendorName="COLUMBUS CRUISES" ShipCode="NI"
        ShipName="NINA"/>
        <Region RegionCode="CAW" RegionName="WESTERN CARIBBEAN"/>
        <DeparturePort LocationCode="FLL">Ft Lauderdale, FL, US</DeparturePort>
        <ArrivalPort LocationCode="FLL">Ft Lauderdale, FL, US</ArrivalPort>
      </SelectedSailing>
      <Currency CurrencyCode="USD"/>
    </SailingOption>
  </SailingOptions>
</OTA_CruiseSailAvailRS>

```

```

<Dining Sitting="FIRST" Status="36"/>
<!--The Status value of 36 indicates this Dining period is Available-->
<Dining Sitting="SECOND" Status="36"/>
<!--The Status value of 36 indicates this Dining period is Available-->
<Dining Sitting="OPEN" Status="36"/>
<!--The Status value of 36 indicates this Dining period is Available-->
<Transportation Mode="14" Status="36"/>
<!--The TransportationMode value of 14 indicates Plane -->
<!--The Status value of 36 indicates this transportation method is Available-->
<Transportation Mode="29" Status="36"/>
<!--The TransportationMode value of 29 indicates No Transportation (Cruise Only) -->
<!--The Status value of 36 indicates this transportation method is Available-->
</SailingOption>
<SailingOption MaxCabinOccupancy="4" CategoryLocation="Inside">
  <SelectedSailing Start="2006-10-01" Duration="P7D" VoyageID="827540" PortsOfCallQuantity="5"
Status="36">
    <!--The Status value of 36 indicates this sailing is Available-->
    <CruiseLine VendorCode="COL" VendorName="COLUMBUS CRUISES" ShipCode="PI"
ShipName="PINTA"/>
    <Region RegionCode="CAW" RegionName="WESTERN CARIBBEAN"/>
    <DeparturePort LocationCode="MIA">Miami, FL, US</DeparturePort>
    <ArrivalPort LocationCode="MIA">Miami, FL, US</ArrivalPort>
  </SelectedSailing>
  <Currency CurrencyCode="USD"/>
  <Dining Sitting="FIRST" Status="36"/>
  <!--The Status value of 36 indicates this Dining period is Available-->
  <Transportation Mode="14" Status="36"/>
  <!--The TransportationMode value of 14 indicates Plane -->
  <!--The Status value of 36 indicates this transportation method is Available-->
  <Transportation Mode="29" Status="36"/>
  <!--The TransportationMode value of 29 indicates No Transportation -->
  <!--The Status value of 36 indicates this transportation method is Available-->
</SailingOption>
<SailingOption MaxCabinOccupancy="4">
  <SelectedSailing Start="2005-10-09" Duration="P7D" VoyageID="9534" PortsOfCallQuantity="6"
Status="36">
    <!--The Status value of 36 indicates this sailing is Available-->
    <CruiseLine VendorCode="COL" VendorName="COLUMBUS CRUISES" ShipCode="SM"
ShipName="SANTA MARIA"/>
    <Region RegionCode="CAW" RegionName="WESTERN CARIBBEAN"/>
    <DeparturePort LocationCode="FLL">Ft Lauderdale, FL, US</DeparturePort>
    <ArrivalPort LocationCode="FLL">Ft Lauderdale, FL, US</ArrivalPort>
  </SelectedSailing>
  <Currency CurrencyCode="USD"/>
  <Dining Sitting="FIRST" Status="38"/>
  <!--The Status value of 38 indicates this Dining period is Closed-->
  <Dining Sitting="SECOND" Status="36"/>
  <!--The Status value of 36 indicates this Dining period is Available-->
  <Dining Sitting="OPEN" Status="36"/>
  <!--The Status value of 36 indicates this Dining period is Available-->
  <Transportation Mode="14" Status="36"/>
  <!--The TransportationMode value of 14 indicates Plane -->
  <!--The Status value of 36 indicates this transportation method is Available-->
  <Transportation Mode="29" Status="36"/>
  <!--The TransportationMode value of 29 indicates No Transportation.-->

```

```

        <!--The Status value of 36 indicates this transportation method is Available-->
    </SailingOption>
</SailingOptions>
</OTA_CruiseSailAvailRS>

```

6.13.2. Use Case 2

This use case demonstrates an application error condition. Application errors are handled using the Warning structure.

6.13.2.1. Request: Sailing Availability Search

Jose Marques is planning on going on a cruise to Hawaii with one other adult, around June 1, 2008, and is using the GDS named Travel MyWay to book his travel. He is interested in any sailings offered by Columbus Cruises with a duration between 7 and 14 days long.

OTA_CruiseSailAvailRQ2.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseSailAvailRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" Version="1.0" Target="Production" MoreIndicator="false"
  TransactionIdentifier="6940" TimeStamp="2006-06-15T09:30:47"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruiseSailAvailRQ.xsd">
  <POS>
    <Source PseudoCityCode="LAS1S210D">
      <RequestorID Type="5" ID="MyWay">
        <!--The Type value of 5 indicates this is a Travel Agency ID-->
        <CompanyName CompanyShortName="Travel MyWay" Code="MYWAY"/>
      </RequestorID>
    </Source>
  </POS>
  <GuestCounts>
    <GuestCount Code="10" Quantity="2"/>
    <!--The Code value of 10 indicates Adult-->
  </GuestCounts>
  <SailingDateRange MinDuration="P7D" MaxDuration="P14D" Start="2008-06-01"/>
  <CruiseLinePrefs>
    <CruiseLinePref VendorCode="COL"/>
  </CruiseLinePrefs>
  <RegionPref RegionCode="HAW"/>
</OTA_CruiseSailAvailRQ>

```

6.13.2.2. Response: Sailing Availability Search

At this time, Columbus Cruises has no available sailings around the desired date range. The response message contains a warning indicating no sailings were found.

OTA_CruiseSailAvailRS2.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseSailAvailRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" Version="1.0" TransactionIdentifier="6940"
  TimeStamp="2006-06-15T09:30:49" xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
  OTA_CruiseSailAvailRS.xsd">
  <Success/>
  <Warnings>

```

```

        <Warning ShortText="No matching sailings could be found" Type="3"/>
        <!--The Type value of 3 indicates Biz Rule error warning type -->
    </Warnings>
</OTA_CruiseSailAvailRS>

```

6.14. OTA_CruiseShorexAvailRQ/RS*

The Cruise Shorex Availability message is used to request information about shore excursions associated with a sailing. A shore excursion is normally a sight seeing tour, a shopping expedition or activity such as snorkeling or horseback riding to be taken while the ship is visiting one of the ports of call on a cruise.

The response message contains a list of shore excursions along with the associated pricing.

6.14.1. Use Case 1

6.14.1.1. Request: Cruise Shorex Availability

Jose Marques and his wife are sailing on the seven day cruise from Miami, Florida on the Norwegian Dawn on Oct. 3, 2007 with voyage number 126488. As part of the cruise itinerary, this ship visits the Grand Cayman Islands. While the ship is docked in the port city of Georgetown, Jose is interested in snorkeling, and his wife would like to see what other activities are available, so they are requesting a list of available shore excursions.

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseShorexAvailRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruiseShorexAvailRQ.xsd" Version="1.0"
  Target="Production" TransactionIdentifier="6940" MaxResponses="15" TimeStamp="2006-12-17T09:30:47">
  <POS>
    <Source AirportCode="MIA" ISOCountry="US" PseudoCityCode="MIANCL02">
      <RequestorID Type="5" ID="TA123456">
        <!-- Type value 5 indicates Travel Agency -->
        <CompanyName CompanyShortName="NCL" Code="NCLWEB"/>
      </RequestorID>
    </Source>
  </POS>
  <GuestCounts>
    <GuestCount Quantity="2" Code="10"/>
    <!-- Code value of 10 indicates adult -->
  </GuestCounts>
  <SailingInfo>
    <SelectedSailing VoyageID="126488" Start="2007-10-03">
      <CruiseLine VendorCode="NCL"/>
    </SelectedSailing>
    <Currency DecimalPlaces="2" CurrencyCode="USD"/>
  </SailingInfo>
  <ShorexOption PackageTypeCode="4">
    <!-- PackageTypeCode value of 4 indicates shore excursion -->
    <Location LocationCode="GEC">

```

</Location>
 </ShorexOption>
 </OTA_CruiseShorexAvailRQ>

6.14.1.2. Response: Cruise Shorex Availability

The system responds with the following shore excursions and associated pricing:

Description	Cruise Package Code	Start DateTime	End DateTime	Status	Price Per Child	Price Per Adult	Price Description
DISCOVER CAYMAN	828631	10/7/2007 12:00	10/7/2007 14:30	36	\$39.00	\$39.00	PRE-BOOK ONLY
BUTTERFLY FARM & BEACH ADVENTURE	828632	10/7/2007 12:00	10/7/2007 15:00	36	\$42.00	\$42.00	PRE-BOOK ONLY
SEVEN-MILE BEACH BREAK	828633	10/7/2007 12:00	10/7/2007 15:00	36	\$32.00	\$32.00	PRE-BOOK ONLY
STINGRAY CITY & ISLAND TOUR	828634	10/7/2007 12:00	10/7/2007 16:15	36	\$59.00	\$59.00	PRE-BOOK ONLY
CAYMAN JEEP ADVENTURE	828635	10/7/2007 12:00	10/7/2007 15:30	36	\$79.00	\$79.00	PRE-BOOK ONLY
REEF RUNNER JUNGLE TOUR ADVENTURE	828636	10/7/2007 12:00	10/7/2007 15:00	36	\$69.00	\$69.00	PRE-BOOK ONLY
PIRATE ENCOUNTER - JOLLY ROGER	828637	10/7/2007 12:00	10/7/2007 14:00	36	\$39.00	\$39.00	PRE-BOOK ONLY
REEF & WRECK SNORKEL TOUR	828638	10/7/2007 12:00	10/7/2007 14:00	36	\$39.00	\$39.00	PRE-BOOK ONLY
DISCOVER CAYMAN	828649	10/7/2007 14:45	10/7/2007 17:15	36	\$39.00	\$39.00	PRE-BOOK ONLY
SEVEN MILE PARASAILING	828670	10/7/2007 15:00	10/7/2007 16:00	36	\$59.00	\$59.00	PRE-BOOK ONLY
TROLLEY ROGER TOUR	828671	10/7/2007 15:00	10/7/2007 16:00	36	\$25.00	\$25.00	PRE-BOOK ONLY
SEE & SEA TOUR	828703	10/7/2007 12:30	10/7/2007 15:00	36	\$53.00	\$53.00	PRE-BOOK ONLY
NORTH SOUND RAYS & REEFS SNORKEL	828704	10/7/2007 12:30	10/7/2007 15:45	36	\$69.00	\$69.00	PRE-BOOK ONLY
BUTTERFLY FARM & PEDRO ST. JAMES	828745	10/7/2007 13:00	10/7/2007 16:00	36	\$54.00	\$54.00	PRE-BOOK ONLY
SOTO'S REEF KAYAK SNORKEL	828746	10/7/2007 13:00	10/7/2007 15:30	36	\$39.00	\$39.00	PRE-BOOK ONLY

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseShorexAvailRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruiseShorexAvailRS.xsd" Version="1.0"
Target="Production" PrimaryLangID="en-us" TransactionIdentifier="6940" SequenceNmbr="1" MaxResponses="15"
MoreIndicator="true" MoreDataEchoToken="15" TimeStamp="2006-12-17T09:30:48">
  <Success/>
  <SailingInfo>
    <SelectedSailing VoyageID="126488" Start="2007-10-03" Duration="P7D" Status="36">
      <!-- Status value of 36 indicates this sailing is available -->
      <CruiseLine VendorCode="NCL" ShipCode="DA" ShipName="Norwegian Dawn"/>
    </SelectedSailing>
  </SailingInfo>
</OTA_CruiseShorexAvailRS>

```

```

    <Currency CurrencyCode="USD" DecimalPlaces="2"/>
  </SailingInfo>
  <ShorexPackages>
    <ShorexPackage Description="DISCOVER CAYMAN" PackageTypeCode="4"
CruisePackageCode="828631" Start="2007-10-07T12:00:00" End="2007-10-07T14:30:00" Status="36">
      <!-- PackageTypeCode value of 4 indicates shore excursion -->
      <!-- Status value of 36 indicates this shore excursion is available -->
      <Location LocationCode="GEC" LocationName="GEORGETOWN"/>
      <PriceInfo AgeQualifyingCode="8" BreakdownType="MIN" Amount="3900">
        <!-- Age qualifying code of 8 indicates this pricing is per child -->
        <PriceDescription>PRE-BOOK ONLY</PriceDescription>
      </PriceInfo>
      <PriceInfo AgeQualifyingCode="10" BreakdownType="MAX" Amount="3900">
        <!-- Age qualifying code of 10 indicates this pricing is per adult -->
        <PriceDescription>PRE-BOOK ONLY</PriceDescription>
      </PriceInfo>
    </ShorexPackage>
    <ShorexPackage Description="BUTTERFLY FARM & BEACH ADVENTURE"
PackageTypeCode="4" CruisePackageCode="828632" Start="2007-10-07T12:00:00" End="2007-10-07T15:00:00"
Status="36">
      <!-- PackageTypeCode value of 4 indicates shore excursion -->
      <!-- Status value of 36 indicates this shore excursion is available -->
      <Location LocationCode="GEC" LocationName="GEORGETOWN"/>
      <PriceInfo AgeQualifyingCode="8" BreakdownType="MIN" Amount="4200">
        <!-- Age qualifying code of 8 indicates this pricing is per child -->
        <PriceDescription>PRE-BOOK ONLY</PriceDescription>
      </PriceInfo>
      <PriceInfo AgeQualifyingCode="10" BreakdownType="MAX" Amount="4200">
        <!-- Age qualifying code of 10 indicates this pricing is per adult -->
        <PriceDescription>PRE-BOOK ONLY</PriceDescription>
      </PriceInfo>
    </ShorexPackage>
    <ShorexPackage Description="SEVEN-MILE BEACH BREAK" PackageTypeCode="4"
CruisePackageCode="828633" Start="2007-10-07T12:00:00" End="2007-10-07T15:00:00" Status="36">
      <!-- PackageTypeCode value of 4 indicates shore excursion -->
      <!-- Status value of 36 indicates this shore excursion is available -->
      <Location LocationCode="GEC" LocationName="GEORGETOWN"/>
      <PriceInfo AgeQualifyingCode="8" BreakdownType="MIN" Amount="3200">
        <!-- Age qualifying code of 8 indicates this pricing is per child -->
        <PriceDescription>PRE-BOOK ONLY</PriceDescription>
      </PriceInfo>
      <PriceInfo AgeQualifyingCode="10" BreakdownType="MAX" Amount="3200">
        <!-- Age qualifying code of 10 indicates this pricing is per adult -->
        <PriceDescription>PRE-BOOK ONLY</PriceDescription>
      </PriceInfo>
    </ShorexPackage>
    <ShorexPackage Description="STINGRAY CITY & ISLAND TOUR" PackageTypeCode="4"
CruisePackageCode="828634" Start="2007-10-07T12:00:00" End="2007-10-07T16:15:00" Status="36">
      <!-- PackageTypeCode value of 4 indicates shore excursion -->
      <!-- Status value of 36 indicates this shore excursion is available -->
      <Location LocationCode="GEC" LocationName="GEORGETOWN"/>
      <PriceInfo AgeQualifyingCode="8" BreakdownType="MIN" Amount="5900">
        <!-- Age qualifying code of 8 indicates this pricing is per child -->
        <PriceDescription>PRE-BOOK ONLY</PriceDescription>
      </PriceInfo>
      <PriceInfo AgeQualifyingCode="10" BreakdownType="MAX" Amount="5900">

```

```

        <!-- Age qualifying code of 10 indicates this pricing is per adult -->
        <PriceDescription>PRE-BOOK ONLY</PriceDescription>
    </PriceInfo>
</ShorexPackage>
    <ShorexPackage Description="CAYMAN JEEP ADVENTURE" PackageTypeCode="4"
CruisePackageCode="828635" Start="2007-10-07T12:00:00" End="2007-10-07T15:30:00" Status="36">
    <!-- PackageTypeCode value of 4 indicates shore excursion -->
    <!-- Status value of 36 indicates this shore excursion is available -->
    <Location LocationCode="GEC" LocationName="GEORGETOWN"/>
    <PriceInfo AgeQualifyingCode="8" BreakdownType="MIN" Amount="7900">
        <!-- Age qualifying code of 8 indicates this pricing is per child -->
        <PriceDescription>PRE-BOOK ONLY</PriceDescription>
    </PriceInfo>
    <PriceInfo AgeQualifyingCode="10" BreakdownType="MAX" Amount="7900">
        <!-- Age qualifying code of 10 indicates this pricing is per adult -->
        <PriceDescription>PRE-BOOK ONLY</PriceDescription>
    </PriceInfo>
</ShorexPackage>
    <ShorexPackage Description="REEF RUNNER JUNGLE TOUR ADVENTURE" PackageTypeCode="4"
CruisePackageCode="828636" Start="2007-10-07T12:00:00" End="2007-10-07T15:00:00" Status="36">
    <!-- PackageTypeCode value of 4 indicates shore excursion -->
    <!-- Status value of 36 indicates this shore excursion is available -->
    <Location LocationCode="GEC" LocationName="GEORGETOWN"/>
    <PriceInfo AgeQualifyingCode="8" BreakdownType="MIN" Amount="6900">
        <!-- Age qualifying code of 8 indicates this pricing is per child -->
        <PriceDescription>PRE-BOOK ONLY</PriceDescription>
    </PriceInfo>
    <PriceInfo AgeQualifyingCode="10" BreakdownType="MAX" Amount="6900">
        <!-- Age qualifying code of 10 indicates this pricing is per adult -->
        <PriceDescription>PRE-BOOK ONLY</PriceDescription>
    </PriceInfo>
</ShorexPackage>
    <ShorexPackage Description="PIRATE ENCOUNTER - JOLLY ROGER" PackageTypeCode="4"
CruisePackageCode="828637" Start="2007-10-07T12:00:00" End="2007-10-07T14:00:00" Status="36">
    <!-- PackageTypeCode value of 4 indicates shore excursion -->
    <!-- Status value of 36 indicates this shore excursion is available -->
    <Location LocationCode="GEC" LocationName="GEORGETOWN"/>
    <PriceInfo AgeQualifyingCode="8" BreakdownType="MIN" Amount="3900">
        <!-- Age qualifying code of 8 indicates this pricing is per child -->
        <PriceDescription>PRE-BOOK ONLY</PriceDescription>
    </PriceInfo>
    <PriceInfo AgeQualifyingCode="10" BreakdownType="MAX" Amount="3900">
        <!-- Age qualifying code of 10 indicates this pricing is per adult -->
        <PriceDescription>PRE-BOOK ONLY</PriceDescription>
    </PriceInfo>
</ShorexPackage>
    <ShorexPackage Description="REEF & WRECK SNORKEL TOUR" PackageTypeCode="4"
CruisePackageCode="828638" Start="2007-10-07T12:00:00" End="2007-10-07T14:00:00" Status="36">
    <!-- PackageTypeCode value of 4 indicates shore excursion -->
    <!-- Status value of 36 indicates this shore excursion is available -->
    <Location LocationCode="GEC" LocationName="GEORGETOWN"/>
    <PriceInfo AgeQualifyingCode="8" BreakdownType="MIN" Amount="3900">
        <!-- Age qualifying code of 8 indicates this pricing is per child -->
        <PriceDescription>PRE-BOOK ONLY</PriceDescription>
    </PriceInfo>

```

```

    <PriceInfo AgeQualifyingCode="10" BreakdownType="MAX" Amount="3900">
      <!-- Age qualifying code of 10 indicates this pricing is per adult -->
      <PriceDescription>PRE-BOOK ONLY</PriceDescription>
    </PriceInfo>
  </ShorexPackage>
  <ShorexPackage Description="DISCOVER CAYMAN" PackageTypeCode="4"
CruisePackageCode="828649" Start="2007-10-07T14:45:00" End="2007-10-07T17:15:00" Status="36">
    <!-- PackageTypeCode value of 4 indicates shore excursion -->
    <!-- Status value of 36 indicates this shore excursion is available -->
    <Location LocationCode="GEC" LocationName="GEORGETOWN"/>
    <PriceInfo AgeQualifyingCode="8" BreakdownType="MIN" Amount="3900">
      <!-- Age qualifying code of 8 indicates this pricing is per child -->
      <PriceDescription>PRE-BOOK ONLY</PriceDescription>
    </PriceInfo>
    <PriceInfo AgeQualifyingCode="10" BreakdownType="MAX" Amount="3900">
      <!-- Age qualifying code of 10 indicates this pricing is per adult -->
      <PriceDescription>PRE-BOOK ONLY</PriceDescription>
    </PriceInfo>
  </ShorexPackage>
  <ShorexPackage Description="SEVEN MILE PARASAILING" PackageTypeCode="4"
CruisePackageCode="828670" Start="2007-10-07T15:00:00" End="2007-10-07T16:00:00" Status="36">
    <!-- PackageTypeCode value of 4 indicates shore excursion -->
    <!-- Status value of 36 indicates this shore excursion is available -->
    <Location LocationCode="GEC" LocationName="GEORGETOWN"/>
    <PriceInfo AgeQualifyingCode="8" BreakdownType="MIN" Amount="5900">
      <!-- Age qualifying code of 8 indicates this pricing is per child -->
      <PriceDescription>PRE-BOOK ONLY</PriceDescription>
    </PriceInfo>
    <PriceInfo AgeQualifyingCode="10" BreakdownType="MAX" Amount="5900">
      <!-- Age qualifying code of 10 indicates this pricing is per adult -->
      <PriceDescription>PRE-BOOK ONLY</PriceDescription>
    </PriceInfo>
  </ShorexPackage>
  <ShorexPackage Description="TROLLEY ROGER TOUR" PackageTypeCode="4"
CruisePackageCode="828671" Start="2007-10-07T15:00:00" End="2007-10-07T16:00:00" Status="36">
    <!-- PackageTypeCode value of 4 indicates shore excursion -->
    <!-- Status value of 36 indicates this shore excursion is available -->
    <Location LocationCode="GEC" LocationName="GEORGETOWN"/>
    <PriceInfo AgeQualifyingCode="8" BreakdownType="MIN" Amount="2500">
      <!-- Age qualifying code of 8 indicates this pricing is per child -->
      <PriceDescription>PRE-BOOK ONLY</PriceDescription>
    </PriceInfo>
    <PriceInfo AgeQualifyingCode="10" BreakdownType="MAX" Amount="2500">
      <!-- Age qualifying code of 10 indicates this pricing is per adult -->
      <PriceDescription>PRE-BOOK ONLY</PriceDescription>
    </PriceInfo>
  </ShorexPackage>
  <ShorexPackage Description="SEE & SEA TOUR" PackageTypeCode="4"
CruisePackageCode="828703" Start="2007-10-07T12:30:00" End="2007-10-07T15:00:00" Status="36">
    <!-- PackageTypeCode value of 4 indicates shore excursion -->
    <!-- Status value of 36 indicates this shore excursion is available -->
    <Location LocationCode="GEC" LocationName="GEORGETOWN"/>
    <PriceInfo AgeQualifyingCode="8" BreakdownType="MIN" Amount="5300">
      <!-- Age qualifying code of 8 indicates this pricing is per child -->
      <PriceDescription>PRE-BOOK ONLY</PriceDescription>

```

```

        </PriceInfo>
        <PriceInfo AgeQualifyingCode="10" BreakdownType="MAX" Amount="5300">
            <!-- Age qualifying code of 10 indicates this pricing is per adult -->
            <PriceDescription>PRE-BOOK ONLY</PriceDescription>
        </PriceInfo>
    </ShorexPackage>
    <ShorexPackage Description="NORTH SOUND RAYS & REEFS SNORKEL" PackageTypeCode="4"
    CruisePackageCode="828704" Start="2007-10-07T12:30:00" End="2007-10-07T15:45:00" Status="36">
        <!-- PackageTypeCode value of 4 indicates shore excursion -->
        <!-- Status value of 36 indicates this shore excursion is available -->
        <Location LocationCode="GEC" LocationName="GEORGETOWN"/>
        <PriceInfo AgeQualifyingCode="8" BreakdownType="MIN" Amount="6900">
            <!-- Age qualifying code of 8 indicates this pricing is per child -->
            <PriceDescription>PRE-BOOK ONLY</PriceDescription>
        </PriceInfo>
        <PriceInfo AgeQualifyingCode="10" BreakdownType="MAX" Amount="6900">
            <!-- Age qualifying code of 10 indicates this pricing is per adult -->
            <PriceDescription>PRE-BOOK ONLY</PriceDescription>
        </PriceInfo>
    </ShorexPackage>
    <ShorexPackage Description="BUTTERFLY FARM & PEDRO ST. JAMES " PackageTypeCode="4"
    CruisePackageCode="828745" Start="2007-10-07T13:00:00" End="2007-10-07T16:00:00" Status="36">
        <!-- PackageTypeCode value of 4 indicates shore excursion -->
        <!-- Status value of 36 indicates this shore excursion is available -->
        <Location LocationCode="GEC" LocationName="GEORGETOWN"/>
        <PriceInfo AgeQualifyingCode="8" BreakdownType="MIN" Amount="5400">
            <!-- Age qualifying code of 8 indicates this pricing is per child -->
            <PriceDescription>PRE-BOOK ONLY</PriceDescription>
        </PriceInfo>
        <PriceInfo AgeQualifyingCode="10" BreakdownType="MAX" Amount="5400">
            <!-- Age qualifying code of 10 indicates this pricing is per adult -->
            <PriceDescription>PRE-BOOK ONLY</PriceDescription>
        </PriceInfo>
    </ShorexPackage>
    <ShorexPackage Description="SOTO'S REEF KAYAK SNORKEL" PackageTypeCode="4"
    CruisePackageCode="828746" Start="2007-10-07T13:00:00" End="2007-10-07T15:30:00" Status="36">
        <!-- PackageTypeCode value of 4 indicates shore excursion -->
        <!-- Status value of 36 indicates this shore excursion is available -->
        <Location LocationCode="GEC" LocationName="GEORGETOWN"/>
        <PriceInfo AgeQualifyingCode="8" BreakdownType="MIN" Amount="3900">
            <!-- Age qualifying code of 8 indicates this pricing is per child -->
            <PriceDescription>PRE-BOOK ONLY</PriceDescription>
        </PriceInfo>
        <PriceInfo AgeQualifyingCode="10" BreakdownType="MAX" Amount="3900">
            <!-- Age qualifying code of 10 indicates this pricing is per adult -->
            <PriceDescription>PRE-BOOK ONLY</PriceDescription>
        </PriceInfo>
    </ShorexPackage>
</ShorexPackages>
</OTA_CruiseShorexAvailRS>

```

6.15. OTA_CruiseSpecialServicesRQ/RS *

In addition to offering the cruise sailing itself, cruise vendors typically offer special services (usually at no cost to the guest). These can be categorized as:

- Occasion (birthday, anniversary, back-to-back cruise, etc.)
- Special Service (wheelchair, special dietary needs, etc)
- Language (language translation needs)
- Additional categories can be defined by the cruise vendors.

Special Services are offered/selected at either a passenger or cabin level.

6.15.1. Use Case 1

6.15.1.1. Request: Special Services Request

To celebrate Jose and Tamara's anniversary, the Marques family has booked a cruise with Norwegian Cruise Line on the Pride of Hawaii, which sails on Feb 17, 2007. Jose would like to commemorate his special occasion, and in addition, he'd like to find out if the cruise line offers salt-free meals, so he is submitting a request message to find out which special services are offered by NCL for this voyage.

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseSpecialServiceAvailRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruiseSpecialServiceAvailRQ.xsd" Version="1.0"
  Target="Production" TransactionIdentifier="6940" TimeStamp="2006-11-10T09:30:47">
  <POS>
    <Source AirportCode="MIA" ISOCountry="US" PseudoCityCode="MIANCL02">
      <RequestorID Type="5" ID="TA123456">
        <!-- Type value 5 indicates Travel Agency -->
        <CompanyName CompanyShortName="NCL" Code="NCLWEB"/>
      </RequestorID>
    </Source>
  </POS>
  <GuestCounts>
    <GuestCount Quantity="2"/>
  </GuestCounts>
  <SailingInfo>
    <SelectedSailing VoyageID="743536" Start="2007-02-17">
      <CruiseLine VendorCode="NCL" ShipCode="HA"/>
    </SelectedSailing>
    <Currency DecimalPlaces="2" CurrencyCode="USD"/>
  </SailingInfo>
</OTA_CruiseSpecialServiceAvailRQ>
```

6.15.1.2. Response: Special Services Response

The response message contains a list of the special services offered by the cruise line:

TYPE	CODE	DESCRIPTION
MEDIC. CONDITION	MD25	MENTALLY CHALLENGED
MEDIC. CONDITION	PETC	SERVICE DOG
SPECIAL	MD13	HEARING IMPAIRED
SPECIAL	MD41	SIGHT IMPAIRED
SPECIAL	MD45	WHEELCHAIR GUEST
OCCASIONS	S001	ANNIVERSARY
OCCASIONS	S002	BIRTHDAY CAKES
DIETARY	KSML	KOSHER MEALS
DIETARY	LFML	LOW CHOLESTEROL
DIETARY	LSML	SALT FREE DIET
DIETARY	SD02	SUGAR FREE DIET
DIETARY	VGML	VEGETARIAN MEAL

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_CruiseSpecialServiceAvailRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_CruiseSpecialServiceAvailRS.xsd" Version="1.0"
Target="Production" TransactionIdentifier="6940" TimeStamp="2006-11-10T09:30:50">
  <Success/>
  <SailingInfo>
    <SelectedSailing VoyageID="743536" Start="2007-02-17" Duration="P7D">      <!-- Status value of 36
indicates this voyage is available -->
      <CruiseLine VendorCode="NCL" VendorName="Norwegian Cruise Line" ShipCode="HA"
ShipName="Pride of Hawaii"/>
    </SelectedSailing>
    <Currency CurrencyCode="USD" DecimalPlaces="2"/> </SailingInfo>
  <SpecialServices>
    <SpecialService Type="MEDIC. CONDITION" Code="MD25" Description="MENTALLY
CHALLENGED" Status="36" AssociationType="Passenger">
      <!-- Status value of 36 indicates this special service is available -->
      <PriceInfo Amount="0"/>
    </SpecialService>
    <SpecialService Type="MEDIC. CONDITION" Code="PETC" Description="SERVICE DOG" Status="36"
AssociationType="Passenger">
      <!-- Status value of 36 indicates this special service is available -->
      <PriceInfo Amount="0"/>
    </SpecialService>
    <SpecialService Type="SPECIAL" Code="MD13" Description="HEARING IMPAIRED" Status="36"
AssociationType="Passenger">
      <!-- Status value of 36 indicates this special service is available -->
      <PriceInfo Amount="0"/>
    </SpecialService>
    <SpecialService Type="SPECIAL" Code="MD41" Description="SIGHT IMPAIRED" Status="36"
AssociationType="Passenger">
      <!-- Status value of 36 indicates this special service is available -->
      <PriceInfo Amount="0"/>
    </SpecialService>
```

```

        <SpecialService Type="SPECIAL" Code="MD45" Description="WHEELCHAIR GUEST" Status="36"
AssociationType="Passenger">
        <!-- Status value of 36 indicates this special service is available -->
        <PriceInfo Amount="0"/>
        </SpecialService>
        <SpecialService Type="OCCASIONS" Code="S001" Description="ANNIVERSARY" Status="36"
AssociationType="Passenger">
        <!-- Status value of 36 indicates this special service is available -->
        <PriceInfo Amount="0"/>
        </SpecialService>
        <SpecialService Type="OCCASIONS" Code="S002" Description="BIRTHDAY CAKES" Status="36"
AssociationType="Passenger">
        <!-- Status value of 36 indicates this special service is available -->
        <PriceInfo Amount="0"/>
        </SpecialService>
        <SpecialService Type="DIETARY" Code="KSML" Description="KOSHER MEALS" Status="36"
AssociationType="Passenger">
        <!-- Status value of 36 indicates this special service is available -->
        <PriceInfo Amount="0"/>
        </SpecialService>
        <SpecialService Type="DIETARY" Code="LFML" Description="LOW CHOLESTEROL" Status="36"
AssociationType="Passenger">
        <!-- Status value of 36 indicates this special service is available -->
        <PriceInfo Amount="0"/>
        </SpecialService>
        <SpecialService Type="DIETARY" Code="LSML" Description="SALT FREE DIET" Status="36"
AssociationType="Passenger">
        <!-- Status value of 36 indicates this special service is available -->
        <PriceInfo Amount="0"/>
        </SpecialService>
        <SpecialService Type="DIETARY" Code="SD02" Description="SUGAR FREE DIET" Status="36"
AssociationType="Passenger">
        <!-- Status value of 36 indicates this special service is available -->
        <PriceInfo Amount="0"/>
        </SpecialService>
        <SpecialService Type="DIETARY" Code="VGML" Description="VEGETARIAN MEAL" Status="36"
AssociationType="Passenger">
        <!-- Status value of 36 indicates this special service is available -->
        <PriceInfo Amount="0"/>
        </SpecialService>
    </SpecialServices>
</OTA_CruiseSpecialServiceAvailRS>

```

Section 7— Destination Activities

Travelers often want localised experiences during their vacation or journey. These may include taking guided tours, attending performances or shows, and buying tickets to local attractions. All these products, while varying greatly in makeup, are collectively termed here Destination Activities. The purpose of these messages is to enable the electronic distribution and sale of this type of product. The messages available here are for requesting the reservation functionality of a target system and making a reservation. Future versions will support availability requests, modification, and the transfer of descriptive information, rates and inventory.

7.1. OTA_DestActivityCapabilitiesRQ/RS

Just as the variety of product types within this Leisure Activity space is large, the variety of systems built to support them is similarly wide. There is little standardisation of systems or concepts within this industry segment. Thus creating one simple specification that will adequately cater for all systems is challenging at best.

Due to the differences between various wholesaler and operator systems, a means has been introduced to enable a ‘seller’ system to discover the capabilities of a ‘target’ system. These capabilities outline the differences between various target systems. Once the capabilities of a target system have been discovered, the seller system may either alter its behaviour in regards to selling that target product, or choose not to offer that product range.

- **OTA_DestActivityCapabilitiesRQ**—Sends a request for available functionality to another system.
- **OTA_DestActivityCapabilitiesRS**—Returns a set of data representing the available functionality in the system. Returned data contains:

MultipleItemsInd

Whether the target system supports receiving multiple items in one reservation call, like a shopping cart. Some target reservation systems do not support receiving multiple items in one reservation call. In this case, if the seller system sells multiple products in its shopping cart from the one target system, one reservation call per item must be sent.

CustSubAllocationInd

(Assumes that MultipleItemsInd is true, and thus a reservation request may have multiple items). Indicates whether the target system supports having a subset of the traveller group utilised per item. For example, a family of four (husband, wife, two children) are making a reservation, and details for all four family members are sent. There are three items in the cart – a family ticket to an

amusement park (which all four members are using), a hop-on, hop-off bus tour (again with all four family members), and a museum ticket for only the husband and wife (and priced and sold as two adults only).

If 'CustSubAllocationInd' is true, the target system supports this arrangement; all traveller details are sent, and a list of which travellers are utilising a service are specified per item.

If 'CustSubAllocationInd' is false, the target system does not support this behaviour. The seller system must either send down two separate reservations, or prohibit this configuration during customer sale.

FullCustDetailsInd

Some target systems require that all customer details are sent – if four travellers are specified, then all four names must be supplied. However, many other target (and seller) systems only require one contact name, and just a count of the remaining travellers. To support this behaviour, if FullCustDetails is true, the seller system must supply all traveller details for any reservation. The seller system may then either:

- Collect all traveller details only when necessary – only when selling product for this type of target system
- Collect all traveller details all the time, or
- Elect not to sell product from this target system.

7.1.1. Use Case 1

7.1.1.1. Request: Destination Activity Capabilities Request

A consumer facing system is connecting to a vendor reservation system for the first time. It needs to discover the vendor's capabilities so it can format the following requests appropriately.

OTA_DestActivityCapabilitiesRQ.xml

```
<?xml version='1.0' encoding="UTF-8"?>
<OTA_DestActivityCapabilitiesRQ xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://www.opentravel.org/OTA/2003/05"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_DestActivityCapabilitiesRQ.xsd" = "1.000"
TimeStamp="2005-01-03T12:20:00Z" EchoToken="12345" = "123456" Target="Test"/>
```

7.1.1.2. Response: Destination Activity Capabilities Response

The vendor system responds that it can handle multiple items, but cannot manage passenger suballocation. It also requires all traveller details to be sent.

OTA_DestActivityCapabilitiesRS.xml

```
<?xml version='1.0' encoding="UTF-8"?>
<OTA_DestActivityCapabilitiesRS xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://www.opentravel.org/OTA/2003/05"
```

```
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_DestActivityCapabilitiesRS.xsd"="1.000"
TimeStamp="2005-01-03T12:20:00Z" EchoToken="12345"="123456" Target="Test"="true"
CustSubAllocationInd="false" FullCustDetailsInd="true"/>
```

7.2. OTA_DestActivityResRQ/RS

- **OTA_DestActivityResRQ**—Sends a request for a reservation to another system.
- **OTA_DestActivityResRS**—Returns the requested reservation if the request can be processed, or includes warnings from business processing rules or errors if the request did not succeed.

7.2.1. Use Case 1

7.2.1.1. Request: Destination Activity Reservation

Fred Jones and his wife Sarah want to book a river cruise during the day, and a 7 pm dinner show in the evening for their night in Paris on May 1st. They are staying at the Paris Marriot. The reservation system originally replied with the capabilities (FullTravelerDetails=true, MultipleItems=true, PaxSubAllocation=false).

OTA_DestActivityResRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_DestActivityResRQ xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://www.opentravel.org/OTA/2003/05"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_DestActivityResRQ.xsd" Version="1.000"
TimeStamp="2005-01-03T12:20:00Z" EchoToken="12345" SequenceNmbr="123456" Target="Test">
  <POS>
    <Source>
      <RequestorID ID="Viator" Type="18"/>
      <BookingChannel Primary="true" Type="2">
        <CompanyName>Viator</CompanyName>
      </BookingChannel>
    </Source>
  </POS>
  <DestActivityReservation>
    <UniqueID URL="http://www.viator.com" ID="786546" Type="13"/>
    <Travelers>
      <Traveler RPH="1">
        <Profile>
          <Customer BirthDate="1966-06-30" Gender="Male">
            <PersonName>
              <NamePrefix>Mr</NamePrefix>
              <GivenName>Fred</GivenName>
              <Surname>Jones</Surname>
            </PersonName>
            <Telephone CountryAccessCode="1" PhoneNumber="5551212" AreaCityCode="410"
PhoneTechType="1" PhoneUseType="3"/>
            <Telephone CountryAccessCode="1" PhoneNumber="5553456" AreaCityCode="410"
PhoneTechType="5" PhoneUseType="4"/>
            <Email EmailType="1">fred.jones@hotmail.com</Email>
            <Address>
              <AddressLine>12 Main Street</AddressLine>
              <CityName>Toledo</CityName>
              <PostalCode>45000</PostalCode>
              <StateProv StateCode="OH"/>
              <CountryName Code="US"/>
            </Address>
          </Customer>
        </Profile>
      </Traveler>
    </Travelers>
  </DestActivityReservation>
</OTA_DestActivityResRQ>
```

```

        </Address>
      </Customer>
    </Profile>
  </Traveler>
  <Traveler RPH="2">
    <Profile>
      <Customer BirthDate="1968-11-15" Gender="Female">
        <PersonName>
          <NamePrefix>Mrs</NamePrefix>
          <GivenName>Sarah</GivenName>
          <Surname>Jones</Surname>
        </PersonName>
      </Customer>
    </Profile>
  </Traveler>
</Travelers>
<Contact RPH="1"/>
<DestActivityItems>
  <Item ItemCode="PARRC1" SelectedDate="2005-05-01">
    <NegotiatedPrice AmountAfterTax="55" CurrencyCode="USD"/>
    <SellingPrice AmountAfterTax="65" CurrencyCode="USD"/>
    <HotelStay HotelName="Paris Marriot"/>
    <ItemReferences>
      <ItemReference Type="13" ID="7654365" URL="http://www.viator.com"/>
    </ItemReferences>
  </Item>
  <Item ItemCode="PARDS4" SelectedDate="2005-05-01" SelectedTime="19:00:00Z">
    <NegotiatedPrice AmountAfterTax="104" CurrencyCode="USD"/>
    <SellingPrice AmountAfterTax="140" CurrencyCode="USD"/>
    <HotelStay HotelName="Paris Marriot"/>
    <ItemReferences>
      <ItemReference Type="13" ID="7654366" URL="http://www.viator.com"/>
    </ItemReferences>
  </Item>
</DestActivityItems>
</DestActivityReservation>
</OTA_DestActivityResRQ>

```

7.2.1.2. Response: Destination Activity Reservation Confirmation

A response is returned to Fred confirming his reservation and giving him a reservation id. The response also contains information concerning where they will be picked up, and what time, for the dinner show.

OTA_DestActivityResRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_DestActivityResRS xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns="http://www.opentravel.org/OTA/2003/05"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_DestActivityResRS.xsd" Version="1.000"
  Timestamp="2005-01-03T12:20:00Z" EchoToken="12345" SequenceNbr="123456" Target="Test">
  <Success/>
  <ReservationReferences>
    <ReservationReference Type="13" ID="786546" URL="http://www.viator.com"/>
    <ReservationReference Type="14" ID="SMI567" URL="http://www.paris.com"/>
  </ReservationReferences>
  <ReservationResponseItems>
    <Item>
      <ReservationItemReferences>
        <ReservationItemReference Type="13" ID="7654365" URL="http://www.viator.com"/>
        <ReservationItemReference Type="14" ID="SMI567a" URL="http://www.paris.com"/>
      </ReservationItemReferences>
    </Item>
    <Item PickupTime="18:00:00">

```

```

    <PickupLocation>
    <Text>Paris Marriot Lobby</Text>
    </PickupLocation>
    <ReservationItemReferences>
        <ReservationItemReference Type="13" ID="7654366" URL="http://www.viator.com"/>
        <ReservationItemReference Type="14" ID="SMI567b" URL="http://www.paris.com"/>
    </ReservationItemReferences>
    </Item>
</ReservationResponseItems>
</OTA_DestActivityResRS>

```

7.3. OTA_DestActivityRetrieveRS

The Destination Activity Retrieve response message is the response to OTA's generic Read Request for a previously booked itinerary. The response provides the request parameters originally passed to make the booking, as well as the response returned, including informing the requestor if the booking was successfully retrieved, and provides warning messages.

7.3.1. Use Case 1

7.3.1.1. Request: Reservation Retrieve Request

A consumer facing system requests details of a previously created booking.

OTA_ReadRQ6.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_ReadRQ xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://www.opentravel.org/OTA/2003/05"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_ReadRQ.xsd" Version="1.000"
TimeStamp="2005-01-04T12:20:00Z" EchoToken="12345" SequenceNbr="123456" Target="Test" >
    <POS>
        <Source>
            <RequestorID ID="Viator" Type="18"/>
            <BookingChannel Primary="true" Type="2">
                <CompanyName>Viator</CompanyName>
            </BookingChannel>
        </Source>
    </POS>
    <UniqueID URL="http://www.viator.com" ID="786546" Type="13"/>
</OTA_ReadRQ>

```

7.3.1.2. Response: Destination Activity Retrieve Response

The vendor system responds with the full details previously passed in and returned from the reservation.

OTA_DestActivityRetrieveRS.xml

```

<?xml version='1.0' encoding="UTF-8"?>
<OTA_DestActivityRetrieveRS xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://www.opentravel.org/OTA/2003/05"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_DestActivityCapabilitiesRS.xsd" Version="1.000"
TimeStamp="2005-01-04T12:20:00Z" EchoToken="12345" Target="Test">
    <DestActivityReservation SeniorTravelerCount="0" AdultTravelerCount="2" ChildTravelerCount="0"
InfantTravelerCount="0">

```

```

<UniqueID URL="http://www.viator.com" ID="786546" Type="13"/>
<Travelers>
  <Traveler RPH="1">
    <Profile>
      <Customer BirthDate="1966-06-30" Gender="Male">
        <PersonName>
          <NamePrefix>Mr</NamePrefix>
          <GivenName>Fred</GivenName>
          <Surname>Jones</Surname>
        </PersonName>
        <Telephone CountryAccessCode="1" PhoneNumber="5551212"
AreaCityCode="410" PhoneTechType="1" PhoneUseType="3"/>
        <Telephone CountryAccessCode="1" PhoneNumber="5553456"
AreaCityCode="410" PhoneTechType="5" PhoneUseType="4"/>
        <Email EmailType="1">fred.jones@hotmail.com</Email>
        <Address>
          <AddressLine>12 Main Street</AddressLine>
          <CityName>Toledo</CityName>
          <PostalCode>45000</PostalCode>
          <StateProv StateCode="OH"/>
          <CountryName Code="US"/>
        </Address>
      </Customer>
    </Profile>
  </Traveler>
  <Traveler RPH="2">
    <Profile>
      <Customer BirthDate="1968-11-15" Gender="Female">
        <PersonName>
          <NamePrefix>Mrs</NamePrefix>
          <GivenName>Sarah</GivenName>
          <Surname>Jones</Surname>
        </PersonName>
      </Customer>
    </Profile>
  </Traveler>
</Travelers>
<Contact>
  <TravelerRPH RPH="1"/>
</Contact>
<DestActivityItems>
  <Item ItemCode="PARRC1" SelectedDate="2005-05-01">
    <NegotiatedPrice AmountAfterTax="55" CurrencyCode="USD"/>
    <SellingPrice AmountAfterTax="65" CurrencyCode="USD"/>
    <HotelStay>
      <Name>Paris Marriot</Name>
    </HotelStay>
    <ItemReferences>
      <ItemReference Type="13" ID="7654365" URL="http://www.viator.com"/>
    </ItemReferences>
  </Item>
  <Item ItemCode="PARDS4" SelectedDate="2005-05-01" SelectedTime="19:00:00Z">
    <NegotiatedPrice AmountAfterTax="104" CurrencyCode="USD"/>
    <SellingPrice AmountAfterTax="140" CurrencyCode="USD"/>
    <HotelStay>
      <Name>Paris Marriot</Name>
    </HotelStay>
    <ItemReferences>
      <ItemReference Type="13" ID="7654366" URL="http://www.viator.com"/>
    </ItemReferences>
  </Item>
</DestActivityItems>
</DestActivityReservation>
<Success/>
<ReservationReferences>

```

```
<ReservationReference Type="13" ID="786546" URL="http://www.viator.com"/>
<ReservationReference Type="14" ID="SMI567" URL="http://www.paris.com"/>
</ReservationReferences>
<ReservationResponseItems>
  <Item>
    <ReservationItemReferences>
      <ReservationItemReference ResID_Type="13" ID="7654365"
URL="http://www.viator.com"/>
      <ReservationItemReference ResID_Type="14" ID="SMI567a"
URL="http://www.paris.com"/>
    </ReservationItemReferences>
  </Item>
  <Item PickupTime="18:00:00">
    <PickupLocation>Paris Marriot Lobby</PickupLocation>
    <ReservationItemReferences>
      <ReservationItemReference Type="13" ID="7654366" URL="http://www.viator.com"/>
      <ReservationItemReference Type="14" ID="SMI567b" URL="http://www.paris.com"/>
    </ReservationItemReferences>
  </Item>
</ReservationResponseItems>
</OTA_DestActivityRetrieveRS>
```

Section 8—Golf Tee Times

The OTA Golf Tee Times provides three separate request/response pairs of messages to support the functionality of requesting data from another system in the process of finding a golf course, inquiring as to availability, and booking a tee time. All message sets assume a pull model, where the originating system requests a specific set of data (as agreed by trading partners).

All messages assume the no-state, meaning that the originating system will initiate the transaction and expect a response from the queried system. All message responses include the request identification. Responses may be returned in any order.

8.1. OTA_GolfCourseAvailRQ/RS

- **OTA_GolfCourseAvailRQ**—Sends a request for course availability to another system. All the elements and attributes are optional, unless otherwise stated as required.
- **OTA_GolfCourseAvailRS**—Returns the requested set of data if the request can be processed, or includes warnings from business processing rules or errors if the request did not succeed.

8.1.1. Use Case 1

8.1.1.1. Request: Golf Course Availability

Herman and three of his friends would like to play golf on October 31 and tee off between 1:00 and 2:30. They are interested in playing at the course with the identifier of FL1234. The maximum price that they want to pay for 18 holes is \$80.00 per person. Herman sends a request message checking on the availability and cost for 18 holes of golf.

OTA_GolfCourseAvailRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_GolfCourseAvailRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_GolfCourseAvailRQ.xsd"
  EchoToken="12345" TimeStamp="1003-05-31T13:20:00-05:00" Target="Production" Version="1.001"
  SequenceNmbr="123456">
  <GolfCourseTeeTimes CourseID="FL1234">
    <GolfCourseTeeTime Start="2003-10-31T13:00:00" End="2003-10-31T14:30:00"
      NumberOfGolfers="4" NumberOfHoles="18" NumberOfTimes="1" MaxPrice="80.00" CurrencyCode="USD">
    </GolfCourseTeeTime>
  </GolfCourseTeeTimes>
</OTA_GolfCourseAvailRQ>
```

8.1.1.2. Response: Golf Course Availability

Herman receives a response indicating that there is availability on October 31 between 1:00 and 2:30. The green fee is \$70.00 per person with a cart fee of \$11.00 per person.

OTA_GolfCourseAvailRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_GolfCourseAvailRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_GolfCourseAvailRS.xsd"
  EchoToken="12345" TimeStamp="2003-05-31T13:20:00-05:00" Target="Production" Version="1.001"
  SequenceNmbr="123456">
  <Success/>
  <UniqueID Type="4" ID="FL1234">
  </UniqueID>
  <GolfCourseTeeTimes>
    <GolfCourseTeeTime Start="2003-10-31T13:00:00" End="2003-10-31T14:30:00"
      NumberOfGolfers="4" NumberOfHoles="18" NumberOfTimes="1" MaxPrice="80.00" CurrencyCode="USD">
      <Fees>
        <Fee TaxInclusive="true" Amount="70.00" CurrencyCode="USD">
          <Description Name="GreensFee">
            <Text Formatted="false" Language="EN"/>
          </Description>
        </Fee>
        <Fee TaxInclusive="true" Amount="11.00" CurrencyCode="USD">
          <Description Name="CartFee">
            <Text Formatted="false" Language="EN"/>
          </Description>
        </Fee>
      </Fees>
    </GolfCourseTeeTime>
  </GolfCourseTeeTimes>
</OTA_GolfCourseAvailRS>
```

8.2. OTA_GolfCourseResRQ/RS

- **OTA_GolfCourseResRQ**—Sends a request for a reservation to another system. All the elements and attributes are optional, unless otherwise stated as required.
- **OTA_GolfCourseResRS**—Returns the requested reservation if the request can be processed, or includes warnings from business processing rules or errors if the request did not succeed.

8.2.1. Use Case 1

8.2.1.1. Request: Golf Course Reservation

Bobby Jones wishes to play a round of golf with a friend on June 10 teeing off at 11:06. He also wants to reserve one golf cart. Bobby sends a reservation request to a golf course with the identifier FL1234. The reservation includes his name, address, phone number and credit card information.

OTA_GolfCourseResRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_GolfCourseResRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_GolfCourseResRQ.xsd"
  EchoToken="12345" TimeStamp="2003-05-30T13:20:00Z" Target="Production" Version="1.002"
  SequenceNmbr="123456" ID="FL1234" Notification="true">
  <GolfCoursesRes>
    <GolfCourseRes Status="New" StatusMessage="New Reservation Request"
      ResponderResConfID="11223344" RequestorResID="22113344">
      <Rounds>
        <Round RoundID="23456" PlayDateTime="2003-06-10T11:06:00" NumberOfGolfers="2"
          StartingTee="1" NumberOfCarts="1" Amount="140.00" CurrencyCode="USD">
          <Charges>
            <Charge TaxInclusive="true" Code="7" Amount="70.00" CurrencyCode="USD">
              <Description Name="Standard Rate - Tourist">
                <Text Formatted="false" Language="EN"/>
              </Description>
            </Charge>
          </Charges>
          <Golfers>
            <Golfer Gender="Male" BirthDate="1923-06-03">
              <Memberships>
                <Membership ProgramID="NGCOA" MembershipID="4123546"/>
              </Memberships>
              <PaymentForm>
                <PaymentCard CardType="1" CardCode="AX"
                  CardNumber="3145234356876223" SeriesCode="1122334" EffectiveDate="0800" ExpireDate="0804">
                  <CardHolderName>Mr. Bobby Jones</CardHolderName>
                  <CardIssuerName BankID="1122334455"/>
                </PaymentCard>
              </PaymentForm>
              <PersonName>
                <NamePrefix>Mr.</NamePrefix>
                <GivenName>Bobby</GivenName>
                <Surname>Jones</Surname>
              </PersonName>
              <Address Type="1">
                <StreetNmbr>123 Augusta Lane</StreetNmbr>
                <CityName>Atlanta</CityName>
                <PostalCode>23456</PostalCode>
                <StateProv StateCode="GA">Georgia</StateProv>
                <CountryName Code="US">United States</CountryName>
              </Address>
              <Telephone PhoneTechType="1" CountryAccessCode="1" AreaCityCode="703"
                PhoneNumber="444-5555"/>
            </Golfer>
          </Golfers>
          <RateQualifiers>
            <RateQualifier RateQualifier="NGCOA">
            </RateQualifier>
          </RateQualifiers>
        </Round>
      </Rounds>
      <ResID Type="14" ID="123">
      </ResID>
    </GolfCourseRes>
  </GolfCoursesRes>
</OTA_GolfCourseResRQ>
```

8.2.1.2. Response: Golf Course Reservation Confirmation

A response is sent to Bobby confirming his reservation and giving him a reservation id. The response also contains information concerning cancellation penalties and date and time by which a cancellation must be made.

OTA_GolfCourseResRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_GolfCourseResRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_GolfCourseResRS.xsd"
  EchoToken="12345" TimeStamp="2003-05-30T13:20:00Z" Target="Production" Version="1.002"
  SequenceNmbr="123456" ID="FL1234">
  <Success/>
  <GolfCoursesRes>
    <GolfCourseRes Status="New" StatusMessage="New Reservation Request"
      RequestorResID="AC4132" ResponderResConfID="11223344">
      <Rounds>
        <Round RoundID="23456" PlayDateTime="2003-06-10T11:06:00" NumberOfGolfers="2"
          StartingTee="1" NumberOfCarts="1" Amount="140.00" CurrencyCode="USD">
          <Charges>
            <Charge TaxInclusive="true" Code="7" Amount="70.00" CurrencyCode="USD">
              <Description Name="Standard Rate - Tourist">
                <Text Formatted="false" Language="EN"/>
              </Description>
            </Charge>
          </Charges>
          <Cancel CancelByDate="2003-06-10T11:06:00" Amount="55.00" CurrencyCode="USD"/>
          <Golfers>
            <Golfer Gender="Male" BirthDate="1923-06-03">
              <Memberships>
                <Membership ProgramID="NGCOA" MembershipID="4123546"/>
              </Memberships>
              <PaymentForm>
                <PaymentCard CardType="1" CardCode="AX"
                  CardNumber="3145234356876223" SeriesCode="1122334" EffectiveDate="0800" ExpireDate="0804">
                  <CardHolderName>Mr. Bobby Jones</CardHolderName>
                  <CardIssuerName BankID="1122334455"/>
                </PaymentCard>
              </PaymentForm>
              <PersonName>
                <NamePrefix>Mr.</NamePrefix>
                <GivenName>Bobby</GivenName>
                <Surname>Jones</Surname>
              </PersonName>
              <Address Type="1">
                <StreetNmbr>123 Augusta Lane</StreetNmbr>
                <CityName>Atlanta</CityName>
                <PostalCode>23456</PostalCode>
                <StateProv StateCode="GA">Georgia</StateProv>
                <CountryName Code="US">United States</CountryName>
              </Address>
              <Telephone PhoneTechType="1" CountryAccessCode="1" AreaCityCode="703"
                PhoneNumber="444-5555"/>
            </Golfer>
          </Golfers>
          <RateQualifiers>
            <RateQualifier RateQualifier="NGCOA">
            </RateQualifier>
          </RateQualifiers>
        </Round>
      </Rounds>
    </GolfCourseRes>
  </GolfCoursesRes>
</OTA_GolfCourseResRS>
```

```

        <ResID Type="14" ID="123">
    </ResID>
    </GolfCourseRes>
</GolfCoursesRes>
</OTA_GolfCourseResRS>

```

8.3. OTA_GolfCourseSearchRQ/RS

- **OTA_GolfCourseSearchRQ**—Sends a request for course information to another system. All the elements and attributes are optional, unless otherwise stated as required. The requesting system may request a detailed or summary response.
- **OTA_GolfCourseSearchRS**—Returns a set of data representing the course(s) that meet the requested criteria. Where the criteria attribute of Required is “Yes” then only those courses that meet those criteria will be returned. Where the Required attribute is “No” then a course that does not meet the specified criteria may be included in the set. In all cases, where the criteria have been included in the request, the comparable trait and its value will be returned, along with the basic course information and identification. The message may also include warnings from business processing rules or errors if the request did not succeed.

8.3.1. Use Case 1

8.3.1.1. Request: Golf Course Search

A golfer is interested in finding a golf course that meets the following criteria: the architect is Robert Jones, it allows singles to make a reservation, wheelchairs are allowed and it has a slope value of 110 degrees. The golfer also specifies for each of the criteria if it has to be met in order for the golf course to be returned in the response. A message is sent with the criteria for searching for a golf course.

OTA_GolfCourseSearchRQ.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_GolfCourseSearchRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_GolfCourseSearchRQ.xsd"
  EchoToken="54321" TimeStamp="2003-11-12T10:30:00" Target="Production" Version="1.001"
  SequenceNmbr="2432" PrimaryLangID="en" ID="FL4902" DetailResponse="true">
  <Criteria>
    <Criterion Name="Architect" Value="Robert Jones" Required="false"/>
    <Criterion Name="Singles Confirmed" Value="Yes" Required="true"/>
    <Criterion Name="ADA Challenged" Value="Wheelchair" Required="true"/>
    <Criterion Name="Slope" Value="110" Required="true" Operation="LessThan"/>
  </Criteria>
</OTA_GolfCourseSearchRQ>

```

8.3.1.2. Response: Golf Course Information Returned

A response is received with two golf courses, one of which does not satisfy the architect criteria. The response returns address information for each of the courses, the phone numbers, and other information about the course.

OTA_GolfCourseSearchRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_GolfCourseSearchRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_GolfCourseSearchRS.xsd"
  EchoToken="54321" TimeStamp="2003-11-12T10:30:15" Target="Production" Version="1.002"
  SequenceNmbr="2433" PrimaryLangID="en">
  <Success/>
  <GolfCourses>
    <GolfCourse ID="FL1234" Name="Sea Grass Golf Resort">
      <Address>
        <CityName>Jupiter</CityName>
        <PostalCode>21921</PostalCode>
        <County>Palm Beach</County>
        <StateProv StateCode="FL"/>
        <CountryName Code="US"/>
      </Address>
      <Phone AreaCityCode="444" PhoneNumber="423-8954"/>
      <Traits>
        <Trait Name="Architect" Value="Robert Jones"/>
        <Trait Name="Singles Confirmed" Value="Yes"/>
        <Trait Name="ADA Challenged" Value="Wheelchair"/>
        <Trait Name="Slope" Value="110"/>
        <Trait Name="Metal Spikes" Value="No"/>
        <Trait Name="Caddies Available" Value="No"/>
        <Trait Name="Yardage" Value="6345"/>
        <Trait Name="Personal Carts Permitted" Value="No"/>
        <Trait Name="Fivesome" Value="No"/>
        <Trait Name="Grass Type" Value="Bermuda"/>
      </Traits>
    </GolfCourse>
    <GolfCourse ID="FL4321" Name="Beach Side Golf Resort">
      <Address>
        <CityName>Palm Beach Gardens</CityName>
        <PostalCode>21932</PostalCode>
        <County>Palm Beach</County>
        <StateProv StateCode="FL"/>
        <CountryName Code="US"/>
      </Address>
      <Phone AreaCityCode="444" PhoneNumber="423-2876"/>
      <Traits>
        <Trait Name="Architect" Value="Jack Nicklaus"/>
        <Trait Name="Singles Confirmed" Value="Yes"/>
        <Trait Name="ADA Challenged" Value="Wheelchair"/>
        <Trait Name="Slope" Value="112"/>
        <Trait Name="Metal Spikes" Value="Yes"/>
        <Trait Name="Caddies Available" Value="Yes"/>
        <Trait Name="Yardage" Value="7102"/>
        <Trait Name="Fivesome" Value="Yes"/>
        <Trait Name="Grass Type" Value="Rye"/>
      </Traits>
    </GolfCourse>
  </GolfCourses>
</OTA_GolfCourseSearchRS>
```

Section 9—Hotel Messages

9.1. OTA_HotelAvailRQ/RS

The Hotel Availability Request message provides the ability to search for hotel products available for booking. Most commonly, a search for availability is looking for a room that may be available at certain rates, have certain room amenities, be of a specific room type, etc. A request can also be made for a non-room product, such as banquets and meeting rooms. Typically, an availability request is made with the intent to ultimately book a reservation for an event or for a room stay.

The Hotel Availability Request allows a system to query another system for detailed availability and pricing information for both room and non-room products. A Hotel Availability Request is used in place of a Hotel Search Request when there is a need to identify availability and rate information in addition to the property list.

This specification addresses the functionality of a traditional request for availability of a property or list of properties. It allows for a request for ‘static’ property data published by the hotel, that includes information about the hotel facilities, amenities, services, etc., as well as ‘dynamic’ (e.g., rate oriented) data. For example, a hotel may have an AAA or AARP rate, but it may not necessarily offer it at all times, which affects the availability of the rate.

The availability request can be limited to the individual property level, requiring that the hotel has been identified, in order to be able to perform an availability request and determine the rate and availability at a specific property. It is presumed that the wide area search, or Hotel Search Query, has preceded the availability message to obtain a list of eligible properties. However, a request for availability could be performed on multiple properties simultaneously by specifying multiple hotels. An availability request with search criteria will allow a list of properties to be returned, but with greater property detail, including property info, room/rate info, availability and rules. Due to the amount of information returned for a given property, a Hotel Search Request may be more fitting when only a basic list of properties is required.

The business use cases that the Hotel Availability Request message supports are the following:

- **Availability/Single Property**—determines the availability within the constraints of specified criteria for a single identified property.
- **Availability/Multiple Properties**—determines the availability for multiple properties identified by a Hotel Reference along with additional specified criteria.

- **Availability/Multiple Properties based on Search Criteria**—determines the availability for multiple properties identified by a Hotel Reference along with additional specified criteria.
- **Alternate Availability**—retrieves a list of properties (with availability) that are alternates to a property that may not be available. [While the specifications enable the capability to return alternate choices, the qualifications of the actual returns are dependent upon the application processing the request.]
- **Rate Quotation/Single Property**—obtains rate quotes for a room or non-room product or products at a specific property. Returns a list of the rates available at the hotel for the desired dates.
- **Rate Quotation/Multiple Property**—obtains rate quotes for a room or non-room product or products at multiple properties. Returns a list of rates for the products specified that are available at the hotels for the desired dates.

9.1.1. Use Case 1

9.1.1.1. Request: Hotel Availability

Will Reisen wants to travel to Denver for 2 weeks in January to visit his many friends. He decides to look online for available rates at the Denver Marriott City Center since he wants to stay in the downtown area. Will makes his request providing the hotel he wants and his arrival and departure dates of January 16th and 30th.

OTA_HotelAvailRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelAvailRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelAvailRQ.xsd" Version="1.003">
  <AvailRequestSegments>
    <AvailRequestSegment>
      <StayDateRange End="2006-01-30" Start="2006-01-16"/>
      <RoomStayCandidates>
        <RoomStayCandidate Quantity="1">
          <GuestCounts>
            <GuestCount AgeQualifyingCode="10" Count="1"/>
          </GuestCounts>
        </RoomStayCandidate>
      </RoomStayCandidates>
      <HotelSearchCriteria>
        <Criterion>
          <HotelRef ChainCode="MC" HotelCode="DENDT"/>
        </Criterion>
      </HotelSearchCriteria>
    </AvailRequestSegment>
  </AvailRequestSegments>
</OTA_HotelAvailRQ>
```

9.1.1.2. Response: Hotel Availability

A list of available rates at the Denver Marriott City Center is returned for Will to choose from:

Corporate rate at \$189

Corporate concierge rate at \$199

Regular rate at \$270

Regular concierge rate at \$285

AAA Member rate at \$189

OTA_HotelAvailRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelAvailRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelAvailRS.xsd" Version="1.003">
  <Success/>
  <RoomStays>
    <RoomStay>
      <RatePlans>
        <RatePlan RatePlanCode="CORA999"/>
      </RatePlans>
      <RoomRates>
        <RoomRate>
          <Rates>
            <Rate EffectiveDate="2006-01-02" ExpireDate="2006-04-14">
              <Base AmountBeforeTax="189.00" CurrencyCode="USD"/>
              <RateDescription>
                <Text>CORPORATE RATE*DELUXE ROOM (1 KING OR 2
DOUBLES)</Text>
              </RateDescription>
            </Rate>
          </Rates>
        </RoomRate>
      </RoomRates>
    </RoomStay>
    <RoomStay>
      <RatePlans>
        <RatePlan RatePlanCode="CORB999"/>
      </RatePlans>
      <RoomRates>
        <RoomRate>
          <Rates>
            <Rate EffectiveDate="2006-01-02" ExpireDate="2006-04-14">
              <Base AmountBeforeTax="199.00" CurrencyCode="USD"/>
              <RateDescription>
                <Text>CONC DELUXE RM*PRIVATE FLOOR W/ADDL
AMENITIES*LOUNGE INCLDS HOT CONTINENTAL BKFST,EVENING HORS D'OEUVRES,HONOR BAR
&amp; DESSERT</Text>
              </RateDescription>
            </Rate>
          </Rates>
        </RoomRate>
      </RoomRates>
    </RoomStay>
    <RoomStay>
      <RatePlans>
        <RatePlan RatePlanCode="REGA999"/>
      </RatePlans>
      <RoomRates>
        <RoomRate>
          <Rates>
            <Rate EffectiveDate="2006-01-02" ExpireDate="2006-04-14">
```

```

                <Base AmountBeforeTax="270.00" CurrencyCode="USD"/>
                <RateDescription>
                    <Text>REGULAR RATE*DELUXE ROOM (1KING OR
2DOUBLES)</Text>
                </RateDescription>
            </Rate>
        </Rates>
    </RoomRate>
</RoomRates>
</RoomStay>
<RoomStay>
    <RatePlans>
        <RatePlan RatePlanCode="REGB999"/>
    </RatePlans>
    <RoomRates>
        <RoomRate>
            <Rates>
                <Rate EffectiveDate="2006-01-02" ExpireDate="2006-04-14">
                    <Base AmountBeforeTax="285.00" CurrencyCode="USD"/>
                    <RateDescription>
                        <Text>CONC DELUXE RM*PRIVATE FLOOR W/ADDL
AMENITIES*LOUNGE INCLDS HOT CONTINENTAL BREAKFAST,EVENING HORS D'OEUVRES &
HONOR BAR</Text>
                    </RateDescription>
                </Rate>
            </Rates>
        </RoomRate>
    </RoomRates>
</RoomStay>
<RoomStay>
    <RatePlans>
        <RatePlan RatePlanCode="AAAAAAA"/>
    </RatePlans>
    <RoomRates>
        <RoomRate>
            <Rates>
                <Rate EffectiveDate="2006-01-02" ExpireDate="2006-04-14">
                    <Base AmountBeforeTax="189.00" CurrencyCode="USD"/>
                    <RateDescription>
                        <Text>AAAA WEEKDAY*DELUXE ROOM (1KING OR 2DOUBLES) *
ID REQUIED AT CHECK IN *</Text>
                    </RateDescription>
                </Rate>
            </Rates>
        </RoomRate>
    </RoomRates>
</RoomStay>
</RoomStays>
</OTA_HotelAvailRS>

```

9.2. OTA_HotelAvailNotifRQ/RS

The Availability Notification message notifies a booking source of the status of availability at a specific hotel property. Booking a reservation at a hotel is often affected by systems using yield management tables to determine the availability of a specific rate at a given time. Therefore, the Availability Notification message is often sent in conjunction with two other messages: a Rate Amount Notification message, which communicates the rates that apply to the availability, and a Booking Rule Notification message, which communicates the restrictions that apply to the availability and rates.

These messages include a complex set of controls that indicate whether the hotel has available inventory; that is, closed or open for booking. The `RateHurdleStatusMessage` element establishes an open/closed situation based upon the number of units available. If a hotel is open, status messages communicate the rate at which those bookings can be made. In addition, booking restrictions that apply to each individual rate, such as a minimum length of stay (LOS) must also be communicated to the booking agent so that hotel guests are informed of all the regulations that govern their reservation.

Inventory is generally considered a physical count, and availability a commitment to sell a room at a specific rate or plan. The physical inventory is the basis by which counts are assigned to the availability. But availability may also depend upon rate plans, as a system may carry a discrete inventory or an inventory count in association with different rates. Thus, the superset of the inventory may be greater than the physical count, with the actual number of rooms counted down when they are sold.

The status messages in the Availability Notification message also communicate inventory (booking) limits set by Yield and Revenue management systems such as the number of reservations that can be taken for a certain day, and the threshold at which the hotel is closed. A Booking Limit Status Message may even define what can be done after a status is set, such as “Take four more reservations after this status is set.”

A system may choose not to synchronize with actual inventory numbers, but with a threshold. Nevertheless, it is critical that booking systems are synchronized with common thresholds, regardless of whether they are derived from virtual or real inventory.

The Availability Notification message uses the `StatusApplicationControl` to set the status for an inventory block, a rate plan or an inventory code. The attributes: `InventoryCodeType`, `RatePlanCodeType`, and `InventoryBlockCodeType` determine whether the message involves a single code, or a grouping of codes.

The `Override` attribute allows a reservation system to make a change on controls applied at the level of the Property Management System. For example, a CRS may be allowed to make manual changes while processing bookings during the day, but when full optimization is done, typically during the night, this Boolean attribute determines whether to retain the changes made. This could be applied to override all status messages and is found in the Status Application Control class.

9.2.1. Use Case 1

9.2.1.1. Request: Overbooking Limits (External)

The Sheraton sends their wholesaler an allocation of rooms for specific days in the future for their rate plan code of WHLS1.

The table below details the allocations sent in this example.

From Date	To Date	Inventory Code	Amount
08/02/2004	08/05/2004	Standard Rooms STD	25
08/06/2004	08/08/2004	Standard Rooms STD	35
08/02/2004	08/05/2004	Deluxe Rooms DLX	5
08/06/2004	08/08/2004	Deluxe Rooms DLX	8

OTA_HotelAvailNotifRQ.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelAvailNotifRQ xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns="http://www.opentravel.org/OTA/2003/05"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelAvailNotifRQ.xsd"
  TimeStamp="2004-05-01T06:39:09" Target="Production" Version="1.002">
  <AvailStatusMessages ChainCode="SW" BrandCode="SI" HotelCode="00000" HotelName="The
  Sheraton">
    <AvailStatusMessage BookingLimit="25" BookingLimitMessageType="SetLimit">
      <StatusApplicationControl Start="2004-08-02" End="2004-08-05"
        RatePlanCode="WHLS1" InvCode="STD">
        </StatusApplicationControl>
        <UniqueID Type="16" ID="1">
        </UniqueID>
      </AvailStatusMessage>
      <AvailStatusMessage BookingLimit="35" BookingLimitMessageType="SetLimit">
        <StatusApplicationControl Start="2004-08-06" End="2004-08-08"
          RatePlanCode="WHLS1" InvCode="STD">
          </StatusApplicationControl>
          <UniqueID Type="16" ID="2">
          </UniqueID>
        </AvailStatusMessage>
        <AvailStatusMessage BookingLimit="5" BookingLimitMessageType="SetLimit">
          <StatusApplicationControl Start="2004-08-02" End="2004-08-05"
            RatePlanCode="WHLS1" InvCode="DLX">
            </StatusApplicationControl>
            <UniqueID Type="16" ID="3">
            </UniqueID>
          </AvailStatusMessage>
          <AvailStatusMessage BookingLimit="8" BookingLimitMessageType="SetLimit">
            <StatusApplicationControl Start="2004-08-06" End="2004-08-08"
              RatePlanCode="WHLS1" InvCode="DLX">
              </StatusApplicationControl>
              <UniqueID Type="16" ID="4">
              </UniqueID>
            </AvailStatusMessage>
          </AvailStatusMessages>
        </OTA_HotelAvailNotifRQ>

```

9.2.1.2. Response: Acknowledge Overbooking Limit (External)

The CRS returns an acknowledgement that the message was received without any errors or warnings.

OTA_HotelAvailNotifRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelAvailNotifRS xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://www.opentravel.org/OTA/2003/05"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_HotelAvailNotifRS.xsd" EchoToken="String" TimeStamp="2004-04-14T09:42:26"
Target="Production" Version="1.001">
  <Success/>
</OTA_HotelAvailNotifRS>
```

9.2.2. Use Case 2

9.2.2.1. Request: Full Pattern Length of Stay Restrictions

The Omni Shoreham Hotel in Washington, DC sends Expedia Full Pattern Length of Stay (FPLOS) restrictions for June 1st, 2004 for its three Expedia Rate Plans as shown in the table below, where “N” means that a stay of that length is NOT allowed, and “Y” that the stay is allowed. The restrictions apply to room type STD, the only one included in the interface.

Date:	Length of stay in days							
	1	2	3	4	5	6	7	8
June 1 st								
Expedia1	N	Y	Y	Y	N	N	N	N
Expedia2	N	N	N	N	N	N	N	N
Expedia3	N	N	Y	Y	N	N	Y	N

These FPLOS settings can be explained as:

- Expedia 1 – Only accept reservations for 2, 3 or 4 nights. An alternate control method would be to set MinLOS to 2 days and MaxLOS to 4 days on this rate plan.
- Expedia 2 – Do not accept any arrivals, as no LOS is available. An alternate control method would be to set Closed To Arrival on this rate plan.
- Expedia 3 – Only accept reservations for 3, 4, and 7 nights. There is no alternate control method that would give the same result.

OTA_HotelAvailNotifRQ2.xml – Preferred Method: LOS_Pattern

In this approach, sub-element LOS_Pattern is used to send a string of “Y” and “N” characters to indicate open and closed for each length of stay, from 1 night to the value in the FixedPatternLength attribute in LengthOfStays element. Any lengths of stay greater than the FixedPatternLength inherit the status of the status of the length of stay that equals FixedPatternLength.

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelAvailNotifRQ xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns="http://www.opentravel.org/OTA/2003/05"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelAvailNotifRQ.xsd"
  EchoToken="54638383" TimeStamp="2004-04-14T09:30:47-05:00" Target="Production"
  Version="1.002" PrimaryLangID="en-us">
  <AvailStatusMessages ChainCode="OMNI" HotelCode="HOTEL">
    <AvailStatusMessage>
      <StatusApplicationControl Start="2004-06-01" End="2004-06-01"
        RatePlanCodeType="RatePlanCode" RatePlanCode="Expedia1"
        InvCodeApplication="InvCode" InvCode="STD" IsRoom="1" Override="1"/>
      <LengthsOfStay ArrivalDateBased="1" FixedPatternLength="8">
        <LengthOfStay MinMaxMessageType="FullPatternLOS">
          <LOS_Pattern FullPatternLOS="NYYNNNNN"/>
        </LengthOfStay>
      </LengthsOfStay>
    </AvailStatusMessage>
    <AvailStatusMessage>
      <StatusApplicationControl Start="2004-06-01" End="2004-06-01"
        RatePlanCodeType="RatePlanCode" RatePlanCode="Expedia2"
        InvCodeApplication="InvCode" InvCode="STD" IsRoom="1" Override="1"/>
      <LengthsOfStay ArrivalDateBased="1" FixedPatternLength="8">
        <LengthOfStay MinMaxMessageType="FullPatternLOS">
          <LOS_Pattern FullPatternLOS="NNNNNNNN"/>
        </LengthOfStay>
      </LengthsOfStay>
    </AvailStatusMessage>
    <AvailStatusMessage>
      <StatusApplicationControl Start="2004-06-01" End="2004-06-01"
        RatePlanCodeType="RatePlanCode" RatePlanCode="Expedia3"
        InvCodeApplication="InvCode" InvCode="STD" IsRoom="1" Override="1"/>
      <LengthsOfStay ArrivalDateBased="1" FixedPatternLength="8">
        <LengthOfStay MinMaxMessageType="FullPatternLOS">
          <LOS_Pattern FullPatternLOS="NNYYNNYN"/>
        </LengthOfStay>
      </LengthsOfStay>
    </AvailStatusMessage>
  </AvailStatusMessages>
</OTA_HotelAvailNotifRQ>
```

OTA_HotelAvailNotifRQ3.xml – Alternate Method: Explicit Length of Stay elements

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelAvailNotifRQ xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns="http://www.opentravel.org/OTA/2003/05"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelAvailNotifRQ.xsd"
  EchoToken="54638383" TimeStamp="2004-04-14T09:30:47-05:00" Target="Production"
  Version="1.001" PrimaryLangID="en-us">
  <AvailStatusMessages ChainCode="OMNI" HotelCode="HOTEL">
    <AvailStatusMessage>
      <StatusApplicationControl Start="2004-06-01" End="2004-06-01"
        RatePlanCodeType="RatePlanCode" RatePlanCode="Expedia1"
        InvCodeApplication="InvCode" InvCode="STD" IsRoom="1" Override="1"/>
      <LengthsOfStay ArrivalDateBased="1" FixedPatternLength="8">
        <LengthOfStay Time="1" TimeUnit="Day" OpenStatusIndicator="false">
```

```

        MinMaxMessageType="FullPatternLOS"/>
        <LengthOfStay Time="2" TimeUnit="Day" OpenStatusIndicator="true"
        MinMaxMessageType="FullPatternLOS"/>
        <LengthOfStay Time="3" TimeUnit="Day" OpenStatusIndicator="true"
        MinMaxMessageType="FullPatternLOS"/>
        <LengthOfStay Time="4" TimeUnit="Day" OpenStatusIndicator="true"
        MinMaxMessageType="FullPatternLOS"/>
        <LengthOfStay Time="5" TimeUnit="Day" OpenStatusIndicator="false"
        MinMaxMessageType="FullPatternLOS"/>
        <LengthOfStay Time="6" TimeUnit="Day" OpenStatusIndicator="false"
        MinMaxMessageType="FullPatternLOS"/>
        <LengthOfStay Time="7" TimeUnit="Day" OpenStatusIndicator="false"
        MinMaxMessageType="FullPatternLOS"/>
        <LengthOfStay Time="8" TimeUnit="Day" OpenStatusIndicator="false"
        MinMaxMessageType="FullPatternLOS"/>
    </LengthsOfStay>
</AvailStatusMessage>
<AvailStatusMessage>
    <StatusApplicationControl Start="2004-06-01" End="2004-06-01"
    RatePlanCodeType="RatePlanCode" RatePlanCode="Expedia2"
    InvCodeApplication="InvCode" InvCode="STD" IsRoom="1" Override="1"/>
    <LengthsOfStay ArrivalDateBased="1" FixedPatternLength="8">
        <LengthOfStay Time="1" TimeUnit="Day" OpenStatusIndicator="false"
        MinMaxMessageType="FullPatternLOS"/>
        <LengthOfStay Time="2" TimeUnit="Day" OpenStatusIndicator="false"
        MinMaxMessageType="FullPatternLOS"/>
        <LengthOfStay Time="3" TimeUnit="Day" OpenStatusIndicator="false"
        MinMaxMessageType="FullPatternLOS"/>
        <LengthOfStay Time="4" TimeUnit="Day" OpenStatusIndicator="false"
        MinMaxMessageType="FullPatternLOS"/>
        <LengthOfStay Time="5" TimeUnit="Day" OpenStatusIndicator="false"
        MinMaxMessageType="FullPatternLOS"/>
        <LengthOfStay Time="6" TimeUnit="Day" OpenStatusIndicator="false"
        MinMaxMessageType="FullPatternLOS"/>
        <LengthOfStay Time="7" TimeUnit="Day" OpenStatusIndicator="false"
        MinMaxMessageType="FullPatternLOS"/>
        <LengthOfStay Time="8" TimeUnit="Day" OpenStatusIndicator="false"
        MinMaxMessageType="FullPatternLOS"/>
    </LengthsOfStay>
</AvailStatusMessage>
<AvailStatusMessage>
    <StatusApplicationControl Start="2004-06-01" End="2004-06-01"
    RatePlanCodeType="RatePlanCode" RatePlanCode="Expedia3"
    InvCodeApplication="InvCode" InvCode="STD" IsRoom="1" Override="1"/>
    <LengthsOfStay ArrivalDateBased="1" FixedPatternLength="8">
        <LengthOfStay Time="1" TimeUnit="Day" OpenStatusIndicator="false"
        MinMaxMessageType="FullPatternLOS"/>
        <LengthOfStay Time="2" TimeUnit="Day" OpenStatusIndicator="false"
        MinMaxMessageType="FullPatternLOS"/>
        <LengthOfStay Time="3" TimeUnit="Day" OpenStatusIndicator="true"
        MinMaxMessageType="FullPatternLOS"/>
        <LengthOfStay Time="4" TimeUnit="Day" OpenStatusIndicator="true"
        MinMaxMessageType="FullPatternLOS"/>
        <LengthOfStay Time="5" TimeUnit="Day" OpenStatusIndicator="false"
        MinMaxMessageType="FullPatternLOS"/>
        <LengthOfStay Time="6" TimeUnit="Day" OpenStatusIndicator="false"
        MinMaxMessageType="FullPatternLOS"/>
        <LengthOfStay Time="7" TimeUnit="Day" OpenStatusIndicator="true"
        MinMaxMessageType="FullPatternLOS"/>
        <LengthOfStay Time="8" TimeUnit="Day" OpenStatusIndicator="false"
        MinMaxMessageType="FullPatternLOS"/>
    </LengthsOfStay>
</AvailStatusMessage>
</AvailStatusMessages>
</OTA_HotelAvailNotifRQ>

```

OTA_HotelAvailNotifRQ4.xml – Alternate Method: Implicit Length of Stay elements

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelAvailNotifRQ xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns="http://www.opentravel.org/OTA/2003/05"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelAvailNotifRQ.xsd"
  EchoToken="54638383" TimeStamp="2004-04-14T09:30:47-05:00" Target="Production"
  Version="1.002" PrimaryLangID="en-us">
  <AvailStatusMessages ChainCode="OMNI" HotelCode="HOTEL">
    <AvailStatusMessage>
      <StatusApplicationControl Start="2004-06-01" End="2004-06-01"
        RatePlanCodeType="RatePlanCode" RatePlanCode="Expedia1"
        InvCodeApplication="InvCode" InvCode="STD" IsRoom="1" Override="1"/>
      <LengthsOfStay ArrivalDateBased="1" FixedPatternLength="8">
        <LengthOfStay Time="2" TimeUnit="Day" MinMaxMessageType="FullPatternLOS"/>
        <LengthOfStay Time="3" TimeUnit="Day" MinMaxMessageType="FullPatternLOS"/>
        <LengthOfStay Time="4" TimeUnit="Day" MinMaxMessageType="FullPatternLOS"/>
      </LengthsOfStay>
    </AvailStatusMessage>
    <AvailStatusMessage>
      <StatusApplicationControl Start="2004-06-01" End="2004-06-01"
        RatePlanCodeType="RatePlanCode" RatePlanCode="Expedia2"
        InvCodeApplication="InvCode" InvCode="STD" IsRoom="1" Override="1"/>
      <LengthsOfStay ArrivalDateBased="1" FixedPatternLength="8"/>
    </AvailStatusMessage>
    <AvailStatusMessage>
      <StatusApplicationControl Start="2004-06-01" End="2004-06-01"
        RatePlanCodeType="RatePlanCode" RatePlanCode="Expedia3"
        InvCodeApplication="InvCode" InvCode="STD" IsRoom="1" Override="1"/>
      <LengthsOfStay ArrivalDateBased="1" FixedPatternLength="8">
        <LengthOfStay Time="3" TimeUnit="Day" MinMaxMessageType="FullPatternLOS"/>
        <LengthOfStay Time="4" TimeUnit="Day" MinMaxMessageType="FullPatternLOS"/>
        <LengthOfStay Time="7" TimeUnit="Day" MinMaxMessageType="FullPatternLOS"/>
      </LengthsOfStay>
    </AvailStatusMessage>
  </AvailStatusMessages>
</OTA_HotelAvailNotifRQ>
```

9.2.2.2. Response: Acknowledge FPLOS

Expedia sends to Omni an acknowledgement for the message received with no errors or warnings.

OTA_HotelAvailNotifRS2.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelAvailNotifRS xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns="http://www.opentravel.org/OTA/2003/05"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
  OTA_HotelAvailNotifRS.xsd" EchoToken="String" TimeStamp="2004-04-14T09:42:26"
  Target="Production" Version="1.001">
  <Success/>
</OTA_HotelAvailNotifRS>
```

9.2.3. Use Case 3

9.2.3.1. Request: Send Hurdle Rates

IDEaS sends Hurdle Rate decisions to Synxis on May 1st 2004 for Jumeirah Beach Hotel on the next 7 days. The actual values for each date are shown in the

table below. All messages are sent for Rate Plan Code RACK and Inventory Code ROH. Each Hurdle Rate applies to a single date, although it is identified using the Start Date attribute of the element.

Date	Hurdle Rate (USD)
05/01/2004	553.45
05/02/2004	250.52
05/03/2004	250.65
05/04/2004	245.92
05/05/2004	247.78
05/06/2004	451.15
05/07/2004	437.85

OTA_HotelAvailNotifRQ5.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelAvailNotifRQ xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://www.opentravel.org/OTA/2003/05"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_HotelAvailNotifRQ.xsd" TimeStamp="2004-05-01T06:39:09" Target="Production"
Version="1.002">
  <AvailStatusMessages ChainCode="JUM" HotelCode="JUMBCH">
    <AvailStatusMessage>
      <StatusApplicationControl RatePlanCode="RACK" InvCode="ROH" Start="2004-05-01"/>
      <HurdleRate Amount="553.45" CurrencyCode="USD"/>
      <UniqueID Type="16.UIT" ID="1"/>
    </AvailStatusMessage>
    <AvailStatusMessage>
      <StatusApplicationControl RatePlanCode="RACK" InvCode="ROH" Start="2004-05-02"/>
      <HurdleRate Amount="250.52" CurrencyCode="USD"/>
      <UniqueID Type="16.UIT" ID="2"/>
    </AvailStatusMessage>
    <AvailStatusMessage>
      <StatusApplicationControl RatePlanCode="RACK" InvCode="ROH" Start="2004-05-03"/>
      <HurdleRate Amount="250.65" CurrencyCode="USD"/>
      <UniqueID Type="16.UIT" ID="3"/>
    </AvailStatusMessage>
    <AvailStatusMessage>
      <StatusApplicationControl RatePlanCode="RACK" InvCode="ROH" Start="2004-05-04"/>
      <HurdleRate Amount="245.92" CurrencyCode="USD"/>
      <UniqueID Type="16.UIT" ID="4"/>
    </AvailStatusMessage>
    <AvailStatusMessage>
      <StatusApplicationControl RatePlanCode="RACK" InvCode="ROH" Start="2004-05-05"/>
      <HurdleRate Amount="247.78" CurrencyCode="USD"/>
      <UniqueID Type="16.UIT" ID="5"/>
    </AvailStatusMessage>
    <AvailStatusMessage>
      <StatusApplicationControl RatePlanCode="RACK" InvCode="ROH" Start="2004-05-06"/>
      <HurdleRate Amount="451.15" CurrencyCode="USD"/>
      <UniqueID Type="16.UIT" ID="6"/>
    </AvailStatusMessage>
  </AvailStatusMessages>
</OTA_HotelAvailNotifRQ>
```

```

        <StatusApplicationControl RatePlanCode="RACK" InvCode="ROH" Start="2004-05-07"/>
        <HurdleRate Amount="437.85" CurrencyCode="USD"/>
        <UniqueID Type="16.UIT" ID="7"/>
    </AvailStatusMessage>
</AvailStatusMessages>
</OTA_HotelAvailNotifRQ>

```

9.2.3.2. Response: Acknowledge Hurdle Rates

Synxis sends to IDaaS an acknowledgement for the message received with no errors or warnings.

OTA_HotelAvailNotifRS3.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelAvailNotifRS xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://www.opentravel.org/OTA/2003/05"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_HotelAvailNotifRS.xsd" EchoToken="String" TimeStamp="2004-05-01T06:42:26"
Target="Production" Version="1.001">
    <Success/>
</OTA_HotelAvailNotifRS>

```

9.2.4. Use Case 4

9.2.4.1. Request: Overbooking Limits

The RMS system has finished optimizing the Westin's overbooking limits. For any day where the overbooking limit has changed since the last time the optimization job has run, the system will generate messages to be sent to the CRS.

These messages will include overbooking amounts at both the property and room type levels.

The table below details the overbookings sent in this example.

From Date	To Date	Level	Amount
04/06/2004	04/08/2004	Property	40
04/07/2004	04/09/2004	Property	30
04/09/2004	04/10/2004	Property	0
04/06/2004	04/08/2004	RoomType KNS	10
05/01/2004	05/04/2004	RoomType DDS	20
04/10/2004	04/18/2004	RoomType CLBK	15

OTA_HotelAvailNotifRQ6.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelAvailNotifRQ xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://www.opentravel.org/OTA/2003/05"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelAvailNotifRQ.xsd"
TimeStamp="2004-05-01T06:39:09" Target="Production" Version="1.002">
  <AvailStatusMessages ChainCode="SW" BrandCode="WI" HotelCode="00000" HotelName="The
Westin">
    <AvailStatusMessage BookingLimit="40" BookingLimitMessageType="AdjustLimit">
      <StatusApplicationControl Start="2004-04-06" End="2004-04-07">
        </StatusApplicationControl>
      <UniqueID Type="16" ID="1">
        </UniqueID>
      </AvailStatusMessage>
    <AvailStatusMessage BookingLimit="30" BookingLimitMessageType="AdjustLimit">
      <StatusApplicationControl Start="2004-04-07" End="2004-04-09">
        </StatusApplicationControl>
      <UniqueID Type="16" ID="2">
        </UniqueID>
      </AvailStatusMessage>
    <AvailStatusMessage BookingLimit="0" BookingLimitMessageType="AdjustLimit">
      <StatusApplicationControl Start="2004-04-09" End="2004-04-10">
        </StatusApplicationControl>
      <UniqueID Type="16" ID="3">
        </UniqueID>
      </AvailStatusMessage>
    <AvailStatusMessage BookingLimit="10" BookingLimitMessageType="AdjustLimit">
      <StatusApplicationControl Start="2004-04-06" End="2004-04-08" InvCode="KNS">
        </StatusApplicationControl>
      <UniqueID Type="16" ID="4">
        </UniqueID>
      </AvailStatusMessage>
    <AvailStatusMessage BookingLimit="20" BookingLimitMessageType="AdjustLimit">
      <StatusApplicationControl Start="2004-05-01" End="2004-05-04" InvCode="DDS">
        </StatusApplicationControl>
      <UniqueID Type="16" ID="5">
        </UniqueID>
      </AvailStatusMessage>
    <AvailStatusMessage BookingLimit="15" BookingLimitMessageType="AdjustLimit">
      <StatusApplicationControl Start="2004-04-10" End="2004-04-18" InvCode="CLBS">
        </StatusApplicationControl>
      <UniqueID Type="16" ID="6">
        </UniqueID>
      </AvailStatusMessage>
    </AvailStatusMessages>
  </OTA_HotelAvailNotifRQ>
```

9.2.4.2. Response: Acknowledge Overbooking Limit

The CRS returns an acknowledgement that the message was received without any errors or warnings.

OTA_HotelAvailNotifRS4.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelAvailNotifRS xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://www.opentravel.org/OTA/2003/05"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_HotelAvailNotifRS.xsd" EchoToken="String" TimeStamp="2004-04-14T09:42:26"
Target="Production" Version="1.001">
  <Success/>
</OTA_HotelAvailNotifRS>
```

9.3. OTA_HotelBookingRuleRQ/RS *

The Hotel Booking Rule request message provides the capability to request the rules and usage requirements of a rate for a specific room type or booking code for a specific hotel property. This message provides customers pertinent information which is integral to the hotel booking process. The booking rule is generally requested after the availability for a property has been requested and may be done prior to the booking in order to see the usage requirements and restrictions associated with a room type or booking code. This message may also be used to request the rules for an existing reservation by including the hotel confirmation number in the request.

The Hotel Booking Rule response message will provide the detailed rule information.

9.3.1. Use Case 1

9.3.1.1. Request

Ms. Bentley needs to book a room at the Sleep Well hotel in Orlando for a trip to Disney World with her daughter for March 20-23. She has seen a hotel on a website and wants to check on the booking rules for the hotel for booking code N1KRAC. Ms. Bentley requests this information by sending the following info:

- Chain code – XX
- Property code – 53291
- Check in – May 20
- Check out – May 23
- Booking code – N1KRAC
- Number of adults – 1
- Number of children – 1

OTA_HotelBookingRuleRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelBookingRuleRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelBookingRuleRQ.xsd"
EchoToken="12345671" TimeStamp="2006-05-02T09:30:47-05:00" Target="Production" Version="1.000">
  <POS>
    <Source>
      <RequestorID Type="13" ID="4258"/>
      <!--Type 13=Internet broker-->
      <BookingChannel Type="7">
        <!--Type 7=Internet-->
        <CompanyName CompanyShortName="Travel The World"/>
      </BookingChannel>
    </Source>
  </POS>
```

```
<RuleMessage ChainCode="DW" HotelCode="53291">
  <StatusApplication Start="2006-05-20" End="2006-05-23" InvTypeCode="N2DRAC"/>
  <GuestCounts>
    <GuestCount AgeQualifyingCode="10" Count="1"/>
    <!--AgeQualifyingCode 10=Adult-->
    <GuestCount AgeQualifyingCode="8" Count="1"/>
    <!--AgeQualifyingCode 8=Child-->
  </GuestCounts>
</RuleMessage>
</OTA_HotelBookingRuleRQ>
```

9.3.1.2. Response

In response to her request the following information is returned:

Property code – 53291

Property name – Sleep Well

Postal zip code – 32189

State code - FL

Check in 20 May

Check out 23 May

Number of persons – 2

Booking code – N1KRAC

Rate – 99.00 USD per night starting May 20 for 2 nights

109.00 USD per night starting May 22 for 1 night

Room rate detail – includes all known taxes/fees/surcharges

Tax information

9.5 Percent St Tx per Nt beg 20 March for 3 nights

5 Percent Cty Tx per stay

3.00 USD Cty Htl fee per stay per person

2 Percent Cnty Tx per stay

8 Percent Fed Tx per stay

3.00 USD Energy Chg per NT

Total amount per stay 397.17 USD

Description 2DBeds best available rate

Traditional room 2 phones W Data Port, ergonomic chair large desk, coffee tea maker

Newly renovated spacious room with all amenities

For business or leisure traveler

Rules

Adv booking – 14 days

Guarantee required – major credit cards

CC's accepted – AX, CB, DC, DI, EC, ER, MC, VI, XS

Cancel by 6PM 0 days prior to avoid 1 nights penalty

Deposit – due 7 days prior to arrival, 100% of 1 nights rate including tax

Mail to: Sleep Well

2234 Orange Grove Lane

Orlando, FL 32189

Minimum length of stay – 1 day

Maximum length of stay – 31 days

Property has 198 rooms on 4 floors

Property location – centrally located between Orland airport and Disney World.

OTA_HotelBookingRuleRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelBookingRuleRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelBookingRuleRS.xsd"
EchoToken="12345671" TimeStamp="2005-05-02T09:30:47-05:00" Target="Production" Version="1.000">
  <Success/>
  <RuleMessage ChainCode="DW" HotelCode="53291" HotelName="Sleep Well" StateProv="FL"
PostalCode="32830">
    <StatusApplication Start="2006-05-20" End="2006-05-23" InvTypeCode="N2DRAC">
      <RoomRates>
        <RoomRate Amount="99.00" CurrencyCode="USD" Start="2006-05-20" Duration="P2D">
          </RoomRate>
        <RoomRate Amount="109.00" CurrencyCode="USD" Start="2006-05-22" Duration="P1D">
          </RoomRate>
        <RoomRate Amount="397.17" CurrencyCode="USD">
          <RateDescription>
            <Text>Total amount per stay</Text>
          </RateDescription>
        </RoomRate>
        <RoomRate>
          <RateDescription>
            <Text>Excludes taxes/fees/surcharges</Text>
            <Text>2DBeds best available rate.</Text>
          </RateDescription>
        </RoomRate>
      </RoomRates>
    </StatusApplication>
  </RuleMessage>
</OTA_HotelBookingRuleRS>
```

```

        <Text>Traditional room 2 phones W Data Port, ergonomic chair large desk, coffee tea
maker.</Text>
        <Text>Newly renovated spacious room with all amenities</Text>
        <Text>For business or leisure traveler</Text>
    </RateDescription>
    </RoomRate>
</RoomRates>
</StatusApplication>
<GuestCounts>
    <GuestCount AgeQualifyingCode="10" Count="1"/>
    <!--AgeQualifyingCode 10=Adult-->
</GuestCounts>
<BookingRules>
    <BookingRule MinAdvancedBookingOffset="P14D">
        <AcceptableGuarantees>
            <AcceptableGuarantee GuaranteePolicyType="GuaranteesRequired">
                <Comments>
                    <Comment>
                        <Text>Major credit cards</Text>
                    </Comment>
                </Comments>
            </AcceptableGuarantee>
        </AcceptableGuarantees>
        <CancelPenalties CancelPolicyIndicator="true">
            <CancelPenalty>
                <Deadline AbsoluteDeadline="18:00:00" OffsetTimeUnit="Day"
OffsetUnitMultiplier="0" OffsetDropTime="BeforeArrival"/>
                <AmountPercent NmbrOfNights="1" BasisType="Nights"/>
            </CancelPenalty>
        </CancelPenalties>
        <RequiredPaymts>
            <GuaranteePayment PaymentCode="31">
                <!--PaymentCode 31=Guarantee-->
            <AcceptedPayments>
                <AcceptedPayment>
                    <PaymentCard CardType="1" CardCode="AX"/>
                    <!--CardType 1=CreditCard-->
                </AcceptedPayment>
                <AcceptedPayment>
                    <PaymentCard CardType="1" CardCode="CB"/>
                    <!--CardType 1=CreditCard-->
                </AcceptedPayment>
                <AcceptedPayment>
                    <PaymentCard CardType="1" CardCode="DC"/>
                    <!--CardType 1=CreditCard-->
                </AcceptedPayment>
                <AcceptedPayment>
                    <PaymentCard CardType="1" CardCode="DI"/>
                    <!--CardType 1=CreditCard-->
                </AcceptedPayment>
                <AcceptedPayment>
                    <PaymentCard CardType="1" CardCode="EC"/>
                    <!--CardType 1=CreditCard-->
                </AcceptedPayment>
            </AcceptedPayments>
        </RequiredPaymts>
    </BookingRule>
</BookingRules>

```

```

        <PaymentCard CardType="1" CardCode="ER"/>
        <!--CardType 1=CreditCard-->
    </AcceptedPayment>
    <AcceptedPayment>
        <PaymentCard CardType="1" CardCode="MC"/>
        <!--CardType 1=CreditCard-->
    </AcceptedPayment>
    <AcceptedPayment>
        <PaymentCard CardType="1" CardCode="VI"/>
        <!--CardType 1=CreditCard-->
    </AcceptedPayment>
    <AcceptedPayment>
        <PaymentCard CardType="1" CardCode="XS"/>
        <!--CardType 1=CreditCard-->
    </AcceptedPayment>
</AcceptedPayments>
</GuaranteePayment>
<GuaranteePayment PaymentCode="8">
    <!--PaymentCode 8=Deposit-->
    <AmountPercent TaxInclusive="true" NmbrOfNights="1" Percent="100"/>
    <Deadline OffsetTimeUnit="Day" OffsetUnitMultiplier="7"
OffsetDropTime="BeforeArrival"/>
    <Address FormattedInd="false">
        <AddressLine>Sleep Well</AddressLine>
        <AddressLine>2234 Orange Grove Lane</AddressLine>
        <AddressLine>Orlando, FL 32830</AddressLine>
    </Address>
</GuaranteePayment>
<GuaranteePayment>
    <AmountPercent>
        <Taxes>
            <Tax Code="15" Percent="9.5" ChargeUnit="12"/>
            <!--Code 15=StateTax-->
            <!--ChargeUnit 12=PerStay-->
            <Tax Code="3" Percent="5" ChargeUnit="12"/>
            <!--Code 3=CityTax-->
            <!--ChargeUnit 12=PerStay-->
            <Tax Code="2" Amount="3.00" CurrencyCode="USD" ChargeUnit="20"/>
            <!--Code 2=CityHotelFee-->
            <!--ChargeUnit 20=PerPersonPerStay-->
            <Tax Code="4" Percent="2" ChargeUnit="12"/>
            <!--Code 4=CountyTax-->
            <!--ChargeUnit 12=PerStay-->
            <Tax Code="6" Percent="8" ChargeUnit="12"/>
            <!--Code 6=FederalTax-->
            <!--ChargeUnit 12=PerStay-->
            <Tax Code="5" Amount="3.00" CurrencyCode="USD" ChargeUnit="19"/>
            <!--Code 5=EnergyTax-->
            <!--ChargeUnit 19=PerRoomPerNight-->
        </Taxes>
    </AmountPercent>
</GuaranteePayment>
</RequiredPaymts>
<LengthsOfStay>
    <LengthOfStay Time="1" TimeUnit="Day" MinMaxMessageType="MinLOS"/>

```

```

        <LengthOfStay Time="31" TimeUnit="Day" MinMaxMessageType="MaxLOS"/>
    </LengthsOfStay>
    <Description>
        <Text>Property has 198 rooms on 4 floors</Text>
        <Text>Property location - centrally located between Orlando airport and Disney
World</Text>
    </Description>
</BookingRule>
</BookingRules>
</RuleMessage>
</OTA_HotelBookingRuleRS>

```

9.4. OTA_HotelBookingRuleNotifRQ/RS

The Hotel Booking Rule Notification message communicates the rules and restrictions associated with the general availability or rates at a hotel to a booking source. The application of a booking rule may narrow the availability of inventory at a specific hotel property. For example, a hotel may be accepting reservations for a two-night or three-night stay, but will not accept a reservation for a one-night stay. This situation may be driven by the use of a yield management system that affects the availability of a specific rate at a given time. The Booking Rule Notification message is often sent in conjunction with two other messages: the Availability Notification that communicates the status of availability at a specific hotel property, and the Rate Amount Notification message that communicates the rates that the booking restrictions must be applied to.

The Booking Rule Notification message uses the StatusApplicationControl to indicate the inventory block, rate plan or inventory code to which the booking rules apply. Each BookingRule is potentially a set of different types of booking restrictions. The attributes InventoryCodeType, RatePlanCodeType, and InventoryBlockCodeType determine whether the message involves a single code, or a grouping of codes. In addition, the booking restrictions that apply to each individual rate may include such factors as a minimum length of stay (LOS), or specific days of the week that they are applicable (DOW_Pattern).

This message may be used to define multiple rules and restrictions applied to a rate plan. For example, it can set absolute dates during which a restriction is to be applied. Alternatively, a Booking Rule can define the minimum offset of time as well as the maximum offset of time required prior to a guest's arrival defining when a restriction is to be applied, or during which a booking can be made. The minimum and maximum advance requirements are not mutually exclusive, and can be used in combination. The Absolute Deadline and/or the Advance Booking attributes may be used to set applicable restrictions to booking dates.

The Booking Rule Notification message can be used to communicate the types of guarantees that are accepted for a booking, to indicate whether a reservation can be modified or cancelled, and if a refund of a deposit is allowed in the case of a cancellation. The GuaranteeType is an enumerated type that indicates whether a guarantee is required, or if it is required, the form of the guarantee, such as a credit card, debit card or voucher. In some cases, an actual deposit is required. In

other cases, supplying a Profile, that provides the identification of a frequent guest by membership or loyalty program number, may be sufficient for a guarantee.

The CancelPenalties element defines a collection of restrictions and policies for payments made to a hotel in case of cancellation. It is also used to specify the cancellation fee or penalties imposed by the booking restrictions that would be applied when a reservation is NOT canceled, as in the case of a no-show. Cancellation penalties may be applied within a specified time frame either prior to arrival, or after the booking has been made. Likewise, the Required Payments element is used to specify a payment obligation, such as a deposit due, along with the deadline for the payment. The RetributionType indicates the action taken when the deadline has been exceeded, such as cancellation of a reservation when a required payment is not made.

9.4.1. Use Case 1 (TBD)

TBD

9.4.1.1. Request: Hotel Booking Rule Notification

TBD

OTA_HotelBookingRuleNotifRQ.xml

TBD

9.4.1.2. Response: Hotel Booking Rule Notification

TBD

OTA_HotelBookingRuleNotifRS.xml

TBD

9.5. OTA_HotelCommNotifRQ/RS

The Commission Notification message supports the functionality of updating other systems with commissions to be paid. The message pair assumes a push model, with the reporting system (typically a Property Management System – PMS) pushing the data to the Management Company or Central Reservation Office that is responsible for paying the commissions, or one of these entities pushing the data to a consolidator contracted to pay commissions.

In the push model, the requesting system will send a report using the OTA_HotelCommNotifRQ message. The responding system will acknowledge its receipt of that report using the OTA_HotelCommNotifRS message. All

message responses include the request identification. Responses may be returned in any order.

9.5.1. Use Case 1

9.5.1.1. Request: Hotel Commissions Notification

As part of the night audit process the Owotonna Stay Here Hotel sends a commission report from its Property Management System (PMS) to its Travel Agency Commission System (TACS). It is from the TACS system that travel agency commissions for all of the Stay Here Hotels are processed.

On the night of Wednesday, October 12th, 2005, the Owotonna Stay Here Hotel sent the following data from PMS to TACS via the OTA_HotelCommNotifRQ message:

Record Number	Confirmation Number	IATA Number	Guest Surname	Commission Amount	Commission Status
00001	61267893	106323222	Berman	18.90	Full
00002	67298829	259878745	Tilghman	22.90	Full
00003	60098893	504828737	Baker	0.00	No-Show
00004	64389022	392889388	Trammell	18.90	Partial
00005	62009238	123200393	Barrow	68.70	Full
00006	69237892	293837723	Oster	45.80	Full
00007	61432993	988371132	Granger	0.00	Non-Paying
00008	67980022	000287373	McLaughlin	22.90	Full
00009	69011923	910388331	Corcoran	0.00	No-Show

OTA_HotelCommNotifRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelCommNotifRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelCommNotifRQ.xsd" TimeStamp="2005-10-12T23:30:47-05:00" Target="Production" Version="1.004" PrimaryLangID="en-us">
  <CommissionEvents>
    <CommissionEvent Start="2005-09-30" ConfirmationID="00001" ReservationID="61267893">
      <Commissions>
        <Commission StatusType="Full">
          <UniqueID Type="5" ID="106323222" ID_Context="IATA"/>
          <!--Type value of 5 indicates this is a Travel Agency ID-->
          <CommissionPayableAmount Amount="18.90" CurrencyCode="USD"/>
        </Commission>
      </Commissions>
      <GuestNames>
```

```
<GuestName>
  <Surname>Berman</Surname>
</GuestName>
</GuestNames>
<HotelReference HotelCode="OWASH"/>
</CommissionEvent>
<CommissionEvent Start="2005-09-30" ConfirmationID="00002" ReservationID="67298829">
  <Commissions>
    <Commission StatusType="Full">
      <UniqueID Type="5" ID="259878745" ID_Context="IATA"/>
      <!--The Type value of 5 indicates this is a Travel Agency ID-->
      <CommissionPayableAmount Amount="22.90" CurrencyCode="USD"/>
    </Commission>
  </Commissions>
  <GuestNames>
    <GuestName>
      <Surname>Tilghman</Surname>
    </GuestName>
  </GuestNames>
  <HotelReference HotelCode="OWASH"/>
</CommissionEvent>
<CommissionEvent Start="2005-09-30" ConfirmationID="00003" ReservationID="60098893">
  <Commissions>
    <Commission StatusType="No-show">
      <UniqueID Type="5" ID="504828737" ID_Context="IATA"/>
      <!--The Type value of 5 indicates this is a Travel Agency ID-->
      <CommissionPayableAmount Amount="0.00" CurrencyCode="USD"/>
    </Commission>
  </Commissions>
  <GuestNames>
    <GuestName>
      <Surname>Baker</Surname>
    </GuestName>
  </GuestNames>
  <HotelReference HotelCode="OWASH"/>
</CommissionEvent>
<CommissionEvent Start="2005-09-30" ConfirmationID="00004" ReservationID="64389022">
  <Commissions>
    <Commission StatusType="Partial">
      <UniqueID Type="5" ID="392889388" ID_Context="IATA"/>
      <!--The Type value of 5 indicates this is a Travel Agency ID-->
      <CommissionPayableAmount Amount="18.90" CurrencyCode="USD"/>
    </Commission>
  </Commissions>
  <GuestNames>
    <GuestName>
      <Surname>Trammell</Surname>
    </GuestName>
  </GuestNames>
  <HotelReference HotelCode="OWASH"/>
</CommissionEvent>
<CommissionEvent Start="2005-09-30" ConfirmationID="00005" ReservationID="62009238">
  <Commissions>
    <Commission StatusType="Full">
      <UniqueID Type="5" ID="123200393" ID_Context="IATA"/>
      <!--Code value of 5 indicates this is a Travel Agency ID-->
      <CommissionPayableAmount Amount="68.70" CurrencyCode="USD"/>
    </Commission>
  </Commissions>
  <GuestNames>
    <GuestName>
      <Surname>Barrow</Surname>
    </GuestName>
  </GuestNames>
  <HotelReference HotelCode="OWASH"/>
</CommissionEvent>
```

```

<CommissionEvent Start="2005-09-30" ConfirmationID="00006" ReservationID="69237892">
  <Commissions>
    <Commission StatusType="Full">
      <UniqueID Type="5" ID="293837723" ID_Context="IATA"/>
      <!--The Type value of 5 indicates this is a Travel Agency ID-->
      <CommissionPayableAmount Amount="45.80" CurrencyCode="USD"/>
    </Commission>
  </Commissions>
  <GuestNames>
    <GuestName>
      <Surname>Oster</Surname>
    </GuestName>
  </GuestNames>
  <HotelReference HotelCode="OWASH"/>
</CommissionEvent>
<CommissionEvent Start="2005-09-30" ConfirmationID="00007" ReservationID="61432993">
  <Commissions>
    <Commission StatusType="Non-paying">
      <UniqueID Type="5" ID="988371132" ID_Context="IATA"/>
      <!--The Type value of 5 indicates this is a Travel Agency ID-->
      <CommissionPayableAmount Amount="0.00" CurrencyCode="USD"/>
    </Commission>
  </Commissions>
  <GuestNames>
    <GuestName>
      <Surname>Granger</Surname>
    </GuestName>
  </GuestNames>
  <HotelReference HotelCode="OWASH"/>
</CommissionEvent>
<CommissionEvent Start="2005-09-30" ConfirmationID="00008" ReservationID="67980022">
  <Commissions>
    <Commission StatusType="Full">
      <UniqueID Type="5" ID="000287373" ID_Context="IATA"/>
      <!--The Type value of 5 indicates this is a Travel Agency ID-->
      <CommissionPayableAmount Amount="22.90" CurrencyCode="USD"/>
    </Commission>
  </Commissions>
  <GuestNames>
    <GuestName>
      <Surname>McLaughlin</Surname>
    </GuestName>
  </GuestNames>
  <HotelReference HotelCode="OWASH"/>
</CommissionEvent>
<CommissionEvent Start="2005-09-30" ConfirmationID="00009" ReservationID="69011923">
  <Commissions>
    <Commission StatusType="No-show">
      <UniqueID Type="5" ID="910388331" ID_Context="IATA"/>
      <!--The Type value of 5 indicates this is a Travel Agency ID-->
      <CommissionPayableAmount Amount="0.00" CurrencyCode="USD"/>
    </Commission>
  </Commissions>
  <GuestNames>
    <GuestName>
      <Surname>Corcoran</Surname>
    </GuestName>
  </GuestNames>
  <HotelReference HotelCode="OWASH"/>
</CommissionEvent>
</CommissionEvents>
</OTA_HotelCommNotifRQ>

```

9.5.1.2. Response: Hotel Commissions Notification

The TACS system responded back via the OTA_HotelCommNotifRS message that the request message was successfully received.

OTA_HotelCommNotifRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelCommNotifRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelCommNotifRS.xsd" TimeStamp="2005-10-12T23:31:22-05:00" Target="Production" Version="1.003" PrimaryLangID="en-us">
  <Success/>
</OTA_HotelCommNotifRS>
```

9.6. OTA_HotelDescriptiveContentNotifRQ/RS

The Hotel Descriptive Content Notification is a broadcast message used to publicize detailed descriptive information about a hotel property by standardized data categories. Likewise, static information about a hotel property can be obtained by using the Hotel Search Request and/or Hotel Availability Request to search by category, using codes agreed upon between trading partners to request more detail about a hotel.

The Hotel Descriptive Content interface enables hotel data to be accessed in both a push and pull format in order to avoid storing the data at multiple locations. In most cases, the hotel property is the owner of the data and is in charge of updating it, and sends out a broadcast message as a full overlay replacing previous information or a partial update message modification to make changes to portions of the data, using the <OTA_HotelDescriptiveContentNotifRQ>.

When a new hotel opens for business, the complete descriptive information used to advertise and sell the hotel's property and services is broadcast in a standardized format to a negotiated distribution list. In this initial broadcast of property information, the sending system will be pushing out an enormous quantity of information. The PMS and remote systems must be able to buffer messages during any downtime. It is presumed that the system would continue to republish subsequent updates as necessary if a subscriber is unable to be contacted.

In the hotel environment, when a guest wishes to book a hotel, two basic search criteria often include the location of the hotel, and the price of the rooms. Beyond this, many factors can influence the guest's ultimate choice when booking a reservation. To assist the guest in making his/her choice, a booking agent looks further for descriptive information about a hotel, such as describing recreational or business services, or the hotel facilities or amenities. In many cases, the description of hotel static information may be more valuable than a percentage or weighting number given by the responding system in response to the hotel search. The Hotel Descriptive Content Specification defines the categories and fields that will allow the agent to search by code to answer the myriad of specific needs of the guest.

The descriptive content data is structured by categories of text data, and enables a query using a category code -either published by the OpenTravel Alliance or as agreed upon between trading partners. The transaction for pulling hotel data in granular sections using the Hotel Search Request <OTA_HotelSearchRQ> is the Search Criterion *Type*="CodeRef". When performing an availability query using the message, <OTA_HotelAvailRQ>, the element <SearchCodes> can include multiple <CodeRef> elements to obtain detailed information. The data returned is determined by the category code sent in the request. A detailed query response may return a collection of descriptive content for each category.

9.6.1. Use Case 1

9.6.1.1. Request: Hotel Descriptive Content Notification

Marriott International has a marketing relationship with HotelsULuv, which keeps a database of hotel property information for its online booking service. Marriott has already sent a download of property data for all of its hotels to HotelsULuv; so that HotelsULuv has the complete set in its database. However, a few changes have just been made to the property data for the Boston Marriott Copley Place Hotel, and Marriott must resend all of the information for this hotel to HotelsULuv.

OTA_HotelDescriptiveContentNotifRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelDescriptiveContentNotifRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelDescriptiveContentNotifRQ.xsd"
  Version="2.001">
  <HotelDescriptiveContents>
    <HotelDescriptiveContent BrandCode="MHRS" BrandName="Marriott Hotels & Resorts"
      CurrencyCode="USD" HotelCode="BOSCO" HotelName="Boston Marriott Copley Place" LanguageCode="EN">
      <HotelInfo HotelStatus="Open" LastUpdated="2005-01-14T09:57:59" Start="1984-05-19"
        WhenBuilt="1984">
        <CategoryCodes>
          <LocationCategory Code="3" CodeDetail="Location Type: City"/>
          <!--Code 3 = City from OTA Code Table LOC-->
        </CategoryCodes>
        <Descriptions>
          <Renovation ImmediatePlans="false" PercentOfRenovationCompleted="100"/>
          <Renovation>
            <Description Name="Renovation Area Completion Date 1">
              <Text>2000-02-13</Text>
            </Description>
          </Renovation>
          <Renovation>
            <Description Name="Renovation Area Description 2">
              <Text>Guest Rooms</Text>
            </Description>
          </Renovation>
          <Renovation>
          </Renovation>
        </Descriptions>
      </HotelInfo>
    </HotelDescriptiveContent>
  </HotelDescriptiveContents>
</OTA_HotelDescriptiveContentNotifRQ>
```

<Description Name="Renovation Area Completion Date 2">
 <Text>2002-10-01</Text>
 </Description>
 </Renovation>
 <Description Name="Description">
 <Text>The Boston Marriott Copley Place Hotel is the perfect destination for business or pleasure. We're located in Boston's Back Bay, off the Mass. Trnpg. at Exit 22, 4 mi from Logan Airport, & in close proximity to subway.</Text>
 </Description>
 <Description Name="Property Description Long">
 <Text>The Boston Marriott Copley Place hotel is ideally located in Boston's Back Bay. This Copley Square hotel is easily accessible for business convenience. Centrally located in Copley Place for leisure activities. And technology-driven for dynamic meetings. For your trip to Boston, Massachusetts, the Copley Marriott is the perfect choice.</Text>
 </Description>
 <Description Name="Top Selling Feature 1">
 <Text>In Boston's historic Back Bay, just off the Massachusetts Turnpike; four miles from Logan Airport</Text>
 </Description>
 <Description Name="Top Selling Feature 2">
 <Text>1,147 rooms and suites, the largest hotel ballroom in the area, and 65,000 square feet of event room</Text>
 </Description>
 <Description Name="Property Service Level">
 <Text>Full Service</Text>
 </Description>
 <Description Name="Guest Room Highlights">
 <ListItem ListItem="1">
 Internet access
 </ListItem>
 <ListItem ListItem="2">
 "color TV with cable movies, in-room pay movies, Web TV and Gameboy
 </ListItem>
 <ListItem ListItem="3">
 and refrigerators
 </ListItem>
 </Description>
 <Description Name="Business/Group Highlights">
 <ListItem ListItem="1">
 & Service Team consistently awarded the highest Guest Satisfaction Scores
 </ListItem>
 <ListItem ListItem="2">
 the Gold Key Award and the Corporate & Incentive Travel Award of Excellence
 </ListItem>
 <ListItem ListItem="3">
 Exhibit Hall 22,500 square feet
 </ListItem>
 </Description>
 <Description Name="Property Social Event Meeting Highlight">
 <ListItem ListItem="1">

 </ListItem>
 <ListItem ListItem="2">

 </ListItem>
 <ListItem ListItem="3">

 </ListItem>

```

Event Services Staff
</ListItem>
</Description>
</Descriptions>
<Position Latitude="42.347996" Longitude="-71.07869"/>
<Services>
  <Service Code="103">
    <!--Code 103 = Multilingual staff from OTA Code Table HAC-->
    <Description Name="Language Spoken By Staff">
      <Text>Spanish, French, Vietnamese, English, Russian</Text>
    </Description>
  </Service>
  <Service Code="164">
    <!--Code 164 = Food and beverage outlets from OTA Code Table HAC-->
    <Description Name="Number of Food and Beverage Outlets">
      <Text>2</Text>
    </Description>
  </Service>
  <Service Code="165">
    <!--Code 165 = Lounges/bars from OTA Code Table HAC-->
    <Description Name="Number of Lounges/Bars">
      <Text>1</Text>
    </Description>
  </Service>
  <Service Code="63" CodeDetail="Fee">
    <!--Code 63 = Off-site parking from OTA Code Table HAC-->
    <RelativePosition Distance=".1" Name="Copley Place Garage"/>
  </Service>
  <Service Code="64" CodeDetail="Fee">
    <!--Code 64 = On-site parking from OTA Code Table HAC-->
    <OperationSchedules>
      <OperationSchedule>
        <Charge Amount="29" ChargeUnit="1"/>
        <!--Charge Unit 1 = Daily from OTA Code Table CHG-->
      </OperationSchedule>
    </OperationSchedules>
  </Service>
  <Service Code="97" CodeDetail="Fee">
    <!--Code 97 = Valet parking from OTA Code Table HAC-->
    <OperationSchedules>
      <OperationSchedule>
        <Charge Amount="37" ChargeUnit="1"/>
        <!--Charge Unit 1 = Daily from OTA Code Table CHG-->
      </OperationSchedule>
    </OperationSchedules>
  </Service>
  <Service Code="80">
    <!--Code 80 = Security from OTA Code Table HAC-->
    <Features>
      <Feature SecurityCode="2">
        <!--Security Code 2 = Address of nearest police station from OTA Code Table
SEC-->

        <Description Name="Address of Nearest Police Station">
          <Text>Area D, District 4, 7 Warren Ave.</Text>
        </Description>
      </Feature>
    </Features>
  </Service>

```

```

        </Feature>
        <Feature CodeDetail="Yes" SecurityCode="7"/>
        <!--Security Code 7 = Building meets all current local, state and country building
codes from OTA Code Table SEC-->
        <Feature SecurityCode="8"/>
        <!--Security Code 8 = Complies with Hotel/Motel Safety Act from OTA Code
Table SEC-->
        <Feature SecurityCode="75"/>
        <!--Security Code 75 = Basic medical equipment on site from OTA Code Table
SEC-->
        <Feature SecurityCode="9"/>
        <!--Security Code 9 = Complies with Local/State/Federal fire laws from OTA Code
Table SEC-->
        <Feature SecurityCode="11">
        <!--Security Code 11 = Distance to nearest police station from OTA Code
Table SEC-->
        <Description Name="Dist to Nearest Police Station">
        <Text>2</Text>
        </Description>
        </Feature>
        <Feature SecurityCode="12"/>
        <!--Security Code 12 = Doctor on call from OTA Code Table SEC-->
        <Feature CodeDetail="Yes" SecurityCode="15"/>
        <!--Security Code 15 = Emergency back-up generators from OTA Code Table SEC-
->
        <Feature SecurityCode="35">
        <!--Security Code 35 = Phone number of nearest police station from OTA
Code Table SEC-->
        <Description Name="Phone # of Nearest Police Station">
        <Text>343-4250</Text>
        </Description>
        </Feature>
    </Features>
</Service>
<Service Code="47">
    <!--Code 47 = Accessible facilities from OTA Code Table HAC-->
    <Features>
        <Feature AccessibleCode="3">
            <!--Accessible Code 3 = Bathroom vanity in guest rooms for disabled person
height from OTA Code Table PHY-->
            <Description Name="Bathroom Vanity in Guest rooms for wheel chaired
person height">
                <Text>32</Text>
            </Description>
        </Feature>
        <Feature AccessibleCode="18">
            <!--Accessible Code 18 = Lowered deadbolt in guest room for disabled
persons height (in inches) from OTA Code Table PHY-->
            <Description Name="Lowered Deadbolt in guestroom height (in inches)">
                <Text>39</Text>
            </Description>
        </Feature>
        <Feature AccessibleCode="25">
            <!--Accessible Code 25 = Other services for persons with disabilities from
OTA Code Table PHY-->
            <Description Name="Other Services Available for Disabled">

```

```

        <Text>The hotel does provide shower chairs for handicapped guests.
The beds in the hotel are not elevated any higher than a normal mattress height.</Text>
        </Description>
    </Feature>
    <Feature AccessibleCode="27">
        <!--Accessible Code 27 = Peephole in guest room for disabled person height
(in inches) from OTA Code Table PHY-->
        <Description Name="Peephole in guestroom height (in inches)">
            <Text>41</Text>
        </Description>
    </Feature>
    <Feature AccessibleCode="31">
        <!--Accessible Code 31 = Thermostat in guest room for disabled persons
height (in inches) from OTA Code Table PHY-->
        <Description Name="Thermostat in guestrms for wheel chaired person hts (in
inches)">
            <Text>36</Text>
        </Description>
    </Feature>
    <Feature AccessibleCode="37">
        <!--Accessible Code 37 = Which floors have handicapped rooms from OTA
Code Table PHY-->
        <Description Name="Floors with Handicapped Rooms">
            <Text>yes</Text>
        </Description>
    </Feature>
    <Feature AccessibleCode="41">
        <!--Accessible Code 41 = Light switches in guest rooms for disabled persons
height (inches) from OTA Code Table PHY-->
        <Description Name="Light Switches in guestrms for WCP hts (in inches)">
            <Text>39</Text>
        </Description>
    </Feature>
</Features>
</Service>
</Services>
</HotelInfo>
<FacilityInfo LastUpdated="2004-12-04T16:00:12">
    <MeetingRooms LargestRoomSpace="23431" LargestSeatingCapacity="3640"
MeetingRoomCount="1" TotalRoomSpace="65000" UnitOfMeasure="Square Feet">
        <MeetingRoom Irregular="false" RoomName="Grand Ballroom">
            <Dimension Area="23431" Height="18.1" Length="108" Width="221"/>
        <AvailableCapacities>
            <MeetingRoomCapacity MeetingRoomFormatCode="1">
                <!--Meeting Room Format Code 1 = Banquet from OTA Code Table MRF-->
                <Occupancy MaxOccupancy="1990"/>
            </MeetingRoomCapacity>
            <MeetingRoomCapacity MeetingRoomFormatCode="2">
                <!--Meeting Room Format Code 2 = Classroom from OTA Code Table MRF--
>
                <Occupancy MaxOccupancy="1866"/>
            </MeetingRoomCapacity>
            <MeetingRoomCapacity MeetingRoomFormatCode="5">
                <!--Meeting Room Format Code 5 = Theatre from OTA Code Table MRF-->
                <Occupancy MaxOccupancy="3138"/>
            </MeetingRoomCapacity>
        </AvailableCapacities>
    </MeetingRoom>

```

```

        <MeetingRoomCapacity MeetingRoomFormatCode="7">
            <!--Meeting Room Format Code 7 = Reception from OTA Code Table MRF--
>
            <Occupancy MaxOccupancy="3640"/>
            </MeetingRoomCapacity>
        </AvailableCapacities>
    </MeetingRoom>
    <Codes>
        <Code Code="92">
            <!--Code 92 = Other equipment and facilities from OTA Code Table MRC-->
            <Description Name="Other Equipment & Facilities Available in Meeting
Room">
                <Text>Red Coat Program, Event Services Hotline</Text>
            </Description>
        </Code>
    </Codes>
</MeetingRooms>
<GuestRooms>
    <GuestRoom>
        <Amenities>
            <Amenity RoomAmenityCode="11">
                <!--Room Amenity Code 11 = Bathroom amenities from OTA Code Table
RMA-->
                    <Description Name="Bathroom Amenities">
                        <Text>Soap, shampoo, rinse, shower cap, lotions</Text>
                    </Description>
                </Amenity>
            </Amenities>
        </GuestRoom>
        <GuestRoom CodeContext="MARSHA Room Type" MaxOccupancy="5"
NonsmokingQuantity="923" Quantity="1033" RoomTypeName="General Rooms">
            <Description Name="Sort Order">
                <Text>1</Text>
            </Description>
            <Description Name="Features of Room Type">
                <Text>GENR Standard 1 King Bed/or 2 Dbl beds, Coffee Maker, Hair Dryer, Desk
w/ chair</Text>
            </Description>
        </GuestRoom>
        <GuestRoom CodeContext="MARSHA Room Type" MaxOccupancy="5"
NonsmokingQuantity="58" Quantity="67" RoomTypeName="Concierge">
            <Description Name="Sort Order">
                <Text>2</Text>
            </Description>
            <Description Name="Features of Room Type">
                <Text>CONC Concierge Upgraded Amenities & Private Lounge, 1 King bed
or 2 Double beds</Text>
            </Description>
        </GuestRoom>
    </GuestRooms>
</Restaurants>
    <Restaurant OfferBreakfast="true" OfferDinner="true" OfferLunch="true"
RestaurantName="Gourmeli"s (Casual)>
        <RestaurantDescription Attire="Casual" Name="Sort Order">
            <Text>1</Text>
        </RestaurantDescription>

```

```

        <RestaurantDescription Name="Restaurant Short Description">
            <Text>Upscale family restaurant with daily theme buffets and both a la carte and
children&quot;s menus</Text>
        </RestaurantDescription>
        <RelativePosition Distance="0">
            <Transportations>
                <Transportation>
                    <Descriptions>
                        <Description Name="Restaurant Location">
                            <Text>Onsite</Text>
                        </Description>
                    </Descriptions>
                </Transportation>
            </Transportations>
        </RelativePosition>
        <OperationSchedules>
            <OperationSchedule>
                <OperationTimes>
                    <OperationTime End="14:00:00" Fri="true" Mon="true" Sat="true"
Start="06:30:00" Sun="true" Thur="true" Tue="true" Weds="true"/>
                    <OperationTime End="22:00:00" Fri="true" Mon="true" Sat="true"
Start="17:00:00" Sun="true" Thur="true" Tue="true" Weds="true"/>
                </OperationTimes>
            </OperationSchedule>
        </OperationSchedules>
        <CuisineCodes>
            <CuisineCode Code="1" CodeDetail="American"/>
            <!--Code 1 = American from OTA Code Table CUI-->
        </CuisineCodes>
    </Restaurant>
    <Restaurant OfferBreakfast="false" OfferDinner="true" OfferLunch="false"
RestaurantName="The Terrace Bar">
        <RestaurantDescription Attire="Casual" Name="Sort Order">
            <Text>2</Text>
        </RestaurantDescription>
        <RestaurantDescription Name="Restaurant Short Description">
            <Text>A place to relax and enjoy drinks and light fare. Live entertainment on
Saturday Nights.</Text>
        </RestaurantDescription>
        <RelativePosition>
            <Transportations>
                <Transportation>
                    <Descriptions>
                        <Description Name="Restaurant Location">
                            <Text>Onsite</Text>
                        </Description>
                    </Descriptions>
                </Transportation>
            </Transportations>
        </RelativePosition>
        <OperationSchedules>
            <OperationSchedule>
                <OperationTimes>
                    <OperationTime End="12:00:00" Start="14:00:00" Sun="true"/>
                    <OperationTime End="12:00:00" Mon="true" Start="15:00:00"
Thur="true" Tue="true" Weds="true"/>

```

```

                                <OperationTime End="01:00:00" Fri="true" Sat="true"
Start="14:00:00"/>
                                </OperationTimes>
                                </OperationSchedule>
                                </OperationSchedules>
                                <CuisineCodes>
                                    <CuisineCode Code="52" CodeDetail="Other"/>
                                    <!--Code 52 = Other from OTA Code Table CUI-->
                                </CuisineCodes>
                                </Restaurant>
                                </Restaurants>
                                </FacilityInfo>
                                <Policies>
                                    <Policy>
                                        <CancelPolicy>
                                            <CancelPenalty>
                                                <PenaltyDescription Name="Cancellation Policy">
                                                    <Text>6:00 PM</Text>
                                                </PenaltyDescription>
                                            </CancelPenalty>
                                        </CancelPolicy>
                                        <GuaranteePaymentPolicy>
                                            <GuaranteePayment PaymentCode="2"/>
                                            <!--Payment Code 2 = Direct bill from OTA Code Table PMT-->
                                        </GuaranteePaymentPolicy>
                                        <PolicyInfoCodes>
                                            <PolicyInfoCode>
                                                <Description Name="Oversold - Phone Call Home/Business">
                                                    <Text>Y</Text>
                                                </Description>
                                            </PolicyInfoCode>
                                            <PolicyInfoCode Name="OversoldArrangeAccommodations"/>
                                            <PolicyInfoCode Name="OversoldPayOneNightRoom"/>
                                            <PolicyInfoCode Name="OversoldArrangeTransportation"/>
                                        </PolicyInfoCodes>
                                        <CheckoutCharges>
                                            <CheckoutCharge CodeDetail="Late Check-Out Available" Type="Late">
                                                <Description Name="Late Check-Out Fees">
                                                    <Text>00</Text>
                                                </Description>
                                            </CheckoutCharge>
                                        </CheckoutCharges>
                                        <PolicyInfo CheckInTime="16:00:00" CheckOutTime="12:00:00" KidsStayFree="true"
TotalGuestCount="5"/>
                                    </TaxPolicies>
                                    <TaxPolicy Amount="5" Code="7"/>
                                    <!--Code 7 = Food & beverage tax from OTA Code Table FTT-->
                                    <TaxPolicy Code="10" NightsForTaxExemptionQuantity="90" Percent="5.7"/>
                                    <!--Code 10 = Occupancy tax from OTA Code Table FTT-->
                                    <TaxPolicy Code="17" Percent="12.45"/>
                                    <!--Code 17 = Total tax from OTA Code Table FTT-->
                                    <TaxPolicy Amount="2.75" Code="27"/>
                                    <!--Code 27 = Miscellaneous from OTA Code Table FTT-->
                                </TaxPolicies>
                                </Policy>

```

```

</Policies>
<AreaInfo>
  <RefPoints>
    <RefPoint Distance=".3" IndexPointCode="3" Name="Expway, Route 93, Mass. Turnpike">
      <!--Index Point Code 3 = Highway from OTA Code Table IPC-->
      <Transportations>
        <Transportation>
          <Descriptions>
            <Description Name="Directions to Highway from Property">
              <Text>Please call the hotel for directions</Text>
            </Description>
          </Descriptions>
        </Transportation>
      </Transportations>
    </RefPoint>
  </RefPoints>
  <Attractions LastUpdated="2004-11-10T15:50:30">
    <Attraction AttractionCategoryCode="1" AttractionName="Boston" Code="BOS"
    CourtesyPhone="true">
      <!--Attraction Category Code 1 = Airport from OTA Code Table ACC-->
      <Contact>
        <Addresses>
          <Address>
            <CityName>BOSTON</CityName>
            <StateProv>MA</StateProv>
            <CountryName>US</CountryName>
          </Address>
        </Addresses>
        <Phones>
          <Phone PhoneLocationType="2" PhoneNumber="8002353426"
          PhoneTechType="1" PhoneUseType="5"/>
          <!--Phone Location Type 2 = Central reservations office from OTA Code
          Table PLT, Phone Tech Type 1 = Voice from OTA Code Table PTT, Phone Use Type 5 = Contact from OTA Code
          Table PUT-->
        </Phones>
      </Contact>
      <Description Name="Sort Order">
        <Text>1</Text>
      </Description>
      <Description Name="Airport Name/Code">
        <Text>Boston (BOS)</Text>
      </Description>
      <Description Name="Driving Instructions from Airport">
        <Text>East on Mass Turnpike (Route 90). Take the Copley Square exit which exits
        onto Stuart Street. At the first light turn left onto Dartmouth Street. At the next light turn left onto Huntington Avenue
        and stay in the left lane. At the light under the skybridge make a u-turn to the left. The hotel is in the right.</Text>
      </Description>
      <RefPoints>
        <RefPoint Direction="W" Distance="4">
          <Transportations>
            <Transportation Description="Drive Time to Airport"
            TransportationCode="5" TypicalTravelTime="20"/>
            <!--Transportation Code 5 = Car from OTA Code Table TRP-->
            <Transportation Amount="10" CodeDetail="Fee" Description="Shuttle
            Service from Airport" NotificationRequired="On Request" TransportationCode="17"/>
            <!--Transportation Code 17 = Shuttle from OTA Code Table TRP-->

```

```

        <Transportation Amount="1" Description="Subway from Airport to
Hotel Fee (one-way)" TransportationCode="18"/>
        <!--Transportation Code 18 = Subway from OTA Code Table TRP-->
        <Transportation Amount="30" Description="Estimated Taxi Fee (one-
way)" TransportationCode="20"/>
        <!--Transportation Code 20 = Taxi from OTA Code Table TRP-->
        <Transportation Amount="10" CodeDetail="On Request"
Description="Alternate Transportation Fee" TransportationCode="26">
        <!--Transportation Code 26 = Other or alternate from OTA Code
Table TRP-->
        <Descriptions>
            <Description Name="Alternate Transportation Name">
                <Text>Boston Hotels Shuttle</Text>
            </Description>
        </Descriptions>
        </Transportation>
        <Transportation Description="Drive Time to Airport in Rush Hour"
TransportationCode="27" TypicalTravelTime="30"/>
        <!--Transportation Code 27 = Car/rush hour from OTA Code Table TRP-
->
        <Transportation Amount="35" Description="Estimated Taxi Fee (one-
way) Rush Hour" TransportationCode="28"/>
        <!--Transportation Code 28 = Taxi/rush hour from OTA Code Table
TRP-->
    </Transportations>
    </RefPoint>
    </RefPoints>
    </Attraction>
    <Attraction AttractionCategoryCode="62" AttractionName="Quincy Market/Faneuil Hall">
        <!--Attraction Category Code 62 = Other from OTA Code Table ACC-->
        <Contact>
            <Addresses>
                <Address>
                    <CityName>Boston</CityName>
                    <StateProv>MA</StateProv>
                    <CountryName>USA</CountryName>
                </Address>
            </Addresses>
        </Contact>
        <RefPoints>
            <RefPoint Distance="1">
                <Transportations>
                    <Transportation CodeDetail="N/A" TransportationCode="17"/>
                    <!--Transportation Code 17 = Shuttle from OTA Code Table TRP-->
                </Transportations>
            </RefPoint>
        </RefPoints>
    </Attraction>
</Attractions>
<Recreations>
    <Recreation>
        <Description Name="Recreational Summary">
            <Text>Full health club with indoor pool and workout facilities. Nearby are many
jogging areas and other health facilities with more complete information available through our concierge. Golf and
tennis nearby.</Text>
        </Description>
    </Recreation>
</Recreations>

```

```

</Recreation>
<Recreation Code="36" CodeDetail="Onsite" Name="The Health Club">
  <!--Code 36 = Health club from OTA Code Table RST-->
  <OperationSchedules>
    <OperationSchedule>
      <OperationTimes>
        <OperationTime End="23:00:00" Fri="true" Mon="true"
Start="05:30:00" Thur="true" Tue="true" Weds="true"/>
        <OperationTime End="23:00:00" Sat="true" Start="06:00:00"
Sun="true"/>
      </OperationTimes>
    </OperationSchedule>
    <OperationSchedule>
      <Charge Amount="0"/>
    </OperationSchedule>
  </OperationSchedules>
  <RefPoints>
    <RefPoint Distance="0"/>
  </RefPoints>
  <Description Name="Sort Order">
    <Text>1</Text>
  </Description>
  <Description Name="Year fitness center equipment was most recently replaced">
    <Text>2000</Text>
  </Description>
  <Description Name="Fitness Center Type">
    <Text>EXTENSIVE</Text>
  </Description>
  <RecreationDetails>
    <RecreationDetail Code="35">
      <!--Code 35 = Classes available from OTA Code Table REC-->
      <Description Name="Fitness Classes">
        <Text>N/A</Text>
      </Description>
    </RecreationDetail>
    <RecreationDetail Code="41">
      <!--Code 41 = Services available from OTA Code Table REC-->
      <Description Name="Fitness Service">
        <Text>Massages</Text>
      </Description>
    </RecreationDetail>
  </RecreationDetails>
</Recreation>
<Recreation Code="122" Name="Indoor Pool">
  <!--Code 122 = Indoor pool from OTA Code Table RST-->
  <OperationSchedules>
    <OperationSchedule>
      <OperationTimes>
        <OperationTime End="23:00:00" Fri="true" Mon="true"
Start="05:30:00" Thur="true" Tue="true" Weds="true"/>
        <OperationTime End="23:00:00" Sat="true" Start="06:00:00"
Sun="true"/>
      </OperationTimes>
    </OperationSchedule>
  </OperationSchedules>

```

```

        <Description Name="Sort Order">
            <Text>1</Text>
        </Description>
        <RecreationDetails>
            <RecreationDetail Code="30" CodeDetail="Yes"/>
            <!--Code 30 = Heated pool from OTA Code Table REC-->
            <RecreationDetail Code="32">
                <!--Code 32 = Pool depth from OTA Code Table REC-->
                <Description Name="Swimming Pool Depth">
                    <Text>5" 6"</Text>
                </Description>
            </RecreationDetail>
            <RecreationDetail Code="40">
                <!--Code 40 = Restricted age for children without adult supervision from OTA
Code Table REC-->
                <Description Name="Restricted age for Children w/o Adult Supervision">
                    <Text>16</Text>
                </Description>
            </RecreationDetail>
            <RecreationDetail Code="43">
                <!--Code 43 = Towels available from OTA Code Table REC-->
                <Description Name="Towels Provided for Guest at Indoor Swimming Pool">
                    <Text>Yes</Text>
                </Description>
            </RecreationDetail>
            <RecreationDetail>
                <Description Name="Swimming Pool Location Indoor">
                    <Text>5th Floor</Text>
                </Description>
            </RecreationDetail>
        </RecreationDetails>
    </Recreation>
</Recreations>
</AreaInfo>
<AffiliationInfo LastUpdated="2004-12-18T15:50:43">
    <Awards>
        <Award Provider="AAA Rating (Diamonds)" Rating="3"/>
        <Award Provider="Mobil Rating (Stars)" Rating="3"/>
    </Awards>
</AffiliationInfo>
<ContactInfos>
    <ContactInfo ContactProfileType="Property Info">
        <Addresses>
            <Address UseType="7">
                <!--Use Type 7 = Physical from OTA Code Table AUT-->
                <AddressLine>110 Huntington Avenue</AddressLine>
                <CityName>Boston</CityName>
                <PostalCode>02116</PostalCode>
                <StateProv StateCode="MA"/>
                <CountryName>USA</CountryName>
            </Address>
        </Addresses>
        <Phones>
            <Phone PhoneLocationType="1" PhoneNumber="1-800-228-9290" PhoneTechType="1"
PhoneUseType="6"/>

```

```

        <!--Phone Location Type 1 = Brand reservations office from OTA Code Table PLT,
Phone Tech Type 1 = Voice from OTA Code Table PTT, Phone Use Type = 1 Emergency contact from OTA Code Table
PUT-->
        <Phone AreaCityCode="617" CountryAccessCode="1" PhoneLocationType="4"
PhoneNumber="236-5800" PhoneTechType="1" PhoneUseType="5"/>
        <!--Phone Location Type 4 = Property direct from OTA Code Table PLT, Phone Tech
Type 1 = Voice from OTA Code Table PTT, Phone Use Type 5 = Contact from OTA Code Table PUT-->
    </Phones>
</ContactInfo>
<ContactInfo ContactProfileType="Property Personnel">
    <Names>
        <Name>
            <GivenName>Richard</GivenName>
            <Surname>Grand</Surname>
            <JobTitle Type="Job Title">

        </JobTitle>
        </Name>
    </Names>
</ContactInfo>
</ContactInfos>
</HotelDescriptiveContent>
</HotelDescriptiveContents>
</OTA_HotelDescriptiveContentNotifRQ>

```

9.6.1.2. Response: Hotel Descriptive Content Notification

HotelsULuv responds to Marriott with an acknowledgement that the message was received.

OTA_HotelDescriptiveContentNotifRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelDescriptiveContentNotifRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelDescriptiveContentNotifRS.xsd"
Version="01" >
<Success/>
</OTA_HotelDescriptiveContentNotifRS>

```

9.6.2. Use Case 2

9.6.2.1. Request: Hilton sends digital asset files to WizCom along with hotel content in the OTA_HotelDescriptiveContentNotifRQ message

Hilton has recently updated many of their asset images and video files and needs to send these updated files to WizCom so that WizCom has the most current digital asset files. In addition to these digital assets, Hilton also needs to send hotel content updates using the OTA_HotelDescriptiveContentNotifRQ message. There are 10 digital asset files to be sent along with each file's metadata and/or attributes including image name, image dimensions, and content description. The files are made up of images and video files for one hotel's guest rooms,

restaurants, exterior, pool and fitness center, lobby, meeting rooms, and other common areas. These files are sent to WizCom with all the relevant information.

OTA_HotelDescriptiveContentNotifRQ2.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelDescriptiveContentNotifRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelDescriptiveContentNotifRQ.xsd"
Version="3.001">
  <HotelDescriptiveContents>
    <HotelDescriptiveContent BrandCode="MARS" BrandName="Company A Hotels" CurrencyCode="USD"
HotelCode="PROPA" HotelName="Property A Copley Place">
      <HotelInfo HotelStatus="Open" LastUpdated="2005-08-19T09:57:59" WhenBuilt="1984">
        <CategoryCodes>
          <LocationCategory Code="3"/>
        <!-- The LocationCategory attribute Code value of 3 indicates this is a City -->
        <CategoryCodes>
          <Descriptions>
            <Description Name="Hotel Description" RecordID="1" FileName="Exteriorshot.jpg"
ContentID="cid:A3EA77711E90183D4E62C9120A47C8E0" FileSize="234234" CreateDateTime="2005-08-
19T14:10:00.0Z" ContentCaption="Image-Exterior shot" MultimediaObjectHeight="10" MultimediaObjectWidth="5"
UnitOfMeasureCode="8" ContentCode="4" PictureCategoryCode="1" Version="1.0">
        <!-- The UnitOfMeasureCode value of 8 indicates this is Inches -->
        <!-- The ContentCode value of 4 indicates this is an Image-->
        <!-- The PictureCategoryCode value of 1 indicates this is an Exterior View-->
        <Text>The Property A Hotel is the perfect destination for business or pleasure. We are
located in Boston near the Mass. Turnpike at Exit 22, 4 miles from Logan Airport, in close proximity to the
subway.</Text>
      </Description>
      <Description Name="Hotel Description" RecordID="2" FileName="LobbyArea.mpg "
ContentID="cid:A3EA77711E4873D4E62C9120A98812" FileSize="501646" CreateDateTime="2005-08-
19T14:10:00.0Z" ContentCaption="Lobby area" UnitOfMeasureCode="12" ContentCode="10"
PictureCategoryCode="2" Version="1.1">
        <!-- The UnitOfMeasureCode value of 12 indicates that this is Gigabytes-->
        <!-- The ContentCode value of 10 indicates this is a Video Clip-->
        <!-- The PictureCategoryCode value of 2 indicates this is a Lobby View-->
      </Description>
    </Descriptions>
    <Position Latitude="42.347996" Longitude="-71.07869"/>
    <HotelInfo>
      <FacilityInfo LastUpdated="2004-12-04T16:00:12">
        <MeetingRooms LargestRoomSpace="23431" LargestSeatingCapacity="3640"
MeetingRoomCount="1" TotalRoomSpace="65000" UnitOfMeasure="Square Feet">
          <MeetingRoom Irregular="false" RoomName="Grand Ballroom">
            <Dimension Area="23431" Height="18.1" Length="108" Width="221"/>
            <AvailableCapacities>
              <MeetingRoomCapacity MeetingRoomFormatCode="1">
        <!-- The MeetingRoomFormatCode value of 1 indicates this is a Banquet -->
        <Occupancy MaxOccupancy="1990"/>
        </MeetingRoomCapacity>
        </AvailableCapacities>
        <Description Name="Meeting facilities" RecordID="3" FileName="Grandballroom.jpg
" ContentID="cid:A3EA77711E90183D4E62C9120A20A6548" FileSize="22364" CreateDateTime="2005-08-
19T14:10:00.0Z" ContentCaption="Grand ballroom" MultimediaObjectHeight="10" MultimediaObjectWidth="5"
UnitOfMeasureCode="8" ContentCode="4" PictureCategoryCode="9" Version="2.0">
        <!-- The UnitOfMeasureCode value of 8 indicates that this is Inches -->
        <!-- The ContentCode value of 4 indicates this is an Image-->
        <!-- The PictureCategoryCode value of 9 indicates this is a Ballroom-->
      </Description>
    </MeetingRoom>
  </MeetingRooms>
  <GuestRooms>
    <GuestRoom>
```

```

        <Amenities>
            <Amenity RoomAmenityCode="11">
                <!-- The RoomAmenityCode value of 11 indicates that this is Bathroom Amenities -->
                <Description Name="Bathroom Amenities" RecordID="4" FileName="
StandardBathroom.jpg " ContentID="cid:A3EA77711E90183D4E62C9120A206598" FileSize="12364"
CreateDateTime="2005-08-19T14:10:00.0Z" ContentCaption="Standard bathroom amenities"
MultimediaObjectHeight="15" MultimediaObjectWidth="7" UnitOfMeasureCode="8" ContentCode="4"
PictureCategoryCode="6" Version="2.0">
                <!-- The UnitOfMeasureCode value of 8 indicates that this is Inches -->
                <!-- The ContentCode value of 4 indicates that this is an Image-->
                <!-- The PictureCategoryCode value of 6 indicates that this is a Guest Room-->
                <Text>Soap, shampoo, rinse, shower cap, lotions</Text>
            </Description>
        </Amenity>
    </Amenities>
</GuestRoom>
    <GuestRoom CodeContext="MARSHA Room Type" MaxOccupancy="5"
NonsmokingQuantity="923" Quantity="1033" RoomTypeName="General Rooms">
        <Description Name="Features of Room Type" RecordID="5" FileName="
StandardSingle.jpg " ContentID="cid:A3EA77711E90183D4E62C9120A206599" FileSize="13654"
CreateDateTime="2005-08-19T14:10:00.0Z" ContentCaption="Standard single room" MultimediaObjectHeight="10"
MultimediaObjectWidth="7" UnitOfMeasureCode="8" ContentCode="4" PictureCategoryCode="6" Version="2.0">
        <!-- The UnitOfMeasureCode value of 8 indicates that this is Inches -->
        <!-- The ContentCode value of 4 indicates that this is an Image-->
        <!-- The PictureCategoryCode value of 6 indicates that this is a Guest Room-->
        <Text>GENR Standard 1 King Bed/or 2 Dbl beds, Coffee Maker, Hair Dryer, Desk
w/ chair</Text>
    </Description>
    <Description RecordID="6" FileName=" StandardDouble.jpg "
ContentID="cid:A3EA77711E90183D4E62C9120A206859" FileSize="16254" CreateDateTime="2005-08-
19T14:10:00.0Z" ContentCaption="Standard double room" MultimediaObjectHeight="10" MultimediaObjectWidth="7"
UnitOfMeasureCode="8" ContentCode="4" PictureCategoryCode="6" Version="2.0">
    <!-- The UnitOfMeasureCode value of 8 indicates that this is Inches -->
    <!-- The ContentCode value of 4 indicates that this is an Image-->
    <!-- The PictureCategoryCode value of 6 indicates that this is a Guest Room-->
    </Description>
</GuestRoom>
</GuestRooms>
<Restaurants>
    <Restaurant OfferBreakfast="true" OfferDinner="true" OfferLunch="true"
RestaurantName="Gourmeli">
        <RestaurantDescription Attire="Casual">
            </RestaurantDescription>
            <RestaurantDescription Name="Restaurant Short Description" RecordID="7"
FileName=" Gourmeli.mpg" ContentID="cid:A3EA77711E90183D4E62C9120A20444" FileSize="12254"
CreateDateTime="2005-08-19T14:10:00.0Z" ContentCaption="Gourmeli restaurant" MultimediaObjectHeight="15"
MultimediaObjectWidth="10" UnitOfMeasureCode="8" ContentCode="4" PictureCategoryCode="4" Version="2.0">
            <!-- The UnitOfMeasureCode value of 8 indicates that this is Inches -->
            <!-- The ContentCode value of 4 indicates that this is an Image-->
            <!-- The PictureCategoryCode value of 4 indicates that this is a Restaurant-->
            <Text>Upscale family restaurant with daily theme buffets and both a la carte and
childrens menus</Text>
        </RestaurantDescription>
        <OperationSchedules>
            <OperationSchedule>
                <OperationTimes>
                    <OperationTime End="14:00:00" Fri="true" Mon="true" Sat="true"
Start="06:30:00" Sun="true" Thur="true" Tue="true" Weds="true"/>
                    <OperationTime End="22:00:00" Fri="true" Mon="true" Sat="true"
Start="17:00:00" Sun="true" Thur="true" Tue="true" Weds="true"/>
                </OperationTimes>
            </OperationSchedule>
        </OperationSchedules>
    </Restaurant>
</Restaurants>
</FacilityInfo>

```

```

        <AreaInfo>
            <Recreations>
                <Recreation Code="36" CodeDetail="Onsite" Name="The Health Club">
<!-- The Code value of 36 indicates that this is a Health Club -->
                    <OperationSchedules>
                        <OperationSchedule>
                            <OperationTimes>
                                <OperationTime End="23:00:00" Fri="true" Mon="true"
Start="05:30:00" Thur="true" Tue="true" Weds="true"/>
                                <OperationTime End="23:00:00" Sat="true" Start="06:00:00"
Sun="true"/>
                            </OperationTimes>
                        </OperationSchedule>
                    </OperationSchedules>
                    <Charge Amount="0"/>
                    </OperationSchedule>
                </Recreation>
            </Recreations>
            <RefPoints>
                <RefPoint Distance="0"/>
            </RefPoints>
            <Description RecordID="8" FileName="HealthClub.jpg"
ContentID="cid:A3EA77711E90183D4E62C9120A206565" FileSize="13254" CreateDateTime="2005-08-
19T14:10:00.0Z" ContentCaption="Health Club" MultimediaObjectHeight="10" MultimediaObjectWidth="7"
UnitOfMeasureCode="8" ContentCode="4" PictureCategoryCode="5" Version="2.0">
<!-- The UnitOfMeasureCode value of 8 indicates that this is Inches -->
<!-- The ContentCode value of 4 indicates that this is an Image-->
<!-- The PictureCategoryCode value of 5 indicates that this is a Health Club-->
            </Description>
        </AreaInfo>
        <Recreation>
            <Recreation Code="122" Name="Indoor Pool">
<!-- The Code value of 122 indicates that this is an Indoor Pool -->
                <OperationSchedules>
                    <OperationSchedule>
                        <OperationTimes>
                            <OperationTime End="23:00:00" Fri="true" Mon="true"
Start="05:30:00" Thur="true" Tue="true" Weds="true"/>
                            <OperationTime End="23:00:00" Sat="true" Start="06:00:00"
Sun="true"/>
                        </OperationTimes>
                    </OperationSchedule>
                </OperationSchedules>
                <Description RecordID="9" FileName="Indoorpool.jpg"
ContentID="cid:A3EA77711E90183D4E62C9120A206123" FileSize="23254" CreateDateTime="2005-08-
19T14:10:00.0Z" ContentCaption="Indoor Pool" MultimediaObjectHeight="15" MultimediaObjectWidth="5"
UnitOfMeasureCode="TBD" ContentCode="4" PictureCategoryCode="3" Version="1.0">
                </Description>
                <Description RecordID="10" FileName="Indoorpool2.mpg" ContentID="
cid:A3EA77711E4873D4E62C9120A95512" FileSize="601646" CreateDateTime="2005-08-19T14:10:00.0Z"
ContentCaption="Indoor pool" UnitOfMeasureCode="8" ContentCode="10" PictureCategoryCode="3" Version="1.1">
<!-- The UnitOfMeasureCode value of 8 indicates that this is Inches -->
<!-- The ContentCode value of 4 indicates that this is an Image-->
<!-- The PictureCategoryCode value of 3 indicates that this is an Indoor Pool-->
                </Description>
            </Recreation>
        </Recreations>
    </AreaInfo>
</HotelDescriptiveContent>
</OTA_HotelDescriptiveContentNotifRQ>

```

9.6.2.2. Response: OTA_HotelDescriptiveContentNotifRQ/RS

In response to the notification message, Wizcom's system returned the OTA_HotelDescriptiveContentNotifRS.xsd message as an acknowledgement that the message was successfully received.

OTA_HotelDescriptiveContentNotifRS2.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelDescriptiveContentNotifRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelDescriptiveContentNotifRS.xsd"
Version="1.004">
  <Success/>
</OTA_HotelDescriptiveContentNotifRS>
```

9.7. OTA_HotelDescriptiveInfoRQ/RS

The Hotel Descriptive Content Notification message acts as a “push” message—sending information to populate a database. This message set allows an entity to request specific hotel descriptive content information. For example, a travel site wishing to update information like hours of operation would request only the specific information required and be returned only what they requested—like the pool hours or restaurant hours of operation. This message set could also be used for a Request for Information (RFI) for property specific information to help fulfill requests for data from external customers. RFI is an early step in the business negotiation process for either transient or group rates. Customers would then be able to narrow down a list of potential candidate hotels based on RFI responses.

Hotel information does not typically change on a regular schedule, thus the hotel descriptive information message allows the trading partner to request either all information stored in the hotel descriptive content message or a portion therein. The top line information available in a hotel descriptive information message is:

- Hotel Information
- Facility information
 - Meeting rooms
 - Guest rooms
 - Restaurants
- Policies
- Area Information
 - Reference points
 - Attractions
- Affiliation Information
 - Distribution systems
 - Brands
 - Loyalty programs
 - Awards

- Contact Information
- Multimedia

9.7.1. Use Case 1

9.7.1.1. Request: Trading Partner Requests Descriptive Information

The trading partner sellmorerooms.com has partnered with Hilton to sell the Hilton New Orleans Riverside rooms on their website. Sellmorerooms.com needs to provide hotel content information to their consumers via their website. The Hilton Riverside prefers to have sellmorerooms.com obtain the content information from the Hilton content system, rather than a manual loading of data. Sellmorerooms.com sends in a request for The Hilton New Orleans Riverside property content information.

OTA_HotelDescriptiveInfoRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelDescriptiveInfoRQ EchoToken="1" Target="Production" Version="1.002"
xmlns="http://www.opentravel.org/OTA/2003/05" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_HotelDescriptiveInfoRQ.xsd">
  <HotelDescriptiveInfos>
    <HotelDescriptiveInfo ChainCode="hh" BrandCode="hf" HotelCode="msynh" HotelCityCode="msy"
HotelName="New Orleans Riverside" HotelCodeContext="crs">
      <HotelInfo SendData="true"/>
      <FacilityInfo SendMeetingRooms="true" SendGuestRooms="false" SendRestaurants="true"/>
      <Policies SendPolicies="true"/>
      <AreaInfo SendRefPoints="true" SendAttractions="true"/>
      <AffiliationInfo SendDistribSystems="true" SendBrands="true" SendLoyalPrograms="true"
SendAwards="true"/>
      <ContactInfo SendData="true"/>
      <MultimediaObjects SendData="true"/>
    </HotelDescriptiveInfo>
  </HotelDescriptiveInfos>
</OTA_HotelDescriptiveInfoRQ>
```

9.7.1.2. Response: Hotel Property Descriptive Information

Hilton responds with all of the information available from their internal content database.

OTA_HotelDescriptiveInfoRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelDescriptiveInfoRS Target="Production" Version="2.000" SequenceNmbr="1" PrimaryLangID="en"
AltLangID="en" xmlns="http://www.opentravel.org/OTA/2003/05" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance" xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelDescriptiveInfoRS.xsd">
  <POS>
    <Source PseudoCityCode="SF" ISOCountry="US" ISOCurrency="USD" AgentDutyCode="3"
AirportCode="MEM" FirstDepartPoint="MEM" ERSP_UserID="99">
      <RequestorID URL="sellmorerooms.com" Type="5F" Instance="1" ID="99">
        <CompanyName CompanyShortName="Sell More Rooms" TravelSector="0G" Code="5"
CodeContext="1"/>
      </RequestorID>
      <Position Latitude="125" Longitude="117" Altitude="84"/>
      <BookingChannel Type="5F" Primary="true">
```

```

        <CompanyName TravelSector="OG" Code="5" CodeContext="1"/>
    </BookingChannel>
    </Source>
    </POS>
    <Success/>
    <HotelDescriptiveContents ChainCode="hh" BrandCode="hf" HotelCode="msynh" HotelCityCode="msy"
HotelName="New Orleans Riverside" HotelCodeContext="crs" AreaID="554" Overwrite="true">
    <HotelDescriptiveContent CurrencyCode="usd" DecimalPlaces="2" LanguageCode="en"
UnitOfMeasure="miles">
        <DestinationSystemsCode>
            <DestinationSystemCode>6</DestinationSystemCode>
        </DestinationSystemsCode>
        <HotelInfo WhenBuilt="1972-02-03" LastUpdated="2002-07-15T01:00:00" AreaWeather="warm"
InterfaceCompliance="1" PMSSystem="1" Start="2002-03-15" Duration="P4D" End="2002-03-30">
            <HotelName HotelShortName="Riverside"/>
            <RelativePositions>
                <RelativePosition IndexPointCode="5">
                    <Transportations>
                        <Transportation Removal="false" TransportationCode="20" Description="Taxi"
TypicalTravelTime="15 minutes" Amount="30.00" CurrencyCode="usd" DecimalPlaces="2">
                            </Transportation>
                        </Transportations>
                    </RelativePosition>
                </RelativePositions>
            <CategoryCodes>
                <LocationCategory Code="4"/>
                <SegmentCategory Code="3"/>
                <HotelCategory Code="3"/>
                <ArchitecturalStyle Code="3"/>
                <GuestRoomInfo Code="12" Quantity="576"/>
            </CategoryCodes>
            <HotelInfoCodes>
                <HotelInfoCode Code="5" Quantity="2"/>
            </HotelInfoCodes>
            <Position Latitude="66" Longitude="98" Altitude="2355"/>
            <Services>
                <Service Code="5" InvCode="5">
                    <RelativePosition IndexPointCode="5">
                        <Transportations>
                            <Transportation Removal="false" TransportationCode="5" Amount="100.00"
CurrencyCode="USD" DecimalPlaces="2">
                                </Transportation>
                            </Transportations>
                        </RelativePosition>
                    <OperationSchedules>
                        <OperationSchedule Start="2002-03-03" Duration="P4D" End="2002-03-15">
                            <OperationTimes>
                                <OperationTime Mon="1" Tue="1" Weds="1" Thur="1" Fri="1" Sat="1"
Sun="1" Start="2002-03-01" Duration="P4D" End="2002-03-30"/>
                                    </OperationTimes>
                                <Charge TaxInclusive="false" Type="Inclusive" Code="5" Amount="100.00"
CurrencyCode="USD">
                                    <Taxes Amount="3.00" CurrencyCode="USD" DecimalPlaces="2">
                                        <Tax Type="Inclusive" Code="5" Amount="100.00"
CurrencyCode="USD">
                                            <TaxDescription ParagraphNumber="1" Language="en-us">
                                                <Text Language="en-us"/>
                                            </TaxDescription>
                                        </Tax>
                                    </Taxes>
                                <Description ParagraphNumber="1" Language="en-us">
                                    <Text Language="en-us"/>
                                </Description>
                            </Charge>
                        </OperationSchedule>
                    </OperationSchedules>
                </Service>
            </Services>
        </HotelDescriptiveContent>
    </HotelDescriptiveContents>

```

```

        </Service>
      </Services>
    </HotelInfo>
    <FacilityInfo LastUpdated="2002-01-01T01:15:00">
      <MeetingRooms MeetingRoomCount="20" LargestRoomSpace="4000" UnitOfMeasure="square
feet" SmallestRoomSpace="100" TotalRoomSpace="1000" LargestSeatingCapacity="200"
SecondLargestSeatingCapacity="100" SmallestSeatingCapacity="20">
        <MeetingRoom Removal="false">
          <Codes>
            <Code Code="5" Quantity="2">
              <Charge TaxInclusive="false" Type="Inclusive" Code="5" Amount="200.00"
CurrencyCode="usd">
                <Taxes Amount="200.00" CurrencyCode="USD" DecimalPlaces="2">
                  <Tax Type="Inclusive" Code="5" Percent="15" Amount="100.00"
CurrencyCode="usd">
                    <TaxDescription ParagraphNumber="1" Language="en">
                      <Text Language="en"/>
                    </TaxDescription>
                  </Tax>
                </Taxes>
              <Description ParagraphNumber="1" Language="en-us">
                <Text Language="en-us"/>
              </Description>
            </Charge>
          </Codes>
          <Dimension Height="25" Length="200" Width="200" Units="2"/>
          <AvailableCapacities>
            <MeetingRoomCapacity MeetingRoomFormatCode="1">
              <Occupancy MaxOccupancy="500">
                <MinRoomCharge TaxInclusive="true" Type="Inclusive" Code="5"
Amount="1000.00" CurrencyCode="USD">
                  <Taxes Amount="100.00" CurrencyCode="USD"
DecimalPlaces="2">
                    <Tax Type="Inclusive" Code="5" Amount="100.00"
CurrencyCode="USD">
                      <TaxDescription ParagraphNumber="1" Language="en-
us">
                        <Text Language="en-us"/>
                      </TaxDescription>
                    </Tax>
                  </Taxes>
                <Description ParagraphNumber="1" Language="en-us">
                  <Text Language="en-us"/>
                </Description>
              </MinRoomCharge>
            </Occupancy>
          </MeetingRoomCapacity>
        </AvailableCapacities>
      </MeetingRoom>
    </MeetingRooms>
    <GuestRooms>
      <GuestRoom Code="k1" CodeContext="crs" Quantity="200" RoomTypeName="King
Bedded Room" MaxOccupancy="3">
        <TypeRoom StandardNumBeds="1" StandardOccupancy="2" MaxRollaways="1"/>
        <Amenities>
          <Amenity RoomAmenityCode="5" Quantity="2">
            <OperationSchedules>
              <OperationSchedule Start="2002-03-01" Duration="P4D" End="2002-
03-30">
                <OperationTimes>
                  <OperationTime Mon="1" Tue="1" Weds="1" Thur="1"
Fri="1" Sat="1" Sun="1" Start="2002-03-01" Duration="P4D" End="2002-03-30"/>
                </OperationTimes>
              <Charge TaxInclusive="false" Type="Inclusive" Code="5"
Amount="100.00" CurrencyCode="USD">

```

```

                                <Taxes Amount="100.00" CurrencyCode="USD"
DecimalPlaces="2">
                                <Tax Type="Inclusive" Code="5" Amount="100.00"
CurrencyCode="USD">
                                <TaxDescription ParagraphNumber="1"
Language="en-us">
                                    <Text Language="en-us"/>
                                    </TaxDescription>
                                </Tax>
                                </Taxes>
                                <Description ParagraphNumber="1" Language="en">
                                    <Text Language="en"/>
                                </Description>
                                </Charge>
                                </OperationSchedule>
                                </OperationSchedules>
                                </Amenity>
                                </Amenities>
                                </GuestRoom>
                                </GuestRooms>
                                </Restaurants>
                                <Restaurant RestaurantName="Bourbon cafe" MaxSeatingCapacity="200"
MaxSingleParty="25" InvCode="5" OfferBreakfast="true" OfferLunch="true" OfferDinner="true"
OfferBrunch="false">
                                    <RestaurantDescription ParagraphNumber="1" Language="en">
                                        <Text Language="en-us"/>
                                    </RestaurantDescription>
                                    <RelativePosition IndexPointCode="5">
                                        <Transportations>
                                            <Transportation Removal="false" TransportationCode="5" Amount="100.00"
CurrencyCode="USD" DecimalPlaces="2">
                                                </Transportation>
                                            </Transportations>
                                        </RelativePosition>
                                        </OperationSchedules>
                                        <OperationSchedule Start="2002-03-01" End="2002-03-30">
                                            <OperationTimes>
                                                <OperationTime Mon="1" Tue="1" Weds="1" Thur="1" Fri="1" Sat="1"
Sun="1" Start="2002-03-01" End="2002-03-30"/>
                                            </OperationTimes>
                                        </OperationSchedule>
                                        </OperationSchedules>
                                        <InfoCodes>
                                            <InfoCode Name="SrvcInfoCode" Code="1" Removal="false"/>
                                        </InfoCodes>
                                        <CuisineCodes>
                                            <CuisineCode Code="1" Removal="false" IsMain="true"/>
                                        </CuisineCodes>
                                    </Restaurant>
                                </Restaurants>
                                </FacilityInfo>
                                </Policies>
                                <Policy Start="2002-03-01" Duration="P4D" End="2002-03-30" Code="5">
                                    <CancelPolicy>
                                        <CancelPenalty ConfirmClassCode="5" PolicyCode="5" NonRefundable="true">
                                            <Deadline OffsetTimeUnit="Year" OffsetDropTime="BeforeArrival"/>
                                            <AmountPercent TaxInclusive="false" FeesInclusive="false" NmbrOfNights="2"
BasisType="FullStay" Amount="100.00" CurrencyCode="USD" DecimalPlaces="2">
                                                <Taxes Amount="100.00" CurrencyCode="USD" DecimalPlaces="2">
                                                    <Tax Type="Inclusive" Code="5" Amount="100.00"
CurrencyCode="USD">
                                                        </Tax>
                                                    </Taxes>
                                                </AmountPercent>
                                            <PenaltyDescription ParagraphNumber="1" Language="en-us">

```

```

        <Text Language="en-us"/>
    </PenaltyDescription>
</CancelPenalty>
</CancelPolicy>
<GuaranteePaymentPolicy Removal="false">
    <GuaranteePayment RetributionType="ResAutoCancelled" PaymentCode="5">
        <AcceptedPayments>
            <AcceptedPayment ShareSynchInd="Yes" ShareMarketInd="Yes">
                <PaymentCard ShareSynchInd="Yes" ShareMarketInd="Yes"
CardType="5F" CardCode="AX" CardNumber="0000999988887777" SeriesCode="5" ExpireDate="0303">
                    <CardHolderName>Joe Smith</CardHolderName>
                    <CardIssuerName BankID="1"/>
                    <Address FormattedInd="false" ShareSynchInd="Yes"
ShareMarketInd="Yes" Type="5F">
                        <StreetNmbr PO_Box="123"/>
                        <CityName>Anywhere</CityName>
                        <PostalCode>00000-0000</PostalCode>
                        <StateProv StateCode="tx"/>
                        <CountryName Code="us"/>
                    </Address>
                </PaymentCard>
            </AcceptedPayment>
        </AcceptedPayments>
        <AmountPercent TaxInclusive="false" FeesInclusive="false" BasisType="FullStay"
Amount="100.00" CurrencyCode="USD" DecimalPlaces="2">
            <Taxes Amount="100.00" CurrencyCode="USD" DecimalPlaces="2">
                <Tax Type="Inclusive" Code="5" Amount="100.00"
CurrencyCode="USD">
                    <TaxDescription ParagraphNumber="1" Language="en-us">
                        <Text Language="en-us"/>
                    </TaxDescription>
                </Tax>
            </Taxes>
        </AmountPercent>
        <Deadline OffsetTimeUnit="Year" OffsetDropTime="BeforeArrival"/>
    </GuaranteePayment>
</GuaranteePaymentPolicy>
<PolicyInfoCodes>
    <PolicyInfoCode Code="5" CodeContext="1" Quantity="2"
Name="AdditionalOversoldPolicy"/>
</PolicyInfoCodes>
<CheckoutCharges>
    <CheckoutCharge Amount="50.00" CurrencyCode="usd" DecimalPlaces="2"
Type="Early"/>
</CheckoutCharges>
<PolicyInfo CheckInTime="2001-12-17T09:30:47-05:00" CheckOutTime="2001-12-
17T09:30:47-05:00" MinGuestAge="18" MinRecommendedGuestAge="21" UsualStayFreeCutoffAge="12"
UsualStayFreeChildPerAdult="5"/>
</Policy>
</Policies>
<AreaInfo>
    <RefPoints>
        <RefPoint IndexPointCode="5" RefPointCategoryCode="5" Removal="false">
            <Transportations>
                <Transportation Removal="false" TransportationCode="5" Amount="100.00"
CurrencyCode="USD" DecimalPlaces="2">
                    </Transportation>
                </Transportations>
            </RefPoint>
        </RefPoints>
        <Attractions LastUpdated="2003-01-03T03:12:00">
            <Attraction AttractionCategoryCode="5" Start="2002-03-01" Duration="P4D" End="2002-
03-30" Removal="false">
                <Contact Removal="false">
                    <Names>

```

```

        <Name ShareSynchInd="Yes" ShareMarketInd="Yes" NameType="5F"
Removal="false" Gender="Male" SvcCode="5">
            <NamePrefix>Mr.</NamePrefix>
            <GivenName>Joe</GivenName>
            <Surname>Smith</Surname>
        </Name>
    </Names>
    <Addresses>
        <Address FormattedInd="false" ShareSynchInd="Yes"
ShareMarketInd="Yes" Type="5F">
            <StreetNmbr PO_Box="123"/>
            <CityName>Anywhere</CityName>
            <PostalCode>00000-0000</PostalCode>
            <StateProv StateCode="tx"/>
            <CountryName Code="us"/>
        </Address>
    </Addresses>
    <Phones>
        <Phone ShareSynchInd="Yes" ShareMarketInd="Yes"
PhoneLocationType="5F" PhoneTechType="5F" CountryAccessCode="001" AreaCityCode="554"
PhoneNumber="900-0877" Extension="55" FormattedInd="false" DefaultInd="false" PhoneUseType="5F"/>
    </Phones>
    <Emails>
        <Email ShareSynchInd="Yes" ShareMarketInd="Yes" DefaultInd="false"
EmailType="5F" Removal="false">joe.smith@abc.com</Email>
    </Emails>
    <URLs>
        <URL ShareSynchInd="Yes" ShareMarketInd="Yes" Type="5F"
DefaultInd="false"/>
    </URLs>
</Contact>
<Description ParagraphNumber="1" Language="en-us">
    <Text Language="en-us"/>
</Description>
<RefPoints>
    <RefPoint IndexPointCode="5" RefPointCategoryCode="5" Removal="false">
        <Transportations>
            <Transportation Removal="false" TransportationCode="5"
Amount="100.00" CurrencyCode="USD" DecimalPlaces="2">
                </Transportation>
            </Transportations>
        </RefPoint>
    </RefPoints>
</Attraction>
</Attractions>
</AreaInfo>
<AffiliationInfo LastUpdated="2003-02-11T13:28:00">
    <DistribSystems>
        <DistribSystem Removal="false" ChainCode="5" BrandCode="5" HotelCode="5"
HotelCityCode="5" HotelCodeContext="1">
            <CompanyName TravelSector="0G" Code="5" CodeContext="1"/>
        </DistribSystem>
    </DistribSystems>
    <Brands>
        <Brand Removal="false" CategoryCode="5"/>
    </Brands>
    <LoyalPrograms>
        <LoyalProgram Removal="false" ProgramName="Hilton HHonors"
SecondaryProgramName="HHonors" AffiliateProgramName="Hilton HHonors">
            <ProgramDescription ParagraphNumber="1" Language="en-us" Removal="false">
                <Text Language="en-us"/>
            </ProgramDescription>
            <ProgramRestriction ParagraphNumber="1" Language="en-us" Removal="false">
                <Text Language="en-us"/>
            </ProgramRestriction>
        </LoyalProgram>
    </LoyalPrograms>

```

```

        </LoyalPrograms>
        <Awards>
            <Award Removal="false" Date="2003-03-01" Provider="AAA" Rating="4 stars"/>
        </Awards>
        </AffiliationInfo>
        <MultimediaObjects LastUpdated="2003-02-11T13:29:00">
            <MultimediaObject ParagraphNumber="1" Language="en-us" Removal="false" ContentCode="5"
PictureCategoryCode="5" Version="1" ContentTitle="Long Description" ContentData="on-demand">
                <Text Language="en-us"/>
            </MultimediaObject>
        </MultimediaObjects>
        <ContactInfos>
            <ContactInfo Removal="false" ContactProfileType="5F" LastUpdated="2003-02-11T13:29:00">
                <Names>
                    <Name ShareSynchInd="Yes" ShareMarketInd="Yes" NameType="5F"
Removal="false" Gender="Male" SvcCode="5">
                        <NamePrefix>Mr</NamePrefix>
                        <GivenName>Mark</GivenName>
                        <Surname>Smith</Surname>
                    </Name>
                </Names>
                <Addresses>
                    <Address FormattedInd="false" ShareSynchInd="Yes" ShareMarketInd="Yes"
Type="5F" DefaultInd="false" UseType="5F" Removal="false">
                        <StreetNmbr PO_Box="123"/>
                        <AddressLine>Cherry Lane</AddressLine>
                        <CityName>New Orleans</CityName>
                        <PostalCode>15654</PostalCode>
                        <County>Macon</County>
                        <StateProv StateCode="LA"/>
                        <CountryName Code="us"/>
                    </Address>
                </Addresses>
                <Phones>
                    <Phone ShareSynchInd="Yes" ShareMarketInd="Yes" PhoneLocationType="5F"
PhoneTechType="5F" CountryAccessCode="001" AreaCityCode="444" PhoneNumber="4555252"
FormattedInd="false" DefaultInd="false" PhoneUseType="5F"/>
                </Phones>
                <Emails>
                    <Email ShareSynchInd="Yes" ShareMarketInd="Yes" DefaultInd="false"
Removal="false">mark.smith@abc.com</Email>
                </Emails>
                <URLs>
                    <URL ShareSynchInd="Yes" ShareMarketInd="Yes" Type="5F" DefaultInd="false"/>
                </URLs>
            </ContactInfo>
        </ContactInfos>
        </HotelDescriptiveContent>
    </HotelDescriptiveContents>
</OTA_HotelDescriptiveInfoRS>

```

9.7.2. Use Case 2

9.7.2.1. Request: Specific Hotel Content Information

Sellmorerooms.com has seen a lot of business on their web site for the Hilton New Orleans Riverside. They get a lot of email requests for information about a new restaurant the hotel has opened. Sellmorerooms.com just did a content request, however the restaurant information was loaded after their last request. They would like to get the restaurant data without getting all of the other

information they just received. Sellmorerooms.com sends a request to Hilton specifically asking for restaurant information.

OTA_HotelDescriptiveInfoRQ2.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelDescriptiveInfoRQ Target="Production" Version="1.002" SequenceNmbr="1"
PrimaryLangID="en" xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_HotelDescriptiveInfoRQ.xsd">
  <HotelDescriptiveInfos>
    <HotelDescriptiveInfo ChainCode="hh" BrandCode="hf" HotelCode="msynh" HotelCityCode="msy"
HotelName="New Orleans Riverside" HotelCodeContext="crs">
      <FacilityInfo SendRestaurants="true"/>
    </HotelDescriptiveInfo>
  </HotelDescriptiveInfos>
</OTA_HotelDescriptiveInfoRQ>
```

9.7.2.2. Response: Specific Hotel Content Information

The Hilton responds back with information about their restaurants.

OTA_HotelDescriptiveInfoRS2.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelDescriptiveInfoRS Target="Production" Version="2.000" SequenceNmbr="1" PrimaryLangID="en"
AltLangID="en" xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_HotelDescriptiveInfoRS.xsd">
  <POS>
    <Source PseudoCityCode="SF" ISOCountry="US" ISOCurrency="USD" AgentDutyCode="3"
AirportCode="MEM" FirstDepartPoint="MEM" ERSP_UserID="99">
      <RequestorID URL="sellmorerooms.com" Type="5F" Instance="1" ID="99">
        <CompanyName CompanyShortName="Sell More Rooms" TravelSector="0G" Code="5"
CodeContext="1"/>
      </RequestorID>
      <Position Latitude="125" Longitude="117" Altitude="84"/>
      <BookingChannel Type="5F" Primary="true">
        <CompanyName TravelSector="0G" Code="5" CodeContext="1"/>
      </BookingChannel>
    </Source>
  </POS>
  <Success/>
  <HotelDescriptiveContents ChainCode="hh" BrandCode="hf" HotelCode="msynh" HotelCityCode="msy"
HotelName="New Orleans Riverside" HotelCodeContext="crs" AreaID="554" Overwrite="true">
    <HotelDescriptiveContent CurrencyCode="usd" DecimalPlaces="2" LanguageCode="en"
UnitOfMeasure="miles">
      <DestinationSystemsCode>
        <DestinationSystemCode>6</DestinationSystemCode>
      </DestinationSystemsCode>
      <FacilityInfo LastUpdated="2001-01-01T01:15:00">
        <Restaurants>
          <Restaurant RestaurantName="Bourbon cafe" MaxSeatingCapacity="200"
MaxSingleParty="25" InvCode="5" OfferBreakfast="true" OfferLunch="true" OfferDinner="true"
OfferBrunch="false">
            <RestaurantDescription ParagraphNumber="1" Language="en">
              <Text Language="en-us"/>
            </RestaurantDescription>
            <RelativePosition Distance="0">
              </RelativePosition>
            <OperationSchedules>
```

```

        <OperationSchedule Start="2003-03-03" Duration="P4D" End="2003-03-15">
            <OperationTimes>
                <OperationTime Mon="1" Tue="1" Weds="1" Thur="1" Fri="1" Sat="1"
Sun="1" Start="2003-03-01" Duration="P4D" End="2003-03-30"/>
            </OperationTimes>
        </OperationSchedule>
    </OperationSchedules>
    <InfoCodes>
        <InfoCode Name="SrcvInfoCode" Code="1" Removal="false"/>
    </InfoCodes>
    <CuisineCodes>
        <CuisineCode Code="1" Removal="false" IsMain="true"/>
    </CuisineCodes>
</Restaurant>
</Restaurants>
</FacilityInfo>
</HotelDescriptiveContent>
</HotelDescriptiveContents>
</OTA_HotelDescriptiveInfoRS>

```

9.8. OTA_HotelGetMsgRQ/RS

The Get Message request/response pair of messages permits a system that normally receives notifications to ask for a re-transmission of a message.

The business model assumes that the requesting system receives messages that are numbered sequentially, and may ask for a message to be re-sent. In the event that the receiving system receives a message that is not in numerical sequence, this message set can be used to retrieve missing messages, or to ask for a retransmission of data that for some reason was not cleanly received.

The requesting system will send a request using the OTA_HotelGetMsgRQ message. The receiving system will acknowledge and respond with the OTA_HotelGetMsgRS message.

9.8.1. Use Case 1 (TBD)

TBD

9.8.1.1. Request: Hotel Get Message

TBD

OTA_HotelGetMsgRQ.xml

TBD

9.8.1.2. Response: Hotel Get Message

TBD

OTA_HotelGetMsgRS.xml

TBD

9.9. OTA_HotellnvAdjustRQ/RS

TDB

9.9.1. Use Case 1 (TBD)

TBD

9.9.1.1. Request: Hotel Inventory Adjust

TBD

OTA_HotellnvAdjustRQ.xml

TBD

9.9.1.2. Response: Hotel Inventory Adjust

TBD

OTA_HotellnvAdjustRS.xml

TBD

9.10. OTA_HotellnvBlockNotifRQ/RS

The Inventory Block Notification message is used to notify a booking authority of the creation of a group block that can be sold against inventory, and to subsequently modify or synchronize an existing inventory block between systems.

In order to accommodate reservations for a group of guests in one party, a hotel may assign an inventory block and notify the Central Reservation Systems of the code and the allotment that can be used. Travel agents that are authorized to book against the allotment may then contact the hotel or Central Reservations Office to pick up a reservation within the block of rooms.

Viewership of the inventory block is also a negotiated item. Some blocks may be created with agents having only a read-only capability because reservations for the block must be made through a single convention bureau, or market segment. In this case, certain rates are packaged together and typically booked by a group of agents. Viewership defines the distribution channels for the block by using the profiles of the authorized booking agents, and assigning distribution channels through the collection of System Codes.

The Hotel Rate Plan Notification and the Hotel Inventory Block Notification messages can be combined to create a group block specifying inventory types and rate plans, indicating the date range that the group block can be booked, including shoulder periods on either side of the stay dates. The Hotel Rate Amount Notification can be used to indicate the amount charged for the group plan, and any booking restrictions can be sent via the Hotel Booking Rule Notification if needed.

Thus, the Hotel Inventory Block Notification creates the foundation for communicating the rate and inventory of a block, as well as the rules associated with creation of the block. This message includes rates, room types, and hard rules that apply to the booking block, e.g.: 3-night stay required, etc. Although the Hotel Inventory Block Notification is a message that establishes the foundation for a block of inventory, it does not assume any booking activity.

Once the selling process is underway, the synchronization of inventory blocks can be a complicated process. A translation table may be needed to identify an inventory block in one system with the same inventory block that is stored in another system. The Hotel Inventory Block Notification message tells a booking agent whether this is an initial announcement of a new Inventory Block, an update of an active (bookable) block, or a notification of a block that is no longer in effect and should be deactivated in the booking agent's system. The Booking Limit Status Message, a part of the Hotel Availability Notification, can be used to set new limits and report the utilization of the block in order to pass information, such as the guest count, and to synchronize the information on both sides of the interface.

When a hotel system sends out a status message to notify systems of the availability of a hotel, the Status Application Control uses the Inventory Block codes to determine the status of availability for the block. The `InventoryBlockCodeType` indicates whether the inventory block(s) available are a single Inventory Block code, or a grouping of Inventory Block codes.

The RatePlan Shoulders, Sellable Products and Viewerships contain a Reference Place Holder element (RPH) that can be used for indexing to identify a specific Inventory Block in a collection.

The `<OTA_HotelInvBlockNotifRS>` returns a response to the Hotel Inventory Block Notification, indicating that the message was successfully processed.

Additionally, the response message may return the `InvBlockCode` and /or the `InvBlockGrouping Code(s)` assigned by the receiving system for the inventory block in response to a new inventory block notification. These values would only be returned when the notification is of `InvBlockCodeType= New` and the sender is translating the inventory block code values. In this case, the `InvBlockCode` attribute would be empty and in subsequent transactions for the Inventory Block, the sender would populate the `InvBlockCode` attribute with the values returned by the receiver.

9.10.1. Use Case 1

9.10.1.1. Request: Hotel Inventory Block Notification

The sales assistant at the Richmond Marriott Hotel has just finished entering a group block into the hotel's sales system. The block is definite and still needs to be setup in the hotel's reservations system. The sales assistant makes the entry to send the group block's data into the reservation system so that rooms can be booked into it. In this particular instance, a Trading Partner Agreement has been set-up that defines the Block Dates as an additional date on either end that are not typically allocated with rooms.

The following information is sent from the sales system to the reservation system to setup a group block:

Group Information:

Hotel Code: RICDT

Opportunity Name: Virginia Booksellers Convention

Opportunity Identifier: 3524

Block Name: VA Booksellers

Block Code: VBS

Block Dates: 2-9 May 2004

Cutoff Date: 11 April 2004

Block Type: Group

Viewing Indicator: All may view

Housing Indicator: All may book

PMS Group Master Number: 10059

Room Information:

Room Type 1: GENR

Room Type 1 Allocation 1 Start Date: 3May2004

Room Type 1 Allocation 1 Duration: 1

Room Type 1 Allocation 1 Amount: 250

Room Type 1 Allocation 2 Start Date: 4May2004

Room Type 1 Allocation 2 Duration: 3

Room Type 1 Allocation 2 Amount: 300

Room Type 1 Allocation 3 Start Date: 7May2004

Room Type 1 Allocation 3 Duration: 1

Room Type 1 Allocation 3 Amount: 150

Room Type 1 Rate Plan 1 Code: VBSA

Room Type 1 Rate Plan 1 Single Rate Amount: 8900

Room Type 1 Rate Plan 1 Double Rate Amount: 9900

Room Type 1 Rate Plan 1 Market Code 1: VBSAR

Room Type 1 Rate Plan 1 Market Code 1 Description: Attendees

Room Type 1 Rate Plan 1 Market Code 1 Commission: Non-commissionable

Room Type 1 Rate Plan 1 Market Code 2: VBSER
Room Type 1 Rate Plan 1 Market Code 2 Description: Exhibitors
Room Type 1 Rate Plan 1 Market Code 2 Commission: Non-commissionable

Room Type 1 Rate Plan 2 Code: VBSB
Room Type 1 Rate Plan 2 Single Rate Amount: 6900
Room Type 1 Rate Plan 2 Double Rate Amount: 7900

Room Type 1 Rate Plan 2 Market Code 1: VBSSR
Room Type 1 Rate Plan 2 Market Code 1 Description: Guests
Room Type 1 Rate Plan 2 Market Code 1 Commission: Non-commissionable

Room Type 2: CONC
Room Type 2 Allocation 1 Start Date: 3May2004
Room Type 2 Allocation 1 Duration: 1
Room Type 2 Allocation 1 Amount: 25

Room Type 2 Allocation 2 Start Date: 4May2004
Room Type 2 Allocation 2 Duration: 3
Room Type 2 Allocation 2 Amount: 30

Room Type 2 Allocation 3 Start Date: 7May2004
Room Type 2 Allocation 3 Duration: 1
Room Type 2 Allocation 3 Amount: 15

Room Type 2 Rate Plan 1 Code: VBSC
Room Type 2 Rate Plan 1 Single Rate Amount: 10900
Room Type 2 Rate Plan 1 Double Rate Amount: 11900

Room Type 2 Rate Plan 1 Market Code 1: VBSSR
Room Type 2 Rate Plan 1 Market Code 1 Description: Staff
Room Type 2 Rate Plan 1 Market Code 1 Commission: Non-commissionable

Room Type 2 Rate Plan 1 Market Code 2: VBSER
Room Type 2 Rate Plan 1 Market Code 2 Description: Exhibitors
Room Type 2 Rate Plan 1 Market Code 2 Commission: Non-commissionable

Contact Information:

Group contact: Mr. John P. Campbell, Jr.
2121 Turtle Run Drive
Richmond, VA 23212
Phone: 804-788-5846
Fax: 804-788-2625
E-mail: JPCJR@VBS.org

Hotel contact: Ms. Ashley Shepherd

Phone: 804-643-3400

Block Facts (free text description):

MON MAY 3 - FRI MAY 7	1-5 NIGHTS
BOOKING NUMBER:	3524
VIRGINIA BOOKSELLERS CONVENTION	
ATTENDEES	INDIV \$89/\$99 CA/EPO
EXHIBITORS - GENR	LIST \$89/\$99 CA/EPO
EXHIBITORS - CONC	LIST \$109/\$119 CA/EPO
STAFF	LIST \$109/\$119 SC/RM & TAX
GUESTS	LIST \$69/\$79 SC/RM & TAX
SALES MANAGER:	ASHLEY SHEPHERD
RESERVATION BY:	VARIES (SEE ABOVE)
NEW RESERVATION OK?:	YES, ATTENDEES ONLY
CHANGES/CANCELS OK?:	YES, ATTENDEES ONLY
CUT OFF DATE:	11 APRIL 2004
GROUP CONTACT:	JOHN CAMPBELL 804-788-5846
MARKET CODE:	VARIES – VBS_R
PMS ACCT:	10059
0*VBSNN1VBSA	

OTA_HotelInvBlockNotifRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelInvBlockNotifRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelInvBlockNotifRQ.xsd"
  Target="Production" Version="2.000">
  <POS>
    <Source AgentSine="SF" AgentDutyCode="SU">
      <RequestorID Type="10" ID="RICDT"/>
    </Source>
  </POS>
  <InvBlocks>
    <InvBlock BookingStatus="Open" InvBlockTypeCode="13" InvBlockCode="VBS"
      InvBlockName="VA Booksellers" InvBlockLongName="Virginia Booksellers Convention"
      InvBlockStatusCode="2" PMS_InvBlockID="10059" OpportunityID="3524"
      TransactionAction="Book">
      <HotelRef HotelCode="RICDT"/>
      <InvBlockDates Start="2004-05-02" End="2004-05-09" AbsoluteCutoff="2004-04-11"/>
      <RoomTypes>
        <RoomType RoomTypeCode="GENR">
          <RoomTypeAllocations>
            <RoomTypeAllocation Start="2004-05-03" Duration="P1D"
              NumberOfUnits="250"/>
            <RoomTypeAllocation Start="2004-05-04" Duration="P3D"
              NumberOfUnits="300"/>
            <RoomTypeAllocation Start="2004-05-07" Duration="P1D"
              NumberOfUnits="150"/>
          </RoomTypeAllocations>
          <RatePlans>
            <RatePlan CurrencyCode="USD" RatePlanCode="VBSA">
              <BaseByGuestAmts>
                <BaseByGuestAmt AmountBeforeTax="8900"
                  NumberOfGuests="1"/>
                <BaseByGuestAmt AmountBeforeTax="9900"
                  NumberOfGuests="2"/>
              </BaseByGuestAmts>
            </RatePlan>
          </RatePlans>
        </RoomType>
      </RoomTypes>
    </InvBlock>
  </InvBlocks>
</OTA_HotelInvBlockNotifRQ>
```

```

        </BaseByGuestAmts>
        <MarketCode MarketCode="VBSAR" MarketCodeName="Attendees"
CommissionableIndicator="false"/>
        <MarketCode MarketCode="VBSE" MarketCodeName="Exhibitors"
CommissionableIndicator="false"/>
        </RatePlan>
        <RatePlan CurrencyCode="USD" RatePlanCode="VBSB">
        <BaseByGuestAmts>
        <BaseByGuestAmt AmountBeforeTax="6900"
NumberOfGuests="1"/>
        <BaseByGuestAmt AmountBeforeTax="7900"
NumberOfGuests="2"/>
        </BaseByGuestAmts>
        <MarketCode MarketCode="VBSGR" MarketCodeName="Guests"
CommissionableIndicator="false"/>
        </RatePlan>
    </RatePlans>
    </RoomType>
    <RoomType RoomTypeCode="CONC">
    <RoomTypeAllocations>
    <RoomTypeAllocation Start="2004-05-03" Duration="P1D"
NumberOfUnits="25"/>
    <RoomTypeAllocation Start="2004-05-04" Duration="P3D"
NumberOfUnits="30"/>
    <RoomTypeAllocation Start="2004-05-07" Duration="P1D"
NumberOfUnits="15"/>
    </RoomTypeAllocations>
    <RatePlans>
    <RatePlan CurrencyCode="USD" RatePlanCode="VBSC">
    <BaseByGuestAmts>
    <BaseByGuestAmt AmountBeforeTax="10900"
NumberOfGuests="1"/>
    <BaseByGuestAmt AmountBeforeTax="11900"
NumberOfGuests="2"/>
    </BaseByGuestAmts>
    <MarketCode MarketCode="VBSSR" MarketCodeName="Staff"
CommissionableIndicator="false"/>
    <MarketCode MarketCode="VBSE" MarketCodeName="Exhibitors"
CommissionableIndicator="false"/>
    </RatePlan>
    </RatePlans>
    </RoomType>
</RoomTypes>
<BlockDescriptions>
    <BlockDescription Name="Block Facts" Start="2004-05-02" End="2004-05-09">
    <Text Formatted="true">MON MAY 3 - FRI MAY 7          1-5
NIGHTS</Text>
    <Text Formatted="true">BOOKING NUMBER:                3524</Text>
    <Text Formatted="true">VIRGINIA BOOKSELLERS CONVENTION</Text>
    <Text Formatted="true">ATTENDEES          INDIV  VBSA   $89/$99
CA/EPO</Text>
    <Text Formatted="true">EXHIBITORS - GENR  LIST   VBSA   $89/$99
CA/EPO</Text>
    <Text Formatted="true">EXHIBITORS - CONC  LIST   VBSC   $109/$119
CA/EPO</Text>
    <Text Formatted="true">STAFF                      LIST   VBSC   $109/$119
SC/RM AND TAX</Text>
    <Text Formatted="true">GUESTS                      LIST   VBSB   $69/$79
SC/RM AND TAX</Text>
    <Text Formatted="true">SALES MANAGER:                      ASHLEY
SHEPHERD</Text>
    <Text Formatted="true">RESERVATIONS BY:                      VARIES (SEE
ABOVE)</Text>
    <Text Formatted="true">NEW RESERVATIONS OK?:          YES,
ATTENDEES ONLY</Text>

```

```

        <Text Formatted="true">CHANGES/CANCELS OK?:          YES,
ATTENDEES ONLY</Text>
        <Text Formatted="true">CUT OFF DATE:                  11 APRIL
2004</Text>
        <Text Formatted="true">GROUP CONTACT:                  JOHN
CAMPBELL 804-788-5846</Text>
        <Text Formatted="true">MARKET CODE:                    VARIES -
VBS_R</Text>
        <Text Formatted="true">PMS ACCT #:                      10059</Text>
        <Text Formatted="true">0*VBSNN1VBS</Text>
    </BlockDescription>
</BlockDescriptions>
<Contacts>
    <Contact ContactType="Group Contact">
        <PersonName>
            <NamePrefix>Mr.</NamePrefix>
            <GivenName>John</GivenName>
            <MiddleName>P.</MiddleName>
            <Surname>Campbell</Surname>
            <NameSuffix>Jr.</NameSuffix>
        </PersonName>
        <Telephone PhoneTechType="1" CountryAccessCode="1" AreaCityCode="804"
PhoneNumber="788-5846"/>
        <Telephone PhoneTechType="3" CountryAccessCode="1" AreaCityCode="804"
PhoneNumber="788-2625"/>
        <Address>
            <AddressLine>2121 Turtle Run Drive</AddressLine>
            <CityName>Richmond</CityName>
            <PostalCode>23212</PostalCode>
            <StateProv StateCode="VA"/>
            <CountryName Code="US"/>
        </Address>
        <Email>JPCJR@VBS.org</Email>
    </Contact>
    <Contact ContactType="Hotel Contact">
        <PersonName>
            <NamePrefix>Ms.</NamePrefix>
            <GivenName>Ashley</GivenName>
            <Surname>Shepherd</Surname>
        </PersonName>
        <Telephone PhoneTechType="1" CountryAccessCode="1" AreaCityCode="804"
PhoneNumber="643-3400"/>
    </Contact>
</Contacts>
</InvBlock>
</InvBlocks>
</OTA_HotelInvBlockNotifRQ>

```

9.10.1.2. Response: Hotel Inventory Block Notification

An acknowledgement of successful receipt of this information would be sent by the reservation system back to the sales system.

OTA_HotelInvBlockNotifRS.xml

```

<OTA_HotelInvBlockNotifRS xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_HotelInvBlockNotifRS.xsd" Target="Production" Version="2.000">
<Success/>
</OTA_HotelInvBlockNotifRS>

```

9.11. OTA_HotelInvCountNotifRQ/RS

The Inventory Count Notification message notifies a booking source of the amount of inventory available at a specific hotel property. It allows the Property Management System and Central Reservation Systems or other booking sources to synchronize the number of inventory items available for sale between them.

When a new hotel is opened for the first time, the Inventory Notification message would be used to supply the reservation systems with descriptions of rooms in the hotel, as well as non-room products that are also subject to inventory control.

The Inventory Count Notification is used to send base inventory levels by inventory code, (e.g., room type code) to establish the physical inventory count. An Inventory Notification should always precede an Inventory Count Notification to establish the existence of inventory codes in the reservation system.

The physical inventory is the basis by which availability is determined. However, additional calculations figure into assigning the inventory counts for availability. Availability is a commitment to sell a room at a specific rate or plan. Since the same rooms may be sold under different rate plans, a system may carry a discrete inventory, or an inventory count in association with different rates. The superset of inventory may be greater than the physical count, with the actual number of rooms counted down when they are sold.

The Inventory Count Notification message can be used to communicate to revenue management systems how many rooms are available to sell during a specific period. A reservation system may choose not to synchronize with actual inventory numbers, rather with a threshold. Properties and booking sources need to agree on common thresholds, whether they are derived from virtual or real inventory, in addition to a way to accommodate overbooking.

This Notification message allows for communicating both base and off-sell inventory. The base inventory message accommodates changes in the base inventory levels, such as adding a new wing of the hotel. The off-sell inventory message sends a count of the inventory that is not available for sale. The off-sell messages indicate whether that inventory is temporarily out of order or has been taken off the market, as well as whether the inventory count is an adjustment to a current off-sell value, or a replacement of a previously determined amount.

9.11.1. Use Case 1

9.11.1.1. Request: Hotel Inventory Count Notification

The Courtyard Atlanta Perimeter has an online booking relationship with Travel Today. The hotel sends the daily room availability and rates to Travel Today that they wish to release to the online booking agent. The following is the information that the hotel submits to Travel Today.

The hotel has Standard Double rooms (room type, "SDD"). It wishes to allocate 30 Standard Double rooms for sale on April 1, 2005.

OTA_HotelInvCountNotifRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelInvCountNotifRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelInvCountNotifRQ.xsd"
  Version="1.000" Target="Production">
  <Inventories ChainCode="CY" HotelCode="ATLPE">
    <Inventory>
      <StatusApplicationControl InvCodeApplication="InvCode" InvCode="SDD"
        Start="2005-04-01" End="2005-04-01">
      </StatusApplicationControl>
      <InvCounts>
        <InvCount Count="30" ActionType="Allocation">
          <InvBlockCutoff AbsoluteCutoff="2005-03-30T23:59:59"/>
        </InvCount>
      </InvCounts>
    </Inventory>
  </Inventories>
</OTA_HotelInvCountNotifRQ>
```

9.11.1.2. Response: Hotel Inventory Count Notification

Travel Today responds with a message that the message was received.

OTA_HotelInvCountNotifRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelInvCountNotifRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelInvCountNotifRS.xsd"
  Version="1.000">
  <Success/>
</OTA_HotelInvCountNotifRS>
```

9.11.2. Use Case 2

9.11.2.1. Request: Hotel Inventory Count Notification

In order to sell the Standard Double rooms (room type, “SDD”), the hotel has four rate plan codes that are associated with that room type (“ROOMONLY”, “ROOMCAR”, “ROOMAIR”, “RMCARAIR”). The hotel wishes to allocate 30 Standard Double rooms for sale, and a maximum of 10 should be sold in any one of the four rate plans.

The four rate plan codes exist to implement some business strategy such as:

- ROOMONLY - Traveler books hotel room only
- ROOMCAR - Traveler books hotel room and rental car
- ROOMAIR - Traveler books hotel room and airfare
- RMCARAIR - Traveler books hotel room, rental car, and airfare

In this example the inventory manager has allocated inventory in the PMS. This message is synchronizing the inventory between the PMS and the CRS.

OTA_HotelInvCountNotifRQ2.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelInvCountNotifRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelInvCountNotifRQ.xsd"
  Version="1.000" Target="Production">
  <Inventories ChainCode="CY" HotelCode="ATLPE">
    <Inventory>
      <StatusApplicationControl InvCodeApplication="InvCode" InvCode="SDD"
        Start="2005-04-01" End="2005-04-01">
      </StatusApplicationControl>
      <InvCounts>
        <InvCount Count="30" ActionType="Allocation"/>
      </InvCounts>
    </Inventory>
    <Inventory>
      <StatusApplicationControl InvCodeApplication="InvCode" InvCode="SDD"
        RatePlanCodeType="RatePlanCode" RatePlanCode="ROOMONLY"
        Start="2005-04-01" End="2005-04-01">
      </StatusApplicationControl>
      <InvCounts>
        <InvCount Count="10" ActionType="Allocation"/>
      </InvCounts>
    </Inventory>
    <Inventory>
      <StatusApplicationControl InvCodeApplication="InvCode" InvCode="SDD"
        RatePlanCodeType="RatePlanCode" RatePlanCode="ROOMCAR"
        Start="2005-04-01" End="2005-04-01">
      </StatusApplicationControl>
      <InvCounts>
        <InvCount Count="10" ActionType="Allocation"/>
      </InvCounts>
    </Inventory>
    <Inventory>
      <StatusApplicationControl InvCodeApplication="InvCode" InvCode="SDD"
        RatePlanCodeType="RatePlanCode" RatePlanCode="ROOMAIR"
        Start="2005-04-01" End="2005-04-01">
      </StatusApplicationControl>
      <InvCounts>
        <InvCount Count="10" ActionType="Allocation"/>
      </InvCounts>
    </Inventory>
    <Inventory>
      <StatusApplicationControl InvCodeApplication="InvCode" InvCode="SDD"
        RatePlanCodeType="RatePlanCode" RatePlanCode="RMCARAIR"
        Start="2005-04-01" End="2005-04-01">
      </StatusApplicationControl>
      <InvCounts>
        <InvCount Count="10" ActionType="Allocation"/>
      </InvCounts>
    </Inventory>
  </Inventories>
</OTA_HotelInvCountNotifRQ>
```

9.11.2.2. Response: Hotel Inventory Count Notification

The CRS responds to the PMS that the message was successfully received.

OTA_HotelInvCountNotifRS2.xml

```
<?xml version="1.0" encoding="UTF-8"?>
```

```
<OTA_HotelInvCountNotifRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelInvCountNotifRS.xsd"
  Version="1.000">
  <Success/>
</OTA_HotelInvCountNotifRS>
```

9.12. OTA_HotelInvNotifRQ/RS

The Hotel Inventory Notification message is the message that sends the notification of the creation of a new inventory item, such as a room type or service type that did not previously exist at a hotel property. When the database of a reservation system or booking source is populated for the first time, the hotel inventory notification message would be used to send descriptions of the inventory in the hotel, both room and non-room products.

A Hotel Inventory Notification establishes the existence of inventory codes in the receiving system. In the exchange of inventory information, which is not always a simple process, the sending system and the receiving system may assign different codes to the same inventory item. This requires the use of a translation table to link the inventory item in one system with the same item in another system.

For that reason, the Hotel Inventory Notification message should precede the Inventory Count Notification and Rate Plan Notification messages. The Inventory Count Notification establishes the physical inventory count by inventory code, and a Rate Plan Notification assigns a rate plan to the inventory item.

While the Hotel Inventory Notification message provides the building block that populates or initializes the hotel for any reservation system to establish the number of rooms etc. that can be sold, inventory restrictions that are associated with a rate can be set on the rate itself. Restrictions associated with a rate are sent using the Hotel Booking Rule Notification. Individual notification messages may be sent as separate transmissions or combined together within a MIME multipart envelope as each notification contains a Hotel Reference that identifies the hotel property.

When a hotel has been in operation for a period of time, the rooms, services and amenities that are part of inventory may change or be discontinued. The Inventory Notification allows for the update of an active inventory item, or the deletion of an inventory item altogether, indicating the current status of the inventory.

The response message returned for a new inventory item differs from other Availability, Rate and Inventory notification messages in that the receiving system may return the inventory code(s) assigned by that system that cross-reference with the codes received along with the confirmation that the message was processed successfully.

9.12.1. Use Case 1 (TBD)

TBD

9.12.1.1. Request: Hotel Inventory Notification

TBD

OTA_HotelInvNotifRQ.xml

TBD

9.12.1.2. Response: Hotel Inventory Notification

TBD

OTA_HotelInvNotifRS.xml

TBD

9.13. OTA_HotelInvSyncRQ/RS

TDB

9.13.1. Use Case 1 (TBD)

TBD

9.13.1.1. Request: Hotel Inventory Synchronize

TBD

OTA_HotelInvSyncRQ.xml

TBD

9.13.1.2. Response: Hotel Inventory Synchronize

TBD

OTA_HotelInvSyncRS.xml

TBD

9.14. OTA_HotelRateAmountNotifRQ/RS

The Hotel Rate Amount Notification message notifies a booking source of changes in the rates charged for room and non-room products of a hotel.

The creation of a new rate plan is done through the Rate Plan Notification message. When the rate amount of an active (bookable) rate plan changes, an

update is made through the Rate Amount Notification message. The Status Application Control is used to identify the inventory item (or inventory block), and the rate plan that the change in rate amount applies to.

The Hotel Rate Amount Message defines the amount of the base rate, as well as the maximum number of adults permitted in a room at the rate, along with the charges for additional adults and children. Tax amounts that apply to the rate are also communicated, indicating the type of tax and how it is calculated, whether a flat amount or percentage. In short, the Rate Amount Notification should convey all of the information needed by a reservation system to book a hotel room (or non-room product) at the newly-established rate amount.

Using the Status Application Control, rate changes can be made based on dates, days of week, rate plan codes and/or inventory and inventory block codes. The following are examples of different types of rate amount changes that could be applied through this message:

- **Dates**—the rate changes from \$89.00 per night to \$99.00 per night from May 21st through July 31st for the inventory codes related to double bed rooms and king bed rooms.
- **Days of Week**—The rate for all rooms on this property change from \$69.00 per night to \$59.00 per night on Fridays and Saturdays.
- **Rate Plan Codes**—AAA and AARP rates are increased from \$79.00 to \$89.00 per night.
- **Inventory Codes** (Room product)—Suites and apartment room rates are increased by 10% (using inventory codes that define these inventory types).
- **Inventory Code** (Non-room product)—Rates for ballrooms and meeting rooms are increased from May 1st through July 1st.
- **Inventory Block Code**—The room rate for a convention group (identified by inventory block code) is \$95.00 per night.
- **Additional occupancy**—Rates are \$ 9.00 per night for additional adults. Rates for additional children are \$5.00 per night.

When a rate amount is changed, the new rate amount must be populated up through the distribution system. The Viewership element defines the authorized distribution channel for the inventory, and the profile of the authorized booker for the inventory. Viewership is generally set up when a new rate plan code is negotiated. The authorized distribution channels are determined by the collection of destination codes in the Status Application Control.

9.14.1. Use Case 1

9.14.1.1. Request: Hotel Rate Amount Notification

Joe is the man in charge of setting rates for his hotel (the Courtyard Atlanta Perimeter). He wants to increase the best available rate (rate plan code is

“BARA00”) from \$90 to \$100 for April 1, 2005. The currency is USD. He does this in his Property Management System (PMS). The PMS uses the OTA_HotelRateAmountNotifRQ message to synchronize the rate also in the Central Reservation System (CRS).

OTA_HotelRateAmountNotifRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelRateAmountNotifRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelRateAmountNotifRQ.xsd"
TimeStamp="2005-02-02T12:00:00" Target="Production" Version="1.002">
  <RateAmountMessages ChainCode="CY" HotelCode="ATLPE">
    <RateAmountMessage>
      <StatusApplicationControl Start="2005-04-01" End="2005-04-01"
RatePlanCodeType="RatePlanCode" RatePlanCode="BARA00"
InvCodeApplication="InvCode" InvCode="STD" />
      <Rates>
        <Rate RateTimeUnit="Day" Start="2005-04-01" End="2005-04-01"
CurrencyCode="USD">
          <BaseByGuestAmts>
            <BaseByGuestAmt AmountBeforeTax="100.00" />
          </BaseByGuestAmts>
        </Rate>
      </Rates>
    </RateAmountMessage>
  </RateAmountMessages>
</OTA_HotelRateAmountNotifRQ>
```

9.14.1.2. Response: Hotel Rate Amount Notification

The CRS returns an acknowledgement that the message was received without any errors or warnings.

OTA_HotelRateAmountNotifRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelRateAmountNotifRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelRateAmountNotifRS.xsd"
Version="1.000">
  <Success/>
</OTA_HotelRateAmountNotifRS>
```

9.15. OTA_HotelRatePlanNotifRQ/RS

The Hotel Rate Plan Notification message is used to notify a booking source of a new rate plan created for a hotel, or to modify and synchronize existing rate plans between systems.

When a hotel creates a new rate, whether that hotel is new or has been in operation for some period of time, the synchronization of rate plans can be a complicated process. A translation table may be required to identify the rate plan in one system with the same rate plan that is stored in another system. The Hotel Rate Plan Notification message is sent to a booking agent, indicating whether this

is: 1) the initial announcement of a new rate plan, 2) an update of an active (bookable) rate plan, or 3) a notification that a rate plan is no longer in effect and should be deactivated in the booking agent's system.

With the creation of a new rate plan, a business process must also take place to ensure that the rate plan is populated up through the distribution system. New rate plans and group blocks are broadcast through authorized channels of distribution determined by negotiated business agreements.

Viewership is usually set up when a new rate plan code is negotiated and it defines the distribution channel for the rate plan, and the profile of the authorized booker(s). The distribution channels are indicated by a collection of System Codes.

When a hotel system sends out a status message to notify systems of the availability of a hotel, the StatusApplicationControl uses the rate plan codes that have been established by the Hotel Rate Plan Notification to determine which rate plans are available. The RatePlanCodeType indicates whether the rate plan(s) available are a single rate plan, or a grouping of rate plans.

The RatePlan Shoulders, Sellable Products and Viewerships contain a Reference Place Holder (RPH) element that can be used for indexing to identify a specific rate plan among a group of items of the same name.

The <OTA_HotelRatePlanNotifRS> returns a response to the Hotel Rate Plan Notification request message, indicating that the notification message was successfully processed, warnings from business processing rules or errors if the notification was not able to be processed.

Additionally, the response message may return the RatePlanCode(s) and /or Rate Plan Grouping Codes assigned to the rate plan by the receiving system in response to a new rate plan notification. These values would only be returned when the notification is of *RatePlanCodeType*= New and the sender is translating rate plan codes. If this is the case, the values sent in the RatePlanCode or RatePlanGroupingCode attributes could be empty, and in subsequent transactions for the inventory item, the sender would be able to populate the rate plan code with the value returned by the receiver.

9.15.1. Use Case 1 (TBD)

TBD

9.15.1.1. Request: Hotel Rate Plan Notification

TBD

OTA_HotelRatePlanNotifRQ.xml

TBD

9.15.1.2. Response: Hotel Rate Plan Notification

TBD

OTA_HotelRatePlanNotifRS.xml

TBD

9.16. OTA_HotelResModifyRQ/RS

The OTA_HotelResModifyRQ/RS message set handles the need for a full overlay of the reservation for the purpose of making a change to an existing booking.

The modify message can be sent independently or in conjunction with the OTA_HotelAvailRQ message, which was enhanced to allow a confirmation number to be sent in order to take into account the inventory being held by the existing reservation.

With this model, trading partner A may either send the OTA_HotelResModifyRQ message following the OTA_HotelAvailRQ/RS or independently send the modify message if confirmation of available inventory is not needed.

9.16.1. Use Case 1

The Razzmatazz Hotel has agreed to hold a block of rooms for Expedia. Due to this agreement, Expedia knows how many and at what rate they have rooms available at the Razzmatazz Hotel each night.

Crystal Tanner has a reservation at the Razzmatazz that she previously booked through Expedia.com. She is arriving on June 4th and departing on June 8th 2003.

9.16.1.1. Request: Hotel Reservation Modify

Crystal Tanner requests to extend her reservation by one night through Expedia. Crystal has also decided that she would like to request a non-smoking room. Since Expedia holds inventory for the Razzmatazz there is no need to perform an availability check. Expedia verifies in their system that the room and rate are available, they then send the OTA_HotelResModifyRQ transaction to the Razzmatazz hotel to inform them of the update.

OTA_HotelResModify_RQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelResModifyRQ EchoToken="592" TimeStamp="2003-03-11T17:54:00-08:00" Target="Production"
Version="1.002" PrimaryLangID="en-us" xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_HotelResModifyRQ.xsd">
  <POS>
    <Source>
      <RequestorID Type="18" ID="Expedia.com"/>
      <BookingChannel Type="2" Primary="true">
```

```

        <CompanyName>Expedia</CompanyName>
      </BookingChannel>
    </Source>
  </POS>
  <HotelResModifies>
    <HotelResModify RoomStayReservation="true" CreateDateTime="2003-03-11T17:29:00-08:00"
    CreatorID="Expedia">
      <UniquelD Type="14" ID="1312"/>
      <RoomStays>
        <RoomStay>
          <RoomTypes>
            <RoomType RoomTypeCode="A1K" IsRoom="true"/>
          </RoomTypes>
          <RatePlans>
            <RatePlan RatePlanCode="RAC" EffectiveDate="2003-06-04" ExpireDate="2003-06-
09"/>
          </RatePlans>
          <RoomRates>
            <RoomRate EffectiveDate="2003-06-04" ExpireDate="2003-06-09"
            RoomTypeCode="A1K" NumberOfUnits="1" RatePlanCode="RAC">
              <Rates>
                <Rate EffectiveDate="2003-06-04" ExpireDate="2003-06-06"
                RateTimeUnit="Day" UnitMultiplier="2">
                  <Base AmountBeforeTax="110" CurrencyCode="USD"/>
                </Rate>
                <Rate EffectiveDate="2003-06-06" ExpireDate="2003-06-07"
                RateTimeUnit="Day" UnitMultiplier="1">
                  <Base AmountBeforeTax="180" CurrencyCode="USD"/>
                </Rate>
                <Rate EffectiveDate="2003-06-07" ExpireDate="2003-06-09"
                RateTimeUnit="Day" UnitMultiplier="2">
                  <Base AmountBeforeTax="100" CurrencyCode="USD"/>
                </Rate>
              </Rates>
            </RoomRate>
          </RoomRates>
          <GuestCounts IsPerRoom="true">
            <GuestCount AgeQualifyingCode="10" Count="1"/>
          </GuestCounts>
          <TimeSpan Start="2003-06-04" End="2003-06-09"/>
          <Total AmountAfterTax="550" CurrencyCode="USD">
            <Taxes Amount="50" CurrencyCode="usd">
              <Tax Type="Exclusive" Code="8" Amount="50" CurrencyCode="USD"/>
            </Taxes>
          </Total>
          <BasicPropertyInfo ChainCode="HX" BrandCode="DT" HotelCode="AXY772"/>
          <ResGuestRPHs>
            <ResGuestRPH RPH="1"/>
          </ResGuestRPHs>
          <SpecialRequests>
            <SpecialRequest Language="en-us" RequestCode="1.14">
              <Text Formatted="false" Language="en-us">1 king</Text>
            </SpecialRequest>
            <SpecialRequest Language="en-us" RequestCode="2.1">
              <Text Formatted="false" Language="en-us">Non-Smoking</Text>
            </SpecialRequest>
          </SpecialRequests>
        </RoomStay>
      </RoomStays>
      <ResGuests>
        <ResGuest ResGuestRPH="1" AgeQualifyingCode="10">
          <Profiles>
            <ProfileInfo>
              <Profile ProfileType="1">
                <Customer>
                  <PersonName>

```

```

        <GivenName>Crystal</GivenName>
        <MiddleName>Vanessa</MiddleName>
        <Surname>Tanner</Surname>
      </PersonName>
    </Customer>
  </Profile>
</ProfileInfo>
</Profiles>
</ResGuest>
</ResGuests>
<ResGlobalInfo>
  <HotelReservationIDs>
    <HotelReservationID ResID_Type="8" ResID_Value="1312" ResID_Source="Expedia"
ResID_Date="2003-03-11T17:29:00-08:00"/>
  </HotelReservationIDs>
</ResGlobalInfo>
</HotelResModify>
</HotelResModifies>
</OTA_HotelResModifyRQ>

```

9.16.1.2. Response: Hotel Reservation Modify

The response comes back that the modification was successful.

OTA_HotelResModify_RS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelResModifyRS EchoToken="592" TimeStamp="2003-03-11T19:58:00-08:00" Target="Production"
Version="1.002" PrimaryLangID="en-us" ResResponseType="Modified"
xmlns="http://www.opentravel.org/OTA/2003/05" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_HotelResModifyRS.xsd">
  <Success/>
  <HotelResModifies>
    <HotelResModify>
      <ResGlobalInfo>
        <HotelReservationIDs>
          <HotelReservationID ResID_Type="8" ResID_Value="1312" ResID_Source="Expedia"
ResID_Date="2003-03-11T17:29:00-08:00"/>
          <HotelReservationID ResID_Type="3" ResID_Value="4757585"
ResID_Source="XXXCRS" ResID_Date="2003-03-11T19:45:00-08:00"/>
        </HotelReservationIDs>
      </ResGlobalInfo>
    </HotelResModify>
  </HotelResModifies>
</OTA_HotelResModifyRS>

```

9.17. OTA_HotelResModifyNotifRQ/RS

The Hotel Reservation Modification Notification provides a request/response pair of messages to support the functionality of updating other systems with modified reservation data. The message set assumes a push model, with the sending system pushing the data to another system. The sending system would usually be a booking source, such as a Global Distribution System (GDS), a Central Reservation System (CRS) or some other agent of the hotel.

The business model assumes that the sending system either has the authority to make the modification to the reservation, or is passing along a message from such a system. The message is a notification of a modification or cancellation to an

existing reservation, and does not require the receiving system to confirm the modification, only the receipt of the message. The responding system may add its own data (such as its own confirmation ID) and include that data in the response message.

The sending system will send a report using the OTA_HotelResModifyNotifRQ message. The receiving system will acknowledge its receipt of that report using the OTA_HotelResModifyNotifRS message.

- OTA_HotelResModifyNotifRQ – Sends a modification of a reservation to another system. All the elements and attributes are optional, unless otherwise stated as required.
- OTA_HotelResModifyNotifRS – Returns acknowledgement that the modification to the reservation has been successfully received or includes warnings from business processing rules or errors if the request did not succeed. It may optionally include the updated reservation data.

9.17.1. Use Case 1

9.17.1.1. Request: Hotel Reservation Modify Notification

David Dewberry previously booked a reservation for the JW Marriott in Washington, DC for the 18th of October for 2 nights. He booked his reservation through Travel Today, a third party site that maintains hotel inventory by hotel. The reservation can be booked by the customer without communication to the hotel system. Upon completion of the booking, Travel Today notifies the hotel system of the booking and requests a hotel confirmation number.

David's plans have changed, and he needs to extend his reservation by 1 night for a total stay of 3 nights. David would like to extend his room at the corporate rate which is the rate that has already been confirmed for the first 2 nights of his reservation. David is modifying his reservation through Travel Today. None of the other information in his reservation has changed.

David did an availability search to determine the additional night is available at the corporate rate. David is still arriving on October 18th, 2005, but is staying 3 nights. His information is as follows:

Mr. David Dewberry

321 Myrtle Lane

Latrobe, PA 15650

(724) 555-4321

david.dewberry@dewberriecorp.com

VS 411111111111202 exp 12/05

Room Requests: non-smoking, king bed

OTA_HotelResModifyNotifRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelResModifyNotifRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelResModifyNotifRQ.xsd"
  EchoToken="602" TimeStamp="2005-01-26T13:05:00-05:00" Target="Production" Version="1.003"
  ResStatus="Commit">
  <POS>
    <Source>
      <RequestorID Type="13" ID="510"/>
      <!-- Type 13 = Internet broker from OTA code table UIT-->
      <BookingChannel Type="7" Primary="true">
        <!-- Type 7 = Internet from OTA code table BCT-->
        <CompanyName>Travel Today</CompanyName>
      </BookingChannel>
    </Source>
  </POS>
  <HotelResModifies>
    <HotelResModify>
      <RoomStays>
        <RoomStay>
          <RatePlans>
            <RatePlan RatePlanCode="CORA999"/>
          </RatePlans>
          <RoomRates>
            <RoomRate>
              <Rates>
                <Rate EffectiveDate="2005-10-18" ExpireDate="2005-10-21">
                  <Base AmountBeforeTax="280.00"/>
                </Rate>
              </Rates>
            </RoomRate>
          </RoomRates>
          <GuestCounts>
            <GuestCount Count="1"/>
          </GuestCounts>
          <Guarantee>
            <GuaranteesAccepted>
              <GuaranteeAccepted>
                <PaymentCard CardType="VS" CardNumber="4111111111111202"
  ExpireDate="1205">
                  <CardHolderName>David Dewberry</CardHolderName>
                </PaymentCard>
              </GuaranteeAccepted>
            </GuaranteesAccepted>
          </Guarantee>
          <BasicPropertyInfo ChainCode="MC" HotelCode="WASJW" HotelName="JW Marriott
Hotel Pennsylvania Avenue"/>
          <Comments>
            <Comment>
              <Text>non-smoking Room requested;king bed</Text>
            </Comment>
          </Comments>
        </RoomStay>
      </RoomStays>
      <ResGuests>
        <ResGuest>
          <Profiles>
            <ProfileInfo>
              <Profile ProfileType="1">
                <!-- Profile Type 1 = Customer from OTA code table PRT-->
                <Customer>
                  <PersonName>
                    <NamePrefix>Mr.</NamePrefix>
```

```

        <GivenName>David</GivenName>
        <Surname>Dewberry</Surname>
    </PersonName>
    <Telephone PhoneNumber="7245554321" PhoneTechType="1"/>
    <!-- Phone Tech Type 1 = Voice from OTA code table BTT -->
    <Email>david.dewberry@dewberriecorp.com</Email>
    <Address>
        <AddressLine>321 Myrtle Lane</AddressLine>
        <CityName>Latrobe</CityName>
        <PostalCode>15650</PostalCode>
        <StateProv>PA</StateProv>
        <CountryName>USA</CountryName>
    </Address>
    </Customer>
</Profile>
</ProfileInfo>
</Profiles>
</ResGuest>
</ResGuests>
<ResGlobalInfo>
    <HotelReservationIDs>
        <HotelReservationID ResID_Type="13" ResID_Value="7865" ResID_Source="Travel
Today"/>
        <!-- Res ID Type 13 = Internet broker from OTA code table UIT -->
        <HotelReservationID ResID_Type="14" ResID_Value="82329987"
ResID_Source="Marriott"/>
        <!-- Res ID Type 14 = Reservation from OTA code table UIT -->
    </HotelReservationIDs>
</ResGlobalInfo>
<TPA_Extensions/>
<Verification>
    <PersonName>
        <Surname>Dewberry</Surname>
    </PersonName>
    <PaymentCard CardNumber="4111111111111202"/>
    <TPA_Extensions/>
</Verification>
</HotelResModify>
</HotelResModifies>
</OTA_HotelResModifyNotifRQ>

```

9.17.1.2. Response: Hotel Reservation Modify Notification

Marriott's system uses the surname and credit card number for verification and responds with a "success" message and echoes back the original Marriott confirmation number to Travel Today.

OTA_HotelResModifyNotifRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelResModifyNotifRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelResModifyNotifRS.xsd"
EchoToken="602" TimeStamp="2005-01-26T13:05:02-05:00" Target="Production" Version="1.002"
ResResponseType="Committed">
    <Success/>
    <HotelResModifies>
        <HotelResModify>
            <ResGlobalInfo>
                <HotelReservationIDs>
                    <HotelReservationID ResID_Type="13" ResID_Value="7865" ResID_Source="Travel
Today"/>
                    <!-- Res ID Type 13 = Internet broker from OTA code table UIT -->

```

```
        <HotelReservationID ResID_Type="14" ResID_Value="82329987"
ResID_Source="Marriott"/>
        <!-- Res ID Type 14 = Reservation from OTA code table UIT -->
        </HotelReservationIDs>
    </ResGlobalInfo>
</HotelResModify>
</HotelResModifies>
</OTA_HotelResModifyNotifRS>
```

9.18. OTA_HotelResNotifRQ/RS

The Hotel Reservation Notification provides a request/response pair of messages to support the functionality of updating other systems with reservation data. The message set assumes a push model, with the sending system pushing the data to another system. The sending system would usually be a booking source, such as a Global Distribution System (GDS), a Central Reservation System (CRS) or some other agent of the hotel.

The business model assumes that the sending system either has the authority to take a reservation, or is passing along a message from such a system. The message is a notification of the creation or a modification, or cancellation before that reservation has been ended, and does not require the receiving system to confirm the booking, only the receipt of the message. The responding system may add its own data (such as its own confirmation ID) and include that data in the response message.

The sending system will send a report using the OTA_HotelResNotifRQ message. The receiving system will acknowledge its receipt of that report using the OTA_HotelResNotifRS message.

- **OTA_HotelResNotifRQ**—Sends a reservation to another system. All the elements and attributes are optional, unless otherwise stated as required.
- **OTA_HotelResNotifRS**—Returns acknowledgement that the reservation has been successfully received or includes warnings from business processing rules or errors if the request did not succeed. It may optionally include the updated reservation data.

9.18.1. Use Case 1

9.18.1.1. Request: Hotel Reservation Notification

David Dewberry is traveling to Washington, DC on business and has decided to book his hotel reservation online. David chose to book his reservation through Travel Today, a third party site that maintains hotel inventory by hotel. The reservation can be booked by the customer without communication to the hotel system. Upon completion of the booking, Travel Today notifies the hotel system of the booking and requests a hotel confirmation number.

David did an availability search to determine which hotel he would like to book. He found that the JW Marriott has rooms available at their corporate rate and has decided to book that rate. David is arriving on October 18th, 2005 and is staying 2 nights. His information is as follows:

Mr. David Dewberry

321 Myrtle Lane

Latrobe, PA 15650

(724) 555-4321

david.dewberry@dewberriecorp.com

VS 411111111111202 exp 12/05

Room Requests: non-smoking, king bed

OTA_HotelResNotifRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelResNotifRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelResNotifRQ.xsd" EchoToken="354"
  TimeStamp="2005-01-26T10:22:00-05:00" Target="Production" Version="1.003" ResStatus="Commit">
  <POS>
    <Source>
      <RequestorID Type="13" ID="473"/>
      <!-- Type 13 = Internet broker from OTA code table UIT-->
      <BookingChannel Type="7" Primary="true">
        <!-- Type 7 = Internet from OTA code table BCT-->
        <CompanyName>Travel Today</CompanyName>
      </BookingChannel>
    </Source>
  </POS>
  <HotelReservations>
    <HotelReservation>
      <RoomStays>
        <RoomStay>
          <RatePlans>
            <RatePlan RatePlanCode="CORA999">
              </RatePlan>
            </RatePlans>
          <RoomRates>
            <RoomRate>
              <Rates>
                <Rate EffectiveDate="2005-10-18" ExpireDate="2005-10-20">
                  <Base AmountBeforeTax="280.00"/>
                </Rate>
              </Rates>
            </RoomRate>
          </RoomRates>
          <GuestCounts>
            <GuestCount Count="1"/>
          </GuestCounts>
          <TimeSpan Start="2005-10-18" End="2005-10-20"/>
          <Guarantee>
            <GuaranteesAccepted>
              <GuaranteeAccepted>
                <PaymentCard CardType="VS" CardNumber="411111111111202"
                  ExpireDate="1205">

```

```

        <CardHolderName>David Dewberry</CardHolderName>
      </PaymentCard>
    </GuaranteeAccepted>
  </GuaranteesAccepted>
</Guarantee>
<BasicPropertyInfo ChainCode="MC" HotelCode="WASJW" HotelName="JW Marriott
Hotel Pennsylvania Avenue"/>
  <Comments>
    <Comment>
      <Text>non-smoking Room requested;king bed</Text>
    </Comment>
  </Comments>
</RoomStay>
</RoomStays>
<ResGuests>
  <ResGuest>
    <Profiles>
      <ProfileInfo>
        <Profile ProfileType="1">
          <Customer>
            <PersonName>
              <NamePrefix>Mr.</NamePrefix>
              <GivenName>David</GivenName>
              <Surname>Dewberry</Surname>
            </PersonName>
            <Telephone PhoneNumber="7245554321" PhoneTechType="1"/>
            <!-- Phone Tech Type 1 = Voice from OTA code table BTT -->
            <Email>david.dewberry@dewberriycorp.com</Email>
            <Address>
              <AddressLine>321 Myrtle Lane</AddressLine>
              <CityName>Latrobe</CityName>
              <PostalCode>15650</PostalCode>
              <StateProv>PA</StateProv>
              <CountryName>USA</CountryName>
            </Address>
          </Customer>
        </Profile>
      </ProfileInfo>
    </Profiles>
  </ResGuest>
</ResGuests>
<ResGlobalInfo>
  <HotelReservationIDs>
    <HotelReservationID ResID_Type="13" ResID_Value="7865" ResID_Source="Travel
Today"/>
    <!-- Res ID Type 13 = Internet broker from OTA code table UIT -->
  </HotelReservationIDs>
</ResGlobalInfo>
  <TPA_Extensions/>
</HotelReservation>
</HotelReservations>
</OTA_HotelResNotifRQ>

```

9.18.1.2. Response: Hotel Reservation Notification

The system responds with a Marriott generated confirmation number.

OTA_HotelResNotifRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelResNotifRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelResNotifRS.xsd" EchoToken="354"

```

```

TimeStamp="2005-01-26T10:22:02-05:00" Target="Production" Version="1.003"
ResResponseType="Committed">
  <Success/>
  <HotelReservations>
    <HotelReservation>
      <ResGlobalInfo>
        <HotelReservationIDs>
          <HotelReservationID ResID_Type="13" ResID_Value="7865" ResID_Source="Travel
Today"/>
          <!-- Res ID Type 13 = Internet broker from OTA code table UIT -->
          <HotelReservationID ResID_Type="14" ResID_Value="82329987"
ResID_Source="Marriott"/>
          <!-- Res ID Type 14 = Reservation from OTA code table UIT -->
        </HotelReservationIDs>
      </ResGlobalInfo>
    </HotelReservation>
  </HotelReservations>
</OTA_HotelResNotifRS>

```

9.19. OTA_HotelResRQ/RS

The Hotel Reservation Request message is used to send a request from one booking source to another booking source requesting a hotel reservation. Typically the Hotel Reservation Request message would be used by a Central Reservation System (CRS), Global Distribution System (GDS), Internet broker, or other travel service provider that does not have the authority to book a reservation directly, but must determine the status of a property prior to booking a reservation. In the travel industry, allotments of inventory become difficult to manage if dispersed to multiple parties, so the control of inventory is usually held by the hotel property or the Central Reservation Office (CRO) of the hotel chain.

The Hotel Reservation Request message is often preceded by an Availability Request message. Upon querying the system that holds the inventory and learning that inventory is available at a chosen hotel property, the request is sent to book the hotel services. The Hotel Availability Request/Response messages do not hold inventory when the response of availability is returned. The availability query response only provides a snapshot at the time that the request is made. Depending upon the time between determining availability and sending the request to book a reservation, it cannot be assumed that a booking request will be approved.

There is not a requirement to determine availability prior to sending a reservation request. Travel agencies or individual guests may send a request to book a reservation from an Internet site if all the information required for booking is known. The OTA_HotelResRQ message can initiate the first message in the sequence of booking a reservation.

- **OTA_HotelResRQ**—Sends a request for a reservation to another system. All the elements and attributes that constitute the reservation that are known are sent with the request.
- **OTA_HotelResRS**—Returns confirmation that the reservation has been successfully booked, and includes a confirmation or reservation number to identify the reservation. Warnings from business processing rules or errors

are returned if the request did not succeed. It may optionally include the updated reservation data.

The message conversation may involve several request/response pairs before the final reservation is booked. During the process, a reservation can be rolled back or cancelled until the point at which the reservation is committed. In the seamless environment, the reservation system makes a commitment at an interim point but must retract that commitment if the reservation is not completed. For reservations that carry deposit penalties, refund penalties, or are non-cancelable, an interim commitment cannot be made.

The reservation request is an atomic request that can either be approved or denied depending on the status of the hotel inventory or whatever other business reasons that the hotel might have for declining the request.

The first three enumerations of the ResRequestType attribute: 1) Initiate, 2) Ignore, 3) Modify, indicate a tentative message and are used before a commitment is made or a reservation contractually incurred. The purpose of the Modify attribute is to change what is being requested. It does not modify an already confirmed booking. A cancellation cannot be made, and no cancellation penalties can be applied, until a message indicating a Commit has taken place. It is incumbent on the receiving system to periodically clean up tentative transactions, particularly in cases where the Ignore is never successfully received.

Once the Commit is specified and a ConfirmationID and/or ReservationID returned in the Reservation Booking Response message, a reservation exists from that point forward. A Committed reservation requires a new message request be initiated in order to change the reservation. By starting with the confirmation number or ReservationID of the existing reservation, the current reservation has been identified.

When a system requests a new tentative reservation that modifies a confirmed reservation, it would not want to cancel the original commitment before being able to confirm the change. The requesting system would need to retain the original reservation while making changes, and the receiving system would be tasked to process the modification request according to business rules.

9.19.1. Use Case 1

9.19.1.1. Request: Hotel Reservation

Charlotte Costello is traveling to Denver on business and has decided to book her hotel reservation online. Charlotte did an availability search to determine which hotel she would like to book. She found that the Denver Marriott West has rooms available at their corporate rate and has decided to book that rate. Charlotte is arriving on August 10th, 2005 and is staying 2 nights. Her information is as follows:

Ms. Charlotte Costello

123 Locust St.

Hyndman, PA 15545

(814) 555-6123

charlotte.costello@corp.com

VS 411111111111202 exp 05/06

Room Requests: non-smoking, king bed

OTA_HotelResRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelResRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelResRQ.xsd" Version="1.003">
  <POS>
    <Source ISOCurrency="USD"/>
  </POS>
  <HotelReservations>
    <HotelReservation>
      <RoomStays>
        <RoomStay>
          <RoomTypes>
            <RoomType NumberOfUnits="1"/>
          </RoomTypes>
          <RatePlans>
            <RatePlan RatePlanCode="CORA999"/>
          </RatePlans>
          <GuestCounts>
            <GuestCount AgeQualifyingCode="10" Count="1"/>
            <!-- Age Qualifying Code 10 = adult from OTA code table AQC-->
          </GuestCounts>
          <TimeSpan End="2005-08-12" Start="2005-08-10"/>
          <Guarantee>
            <GuaranteesAccepted>
              <GuaranteeAccepted>
                <PaymentCard CardCode="VS" CardNumber="411111111111202"
  ExpireDate="0506">
                  <CardHolderName>Costello</CardHolderName>
                </PaymentCard>
              </GuaranteeAccepted>
            </GuaranteesAccepted>
          </Guarantee>
          <BasicPropertyInfo ChainCode="MC" HotelCode="DENWE"/>
          <Comments>
            <Comment>
              <Text>non-smoking room requested;king bed</Text>
            </Comment>
          </Comments>
        </RoomStay>
      </RoomStays>
      <ResGuests>
        <ResGuest>
          <Profiles>
            <ProfileInfo>
              <Profile ProfileType="1">
                <!-- Profile Type 1 = customer from OTA code table PRT -->
                <Customer>
                  <PersonName>
                    <NamePrefix>Ms.</NamePrefix>
```

```

        <GivenName>Charlotte</GivenName>
        <Surname>Costello</Surname>
    </PersonName>
    <Telephone PhoneNumber="8145556123" PhoneTechType="1"/>
    <!-- Phone Tech Type 1 = voice from OTA code table PTT -->
    <Email>charlotte.costello@corp.com</Email>
    <Address>
        <AddressLine>123 Locust St.</AddressLine>
        <CityName>Hyndman</CityName>
        <PostalCode>15545</PostalCode>
        <StateProv>PA</StateProv>
        <CountryName>USA</CountryName>
    </Address>
</Customer>
</Profile>
</ProfileInfo>
</Profiles>
</ResGuest>
</ResGuests>
</HotelReservation>
</HotelReservations>
</OTA_HotelResRQ>

```

9.19.1.2. Response: Hotel Reservation

The system responds with the rate, rate description, cancellation policy, and confirmation number.

OTA_HotelResRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelResRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelResRS.xsd" Version="1.003">
  <Success/>
  <HotelReservations>
    <HotelReservation>
      <RoomStays>
        <RoomStay>
          <RatePlans>
            <RatePlan RatePlanCode="CORA999">
              <CancelPenalties>
                <CancelPenalty>
                  <PenaltyDescription>
                    <Text> 1 NTS RM & TX CXL PENALTY -AS FIRST NIGHT
                    PAYMENT CANCELLATION PERMITTED UP TO 1DAYS BEFORE ARRIVAL</Text>
                  </PenaltyDescription>
                </CancelPenalty>
              </CancelPenalties>
            </RatePlan>
          </RatePlans>
          <RoomRates>
            <RoomRate>
              <Rates>
                <Rate EffectiveDate="2005-08-10" ExpireDate="2005-08-12">
                  <Base AmountBeforeTax="100.00"/>
                  <RateDescription>
                    <Text>CORPORATE RATE * SUPERIOR ROOM (1 KING OR 2
                    SINGLE BEDS) INCLUDING DAILY BREAKFAST * RATE EXCLUDES 15 PCT TAX/SVC CHG</Text>
                  </RateDescription>
                </Rate>
              </Rates>
            </RoomRate>
          </RoomRates>
        </RoomStay>
      </RoomStays>
    </HotelReservation>
  </HotelReservations>
</OTA_HotelResRS>

```

```
</RoomRate>
</RoomRates>
</RoomStay>
</RoomStays>
<ResGlobalInfo>
  <HotelReservationIDs>
    <HotelReservationID ResID_Value="86048384"/>
  </HotelReservationIDs>
</ResGlobalInfo>
</HotelReservation>
</HotelReservations>
</OTA_HotelResRS>
```

9.20. OTA_HotelRFP_MeetingRQ/RS

The Request and Response RFP/RFI (requests for proposals/ requests for information) Messages expand on the hotel message sets, to further automate a large section of hotel responses to information. For example, an RFP/RFI is generally sent from a customer, agency, corporation, etc. to the sales team within a hotel(s) or national/regional office(s), who must then manually reply to the message(s) in various ways, such as phone, fax, email, etc. This new RFP/RFI request/response message replaces the inconsistent and highly manual effort of sending the requests and the acknowledgment of receiving the request. This request/response message set is designed for Group and Meeting RFP/RFI.

9.20.1. Use Case 1

9.20.1.1. Request: Simple Request for Proposal

Julie Clark's son's soccer team, Houston Astros Soccer Club, has a soccer tournament in Dallas, TX on October 10 – 12, 2003. The team needs 15 rooms for 2 nights in Dallas, TX. Julie typically stays with Hilton Hotels on business travel and is a Hilton HHonors member (number 528126539). Julie decides to go on-line to www.hiltondirect.com in order to request the price for the rooms.

Julie fills out her contact information and room requirements, and then submits an on-line request for proposal to several Hilton hotels in the Dallas, TX area. HiltonDirect.com's lead management functionality is powered by Plansoft, whose meeting planner site is www.mpoint.com.

Contact Information:

Julie Clark
785 Walnut Lane
Houston, TX 77571
Phone: 281-771-6846
Fax: 281-771-8541
Email: Julie_Clark@att.net

Group Information:

Group Name: Houston Astros Soccer Club
Dates: October 10 –12, 2003
Decision Date: April 10, 2003

Number of People: 5 adults and 20 children

Room Information:

5 single rooms and 10 rooms with two beds. Budgeted room rate of \$85 to \$110 per rooms per night.

Comments:

All rooms on the same floor level. All charges to one bill.

Hotel Information:

Doubletree Hotel Dallas-Lincoln Centre near the Galleria

5410 LBJ Freeway
Dallas, TX 75240
United States of America
(972) 934-8400 - main phone
(972) 701-5244 - main fax
(972) 701-5127 - sales phone
(972) 701-5137 - sales fax

Hilton DFW Lakes Executive Conference Center

800 Highway 26 East
Grapevine, TX 76051
United States of America
(817) 481-8444 - main phone
(817) 481-3160 - main fax
(817) 410-6772 - sales phone
(817) 481-3146 - sales fax

Embassy Suites Hotel Dallas - Market Center

2727 Stemmons Freeway
Dallas, TX 75207
United States of America
(214) 630-5332 - main phone
(214) 631-3025 - main fax
(214) 630-5332 - sales phone
(214) 631-3025 - sales fax

Julie Clark sends an online request for a proposal for her son's soccer tournament in Dallas to the hotels.

OTA_HotelRFP_MeetingRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelRFP_MeetingRQ EchoToken="183529" TimeStamp="2003-12-17T09:30:47-05:00"
Target="Production" Version="1.000" SequenceNmbr="1" PrimaryLangID="en-us" AltLangID="en-us"
xmlns="http://www.opentravel.org/OTA/2003/05" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
```

```

OTA_HotelRFP_MeetingRQ.xsd">
  <RFP_RequestSegments AttendeeQuantity="25" ResponseDue="2003-04-10" DecisionDue="2003-04-
10" ResponseFormat="2" ResponseLanguage="en-us">
    <RFP_RequestSegment>
      <Profiles>
        <ProfileInfo>
          <UniqueID URL="http://www.hiltondirect.com" Type="1" ID="123456"/>
            <Profile ProfileType="1">
              <Customer Gender="Female">
                <PersonName>
                  <GivenName>Julie</GivenName>
                  <Surname>Clark</Surname>
                </PersonName>
                <Telephone CountryAccessCode="1" AreaCityCode="281" PhoneNumber="771-
6846" PhoneUseType="3"/>
                <Email>Julie_Clark@att.net</Email>
                <Address UseType="2">
                  <AddressLine>785 Walnut Lane</AddressLine>
                  <CityName>Houston</CityName>
                  <PostalCode>77571</PostalCode>
                  <StateProv StateCode="TX">Texas</StateProv>
                  <CountryName Code="US">United States of America</CountryName>
                </Address>
              </Customer>
            </Profile>
          </ProfileInfo>
        </Profiles>
        <Dates>
          <Date Start="2003-10-10" End="2003-10-12" DateType="Primary"/>
        </Dates>
        <Sites>
          <Site ChainCode="Hilton" BrandCode="DT" HotelCode="16023" HotelName="Doubletree
Hotel Dallas-Lincoln Centre near the Galleria" ChainName="Doubletree Hotels" BrandName="Hilton Hotels">
            <ContactInfos>
              <ContactInfo ContactType="Primary">
                <Telephone CountryAccessCode="1" AreaCityCode="972" PhoneNumber="934-
8400" PhoneUseType="5"/>
                <Address FormattedInd="false" Type="2" UseType="6">
                  <AddressLine>5410 LBJ Freeway</AddressLine>
                  <CityName>Dallas</CityName>
                  <PostalCode>75240</PostalCode>
                  <StateProv StateCode="TX">Texas</StateProv>
                  <CountryName Code="US">United States of America</CountryName>
                </Address>
              </ContactInfo>
            </ContactInfos>
          </Site>
          <Site ChainCode="Hilton" BrandCode="HIC" HotelCode="16024" HotelName="Hilton DFW
Lakes Executive Conference Center" ChainName="Hilton Hotels" BrandName="Hilton Hotels">
            <ContactInfos>
              <ContactInfo ContactType="Primary">
                <Telephone CountryAccessCode="1" AreaCityCode="972" PhoneNumber="934-
8400" PhoneUseType="5"/>
                <Address FormattedInd="false" Type="2" UseType="6">
                  <AddressLine>800 Highway 26 East</AddressLine>
                  <CityName>Grapevine</CityName>
                  <PostalCode>76051</PostalCode>
                  <StateProv StateCode="TX">Texas</StateProv>
                  <CountryName Code="US">United States of America</CountryName>
                </Address>
              </ContactInfo>
            </ContactInfos>
          </Site>
          <Site ChainCode="Hilton" BrandCode="ES" HotelCode="16025" HotelName="Embassy
Suites Hotel Dallas - Market Center" ChainName="Embassy Suites" BrandName="Hilton Hotels">
            <ContactInfos>

```

```

        <ContactInfo ContactType="Primary">
          <Telephone CountryAccessCode="1" AreaCityCode="214" PhoneNumber="630-
5332 " PhoneUseType="5"/>
          <Address FormattedInd="false" Type="2" UseType="6">
            <AddressLine>2727 Stemmons Freeway </AddressLine>
            <CityName>Dallas</CityName>
            <PostalCode>75207 </PostalCode>
            <StateProv StateCode="TX">Texas</StateProv>
            <CountryName Code="US">United States of America</CountryName>
          </Address>
        </ContactInfo>
      </ContactInfos>
    </Site>
  </Sites>
  <RoomBlock>
    <BudgetedRoomRate Amount="110.00" CurrencyCode="USD" DecimalPlaces="2"/>
    <StayDays FirstStayDayOfWeek="Fri">
      <StayDay DayNumber="1">
        <StayDayRooms>
          <StayDayRoom RoomTypeRequirement="Singles" NumberOfUnits="5"/>
          <StayDayRoom RoomTypeRequirement="Doubles/Doubles"
NumberOfUnits="10">
        </StayDayRoom>
      </StayDayRooms>
    </StayDay>
    <StayDay DayNumber="2">
      <StayDayRooms>
          <StayDayRoom RoomTypeRequirement="Singles" NumberOfUnits="5"/>
          <StayDayRoom RoomTypeRequirement="Doubles/Doubles"
NumberOfUnits="10">
        </StayDayRoom>
      </StayDayRooms>
    </StayDay>
  </StayDays>
</RoomBlock>
  <Comments ParagraphNumber="1" Language="en-us">
    <Text Formatted="1" Language="en-us">Hilton HHonors member 528126539 All rooms on
the same floor level. All charges to one bill. </Text>
  </Comments>
  <RFP_ID URL="http://www.mpoint.com" Type="13" ID="102230"/>
</RFP_RequestSegment>
</RFP_RequestSegments>
  <MessageID URL="http://www.mpoint.com" Type="13" ID="12345">
    <CompanyName CompanyShortName="Houston Astros Soccer Club">
      </CompanyName>
    </MessageID>
  </OTA_HotelRFP_MeetingRQ>

```

9.20.1.2. Response: Receipt acknowledgement

A response message comes back acknowledging receipt and saying details will be sent within 48 hours.

OTA_HotelRFP_MeetingRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelRFP_MeetingRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_HotelRFP_MeetingRS.xsd" Version="1.000">
  <Success/>
  <RFP_Response>
    <RFP_ResponseSegments>
      <RFP_ResponseSegment>

```

```

    <Sites>
      <Site ChainCode="Hilton" BrandCode="HIC" HotelCode="16024" HotelName="Hilton
DFW Lakes Executive Conference Center" ChainName="Hilton Hotels" BrandName="Hilton Hotels">
        <ResponseType DetailIncludedIndicator="false" ResponseMethod="11"
MinimumTime="P0Y0M1DT0H00M" MaximumTime="P0Y0M2DT0H00M" ResponseTimeUnit="business
day"/>
        <SiteID Type="10" ID="99445"/>
      </Site>
    </Sites>
    <RFP_ID URL="http://www.mpoint.com" Type="13" ID="102230">
      <CompanyName>Houston Astros Soccer Club</CompanyName>
    </RFP_ID>
  </RFP_ResponseSegment>
</RFP_ResponseSegments>
  <MessageID URL="http://www.mpoint.com" Type="13" ID="12345"/>
</RFP_Response>
</OTA_HotelRFP_MeetingRS>

```

9.20.2. Use Case 2

9.20.2.1. Request: Complex Request for Proposal

Kellie Thompson works for a third party meeting planner agency. She is planning the third Annual Sales Incentive Meeting for a corporation such as IBM or Intel. Her primary contact at the corporation is John Hewitt.

Kellie will submit an RFP from a PlanSoft powered web site such as mpoint. This meeting needs to take place in September 2003 with an alternate being October 2003. Kellie requires responses from hotels by April 1, 2003. She must make a decision on which hotel to choose April 10, 2003.

John Hewitt has certain requirements for this meeting. They have had this meeting in the past and he has lots of historical data at his disposal. The meeting is an incentive based meeting for the top 20 sales people. This meeting will be a 2-day business meeting followed by a weekend get away for the sales people and their families.

Kellie is expecting all 20 salespeople to attend. She also expects 5 additional sales people to attend as well as 2 executive committee members. Including Kellie and her assistant this brings the total to 30 people. She is also expecting approximately 50 family members to arrive for the weekend staying in the existing rooms allocated to the salespeople. She has the following room requirements:

	Singles	Doubles	Double/Doubles	Suites
Day 1	3	4	20	3
Day 2	3	4	20	3
Day 3	3	4	20	3
Day 4	3	4	20	3

Two of the Double/Double rooms require a crib.

Kellie would like to receive a full contract back along with a sales kit. The sales kit should include a menu as well as information about the local attractions.

This meeting has been very popular in the past. Last year's meeting, the 2nd Annual Sales Incentive Meeting, produced the following historical data:

Location: Sacramento

Hilton Sacramento Arden West

2200 Harvard St

Sacramento, CA 95815

United States of America

Dates: 9/10/2002 – 9/14/2002

	Room Block	Final Room Pickup	Total Guest Room Expense	Food & Beverage	Meeting Room Rental	Audio Visual	# of Attendees
Day 1	35	31	\$5859.00	\$2854.00	\$2000.00	\$125	31
Day 2	35	31	\$5859.00	\$2854.00	\$2000.00	\$150	31
Day 3	35	31	\$5859.00	\$8566.00	\$2000.00	\$350	74
Day 4	35	31	\$5859.00	\$8566.00	\$2000.00	\$350	74

Kellie will be submitting her RFP to the following Hotels in San Diego:

San Diego Marriott Hotel & Marina

333 West Harbor Drive

San Diego, CA 92101

United States of America

Mr. Rick Outcalt

Director of Sales

Phone: (619) 230-8314

Fax: (619) 230-8328

Email: rick.outcalt@marriott.com

Sheraton San Diego Hotel & Marina

1380 Harbor Island Drive

San Diego, CA 92101

United States of America

Gary Spencer

Director of Sales & Marketing

Phone: (619) 692-2266

Fax: (619) 692-2363

Email: gary.spencer@sheraton.com

Hilton San Diego Resort

1775 East Mission Bay Drive

San Diego, CA 92109

United States of America

Jane Bucks

Director of Sales

Phone: (619) 275-8910 Fax: (619) 275-7992

Email: jane_bucks@hilton.com

Hotel - Hyatt Regency Islandia Hotel & Marina

1441 Quivira Road
San Diego, CA 92109
United States of America
Sidney Hunter
Director of Sales
Phone: (619) 221-4840
Fax: (619) 221-4841
Email: shunter@sanispo.hyatt.com

San Diego Marriott La Jolla

4240 La Jolla Village Drive
La Jolla, CA 92037
United States of America
Dave Foster
Director of Sales
Phone: (858) 597-6353
Fax: (858) 457-5153
Email: david.t.foster@marriott.com

Radisson Hotel San Diego

1433 Camino Del Rio South
San Diego, CA 92108
United States of America
Peggy Johnson
Director of Sales & Marketing
Phone: (619) 260-6592
Fax: (619) 497-0808
Email: peggy.johnson@ihrc.com

Marriott Coronado Island

2000 Second Street
Coronado, CA 92118
United States of America
Rick Outcalt
Director of Sales
Phone: (619) 230-8314
Fax: (619) 522-3068
Email: rick.outcalt@marriott.com

La Casa del Zorro Desert Resort

3845 Yaqui Pass Road
Borrego Springs, CA 92004
United States of America
Phyllis Fetter
Director of Sales
Phone: (888) 336-9336
Fax: (760) 767-4782

Email: phyllis.fetter@lacasadeszorro.com

Four Seasons Resort Aviara

7100 Four Seasons Point
Carlsbad, CA 92009
United States of America
Nance Trevithick
Director of Sales
Phone: (760) 603-6800
Fax: (760) 603-6822
Email: nance.trevithick@fourseasons.com

Kellie would also like to send this request to her national sales contact for Hilton and Marriott. Respectively those contacts are:

Hilton Hotels: Tiffany Bracken

National Sales Officer
4835 LBJ Freeway, Suite 535
Dallas, TX 75244
United States of America
Phone: (972) 701-3724
Fax: (972) 701-3788
tiffany_bracken@hilton.com

Marriott Hotels: Eric Marriott

Global Sales Director
One Marriott Drive,
Washington DC, 20058,
United States of America
Phone: (301) 380-3000
Fax: (555) 678-9999
Emarriott@marriott.com

The meeting will have the following agenda:

Day 1:

Time	Name	# of People	Sq. Ft.	Setup	24 Hold	Notes/ Instructions
8:00 – 9:00	Breakfast	30	365	Banquet	No	All American breakfast; 4 Vegetarians
9:00 – 10:30	General Session	24	975	Conference	Yes	
10:30 – 10:45	Break	30	285	Reception	No	Coffee; Soda; Danish, doughnuts
10:45 – 12:00	General Session	24	975	Conference	Yes	

	continued					
12:00 – 1:00	Lunch	30	365	Banquet	No	Box Lunch with choices for Turkey, Roast Beef and Chicken sandwiches
1:00 – 3:15	FY 2003 Sales Review	24	975	Conference	Yes	
3:15 – 3:30	Break	30	285	Reception	No	Coffee; Soda; Cookies; etc..
3:30 – 5:00	FY 2004 Sales Goals	24	975	Conference	Yes	
6:00 – 8:00	Dinner	30	365	Banquet	No	

Day 2:

Time	Name	# of People	Sq. Ft.	Setup	24 Hold	Notes/ Instructions
8:00 – 9:00	Breakfast	30	365	Banquet	No	All American breakfast; 4 Vegetarians
9:00 – 10:30	2004 Planning Session	24	975	Conference	Yes	
10:30 – 10:45	Break	30	285	Reception	No	Coffee; Soda; Danish, doughnuts
10:45 – 12:00	2004 Planning Session continued	24	975	Conference	Yes	
12:00 – 1:00	Lunch	30	365	Banquet	No	Box Lunch with choices for Turkey, Roast Beef and Chicken sandwiches
1:00 – 3:15	Establish 2004 Sales Goals	24	975	Conference	Yes	
3:15 – 3:30	Break	30	285	Reception	No	Coffee; Soda; Cookies; etc..
3:30 – 5:00	2004 Sales Goals continued	24	975	Conference	Yes	
6:00 – 8:00	Dinner	30	365	Banquet	No	

Day 3: - Families Arrive

Time	Name	# of People	Sq. Ft.	Setup	24 Hold	Notes/ Instructions
8:00 – 9:00	Breakfast	80	963	Banquet	No	All American breakfast; 4 Vegetarians
12:00 – 1:00	Lunch	80	963	Banquet	No	Box Lunch with choices for Turkey, Roast Beef and Chicken sandwiches
6:00 – 8:00	Dinner		963	Banquet	No	
8:00 – 10:00	Awards Ceremony	80	963	Banquet	No	

Day 4:

Time	Name	# of People	Sq. Ft.	Setup	24 Hold	Notes/ Instructions
8:00 – 9:00	Breakfast	80	963	Banquet	No	All American breakfast; 4 Vegetarians
12:00 – 1:00	Lunch	80	963	Banquet	No	Box Lunch with choices for Turkey, Roast Beef and Chicken sandwiches
6:00 – 8:00	Dinner		963	Banquet	No	
8:00 – 10:00	Awards Ceremony	80	963	Banquet	No	

Kellie Thompson submits a request for a proposal to the multiple hotels, with details about the meeting.

OTA_HotelRFP_MeetingRQ2.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelRFP_MeetingRQ EchoToken="183530" TimeStamp="2003-02-17T09:30:47-05:00"
Target="Production" Version="1.000" SequenceNmbr="1" PrimaryLangID="en-us" AltLangID="en-us"
xmlns="http://www.opentravel.org/OTA/2003/05" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_HotelRFP_MeetingRQ.xsd">
  <RFP_RequestSegments AttendeeQuantity="80" ResponseDue="2003-04-01" DecisionDue="2003-04-
10" ResponseFormat="2" ResponseLanguage="en-us">
    <RFP_RequestSegment>
      <Profiles>
        <ProfileInfo>
          <UniqueID URL="http://www.mpoint.com" Type="1" ID="654321">
            </UniqueID>
          <Profile ProfileType="1">
```

```

    <Customer Gender="Male" BirthDate="1967-08-13" CurrencyCode="aaa"
DecimalPlaces="1">
    <PersonName>
      <GivenName>John</GivenName>
      <Surname>Hewitt</Surname>
    </PersonName>
    <Telephone CountryAccessCode="1" AreaCityCode="330" PhoneNumber="405-
9238" PhoneUseType="5"/>
    <Email>jhewitt@plansoft.com</Email>
    <Address UseType="2">
      <AddressLine>8085 Darrow Rd</AddressLine>
      <CityName>Twinsburg</CityName>
      <PostalCode>44087</PostalCode>
      <StateProv StateCode="OH">Ohio</StateProv>
      <CountryName Code="US">United States of America</CountryName>
    </Address>
  </Customer>
  <CompanyInfo>
    <CompanyName CompanyShortName="3rd Party Planning Agency"/>
    <AddressInfo UseType="2">
      <BldgRoom>Suite 400-W</BldgRoom>
      <AddressLine>5001 Spring Valley</AddressLine>
      <CityName>Dallas</CityName>
      <PostalCode>75244</PostalCode>
      <StateProv StateCode="TX">Texas</StateProv>
      <CountryName Code="US">United States of America</CountryName>
    </AddressInfo>
    <TelephoneInfo CountryAccessCode="1" AreaCityCode="972"
PhoneNumber="383-2709" PhoneUseType="5"/>
    <Email>kellie_thompson@hilton.com</Email>
  </CompanyInfo>
</Profile>
</ProfileInfo>
</Profiles>
<Dates>
  <Date Start="2003-09-04" End="2003-09-08" DateType="Primary">
  </Date>
  <Date Start="2003-09-18" End="2003-09-22" DateType="Alternate">
  </Date>
</Dates>
<Sites>
  <Site ChainCode="Marriott" BrandCode="Marriott" HotelCode="16024" HotelName="San
Diego Marriott Hotel and Marina" ChainName="Marriott Corporation" BrandName="Marriott">
    <ContactInfos>
      <ContactInfo ContactType="Primary">
        <PersonName>
          <NamePrefix>Mr.</NamePrefix>
          <GivenName>Rick</GivenName>
          <Surname>Outcalt</Surname>
          <NameTitle>Director</NameTitle>
        </PersonName>
        <Telephone CountryAccessCode="1" AreaCityCode="619" PhoneNumber="230-
8314" PhoneUseType="5"/>
        <Address FormattedInd="false" Type="2" UseType="6">
          <AddressLine>333 West Harbor Drive</AddressLine>
          <CityName>San Diego</CityName>
          <PostalCode>92101</PostalCode>
          <StateProv StateCode="CA">California</StateProv>
          <CountryName Code="US">United States of America</CountryName>
        </Address>
        <Email>rick.outcalt@marriott.com</Email>
      </ContactInfo>
      <ContactInfo ContactType="Copy">
        <PersonName>
          <NamePrefix>Mr.</NamePrefix>
          <GivenName>Eric</GivenName>

```

```

        <Surname>Marriott</Surname>
        <NameTitle>Global Sales Dir</NameTitle>
    </PersonName>
    <Telephone CountryAccessCode="1" AreaCityCode="301" PhoneNumber="380-
3000" PhoneUseType="5"/>
    <Address FormattedInd="false" Type="2" UseType="6">
        <AddressLine>One Marriott Drive</AddressLine>
        <CityName>Washington DC</CityName>
        <PostalCode>20058</PostalCode>
        <StateProv StateCode="DC">District of Columbia</StateProv>
        <CountryName Code="US">United States of America</CountryName>
    </Address>
    <Email>emarriott@marriott.com</Email>
</ContactInfo>
</ContactInfos>
</Site>
    <Site ChainCode="Starwood" BrandCode="Sheraton" HotelCode="16138"
HotelName="Sheraton San Diego Hotel and Marina" ChainName="Starwood Hotels" BrandName="Sheraton">
    <ContactInfos>
        <ContactInfo ContactType="Primary">
            <PersonName>
                <NamePrefix>Mr.</NamePrefix>
                <GivenName>Gary</GivenName>
                <Surname>Spencer</Surname>
                <NameTitle>Director</NameTitle>
            </PersonName>
            <Telephone CountryAccessCode="1" AreaCityCode="619" PhoneNumber="692-
2266" PhoneUseType="5"/>
            <Address FormattedInd="false" Type="2" UseType="6">
                <AddressLine>1380 Harbor Island Drive</AddressLine>
                <CityName>San Diego</CityName>
                <PostalCode>92101</PostalCode>
                <StateProv StateCode="CA">California</StateProv>
                <CountryName Code="US">United States of America</CountryName>
            </Address>
            <Email>gary.spencer@sheraton.com</Email>
        </ContactInfo>
    </ContactInfos>
</Site>
    <Site ChainCode="Hilton" BrandCode="HIC" HotelCode="16023" HotelName="Hilton San
Diego Resort" ChainName="Hilton Hotels" BrandName="Hilton Hotels">
    <ContactInfos>
        <ContactInfo ContactType="Primary">
            <PersonName>
                <NamePrefix>Ms.</NamePrefix>
                <GivenName>Jane</GivenName>
                <Surname>Bucks</Surname>
                <NameTitle>Director</NameTitle>
            </PersonName>
            <Telephone CountryAccessCode="1" AreaCityCode="619" PhoneNumber="275-
8910" PhoneUseType="5"/>
            <Address FormattedInd="false" Type="2" UseType="6">
                <AddressLine>1775 East Mission Bay Drive</AddressLine>
                <CityName>San Diego</CityName>
                <PostalCode>92109</PostalCode>
                <StateProv StateCode="CA">California</StateProv>
                <CountryName Code="US">United States of America</CountryName>
            </Address>
            <Email>jane_bucks@hilton.com</Email>
        </ContactInfo>
        <ContactInfo ContactType="Copy">
            <PersonName>
                <NamePrefix>Ms.</NamePrefix>
                <GivenName>Tiffany</GivenName>
                <Surname>Bracken</Surname>
                <NameTitle>Sales Officer</NameTitle>

```

```

        </PersonName>
        <Telephone CountryAccessCode="1" AreaCityCode="301" PhoneNumber="380-
3000" PhoneUseType="5"/>
        <Address FormattedInd="false" Type="2" UseType="6">
            <AddressLine>4835 LBJ Freeway, Suite 535</AddressLine>
            <CityName>Dallas</CityName>
            <PostalCode>75244</PostalCode>
            <StateProv StateCode="TX">Texas</StateProv>
            <CountryName Code="US">United States of America</CountryName>
        </Address>
        <Email>tiffany_bracken@hilton.com </Email>
        </ContactInfo>
    </ContactInfos>
</Site>
<Site ChainCode="Hyatt" BrandCode="Hyatt" HotelCode="15578" HotelName="Hyatt
Regency Islandia Hotel and Marina" ChainName="Hyatt Hotels" BrandName="Hyatt Hotels">
    <ContactInfos>
        <ContactInfo ContactType="Primary">
            <PersonName>
                <GivenName>Sidney</GivenName>
                <Surname>Hunter</Surname>
                <NameTitle>Director</NameTitle>
            </PersonName>
            <Telephone CountryAccessCode="1" AreaCityCode="619" PhoneNumber="221-
4841" PhoneUseType="5"/>
            <Address FormattedInd="false" Type="2" UseType="6">
                <AddressLine>1441 Quivira Road </AddressLine>
                <CityName>San Diego</CityName>
                <PostalCode>92109</PostalCode>
                <StateProv StateCode="CA">California</StateProv>
                <CountryName Code="US">United States of America</CountryName>
            </Address>
            <Email>gary.spencer@sheraton.com</Email>
            </ContactInfo>
        </ContactInfos>
    </Site>
    <Site ChainCode="Marriott" BrandCode="Marriott" HotelCode="16025" HotelName="San
Diego Marriott La Jolla" ChainName="Marriott Corporation" BrandName="Marriott">
        <ContactInfos>
            <ContactInfo ContactType="Primary">
                <PersonName>
                    <NamePrefix>Mr.</NamePrefix>
                    <GivenName>Dave</GivenName>
                    <Surname>Foster</Surname>
                    <NameTitle>Director</NameTitle>
                </PersonName>
                <Telephone CountryAccessCode="1" AreaCityCode="858" PhoneNumber="597-
6353" PhoneUseType="5"/>
                <Address FormattedInd="false" Type="2" UseType="6">
                    <AddressLine>4240 La Jolla Village Drive </AddressLine>
                    <CityName>La Jolla</CityName>
                    <PostalCode>92037</PostalCode>
                    <StateProv StateCode="CA">California</StateProv>
                    <CountryName Code="US">United States of America</CountryName>
                </Address>
                <Email>david.t.foster@marriott.com</Email>
            </ContactInfo>
            <ContactInfo ContactType="Copy">
                <PersonName>
                    <NamePrefix>Mr.</NamePrefix>
                    <GivenName>Eric</GivenName>
                    <Surname>Marriott</Surname>
                    <NameTitle>Global Sales Dir</NameTitle>
                </PersonName>
                <Telephone CountryAccessCode="1" AreaCityCode="301" PhoneNumber="380-
3000" PhoneUseType="5"/>

```

```

        <Address FormattedInd="false" Type="2" UseType="6">
            <AddressLine>One Marriott Drive</AddressLine>
            <CityName>Washington DC</CityName>
            <PostalCode>20058</PostalCode>
            <StateProv StateCode="DC">District of Columbia</StateProv>
            <CountryName Code="US">United States of America</CountryName>
        </Address>
        <Email>emarriott@marriott.com</Email>
    </ContactInfo>
</ContactInfos>
</Site>
    <Site ChainCode="Radisson" BrandCode="Radisson" HotelCode="15578"
HotelName="Radisson Hotel San Diego " ChainName="Radisson" BrandName="Radisson">
    <ContactInfos>
        <ContactInfo ContactType="Primary">
            <PersonName>
                <GivenName>Peggy</GivenName>
                <Surname>Johnson</Surname>
                <NameTitle>Sales Director</NameTitle>
            </PersonName>
            <Telephone CountryAccessCode="1" AreaCityCode="619" PhoneNumber="221-
4841" PhoneUseType="5"/>
            <Address FormattedInd="false" Type="2" UseType="6">
                <AddressLine>1433 Camino Del Rio South </AddressLine>
                <CityName>San Diego</CityName>
                <PostalCode>92108</PostalCode>
                <StateProv StateCode="CA">California</StateProv>
                <CountryName Code="US">United States of America</CountryName>
            </Address>
            <Email>peggy.johnson@ihrc.com</Email>
        </ContactInfo>
    </ContactInfos>
</Site>
    <Site ChainCode="Marriott" BrandCode="Marriott" HotelCode="15693" HotelName="Marriott
Coronado Island" ChainName="Marriott Corporation" BrandName="Marriott">
    <ContactInfos>
        <ContactInfo ContactType="Primary">
            <PersonName>
                <NamePrefix>Mr.</NamePrefix>
                <GivenName>Rick</GivenName>
                <Surname>Outcalt</Surname>
                <NameTitle>Sales Director</NameTitle>
            </PersonName>
            <Telephone CountryAccessCode="1" AreaCityCode="619" PhoneNumber="230-
8314" PhoneUseType="5"/>
            <Address FormattedInd="false" Type="2" UseType="6">
                <AddressLine>2000 Second Street</AddressLine>
                <CityName>Coronado</CityName>
                <PostalCode>92118</PostalCode>
                <StateProv StateCode="CA">California</StateProv>
                <CountryName Code="US">United States of America</CountryName>
            </Address>
            <Email>rick.outcalt@marriott.com</Email>
        </ContactInfo>
        <ContactInfo ContactType="Copy">
            <PersonName>
                <NamePrefix>Mr.</NamePrefix>
                <GivenName>Eric</GivenName>
                <Surname>Marriott</Surname>
                <NameTitle>Global Sales Dir</NameTitle>
            </PersonName>
            <Telephone CountryAccessCode="1" AreaCityCode="301" PhoneNumber="380-
3000" PhoneUseType="5"/>
            <Address FormattedInd="false" Type="2" UseType="6">
                <AddressLine>One Marriott Drive</AddressLine>
                <CityName>Washington DC</CityName>

```

```

        <PostalCode>20058</PostalCode>
        <StateProv StateCode="DC">District of Columbia</StateProv>
        <CountryName Code="US">United States of America</CountryName>
    </Address>
    <Email>emarriott@marriott.com</Email>
</ContactInfo>
</ContactInfos>
</Site>
<Site ChainCode="I" BrandCode="I" HotelCode="20133" HotelName="La Casa del Zorro
Desert Resort" ChainName="Independent" BrandName="Radisson">
    <ContactInfos>
        <ContactInfo ContactType="Primary">
            <PersonName>
                <GivenName>Phyllis</GivenName>
                <Surname>Fetter</Surname>
                <NameTitle>Sales Director</NameTitle>
            </PersonName>
            <Telephone CountryAccessCode="1" AreaCityCode="888" PhoneNumber="336-
9336" PhoneUseType="5"/>
            <Address FormattedInd="false" Type="2" UseType="6">
                <AddressLine>3845 Yaqui Pass Road</AddressLine>
                <CityName>Borrego Springs</CityName>
                <PostalCode>92004</PostalCode>
                <StateProv StateCode="CA">California</StateProv>
                <CountryName Code="US">United States of America</CountryName>
            </Address>
            <Email>phyllis.fetter@lacasadeszorro.com</Email>
        </ContactInfo>
    </ContactInfos>
</Site>
<Site ChainCode="2" BrandCode="8" HotelCode="14760" HotelName="Four Seasons Resort
Aviara" ChainName="Four Seasons Hotels" BrandName="Four Seasons Hotels">
    <ContactInfos>
        <ContactInfo ContactType="Primary">
            <PersonName>
                <GivenName>Nance</GivenName>
                <Surname>Trevithick</Surname>
                <NameTitle>Sales Director</NameTitle>
            </PersonName>
            <Telephone CountryAccessCode="1" AreaCityCode="760" PhoneNumber="603-
6800" PhoneUseType="5"/>
            <Address FormattedInd="false" Type="2" UseType="6">
                <AddressLine>7100 Four Seasons Point</AddressLine>
                <CityName>Carlsbad</CityName>
                <PostalCode>92009</PostalCode>
                <StateProv StateCode="CA">California</StateProv>
                <CountryName Code="US">United States of America</CountryName>
            </Address>
            <Email>nance.trevithick@fourseasons.com</Email>
        </ContactInfo>
    </ContactInfos>
</Site>
</Sites>
<RoomBlock>
    <BudgetedRoomRate Amount="200.00" CurrencyCode="USD" DecimalPlaces="2"/>
    <StayDays FirstStayDayOfWeek="Mon">
        <StayDay DayNumber="1">
            <StayDayRooms>
                <StayDayRoom RoomTypeRequirement="Singles" NumberOfUnits="3"/>
                <StayDayRoom RoomTypeRequirement="Doubles" NumberOfUnits="4"/>
                <StayDayRoom RoomTypeRequirement="Doubles/Doubles"
NumberOfUnits="20">
                    <Comment ParagraphNumber="1" Language="en-us">
                        <Text Formatted="1" Language="en-us">2 Rooms require a crib</Text>
                    </Comment>
                </StayDayRoom>
            </StayDayRooms>
        </StayDay>
    </StayDays>

```

```

        <StayDayRoom RoomTypeRequirement="Suites" NumberOfUnits="3"/>
    </StayDayRooms>
</StayDay>
<StayDay DayNumber="2">
    <StayDayRooms>
        <StayDayRoom RoomTypeRequirement="Singles" NumberOfUnits="3"/>
        <StayDayRoom RoomTypeRequirement="Doubles" NumberOfUnits="4"/>
        <StayDayRoom RoomTypeRequirement="Doubles/Doubles"
NumberOfUnits="20">
            <Comment ParagraphNumber="1" Language="en-us">
                <Text Formatted="1" Language="en-us">2 Rooms require a crib</Text>
            </Comment>
        </StayDayRoom>
        <StayDayRoom RoomTypeRequirement="Suites" NumberOfUnits="3"/>
    </StayDayRooms>
</StayDay>
<StayDay DayNumber="3">
    <StayDayRooms>
        <StayDayRoom RoomTypeRequirement="Singles" NumberOfUnits="3"/>
        <StayDayRoom RoomTypeRequirement="Doubles" NumberOfUnits="4"/>
        <StayDayRoom RoomTypeRequirement="Doubles/Doubles"
NumberOfUnits="20">
            <Comment ParagraphNumber="1" Language="en-us">
                <Text Formatted="1" Language="en-us">2 Rooms require a crib</Text>
            </Comment>
        </StayDayRoom>
        <StayDayRoom RoomTypeRequirement="Suites" NumberOfUnits="3"/>
    </StayDayRooms>
</StayDay>
<StayDay DayNumber="4">
    <StayDayRooms>
        <StayDayRoom RoomTypeRequirement="Singles" NumberOfUnits="3"/>
        <StayDayRoom RoomTypeRequirement="Doubles" NumberOfUnits="4"/>
        <StayDayRoom RoomTypeRequirement="Doubles/Doubles"
NumberOfUnits="20">
            <Comment ParagraphNumber="1" Language="en-us">
                <Text Formatted="1" Language="en-us">2 Rooms require a crib</Text>
            </Comment>
        </StayDayRoom>
        <StayDayRoom RoomTypeRequirement="Suites" NumberOfUnits="3"/>
    </StayDayRooms>
</StayDay>
</StayDays>
</RoomBlock>
<EventBlock>
    <EventBudget Amount="31815.00" CurrencyCode="USD"/>
    <EventDays FirstEventDayOfWeek="Thu">
        <EventDay DayNumber="1">
            <EventDayFunctions>
                <EventDayFunction EventName="Breakfast" StartTime="08:00:00"
EndTime="09:00:00" UnitOfMeasureQuantity="365" UnitOfMeasure="Sq. Ft." AttendeeQuantity="30"
RoomSetup="1" TwentyFourHourHold="1">
                    <Comments ParagraphNumber="1">
                        <Text Formatted="1" Language="en-us">All American breakfast; 4
Vegetarians</Text>
                    </Comments>
                </EventDayFunction>
                <EventDayFunction EventName="General Session" StartTime="09:00:00"
EndTime="10:30:00" UnitOfMeasureQuantity="975" UnitOfMeasure="Sq. Ft." AttendeeQuantity="24"
RoomSetup="3" TwentyFourHourHold="0">
                    </EventDayFunction>
                <EventDayFunction EventName="Break" StartTime="10:30:00"
EndTime="10:45:00" UnitOfMeasureQuantity="285" UnitOfMeasure="Sq. Ft." AttendeeQuantity="30"
RoomSetup="7" TwentyFourHourHold="1">
                    <Comments ParagraphNumber="1">

```

```

                                <Text Formatted="1" Language="en-us">Coffee; Soda; Danish,
doughnuts</Text>
                                </Comments>
                                </EventDayFunction>
                                <EventDayFunction EventName="General Session Continued"
StartTime="10:45:00" EndTime="12:00:00" UnitOfMeasureQuantity="975" UnitOfMeasure="Sq. Ft."
AttendeeQuantity="24" RoomSetup="3" TwentyFourHourHold="0">
                                </EventDayFunction>
                                <EventDayFunction EventName="Lunch" StartTime="12:00:00"
EndTime="01:00:00" UnitOfMeasureQuantity="365" UnitOfMeasure="Sq. Ft." AttendeeQuantity="30"
RoomSetup="1" TwentyFourHourHold="1">
                                <Comments ParagraphNumber="1">
                                <Text Formatted="1" Language="en-us">Box Lunch with choices for
Turkey, Roast Beef and Chicken sandwiches</Text>
                                </Comments>
                                </EventDayFunction>
                                <EventDayFunction EventName="FY 2003 Sales Review" StartTime="01:00:00"
EndTime="03:15:00" UnitOfMeasureQuantity="975" UnitOfMeasure="Sq. Ft." AttendeeQuantity="24"
RoomSetup="3" TwentyFourHourHold="0">
                                </EventDayFunction>
                                <EventDayFunction EventName="Break" StartTime="03:15:00"
EndTime="03:30:00" UnitOfMeasureQuantity="285" UnitOfMeasure="Sq. Ft." AttendeeQuantity="30"
RoomSetup="7" TwentyFourHourHold="1">
                                <Comments ParagraphNumber="1">
                                <Text Formatted="1" Language="en-us">Coffee; Soda; Cookies;
etc.</Text>
                                </Comments>
                                </EventDayFunction>
                                <EventDayFunction EventName="FY 2004 Sales Goals" StartTime="03:30:00"
EndTime="05:00:00" UnitOfMeasureQuantity="975" UnitOfMeasure="Sq. Ft." AttendeeQuantity="24"
RoomSetup="3" TwentyFourHourHold="0">
                                </EventDayFunction>
                                <EventDayFunction EventName="Dinner" StartTime="06:00:00"
EndTime="08:00:00" UnitOfMeasureQuantity="365" UnitOfMeasure="Sq. Ft." AttendeeQuantity="30"
RoomSetup="1" TwentyFourHourHold="1">
                                <Comments ParagraphNumber="1">
                                <Text Formatted="1" Language="en-us">Box Lunch with choices for
Turkey, Roast Beef and Chicken sandwiches</Text>
                                </Comments>
                                </EventDayFunction>
                                </EventDayFunctions>
                                </EventDay>
                                <EventDay DayNumber="2">
                                <EventDayFunctions>
                                <EventDayFunction EventName="Breakfast" StartTime="08:00:00"
EndTime="09:00:00" UnitOfMeasureQuantity="365" UnitOfMeasure="Sq. Ft." AttendeeQuantity="30"
RoomSetup="1" TwentyFourHourHold="1">
                                <Comments ParagraphNumber="1">
                                <Text Formatted="1" Language="en-us">All American breakfast; 4
Vegetarians</Text>
                                </Comments>
                                </EventDayFunction>
                                <EventDayFunction EventName="2004 Planning Session" StartTime="09:00:00"
EndTime="10:30:00" UnitOfMeasureQuantity="975" UnitOfMeasure="Sq. Ft." AttendeeQuantity="24"
RoomSetup="3" TwentyFourHourHold="0">
                                </EventDayFunction>
                                <EventDayFunction EventName="Break" StartTime="10:30:00"
EndTime="10:45:00" UnitOfMeasureQuantity="285" UnitOfMeasure="Sq. Ft." AttendeeQuantity="30"
RoomSetup="7" TwentyFourHourHold="1">
                                <Comments ParagraphNumber="1">
                                <Text Formatted="1" Language="en-us">Coffee; Soda; Danish,
doughnuts</Text>
                                </Comments>
                                </EventDayFunction>

```

```

        <EventDayFunction EventName="2004 Planning Session continued"
StartTime="10:45:00" EndTime="12:00:00" UnitOfMeasureQuantity="975" UnitOfMeasure="Sq. Ft."
AttendeeQuantity="24" RoomSetup="3" TwentyFourHourHold="0">
        </EventDayFunction>
        <EventDayFunction EventName="Lunch" StartTime="12:00:00"
EndTime="01:00:00" UnitOfMeasureQuantity="365" UnitOfMeasure="Sq. Ft." AttendeeQuantity="30"
RoomSetup="1" TwentyFourHourHold="1">
        <Comments ParagraphNumber="1">
        <Text Formatted="1" Language="en-us">Box Lunch with choices for
Turkey, Roast Beef and Chicken sandwiches</Text>
        </Comments>
        </EventDayFunction>
        <EventDayFunction EventName="Establish 2004 Sales Goals"
StartTime="01:00:00" EndTime="03:15:00" UnitOfMeasureQuantity="975" UnitOfMeasure="Sq. Ft."
AttendeeQuantity="24" RoomSetup="3" TwentyFourHourHold="0">
        </EventDayFunction>
        <EventDayFunction EventName="Break" StartTime="03:15:00"
EndTime="03:30:00" UnitOfMeasureQuantity="285" UnitOfMeasure="Sq. Ft." AttendeeQuantity="30"
RoomSetup="7" TwentyFourHourHold="1">
        <Comments ParagraphNumber="1">
        <Text Formatted="1" Language="en-us">Coffee; Soda: Cookies;
etc.</Text>
        </Comments>
        </EventDayFunction>
        <EventDayFunction EventName="2004 Sales Goals continued"
StartTime="03:30:00" EndTime="05:00:00" UnitOfMeasureQuantity="975" UnitOfMeasure="Sq. Ft."
AttendeeQuantity="24" RoomSetup="3" TwentyFourHourHold="0">
        </EventDayFunction>
        <EventDayFunction EventName="Dinner" StartTime="06:00:00"
EndTime="08:00:00" UnitOfMeasureQuantity="365" UnitOfMeasure="Sq. Ft." AttendeeQuantity="30"
RoomSetup="1" TwentyFourHourHold="1">
        <Comments ParagraphNumber="1">
        <Text Formatted="1" Language="en-us">Box Lunch with choices for
Turkey, Roast Beef and Chicken sandwiches</Text>
        </Comments>
        </EventDayFunction>
</EventDayFunctions>
</EventDay>
<EventDay DayNumber="3">
<EventDayFunctions>
        <EventDayFunction EventName="Breakfast" StartTime="08:00:00"
EndTime="09:00:00" UnitOfMeasureQuantity="963" UnitOfMeasure="Sq. Ft." AttendeeQuantity="80"
RoomSetup="1" TwentyFourHourHold="1">
        <Comments ParagraphNumber="1">
        <Text Formatted="1" Language="en-us">All American breakfast; 4
Vegetarians</Text>
        </Comments>
        </EventDayFunction>
        <EventDayFunction EventName="Lunch" StartTime="12:00:00"
EndTime="01:00:00" UnitOfMeasureQuantity="963" UnitOfMeasure="Sq. Ft." AttendeeQuantity="80"
RoomSetup="1" TwentyFourHourHold="1">
        <Comments ParagraphNumber="1">
        <Text Formatted="1" Language="en-us">Box Lunch with choices for
Turkey, Roast Beef and Chicken sandwiches</Text>
        </Comments>
        </EventDayFunction>
        <EventDayFunction EventName="Dinner" StartTime="06:00:00"
EndTime="08:00:00" UnitOfMeasureQuantity="963" UnitOfMeasure="Sq. Ft." AttendeeQuantity="80"
RoomSetup="1" TwentyFourHourHold="1">
        <Comments ParagraphNumber="1">
        <Text Formatted="1" Language="en-us">Box Lunch with choices for
Turkey, Roast Beef and Chicken sandwiches</Text>
        </Comments>
        </EventDayFunction>

```

```

        <EventDayFunction EventName="Awards Ceremony" StartTime="08:00:00"
EndTime="10:00:00" UnitOfMeasureQuantity="963" UnitOfMeasure="Sq. Ft." AttendeeQuantity="80"
RoomSetup="1" TwentyFourHourHold="1">
        </EventDayFunction>
    </EventDayFunctions>
</EventDay>
<EventDay DayNumber="4">
    <EventDayFunctions>
        <EventDayFunction EventName="Breakfast" StartTime="08:00:00"
EndTime="09:00:00" UnitOfMeasureQuantity="963" UnitOfMeasure="Sq. Ft." AttendeeQuantity="80"
RoomSetup="1" TwentyFourHourHold="1">
            <Comments ParagraphNumber="1">
                <Text Formatted="1" Language="en-us">All American breakfast; 4
Vegetarians</Text>
            </Comments>
        </EventDayFunction>
        <EventDayFunction EventName="Lunch" StartTime="12:00:00"
EndTime="01:00:00" UnitOfMeasureQuantity="963" UnitOfMeasure="Sq. Ft." AttendeeQuantity="80"
RoomSetup="1" TwentyFourHourHold="1">
            <Comments ParagraphNumber="1">
                <Text Formatted="1" Language="en-us">Box Lunch with choices for
Turkey, Roast Beef and Chicken sandwiches</Text>
            </Comments>
        </EventDayFunction>
        <EventDayFunction EventName="Dinner" StartTime="06:00:00"
EndTime="08:00:00" UnitOfMeasureQuantity="963" UnitOfMeasure="Sq. Ft." AttendeeQuantity="80"
RoomSetup="1" TwentyFourHourHold="1">
            <Comments ParagraphNumber="1">
                <Text Formatted="1" Language="en-us">Box Lunch with choices for
Turkey, Roast Beef and Chicken sandwiches</Text>
            </Comments>
        </EventDayFunction>
        <EventDayFunction EventName="Awards Ceremony" StartTime="08:00:00"
EndTime="10:00:00" UnitOfMeasureQuantity="963" UnitOfMeasure="Sq. Ft." AttendeeQuantity="80"
RoomSetup="1" TwentyFourHourHold="1">
        </EventDayFunction>
    </EventDayFunctions>
</EventDay>
</EventDays>
</EventBlock>
<Histories>
    <History Start="2002-09-10" End="2004-09-14" MeetingName="2nd Annual Sales Incentive"
SiteName="Hilton Sacramento Arden West">
        <ContactInfos>
            <ContactInfo>
                <Telephone CountryAccessCode="1" AreaCityCode="916" PhoneNumber="922-
4700"/>
                <Address FormattedInd="false" Type="2">
                    <AddressLine>2200 Harvard St.</AddressLine>
                    <CityName>Sacramento</CityName>
                    <PostalCode>95815</PostalCode>
                    <StateProv StateCode="CA">Cailifornia</StateProv>
                    <CountryName Code="US">United States of America</CountryName>
                </Address>
            </ContactInfo>
        </ContactInfos>
        <DaySummaries>
            <DaySummary DayNumber="1" AttendeeQuantity="31" RoomBlockQuantity="35"
RoomPickupQuantity="31" TotalGuestRoomAmount="5859.00" TotalFoodAndBevAmount="2854.00"
TotalMeetingRoomRentalAmount="2000.00" TotalAudioVisualRentalAmount="125.00" CurrencyCode="USD"
DecimalPlaces="2"/>
            <DaySummary DayNumber="2" AttendeeQuantity="31" RoomBlockQuantity="35"
RoomPickupQuantity="31" TotalGuestRoomAmount="5859.00" TotalFoodAndBevAmount="2854.00"
TotalMeetingRoomRentalAmount="2000.00" TotalAudioVisualRentalAmount="150.00" CurrencyCode="USD"
DecimalPlaces="2"/>

```

```

        <DaySummary DayNumber="3" AttendeeQuantity="74" RoomBlockQuantity="35"
RoomPickupQuantity="31" TotalGuestRoomAmount="5859.00" TotalFoodAndBevAmount="8566.00"
TotalMeetingRoomRentalAmount="2000.00" TotalAudioVisualRentalAmount="350.00" CurrencyCode="USD"
DecimalPlaces="2"/>
        <DaySummary DayNumber="4" AttendeeQuantity="74" RoomBlockQuantity="35"
RoomPickupQuantity="31" TotalGuestRoomAmount="5859.00" TotalFoodAndBevAmount="8566.00"
TotalMeetingRoomRentalAmount="2000.00" TotalAudioVisualRentalAmount="350.00" CurrencyCode="USD"
DecimalPlaces="2"/>
    </DaySummaries>
    </History>
    </Histories>
    <RFP_ID URL="http://www.mpoint.com" Type="13" ID="102231">
        </RFP_ID>
        </RFP_RequestSegment>

        </RFP_RequestSegments>
        <MessageID URL="http://www.mpoint.com" Type="13" ID="12346">
            <CompanyName CompanyShortName="3RD Annual Sales Incentive Mtg">
                </CompanyName> </MessageID>
        </OTA_HotelRFP_MeetingRQ>

```

9.20.2.2. Response: Acknowledgement received

Kellie gets back a response acknowledging her request from one of the requested sites, Hitlon San Diego Resort.

OTA_HotelRFP_MeetingRS2.XML

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelRFP_MeetingRS EchoToken="183530" TimeStamp="2003-02-17T09:30:49-05:00"
Target="Production" Version="1.000" SequenceNmbr="1" PrimaryLangID="en-us" AltLangID="en-us"
xmlns="http://www.opentravel.org/OTA/2003/05" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_HotelRFP_MeetingRS.xsd">
    <Success/>
    <RFP_Response>
        <RFP_ResponseSegments>
            <RFP_ResponseSegment>
                <Sites>
                    <Site ChainCode="Hilton" BrandCode="HIC" HotelCode="16023" HotelName="Hilton San
Diego Resort" ChainName="Hilton Hotels" BrandName="Hilton Hotels">
                        <SiteID URL="http://www.mpoint.com" Type="0" ID="102230"/>
                    </Site>
                </Sites>
            </RFP_ResponseSegment>
        </RFP_ResponseSegments>
        <MessageID URL="http://www.mpoint.com" Type="0" ID="12346">
            <CompanyName>3RD Annual Sales Incentive Meeting</CompanyName>
        </MessageID>
    </RFP_Response>
</OTA_HotelRFP_MeetingRS>

```

9.20.3. Use Case 3

9.20.3.1. Request: Single Facility RFP

This example illustrates a request for sleeping rooms and function space for a single facility uncomplicated event.

While the OTA_HotelRFP_Meeting Request and Response Schemas may be used for the transfer of any RFP data, the format of the request below uses the APEX Single Facility RFP© document. For further information on the APEX Initiative Accepted Practices, visit www.conventionindustry.org/apex.

Form Copyright Convention Industry Council 2005

I: CONTACT INFORMATION

Event Name (*no acronyms*): IMPRO 2005

Event Host Organization: Convention Industry Council (CIC)

Event Organizer (if different from Host Organization):

Key Contact Person:	Mr. EJ Siwek, CMP
Key Contact Preferred Name:	EJ
Job Title:	President
Employer:	Flashpoint Technologies
Mailing Address Line 1:	156 Chestnut Ridge Road
Mailing Address Line 2:	
City:	Bethel
State/Province:	CT
Zip/Postal Code:	06801
Country:	USA
Phone:	203.207.5454
Fax:	203.207.5455
Mobile Phone:	203.228.7763
E-mail Address:	ej@flashpointtech.com
Web Address:	www.flashpointtech.com
Preferred Method of Communication:	<input type="checkbox"/> Do Not Contact <input type="checkbox"/> Telephone <input checked="" type="checkbox"/> Email <input type="checkbox"/> Letter <input type="checkbox"/> Fax <input type="checkbox"/> Other: _____

Repeat for additional contacts as necessary.

Event Organizer/Host Organization Billing Address:

Billing Contact Person:	Juli Finnell Jones
Billing Address Line 1:	8201 Greensboro Drive
Billing Address Line 2:	Suite 300
City:	McLean
State/Province:	VA
Zip/Postal Code:	22102
Country:	USA
Billing Telephone*:	703-321-5432

II: EVENT PROFILE

Event Name: IMPRO 2005

Event Host Organization: Convention Industry Council

Event Organizer (if different from Host Organization): EJ Siwek, CMP

Event Start Date (*if known*): 10/15/2005
10/18/2005

Event End Date (*if known*):

Event Organizer *Drop Down Options:*

Market X Association (International)

Segment:

Event Type: *Select All That Apply:*

- ☐ Board Meeting
- ☐ Committee Meeting
- ☐ Customer Event
- ☐ Educational Meeting
- ☒ General Business Meeting
- ☐ Incentive Travel
- ☐ Local Employee Gathering
- ☐ Product Launch
- ☐ Public/Consumer Show
- ☐ Sales Meeting
- ☐ Shareholders Meeting
- ☐ Special Event
- ☐ Team-Building Event
- ☐ Training Meeting
- ☐ Trade Show
- ☐ Video Conference
- ☐ Other: _____

Event Status: *Drop Down Options:*

☒ Definite (*Event is currently budgeted – seeking bids*)

Event *Drop Down Options:*

Frequency: ☒ One Time Only

Event Host Overview (*mission, philosophy, etc.*): IMPRO 2005 will be the first general gathering for those organizations who have adopted and implemented elements of the APEX Standards Initiative

Event Objectives: To gather best practices and implementation lessons from attendees

A. Attendee Profile

Expected Total Event Attendance: **200**

Attendee Demographics Profile: Predominantly North American attendees who are frequent business travelers who represent decision makers for large events held in North America

Accessibility/Special Needs: Nothing known at this time

B. Event History

First Time Event: ☒ Yes ☐ No

If No, Complete the following for past occurrences:

Facility Name	City, State/Province, Country	Start Day & Date	End Day & Date	Total Attendance	Total Room Nights	APEX Post Event Report Attached?
						<input type="checkbox"/> Yes <input type="checkbox"/> No
						<input type="checkbox"/> Yes <input type="checkbox"/> No
						<input type="checkbox"/> Yes <input type="checkbox"/> No
						<input type="checkbox"/> Yes <input type="checkbox"/> No
						<input type="checkbox"/> Yes <input type="checkbox"/> No

C. Exhibition Information

The event is or includes an exhibition: ☐ Yes ☒ No

If Yes,

Type of Exhibition: ☐ Public ☐ Private ☐ Public/Private Combination

Type of Exhibits

choose all that apply: ☐ Custom Fabricated ☐ Modular
☐ Portable ☐ Other: _____

Number of Exhibits Expected: _____

Number of Exhibiting Companies Expected: _____

Exhibitor Demographics Profile: <<Include information regarding demographics, industry focus, special needs, etc.>>

Secured Exhibition Area: ☐ Yes ☐ No

Gross Space Required: _____

Unit of Measurement: ☐ Square Feet ☐ Square Meters

Net Space: _____

Unit of Measurement: ☐ Square Feet ☐ Square Meters

Exhibitor Kit Provided to Exhibitors: ☐ Online ☐ Printed ☐ CD ROM
☐ None ☐ Other

General Service Contractor (GSC) Selected: ☐ Yes ☐ No

▪ *If Yes,*

GSC Company Name: _____

GSC Contact Name: << Prefix, Given Name, Middle Name,
Surname Prefix, Surname, Suffix, NameTitle >>

GSC Contact Phone: _____ GSC Contact E-mail Address: _____

GSC Contact Fax: _____

D. Future Open Dates

There are future open dates for this event: ☐ Yes ☒ No

If Yes,

Published Start Date	Published End Date	Comments

Event Profile Comments: While it is anticipated that this will become an annual event, no future dates have been scheduled as yet.

III: REQUIREMENTS

Statement of Need: IMPRO 2005 will require use of a Ballroom with at least 3000 sq feet of usable space. **Location Requirements:**

The event must take place in a specific location: ☒ Yes ☐ No

▪ *If Yes:*

City: Rosemont State/Province: IL Country: USA

▪ *If No:*

Preferred locations for the event are:

Country	Region, Province or State	City

Other Location Requirements: An airport facility or one within 15 minutes of the airport is preferred.

Date Requirements

	Year	Month	Start Day & Date	End Day & Date
Preferred Published Dates	2005	10	15	18
Alternate Published Dates 1				
Alternate Published Dates 2				
Alternate Published Dates 3				

Number of published event days: 3

Number of days/hours needed in advance of published event dates for set-up and move-in: 1

☒ Days ☐ Hours

Number of days/hours needed post-event for tear-down and move-out: 6

☐ Days ☒ Hours

Other Date Requirements: _____

Facility Requirements:

- Preferred Facility Type:
- ☐ Conference Center
 - ☐ Convention Center
 - ☒ Hotel
 - ☐ Resort
 - ☐ Restaurant
 - ☐ Unique Venue
 - ☐ Other: _____

Guest Rooms

- Total Room Nights: 500
- Peak Night Room Block: 250

Largest Function Space

- Minimum Square Footage: 3000
- Set-up Type Required: classroom
- Minimum Capacity: 250
- Minimum Ceiling Height: 12 feet

Exhibit Hall

- Gross Space Required: _____
Unit of Measurement: ☐ Square Feet ☐ Square Meters

Breakout Rooms

- Minimum # Required Simultaneously: 4

Recreation Preferences

Recreation Type	Required	Preferred but Not Required	Not Required

Other: _____

Guest Room Block Requirements:

Guest Rooms are Required for this Event: ☒ Yes ☐ No

- *If Yes,*
The following chart outlines guest room requirements for the event. It begins with the first day of attendee/staff arrival and ends with the final departure day:

	# of Guests	# of Single- Bedded Rooms Required	# of Double- Bedded Rooms Required	# of Suites Required	# of Accessible Rooms Required	Total # of Rooms & Suites Required
Day 1	5	4	0	1	0	5
Day 2	250	249	0	1	0	250
Day 3	250	249	0	1	0	250
Day 4						
Day 5						
Day 6						
Day 7						
<i>Repeat for additional days as necessary.</i>						
TOTALS	505	502	0	3	0	505

Description of Accessible Rooms Requirement: None

Room Rate Must Be No More Than: \$175 US

Government Per Diem Rates Required: ☐ Yes ☒ No

If Yes,

Number of Rooms Requiring this Rate: _____

Reduced Staff Room Rates Required: ☒ Yes ☐ No

If Yes,

Number of Rooms Requiring this Rate: 5

Rebates, Assessments, or Commissions Will Be Paid on Room Rates: ☐
Yes ☒ No

If Yes

Describe rebate, assessment or commission requirements associated
with this RFP: _____

Method of Reservations: ☐ Rooming List ☒ Individual Reservation ☐
Combination

Other Guest Room Requirements Comments: Suite to be used by staff as
a staging area as well as for lodging

Function Space and Food & Beverage Requirements:

Function Space (including for exhibits) is Required for this Event: ☐ Yes ☒ No

▪ *If Yes,*

The following chart/schedule outlines function space requirements for the event.

Day & Date	Function Type	Start Time	End Time	# of Attendees	Setup	A/V Requirements	24-Hour Hold Required
Sat, 10/15	Breakout Session	10:00am	5:00pm	5	Conference Style		
Sunday 10/16	Breakfast	7:30am	8:30am	150	Rounds for 8		No
Sunday 10/16	Lunch	12:00 pm	1:30pm	225	Rounds for 8		No
Sunday 10/16	General Session	8:30am	5:00pm	250	Classroom		Yes
Monday 10/17	Breakfast	7:30am	8:30am	150	Rounds for 8		Yes
Monday 10/17	Breakout Session	8:30am	5:00pm	75	Classroom		Yes
Monday 10/17	Breakout Session	8:30am	5:00pm	75	Classroom		Yes
Monday 10/17	Breakout Session	8:30am	5:00pm	50	Classroom		Yes
Monday 10/17	Breakout Session	8:30am	5:00pm	50	Classroom		Yes
Tuesday 10/18	Breakfast	7:30am	8:30am	150	Rounds for 8		No
Tuesday 10/18	General Session	8:30am	12:00 pm	225	Classroom		Yes
Tuesday 10/18	Lunch	12:00 pm	1:30pm	150	Rounds for 8		No

Function Space/Audio Visual Comments (*e.g. rear screen projection needs, production requirements, etc.*): General Session should be set with Rear Screen projection using LCD projection.

Overall F&B Budget: \$25,000 US

Includes Tax: Yes

Includes Service Charges: Yes

Includes Gratuity: Yes

Concessions Desired:

Guest Rooms: _____

Food & Beverage: _____

Other: _____

Other Specific Requirements:

Describe any particular requirements for this event that have not been previously addressed.

Attachments:

The following documents are attached to this RFP (e.g., draft agenda, post-event report, sample vendor contract, exhibitor prospectus, attendee promotion materials, etc.):

- ☐ _____
- ☐ _____
- ☐ _____

IV: PROPOSAL SPECIFICATIONS

The RFP issuer expects that all work will be performed in a professional manner. All information provided in this RFP is proprietary for this purpose only. Information cannot be released without written permission from the contact person named in Section I.

Questions:

Direct all questions and requests for additional information regarding this RFP to the contact person designated in Section I (Contact Information).

Decision Making Process:

Final Decision Maker (*Name & Role*): Juli Finnell Jones, VP Convention Industry Council

There will be a preliminary cut with a second review of finalists: ☐ Yes

☒ No

Timeline:

- RFP Published Date: 08/15/2005
- RFP Distribution Date: 08/20/2005
- Proposal Due Date and Time: 9/1/2005
- Preliminary Cut Date: _____
- Proposal Presentation Dates (if required): _____
- Proposal Presentation Location (if required): _____
- Decision Date: 9/5/2005
- Approximate Date of Site Inspection (if required): _____ (Month & Year, or Date)
- Number of Site Inspection Attendees: _____

Notification Method (*choose one*):

☐ Telephone Call ☒ Email ☐ Mail ☐ Fax

Key Decision Factors:

Selection is based on the following criteria, rated by how they will play a role in proposal evaluation (*1 is most important, 3 is important, and 5 is minimally important*):

Decision Factor	Rating
Ability of vendor to provide high level of service	1
Airlift to destination	1
Accessibility from airport/train station	1
Creativity	3
Hotel and/or convention center rates	1
Information provided in the response to the RFP	1
Proposal in the response to the RFP is in the proper sequence	5
Inventory of guest rooms near convention center – quality	5
Inventory of guest rooms near convention center – quantity	5
Meeting space requirements and/or layout	1
Overall cost of service	1
Ownership of Facility	5
Preferred dates	1
Proximity of hotel facility to off-site venues	5
Public safety record for last 5 years	3
Recommendations from previous and existing clients	3
Staff Experience	1
Union/non-union	5

Required Attachments (*select all that apply*):

- ☒ Standard sales kit for the facility
- ☒ The facility's APEX Site Profile
- ☒ Price List(s)
- ☒ Parking

X Internet Access & Accessories
X Shipping & Receiving
☐ Other: _____

Instructions for Responding:

- Each proposal responding to this RFP must include the information requested in Section V (*Proposal Content*) (in the order presented).
- Expenses related to the preparation and completion of a response to this RFP are the sole responsibility of the vendor.
- The proposal with the lowest dollar amount will not necessarily be considered as the best proposal.
- Incomplete and/or late responses will not be considered.
- Accepted Formats for Response: X Emailed
 X Web Site
- Other instructions: _____

Proposal Specifications Comments: _____

Form Copyright Convention Industry Council 2005

OTA_HotelRFP_MeetingRQ3.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelRFP_MeetingRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelRFP_MeetingRQ.xsd" Version="1.002">
  <RFP_RequestSegments>
    <RFP_RequestSegment>
      <ProposalSpecification ResponseFormat="2" PreliminaryCutIndicator="false"
RFP_DistributionDate="2005-08-20" RFP_PublishedDate="2005-08-15" ResponseDue="2005-09-01"
DecisionDue="2005-09-05">
        <KeyDecisionFactors>
          <KeyDecisionFactor Code="1" Ranking="1"/>
          <!-- Key Decision Factors Code list (KDF) Code 1 =Ability of vendor to provide high level of
service -->
          <KeyDecisionFactor Code="2" Ranking="1"/>
          <!-- Key Decision Factors Code list (KDF) Code 2 =Airlift to destination -->
          <KeyDecisionFactor Code="3" Ranking="1"/>
          <!-- Key Decision Factors Code list (KDF) Code 3 =Accessibility from airport/train station
-->
          <KeyDecisionFactor Code="4" Ranking="3"/>
          <!-- Key Decision Factors Code list (KDF) Code 4 =Creativity-->
          <KeyDecisionFactor Code="5" Ranking="1"/>
          <!-- Key Decision Factors Code list (KDF) Code 5 =Hotel and/or convention center rates-->
          <KeyDecisionFactor Code="6" Ranking="1"/>
          <!-- Key Decision Factors Code list (KDF) Code 6=Information provided in the response to
the RFP-->
          <KeyDecisionFactor Code="7" Ranking="5"/>
          <!-- Key Decision Factors Code list (KDF) Code 7 =Proposal in the response to the RFP is in
the proper sequence-->
          <KeyDecisionFactor Code="8" Ranking="5"/>
        </KeyDecisionFactors>
      </ProposalSpecification>
    </RFP_RequestSegment>
  </RFP_RequestSegments>
</OTA_HotelRFP_MeetingRQ>
```

```

center – quality -->      <!-- Key Decision Factors Code list (KDF) Code 8 =Inventory of guest rooms near convention
                           <KeyDecisionFactor Code="9" Ranking="5"/>
center – quantity  -->   <!-- Key Decision Factors Code list (KDF) Code 9 =Inventory of guest rooms near convention
                           <KeyDecisionFactor Code="10" Ranking="1"/>
layout-->                <!-- Key Decision Factors Code list (KDF) Code 10 =Meeting space requirements and/or
                           <KeyDecisionFactor Code="11" Ranking="1"/>
                           <!-- Key Decision Factors Code list (KDF) Code 11=Overall cost of service-->
                           <KeyDecisionFactor Code="12" Ranking="5"/>
                           <!-- Key Decision Factors Code list (KDF) Code 12 =-Ownership of Facility-->
                           <KeyDecisionFactor Code="13" Ranking="1"/>
                           <!-- Key Decision Factors Code list (KDF) Code 13 =Preferred dates-->
                           <KeyDecisionFactor Code="14" Ranking="5"/>
                           <!-- Key Decision Factors Code list (KDF) Code 14 =Proximity of hotel facility to off-site
venues  -->              <KeyDecisionFactor Code="15" Ranking="3"/>
                           <!-- Key Decision Factors Code list (KDF) Code 15 =-Public safety record for last 5 years
                           -->
                           <KeyDecisionFactor Code="16" Ranking="3"/>
                           <!-- Key Decision Factors Code list (KDF) Code 16 =Recommendations from previous and
existing clients-->       <KeyDecisionFactor Code="17" Ranking="1"/>
                           <!-- Key Decision Factors Code list (KDF) Code 17 =Staff Experience-->
                           <KeyDecisionFactor Code="18" Ranking="5"/>
                           <!-- Key Decision Factors Code list (KDF) Code 18 =Union/non-union  -->
</KeyDecisionFactors>
<Comments Name="Final DecisionMaker">
  <Text>Juli Finnell Jones, VP Convention Industry Council</Text>
</Comments>
</ProposalSpecification>
<Profiles>
  <ProfileInfo>
    <Profile ProfileType="1">
      <!--ProfileType Codelist (PRT) ProfileType 1 = customer -->
      <CompanyInfo>
        <CompanyName>Convention Industry Council (CIC)</CompanyName>
        <AddressInfo UseType="3">
          <!-- Address Use Type Code list (AUT) UseType 3= Billing-->
          <BldgRoom>Suite 300</BldgRoom>
          <AddressLine>8201 Greensboro Drive</AddressLine>
          <CityName>McLean</CityName>
          <PostalCode>22102</PostalCode>
          <StateProv>VA</StateProv>
          <CountryName>USA</CountryName>
        </AddressInfo>
        <TelephoneInfo PhoneNumber="703.321.5432"/>
        <ContactPerson ContactType="Key">
          <PersonName NameType="2">
            <NamePrefix>Mr.</NamePrefix>
            <GivenName>EJ</GivenName>
            <Surname>Siwek</Surname>
            <NameTitle>CMP</NameTitle>
          </PersonName>
          <Telephone PhoneTechType="1" PhoneNumber="203.207.5454"/>

```

```

        <!-- Phone Tech Type Code list (PTT) PhoneTechType 1 = voice -->
        <Telephone PhoneTechType="3" PhoneNumber="203.207.5455"/>
        <!-- Phone Tech Type Code list (PTT) PhoneTechType 3 = fax -->
        <Telephone PhoneTechType="5" PhoneNumber="203.228.7763"/>
        <!-- Phone Tech Type Code list (PTT) PhoneTechType 5 = mobile -->
        <Address UseType="6">
            <!-- Address Use Type Code list (AUT) UseType 6= contact-->
            <AddressLine>156 Chestnut Ridge Road</AddressLine>
            <CityName>Bethel</CityName>
            <PostalCode>06801</PostalCode>
            <StateProv>CT</StateProv>
            <CountryName>USA</CountryName>
        </Address>
        <Email>ej@flashpointtech.com</Email>
        <URL>www.flashpointtech.com</URL>
        <CompanyName>Flashpoint Technologies</CompanyName>
        <EmployeeInfo EmployeeTitle="President"/>
    </ContactPerson>
    <ContactPerson ContactType="Billing">
        <PersonName>
            <GivenName>Juli </GivenName>
            <MiddleName>Finnell</MiddleName>
            <Surname>Jones</Surname>
        </PersonName>
        <Address UseType="3">
            <!-- Address Use Type Code list (AUT) UseType 3= billing address-->
            <AddressLine>8201 Greensboro Drive</AddressLine>
            <AddressLine>Suite 300</AddressLine>
            <CityName>McLean</CityName>
            <PostalCode>22102</PostalCode>
            <StateProv>VA</StateProv>
            <CountryName>USA</CountryName>
        </Address>
    </ContactPerson>
    </CompanyInfo>
</Profile>
</ProfileInfo>
</Profiles>
<Dates>
    <Date Start="2005-10-15" End="2005-10-18"/>
</Dates>
<RoomBlock TotalRoomNightQuantity="505" PeakRoomNightQuantity="250"
ConcessionsIndicator="false">
    <BudgetedRoomRate CurrencyCode="USD" Amount="175" TotalRoomNightQuantity="5"/>
    <StayDays>
        <StayDay DayNumber="1" GuestQuantity="5" TotalNumberOfUnits="5">
            <StayDayRooms>
                <StayDayRoom RoomTypeRequirement="Single" NumberOfUnits="4"/>
                <StayDayRoom RoomTypeRequirement="Double" NumberOfUnits="0"/>
                <StayDayRoom RoomTypeRequirement="Suite" NumberOfUnits="1"/>
                <StayDayRoom RoomTypeRequirement="Accessible" NumberOfUnits="0"/>
            </StayDayRooms>
        </StayDay>
        <StayDay DayNumber="2" GuestQuantity="250">
            <StayDayRooms>

```

```

        <StayDayRoom RoomTypeRequirement="Single" NumberOfUnits="249"/>
        <StayDayRoom RoomTypeRequirement="Double" NumberOfUnits="0"/>
        <StayDayRoom RoomTypeRequirement="Suite" NumberOfUnits="1"/>
        <StayDayRoom RoomTypeRequirement="Accessible" NumberOfUnits="0"/>
    </StayDayRooms>
</StayDay>
<StayDay DayNumber="3" GuestQuantity="250">
    <StayDayRooms>
        <StayDayRoom RoomTypeRequirement="Single" NumberOfUnits="249"/>
        <StayDayRoom RoomTypeRequirement="Double" NumberOfUnits="0"/>
        <StayDayRoom RoomTypeRequirement="Suite" NumberOfUnits="1"/>
        <StayDayRoom RoomTypeRequirement="Accessible" NumberOfUnits="0"/>
    </StayDayRooms>
</StayDay>
</StayDays>
<Comments>
    <Text>Suite to be used by staff as a staging area as well as for lodging</Text>
</Comments>
</RoomBlock>
<EventBlock MarketSegmentCode="18" Type="30" DefiniteIndicator="true"
Frequency="OneTimeOnly" FirstTimeIndicator="true" ExhibitionIncludedIndicator="false">
    <!-- Inventory Block Type Code List (IBT) Market Segment Code 18= International Association -->
    <!-- Event Type Code list (EVT) Type 30 = General Session -->
    <FunctionSpaceReq LargestRoomSpace="3000" MeetingRoomFormatCode="2"
MinOccupancy="250" CeilingHeight="12" UnitOfMeasure="7" MinBreakoutRoomQuantity="4">
        <!-- Meeting Room Format Code List (MRF) MeetingRoomFormatCode 2= Classroom -->
        <!-- Unit of Measure Code list UnitOfMeasure 7= feet -->
    </FunctionSpaceReq>
    <EventBudget BudgetType="Total" Amount="25000" CurrencyCode="USD"
IncludesTaxInd="true" IncludesServiceFeesInd="true" IncludesGratuityInd="true"/>
    <EventDays FirstEventDayOfWeek="Sat">
        <EventDay DayNumber="1">
            <EventDayFunctions>
                <EventDayFunction TwentyFourHourHold="true" EventType="3"
StartTime="10:00:00" EndTime="17:00:00" AttendeeQuantity="5" RoomSetup="3" EventName="Staff Suite">
                    <!-- Event Charge Code list (EVT) EventType 3= Breakout. In this instance
it's referring to the staff planning session -->
                    <!-- Meeting Room Format Code Code list (MRF) RoomSetup 3 = Conference
-->
                </EventDayFunction>
            </EventDayFunctions>
        </EventDay>
        <EventDay DayNumber="2">
            <EventDayFunctions>
                <EventDayFunction TwentyFourHourHold="false" EventName="Breakfast"
EventType="23" StartTime="07:30:00" EndTime="08:30:00" AttendeeQuantity="150" RoomSetup="10">
                    <!-- Event Charge Code list (EVT) EventType 23= Continental Breakfast -->
                    <!-- Meeting Room Format Code Code list (MRF) RoomSetup 10 = Rounds
for Eight -->
                </EventDayFunction>
            </EventDayFunctions>
        </EventDay>
        <EventDay DayNumber="3">
            <EventDayFunctions>
                <EventDayFunction TwentyFourHourHold="false" EventName="Lunch"
EventType="26" StartTime="12:00:00" EndTime="13:30:00" AttendeeQuantity="225" RoomSetup="10">
                    <!-- Event Charge Code list (EVT) EventType 26= Lunch -->
                    <!-- Meeting Room Format Code Code list (MRF) RoomSetup 10 = Rounds
for Eight -->
                </EventDayFunction>
            </EventDayFunctions>
        </EventDay>
    </EventDays>
</EventBlock>

```

```

                                <!-- Event Charge Code list (EVT) EventType 26= Buffet Lunch. -->
                                <!-- Meeting Room Format Code Code list (MRF) RoomSetup 10 = Rounds
for Eight -->
                                </EventDayFunction>
                                <EventDayFunction TwentyFourHourHold="true" EventName="General Session"
EventTypes="30" StartTime="08:30:00" EndTime="17:00:00" AttendeeQuantity="250" RoomSetup="2">
                                <!-- Event Charge Code list (EVT) EventType 30= General Session -->
                                <!-- Meeting Room Format Code Code list (MRF) RoomSetup 2 = Classroom
-->
                                </EventDayFunction>
                                </EventDayFunctions>
                                </EventDay>
                                <EventDay DayNumber="3">
                                <EventDayFunctions>
                                <EventDayFunction TwentyFourHourHold="true" EventName="Breakfast"
EventTypes="23" StartTime="07:30:00" EndTime="08:30:00" AttendeeQuantity="150" RoomSetup="10">
                                <!-- Event Charge Code list (EVT) EventType 23= Continental Breakfast -->
                                <!-- Meeting Room Format Code Code list (MRF) RoomSetup 10 = Rounds
for Eight -->
                                </EventDayFunction>
                                <EventDayFunction TwentyFourHourHold="true" EventName="Breakout Session"
EventTypes="30" StartTime="08:30:00" EndTime="17:00:00" AttendeeQuantity="75" RoomSetup="2">
                                <!-- Event Charge Code list (EVT) EventType 30= General Session -->
                                <!-- Meeting Room Format Code Code list (MRF) RoomSetup 2 = Classroom
-->
                                </EventDayFunction>
                                <EventDayFunction TwentyFourHourHold="true" EventName="Breakout Session"
EventTypes="3" StartTime="08:30:00" EndTime="17:00:00" AttendeeQuantity="75" RoomSetup="2">
                                <!-- Event Charge Code list (EVT) EventType 3= Breakout-->
                                <!-- Meeting Room Format Code Code list (MRF) RoomSetup 2 = Classroom
-->
                                </EventDayFunction>
                                <EventDayFunction TwentyFourHourHold="true" EventName="Breakout Session"
EventTypes="3" StartTime="08:30:00" EndTime="17:00:00" AttendeeQuantity="50" RoomSetup="2">
                                <!-- Event Charge Code list (EVT) EventType 3= Breakout-->
                                <!-- Meeting Room Format Code Code list (MRF) RoomSetup 2 = Classroom
-->
                                </EventDayFunction>
                                <EventDayFunction TwentyFourHourHold="true" EventName="Breakout "
EventTypes="3" StartTime="12:00:00" EndTime="13:30:00" AttendeeQuantity="50" RoomSetup="10">
                                <!-- Event Charge Code list (EVT) EventType 3= Breakout-->
                                <!-- Meeting Room Format Code Code list (MRF) RoomSetup 10 = Rounds
for Eight -->
                                </EventDayFunction>
                                </EventDayFunctions>
                                </EventDay>
                                <EventDay DayNumber="4">
                                <EventDayFunctions>
                                <EventDayFunction TwentyFourHourHold="true" EventName="General Session"
EventTypes="30" StartTime="08:30:00" EndTime="12:00:00" AttendeeQuantity="225" RoomSetup="2">
                                <!-- Event Charge Code list (EVT) EventType 30= General Session -->
                                <!-- Meeting Room Format Code Code list (MRF) RoomSetup 2= Classroom
-->
                                </EventDayFunction>
                                <AudioVisualReqs>
                                <AudioVisualReq>
                                <Comments>

```

```

                                <Text>General Session should be set with Rear Screen
projection using LCD projection.</Text>
                                </Comments>
                                </AudioVisualReq>
                                </AudioVisualReqs>
                                </EventDayFunction>
                                <EventDayFunction TwentyFourHourHold="false" EventName="Breakfast"
EventTypes="3" StartTime="07:30:00" EndTime="08:30:00" AttendeeQuantity="150" RoomSetup="10">
                                <!-- Event Charge Code list (EVT) EventType 3= Breakout-->
                                <!-- Meeting Room Format Code Code list (MRF) RoomSetup 10 = Rounds
for Eight -->
                                </EventDayFunction>
                                <EventDayFunction TwentyFourHourHold="false" EventName="Lunch"
EventTypes="3" StartTime="12:00:00" EndTime="13:30:00" AttendeeQuantity="150" RoomSetup="10">
                                <!-- Event Charge Code list (EVT) EventType 3= Breakout-->
                                <!-- Meeting Room Format Code Code list (MRF) RoomSetup 10 = Rounds
for Eight -->
                                </EventDayFunction>
                                </EventDayFunctions>
                                </EventDay>
                                </EventDays>
                                <Comments Name="Event Host Overview">
                                <Text>While it is anticipated that this will become an annual event, no future dates have been
scheduled as yet.</Text>
                                </Comments>
                                <Comments Name="Event Objectives">
                                <Text>2005 will be the first general gathering for those organizations who have adopted and
implemented elements of the APEX Standards Initiative to gather best practices and implementation lessons from
attendees.
                                </Text>
                                </Comments>
                                <Comments Name="Attendee Demographic">
                                <Text>North American attendees who are frequent business travelers who represent decision
makers for large events held in North America.
                                </Text>
                                </Comments>
                                <Comments Name="Statement of Need">
                                <Text>IMPRO 2005 will require use of a Ballroom with at least 3000 sq feet of usable
space.</Text>
                                </Comments>
                                </EventBlock>
                                <Preferences>
                                <Preference>
                                <LocationCategories>
                                <Location>
                                <CityName>Rosemont</CityName>
                                <StateProv>IL</StateProv>
                                <CountryName>USA</CountryName>
                                </Location>
                                <Category LocationCategoryCode="1" PreferLevel="Preferred"/>
                                <!-- LCC Location Category Code code list 1= airport -->
                                </LocationCategories>
                                <Properties>
                                <Property PropertyTypeCode="20">
                                <!-- Property Class Type Code list PCT PropertyTypeCode 20 = hotel -->
                                </Properties>

```

```

        <Comments>
        <Text>airport facility or one within 15 minutes of the airport is preferred.
    </Text>

    <Comments>
    <Preference>
    </Preferences>
    <Histories>
    <History PostEventReportExistsInd="false" AttendeeQuantity="200"/>
    </Histories>
    <RFP_ID MeetingName="IMPRO 2005" Type="1" ID="9995"/>
    <!-- Unique ID Type Code List (UIT) Type 1= Customer -->
    <AdditionalInfos>
    <AdditionalInfo DeliveryMethodCode="2"/>
    <!-- Distribution Type Code list (DTB) DeliverMethodCode 2= Email -->
    <AdditionalInfo DeliveryMethodCode="13"/>
    <!-- Distribution Type Code list (DTB) DeliverMethodCode 13 = Website -->
    <AdditionalInfo AdditionalInfoCode="1"/>
    <!-- Additional Info Code list (AIC) AdditionalInfoCode 1 = Standard sales kit -->
    <AdditionalInfo AdditionalInfoCode="2"/>
    <!-- Additional Info Code list (AIC) AdditionalInfoCode 2 = Site Profile -->
    <AdditionalInfo AdditionalInfoCode="4"/>
    <!-- Additional Info Code list (AIC) AdditionalInfoCode 4= Parking Price List-->
    <AdditionalInfo AdditionalInfoCode="8"/>
    <!-- Additional Info Code list (AIC) AdditionalInfoCode 8= Internet Access & Accessories Price
List -->
    <AdditionalInfo AdditionalInfoCode="11"/>
    <!-- Additional Info Code list (AIC) AdditionalInfoCode 11= Shipping & Receiving Price Lists-->
    </AdditionalInfos>
    </RFP_RequestSegment>
    </RFP_RequestSegments>
    </OTA_HotelRFP_MeetingRQ>

```

9.20.3.2. Response: Single Facility RFP

Form Copyright Convention Industry Council 2005

V: PROPOSAL CONTENT

Each proposal responding to this RFP must include the following information (in the order presented here).

Facility Name: Hyatt Regency O'Hare

Mailing Address Line 1: 9300 Bryn Mawr Road

Address Line 2: _____

City: Rosemont State/Province: IL Postal/Zip Code: 12322

Country: USA

Web Site: www.hyatt.com

Primary Sales Contact:

Full Name: Ms. Jane W. Doe, CMP
 Preferred Name:
 Job Title: Sale Manager
 Employer: Hyatt Regency O'Hare
 Mailing Address Line 1: 9300 Bryn Mawr Road
 Mailing Address Line 2:
 City: Rosemont
 State/Province: IL
 Zip/Postal Code: 12322
 Country: USA
 Phone: 222.333.4444
 Fax: 222.333.5555
 Mobile Phone: 222.333.6666
 E-mail Address: Jane_Doe@hyatt.com
 Web Address: www.hyatt.com

Experience:

For how many events of similar size and scope as the one described in Section II of this RFP has the facility provided services in the past year? 500

Response to Requirements:

Dates & Guest Rooms Available for the IMPRO 2005

Start Day & Date	End Day & Date	Single Occupancy Room Rate~	Double Occupancy Room Rate~	Extra Person Charge	Suite Rate Range~	Availability
10.15.2005	10.18.2005	\$175	\$185	\$25	\$400-\$625 _____~	1 st Option
<i>Additional Options as Necessary</i>						

Currency Type: _____

Function Space

Complete the following chart for each function outlined in Section III:

Day & Date	Function Type	Start Time	End Time	Setup	Function Room Name	Maximum Capacity for Setup	24-Hour Hold	Availability
------------	---------------	------------	----------	-------	--------------------	----------------------------	--------------	--------------

						Indicated	Available	
Saturday 10.15	Staff Suite	10:00am	5:00pm		Suite 123	5	Yes	1 st Option
Sunday 10.16	Breakfast	7:30am	8:30am	<i>Rounds of 8</i>	Room A	150	NO	1 st Option
Sunday 10/16	Lunch	12:00 pm	1:30pm	Rounds of 8	<i>Room B</i>	225	NO	1 option
Sunday 10/16	General Session	8:30am	5:00pm	Classroom	Jr Ballroom	250	Yes	1 Option
Monday 10/17	Breakfast	7:30am	8:30am	Rounds for 8	<i>Jr Ballroom Foyer</i>	150	Yes	1 Option
Monday 10/17	Breakout	8:30am	5:00pm	Classroom	<i>Room A</i>	150	Yes	1 Option
Monday 10/17	Breakout	8:30am	5:00pm	Classroom	Room B	75	Yes	1 Option
Monday 10/17	Breakout	8:30am	5:00pm	classroom	Room C	75	Yes	1 Option
Monday 10/17	Breakout	8:30am	5:00pm	classroom	Room D	50	Yes	1 Option
Monday 10/17	Breakout	8:30am	5:00pm	classroom	Room E	50	Yes	1 Option
Tuesday 10/18	Breakfast	7:30am	8:30am	Rounds of 8	<i>Jr Ballroom Foyer</i>	150	No	1 Option
Tuesday 10/18	General Session	8:30am	12:00 pm	Classroom	<i>Room A</i>	225	Yes	1 Option
Tuesday 10/18	Lunch	12:00 pm	1:30pm	Rounds of 8	Jr Ballroom Foyer	150	No	1 Option

Food & Beverage Available for the IMPRO 2005

Complete the following chart for each type of F&B outlined in Section III:

F&B Function Type	Average Per Person Price
Morning Break	\$9.95 US
Afternoon Break	\$9.95 US
Reception	\$25.00 US
Plated Breakfast	\$18.95 US
Continental Breakfast	\$14.95 US

Hot Plated Lunch	\$24.95 US
Cold Plated Lunch	\$22.95 US
Buffet Lunch	\$19.95 US
Plated Dinner	\$34.95 US
Buffet Dinner	\$30.95 US

Currency Type: US

Standard Tax %: 14%

Standard Service Charge %: 18%

Concessions Offered:

Guest Rooms: ____

Food & Beverage: ____

Other: ____

Insurance Coverage:

Indicate the types and levels of insurance the company carries:

☐ Errors & Omissions Insurance: _____ (*indicate currency type*)

☐ Workers Compensation Insurance: _____ (*indicate currency type*)

☐ Liability Insurance: _____ (*indicate currency type*)

☐ Other - ____: _____ (*indicate currency type*)

Facility complies with all applicable Fire Safety laws and regulations: ☐ Yes

References:

Provide three references for events similar in size and scope to the one outlined in Section II (*Event Profile*) of this RFP:

	Excel	Reference 2	Reference 3
Reference Event Name	ILAC2004		
Reference Event Start Date	12/10/2004		
Reference Event Type	General Business Meeting		
Reference Event Host	Excel		
Reference Given Name	John		
Reference Middle Name			
Reference Surname	Doe		
Reference Title	President		
Reference Employer	Excel		

Reference Phone	111.222.3333		
Reference E-mail Address			

Addendum:

The following are attached to this proposal:

- Standard sales kit for the facility
- The facility's APEX Site Profile
- Other required attachments as noted in Section IV(*list all*):

Additional Comments: Insurance Coverage Policies are available for personal on-property inspection

Form Copyright Convention Industry Council 2005

OTA_HotelRFP_MeetingRS3.XML

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelRFP_MeetingRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelRFP_MeetingRS.xsd" Version="1.002">
  <Success/>
  <RFP_Response>
    <RFP_ResponseSegments>
      <RFP_ResponseSegment>
        <Sites>
          <Site HotelName="Hyatt Regency O'Hare" SimilarEventCount="500">
            <ContactInfos>
              <ContactInfo ContactType="Sales">
                <PersonName NameType="3">
                  <!--NameType Code list (NAM) NameType 3 = Alternate Name-->
                  <NamePrefix>Ms</NamePrefix>
                  <MiddleName>W</MiddleName>
                  <Surname>Doe</Surname>
                  <NameTitle>CMP</NameTitle>
                </PersonName>
                <Telephone PhoneLocationType="5" PhoneTechType="1"
PhoneNumber="222.333.4444"/>
                <Telephone PhoneTechType="3" PhoneNumber="222.333.5555"/>
                <Telephone PhoneTechType="5" PhoneNumber=" 222.333.6666"/>
                <!--PhoneLocation Type Code list PLT PhoneLocationType 3 = Property Sales
Office, PhoneTechType CodeList (PTT) PhoneTechType 1 = voice, 3=Fax, 5 = Mobile-->
                <Address Type="7">
                  <!-- Address Use Type Code list (AUT) Type 7=physical -->
                  <AddressLine>9300 Bryn Mawr Road</AddressLine>
                  <CityName>Rosemont</CityName>
                  <PostalCode>12322</PostalCode>
                  <StateProv>IL</StateProv>
                  <CountryName>USA</CountryName>
                </Address>
                <Address Type="2">
                  <!-- Address Use Type Code list (AUT) Type 2=mailing -->
                  <AddressLine>9300 Bryn Mawr Road</AddressLine>
```

```

        <CityName>Rosemont</CityName>
        <PostalCode>12322</PostalCode>
        <StateProv>IL</StateProv>
        <CountryName>USA</CountryName>
    </Address>
    <Email EmailType="2">Jane_Doe@hyatt.com</Email>
    <URL>www.hyatt.com</URL>
    <CompanyName>Hyatt Regency O'Hare</CompanyName>
    <EmployeeInfo EmployeeTitle="Sales Manager"/>
</ContactInfo>
</ContactInfos>
<Dates>
    <Date Start="2005-10-15" End="2005-10-18">
        <RoomBlock>
            <StayDates>
                <StayDate Start="2005-10-15" End="2005-10-18"
AvailabilityOptionType="First">
                    <StayDateRooms>
                        <StayDateRoom RoomType="Single">
                            <Rates>
                                <Rate CurrencyCode="USD"
Amount="175"/>
                            </Rates>
                        </StayDateRoom>
                        <StayDateRoom RoomType="Double">
                            <Rates>
                                <Rate CurrencyCode="USD" Amount="185">
                                    <Fees>
                                        <Fee Type="Exclusive"
Amount="25"/>
                                    </Fees>
                                </Rate>
                                <!--Fee Tax Type Code list (FTT)
FeeTaxType 31 = ExtraPersonCharge-->
                                    </Rate>
                                </Rates>
                            </StayDateRoom>
                        <StayDateRoom RoomType="Suite">
                            <Rates>
                                <Rate Amount="400"
CurrencyCode="USD"/>
                                <Rate Amount="625"
CurrencyCode="USD"/>
                            </Rates>
                        </StayDateRoom>
                    </StayDateRooms>
                </StayDate>
            </StayDates>
        </RoomBlock>
        <EventBlock>
            <EventDates>
                <EventDate Start="2005-10-15">
                    <EventDateFunctions>
                        <EventDateFunction EventName="Staff Suite"
EventType="3"/>
                    </EventDateFunctions>
                    <!--EventCharge Code list (EVT) EventType
3=Breakout-->
                </EventDate>
            </EventDates>
        </EventBlock>
    </Dates>

```

```

                                <EndDateFunction StartTime="10:00:00"
EndTime="17:00:00" RoomSetup="8" MeetingRoomName="Suite123" MeetingRoomCapacity="5"
TwentyFourHourHold="true" AvailabilityOptionType="First"/>
                                <!-- MeetingRoomFormatCode Code list (MRF)
RoomSetup 8= Boardroom-->

                                </EndDateFunctions>
                                </EventDate>
                                <EventDate Start="2005-10-16">
                                <EndDateFunctions>
                                    <EndDateFunction EventName="Breakfast"
EventType="4"/>
                                    <!--Event Charge Code list (EVT) EventType
4=Breakfast-->

                                <EndDateFunction StartTime="07:30:00"
EndTime="08:30:00" RoomSetup="10" MeetingRoomName="Room A" MeetingRoomCapacity="150"
TwentyFourHourHold="false" AvailabilityOptionType="First"/>
                                <!--MeetingRoomFormatCode Code list (MRF)
RoomSetup 10= Round for 8-->

                                <EndDateFunction EventName="Lunch"
EventType="5" StartTime="12:00:00" EndTime="13:30:00" RoomSetup="10" MeetingRoomName="Room B"
MeetingRoomCapacity="225" TwentyFourHourHold="false" AvailabilityOptionType="First"/>
                                <!-- Event Charge Code list (EVT) EventType5=Lunch--
>
                                <!-- MeetingRoomFormatCode Code list (MRF)
RoomSetup 10= Rounds for 8-->

                                <EndDateFunction EventName="General Session"
EventType="30" StartTime="08:30:00" EndTime="17:00:00" RoomSetup="2" MeetingRoomName="Jr Ballroom"
MeetingRoomCapacity="250" TwentyFourHourHold="true" AvailabilityOptionType="First"/>
                                <!-- Event Charge Code list (EVT) EventType
30=General Session-->
                                <!-- MeetingRoomFormatCode Code list (MRF)
RoomSetup 2= Classroom-->

                                </EndDateFunctions>
                                </EventDate>
                                <EventDate Start="2005-10-17">
                                <EndDateFunctions>
                                    <EndDateFunction EventName="Breakfast"
EventType="4" StartTime="07:30:00" EndTime="08:30:00" RoomSetup="10" MeetingRoomName="Jr Ballroom
Foyer" MeetingRoomCapacity="150" TwentyFourHourHold="true" AvailabilityOptionType="First"/>
                                    <!-- Event Charge Code list (EVT) EventType
4=Breakfast-->
                                    <!-- MeetingRoomFormatCode Code list (MRF)
RoomSetup 10= Rounds for 8-->

                                <EndDateFunction EventName="Breakout Session"
EventType="3" StartTime="08:30:00" EndTime="17:00:00" RoomSetup="2" MeetingRoomName="Room A"
MeetingRoomCapacity="150" TwentyFourHourHold="true" AvailabilityOptionType="First"/>
                                <!-- Event Charge Code list (EVT) EventType 3
=Breakout-->
                                <!-- MeetingRoomFormatCode Code list (MRF)
RoomSetup 2= Classroom-->

                                <EndDateFunction EventName="Breakout Session"
EventType="3" StartTime="08:30:00" EndTime="17:00:00" RoomSetup="2" MeetingRoomName="Room B"
MeetingRoomCapacity="75" TwentyFourHourHold="true" AvailabilityOptionType="First"/>
                                <!-- Event Charge Code list (EVT) EventType
3=Breakout-->
                                <!-- MeetingRoomFormatCode Code list (MRF)
RoomSetup 2= Classroom-->

                                <EndDateFunction EventName="Breakout Session"
EventType="3" StartTime="08:30:00" EndTime="17:00:00" RoomSetup="2" MeetingRoomName="Room C"
MeetingRoomCapacity="75" TwentyFourHourHold="true" AvailabilityOptionType="First"/>

```

```

3=Breakout-->
RoomSetup 2= Classroom-->
EventDateFunction EventName="Breakout Session"
EventType="3" StartTime="08:30:00" EndTime="17:00:00" RoomSetup="2" MeetingRoomName="Room D"
MeetingRoomCapacity="50" TwentyFourHourHold="true" AvailabilityOptionType="First"/>
3=Breakout-->
RoomSetup 2= Classroom-->
EventDateFunction EventName="Breakout Session"
EventType="3" StartTime="08:30:00" EndTime="17:00:00" RoomSetup="2" MeetingRoomName="Room E"
MeetingRoomCapacity="50" TwentyFourHourHold="true" AvailabilityOptionType="First"/>
3=Breakout-->
RoomSetup 2= Classroom-->
</EventDateFunctions>
</EventData>
<EventData Start="2005-10-18">
</EventDateFunctions>
EventDateFunction EventName="Breakfast"
EventType="4" StartTime="07:30:00" EndTime="08:30:00" RoomSetup="10" MeetingRoomName="Jr Ballroom
Foyer" MeetingRoomCapacity="150" TwentyFourHourHold="false" AvailabilityOptionType="First"/>
4=Breakfast-->
RoomSetup 10= Rounds for 8-->
EventDateFunction EventName="General Session"
EventType="30" StartTime="08:30:00" EndTime="12:00:00" RoomSetup="2" MeetingRoomName="Room A"
MeetingRoomCapacity="225" TwentyFourHourHold="true" AvailabilityOptionType="First"/>
30=General Session-->
RoomSetup 2= Classroom-->
EventDateFunction EventName="Lunch"
EventType="5" StartTime="12:00:00" EndTime="13:30:00" RoomSetup="10" MeetingRoomName="Jr Ballroom
Foyer" MeetingRoomCapacity="150" TwentyFourHourHold="false" AvailabilityOptionType="First"/>
->
RoomSetup 10= Rounds for 8-->
</EventDateFunctions>
</EventData>
<EventData Start="2005-10-15" End="2005-10-18">
<EventCharges>
EventCharge CurrencyCode="USD"
DecimalPlaces="2" AverageChargeAmount="9.95" EventCharge="19" PrimaryChargeType="7">
19=MorningBreak, Charge Type Code list (CHG) PrimaryChargeType 7=per person-->
<Taxes>
Tax Code="7" Percent="14"/>
7=F&B Tax-->
Tax Code="14" Percent="18"/>
14=Service Charge-->
</Taxes>

```

```

</EventCharge>
<EventCharge CurrencyCode="USD"
DecimalPlaces="2" AverageChargeAmount="9.95" PrimaryChargeType="7" EventCharge="19">
  <!-- Event Charge Code list (EVT) EventCharge
20=AfternoonBreak, Charge Type Code list (CHG) PrimaryChargeType 7=per person-->
  <Taxes>
    <Tax Code="7" Percent="14"/>
    <!-- Fee Tax Type Code list (FTT) Code
7=F&B Tax-->
    <Tax Code="14" Percent="18"/>
    <!-- Fee Tax Type Code list (FTT) Code
14=Service Charge-->
  </Taxes>
</EventCharge>
<EventCharge AverageChargeAmount="25.00"
EventCharge="19" PrimaryChargeType="7">
  <!-- Event Charge Code list (EVT) EventCharge
21=Reception, Charge Type Code list (CHG) PrimaryChargeType 7=per person-->
  <Taxes>
    <Tax Code="14" Percent="18"/>
    <!-- Fee Tax Type Code list (FTT) Code
7=F&B Tax-->
    <Tax Code="14" Percent="18"/>
    <!-- Fee Tax Type Code list (FTT) Code
14=Service Charge-->
  </Taxes>
</EventCharge>
<EventCharge CurrencyCode="USD"
DecimalPlaces="2" AverageChargeAmount="18.95" EventCharge="19" PrimaryChargeType="7">
  <!-- Event Charge Code list (EVT) EventCharge
22=Plated Breakfast, Charge Type Code list (CHG) PrimaryChargeType 7=per person-->
  <Taxes>
    <Tax Code="7" Percent="14"/>
    <!-- Fee Tax Type Code list (FTT) Code
7=F&B Tax-->
    <Tax Code="14" Percent="18"/>
    <!-- Fee Tax Type Code list (FTT) Code
14=Service Charge-->
  </Taxes>
</EventCharge>
<EventCharge CurrencyCode="USD"
DecimalPlaces="2" AverageChargeAmount="16.95" PrimaryChargeType="7">
  <!-- Charge Type Code list (CHG)
PrimaryChargeType 7=per person-->
  <Taxes>
    <Tax Code="14" Percent="18"/>
    <!-- Fee Tax Type Code list (FTT) Code
7=F&B Tax-->
    <Tax Code="14" Percent="18"/>
    <!-- Fee Tax Type Code list (FTT) Code
14=Service Charge-->
  </Taxes>
</EventCharge>
<EventCharge CurrencyCode="USD"
DecimalPlaces="2" AverageChargeAmount="14.95" EventCharge="19" PrimaryChargeType="7">
  <!-- Event Charge Code list (EVT) EventCharge
23=Continental Breakfast, Charge Type Code list (CHG) PrimaryChargeType 7=per person-->
  <Taxes>

```

```

                                <Tax Code="14" Percent="18"/>
                                <!--Fee Tax Type Code list (FTT) Code

7=F&B Tax-->

                                <Tax Code="14" Percent="18"/>
                                <!--Fee Tax Type Code list (FTT) Code

14=Service Charge-->

                                </Taxes>
                                </EventCharge>
                                <EventCharge CurrencyCode="USD"
DecimalPlaces="2" AverageChargeAmount="24.95" EventCharge="19" PrimaryChargeType="7">
                                <!--Event Charge Code list (EVT) EventCharge

24=Hot Plated Lunch, Charge Type Code list (CHG) PrimaryChargeType 7=per person-->
                                <Taxes>
                                <Tax Code="14" Percent="18"/>
                                <!--Fee Tax Type Code list (FTT) Code

7=F&B Tax-->

                                <Tax Code="14" Percent="18"/>
                                <!-- Fee Tax Type Code list (FTT) Code

14=Service Charge-->

                                </Taxes>
                                </EventCharge>
                                <EventCharge CurrencyCode="USD"
DecimalPlaces="2" AverageChargeAmount="22.95" EventCharge="19" PrimaryChargeType="7">
                                <!-- Event Charge Code list (EVT) EventCharge

25=Cold Plated Lunch, Charge Type Code list (CHG) PrimaryChargeType 7=per person-->
                                <Taxes>
                                <Tax Code="14" Percent="18"/>
                                <!-- Fee Tax Type Code list (FTT) Code

7=F&B Tax-->

                                <Tax Code="14" Percent="18"/>
                                <!-- Fee Tax Type Code list (FTT) Code

14=Service Charge-->

                                </Taxes>
                                </EventCharge>
                                <EventCharge CurrencyCode="USD"
DecimalPlaces="2" AverageChargeAmount="19.95" EventCharge="19" PrimaryChargeType="7">
                                <!-- Event Charge Code list (EVT) EventCharge

26=Buffet Lunch, Charge Type Code list (CHG) PrimaryChargeType 7=per person-->
                                <Taxes>
                                <Tax Code="7" Percent="14"/>
                                <!-- Fee Tax Type Code list (FTT) Code

7=F&B Tax-->

                                <Tax Code="14" Percent="18"/>
                                <!-- Fee Tax Type Code list (FTT) Code

14=Service Charge-->

                                </Taxes>
                                </EventCharge>
                                <EventCharge CurrencyCode="USD"
DecimalPlaces="2" AverageChargeAmount="34.95" EventCharge="19" PrimaryChargeType="7">
                                <!-- Event Charge Code list (EVT) EventCharge

27=Plated Dinner, Charge Type Code list (CHG) PrimaryChargeType 7=per person-->
                                <Taxes>
                                <Tax Code="7" Percent="14"/>
                                <!-- Fee Tax Type Code list (FTT) Code

7=F&B Tax-->

                                <Tax Code="14" Percent="18"/>
                                <!-- Fee Tax Type Code list (FTT) Code

14=Service Charge-->

```

```

                </Taxes>
            </EventCharge>
            <EventCharge CurrencyCode="USD"
DecimalPlaces="2" AverageChargeAmount="30.95" EventCharge="19" PrimaryChargeType="7">
                <!-- Event Charge Code list (EVT) EventCharge
28=Buffet Dinner, Charge Type (CHG) PrimaryChargeType 7=per person-->
                <Taxes>
                    <Tax Code="7" Percent="14"/>
                    <!-- Fee Tax Type Code list (FTT) Code
7=F&B Tax-->
                    <Tax Code="14" Percent="18"/>
                    <!-- Fee Tax Type Code list (FTT) Code
14=Service Charge-->
                </Taxes>
            </EventCharge>
        </EventCharges>
        </EventData>
        </EventDates>
        </EventBlock>
        </Date>
    </Dates>
    <References>
        <Reference MeetingName="ILAC2004" Start="2004-12-10" MeetingType="6"
MeetingHost="Excel">
            <!--Event Type Code list (ETT) MeetingType 6 = General Business Meeting--
>
            <PersonName>
                <GivenName>John</GivenName>
                <Surname>Doe</Surname>
            </PersonName>
            <Telephone PhoneTechType="1" PhoneNumber="111.222.3333"/>
            <!-- Phone Tech Type Code list (PTT) PhoneTechType 1= voice-->
            <EmployeeInfo EmployeeTitle="President"/>
        </Reference>
    </References>
    </Site>
</Sites>
<Comment>
    <Text>Coverage Policies are available for personal on-property inspection
</Text>
    </Comment>
</RFP_ResponseSegment>
</RFP_ResponseSegments>
</RFP_Response>
</OTA_HotelRFP_MeetingRS>

```

9.21. OTA_HotelRFP_MeetingNotifRQ/RS

Because most hotels currently cannot respond to the RFPs in real-time, this message was created. The intended use case of this message is the following scenario, after receiving an OTA_HotelRFP_MeetingRQ, an OTA_HotelRFP_MeetingRS will be returned indicating when and how the hotel will respond to the request. This detailed response uses the OTA_HotelRFP_MeetingNotifRQ message. Additionally, the

OTA_HotelRFP_MeetingNotifRQ may be used to provide updated information regarding the original RFP.

9.21.1. Use Case 1

9.21.1.1. Request: Simple RFP Notification with Primary Dates

In response to the Houston Astros Soccer Club request (see OTA_HotelRFP_MeetingRQ/RS use case 1) the following information would be supplied:

Deliver Responses to:

Julie Clark
785 Walnut Lane
Houston, TX 77571
Phone: 281-771-6846
Fax: 281-771-8541
Email: Julie_Clark@att.net

FROM: Hilton DFW Lakes Executive Conference Center

Lori Smith
Director of Sales
800 Highway 26 East
Grapevine, TX 76051
United States of America
Email: lsmith@dfwhilton.com
(817) 481-8444 - main phone
(817) 481-3160 - main fax
(817) 410-6772 - sales phone
(817) 481-3146 - sales fax

Yes, our facility is interested.

Arrival Date:	October 10, 2004
Departure Date:	October 12, 2004
Single Rate:	\$92.00
Double Rate:	\$92.00
Option	1 st Option
City Tax	7.25%
State Tax	7.75%
Room Block	Total 15
Single	5 Rooms per Night
Double	10 Rooms per Night

Comments:

- Room Rates include continental breakfast for you and your group on the same floor as the guest rooms.
- Televisions can be set with parental controls for stations and movie channels.
- All Rooms paid by master account can be credited towards your Hhonors account, if paid individually this would not apply.
- We would be happy to have your team with us! Let me know if I can hold space for you.

OTA_RFP_MeetingNotifRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelRFP_MeetingNotifRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_HotelRFP_MeetingNotifRQ.xsd" TimeStamp="2001-12-17T09:30:47-05:00" Target="Production"
  Version="1.000" SequenceNmbr="1" TransactionStatusCode="Start" PrimaryLangID="en-us" AltLangID="en-us">
  <RFP_ResponseSegments>
    <RFP_ResponseSegment>
      <Sites>
        <Site ChainCode="Hilton" BrandCode="HIC" HotelCode="16024" HotelName="Hilton
          DFW Lakes Executive Conference Center" ChainName="Hilton Hotels" BrandName="Hilton Hotels">
          <ResponseType DetailIncludedIndicator="true"/>
          <ContactInfos>
            <ContactInfo ContactType="Director of Sales">
              <PersonName>
                <NamePrefix>Ms.</NamePrefix>
                <GivenName>Lori</GivenName>
                <Surname>Smith</Surname>
              </PersonName>
              <Telephone PhoneLocationType="4" PhoneTechType="1"
                CountryAccessCode="1" AreaCityCode="817" PhoneNumber="481-8444"/>
              <Telephone PhoneLocationType="4" PhoneTechType="3"
                CountryAccessCode="1" AreaCityCode="817" PhoneNumber="481-3160"/>
              <Telephone PhoneLocationType="5" PhoneTechType="1"
                CountryAccessCode="1" AreaCityCode="817" PhoneNumber="410-6772"/>
              <Telephone PhoneLocationType="5" PhoneTechType="3"
                CountryAccessCode="1" AreaCityCode="817" PhoneNumber="481-3146"/>
              <Address Type="2" UseType="6">
                <StreetNmbr>800 Highway 26 East</StreetNmbr>
                <CityName>Grapevine</CityName>
                <PostalCode>76051-9641</PostalCode>
                <StateProv StateCode="TX"/>
                <CountryName Code="US"/>
              </Address>
              <Email EmailType="6">lsmith@dfwhilton.com</Email>
            </ContactInfo>
          </ContactInfos>
          <Dates>
            <Date Start="2004-10-10" End="2004-10-12" ProposedDateIndicator="Primary">
              <RoomBlock>
                <StayDates>
                  <StayDate Start="2004-10-10" End="2004-10-12">
                    <StayDateRooms>
                      <StayDateRoom RoomType="single" NumberOfUnits="5">
                        <Rates>
                          <Rate Amount="92.00" CurrencyCode="USD"
                            DecimalPlaces="2" OccupancyRate="Single">
                            <Taxes CurrencyCode="USD">
                              <Tax Percent="7.25" Code="3"/>
                              <Tax Percent="7.75" Code="15"/>
                            </Taxes>
                          </Rate>
                        </StayDateRoom>
                      </StayDateRooms>
                    </StayDate>
                  </StayDates>
                </RoomBlock>
              </Date>
            </Dates>
          </Site>
        </Sites>
      </RFP_ResponseSegment>
    </RFP_ResponseSegments>
  </OTA_HotelRFP_MeetingNotifRQ>
</xml>
```

```

        </Taxes>
      </Rate>
    </Rates>
  </StayDateRoom>
  <StayDateRoom RoomType="double" NumberOfUnits="10">
    <Rates>
      <Rate Amount="92.00" CurrencyCode="USD"
DecimalPlaces="2" OccupancyRate="Single">
        <Taxes CurrencyCode="USD">
          <Tax Percent="7.25" Code="3"/>
          <Tax Percent="7.75" Code="15"/>
        </Taxes>
      </Rate>
    </Rates>
  </StayDateRoom>
  <StayDateRoom RoomType="double" NumberOfUnits="10">
    <Rates>
      <Rate Amount="92.00" CurrencyCode="usd"
DecimalPlaces="2" OccupancyRate="Single">
        <Taxes CurrencyCode="usd">
          <Tax Percent="7.25" Code="3"/>
          <Tax Percent="7.75" Code="15"/>
        </Taxes>
      </Rate>
    </Rates>
  </StayDateRoom>
</StayDateRooms>
</StayDate>
</StayDates>
</RoomBlock>
</Date>
</Dates>
<Comment>
  <Text>
    Room Rates include continental breakfast for you and your group on the same floor
    as the guest rooms. Televisions can be set with parental controls for stations and movie channels. All Rooms
    paid by master account can be credited towards your Hhonors account, if paid individually this would not
    apply. We would be happy to have your team with us! Let me know if I can hold space for you.</Text>
  </Comment>
  <SiteID URL="http://www.hiltondirect.com" Type="10" ID="123456"/>
</Site>
</Sites>
  <RFP_ID URL="http://www.mpoint.com" Type="13" ID="102230"/>
</RFP_ResponseSegment>
</RFP_ResponseSegments>
  <MessageID ID="12345" Type="10"/>
</OTA_HotelRFP_MeetingNotifRQ>

```

9.21.1.2. Response: Acknowledgement of Receipt of Request

The message is successfully received.

OTA_HotelRFP_MeetingNotifRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelRFP_MeetingNotifRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_HotelRFP_MeetingNotifRS.xsd" Version="1.001">
  <Success/>
  <MessageID ID="12345" Type="13">
    <RFP_IDs>
      <RFP_ID ID="102230" Type="16">

```

```
<SiteIDs>
  <SiteID ID="123456" Type="10"/>
</SiteIDs>
</RFP_ID>
</RFP_IDs>
</MessageID>
</OTA_HotelRFP_MeetingNotifRS>
```

9.21.2. Use Case 2

Alternate Arrival Date:	October 17, 2004
Alternate Departure Date:	October 19, 2004
Single Rate:	\$85.00
Double Rate:	\$85.00
Option	Alternate
City Tax	7.25%
State Tax	7.75%
Room Block	Total 15
Single	5 Rooms per Night
Double	10 Rooms per Night

9.21.2.1. Request: Simple RFP Notification with Alternate Dates

In response to the Houston Astros Soccer Club (see OTA_HotelRFP_MeetingRQ/RS use case 1) request the following information would be supplied:

Deliver Responses to:

Julie Clark
785 Walnut Lane
Houston, TX 77571
Phone: 281-771-6846
Fax: 281-771-8541
Email: Julie_Clark@att.net

FROM: Doubletree Hotel Dallas-Lincoln Centre near the Galleria

Tiffany Jones
Director of Sales
5410 LBJ Freeway
Dallas, TX 75240
United States of America
Email: tjones@ddallas_hilton.com
(972) 934-8400 - main phone

(972) 701-5244 - main fax
(972) 701-5127 - sales phone
(972) 701-5137 - sales fax

Alternate Arrival Date:	October 17, 2004
Alternate Departure Date:	October 19, 2004
Single Rate:	\$85.00
Double Rate:	\$85.00
Option	Alternate
City Tax	7.25%
State Tax	7.75%
Room Block	Total 15
Single	5 Rooms per Night
Double	10 Rooms per Night

OTA_RFP_MeetingNotifRQ2.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelRFP_MeetingNotifRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_HotelRFP_MeetingNotifRQ.xsd" TimeStamp="2001-12-17T09:30:47-05:00" Target="Production"
  Version="1.000" SequenceNbr="1" TransactionStatusCode="Start" PrimaryLangID="en-us" AltLangID="en-
us">
  <RFP_ResponseSegments>
    <RFP_ResponseSegment>
      <Sites>
        <Site ChainCode="Hilton" BrandCode="HIC" HotelCode="16024" HotelName="Hilton
        DFW Lakes Executive Conference Center" ChainName="Hilton Hotels" BrandName="Hilton Hotels">
          <ResponseType DetailIncludedIndicator="true"/>
          <ContactInfos>
            <ContactInfo ContactType="Director of Sales">
              <PersonName>
                <NamePrefix>Ms.</NamePrefix>
                <GivenName>Lori</GivenName>
                <Surname>Smith</Surname>
              </PersonName>
              <Telephone PhoneLocationType="4" PhoneTechType="1"
                CountryAccessCode="1" AreaCityCode="817" PhoneNumber="481-8444"/>
              <Telephone PhoneLocationType="4" PhoneTechType="3"
                CountryAccessCode="1" AreaCityCode="817" PhoneNumber="481-3160"/>
              <Telephone PhoneLocationType="5" PhoneTechType="1"
                CountryAccessCode="1" AreaCityCode="817" PhoneNumber="410-6772"/>
              <Telephone PhoneLocationType="5" PhoneTechType="3"
                CountryAccessCode="1" AreaCityCode="817" PhoneNumber="481-3146"/>
              <Address Type="2" UseType="6">
                <StreetNmbr>800 Highway 26 East</StreetNmbr>
                <CityName>Grapevine</CityName>
                <PostalCode>76051-9641</PostalCode>
                <StateProv StateCode="TX"/>
                <CountryName Code="US"/>
              </Address>
              <Email EmailType="6">lsmith@dfwhilton.com</Email>
            </ContactInfo>
          </ContactInfos>
        </Site>
      </Sites>
    </RFP_ResponseSegment>
  </RFP_ResponseSegments>
</OTA_HotelRFP_MeetingNotifRQ>
```

```

    </ContactInfos>
    <Dates>
      <Date Start="2004-10-17" End="2004-10-19" ProposedDateIndicator="Alternate">
        <RoomBlock>
          <StayDates>
            <StayDate Start="2004-10-17" End="2004-10-19">
              <StayDateRooms>
                <StayDateRoom RoomType="single" NumberOfUnits="5">
                  <Rates>
                    <Rate Amount="85.00" CurrencyCode="USD"
DecimalPlaces="2" OccupancyRate="Single">
                      <Taxes CurrencyCode="USD">
                        <Tax Percent="7.25" Code="3"/>
                        <Tax Percent="7.75" Code="15"/>
                      </Taxes>
                    </Rate>
                  </Rates>
                </StayDateRoom>
                <StayDateRoom RoomType="double" NumberOfUnits="10">
                  <Rates>
                    <Rate Amount="85.00" CurrencyCode="USD"
DecimalPlaces="2" OccupancyRate="Single">
                      <Taxes CurrencyCode="USD">
                        <Tax Percent="7.25" Code="3"/>
                        <Tax Percent="7.75" Code="15"/>
                      </Taxes>
                    </Rate>
                  </Rates>
                </StayDateRoom>
              </StayDateRooms>
            </StayDate>
          </StayDates>
        </RoomBlock>
      </Date>
    </Dates>
    <Comment>
      <Text>
        Unfortunately, we are sold out over the dates you requested. If you are able to adjust
        your dates we could accommodate you the following week. Please let me know if this will work for your team.
      </Text>
    </Comment>
    <SiteID URL="http://www.hiltondirect.com" Type="10" ID="123456">
    </SiteID>
  </Site>
</Sites>
</RFP_ResponseSegment>
</RFP_ResponseSegments>
<MessageID ID="12346" URL="http://www.mpoint.com" Type="13"/>
</OTA_HotelRFP_MeetingNotifRQ>

```

9.21.2.2. Response: Acknowledgment of Receipt of NotifRequest Details

The message is successfully received.

OTA_RFP_MeetingNotifRS2.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelRFP_MeetingNotifRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_HotelRFP_MeetingNotifRS.xsd" Version="1.001">
  <Success/>
  <MessageID ID="12346" Type="13"/>
</OTA_HotelRFP_MeetingNotifRS>

```

9.21.3. Use Case 3

9.21.3.1. Request: Simple RFP Notification Decline

In response to the Houston Astros Soccer Club request the following information would be supplied:

Deliver Responses to:

Julie Clark
785 Walnut Lane
Houston, TX 77571
Phone: 281-771-6846
Fax: 281-771-8541
Email: Julie_Clark@att.net

FROM: Hilton DFW Lakes Executive Conference Center

Lori Smith
Director of Sales
800 Highway 26 East
Grapevine, TX 76051
United States of America
Email: lsmith@dfwhilton.com
(817) 481-8444 - main phone
(817) 481-3160 - main fax
(817) 410-6772 - sales phone
(817) 481-3146 - sales fax

We apologize, but our facility cannot accommodate your request at this time.

OTA_RFP_MeetingNotifRQ3.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelRFP_MeetingNotifRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_HotelRFP_MeetingNotifRQ.xsd" TimeStamp="2001-12-17T09:30:47-05:00" Target="Production"
  Version="1.000" SequenceNmbr="1" TransactionStatusCode="Start" PrimaryLangID="en-us" AltLangID="en-
us">
  <RFP_ResponseSegments>
    <RFP_ResponseSegment>
      <Sites>
        <Site ChainCode="Hilton" BrandCode="HIC" HotelCode="16024" HotelName="Hilton
        DFW Lakes Executive Conference Center" ChainName="Hilton Hotels" BrandName="Hilton Hotels">
          <ResponseType DetailIncludedIndicator="true" DeclineIndicator="true"
          DeclineReasonCode="5"/>
          <ContactInfos>
            <ContactInfo ContactType="Director of Sales">
              <PersonName>
                <NamePrefix>Ms.</NamePrefix>
                <GivenName>Lori</GivenName>
                <Surname>Smith</Surname>
              </PersonName>
            </ContactInfo>
          </ContactInfos>
        </Site>
      </Sites>
    </RFP_ResponseSegment>
  </RFP_ResponseSegments>
</OTA_HotelRFP_MeetingNotifRQ>
```

```

        <Telephone PhoneLocationType="4" PhoneTechType="1"
CountryAccessCode="1" AreaCityCode="817" PhoneNumber="481-8444"/>
        <Telephone PhoneLocationType="4" PhoneTechType="3"
CountryAccessCode="1" AreaCityCode="817" PhoneNumber="481-3160"/>
        <Telephone PhoneLocationType="5" PhoneTechType="1"
CountryAccessCode="1" AreaCityCode="817" PhoneNumber="410-6772"/>
        <Telephone PhoneLocationType="5" PhoneTechType="3"
CountryAccessCode="1" AreaCityCode="817" PhoneNumber="481-3146"/>
        <Address Type="2" UseType="6">
            <StreetNmbr>800 Highway 26 East</StreetNmbr>
            <CityName>Grapevine</CityName>
            <PostalCode>76051-9641</PostalCode>
            <StateProv StateCode="TX"/>
            <CountryName Code="US"/>
        </Address>
        <Email EmailType="6">lsmith@dfwhilton.com</Email>
    </ContactInfo>
</ContactInfos>
<Comment>
    <Text>
        We apologize, but our facility cannot accommodate your request at this time.</Text>
    </Comment>
    <SiteID URL="http://www.hiltondirect.com" Type="10" ID="123456"/>
</Site>
</Sites>
</RFP_ResponseSegment>
</RFP_ResponseSegments>
<MessageID ID="12345" URL="http://www.mpoint.com" Type="13"/>
</OTA_HotelRFP_MeetingNotifRQ>

```

9.21.3.2. Response:

TBD

OTA_HotelRFP_MeetingNotifRS3.xml

TBD

9.22. OTA_HotelRFP_TransientRQ/RS

The OTA_HotelRFP_TransientRQ/RS message supports the buyer to supplier process of negotiating room rates and amenities for a given contract period. The buyer is the corporation negotiating directly with the supplier (e.g., hotel chains or individual hotels). The buyer can also be a travel agency or consortium securing competitive room rates to offer to corporation and/or the individual business traveler.

The request/response data set will generally equal each other in the first round of distribution. The second round of negotiations, if requested by the buyer, can sometimes be a subset of data from the original request. This data set will include components already defined in the OTA Hotel Descriptive information and the Rate information.

The Request is usually a corporation sending requirements to a hotelier requesting a proposal for negotiated room rates. This would be used for an initial request, a renegotiate or an accept/deny. The response is usually sent by a hotelier. It contains various levels of details based on the Request. In many cases this will be a simple acknowledgement because human intervention is necessary to obtain full details. When these details are available, the hotel will send them in the Notif Request.

9.22.1. Use Case 1

9.22.1.1. Request: Corporate client requests new negotiated rate from a hotel

Johnny Quest, Corporate Travel Officer, from Quest Corporation has to accommodate Quest's traveling sales staff that travels primarily to Los Angeles, California. Quest currently has a negotiated rate at the Los Angeles International Airport Marriott (LAXAP) and would like to request a negotiated rate for next year. He will require 1500 room nights for the next year. Johnny is very familiar with the hotel amenities and is interested in only the new rate that will be offered.

Quest Corporation
123 Main Street
Chicago, IL 60606
johnny@quest.com
Phone: 1-312-555-1212
Fax: 1-312-555-1234

Because Johnny is familiar with the hotel amenities and only needs new rate information he will use the OTA Codelist RFP Response Category Codes (RRC) Code 1 for Client and Rate Information.

OTA_HotelRFP_TransientRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelRFP_TransientRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelRFP_TransientRQ.xsd"
EchoToken="952698" TimeStamp="2004-08-02T02:30:47-05:00" Target="Production" Version="1.000"
PrimaryLangID="en-us">
  <TransientRFP_RequestSegments>
    <RequestedInfos>
      <RequestedInfo RequestedInfoCode="1"/>
    </RequestedInfos>
    <TransientRFP_RequestSegment HotelCode="LAXAP">
      <ContactInfos>
        <ContactInfo ContactProfileType="Client">
          <Names>
            <Name>
              <GivenName>Johnny</GivenName>
              <Surname>Quest</Surname>
              <JobTitle>Corporate Travel Officer</JobTitle>
            </Name>
          </Names>
          <Addresses>
            <Address>
              <AddressLine>123 Main Street</AddressLine>
```

```

        <CityName>Chicago</CityName>
        <PostalCode>60606</PostalCode>
        <StateProv>IL</StateProv>
    </Address>
</Addresses>
<Phones>
    <Phone PhoneTechType="1" PhoneUseType="3" AreaCityCode="312"
PhoneNumber="555-1212"/>
    <Phone PhoneTechType="3" AreaCityCode="312" PhoneNumber="555-1234"/>
</Phones>
<Emails>
    <Email EmailType="2">johnny@quest.com</Email>
</Emails>
<CompanyName>Quest Corporation</CompanyName>
</ContactInfo>
</ContactInfos>
<AccountSpecificInfo HotelPotentialRoomQuantity="1500"/>
</TransientRFP_RequestSegment>
</TransientRFP_RequestSegments>
<MessageID ID="12345777" Type="16"/>
</OTA_HotelRFP_TransientRQ>

```

9.22.1.2. Response: Hotel responds with a success message and details regarding the full response.

A response message comes back acknowledging receipt and saying details will be sent within 48 hours.

OTA_HotelRFP_TransientRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelRFP_TransientRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelRFP_TransientRS.xsd"
EchoToken="952698" TimeStamp="2004-08-02T02:32:47-05:00" Target="Production" Version="1.0">
    <Success/>
    <RFP_TransientDetail>
<RFP_TransientResponses>
    <RFP_TransientResponse BrandCode="MC" ChainCode="MI" HotelCode="LAXAP" HotelName="Los
Angeles Airport Marriott">
        <RFP_ResponseDetail DetailIncludedIndicator="false" MaximumTime="P2D" />
    </RFP_TransientResponse>
</RFP_TransientResponses>
<MessageID ID="12345777" Type="16"/>
    </RFP_TransientDetail>
</OTA_HotelRFP_TransientRS>

```

9.23. OTA_HotelRFP_TransientNotifRQ/RS

Typically a hotelier will use the OTA_HotelRFP_TransientNotifRQ to push detailed or updated information to an original Request. The OTA_HotelRFP_TransientNotifRS is a simple acknowledgement for receipt of the Notif Request.

9.23.1. Use Case 1

9.23.1.1. Request: Hotel sends details of negotiated rate to corporate client

LAXAP requires that a minimum annual room night production be 1500. The rate is \$105 US Dollars good from January 1, 2005 through December 31, 2005. This rate will apply only to standard (GENR) rooms with two queen beds or one king bed and is exclusive of a 14% room tax. The rate is non-commissionable.

Reservations must be guaranteed for late arrival with a credit card. Reservations must be cancelled by 6pm on the day of arrival in order to avoid a penalty.

Blackout dates are in effect from January 20, 2005 through January 27, 2005 for a special event that will be hosted in Los Angeles.

Hotel Contact- Sales Manager
Jane West
Los Angeles Airport Marriott
5855 West Century Boulevard
Los Angeles, California 90045 USA
Phone: 1-310-641-5700
Fax: 1-310-337-5358

RFP Response Category Codes (RRC)
Client and Rate Information

OTA_HotelRFP_TransientNotifRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelRFP_TransientNotifRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_HotelRFP_TransientNotifRQ.xsd" EchoToken="952698" TimeStamp="2004-08-03T14:30:47-08:00"
  Target="Production" Version="1.000" PrimaryLangID="en-US">
  <RFP_TransientResponses>
    <RFP_TransientResponse ChainCode="MI" BrandCode="MC" HotelCode="LAXAP" HotelName="Los
    Angeles Airport Marriott">
      <RFP_ResponseDetail DetailIncludedIndicator="true"/>
      <HotelDescription>
        <ContactInfos>
          <ContactInfo>
            <Names>
              <Name>
                <GivenName>Jane</GivenName>
                <Surname>West</Surname>
                <JobTitle>Sales Manager</JobTitle>
              </Name>
            </Names>
            <Addresses>
              <Address>
                <AddressLine>5855 West Century Boulevard</AddressLine>
                <CityName>Los Angeles</CityName>
                <PostalCode>90045</PostalCode>
                <StateProv>California</StateProv>
                <CountryName>USA</CountryName>
              </Address>
            </Addresses>
            <Phones>
              <Phone PhoneTechType="1" PhoneNumber="641-5700 " AreaCityCode="310"
                PhoneUseType="5"/>
            </Phones>
          </ContactInfo>
        </ContactInfos>
      </HotelDescription>
    </RFP_TransientResponse>
  </RFP_TransientResponses>
</OTA_HotelRFP_TransientNotifRQ>
```

```

        <Phone PhoneTechType="3" PhoneNumber="337-5358" AreaCityCode="310"/>
      </Phones>
      <Emails>
        <Email>jane.west@mhrs.laxap.dos.com</Email>
      </Emails>
      <CompanyName>Los Angeles Airport Marriott</CompanyName>
    </ContactInfo>
  </ContactInfos>
</HotelDescription>
<AccountSpecificInformation ContractAgreementIndicator="true">
  <AccountSpecificRateInfo RoomNightTargetIndicator="true"
RoomNightTargetQuantity="1500" Start="2005-01-01" End="2005-12-31"/>
  <RoomTypes>
    <RoomType RoomTypeCode="GENR" IsRoom="true" ReqdGuaranteeType="credit
card">
      <RoomDescription Name="Standard Quality Room">
        <Text>Standard quality room with two queen beds or one king bed.</Text>
      </RoomDescription>
      <RoomRateInfos>
        <RoomRateInfo>
          <Rates>
            <Rate>
              <Base AmountBeforeTax="10500" CurrencyCode="USD"
DecimalPlaces="2">
                <Taxes>
                  <Tax Type="Exclusive" Code="28" Percent="14"/>
                </Taxes>
              </Base>
              <CancelPolicies>
                <CancelPenalty ConfirmClassCode="6PM DOA"
NonRefundable="false">
                  <Deadline AbsoluteDeadline="18:00:00"/>
                  <AmountPercent TaxInclusive="false" NmbrOfNights="1"
BasisType="Nights">
                    <Taxes>
                      <Tax Type="Exclusive" Code="28" Percent="14"/>
                    </Taxes>
                  </AmountPercent>
                  </CancelPenalty>
                </CancelPolicies>
                <RateDescription Name="Quest">
                  <Text>Negotiated Rate for Quest for 2005.</Text>
                </RateDescription>
                <TPA_Extensions/>
              </Rate>
            </Rates>
            <Commission StatusType="Non-paying"/>
          </RoomRateInfo>
        </RoomRateInfos>
      </RoomType>
    </RoomTypes>
    <BlackoutDates>
      <BlackoutDate Start="2005-01-20" End="2005-01-27"/>
    </BlackoutDates>
  </ContactInfos>
  <ContactInfo ContactProfileType="Client">
    <Names>
      <Name>
        <GivenName>Johnny</GivenName>
        <Surname>Quest</Surname>
        <JobTitle>Corporate Travel Officer</JobTitle>
      </Name>
    </Names>
    <Addresses>
      <Address>
        <AddressLine>123 Main Street</AddressLine>

```

```

        <CityName>Chicago</CityName>
        <PostalCode>60606</PostalCode>
        <StateProv>IL</StateProv>
    </Address>
</Addresses>
<Phones>
    <Phone PhoneTechType="1" PhoneUseType="3" AreaCityCode="312"
PhoneNumber="555-1212"/>
    <Phone PhoneTechType="3" AreaCityCode="312" PhoneNumber="555-1234"/>
</Phones>
<Emails>
    <Email EmailType="2">johnny@quest.com</Email>
</Emails>
<URLs>
    <URL>http://www.quest.com</URL>
</URLs>
<CompanyName>Quest Corporation</CompanyName>
</ContactInfo>
</ContactInfos>
</AccountSpecificInformation>
</RFP_TransientResponse>
</RFP_TransientResponses>
<MessageID Type="16" Instance="1" ID="12345777"/>
</OTA_HotelRFP_TransientNotifRQ>

```

9.23.1.2. Response: Corporate client responds that the message was successful.

Johnny Quest receives the message from LAXAP successfully.

OTA_HotelRFP_TransientNotifRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelRFP_TransientNotifRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelRFP_TransientNotifRS.xsd"
Version="1.0" EchoToken="954444" TimeStamp="2004-08-03T14:31:38-05:00" >
    <Success/>
    <MessageID ID="12345777" Type="16"/>
</OTA_HotelRFP_TransientNotifRS>

```

9.24. OTA_HotelRoomingListRQ/RS

OTA hotel reservation messages prior to 2002B focus on transient business. The Rooming List message set expands into the groups (meetings and conventions) market and the tour (wholesale) market, which today are primarily handled through manual processes and/or proprietary systems. In the case of group or tour reservations, travelers' reservations are booked into blocked space, instead of publicly available room inventory. Group blocks are date specific and tied to an event at a location, whereas tour blocks are generally a set number of rooms held at a location for an extended period of time (often an annual basis). The rooming list messages expand on the hotel message set to further automate a large section of hotel bookings. This message set automates some manual processes and provides the ability to create, modify, and cancel rooming list reservations.

9.24.1. Use Case 1

9.24.1.1. Request: Room List with Individual Names and Payments for each

This message assumes that the block at the hotel is already established: Sally S. Smith (s.smith@bpa.com) with meeting/planner agency “Builder’s Planning Agency” (www.bpa.com) has established a block of 100 rooms at the Hilton New York for John Jones with the “National Association of Hotel Builders”. Builder’s Planning Agency will be sending a request to, and receiving a response directly from, the New York Hilton on the behalf of John Jones with the National Association of Hotel Builders. The block was set up 6 months in advance for June 10 – 15, 2003. The block cut-off was set at May 15, 2003 and all rooms must be guaranteed. The 100 rooms consisted of 50 rooms with double beds, 50 rooms with single beds, 5 of which are complimentary rooms based on the pick-up of 90% of the room block. The room rate, for both types of rooms, is the same at \$125 USD.

On March 15, 2003 the Builder’s Planning Agency sends a request message to the Hilton New York, requesting 2 single rooms for two additional meeting attendees. The 2 single rooms only have one guest name attached to each. In addition, a form of payment via a credit card is attached to each room.

OTA_HotelRoomListRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelRoomListRQ EchoToken="9876" Target="Production" Version="1.002"
xmlns="http://www.opentravel.org/OTA/2003/05" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelRoomListRQ.xsd">
  <POS>
    <Source>
      <RequestorID URL="http://www.bpa.com" Type="4" ID="123456789">
        <CompanyName Code="33345999" CodeContext="Internal"
          CompanyShortName="BPA">Builder's Planning Agency</CompanyName>
      </RequestorID>
    </Source>
  </POS>
  <HotelRoomLists>
    <HotelRoomList ChainCode="HH" HotelCode="123456" HotelCityCode="NYC" HotelName="New
      York Hilton" ChainName="Hilton">
      <UniqueID URL="http://www.bpa.com" Type="14" ID="123456789" ID_Context="Room List ID">
        <CompanyName Code="33345999" CodeContext="Internal"
          CompanyShortName="BPA">Builder's Planning Agency</CompanyName>
      </UniqueID>
      <Guests>
        <Guest GuestAction="Add-Update" PrintConfolnd="true">
          <PersonName>
            <NamePrefix>Ms.</NamePrefix>
            <GivenName>Kellie</GivenName>
            <MiddleName>Jean</MiddleName>
            <Surname>Darling</Surname>
          </PersonName>
          <Telephone CountryAccessCode="001" AreaCityCode="312" PhoneNumber="889-0000"
            Extension="564" PhoneUseType="3"/>
          <Address Type="2">
            <StreetNmbr>123</StreetNmbr>
            <BldgRoom>45</BldgRoom>
            <AddressLine>Yellow Wood Cove</AddressLine>
            <CityName>Chicago</CityName>
          </Address>
        </Guest>
      </Guests>
    </HotelRoomList>
  </HotelRoomLists>
</OTA_HotelRoomListRQ>
```

```
<PostalCode>89776-0014</PostalCode>
<StateProv StateCode="IL"/>
<CountryName Code="US"/>
</Address>
<Email EmailType="2">KellieJean@att.com</Email>
<Loyalty ProgramCode="HHonors" AccountID="906503678"/>
<GuaranteePayment DetailType="Payment">
  <PaymentCard CardType="1" CardCode="AX" CardNumber="23456789066"
    ExpireDate="0205">
    <CardHolderName>Kellie Jean Darling</CardHolderName>
    <Address Type="4">
      <StreetNmbr>1516</StreetNmbr>
      <AddressLine>Maple St</AddressLine>
      <CityName>Chicago</CityName>
      <PostalCode>89776-0014</PostalCode>
      <StateProv StateCode="IL"/>
    </Address>
  </PaymentCard>
  <MasterAccountUsage BillingType="EachPaysOwn" SignFoodAndBev="false"/>
</GuaranteePayment>
</Guest>
<Guest GuestAction="Add-Update" PrintConfoInd="true">
  <PersonName>
    <NamePrefix>Ms.</NamePrefix>
    <GivenName>Julie</GivenName>
    <MiddleName>Donna</MiddleName>
    <Surname>Miller</Surname>
  </PersonName>
  <Telephone CountryAccessCode="001" AreaCityCode="216" PhoneNumber="628-0060"
    Extension="896" PhoneUseType="3"/>
  <Address Type="2">
    <StreetNmbr>1223</StreetNmbr>
    <BldgRoom>451</BldgRoom>
    <AddressLine>Redwood Cove</AddressLine>
    <CityName>Cleveland</CityName>
    <PostalCode>44121</PostalCode>
    <StateProv StateCode="OH"/>
    <CountryName Code="US"/>
  </Address>
  <Email EmailType="2">JulieMiller@att.com</Email>
  <Loyalty ProgramCode="HHonors" AccountID="906503116"/>
  <GuaranteePayment DetailType="Payment">
    <PaymentCard CardType="1" CardCode="AX" CardNumber="23456789088"
      ExpireDate="0604">
      <CardHolderName>Julie Donna Miller</CardHolderName>
      <Address Type="4">
        <StreetNmbr>7826</StreetNmbr>
        <AddressLine>Park St</AddressLine>
        <CityName>Cleveland</CityName>
        <PostalCode>44121</PostalCode>
        <StateProv StateCode="OH"/>
      </Address>
    </PaymentCard>
    <MasterAccountUsage BillingType="EachPaysOwn" SignFoodAndBev="false"/>
  </GuaranteePayment>
</Guest>
</Guests>
<MasterContact ContactType="TravelArranger">
  <PersonName>
    <NamePrefix>Ms.</NamePrefix>
    <GivenName>Sally</GivenName>
    <MiddleName>S.</MiddleName>
    <Surname>Smith</Surname>
  </PersonName>
  <Telephone AreaCityCode="501" CountryAccessCode="001" Extension="7555"
    PhoneNumber="555-1212" PhoneUseType="3"/>
```

```

    <Address>
      <StreetNmbr>123</StreetNmbr>
      <BldgRoom>9</BldgRoom>
      <AddressLine>Sink St.</AddressLine>
      <CityName>Dallas</CityName>
      <PostalCode>75206</PostalCode>
      <StateProv>TX</StateProv>
      <CountryName>USA</CountryName>
    </Address>
    <Email EmailType="2">s.smith@bpa.com</Email>
  </MasterContact>
  <MasterAccount BillingType="EachPaysOwn" DirectBill_ID="123456789">
    <CompanyName Code="33345999" CodeContext="Internal"
      CompanyShortName="BPA">Builder's Planning Agency</CompanyName>
    <Address>
      <StreetNmbr>123</StreetNmbr>
      <BldgRoom>9</BldgRoom>
      <AddressLine>Sink St.</AddressLine>
      <CityName>Dallas</CityName>
      <PostalCode>75206</PostalCode>
      <StateProv>TX</StateProv>
      <CountryName>USA</CountryName>
    </Address>
  </MasterAccount>
  <RoomStays>
    <RoomStay>
      <RoomTypes>
        <RoomType RoomTypeCode="Single" NumberOfUnits="2"/>
      </RoomTypes>
      <RoomRates>
        <RoomRate>
          <Rates>
            <Rate>
              <Base AmountBeforeTax="125" CurrencyCode="USD"/>
            </Rate>
          </Rates>
        </RoomRate>
      </RoomRates>
      <TimeSpan Start="2003-06-10" End="2003-06-15"/>
    </RoomStay>
  </RoomStays>
</HotelRoomList>
</HotelRoomLists>
</OTA_HotelRoomListRQ>

```

9.24.1.2. Response: Room List Received

The response message for this request is the confirmation number for each room and each person. In addition to the confirmation number for each guest, the address and phone number of each is returned.

OTA_HotelRoomListRS.XML

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelRoomListRS EchoToken="9876" Target="Production" Version="1.002"
  xmlns="http://www.opentravel.org/OTA/2003/05" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
  OTA_HotelRoomListRS.xsd">
  <Success/>
  <HotelRoomLists>
    <HotelRoomList ChainCode="HH" HotelCode="123456" HotelCityCode="NYC" HotelName="New
      York Hilton" ChainName="Hilton">
      <UniqueID URL="http://www.bpa.com" Type="14" ID="123456789" ID_Context="Room List ID">

```

```

    <CompanyName Code="33345999" CodeContext="Internal"
      CompanyShortName="BPA">Builder's Planning Agency</CompanyName>
  </UniquelD>
  <Guests>
    <Guest GuestAction="Add-Update" PrintConfolnd="true">
      <PersonName>
        <NamePrefix>Ms.</NamePrefix>
        <GivenName>Kellie</GivenName>
        <MiddleName>Jean</MiddleName>
        <Surname>Darling</Surname>
      </PersonName>
      <Telephone CountryAccessCode="001" AreaCityCode="312" PhoneNumber="889-0000"
        Extension="564" PhoneUseType="3"/>
      <Address Type="2">
        <StreetNmbr>123</StreetNmbr>
        <BldgRoom>45</BldgRoom>
        <AddressLine>Yellow Wood Cove</AddressLine>
        <CityName>Chicago</CityName>
        <PostalCode>89776-0014</PostalCode>
        <StateProv StateCode="IL"/>
        <CountryName Code="US"/>
      </Address>
      <Email EmailType="2">KellieJean@att.com</Email>
      <UniquelD Type="14" ID="4896702"/>
    </Guest>
    <Guest GuestAction="Add-Update" PrintConfolnd="true">
      <PersonName>
        <NamePrefix>Ms.</NamePrefix>
        <GivenName>Julie</GivenName>
        <MiddleName>Donna</MiddleName>
        <Surname>Miller</Surname>
      </PersonName>
      <Telephone CountryAccessCode="001" AreaCityCode="216" PhoneNumber="628-0060"
        Extension="896" PhoneUseType="3"/>
      <Address Type="4">
        <StreetNmbr>1223</StreetNmbr>
        <BldgRoom>451</BldgRoom>
        <AddressLine>Redwood Cove</AddressLine>
        <CityName>Cleveland</CityName>
        <PostalCode>44121</PostalCode>
        <StateProv StateCode="OH"/>
        <CountryName Code="US"/>
      </Address>
      <Email EmailType="2">JulieMiller@att.com</Email>
      <UniquelD Type="14" ID="4896703"/>
    </Guest>
  </Guests>
</HotelRoomList>
</HotelRoomLists>
</OTA_HotelRoomListRS>

```

9.24.2. Use Case 2 *

This is an example using the data fields from the APEX hotel rooming list form, although it is shown here in a different format.

Event Header Information

Event Name	Annual User Conference
Event Organizer/Host	Certain Software
Earliest Arrival Date	10/3/2008
Latest Departure Date	10/8/2008

Facility Name	Palace Hotel
Report Date Created	7/3/2008
Report Status	Original Rooming List
Currency Type	USD
GroupCode	PH-2008-0123

Key Housing Contact

NamePrefix	Mr.
GivenName/ Initial	Daniel
Middlename/Initial	J
FamilyName	Notreal
Suffix	Jr.
OrganizationName	Certain Software
JobTitle	Account Manager
Address1	123 Main St.
Address 2	
City	San Francisco
State/Prov	CA
PostalCode	94109
Phone	415-400-0123
Fax	415-400-1234
E-Mail	dnotreal@certain123.com

Guest Contact Information		Reservation Information		Comments and Guarantee		Share-With Information	
Report Status = Room Stay Action Type	Add	Arrival Day	Saturday	Comments		S1Family Name	
Family Name	Falker	Arrival Date	10/4/2008	Rewards Program	American	S1Prefix	
Prefix	Mr.	Departure Day	Tuesday	Rewards #	H4301CR9	S1Given Name/Initial	
GivenName/ Initial	Jim	Departure Date	10/7/2008	Deposit Amount	\$100	S1Middle Name/Initial	
MiddleName/ Initial		Number of Nights	3	Payment Method	SignRoomAndTax	S1Suffix	
Suffix	Jr.	Room Type – review for instance document check back with Sandy	Single	Guarantee	None	S1Arrival Date	
Organization	National University of Singapore	Bed Type	Queen	Rate Type	Attendee	S1Departure Date	
Address1	21 Lower Ken Ridge Road	Special Needs	No	Rate Type Amount	269	S2Family Name	
Address2	University Hall #UHL-04-45	Consider drop down field Smoking Requested	No	Name on Credit Card		S2Prefix	

Guest Contact Information		Reservation Information		Comments and Guarantee		Share-With Information	
City	Singapore	Consider drop down box Non-smoking Requested	Yes	Card Type		S2Given Name/Initial	
State/Province		No Preference (re: smoking room)	No	Credit Card #		S2Middle Name/Initial	
Stat/Province Code-2 digit		VIP	No	Expiration Date		S2Suffix	
Postal/Zip Code	119077	OTA Amenity	74	CSID#		S2Arrival Date	
Country	Singapore	Res ID#				S2Departure Date	
Email	jimfalker01@nus.edu.sg	Unique Source ID	register123.com			S3Family Name	
Phone	(65) 6516 4308	Confirmation #	59203			S3Prefix	
Fax	(65)6778 5373					S3Given Name/Initial	
						S3Middle Name/Initial	
						S3Suffix	
						S3Arrival Date	
						S3Departure Date	

Guest Contact Information		Reservation Information		Comments and Guarantee		Share-With Information	
Report Status = Room Stay Action Type	Add	Arrival Day	Friday	Comments		S1Family Name	Doe
Family Name	Gladstone	Arrival Date	10/3/2008	Rewards Program	Hilton	S1Prefix	
Prefix	Ms.	Departure Day	Tuesday	Rewards #	FTP910	S1Given Name/Initial	Jane
GivenName/Initial	June	Departure Date	10/7/2008	Deposit Amount	\$100	S1Middle Name/Initial	M
MiddleName/Initial	April	Number of Nights	4	Payment Method	EachPaysOwn	S1Suffix	
Suffix	Esq.	Room Type – review for instance document check back with Sandy	Double-Double	Guarantee	CC/DC/Voucher	S1Arrival Date	10/5/2008
Organization	Henderson, Glastone, and Howe	Bed Type	Queen	Rate Type	Attendee	S1Departure Date	10/7/2008
Address1	321 German Way	Special Needs	No	Rate Type Amount	269	S2Family Name	
Address2		Consider drop down field Smoking Requested	No	Name on Credit Card		S2Prefix	
City	Memphis	Consider drop down box Non-smoking Requested	Yes	Card Type		S2Given Name/Initial	
State/Province	TN	No Preference (re: smoking room)	No	Credit Card #		S2Middle Name/Initial	
Stat/Province Code-2 digit		VIP	No	Expiration Date		S2Suffix	
Postal/Zip Code	23094	OTA Amenity	74	CSID#		S2Arrival Date	
Country	United States	Res ID#				S2Departure Date	
Email	junesq@hgh.com	Unique Source ID	Register123.com			S3Family Name	
Phone	800-203-0192	Confirmation #	59301			S3Prefix	
Fax	419 403-8000					S3Given Name/Initial	
						S3Middle Name/Initial	
						S3Suffix	
						S3Arrival Date	
						S3Departure Date	

Guest Contact Information		Reservation Information		Comments and Guarantee		Share-With Information	
Report Status = Room Stay Action Type	Add	Arrival Day	Saturday	Comments	Requires TDD machine in room	S1Family Name	
Family Name	Jones	Arrival Date	10/4/2008	Rewards Program	Marriott	S1Prefix	
Prefix	Ms.	Departure Day	Tuesday	Rewards #	ABC123	S1Given Name/Initial	
GivenName/Initial	Juli	Departure Date	10/7/2008	Deposit Amount	\$100	S1Middle Name/Initial	
MiddleName/Initial	Finnell	Number of Nights	3	Payment Method	EachPaysOwn	S1Suffix	
Suffix		Room Type – review for instance document check back with Sandy	Single	Guarantee	CC/DD/Voucher	S1Arrival Date	
Organization	CIC	Bed Type	King	Rate Type	Exhibitor	S1Departure Date	
Address1	8201 Greensboro Drive	Special Needs	Yes	Rate Type Amount	299	S2Family Name	
Address2	Suite 300	Consider drop down field Smoking Requested	No	Name on Credit Card		S2Prefix	
City	McLean	Consider drop down box Non-smoking Requested	Yes	Card Type		S2Given Name/Initial	
State/Province	VA	No Preference (re: smoking room)	No	Credit Card #		S2Middle Name/Initial	
Stat/Province Code-2 digit		VIP	Yes	Expiration Date		S2Suffix	
Postal/Zip Code	22102	OTA Amenity	74,211	CSID#		S2Arrival Date	
Country	USA	Res ID#				S2Departure Date	
Email	jjones@conventionindustry.org	Unique Source ID	Register123.com			S3Family Name	
Phone	703-610-0273	Confirmation #	59003			S3Prefix	
Fax	703-610-9005					S3Given Name/Initial	
						S3Middle Name/Initial	
						S3Suffix	
						S3Arrival Date	
						S3Departure Date	

Guest Contact Information		Reservation Information		Comments and Guarantee		Share-With Information	
Report Status = Room Stay Action Type	Add	Arrival Day	Sunday	Comments	Will arrive early and will need early check-in	S1Family Name	
Family Name	Peshoff	Arrival Date	10/5/2008	Rewards Program	Hilton	S1Prefix	
Prefix	Dr.	Departure Day	Tuesday	Rewards #	123456abcdef	S1Given Name/Initial	
GivenName/Initial	Ann	Departure Date	10/7/2008	Deposit Amount	\$100	S1Middle Name/Initial	
MiddleName/Initial	B.	Number of Nights	2	Payment Method	EachPaysOwn	S1Suffix	
Suffix		Room Type – review for instance document check back with Sandy	Single	Guarantee	CC/DD/Voucher	S1Arrival Date	
Organization	University of Washington	Bed Type	Queen	Rate Type	Attendee	S1Departure Date	
Address1	867 1 st Avenue	Special Needs	Yes	Rate Type Amount	269	S2Family Name	
Address2	Apt. 5	Consider drop down field Smoking Requested	No	Name on Credit Card		S2Prefix	
City	Vienna	Consider drop down box Non-smoking Requested	No	Card Type		S2Given Name/Initial	
State/Province		No Preference (re: smoking room)	Yes	Credit Card #		S2Middle Name/Initial	
Stat/Province Code-2 digit		VIP	Yes	Expiration Date		S2Suffix	
Postal/Zip Code		OTA Amenity	101	CSID#		S2Arrival Date	
Country	Austria	Res ID#				S2Departure Date	
Email	ann.peshoff@yahoo.com	Unique Source ID	register123.com			S3Family Name	
Phone	867-5309	Confirmation #	59131			S3Prefix	
Fax	867-5903					S3Given Name/Initial	
						S3Middle Name/Initial	
						S3Suffix	
						S3Arrival Date	
						S3Departure Date	

Guest Contact Information		Reservation Information		Comments and Guarantee		Share-With Information	
Report Status = Room Stay Action Type	Add	Arrival Day	Friday	Comments		S1Family Name	Siwek
Family Name	Siwek	Arrival Date	10/3/2008	Rewards Program	United	S1Prefix	Ms.
Prefix	Mr.	Departure Day	Tuesday	Rewards #	392011A	S1Given Name/Initial	Cindy
GivenName/Initial	EJ	Departure Date	10/7/2008	Deposit Amount	\$200	S1Middle Name/Initial	
MiddleName/Initial		Number of Nights	4	Payment Method	EachPaysOwn	S1Suffix	
Suffix	CMP	Room Type – review for instance document check back with Sandy	Double-Double	Guarantee	CC/DD/Voucher	S1Arrival Date	10/5/2008
Organization	FlashPoint	Bed Type	Queen	Rate Type	Exhibitor	S1Departure Date	10/7/2008
Address1	123 Main Street	Special Needs	No	Rate Type Amount	299	S2Family Name	
Address2		Consider drop down field Smoking Requested	Yes	Name on Credit Card		S2Prefix	
City	Town	Consider drop down box Non-smoking Requested	No	Card Type		S2Given Name/Initial	
State/Province	CT	No Preference (re: smoking room)	No	Credit Card #		S2Middle Name/Initial	
Stat/Province Code-2 digit		VIP	No	Expiration Date		S2Suffix	
Postal/Zip Code	12345	OTA Amenity	101	CSID#		S2Arrival Date	
Country	USA	Res ID#				S2Departure Date	
Email	ej@flashpointtech.com	Unique Source ID	register123.com			S3Family Name	
Phone	203-207-5454	Confirmation #	59030			S3Prefix	
Fax	203-207-9000					S3Given Name/Initial	
						S3Middle Name/Initial	
						S3Suffix	
						S3Arrival Date	
						S3Departure Date	

Guest Contact Information		Reservation Information		Comments and Guarantee		Share-With Information	
Report Status = Room Stay Action Type	Add-Update	Arrival Day	Saturday	Comments		S1Family Name	
Family Name	Henderson	Arrival Date	10/4/2008	Rewards Program		S1Prefix	
Prefix	Ms	Departure Day	Tuesday	Rewards #		S1Given Name/Initial	
GivenName/ Initial	Alice	Departure Date	10/7/2008	Deposit Amount		S1Middle Name/Initial	
MiddleName/ Initial	W	Number of Nights	3	Payment Method	EachPaysOwn	S1Suffix	
Suffix		Room Type – review for instance document check back with Sandy	Single	Guarantee	CC/DD/Voucher	S1Arrival Date	
Organization	Thompson and Sons, Inc.	Bed Type	Queen	Rate Type	Attendee	S1Departure Date	
Address1	90 Zebra Down Lane	Special Needs	No	Rate Type Amount	269	S2Family Name	
Address2		Consider drop down field Smoking Requested	No	Name on Credit Card	Alice Henderson	S2Prefix	
City	Boston	Consider drop down box Non-smoking Requested	Yes	Card Type	Mastercard	S2Given Name/Initial	
State/Province	MA	No Preference (re: smoking room)	No	Credit Card #	5454545454545454	S2Middle Name/Initial	
Stat/Province Code-2 digit		VIP	No	Expiration Date	12/08	S2Suffix	
Postal/Zip Code	20199	OTA Amenity	74	CSID#		S2Arrival Date	
Country	United States	Res ID#				S2Departure Date	
Email	ahend023@thompsonandsons.com	Unique Source ID	register123.com			S3Family Name	
Phone	301-200-1023	Confirmation #	59607			S3Prefix	
Fax						S3Given Name/Initial	
						S3Middle Name/Initial	
						S3Suffix	
						S3Arrival Date	
						S3Departure Date	

Guest Contact Information		Reservation Information		Comments and Guarantee		Share-With Information	
Report Status = Room Stay Action Type	Add-Update	Arrival Day	Friday	Comments		S1Family Name	
Family Name	Malner	Arrival Date	10/3/2008	Rewards Program		S1Prefix	
Prefix	Dr.	Departure Day	Wednesday	Rewards #		S1Given Name/Initial	
GivenName/Initial	Norman	Departure Date	10/8/2008	Deposit Amount	\$100	S1Middle Name/Initial	
MiddleName/Initial	H	Number of Nights	5	Payment Method	SignAllCharges	S1Suffix	
Suffix	PhD	Room Type – review for instance document check back with Sandy	Single	Guarantee	None	S1Arrival Date	
Organization	University of California	Bed Type	King	Rate Type	Staff	S1Departure Date	
Address1	890 Bancroft Ave	Special Needs	No	Rate Type Amount	199	S2Family Name	
Address2		Consider drop down field Smoking Requested	No	Name on Credit Card		S2Prefix	
City	Berkeley	Consider drop down box Non-smoking Requested	No	Card Type		S2Given Name/Initial	
State/Province	CA	No Preference (re: smoking room)	Yes	Credit Card #		S2Middle Name/Initial	
Stat/Province Code-2 digit		VIP	No	Expiration Date		S2Suffix	
Postal/Zip Code	94704	OTA Amenity		CSID#		S2Arrival Date	
Country	United States	Res ID#				S2Departure Date	
Email	norm_mal@uc.berkeley.edu	Unique Source ID	register123.com			S3Family Name	
Phone	510-405-1234	Confirmation #	59401			S3Prefix	
Fax	510-405-3200					S3Given Name/Initial	
						S3Middle Name/Initial	
						S3Suffix	
						S3Arrival Date	
						S3Departure Date	

Guest Contact Information		Reservation Information		Comments and Guarantee		Share-With Information	
Report Status = Room Stay Action Type	Add-Update	Arrival Day	Sunday	Comments		S1Family Name	Nguyen
Family Name	Nguyen	Arrival Date	10/5/2008	Rewards Program	American	S1Prefix	Mr.
Prefix	Mrs.	Departure Day	Tuesday	Rewards #	J8902P	S1Given Name/Initial	Paul
GivenName/ Initial	Kelli	Departure Date	10/7/2008	Deposit Amount		S1Middle Name/Initial	
MiddleName/ Initial		Number of Nights	2	Payment Method	EachPayOwn	S1Suffix	
Suffix		Room Type – review for instance document check back with Sandy	Double-Double	Guarantee	CC/DC/Voucher	S1Arrival Date	10/4/2008
Organization	ADC Financial Services	Bed Type	King	Rate Type	Attendee	S1Departure Date	10/7/2008
Address1	5830 Aberdeen Ave	Special Needs	No	Rate Type Amount	269	S2Family Name	Nguyen
Address2		Consider drop down field Smoking Requested	Yes	Name on Credit Card	Kelli Nguyen	S2Prefix	Mrs.
City	Dallas	Consider drop down box Non-smoking Requested	No	Card Type	Visa	S2Given Name/Initial	Sue
State/Province	TX	No Preference (re: smoking room)	No	Credit Card #	4111111111111111	S2Middle Name/Initial	
Stat/Province Code-2 digit		VIP	No	Expiration Date	02/09	S2Suffix	
Postal/Zip Code	75100	OTA Amenity	101	CSID#		S2Arrival Date	10/4/2008
Country	United States	Res ID#				S2Departure Date	10/7/2008
Email	kel_nguyen@adcfs.com	Unique Source ID	register123.com			S3Family Name	
Phone	214-340-1020	Confirmation #	59554			S3Prefix	
Fax	214-340-1021					S3Given Name/Initial	
						S3Middle Name/Initial	
						S3Suffix	
						S3Arrival Date	
						S3Departure Date	

Guest Contact Information		Reservation Information		Comments and Guarantee		Share-With Information	
Report Status = Room Stay Action Type	Add-Update	Arrival Day	Friday	Comments		S1Family Name	Gerry
Family Name	Saul	Arrival Date	10/3/2008	Rewards Program		S1Prefix	
Prefix	Dr.	Departure Day	Wednesday	Rewards #		S1Given Name/Initial	Howard
GivenName/Initial	Rison	Departure Date	10/8/2008	Deposit Amount	\$100	S1Middle Name/Initial	G
MiddleName/Initial	Jane	Number of Nights	5	Payment Method	SignAllCharges	S1Suffix	
Suffix	M.D.	Room Type – review for instance document check back with Sandy	Single	Guarantee	None	S1Arrival Date	10/5/2008
Organization	Hope Trinity Hospital	Bed Type	Queen	Rate Type	Staff	S1Departure Date	10/6/2008
Address1	309 Heatherly Rd	Special Needs	No	Rate Type Amount	199	S2Family Name	
Address2	Floor 12B	Consider drop down field Smoking Requested	No	Name on Credit Card		S2Prefix	
City	Billings	Consider drop down box Non-smoking Requested	Yes	Card Type		S2Given Name/Initial	
State/Province	MI	No Preference (re: smoking room)	No	Credit Card #		S2Middle Name/Initial	
Stat/Province Code-2 digit		VIP	No	Expiration Date		S2Suffix	
Postal/Zip Code	20991	OTA Amenity	74,211	CSID#		S2Arrival Date	
Country	United States	Res ID#				S2DepartureDate	
Email	drsrison@hthospital.org	Unique Source ID	register123.com			S3Family Name	
Phone	209-220-1000	Confirmation #	61229			S3Prefix	
Fax						S3Given Name/Initial	
						S3Middle Name/Initial	
						S3Suffix	
						S3Arrival Date	
						S3DepartureDate	

Guest Contact Information		Reservation Information		Comments and Guarantee		Share-With Information	
Report Status = Room Stay Action Type	Add-Update	Arrival Day	-Sunday	Comments	Have wheelchair	S1Family Name	Gerry
Family Name	Yee	Arrival Date	10/5/2008	Rewards Program		S1Prefix	
Prefix	Ms.	Departure Day	Tuesday	Rewards #		S1Given Name/Initial	Howard
GivenName/Initial	Sarah	Departure Date	10/7/2008	Deposit Amount	\$100	S1Middle Name/Initial	G
MiddleName/Initial	Y	Number of Nights	2	Payment Method	SignAllCharges	S1Suffix	
Suffix		Room Type – review for instance document check back with Sandy	Double-Double	Guarantee	None	S1Arrival Date	10/5/2008
Organization	Yeeman.com	Bed Type	Queen	Rate Type	Staff	S1Departure Date	10/6/2008
Address1	1009 Major St.	Special Needs	Yes	Rate Type Amount	199	S2Family Name	
Address2	Suite 1003	Consider drop down field Smoking Requested	No	Name on Credit Card		S2Prefix	
City	St. Louis	Consider drop down box Non-smoking Requested	Yes	Card Type		S2Given Name/Initial	
State/Province	MO	No Preference (re: smoking room)	No	Credit Card #		S2Middle Name/Initial	
Stat/Province Code-2 digit		VIP	No	Expiration Date		S2Suffix	
Postal/Zip Code	49001	OTA Amenity	74	CSID#		S2Arrival Date	
Country	United States	Res ID#				S2Departure Date	
Email	sarahyee@yeeman.com	Unique Source ID	register123.com			S3Family Name	
Phone	405-203-1240	Confirmation #	61226			S3Prefix	
Fax	405-203-1235					S3Given Name/Initial	
						S3Middle Name/Initial	
						S3Suffix	
						S3Arrival Date	
						S3Departure Date	

Guest Contact Information		Reservation Information		Comments and Guarantee		Share-With Information	
Report Status = Room Stay Action Type	Cancel	Arrival Day	Saturday	Comments		S1Family Name	
Family Name	Furton	Arrival Date	10/4/2008	Rewards Program	Marriott	S1Prefix	
Prefix	Mr.	Departure Day	Tuesday	Rewards #	DGJ231	S1Given Name/Initial	
GivenName/Initial	Frank	Departure Date	10/7/2008	Deposit Amount	\$100	S1Middle Name/Initial	
MiddleName/Initial		Number of Nights	3	Payment Method	SignRoomAndTax	S1Suffix	
Suffix		Room Type – review for instance document check back with Sandy	Single	Guarantee	None	S1Arrival Date	
Organization	Gerald Star Homes	Bed Type	Queen	Rate Type	Attendee	S1Departure Date	
Address1	21 Austin Way	Special Needs	No	Rate Type Amount	269	S2Family Name	
Address2		Consider drop down field Smoking Requested	No	Name on Credit Card		S2Prefix	
City	Houston	Consider drop down box Non-smoking Requested	No	Card Type		S2Given Name/Initial	
State/Province	TX	No Preference (re: smoking room)	Yes	Credit Card #		S2Middle Name/Initial	
Stat/Province Code-2 digit		VIP	No	Expiration Date		S2Suffix	
Postal/Zip Code	79005	OTA Amenity		CSID#		S2Arrival Date	
Country	United States	Res ID#				S2Departure Date	
Email	frankfurt23@geraldstar.com	Unique Source ID	register123.com			S3Family Name	
Phone	420-100-2094	Confirmation #	63002			S3Prefix	
Fax	420-100-2092					S3Given Name/Initial	
						S3Middle Name/Initial	
						S3Suffix	
						S3Arrival Date	
						S3Departure Date	

Guest Contact Information		Reservation Information		Comments and Guarantee		Share-With Information	
Report Status = Room Stay Action Type	Cancel	Arrival Day	Saturday	Comments		S1Family Name	
Family Name	Johnson	Arrival Date	10/4/2008	Rewards Program		S1Prefix	
Prefix	Mr.	Departure Day	Tuesday	Rewards #		S1Given Name/Initial	
GivenName/ Initial	Hank	Departure Date	10/7/2008	Deposit Amount		S1Middle Name/Initial	
MiddleName/ Initial	A.	Number of Nights	3	Payment Method	EachPaysOwn	S1Suffix	
Suffix	III	Room Type – review for instance document check back with Sandy	Single	Guarantee	CC/DC/Voucher	S1Arrival Date	
Organization	Yeeman.com	Bed Type	King	Rate Type	Attendee	S1Departure Date	
Address1	1009 Major St.	Special Needs	No	Rate Type Amount	269	S2Family Name	
Address2	Suite 1003	Consider drop down field Smoking Requested	No	Name on Credit Card	Hank Johnson	S2Prefix	
City	St. Louis	Consider drop down box Non-smoking Requested	Yes	Card Type	Visa	S2Given Name/Initial	
State/Province	MO	No Preference (re: smoking room)	No	Credit Card #	4111111111111111	S2Middle Name/Initial	
Stat/Province Code-2 digit		VIP	No	Expiration Date	11/08	S2Suffix	
Postal/Zip Code	49001	OTA Amenity	74	CSID#		S2Arrival Date	
Country	United States	Res ID#				S2Departure Date	
Email	hankjohns@yeeman.com	Unique Source ID	register123.com			S3Family Name	
Phone	405-203-1234	Confirmation #	60573			S3Prefix	
Fax	405-203-1235					S3Given Name/Initial	
						S3Middle Name/Initial	
						S3Suffix	
						S3Arrival Date	
						S3Departure Date	

Guest Contact Information		Reservation Information		Comments and Guarantee		Share-With Information	
Report Status = Room Stay Action Type	Cancel	Arrival Day	Friday	Comments		S1Family Name	
Family Name	Lee	Arrival Date	10/3/2008	Rewards Program		S1Prefix	
Prefix	Mr.	Departure Day	Wednesday	Rewards #		S1Given Name/Initial	
GivenName/Initial	Tom	Departure Date	10/8/2008	Deposit Amount		S1Middle Name/Initial	
MiddleName/Initial		Number of Nights	5	Payment Method	Each PaysOwn	S1Suffix	
Suffix		Room Type – review for instance document check back with Sandy	Single	Guarantee	CC/DC/Voucher	S1Arrival Date	
Organization	Tom Lee Associates	Bed Type	King	Rate Type	Attendee	S1Departure Date	
Address1	781 Brookview Rd	Special Needs	No	Rate Type Amount	269	S2Family Name	
Address2		Consider drop down field Smoking Requested	Yes	Name on Credit Card	Tom Lee	S2Prefix	
City	Atlanta	Consider drop down box Non-smoking Requested	No	Card Type	AMEX	S2Given Name/Initial	
State/Province	GA	No Preference (re: smoking room)	No	Credit Card #	345612341234098	S2Middle Name/Initial	
Stat/Province Code-2 digit		VIP	No	Expiration Date	1/09	S2Suffix	
Postal/Zip Code	29003	OTA Amenity	101	CSID#		S2Arrival Date	
Country	United States	Res ID#				S2Departure Date	
Email	tomlee2@tomleeassoc.com	Unique Source ID	register123.com			S3Family Name	
Phone	803-244-9011	Confirmation #	59712			S3Prefix	
Fax						S3Given Name/Initial	
						S3Middle Name/Initial	
						S3Suffix	
						S3Arrival Date	
						S3Departure Date	

Guest Contact Information		Reservation Information		Comments and Guarantee		Share-With Information	
Report Status = Room Stay Action Type	Replace	Arrival Day	Saturday	Comments		S1Family Name	
Family Name	Lawson	Arrival Date	10/4/2008	Rewards Program	American	S1Prefix	
Prefix	Col.	Departure Day	Tuesday	Rewards #	K1039C3	S1Given Name/Initial	
GivenName/ Initial	Samuel	Departure Date	10/7/2008	Deposit Amount	#100	S1Middle Name/Initial	
MiddleName/ Initial	Albert	Number of Nights	3	Payment Method	EachPaysOwn	S1Suffix	
Suffix		Room Type – review for instance document check back with Sandy	Single	Guarantee	CC/DC/Voucher	S1Arrival Date	
Organization	USMC (retired)	Bed Type	King	Rate Type	Attendee	S1Departure Date	
Address1	45 Pennsylvania Ave	Special Needs	No	Rate Type Amount	269	S2Family Name	
Address2	Suite 9810	Consider drop down field Smoking Requested	No	Name on Credit Card	Sam Lawson	S2Prefix	
City	Washington	Consider drop down box Non-smoking Requested	Yes	Card Type	Visa	S2Given Name/Initial	
State/Province	DC	No Preference (re: smoking room)	No	Credit Card #	4111111111111111	S2Middle Name/Initial	
Stat/Province Code-2 digit		VIP	No	Expiration Date	10/08	S2Suffix	
Postal/Zip Code	12093	OTA Amenity	74	CSID#		S2Arrival Date	
Country	United States	Res ID#				S2Departure Date	
Email	lawsons@retired.usmc.mil	Unique Source ID	register123.com			S3Family Name	
Phone	312-304-2001	Confirmation #	61223			S3Prefix	
Fax						S3Given Name/Initial	
						S3Middle Name/Initial	
						S3Suffix	
						S3Arrival Date	
						S3Departure Date	

OTA_HotelRoomListRQ2.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelRoomListRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelRoomListRQ.xsd" Version="1.001">
  <POS>
    <Source ISOCurrency="USD"/>
  </POS>
  <HotelRoomLists>
    <!-- CreationDate-Time listed in GMT -->
    <HotelRoomList HotelName="Palace Hotel" CreationDate="2008-07-03T17:15:30Z" GroupBlockCode="PH-
2008-0123">
      <Guests>
        <Guest GuestAction="Add" RPH="1">
          <PersonName>
            <NamePrefix>Mr</NamePrefix>
            <GivenName>Jim</GivenName>
            <Surname>Falker</Surname>
            <NameSuffix>Jr.</NameSuffix>
          </PersonName>
          <Telephone PhoneNumber="(65) 6516 4308" PhoneTechType="1"/>
          <!-- Codelist Phone Tech Type PTT 1 = voice -->
          <Telephone PhoneNumber="(65) 6778 5373" PhoneTechType="3"/>
          <!-- Codelist Phone Tech Type PTT 3 = fax -->
          <Address>
            <AddressLine>21 Lower Kent Ridge Road</AddressLine>
            <AddressLine>University Hall #UHL-04-45</AddressLine>
            <CityName>Singapore</CityName>
            <PostalCode>119077</PostalCode>
            <CountryName>Singapore</CountryName>
          </Address>
          <Email EmailType="2">jimfalker01@nus.edu.sg</Email>
          <!-- Codelist Email Address Type EAT 2 = business -->
          <CompanyName>National University of Singapore</CompanyName>
          <Loyalty ProgramCode="American" AccountID="H4301CR9"/>
          <GuaranteePayment>
            <PaymentCard/>
            <MasterAccountUsage SignFoodAndBev="false" BillingType="SignRoomAndTax"/>
          </GuaranteePayment>
        </Guest>
        <Guest GuestAction="Add" RPH="2">
          <PersonName>
            <NamePrefix>Ms</NamePrefix>
            <GivenName>June</GivenName>
            <MiddleName>April</MiddleName>
            <Surname>Gladstone</Surname>
          </PersonName>
          <Telephone PhoneNumber="800-203-0192" PhoneTechType="1"/>
          <!-- Codelist Phone Tech Type PTT 1 = voice -->
          <Telephone PhoneNumber="419-403-8000" PhoneTechType="3"/>
          <!-- Codelist Phone Tech Type PTT 3 = fax -->
          <Address>
            <AddressLine>321 German Way</AddressLine>
            <CityName>Memphis</CityName>
```

```

        <PostalCode>23094</PostalCode>
        <StateProv>TN</StateProv>
        <CountryName>United States</CountryName>
    </Address>
    <Email EmailType="2">juneg@hgh.com</Email>
    <!-- Codelist Email Address Type EAT 2 = business -->
    <CompanyName>Henderson, Glastone,and Howe</CompanyName>
    <Loyalty ProgramCode="Hilton" AccountID="FTP910"/>
    <GuaranteePayment>
        <PaymentCard/>
        <MasterAccountUsage SignFoodAndBev="false" BillingType="EachPaysOwn"/>
    </GuaranteePayment>
</Guest>
<Guest GuestAction="Add" RPH="1001">
    <PersonName>
        <GivenName>Jane</GivenName>
        <MiddleName>M</MiddleName>
        <Surname>Doe</Surname>
    </PersonName>
</Guest>
<Guest GuestAction="Add" RPH="3">
    <PersonName>
        <NamePrefix>Ms</NamePrefix>
        <GivenName>Juli</GivenName>
        <MiddleName>Finnell</MiddleName>
        <Surname>Jones</Surname>
    </PersonName>
    <Telephone PhoneNumber="703-610-0273" PhoneTechType="1"/>
    <!-- Codelist Phone Tech Type PTT 1 = voice -->
    <Telephone PhoneNumber="703-610-9005" PhoneTechType="3"/>
    <!-- Codelist Phone Tech Type PTT 3 = fax -->
    <Address>
        <AddressLine>8201 Greensboro Drive</AddressLine>
        <AddressLine>Suite 300</AddressLine>
        <CityName>McLean</CityName>
        <PostalCode>22102</PostalCode>
        <StateProv>VA</StateProv>
        <CountryName>USA</CountryName>
    </Address>
    <Email EmailType="2">jjones@conventionindustry.org</Email>
    <!-- Codelist Email Address Type EAT 2 = business -->
    <CompanyName>CIC</CompanyName>
    <Loyalty ProgramCode="Marriott" AccountID="ABC123"/>
    <GuaranteePayment>
        <PaymentCard/>
        <MasterAccountUsage SignFoodAndBev="false" BillingType="EachPaysOwn"/>
    </GuaranteePayment>
    <AdditionalDetails>
        <AdditionalDetail>
            <DetailDescription>
                <Text>TDD machine in room</Text>
            </DetailDescription>
        </AdditionalDetail>
    </AdditionalDetails>
</Guest>

```

```
<Guest GuestAction="Add" RPH="4">
  <PersonName>
    <NamePrefix>Dr</NamePrefix>
    <GivenName>Ann</GivenName>
    <MiddleName>B</MiddleName>
    <Surname>Peshoff</Surname>
  </PersonName>
  <Telephone PhoneNumber="867-5309" PhoneTechType="1"/>
  <!-- Codelist Phone Tech Type PTT 1 = voice -->
  <Telephone PhoneNumber="867-5903" PhoneTechType="3"/>
  <!-- Codelist Phone Tech Type PTT 3 = fax -->
  <Address>
    <AddressLine>867 1st Avenue</AddressLine>
    <AddressLine>Apt 5</AddressLine>
    <CityName>Vienna</CityName>
    <CountryName>Austria</CountryName>
  </Address>
  <Email EmailType="2">ann.peshoff@yahoo.com</Email>
  <!-- Codelist Email Address Type EAT 2 = business -->
  <CompanyName>University of Washington</CompanyName>
  <Loyalty ProgramCode="Hilton" AccountID="123456abcdef"/>
  <GuaranteePayment>
    <PaymentCard/>
    <MasterAccountUsage SignFoodAndBev="false" BillingType="EachPaysOwn"/>
  </GuaranteePayment>
  <AdditionalDetails>
    <AdditionalDetail>
      <DetailDescription>
        <Text>arrive early and will need early check-in</Text>
      </DetailDescription>
    </AdditionalDetail>
  </AdditionalDetails>
</Guest>
<Guest GuestAction="Add" RPH="5">
  <PersonName>
    <NamePrefix>Mr</NamePrefix>
    <GivenName>EJ</GivenName>
    <Surname>Siwek</Surname>
    <NameTitle>CMP</NameTitle>
  </PersonName>
  <Telephone PhoneNumber="203-207-5454" PhoneTechType="1"/>
  <!-- Codelist Phone Tech Type PTT 1 = voice -->
  <Telephone PhoneNumber="203-207-9000" PhoneTechType="3"/>
  <!-- Codelist Phone Tech Type PTT 3 = fax -->
  <Address>
    <AddressLine>123 Main Street</AddressLine>
    <CityName>Town</CityName>
    <PostalCode>12345</PostalCode>
    <StateProv>CT</StateProv>
    <CountryName>USA</CountryName>
  </Address>
  <Email EmailType="2">ej@flashpointtech.com</Email>
  <!-- Codelist Email Address Type EAT 2 = business -->
  <CompanyName>Flashpoint</CompanyName>
  <Loyalty ProgramCode="United" AccountID="392011A"/>
```

```

    <GuaranteePayment>
      <PaymentCard/>
      <MasterAccountUsage SignFoodAndBev="false" BillingType="EachPaysOwn"/>
    </GuaranteePayment>
  </Guest>
  <Guest GuestAction="Add" RPH="1002">
    <PersonName>
      <NamePrefix>Ms</NamePrefix>
      <GivenName>Cindy</GivenName>
      <Surname>Siwek</Surname>
    </PersonName>
  </Guest>
  <Guest GuestAction="Add-Update" RPH="6">
    <PersonName>
      <NamePrefix>Ms</NamePrefix>
      <GivenName>Alice</GivenName>
      <MiddleName>W</MiddleName>
      <Surname>Henderson</Surname>
    </PersonName>
    <Telephone PhoneNumber="301-200-1023" PhoneTechType="1"/>
    <!-- Codelist Phone Tech Type PTT 1 = voice -->
    <Address>
      <AddressLine>90 Zebra Down Lane</AddressLine>
      <CityName>Boston</CityName>
      <PostalCode>20199</PostalCode>
      <StateProv>MA</StateProv>
      <CountryName>United States</CountryName>
    </Address>
    <Email EmailType="2">ahend023@thompsonandsons.com</Email>
    <!-- Codelist Email Address Type EAT 2 = business -->
    <CompanyName>Thompson and Sons Inc</CompanyName>
    <GuaranteePayment>
      <PaymentCard/>
      <MasterAccountUsage SignFoodAndBev="false" BillingType="EachPaysOwn"/>
    </GuaranteePayment>
  </Guest>
  <Guest GuestAction="Add-Update" RPH="7">
    <PersonName>
      <NamePrefix>Dr</NamePrefix>
      <GivenName>Norman</GivenName>
      <MiddleName>H</MiddleName>
      <Surname>Mailer</Surname>
      <NameTitle>PhD</NameTitle>
    </PersonName>
    <Telephone PhoneNumber="510-405-1234" PhoneTechType="1"/>
    <!-- Codelist Phone Tech Type PTT 1 = voice -->
    <Telephone PhoneNumber="510-405-3200" PhoneTechType="3"/>
    <!-- Codelist Phone Tech Type PTT 3 = fax -->
    <Address>
      <AddressLine>890 Bancroft Ave</AddressLine>
      <CityName>Berkeley</CityName>
      <PostalCode>94704</PostalCode>
      <StateProv>CA</StateProv>
      <CountryName>USA</CountryName>
    </Address>

```

```

    <Email EmailType="2">norm_mal@uc.berkeley.edu</Email>
    <!-- Codelist Email Address Type EAT 2 = business -->
    <CompanyName>University of California</CompanyName>
    <GuaranteePayment>
        <PaymentCard/>
        <MasterAccountUsage SignFoodAndBev="true" BillingType="SignAllCharges"/>
    </GuaranteePayment>
</Guest>
<Guest GuestAction="Add-Update" RPH="8">
    <PersonName>
        <NamePrefix>Mrs</NamePrefix>
        <GivenName>Kelli</GivenName>
        <Surname>Nguyen</Surname>
    </PersonName>
    <Telephone PhoneNumber="214-340-1020" PhoneTechType="1"/>
    <!-- Codelist Phone Tech Type PTT 1 = voice -->
    <Telephone PhoneNumber="214-340-1021" PhoneTechType="3"/>
    <!-- Codelist Phone Tech Type PTT 3 = fax -->
    <Address>
        <AddressLine>5830 Aberdeen Ave</AddressLine>
        <CityName>Dallas</CityName>
        <PostalCode>75100</PostalCode>
        <StateProv>TX</StateProv>
        <CountryName>United States</CountryName>
    </Address>
    <Email EmailType="2">kel_nguyen@adcfs.com</Email>
    <!-- Codelist Email Address Type EAT 2 = business -->
    <CompanyName>ADC Financial Services</CompanyName>
    <Loyalty ProgramCode="American" AccountID="J8902P"/>
    <GuaranteePayment>
        <PaymentCard/>
        <MasterAccountUsage SignFoodAndBev="false" BillingType="EachPaysOwn"/>
    </GuaranteePayment>
</Guest>
<Guest GuestAction="Add-Update" RPH="1003">
    <PersonName>
        <NamePrefix>Mrs</NamePrefix>
        <GivenName>Sue</GivenName>
        <Surname>Nguyen</Surname>
    </PersonName>
</Guest>
<Guest GuestAction="Add-Update" RPH="1004">
    <PersonName>
        <NamePrefix>Mr</NamePrefix>
        <GivenName>Paul</GivenName>
        <Surname>Nguyen</Surname>
    </PersonName>
</Guest>
<Guest GuestAction="Add-Update" RPH="9">
    <PersonName>
        <NamePrefix>Dr</NamePrefix>
        <GivenName>Rison</GivenName>
        <MiddleName>Jane</MiddleName>
        <Surname>Saul</Surname>
        <NameTitle>MD</NameTitle>

```

```

</PersonName>
<Telephone PhoneNumber="209-220-1000" PhoneTechType="1"/>
<!-- Codelist Phone Tech Type PTT 1 = voice -->
<Address>
  <AddressLine>309 Heatherly Rd</AddressLine>
  <AddressLine>Floor 12B</AddressLine>
  <CityName>Billings</CityName>
  <PostalCode>20991</PostalCode>
  <StateProv>MI</StateProv>
  <CountryName>United States</CountryName>
</Address>
<Email EmailType="2">drsrison@hthospital.org</Email>
<!-- Codelist Email Address Type EAT 2 = business -->
<CompanyName>Hope Trinity Hospital</CompanyName>
<GuaranteePayment>
  <PaymentCard/>
  <MasterAccountUsage SignFoodAndBev="true" BillingType="SignAllCharges"/>
</GuaranteePayment>
</Guest>
<Guest GuestAction="Add-Update" RPH="10">
  <PersonName>
    <NamePrefix>Ms</NamePrefix>
    <GivenName>Sara</GivenName>
    <MiddleName>Y</MiddleName>
    <Surname>Yee</Surname>
  </PersonName>
  <Telephone PhoneNumber="405-203-1240" PhoneTechType="1"/>
  <!-- Codelist Phone Tech Type PTT 1 = voice -->
  <Telephone PhoneNumber="405-203-1235" PhoneTechType="3"/>
  <!-- Codelist Phone Tech Type PTT 1 = voice -->
  <Address>
    <AddressLine>1009 Major St.</AddressLine>
    <AddressLine>Suite 1003</AddressLine>
    <CityName>St. Louis</CityName>
    <PostalCode>49001</PostalCode>
    <StateProv>MO</StateProv>
    <CountryName>USA</CountryName>
  </Address>
  <Email EmailType="2">sarahyee@yeeman.com</Email>
  <!-- Codelist Email Address Type EAT 2 = business -->
  <CompanyName>Yeeman.com</CompanyName>
  <GuaranteePayment>
    <PaymentCard/>
    <MasterAccountUsage SignFoodAndBev="true" BillingType="SignAllCharges"/>
  </GuaranteePayment>
  <AdditionalDetails>
    <AdditionalDetail>
      <DetailDescription>
        <Text>Have wheelchair</Text>
      </DetailDescription>
    </AdditionalDetail>
  </AdditionalDetails>
</Guest>
<Guest GuestAction="Add-Update" RPH="1005">
  <PersonName>

```

```

        <GivenName>Howard</GivenName>
        <MiddleName>G</MiddleName>
        <Surname>Gerry</Surname>
    </PersonName>
</Guest>
<Guest GuestAction="Cancel" RPH="11">
    <PersonName>
        <NamePrefix>Mr</NamePrefix>
        <GivenName>Frank</GivenName>
        <Surname>Furton</Surname>
    </PersonName>
    <Telephone PhoneNumber="420-100-2094" PhoneTechType="1"/>
    <!-- Codelist Phone Tech Type PTT 1 = voice -->
    <Telephone PhoneNumber="420-100-2095" PhoneTechType="3"/>
    <!-- Codelist Phone Tech Type PTT 3 = fax -->
    <Address>
        <AddressLine>21 Austin Way</AddressLine>
        <CityName>Houston</CityName>
        <PostalCode>79005</PostalCode>
        <StateProv>TX</StateProv>
        <CountryName>USA</CountryName>
    </Address>
    <Email EmailType="2">frankfurt23@geraldstar.com</Email>
    <!-- Codelist Email Address Type EAT 2 = business -->
    <CompanyName>Gerald Star Homes</CompanyName>
    <Loyalty ProgramCode="Marriott" AccountID="DGJ231"/>
    <GuaranteePayment>
        <PaymentCard/>
        <MasterAccountUsage SignFoodAndBev="false" BillingType="SignRoomAndTax"/>
    </GuaranteePayment>
</Guest>
<Guest GuestAction="Cancel" RPH="12">
    <PersonName>
        <NamePrefix>Mr</NamePrefix>
        <GivenName>Hank</GivenName>
        <MiddleName>A</MiddleName>
        <Surname>Johnson</Surname>
        <NameSuffix>III</NameSuffix>
    </PersonName>
    <Telephone PhoneNumber="405-203-1234" PhoneTechType="1"/>
    <!-- Codelist Phone Tech Type PTT 1 = voice -->
    <Telephone PhoneNumber="405-203-1235" PhoneTechType="3"/>
    <!-- Codelist Phone Tech Type PTT 3 = fax -->
    <Address>
        <AddressLine>1009 Major St.</AddressLine>
        <AddressLine>Suite 1003</AddressLine>
        <CityName>St. Louis</CityName>
        <PostalCode>49001</PostalCode>
        <StateProv>MO</StateProv>
        <CountryName>USA</CountryName>
    </Address>
    <Email EmailType="2">hankjohns@yeeman.com</Email>
    <!-- Codelist Email Address Type EAT 2 = business -->
    <CompanyName>Yeeman.com</CompanyName>
    <GuaranteePayment>

```

```

    <PaymentCard CardCode="VI" CardNumber="4111111111111111"
ExpireDate="1108">
        <CardHolderName>Hank Johnson</CardHolderName>
    </PaymentCard>
    <MasterAccountUsage SignFoodAndBev="false" BillingType="EachPaysOwn"/>
</GuaranteePayment>
</Guest>
<Guest GuestAction="Cancel" RPH="13">
    <PersonName>
        <NamePrefix>Mr</NamePrefix>
        <GivenName>Tom</GivenName>
        <Surname>Lee</Surname>
    </PersonName>
    <Telephone PhoneNumber="803-244-9011" PhoneTechType="1"/>
    <!-- Codelist Phone Tech Type PTT 1 = voice -->
    <Address>
        <AddressLine>781 Brookview Rd.</AddressLine>
        <CityName>Altanta</CityName>
        <PostalCode>29003</PostalCode>
        <StateProv>GA</StateProv>
        <CountryName>USA</CountryName>
    </Address>
    <Email EmailType="2">tomlee2@tomleeassoc.com</Email>
    <!-- Codelist Email Address Type EAT 2 = business -->
    <CompanyName>Tom Lee Associates</CompanyName>
    <GuaranteePayment>
        <PaymentCard CardCode="AX" CardNumber="345612341234098"
ExpireDate="0109">
            <CardHolderName>Tom Lee</CardHolderName>
        </PaymentCard>
        <MasterAccountUsage SignFoodAndBev="false" BillingType="EachPaysOwn"/>
    </GuaranteePayment>
</Guest>
<Guest GuestAction="Add" RPH="14">
    <PersonName>
        <NamePrefix>Col</NamePrefix>
        <GivenName>Samuel</GivenName>
        <MiddleName>Albert</MiddleName>
        <Surname>Lawson</Surname>
    </PersonName>
    <Telephone PhoneNumber="312-304-2001" PhoneTechType="1"/>
    <!-- Codelist Phone Tech Type PTT 1 = voice -->
    <Address>
        <AddressLine>45 Pennslyvania Ave</AddressLine>
        <AddressLine>Ste. 9810</AddressLine>
        <CityName>Washington</CityName>
        <PostalCode>12093</PostalCode>
        <StateProv>DC</StateProv>
        <CountryName>USA</CountryName>
    </Address>
    <Email EmailType="2">lawsons@retired.usmc.mil</Email>
    <!-- Codelist Email Address Type EAT 2 = business -->
    <CompanyName>USMC (retired)</CompanyName>
    <Loyalty ProgramCode="American" AccountID="K1039C3"/>
    <GuaranteePayment>

```

```

    <PaymentCard CardCode="VI" CardNumber="4111111111111111"
ExpireDate="1008">
        <CardHolderName>Sam Lawson</CardHolderName>
    </PaymentCard>
    <MasterAccountUsage SignFoodAndBev="false" BillingType="EachPaysOwn"/>
</GuaranteePayment>
</Guest>
</Guests>
<MasterContact>
    <PersonName>
        <NamePrefix>Mr.</NamePrefix>
        <GivenName>Daniel </GivenName>
        <MiddleName>J</MiddleName>
        <Surname>Notreal</Surname>
        <NameSuffix>Jr</NameSuffix>
    </PersonName>
    <Telephone PhoneTechType="1" PhoneNumber="415-400-0123"/>
    <!-- Codelist Phone Tech Type PTT 1 = voice -->
    <Telephone PhoneTechType="3" PhoneNumber="415-400-1234"/>
    <!-- Codelist Phone Tech Type PTT 3 = fax -->
    <Address>
        <AddressLine>123 Main St.</AddressLine>
        <CityName>San Francisco</CityName>
        <PostalCode>94109</PostalCode>
        <StateProv>CA</StateProv>
    </Address>
    <Email EmailType="2">dnotreal@certain123.com</Email>
    <!-- Codelist Email Address Type EAT 2 = business -->
    <CompanyName>Certain Software</CompanyName>
    <EmployeeInfo EmployeeTitle="Account Manager"/>
</MasterContact>
<RoomStays>
    <RoomStay RoomStay="Add">
        <RoomTypes>
            <RoomType RoomTypeCode="Single">
                <Amenities>
                    <Amenity RoomAmenity="86" Quantity="1"/>
                    <!-- Codelist Room Amenity Type RMA 86 = Queen Bed -->
                    <Amenity RoomAmenity="74"/>
                    <!-- Codelist Room Amenity Type RMA 74 = Non-Smoking -->
                </Amenities>
            </RoomType>
        </RoomTypes>
        <RoomRates>
            <RoomRate RatePlanCode="Attendee">
                <Rates>
                    <Rate>
                        <Base AmountBeforeTax="269.00"/>
                    </Rate>
                </Rates>
            </RoomRate>
        </RoomRates>
        <TimeSpan Start="2008-10-04" End="2008-10-07" Duration="P3D"/>
        <DepositPayments>
            <GuaranteePayment>

```

```

        <AmountPercent Amount="100.00"/>
    </GuaranteePayment>
</DepositPayments>
<HotelReservationIDs>
    <HotelReservationID ResID_Value="59203" ResID_Type="14"
ResID_Source="register123.com" ResGuestRPH="1"/>
    <!-- From code table UIT, 14 = reservation -->
</HotelReservationIDs>
</RoomStay>
<RoomStay RoomStay="Add">
    <RoomTypes>
        <RoomType RoomTypeCode="Double-Double">
            <Amenities>
                <Amenity RoomAmenity="86" Quantity="2"/>
                <!-- Codelist Room Amenity Type RMA 86 = Queen Bed -->
                <Amenity RoomAmenity="74"/>
                <!-- Codelist Room Amenity Type RMA 74 = Non-Smoking -->
            </Amenities>
        </RoomType>
    </RoomTypes>
    <RoomRates>
        <RoomRate RatePlanCode="Attendee">
            <Rates>
                <Rate>
                    <Base AmountBeforeTax="269.00"/>
                </Rate>
            </Rates>
        </RoomRate>
    </RoomRates>
    <TimeSpan Start="2008-10-03" End="2008-10-07" Duration="P4D"/>
    <DepositPayments>
        <GuaranteePayment>
            <AmountPercent Amount="100.00"/>
        </GuaranteePayment>
    </DepositPayments>
    <HotelReservationIDs>
        <HotelReservationID ResID_Value="59301" ResID_Type="14"
ResID_Source="register123.com" ResGuestRPH="2"/>
        <!-- From code table UIT, 14 = reservation -->
        <!-- In this example, vendor application (register123.com) only issues one confirmation
number per room in room-share situations -->
    </HotelReservationIDs>
    <RoomShares>
        <RoomShare>
            <GuestRPHs>
                <!-- List both Guests in RoomShare, in order to specify separate
arrival/departure dates if needed -->
                <GuestRPH Start="2008-10-03" End="2008-10-07"
Duration="P4D">2</GuestRPH>
                <GuestRPH Start="2008-10-05" End="2008-10-07"
Duration="P2D">1001</GuestRPH>
            </GuestRPHs>
        </RoomShare>
    </RoomShares>
</RoomStay>
<RoomStay RoomStay="Add">

```

```

<RoomTypes>
  <RoomType RoomTypeCode="Single">
    <Amenities>
      <Amenity RoomAmenity="58" Quantity="1"/>
      <!-- Codelist Room Amenity Type RMA 58 = King Bed -->
      <Amenity RoomAmenity="74"/>
      <!-- Codelist Room Amenity Type RMA 74 = Non-Smoking -->
      <Amenity RoomAmenity="211"/>
      <!-- Codelist Room Amenity Type RMA 211 = VIP rooms -->
    </Amenities>
  </RoomType>
</RoomTypes>
<RoomRates>
  <RoomRate RatePlanCode="Exhibitor">
    <Rates>
      <Rate>
        <Base AmountBeforeTax="299.00"/>
      </Rate>
    </Rates>
  </RoomRate>
</RoomRates>
<TimeSpan Start="2008-10-04" End="2008-10-07" Duration="P3D"/>
<DepositPayments>
  <GuaranteePayment>
    <AmountPercent Amount="100.00"/>
  </GuaranteePayment>
</DepositPayments>
<HotelReservationIDs>
  <HotelReservationID ResID_Value="59003" ResID_Type="14"
ResID_Source="register123.com" ResGuestRPH="3"/>
  <!-- From code table UIT, 14 = reservation -->
</HotelReservationIDs>
</RoomStay>
<RoomStay RoomStay="Add">
  <RoomTypes>
    <RoomType RoomTypeCode="Single">
      <Amenities>
        <Amenity RoomAmenity="86" Quantity="1"/>
        <!-- Codelist Room Amenity Type RMA 86 = Queen Bed -->
        <Amenity RoomAmenity="101"/>
        <!-- Codelist Room Amenity Type RMA 101 = Smoking -->
        <Amenity RoomAmenity="211"/>
        <!-- Codelist Room Amenity Type RMA 211 = VIP rooms -->
      </Amenities>
    </RoomType>
  </RoomTypes>
  <RoomRates>
    <RoomRate RatePlanCode="Attendee">
      <Rates>
        <Rate>
          <Base AmountBeforeTax="269.00"/>
        </Rate>
      </Rates>
    </RoomRate>
  </RoomRates>

```

```

        <TimeSpan Start="2008-10-05" End="2008-10-07" Duration="P2D"/>
        <DepositPayments>
            <GuaranteePayment>
                <AmountPercent Amount="100.00"/>
            </GuaranteePayment>
        </DepositPayments>
        <HotelReservationIDs>
            <HotelReservationID ResID_Value="59131" ResID_Type="14"
ResID_Source="register123.com" ResGuestRPH="4"/>
            <!-- From code table UIT, 14 = reservation -->
        </HotelReservationIDs>
    </RoomStay>
    <RoomStay RoomStay="Add">
        <RoomTypes>
            <RoomType RoomTypeCode="Double-Double">
                <Amenities>
                    <Amenity RoomAmenity="86" Quantity="2"/>
                    <!-- Codelist Room Amenity Type RMA 86 = Queen Bed -->
                    <Amenity RoomAmenity="74"/>
                    <!-- Codelist Room Amenity Type RMA 74 = Non-Smoking -->
                </Amenities>
            </RoomType>
        </RoomTypes>
        <RoomRates>
            <RoomRate RatePlanCode="Exhibitor">
                <Rates>
                    <Rate>
                        <Base AmountBeforeTax="299.00"/>
                    </Rate>
                </Rates>
            </RoomRate>
        </RoomRates>
        <TimeSpan Start="2008-10-03" End="2008-10-07" Duration="P4D"/>
        <DepositPayments>
            <GuaranteePayment>
                <AmountPercent Amount="200.00"/>
            </GuaranteePayment>
        </DepositPayments>
        <HotelReservationIDs>
            <HotelReservationID ResID_Value="59030" ResID_Type="14"
ResID_Source="register123.com" ResGuestRPH="5"/>
            <!-- From code table UIT, 14 = reservation -->
            <!-- In this example, vendor application (register123.com) only issues one confirmation
number per room in room-share situations -->
        </HotelReservationIDs>
        <RoomShares>
            <RoomShare>
                <GuestRPHs>
                    <!-- List both Guests in RoomShare, in order to specify separate
arrival/departure dates if needed -->
                    <GuestRPH Start="2008-10-03" End="2008-10-07"
Duration="P4D">5</GuestRPH>
                    <GuestRPH Start="2008-10-05" End="2008-10-07"
Duration="P2D">1002</GuestRPH>
                </GuestRPHs>
            </RoomShare>
        </RoomShares>
    </RoomStay>

```

```

        </RoomShares>
    </RoomStay>
    <RoomStay RoomStay="Add-Update">
        <RoomTypes>
            <RoomType RoomTypeCode="Single">
                <Amenities>
                    <Amenity RoomAmenity="86" Quantity="1"/>
                    <!-- Codelist Room Amenity Type RMA 86 = Queen Bed -->
                </Amenities>
            </RoomType>
        </RoomTypes>
        <RoomRates>
            <RoomRate RatePlanCode="Attendee">
                <Rates>
                    <Rate>
                        <Base AmountBeforeTax="269.00"/>
                    </Rate>
                </Rates>
            </RoomRate>
        </RoomRates>
        <TimeSpan Start="2008-10-04" End="2008-10-07" Duration="P3D"/>
        <HotelReservationIDs>
            <HotelReservationID ResID_Value="59607" ResID_Type="14"
ResID_Source="register123.com" ResGuestRPH="6"/>
            <!-- From code table UIT, 14 = reservation -->
            <HotelReservationID ResID_Value="SW0006" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="6"/>
        </HotelReservationIDs>
    </RoomStay>
    <RoomStay RoomStay="Add-Update">
        <RoomTypes>
            <RoomType RoomTypeCode="Single">
                <Amenities>
                    <Amenity RoomAmenity="58" Quantity="1"/>
                    <!-- Codelist Room Amenity Type RMA 58 = King Bed -->
                    <Amenity RoomAmenity="74"/>
                    <!-- Codelist Room Amenity Type RMA 74 = Non-Smoking -->
                </Amenities>
            </RoomType>
        </RoomTypes>
        <RoomRates>
            <RoomRate RatePlanCode="Staff">
                <Rates>
                    <Rate>
                        <Base AmountBeforeTax="199.00"/>
                    </Rate>
                </Rates>
            </RoomRate>
        </RoomRates>
        <TimeSpan Start="2008-10-03" End="2008-10-08" Duration="P5D"/>
        <DepositPayments>
            <GuaranteePayment>
                <AmountPercent Amount="100.00"/>
            </GuaranteePayment>
        </DepositPayments>
    </RoomStay>

```

```

        <HotelReservationIDs>
            <HotelReservationID ResID_Value="59401" ResID_Type="14"
ResID_Source="register123.com" ResGuestRPH="7"/>
            <!-- From code table UIT, 14 = reservation -->
            <HotelReservationID ResID_Value="SW0007" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="7"/>
        </HotelReservationIDs>
    </RoomStay>
    <RoomStay RoomStay="Add-Update">
        <RoomTypes>
            <RoomType RoomTypeCode="Double-Double">
                <Amenities>
                    <Amenity RoomAmenity="58" Quantity="2"/>
                    <!-- Codelist Room Amenity Type RMA 58 = King Bed -->
                    <Amenity RoomAmenity="101"/>
                    <!-- Codelist Room Amenity Type RMA 101 = Smoking -->
                </Amenities>
            </RoomType>
        </RoomTypes>
        <RoomRates>
            <RoomRate RatePlanCode="Attendee">
                <Rates>
                    <Rate>
                        <Base AmountBeforeTax="269.00"/>
                    </Rate>
                </Rates>
            </RoomRate>
        </RoomRates>
        <TimeSpan Start="2008-10-04" End="2008-10-07" Duration="P3D"/>
    </HotelReservationIDs>
    <HotelReservationID ResID_Value="59554" ResID_Type="14"
ResID_Source="register123.com" ResGuestRPH="8"/>
    <!-- From code table UIT, 14 = reservation -->
    <!-- In this example, vendor application (register123.com) only issues one confirmation
number per room in room-share situations -->
    <HotelReservationID ResID_Value="SW0008" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="8"/>
    <HotelReservationID ResID_Value="SW0008-2" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="1003"/>
    <HotelReservationID ResID_Value="SW0008-3" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="1004"/>
    <!-- In this example, partner (starwoodhotels.com) issues separate confirmation numbers
per guest in room-share situations -->
    </HotelReservationIDs>
    <RoomShares>
        <RoomShare>
            <GuestRPHs>
                <!-- List all Guests in RoomShare, in order to specify separate
arrival/departure dates if needed -->
                <GuestRPH Start="2008-10-04" End="2008-10-07"
Duration="P3D">8</GuestRPH>
                <GuestRPH Start="2008-10-04" End="2008-10-07"
Duration="P3D">1003</GuestRPH>
                <GuestRPH Start="2008-10-04" End="2008-10-07"
Duration="P3D">1004</GuestRPH>
            </GuestRPHs>
        </RoomShare>
    </RoomShares>

```

```

        </RoomShares>
    </RoomStay>
    <RoomStay RoomStay="Add-Update">
        <RoomTypes>
            <RoomType RoomTypeCode="Single">
                <Amenities>
                    <Amenity RoomAmenity="86" Quantity="1"/>
                    <!-- Codelist Room Amenity Type RMA 86 = Queen Bed -->
                    <Amenity RoomAmenity="74"/>
                    <!-- Codelist Room Amenity Type RMA 74 = Non-Smoking -->
                    <Amenity RoomAmenity="211"/>
                    <!-- Codelist Room Amenity Type RMA 211 = VIP rooms -->
                </Amenities>
            </RoomType>
        </RoomTypes>
        <RoomRates>
            <RoomRate RatePlanCode="Staff">
                <Rates>
                    <Rate>
                        <Base AmountBeforeTax="199.00"/>
                    </Rate>
                </Rates>
            </RoomRate>
        </RoomRates>
        <TimeSpan Start="2008-10-03" End="2008-10-08" Duration="P5D"/>
        <HotelReservationIDs>
            <HotelReservationID ResID_Value="61229" ResID_Type="14"
ResID_Source="register123.com" ResGuestRPH="9"/>
            <!-- From code table UIT, 14 = reservation -->
            <HotelReservationID ResID_Value="SW009" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="9"/>
        </HotelReservationIDs>
    </RoomStay>
    <RoomStay RoomStay="Add-Update">
        <RoomTypes>
            <RoomType RoomTypeCode="Double-Double">
                <Amenities>
                    <Amenity RoomAmenity="86" Quantity="2"/>
                    <!-- Codelist Room Amenity Type RMA 86 = Queen Bed -->
                    <Amenity RoomAmenity="74"/>
                    <!-- Codelist Room Amenity Type RMA 74 = Non-Smoking -->
                </Amenities>
            </RoomType>
        </RoomTypes>
        <RoomRates>
            <RoomRate RatePlanCode="Staff">
                <Rates>
                    <Rate>
                        <Base AmountBeforeTax="199.00"/>
                    </Rate>
                </Rates>
            </RoomRate>
        </RoomRates>
        <TimeSpan Start="2008-10-05" End="2008-10-07" Duration="P2D"/>
        <DepositPayments>

```

```

        <GuaranteePayment>
            <AmountPercent Amount="100.00"/>
        </GuaranteePayment>
    </DepositPayments>
    <HotelReservationIDs>
        <HotelReservationID ResID_Value="61226" ResID_Type="14"
ResID_Source="register123.com" ResGuestRPH="10"/>
        <!-- From code table UIT, 14 = reservation -->
        <!-- In this example, vendor application (register123.com) only issues one confirmation
number per room in room-share situations -->
        <HotelReservationID ResID_Value="SW0010" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="10"/>
        <HotelReservationID ResID_Value="SW0010-2" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="1005"/>
        <!-- In this example, partner (starwoodhotels.com) issues separate confirmation numbers
per guest in room-share situations -->
    </HotelReservationIDs>
    <RoomShares>
        <RoomShare>
            <GuestRPHs>
                <!-- List all Guests in RoomShare, in order to specify separate
arrival/departure dates if needed -->
                <GuestRPH Start="2008-10-05" End="2008-10-07"
Duration="P2D">10</GuestRPH>
                <GuestRPH Start="2008-10-05" End="2008-10-06"
Duration="P1D">1005</GuestRPH>
            </GuestRPHs>
        </RoomShare>
    </RoomShares>
    <RoomStay>
        <RoomStay RoomStay="Cancel">
            <RoomTypes>
                <RoomType RoomTypeCode="Single">
                    <Amenities>
                        <Amenity RoomAmenity="86" Quantity="1"/>
                        <!-- Codelist Room Amenity Type RMA 86 = Queen Bed -->
                    </Amenities>
                </RoomType>
            </RoomTypes>
            <RoomRates>
                <RoomRate RatePlanCode="Attendee">
                    <Rates>
                        <Rate>
                            <Base AmountBeforeTax="269.00"/>
                        </Rate>
                    </Rates>
                </RoomRate>
            </RoomRates>
            <TimeSpan Start="2008-10-04" End="2008-10-07" Duration="P3D"/>
        </RoomStay>
    </RoomStays>
    <DepositPayments>
        <GuaranteePayment>
            <AmountPercent Amount="100.00"/>
        </GuaranteePayment>
    </DepositPayments>
    <HotelReservationIDs>

```

June 2006

```

        </RoomRates>
        <TimeSpan Start="2008-10-03" End="2008-10-08" Duration="P5D"/>
        <HotelReservationIDs>
            <HotelReservationID ResID_Value="59712" ResID_Type="14"
ResID_Source="register123.com" ResGuestRPH="13"/>
            <!-- From code table UIT, 14 = reservation -->
            <HotelReservationID ResID_Value="SW00013" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="13"/>
        </HotelReservationIDs>
    </RoomStay>
    <!-- Typically, use add/cancel. Only use Replace if past cut-off date and hotel is full. -->
    <RoomStay RoomStay="Cancel">
        <RoomTypes>
            <RoomType RoomTypeCode="Single">
                <Amenities>
                    <Amenity RoomAmenity="58" Quantity="1"/>
                    <!-- Codelist Room Amenity Type RMA 58 = King Bed -->
                    <Amenity RoomAmenity="74"/>
                    <!-- Codelist Room Amenity Type RMA 74 = Non-Smoking -->
                </Amenities>
            </RoomType>
        </RoomTypes>
        <RoomRates>
            <RoomRate RatePlanCode="Attendee">
                <Rates>
                    <Rate>
                        <Base AmountBeforeTax="269.00"/>
                    </Rate>
                </Rates>
            </RoomRate>
        </RoomRates>
        <TimeSpan Start="2008-10-04" End="2008-10-07" Duration="P3D"/>
        <DepositPayments>
            <GuaranteePayment>
                <AmountPercent Amount="100.00"/>
            </GuaranteePayment>
        </DepositPayments>
        <HotelReservationIDs>
            <HotelReservationID ResID_Value="61223" ResID_Type="14"
ResID_Source="register123.com" ResGuestRPH="14"/>
            <!-- From code table UIT, 14 = reservation -->
            <HotelReservationID ResID_Value="SW00014" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="14"/>
        </HotelReservationIDs>
    </RoomStay>
</RoomStays>
<Event MeetingName="Annual User Conference" Start="2008-10-03" End="2008-10-08">
    <EventContact>
        <CompanyName CompanyShortName="Certain Software"/>
    </EventContact>
</Event>
</HotelRoomList>
</HotelRoomLists>
</OTA_HotelRoomListRQ>

```

OTA_HotelRoomListRS2.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelRoomListRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelRoomListRS.xsd" Version="1.001">
  <POS>
    <Source ISOCurrency="USD"/>
  </POS>
  <Success/>
  <HotelRoomLists>
    <!-- CreationDate-Time listed in GMT -->
    <HotelRoomList HotelName="Palace Hotel" CreationDate="2008-07-03T17:15:30" GroupBlockCode="PH-
2008-0123">
      <Guests>
        <Guest GuestAction="Add" RPH="1">
          <PersonName>
            <NamePrefix>Mr</NamePrefix>
            <GivenName>Jim</GivenName>
            <Surname>Falker</Surname>
            <NameSuffix>Jr.</NameSuffix>
          </PersonName>
          <Telephone PhoneNumber="(65) 6516 4308" PhoneTechType="1"/>
          <!-- Codelist Phone Tech Type PTT 1 = voice -->
          <Telephone PhoneNumber="(65) 6778 5373" PhoneTechType="3"/>
          <!-- Codelist Phone Tech Type PTT 3 = fax -->
          <Address>
            <AddressLine>21 Lower Kent Ridge Road</AddressLine>
            <AddressLine>University Hall #UHL-04-45</AddressLine>
            <CityName>Singapore</CityName>
            <PostalCode>119077</PostalCode>
            <CountryName>Singapore</CountryName>
          </Address>
          <Email EmailType="2">jimfalker01@nus.edu.sg</Email>
          <!-- Codelist Email Address Type EAT 2 = business -->
          <CompanyName>National University of Singapore</CompanyName>
          <Loyalty ProgramCode="American" AccountID="H4301CR9"/>
          <GuaranteePayment>
            <PaymentCard/>
            <MasterAccountUsage SignFoodAndBev="false" BillingType="SignRoomAndTax"/>
          </GuaranteePayment>
        </Guest>
        <Guest GuestAction="Add" RPH="2">
          <PersonName>
            <NamePrefix>Ms</NamePrefix>
            <GivenName>June</GivenName>
            <MiddleName>April</MiddleName>
            <Surname>Gladstone</Surname>
          </PersonName>
          <Telephone PhoneNumber="800-203-0192" PhoneTechType="1"/>
          <!-- Codelist Phone Tech Type PTT 1 = voice -->
          <Telephone PhoneNumber="419-403-8000" PhoneTechType="3"/>
          <!-- Codelist Phone Tech Type PTT 3 = fax -->
          <Address>
            <AddressLine>321 German Way</AddressLine>
```

```

        <CityName>Memphis</CityName>
        <PostalCode>23094</PostalCode>
        <StateProv>TN</StateProv>
        <CountryName>United States</CountryName>
    </Address>
    <Email EmailType="2">juneg@hgh.com</Email>
    <!-- Codelist Email Address Type EAT 2 = business -->
    <CompanyName>Henderson, Glastone,and Howe</CompanyName>
    <Loyalty ProgramCode="Hilton" AccountID="FTP910"/>
    <GuaranteePayment>
        <PaymentCard/>
        <MasterAccountUsage SignFoodAndBev="false" BillingType="EachPaysOwn"/>
    </GuaranteePayment>
</Guest>
<Guest GuestAction="Add" RPH="1001">
    <PersonName>
        <GivenName>Jane</GivenName>
        <MiddleName>M</MiddleName>
        <Surname>Doe</Surname>
    </PersonName>
</Guest>
<Guest GuestAction="Add" RPH="3">
    <PersonName>
        <NamePrefix>Ms</NamePrefix>
        <GivenName>Juli</GivenName>
        <MiddleName>Finnell</MiddleName>
        <Surname>Jones</Surname>
    </PersonName>
    <Telephone PhoneNumber="703-610-0273" PhoneTechType="1"/>
    <!-- Codelist Phone Tech Type PTT 1 = voice -->
    <Telephone PhoneNumber="703-610-9005" PhoneTechType="3"/>
    <!-- Codelist Phone Tech Type PTT 3 = fax -->
    <Address>
        <AddressLine>8201 Greensboro Drive</AddressLine>
        <AddressLine>Suite 300</AddressLine>
        <CityName>McLean</CityName>
        <PostalCode>22102</PostalCode>
        <StateProv>VA</StateProv>
        <CountryName>USA</CountryName>
    </Address>
    <Email EmailType="2">jjones@conventionindustry.org</Email>
    <!-- Codelist Email Address Type EAT 2 = business -->
    <CompanyName>CIC</CompanyName>
    <Loyalty ProgramCode="Marriott" AccountID="ABC123"/>
    <GuaranteePayment>
        <PaymentCard/>
        <MasterAccountUsage SignFoodAndBev="false" BillingType="EachPaysOwn"/>
    </GuaranteePayment>
    <AdditionalDetails>
        <AdditionalDetail>
            <DetailDescription>
                <Text>TDD machine in room</Text>
            </DetailDescription>
        </AdditionalDetail>
    </AdditionalDetails>

```

```

</Guest>
<Guest GuestAction="Add" RPH="4">
  <PersonName>
    <NamePrefix>Dr</NamePrefix>
    <GivenName>Ann</GivenName>
    <MiddleName>B</MiddleName>
    <Surname>Peshoff</Surname>
  </PersonName>
  <Telephone PhoneNumber="867-5309" PhoneTechType="1"/>
  <!-- Codelist Phone Tech Type PTT 1 = voice -->
  <Telephone PhoneNumber="867-5903" PhoneTechType="3"/>
  <!-- Codelist Phone Tech Type PTT 3 = fax -->
  <Address>
    <AddressLine>867 1st Avenue</AddressLine>
    <AddressLine>Apt 5</AddressLine>
    <CityName>Vienna</CityName>
    <CountryName>Austria</CountryName>
  </Address>
  <Email EmailType="2">ann.peshoof@yahoo.com</Email>
  <!-- Codelist Email Address Type EAT 2 = business -->
  <CompanyName>University of Washington</CompanyName>
  <Loyalty ProgramCode="Hilton" AccountID="123456abcdef"/>
  <GuaranteePayment>
    <PaymentCard/>
    <MasterAccountUsage SignFoodAndBev="false" BillingType="EachPaysOwn"/>
  </GuaranteePayment>
  <AdditionalDetails>
    <AdditionalDetail>
      <DetailDescription>
        <Text>arrive early and will need early check-in</Text>
      </DetailDescription>
    </AdditionalDetail>
  </AdditionalDetails>
</Guest>
<Guest GuestAction="Add" RPH="5">
  <PersonName>
    <NamePrefix>Mr</NamePrefix>
    <GivenName>EJ</GivenName>
    <Surname>Siwek</Surname>
    <NameTitle>CMP</NameTitle>
  </PersonName>
  <Telephone PhoneNumber="203-207-5454" PhoneTechType="1"/>
  <!-- Codelist Phone Tech Type PTT 1 = voice -->
  <Telephone PhoneNumber="203-207-9000" PhoneTechType="3"/>
  <!-- Codelist Phone Tech Type PTT 3 = fax -->
  <Address>
    <AddressLine>123 Main Street</AddressLine>
    <CityName>Town</CityName>
    <PostalCode>12345</PostalCode>
    <StateProv>CT</StateProv>
    <CountryName>USA</CountryName>
  </Address>
  <Email EmailType="2">ej@flashpointtech.com</Email>
  <!-- Codelist Email Address Type EAT 2 = business -->
  <CompanyName>Flashpoint</CompanyName>

```

```

    <Loyalty ProgramCode="United" AccountID="392011A"/>
    <GuaranteePayment>
      <PaymentCard/>
      <MasterAccountUsage SignFoodAndBev="false" BillingType="EachPaysOwn"/>
    </GuaranteePayment>
  </Guest>
  <Guest GuestAction="Add" RPH="1002">
    <PersonName>
      <NamePrefix>Ms</NamePrefix>
      <GivenName>Cindy</GivenName>
      <Surname>Siwek</Surname>
    </PersonName>
  </Guest>
  <Guest GuestAction="Add-Update" RPH="6">
    <PersonName>
      <NamePrefix>Ms</NamePrefix>
      <GivenName>Alice</GivenName>
      <MiddleName>W</MiddleName>
      <Surname>Henderson</Surname>
    </PersonName>
    <Telephone PhoneNumber="301-200-1023" PhoneTechType="1"/>
    <!-- Codelist Phone Tech Type PTT 1 = voice -->
    <Address>
      <AddressLine>90 Zebra Down Lane</AddressLine>
      <CityName>Boston</CityName>
      <PostalCode>20199</PostalCode>
      <StateProv>MA</StateProv>
      <CountryName>United States</CountryName>
    </Address>
    <Email EmailType="2">ahend023@thompsonandsons.com</Email>
    <!-- Codelist Email Address Type EAT 2 = business -->
    <CompanyName>Thompson and Sons Inc</CompanyName>
    <GuaranteePayment>
      <PaymentCard/>
      <MasterAccountUsage SignFoodAndBev="false" BillingType="EachPaysOwn"/>
    </GuaranteePayment>
  </Guest>
  <Guest GuestAction="Add-Update" RPH="7">
    <PersonName>
      <NamePrefix>Dr</NamePrefix>
      <GivenName>Norman</GivenName>
      <MiddleName>H</MiddleName>
      <Surname>Mailer</Surname>
      <NameTitle>PhD</NameTitle>
    </PersonName>
    <Telephone PhoneNumber="510-405-1234" PhoneTechType="1"/>
    <!-- Codelist Phone Tech Type PTT 1 = voice -->
    <Telephone PhoneNumber="510-405-3200" PhoneTechType="3"/>
    <!-- Codelist Phone Tech Type PTT 3 = fax -->
    <Address>
      <AddressLine>890 Bancroft Ave</AddressLine>
      <CityName>Berkeley</CityName>
      <PostalCode>94704</PostalCode>
      <StateProv>CA</StateProv>
      <CountryName>USA</CountryName>
    </Address>
  </Guest>

```

```
</Address>
<Email EmailType="2">norm_mal@uc.berkeley.edu</Email>
<!-- Codelist Email Address Type EAT 2 = business -->
<CompanyName>University of California</CompanyName>
<GuaranteePayment>
  <PaymentCard/>
  <MasterAccountUsage SignFoodAndBev="true" BillingType="SignAllCharges"/>
</GuaranteePayment>
</Guest>
<Guest GuestAction="Add-Update" RPH="8">
  <PersonName>
    <NamePrefix>Mrs</NamePrefix>
    <GivenName>Kelli</GivenName>
    <Surname>Nguyen</Surname>
  </PersonName>
  <Telephone PhoneNumber="214-340-1020" PhoneTechType="1"/>
  <!-- Codelist Phone Tech Type PTT 1 = voice -->
  <Telephone PhoneNumber="214-340-1021" PhoneTechType="3"/>
  <!-- Codelist Phone Tech Type PTT 3 = fax -->
  <Address>
    <AddressLine>5830 Aberdeen Ave</AddressLine>
    <CityName>Dallas</CityName>
    <PostalCode>75100</PostalCode>
    <StateProv>TX</StateProv>
    <CountryName>United States</CountryName>
  </Address>
  <Email EmailType="2">kel_nguyen@adcf.com</Email>
  <!-- Codelist Email Address Type EAT 2 = business -->
  <CompanyName>ADC Financial Services</CompanyName>
  <Loyalty ProgramCode="American" AccountID="J8902P"/>
  <GuaranteePayment>
    <PaymentCard/>
    <MasterAccountUsage SignFoodAndBev="false" BillingType="EachPaysOwn"/>
  </GuaranteePayment>
</Guest>
<Guest GuestAction="Add-Update" RPH="1003">
  <PersonName>
    <NamePrefix>Mrs</NamePrefix>
    <GivenName>Sue</GivenName>
    <Surname>Nguyen</Surname>
  </PersonName>
</Guest>
<Guest GuestAction="Add-Update" RPH="1004">
  <PersonName>
    <NamePrefix>Mr</NamePrefix>
    <GivenName>Paul</GivenName>
    <Surname>Nguyen</Surname>
  </PersonName>
</Guest>
<Guest GuestAction="Add-Update" RPH="9">
  <PersonName>
    <NamePrefix>Dr</NamePrefix>
    <GivenName>Rison</GivenName>
    <MiddleName>Jane</MiddleName>
    <Surname>Saul</Surname>
```

```

        <NameTitle>MD</NameTitle>
    </PersonName>
    <Telephone PhoneNumber="209-220-1000" PhoneTechType="1"/>
    <!-- Codelist Phone Tech Type PTT 1 = voice -->
    <Address>
        <AddressLine>309 Heatherly Rd</AddressLine>
        <AddressLine>Floor 12B</AddressLine>
        <CityName>Billings</CityName>
        <PostalCode>20991</PostalCode>
        <StateProv>MI</StateProv>
        <CountryName>United States</CountryName>
    </Address>
    <Email EmailType="2">drsrison@hthospital.org</Email>
    <!-- Codelist Email Address Type EAT 2 = business -->
    <CompanyName>Hope Trinity Hospital</CompanyName>
    <GuaranteePayment>
        <PaymentCard/>
        <MasterAccountUsage SignFoodAndBev="true" BillingType="SignAllCharges"/>
    </GuaranteePayment>
</Guest>
<Guest GuestAction="Add-Update" RPH="10">
    <PersonName>
        <NamePrefix>Ms</NamePrefix>
        <GivenName>Sara</GivenName>
        <MiddleName>Y</MiddleName>
        <Surname>Yee</Surname>
    </PersonName>
    <Telephone PhoneNumber="405-203-1240" PhoneTechType="1"/>
    <!-- Codelist Phone Tech Type PTT 1 = voice -->
    <Telephone PhoneNumber="405-203-1235" PhoneTechType="3"/>
    <!-- Codelist Phone Tech Type PTT 1 = voice -->
    <Address>
        <AddressLine>1009 Major St.</AddressLine>
        <AddressLine>Suite 1003</AddressLine>
        <CityName>St. Louis</CityName>
        <PostalCode>49001</PostalCode>
        <StateProv>MO</StateProv>
        <CountryName>USA</CountryName>
    </Address>
    <Email EmailType="2">sarahyee@yeeman.com</Email>
    <!-- Codelist Email Address Type EAT 2 = business -->
    <CompanyName>Yeeman.com</CompanyName>
    <GuaranteePayment>
        <PaymentCard/>
        <MasterAccountUsage SignFoodAndBev="true" BillingType="SignAllCharges"/>
    </GuaranteePayment>
    <AdditionalDetails>
        <AdditionalDetail>
            <DetailDescription>
                <Text>Have wheelchair</Text>
            </DetailDescription>
        </AdditionalDetail>
    </AdditionalDetails>
</Guest>
<Guest GuestAction="Add-Update" RPH="1005">

```

```
<PersonName>
  <GivenName>Howard</GivenName>
  <MiddleName>G</MiddleName>
  <Surname>Gerry</Surname>
</PersonName>
</Guest>
<Guest GuestAction="Cancel" RPH="11">
  <PersonName>
    <NamePrefix>Mr</NamePrefix>
    <GivenName>Frank</GivenName>
    <Surname>Furton</Surname>
  </PersonName>
  <Telephone PhoneNumber="420-100-2094" PhoneTechType="1"/>
  <!-- Codelist Phone Tech Type PTT 1 = voice -->
  <Telephone PhoneNumber="420-100-2095" PhoneTechType="3"/>
  <!-- Codelist Phone Tech Type PTT 3 = fax -->
  <Address>
    <AddressLine>21 Austin Way</AddressLine>
    <CityName>Houston</CityName>
    <PostalCode>79005</PostalCode>
    <StateProv>TX</StateProv>
    <CountryName>USA</CountryName>
  </Address>
  <Email EmailType="2">frankfurt23@geraldstar.com</Email>
  <!-- Codelist Email Address Type EAT 2 = business -->
  <CompanyName>Gerald Star Homes</CompanyName>
  <Loyalty ProgramCode="Marriott" AccountID="DGJ231"/>
  <GuaranteePayment>
    <PaymentCard/>
    <MasterAccountUsage SignFoodAndBev="false" BillingType="SignRoomAndTax"/>
  </GuaranteePayment>
</Guest>
<Guest GuestAction="Cancel" RPH="12">
  <PersonName>
    <NamePrefix>Mr</NamePrefix>
    <GivenName>Hank</GivenName>
    <MiddleName>A</MiddleName>
    <Surname>Johnson</Surname>
    <NameSuffix>III</NameSuffix>
  </PersonName>
  <Telephone PhoneNumber="405-203-1234" PhoneTechType="1"/>
  <!-- Codelist Phone Tech Type PTT 1 = voice -->
  <Telephone PhoneNumber="405-203-1235" PhoneTechType="3"/>
  <!-- Codelist Phone Tech Type PTT 3 = fax -->
  <Address>
    <AddressLine>1009 Major St.</AddressLine>
    <AddressLine>Suite 1003</AddressLine>
    <CityName>St. Louis</CityName>
    <PostalCode>49001</PostalCode>
    <StateProv>MO</StateProv>
    <CountryName>USA</CountryName>
  </Address>
  <Email EmailType="2">hankjohns@yeeman.com</Email>
  <!-- Codelist Email Address Type EAT 2 = business -->
  <CompanyName>Yeeman.com</CompanyName>
```

```

    <GuaranteePayment>
      <PaymentCard CardCode="VI" CardNumber="4111111111111111"
ExpireDate="1108">
        <CardHolderName>Hank Johnson</CardHolderName>
      </PaymentCard>
      <MasterAccountUsage SignFoodAndBev="false" BillingType="EachPaysOwn"/>
    </GuaranteePayment>
  </Guest>
  <Guest GuestAction="Cancel" RPH="13">
    <PersonName>
      <NamePrefix>Mr</NamePrefix>
      <GivenName>Tom</GivenName>
      <Surname>Lee</Surname>
    </PersonName>
    <Telephone PhoneNumber="803-244-9011" PhoneTechType="1"/>
    <!-- Codelist Phone Tech Type PTT 1 = voice -->
    <Address>
      <AddressLine>781 Brookview Rd.</AddressLine>
      <CityName>Altanta</CityName>
      <PostalCode>29003</PostalCode>
      <StateProv>GA</StateProv>
      <CountryName>USA</CountryName>
    </Address>
    <Email EmailType="2">tomlee2@tomleeassoc.com</Email>
    <!-- Codelist Email Address Type EAT 2 = business -->
    <CompanyName>Tom Lee Associates</CompanyName>
    <GuaranteePayment>
      <PaymentCard CardCode="AX" CardNumber="345612341234098"
ExpireDate="0109">
        <CardHolderName>Tom Lee</CardHolderName>
      </PaymentCard>
      <MasterAccountUsage SignFoodAndBev="false" BillingType="EachPaysOwn"/>
    </GuaranteePayment>
  </Guest>
  <Guest GuestAction="Add" RPH="14">
    <PersonName>
      <NamePrefix>Col</NamePrefix>
      <GivenName>Samuel</GivenName>
      <MiddleName>Albert</MiddleName>
      <Surname>Lawson</Surname>
    </PersonName>
    <Telephone PhoneNumber="312-304-2001" PhoneTechType="1"/>
    <!-- Codelist Phone Tech Type PTT 1 = voice -->
    <Address>
      <AddressLine>45 Pennslyvania Ave</AddressLine>
      <AddressLine>Ste. 9810</AddressLine>
      <CityName>Washington</CityName>
      <PostalCode>12093</PostalCode>
      <StateProv>DC</StateProv>
      <CountryName>USA</CountryName>
    </Address>
    <Email EmailType="2">lawsons@retired.usmc.mil</Email>
    <!-- Codelist Email Address Type EAT 2 = business -->
    <CompanyName>USMC (retired)</CompanyName>
    <Loyalty ProgramCode="American" AccountID="K1039C3"/>

```

```

        <GuaranteePayment>
            <PaymentCard CardCode="VI" CardNumber="4111111111111111"
ExpireDate="1008">
                <CardHolderName>Sam Lawson</CardHolderName>
            </PaymentCard>
            <MasterAccountUsage SignFoodAndBev="false" BillingType="EachPaysOwn"/>
        </GuaranteePayment>
    </Guest>
    <Guest GuestAction="Cancel" RPH="15">
        <PersonName>
            <NamePrefix>Lt Col</NamePrefix>
            <GivenName>A</GivenName>
            <Surname>Pex</Surname>
        </PersonName>
        <Telephone PhoneNumber="803-244-9001" PhoneTechType="1"/>
        <!-- Codelist Phone Tech Type PTT 1 = voice -->
        <Address>
            <AddressLine>781 Georgia Rd.</AddressLine>
            <CityName>Altanta</CityName>
            <PostalCode>29003</PostalCode>
            <StateProv>GA</StateProv>
            <CountryName>USA</CountryName>
        </Address>
        <Email EmailType="2">apex1@retired.usmc.mil</Email>
        <!-- Codelist Email Address Type EAT 2 = business -->
        <CompanyName>USMC</CompanyName>
        <GuaranteePayment>
            <PaymentCard CardCode="AX" CardNumber="345612341234098"
ExpireDate="0109">
                <CardHolderName>A Pex</CardHolderName>
            </PaymentCard>
            <MasterAccountUsage SignFoodAndBev="false" BillingType="EachPaysOwn"/>
        </GuaranteePayment>
    </Guest>
</Guests>
<MasterContact>
    <PersonName>
        <NamePrefix>Mr.</NamePrefix>
        <GivenName>Daniel </GivenName>
        <MiddleName>J</MiddleName>
        <Surname>Notreal</Surname>
        <NameSuffix>Jr</NameSuffix>
    </PersonName>
    <Telephone PhoneTechType="1" PhoneNumber="415-400-0123"/>
    <!-- Codelist Phone Tech Type PTT 1 = voice -->
    <Telephone PhoneTechType="3" PhoneNumber="415-400-1234"/>
    <!-- Codelist Phone Tech Type PTT 3 = fax -->
    <Address>
        <AddressLine>123 Main St.</AddressLine>
        <CityName>San Francisco</CityName>
        <PostalCode>94109</PostalCode>
        <StateProv>CA</StateProv>
    </Address>
    <Email EmailType="2">dnotreal@ertain123.com</Email>
    <!-- Codelist Email Address Type EAT 2 = business -->

```

```

    <CompanyName>Certain Software</CompanyName>
    <EmployeeInfo EmployeeTitle="Account Manager"/>
  </MasterContact>
  <RoomStays>
    <RoomStay RoomStay="Add">
      <RoomTypes>
        <RoomType RoomTypeCode="Single">
          <Amenities>
            <Amenity RoomAmenity="86" Quantity="1"/>
            <!-- Codelist Room Amenity Type RMA 86 = Queen Bed -->
            <Amenity RoomAmenity="74"/>
            <!-- Codelist Room Amenity Type RMA 74 = Non-Smoking -->
          </Amenities>
        </RoomType>
      </RoomTypes>
      <RoomRates>
        <RoomRate RatePlanCode="Attendee">
          <Rates>
            <Rate>
              <Base AmountBeforeTax="269.00"/>
            </Rate>
          </Rates>
        </RoomRate>
      </RoomRates>
      <TimeSpan Start="2008-10-04" End="2008-10-07" Duration="P3D"/>
      <DepositPayments>
        <GuaranteePayment>
          <AmountPercent Amount="100.00"/>
        </GuaranteePayment>
      </DepositPayments>
      <HotelReservationIDs>
        <HotelReservationID ResID_Value="59203" ResID_Type="14"
ResID_Source="register123.com" ResGuestRPH="1"/>
        <HotelReservationID ResID_Value="SW0001" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="1"/>
        <!-- From code table UIT, 14 = reservation -->
      </HotelReservationIDs>
    </RoomStay>
    <RoomStay RoomStay="Add">
      <RoomTypes>
        <RoomType RoomTypeCode="Double-Double">
          <Amenities>
            <Amenity RoomAmenity="86" Quantity="1"/>
            <!-- Codelist Room Amenity Type RMA 86 = Queen Bed -->
            <Amenity RoomAmenity="33"/>
            <!-- Codelist Room Amenity Type RMA 33 = Double Bed -->
            <Amenity RoomAmenity="74"/>
            <!-- Codelist Room Amenity Type RMA 74 = Non-Smoking -->
          </Amenities>
        </RoomType>
      </RoomTypes>
      <RoomRates>
        <RoomRate RatePlanCode="Attendee">
          <Rates>
            <Rate>

```

```

        <Base AmountBeforeTax="269.00"/>
    </Rate>
</Rates>
</RoomRate>
</RoomRates>
<TimeSpan Start="2008-10-03" End="2008-10-07" Duration="P4D"/>
<DepositPayments>
    <GuaranteePayment>
        <AmountPercent Amount="100.00"/>
    </GuaranteePayment>
</DepositPayments>
<HotelReservationIDs>
    <HotelReservationID ResID_Value="59301" ResID_Type="14"
ResID_Source="register123.com" ResGuestRPH="2"/>
    <!-- From code table UIT, 14 = reservation -->
    <HotelReservationID ResID_Value="SW0002" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="2"/>
    <HotelReservationID ResID_Value="SW0002-2" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="1001"/>
    <!-- In this example, partner (starwoodhotels.com) issues separate confirmation numbers
per guest in room-share situations -->
</HotelReservationIDs>
<RoomShares>
    <RoomShare>
        <GuestRPHs>
            <!-- List both Guests in RoomShare, in order to specify separate
arrival/departure dates if needed -->
            <GuestRPH Start="2008-10-03" End="2008-10-07"
Duration="P4D">2</GuestRPH>
            <GuestRPH Start="2008-10-05" End="2008-10-07"
Duration="P2D">1001</GuestRPH>
        </GuestRPHs>
    </RoomShare>
</RoomShares>
</RoomStay>
<RoomStay RoomStay="Add">
    <RoomTypes>
        <RoomType RoomTypeCode="Single">
            <Amenities>
                <Amenity RoomAmenity="58" Quantity="1"/>
                <!-- Codelist Room Amenity Type RMA 58 = King Bed -->
                <Amenity RoomAmenity="74"/>
                <!-- Codelist Room Amenity Type RMA 74 = Non-Smoking -->
                <Amenity RoomAmenity="211"/>
                <!-- Codelist Room Amenity Type RMA 211 = VIP rooms -->
            </Amenities>
        </RoomType>
    </RoomTypes>
</RoomRates>
    <RoomRate RatePlanCode="Exhibitor">
        <Rates>
            <Rate>
                <Base AmountBeforeTax="299.00"/>
            </Rate>
        </Rates>
    </RoomRate>

```

```

    </RoomRates>
    <TimeSpan Start="2008-10-04" End="2008-10-07" Duration="P3D"/>
    <DepositPayments>
      <GuaranteePayment>
        <AmountPercent Amount="100.00"/>
      </GuaranteePayment>
    </DepositPayments>
    <HotelReservationIDs>
      <HotelReservationID ResID_Value="59003" ResID_Type="14"
ResID_Source="register123.com" ResGuestRPH="3"/>
      <HotelReservationID ResID_Value="SW0003" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="3"/>
      <!-- From code table UIT, 14 = reservation -->
    </HotelReservationIDs>
  </RoomStay>
  <RoomStay RoomStay="Add">
    <RoomTypes>
      <RoomType RoomTypeCode="Single">
        <Amenities>
          <Amenity RoomAmenity="86" Quantity="1"/>
          <!-- Codelist Room Amenity Type RMA 86 = Queen Bed -->
          <Amenity RoomAmenity="101"/>
          <!-- Codelist Room Amenity Type RMA 101 = Smoking -->
          <Amenity RoomAmenity="211"/>
          <!-- Codelist Room Amenity Type RMA 211 = VIP rooms -->
        </Amenities>
      </RoomType>
    </RoomTypes>
    <RoomRates>
      <RoomRate RatePlanCode="Attendee">
        <Rates>
          <Rate>
            <Base AmountBeforeTax="269.00"/>
          </Rate>
        </Rates>
      </RoomRate>
    </RoomRates>
    <TimeSpan Start="2008-10-05" End="2008-10-07" Duration="P2D"/>
    <DepositPayments>
      <GuaranteePayment>
        <AmountPercent Amount="100.00"/>
      </GuaranteePayment>
    </DepositPayments>
    <HotelReservationIDs>
      <HotelReservationID ResID_Value="59131" ResID_Type="14"
ResID_Source="register123.com" ResGuestRPH="4"/>
      <HotelReservationID ResID_Value="SW0004" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="4"/>
      <!-- From code table UIT, 14 = reservation -->
    </HotelReservationIDs>
  </RoomStay>
  <RoomStay RoomStay="Add">
    <RoomTypes>
      <RoomType RoomTypeCode="Double-Double">
        <Amenities>

```

```

        <Amenity RoomAmenity="86" Quantity="1"/>
        <!-- Codelist Room Amenity Type RMA 86 = Queen Bed -->
        <Amenity RoomAmenity="33"/>
        <!-- Codelist Room Amenity Type RMA 33 = Double Bed -->
        <Amenity RoomAmenity="74"/>
        <!-- Codelist Room Amenity Type RMA 74 = Non-Smoking -->
    </Amenities>
</RoomType>
</RoomTypes>
<RoomRates>
    <RoomRate RatePlanCode="Exhibitor">
        <Rates>
            <Rate>
                <Base AmountBeforeTax="299.00"/>
            </Rate>
        </Rates>
    </RoomRate>
</RoomRates>
<TimeSpan Start="2008-10-03" End="2008-10-07" Duration="P4D"/>
<DepositPayments>
    <GuaranteePayment>
        <AmountPercent Amount="200.00"/>
    </GuaranteePayment>
</DepositPayments>
<HotelReservationIDs>
    <HotelReservationID ResID_Value="59030" ResID_Type="14"
ResID_Source="register123.com" ResGuestRPH="5"/>
    <!-- From code table UIT, 14 = reservation -->
    <HotelReservationID ResID_Value="SW0005" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="5"/>
    <HotelReservationID ResID_Value="SW0005-2" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="1002"/>
    <!-- In this example, partner (starwoodhotels.com) issues separate confirmation numbers
per guest in room-share situations -->
</HotelReservationIDs>
<RoomShares>
    <RoomShare>
        <GuestRPHs>
            <!-- List both Guests in RoomShare, in order to specify separate
arrival/departure dates if needed -->
            <GuestRPH Start="2008-10-03" End="2008-10-07"
Duration="P4D">5</GuestRPH>
            <GuestRPH Start="2008-10-05" End="2008-10-07"
Duration="P2D">1002</GuestRPH>
        </GuestRPHs>
    </RoomShare>
</RoomShares>
</RoomStay>
<RoomStay RoomStay="Add-Update">
    <RoomTypes>
        <RoomType RoomTypeCode="Single">
            <Amenities>
                <Amenity RoomAmenity="86" Quantity="1"/>
                <!-- Codelist Room Amenity Type RMA 86 = Queen Bed -->
            </Amenities>
        </RoomType>

```

```

    </RoomTypes>
    <RoomRates>
      <RoomRate RatePlanCode="Attendee">
        <Rates>
          <Rate>
            <Base AmountBeforeTax="269.00"/>
          </Rate>
        </Rates>
      </RoomRate>
    </RoomRates>
    <TimeSpan Start="2008-10-04" End="2008-10-07" Duration="P3D"/>
    <HotelReservationIDs>
      <HotelReservationID ResID_Type="14" ResID_Source="register123.com"
ResGuestRPH="6"/>
      <HotelReservationID ResID_Value="SW0006" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="6"/>
      <!-- From code table UIT, 14 = reservation -->
    </HotelReservationIDs>
  </RoomStay>
  <RoomStay RoomStay="Add-Update">
    <RoomTypes>
      <RoomType RoomTypeCode="Single">
        <Amenities>
          <Amenity RoomAmenity="58" Quantity="1"/>
          <!-- Codelist Room Amenity Type RMA 58 = King Bed -->
          <Amenity RoomAmenity="74"/>
          <!-- Codelist Room Amenity Type RMA 74 = Non-Smoking -->
        </Amenities>
      </RoomType>
    </RoomTypes>
    <RoomRates>
      <RoomRate RatePlanCode="Staff">
        <Rates>
          <Rate>
            <Base AmountBeforeTax="199.00"/>
          </Rate>
        </Rates>
      </RoomRate>
    </RoomRates>
    <TimeSpan Start="2008-10-03" End="2008-10-08" Duration="P5D"/>
    <DepositPayments>
      <GuaranteePayment>
        <AmountPercent Amount="100.00"/>
      </GuaranteePayment>
    </DepositPayments>
    <HotelReservationIDs>
      <HotelReservationID ResID_Value="59401" ResID_Type="14"
ResID_Source="register123.com" ResGuestRPH="7"/>
      <HotelReservationID ResID_Value="SW0007" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="7"/>
      <!-- From code table UIT, 14 = reservation -->
    </HotelReservationIDs>
  </RoomStay>
  <RoomStay RoomStay="Add-Update">
    <RoomTypes>

```

```

        <RoomType RoomTypeCode="Double-Double">
            <Amenities>
                <Amenity RoomAmenity="58" Quantity="1"/>
                <!-- Codelist Room Amenity Type RMA 58 = King Bed -->
                <Amenity RoomAmenity="33"/>
                <!-- Codelist Room Amenity Type RMA 33 = Double Bed -->
                <Amenity RoomAmenity="101"/>
                <!-- Codelist Room Amenity Type RMA 101 = Smoking -->
            </Amenities>
        </RoomType>
    </RoomTypes>
    <RoomRates>
        <RoomRate RatePlanCode="Attendee">
            <Rates>
                <Rate>
                    <Base AmountBeforeTax="269.00"/>
                </Rate>
            </Rates>
        </RoomRate>
    </RoomRates>
    <TimeSpan Start="2008-10-04" End="2008-10-07" Duration="P3D"/>
    <HotelReservationIDs>
        <HotelReservationID ResID_Value="59554" ResID_Type="14"
ResID_Source="register123.com" ResGuestRPH="8"/>
        <!-- From code table UIT, 14 = reservation -->
        <HotelReservationID ResID_Value="SW0008" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="8"/>
        <HotelReservationID ResID_Value="SW0008-2" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="1003"/>
        <HotelReservationID ResID_Value="SW0008-3" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="1004"/>
        <!-- In this example, partner (starwoodhotels.com) issues separate confirmation numbers
per guest in room-share situations -->
    </HotelReservationIDs>
    <RoomShares>
        <RoomShare>
            <GuestRPHs>
                <!-- List all Guests in RoomShare, in order to specify separate
arrival/departure dates if needed -->
                <GuestRPH Start="2008-10-04" End="2008-10-07"
Duration="P3D">8</GuestRPH>
                <GuestRPH Start="2008-10-04" End="2008-10-07"
Duration="P3D">1003</GuestRPH>
                <GuestRPH Start="2008-10-04" End="2008-10-07"
Duration="P3D">1004</GuestRPH>
            </GuestRPHs>
        </RoomShare>
    </RoomShares>
    </RoomStay>
    <RoomStay RoomStay="Add-Update">
        <RoomTypes>
            <RoomType RoomTypeCode="Single">
                <Amenities>
                    <Amenity RoomAmenity="86" Quantity="1"/>
                    <!-- Codelist Room Amenity Type RMA 86 = Queen Bed -->
                    <Amenity RoomAmenity="74"/>
                </Amenities>
            </RoomType>
        </RoomTypes>
    </RoomStay>

```

```

        <!-- Codelist Room Amenity Type RMA 74 = Non-Smoking -->
        <Amenity RoomAmenity="211"/>
        <!-- Codelist Room Amenity Type RMA 211 = VIP rooms -->
    </Amenities>
</RoomType>
</RoomTypes>
<RoomRates>
    <RoomRate RatePlanCode="Staff">
        <Rates>
            <Rate>
                <Base AmountBeforeTax="199.00"/>
            </Rate>
        </Rates>
    </RoomRate>
</RoomRates>
<TimeSpan Start="2008-10-03" End="2008-10-08" Duration="P5D"/>
<HotelReservationIDs>
    <HotelReservationID ResID_Value="61229" ResID_Type="14"
ResID_Source="register123.com" ResGuestRPH="9"/>
    <HotelReservationID ResID_Value="SW009" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="9"/>
    <!-- From code table UIT, 14 = reservation -->
</HotelReservationIDs>
</RoomStay>
<RoomStay RoomStay="Add-Update">
    <RoomTypes>
        <RoomType RoomTypeCode="Double-Double">
            <Amenities>
                <Amenity RoomAmenity="86" Quantity="1"/>
                <!-- Codelist Room Amenity Type RMA 86 = Queen Bed -->
                <Amenity RoomAmenity="33"/>
                <!-- Codelist Room Amenity Type RMA 33 = Double Bed -->
                <Amenity RoomAmenity="74"/>
                <!-- Codelist Room Amenity Type RMA 74 = Non-Smoking -->
            </Amenities>
        </RoomType>
    </RoomTypes>
    <RoomRates>
        <RoomRate RatePlanCode="Staff">
            <Rates>
                <Rate>
                    <Base AmountBeforeTax="199.00"/>
                </Rate>
            </Rates>
        </RoomRate>
    </RoomRates>
    <TimeSpan Start="2008-10-05" End="2008-10-07" Duration="P2D"/>
    <DepositPayments>
        <GuaranteePayment>
            <AmountPercent Amount="100.00"/>
        </GuaranteePayment>
    </DepositPayments>
    <HotelReservationIDs>
        <HotelReservationID ResID_Value="61226" ResID_Type="14"
ResID_Source="register123.com" ResGuestRPH="10"/>

```

```

        <!-- From code table UIT, 14 = reservation -->
        <HotelReservationID ResID_Value="SW0010" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="10"/>
        <HotelReservationID ResID_Value="SW0010-2" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="1005"/>
        <!-- In this example, partner (starwoodhotels.com) issues separate confirmation numbers
per guest in room-share situations -->
        </HotelReservationIDs>
        <RoomShares>
        <RoomShare>
        <GuestRPHs>
        <!-- List all Guests in RoomShare, in order to specify separate
arrival/departure dates if needed -->
        <GuestRPH Start="2008-10-05" End="2008-10-07"
Duration="P2D">10</GuestRPH>
        <GuestRPH Start="2008-10-05" End="2008-10-06"
Duration="P1D">1005</GuestRPH>
        </GuestRPHs>
        </RoomShare>
        </RoomShares>
        </RoomStay>
        <RoomStay RoomStay="Cancel">
        <RoomTypes>
        <RoomType RoomTypeCode="Single">
        <Amenities>
        <Amenity RoomAmenity="86" Quantity="1"/>
        <!-- Codelist Room Amenity Type RMA 86 = Queen Bed -->
        </Amenities>
        </RoomType>
        </RoomTypes>
        <RoomRates>
        <RoomRate RatePlanCode="Attendee">
        <Rates>
        <Rate>
        <Base AmountBeforeTax="269.00"/>
        </Rate>
        </Rates>
        </RoomRate>
        </RoomRates>
        <TimeSpan Start="2008-10-04" End="2008-10-07" Duration="P3D"/>
        <DepositPayments>
        <GuaranteePayment>
        <AmountPercent Amount="100.00"/>
        </GuaranteePayment>
        </DepositPayments>
        </HotelReservationIDs>
        <HotelReservationID ResID_Value="63002" ResID_Type="14"
ResID_Source="register123.com" ResGuestRPH="11"/>
        <!-- From code table UIT, 14 = reservation -->
        <HotelReservationID ResID_Value="SW00011" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="11"/>
        <HotelReservationID ResID_Value="SW00011C" ResID_Type="15"
ResID_Source="starwoodhotels.com" ResGuestRPH="11"/>
        <!-- From code table UIT, 15 = cancellation. In this example, partner (starwoodhotels)
returns a separate cancellation number from the confirmation number -->
        </HotelReservationIDs>

```

```

</RoomStay>
<RoomStay RoomStay="Cancel">
  <RoomTypes>
    <RoomType RoomTypeCode="Single">
      <Amenities>
        <Amenity RoomAmenity="58" Quantity="1"/>
        <!-- Codelist Room Amenity Type RMA 58 = King Bed -->
        <Amenity RoomAmenity="74"/>
        <!-- Codelist Room Amenity Type RMA 74 = Non-Smoking -->
      </Amenities>
    </RoomType>
  </RoomTypes>
  <RoomRates>
    <RoomRate RatePlanCode="Attendee">
      <Rates>
        <Rate>
          <Base AmountBeforeTax="269.00"/>
        </Rate>
      </Rates>
    </RoomRate>
  </RoomRates>
  <TimeSpan Start="2008-10-04" End="2008-10-07" Duration="P3D"/>
  <HotelReservationIDs>
    <HotelReservationID ResID_Value="60573" ResID_Type="14"
ResID_Source="register123.com" ResGuestRPH="12"/>
    <!-- From code table UIT, 14 = reservation -->
    <HotelReservationID ResID_Value="SW00012" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="12"/>
    <HotelReservationID ResID_Value="SW00012C" ResID_Type="15"
ResID_Source="starwoodhotels.com" ResGuestRPH="12"/>
    <!-- From code table UIT, 15 = cancellation. In this example, partner (starwoodhotels)
returns a separate cancellation number from the confirmation number -->
  </HotelReservationIDs>
</RoomStay>
<RoomStay RoomStay="Cancel">
  <RoomTypes>
    <RoomType RoomTypeCode="Single">
      <Amenities>
        <Amenity RoomAmenity="58" Quantity="1"/>
        <!-- Codelist Room Amenity Type RMA 58 = King Bed -->
        <Amenity RoomAmenity="101"/>
        <!-- Codelist Room Amenity Type RMA 101 = Smoking -->
      </Amenities>
    </RoomType>
  </RoomTypes>
  <RoomRates>
    <RoomRate RatePlanCode="Attendee">
      <Rates>
        <Rate>
          <Base AmountBeforeTax="269.00"/>
        </Rate>
      </Rates>
    </RoomRate>
  </RoomRates>
  <TimeSpan Start="2008-10-03" End="2008-10-08" Duration="P5D"/>

```

```

        <HotelReservationIDs>
            <HotelReservationID ResID_Value="59712" ResID_Type="14"
ResID_Source="register123.com" ResGuestRPH="13"/>
            <!-- From code table UIT, 14 = reservation -->
            <HotelReservationID ResID_Value="SW00013" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="13"/>
            <HotelReservationID ResID_Value="SW00013C" ResID_Type="15"
ResID_Source="starwoodhotels.com" ResGuestRPH="13"/>
            <!-- From code table UIT, 15 = cancellation. In this example, partner (starwoodhotels)
returns a separate cancellation number from the confirmation number -->
        </HotelReservationIDs>
    </RoomStay>
    <RoomStay RoomStay="Cancel">
        <RoomTypes>
            <RoomType RoomTypeCode="Single">
                <Amenities>
                    <Amenity RoomAmenity="58" Quantity="1"/>
                    <!-- Codelist Room Amenity Type RMA 58 = King Bed -->
                    <Amenity RoomAmenity="74"/>
                    <!-- Codelist Room Amenity Type RMA 74 = Non-Smoking -->
                </Amenities>
            </RoomType>
        </RoomTypes>
        <RoomRates>
            <RoomRate RatePlanCode="Attendee">
                <Rates>
                    <Rate>
                        <Base AmountBeforeTax="269.00"/>
                    </Rate>
                </Rates>
            </RoomRate>
        </RoomRates>
        <TimeSpan Start="2008-10-04" End="2008-10-07" Duration="P3D"/>
        <DepositPayments>
            <GuaranteePayment>
                <AmountPercent Amount="100.00"/>
            </GuaranteePayment>
        </DepositPayments>
    </RoomStay>
    <HotelReservationIDs>
        <HotelReservationID ResID_Value="61223" ResID_Type="14"
ResID_Source="register123.com" ResGuestRPH="14"/>
        <!-- From code table UIT, 14 = reservation -->
        <HotelReservationID ResID_Value="SW00014" ResID_Type="14"
ResID_Source="starwoodhotels.com" ResGuestRPH="14"/>
        <HotelReservationID ResID_Value="SW00014C" ResID_Type="15"
ResID_Source="starwoodhotels.com" ResGuestRPH="14"/>
        <!-- From code table UIT, 15 = cancellation. In this example, partner (starwoodhotels)
returns a separate cancellation number from the confirmation number -->
    </HotelReservationIDs>
    </RoomStay>
    </RoomStays>
    <Event MeetingName="Annual User Conference" Start="2008-10-03" End="2008-10-08">
        <EventContact>
            <CompanyName CompanyShortName="Certain Software"/>
        </EventContact>
    </Event>

```

</HotelRoomList>
</HotelRoomLists>
</OTA_HotelRoomListRS>

9.25. OTA_HotelSearchRQ/RS

The Hotel Search Request message provides the ability to search for a list of hotel properties that meet specified criteria.

This type of request message is often referred to as a ‘wide-area search’ because it typically searches for a list of hotels within a geographic area that may be fairly constrained or quite broad. For example, a list of all the hotels within New York City would be an extensive property search, potentially yielding a list in excess of 1,000 hotels (this figure is not based on any statistical data). Other geographic data, such as, proximity to a specific location, landmark, attraction or destination point, could be used to constrain the summary response to a limited number of hotels.

The search criteria must be fashioned in such a way that the response fulfills the criteria and returns enough data to add value, potentially a means for marketing a hotel. A single search request may specify a set of criterion (within a single criteria) to further narrow the list of properties returned. A single search request may also specify multiple criteria to allow an “either this, or this” scenario.

Property information returned needs to be more than just the name of the hotel chain and the hotel. It should include sufficient information to be able to select a specific property. Additional data that accompanies the response message assists the individual traveler, the travel agent or other booking source in selecting a target hotel. In addition to identifying the hotel by name and location, that data could include the type of hotel, its rating, a brief description of its services and facilities and any promotions as a means of marketing the property. The data returned can be used to perform an availability query on a specific property or multiple properties selected from the list. This functionality is supported today by Central Reservations Systems, which are able to do detailed queries once the requestor narrows his/her choice to the property level.

A wide area search can be implemented across system boundaries; outside of a single hotel chain or a GDS. However, one fundamental issue that affects the capability of doing a universal wide area search is that there must be a contractual agreement between the hotel and the booking source in order to list the property.

The business use case that supports this message identifies a customer or agent (person or system acting on behalf of the customer) that requests a list of properties based on some criteria. The first step in this use case is for the customer or requesting party to identify the criteria to be used.

The steps of the use case proceed as follows:

- The Customer or agent requests a list of properties based on the desired criteria.

-
- The system returns a list of properties that meet the criteria.

(The requirement to identify the search criteria needed is effectively a system-level precondition for the message to be formulated, since a search for all the hotels in the world would not be feasible nor a reasonable request).

Further steps could provide an additional refinement of the search by repeating the steps:

- The Customer or agent refines the desired criteria to narrow the list of properties.
- The system returns a list of properties that meet the refined criteria.

Possible business processing errors include:

- No properties are returned that meet the input criteria.
- The input criteria must be changed in order to return the desired information.

Example:

An OTA member is looking for a hotel for one night in order to attend the meeting that begins at 9:00 am the next day. While the primary request is for “hotels in Alexandria, VA,” the member may wish to include some other interest factor, such as distance from OTA offices, distance from Reagan National Airport, proximity to the King Street Metro station, etc. In addition, he/she may prefer to select a hotel from among those chains that honor a frequent guest membership. When the list of hotels that meet those preferences is returned, the final choice of hotel may be influenced by the attraction of restaurants or art galleries in nearby Old Town Alexandria that are marketed in conjunction with the hotel listing.

9.25.1. Use Case 1

9.25.1.1. Request: Hotel Search

A traveler, Miss Priscilla Wallis, goes to the “CDEFG” travel agency located in Miami, Florida to book a hotel room in Paris during summer 2005. She does not know any hotels in Paris and wants to get a selection of hotel properties corresponding to her criteria:

- The property should be located within 2 miles maximum from the Eiffel tower.
- The property should have wireless internet access in the room
- The property should have non smoking rooms
- CNN must be available in the Room
- There is no preference regarding the Hotel chain.

The travel agent from the “CDEFG” travel agency is requesting a hotel list on his terminal, based on the criteria provided by Miss Wallis. This request is sent to the “Super-HL” system using OTA_HotelSearchRQ.

The Vendor ID of the “CDEFG” travel agency is “FG”. The Code of the “Super-HL” system is “SH”.

OTA_HotelSearchRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelSearchRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelSearchRQ.xsd" EchoToken="HL"
  Target="Production" Version="1.003" PrimaryLangID="EN-US" ResponseType="PropertyList">
  <POS>
    <Source AirlineVendorID="FG" PseudoCityCode="MIA" ISOCountry="US" ISOCurrency="USD"
      AgentSine="A4444BM" AgentDutyCode="FR">
    </Source>
    <Source>
      <RequestorID Type="5" ID="12345675" ID_Context="IATA"/>
      <!--5 means travel agency-->
    </Source>
  </POS>
  <Criteria>
    <Criterion>
      <RefPoint>EIFFEL TOWER</RefPoint>
      <CodeRef LocationCode="23" CodeContext="OTA-REF code list"/>
      <!--23 means monument location code-->
      <HotelRef HotelCityCode="PAR"/>
      <Radius Distance="2" DistanceMeasure="MILES"/>
      <RoomAmenity RoomAmenity="74"/>
      <!--74 means non smoking-->
      <RoomAmenity RoomAmenity="158"/>
      <!--158 means CNN is in the room -->
      <RoomAmenity RoomAmenity="123"/>
      <!--123 means wireless internet access-->
    </Criterion>
  </Criteria>
</OTA_HotelSearchRQ>
```

9.25.1.2. Response: Hotel Search

The “Super-HL” system consults its hotel lists and descriptions and builds a list of the hotels corresponding to the requested criteria which is then sent to the “CDEFG” travel agent’s terminal using OTA_HotelSearchRS.

A list of 8 hotels matching all the requested criteria is sent back to the travel agent.

The travel agent provides this hotel list to Miss Wallis and invites her to select the property of her choice from that list.

For each hotel selected the Super-HL system provides the following information:

- Name
- Hotel chain

- Relative position (N-S-E-W) of the hotel from the point of reference requested (Eiffel Tower)
- Distance of the hotel from the point of reference
- Transportation available at the hotel location

The criteria used for the hotel search request are replicated in the response message.

Below is the list of hotels returned by the “Super-HL” system.

Hotel Chain	Hotel name	Radius	Transportation
EU	LE MARQUIS EIFFEL	0.4M-S	Taxi
UI	MONTAIGNE HOTEL	0.7M-E	Taxi
AC	ATEL TROCADERO LA TOUR	0.7M-W	Taxi
EU	EXCLUSIVE SPLENDID EIFFEL	0.7M-E	Taxi
UI	WALDORF CHATEAUBRIAND	1.1M-N	Taxi
HY	HYATT REGENCY PARIS MADELEINE	1.6M-E	Taxi
LE	HOTEL DE BUCI	1.7M-E	Taxi
GW	VICTORIA PALACE HOTEL	2.0M-E	Taxi

OTA_HotelSearchRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelSearchRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelSearchRS.xsd" EchoToken="HL"
Target="Production" Version="1.003" PrimaryLangID="EN-US">
  <Success/>
  <Properties>
    <Property ChainCode="EU" HotelCode="abc123" HotelCityCode="PAR" HotelName="Le Marquis
Eiffel" HotelCodeContext="SH">
      <!--The hotel code is created by the Super-HL system , it is not provided to the customer, it can be
used as a reference for follow up entries sent to the Super-HL system -->
      <RelativePosition Direction="S" Distance="0.4" DistanceUnitName="Mile">
        <Transportations>
          <Transportation TransportationCode="20"/>
          <!--20 represents Taxi as the property's main transportation-->
        </Transportations>
      </RelativePosition>
    </Property>
    <Property ChainCode="UI" HotelCode="abc234" HotelCityCode="PAR" HotelName="Montaigne
Hotel" HotelCodeContext="SH">
      <RelativePosition Direction="E" Distance="0.7" DistanceUnitName="Mile">
        <Transportations>
          <Transportation TransportationCode="20"/>
        </Transportations>
      </RelativePosition>
    </Property>
    <Property ChainCode="AC" HotelCode="abc678" HotelCityCode="PAR" HotelName="Atel Trocadero
La Tour" HotelCodeContext="SH">
      <RelativePosition Direction="W" Distance="0.7" DistanceUnitName="Mile">
        <Transportations>
```

```

        <Transportation TransportationCode="20"/>
      </Transportations>
    </RelativePosition>
  </Property>
  <Property ChainCode="EU" HotelCode="abc999" HotelCityCode="PAR" HotelName="Exclusive
Splendid Eiffel" HotelCodeContext="SH">
    <RelativePosition Direction="E" Distance="0.7" DistanceUnitName="Mile">
      <Transportations>
        <Transportation TransportationCode="20"/>
      </Transportations>
    </RelativePosition>
  </Property>
  <Property ChainCode="UI" HotelCode="gde456" HotelCityCode="PAR" HotelName="Waldorf
Chataubriand" HotelCodeContext="SH">
    <RelativePosition Direction="N" Distance="1.1" DistanceUnitName="Mile">
      <Transportations>
        <Transportation TransportationCode="20"/>
      </Transportations>
    </RelativePosition>
  </Property>
  <Property ChainCode="HY" HotelCode="jkl456" HotelCityCode="PAR" HotelName="Hyatt Regency
Paris Madeleine" HotelCodeContext="SH">
    <RelativePosition Direction="E" Distance="1.6" DistanceUnitName="Mile">
      <Transportations>
        <Transportation TransportationCode="20"/>
      </Transportations>
    </RelativePosition>
  </Property>
  <Property ChainCode="LE" HotelCode="hjk999" HotelCityCode="PAR" HotelName="Hotel De Buci"
HotelCodeContext="SH">
    <RelativePosition Direction="E" Distance="1.7" DistanceUnitName="Mile">
      <Transportations>
        <Transportation TransportationCode="20"/>
      </Transportations>
    </RelativePosition>
  </Property>
  <Property ChainCode="GW" HotelCode="yyy555" HotelCityCode="PAR" HotelName="Victoria Palace
Hotel" HotelCodeContext="SH">
    <RelativePosition Direction="E" Distance="2.0" DistanceUnitName="Mile">
      <Transportations>
        <Transportation TransportationCode="20"/>
      </Transportations>
    </RelativePosition>
  </Property>
</Properties>
<Criteria>
  <Criterion ExactMatch="true">
    <!--The point of reference provided by the customer was the Eiffel Tower-->
    <RefPoint>EIFFEL TOWER</RefPoint>
    <CodeRef LocationCode="23"/>
    <!--the Location code is a "Monument"-->
    <HotelRef HotelCityCode="PAR"/>
    <Radius Distance="2" DistanceMeasure="miles"/>
    <!--The hotel listed should be within 2 miles from the Eiffel Tower-->
    <RoomAmenity RoomAmenity="74"/>
    <!--74 represents non smoking room code-->
    <RoomAmenity RoomAmenity="158"/>
    <!--158 represents CNN available in the room-->
    <RoomAmenity RoomAmenity="123"/>
    <!--123 represents wireless internet access-->
  </Criterion>
</Criteria>
</OTA_HotelSearchRS>

```

9.26. OTA_HotelStats

Statistics provide two separate request/response pairs of messages to support the functionality of updating other systems with statistical data. The first message set assumes a push model, with the reporting system (typically a Property Management System – PMS) pushing the data to the Management Company or Central Reservation Office. The second message set assumes a pull model, where the centralized system requests a specific report (as agreed by trading partners) for a specific fiscal date.

In the push model, the sending system will send a report using the OTA_HotelStatsNotifRQ message. The receiving system will acknowledge its receipt of that report using the OTA_HotelStatsNotifRS message.

In the pull model, the central system will request a report using the OTA_HotelStatsRQ message. In this message, the report and fiscal date are identified. The receiving system (typically a PMS) responds with the OTA_HotelStatsRS message, which includes the report itself. All messages assume the no-state model, meaning that the sending system will initiate the transaction and expect a response from the receiving system. All message responses include the request identification. Responses may be returned in any order.

- **OTA_HotelStatsNotifRQ**—Sends a report to another system. All the elements and attributes are optional, unless otherwise stated as required.
- **OTA_HotelStatsNotifRS**—Returns acknowledgement that the report has been successfully received, or includes Warnings from business processing rules or errors if the request did not succeed.
- **OTA_HotelStatsRQ**—Sends a request for a report to another system. All the elements and attributes are optional, unless otherwise stated as required.
- **OTA_HotelStatsRS**—Returns the requested report if the request can be processed, or includes Warnings from business processing rules or Errors if the request did not succeed.

9.26.1. Use Case 1

This use case was derived from the use case for OTA_HotelStatsNotifRQ/RS. Refer to that section for details on the data being exchanged.

9.26.1.1. Request: RMS requests report previously sent via OTA_HotelStatsNotifRQ message be resent.

The RMS user selects an option to have the RMS send the CRS a request for the previously received report to be resent and reprocessed. This is accomplished by sending the report code and the fiscal date of the report as well as the hotel and chain code in the request message.

OTA_HotelStatsRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelStatsRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelStatsRQ.xsd" EchoToken="963642"
  Timestamp="2004-12-02T09:30:47-05:00" Target="Production" Version="1.002" SequenceNmbr="1"
  PrimaryLangID="en-us">
  <RequestedHotels>
    <RequestedHotel ChainCode="1571" HotelCode="0001" >
      <RequestedReports>
        <RequestedReport FiscalDate="2004-12-01" ReportCode="IDeaSTotalReport_v1.0"/>
      </RequestedReports>
    </RequestedHotel>
  </RequestedHotels>
</OTA_HotelStatsRQ>
```

9.26.1.2. Response: Resend RMS Report

The response message has the same internal structure as the OTA_HotelStatNotifRQ message, with different outside elements to relate it to the request in the OTA_HotelStatRQ message.

OTA_HotelStatsRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelStatsRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
  OTA_HotelStatsRS.xsd" EchoToken="String" Timestamp="2004-12-02T09:30:47-05:00" Target="Production"
  Version="1.002" TransactionIdentifier="String" SequenceNmbr="1" TransactionStatusCode="Start"
  PrimaryLangID="en-us">
  <Success/>
  <Statistics>
    <Statistic ChainCode="1571" HotelCode="0001" FiscalDate="2004-12-01"
    ReportCode="IDeaSCurrentTotalReport_v1.0">
      <StatisticApplicationSets>
        <StatisticApplicationSet Start="2004-12-02" Duration="P1D">
          <StatisticCodes>
            <StatisticCode StatCode="STD" StatCategoryCode="3.SCC"/>
          </StatisticCodes>
          <RevenueCategorySummaries>
            <RevenueCategorySummary RevenueCategoryCode="17.RCC"
            Amount="10987.50"/>
          </RevenueCategorySummaries>
          <CountCategorySummaries>
            <CountCategorySummary SummaryCount="66" CountCategoryCode="8.CNT"/>
            <CountCategorySummary SummaryCount="1" CountCategoryCode="9.CNT"/>
            <CountCategorySummary SummaryCount="0" CountCategoryCode="10.CNT"/>
            <CountCategorySummary SummaryCount="57" CountCategoryCode="11.CNT"/>
            <CountCategorySummary SummaryCount="28" CountCategoryCode="12.CNT"/>
            <CountCategorySummary SummaryCount="21" CountCategoryCode="13.CNT"/>
          </CountCategorySummaries>
        </StatisticApplicationSet>
        <StatisticApplicationSet Start="2004-12-02" Duration="P1D">
          <StatisticCodes>
            <StatisticCode StatCode="DLX" StatCategoryCode="3.SCC"/>
          </StatisticCodes>
          <RevenueCategorySummaries>
            <RevenueCategorySummary RevenueCategoryCode="17.RCC" Amount="2197.50"/>
          </RevenueCategorySummaries>
          <CountCategorySummaries>
```

[illegible]

```

        <CountCategorySummary SummaryCount="0" CountCategoryCode="10.CNT"/>
        <CountCategorySummary SummaryCount="0" CountCategoryCode="11.CNT"/>
        <CountCategorySummary SummaryCount="0" CountCategoryCode="12.CNT"/>
        <CountCategorySummary SummaryCount="0" CountCategoryCode="13.CNT"/>
    </CountCategorySummaries>
</StatisticApplicationSet>
</StatisticApplicationSets>
</Statistic>
</Statistics>
</OTA_HotelStatsRS>

```

9.27. OTA_HotelStatsNotifRQ/RS

- **OTA_HotelStatsNotifRQ**—Sends a report to another system. All the elements and attributes are optional, unless otherwise stated as required.
- **OTA_HotelStatsNotifRS**—Returns acknowledgement that the report has been successfully received, or includes Warnings from business processing rules or errors if the request did not succeed.

9.27.1. Use Case 1

9.27.1.1. Request: Send RMS Inputs

The Reservation System sends IDEaS data on December 2nd 2004 for Inn on Fifth Hotel after completing the end of day process for December 1st, 2004.

In the data set for each property there are two reports: Current Total Data and Current Segment Data. The Current Total Report sends the following values by Room Type for the next 365 days: Room Capacity, Rooms Out of Order, Rooms Not Available (not including Out of Order), Rooms Sold, Room Arrivals, Room Departures, Total Revenue, Room Revenue and F&B (Food and Beverage) Revenue. The Current Segment Report sends the following values by Market Segment and Room Type for the next 365 days: Rooms Sold, Room Arrivals, Room Departures, Total Revenue, Room Revenue, and F&B Revenue.

The data for the first and the last day in each report is as shown in the tables below, as will be in the sample XML files. The column names have been abbreviated to accommodate the tables. Their descriptions are given here:

Arr	Room Arrivals
Cap	Room Capacity
Dep	Room Departures
NFS	Rooms Not Available for Other (Not For Sale)
OccDate	Occupancy Date
OOO	Rooms Not Available for Maintenance (Out Of Order)
RmType	Room Type
Seg	Market Segment
Sold	Rooms Sold
TotRev	Total Revenue

Table 1: Current Total Report

OccDate	RmType	Cap	OOO	NFS	Sold	Arr	Dep	TotRev
2004-12-02	STD	66	1	0	57	28	21	10987.50
2004-12-02	DLX	13	0	0	11	5	4	2197.50
2004-12-02	STE	8	0	0	7	3	2	1465.00
...								
2005-12-01	STD	66	0	0	0	0	0	0.00
2005-12-01	DLX	13	0	0	0	0	0	0.00
2005-12-01	STE	8	0	0	0	0	0	0.00

Table 2: Current Segment Report

OccDate	Seg	RmType	Sold	Arr	Dep	TotRev
2004-12-02	COR	STD	11	6	9	1392.75
2004-12-02	COR	DLX	1	0	1	278.55
2004-12-02	COR	STE	1	0	1	185.70
2004-12-02	DIS	STD	19	12	5	3825.00
2004-12-02	DIS	DLX	3	2	0	765.00
2004-12-02	DIS	STE	2	1	0	510.00
2004-12-02	WS	STD	15	6	4	2114.25
2004-12-02	WS	DLX	2	0	0	422.85
2004-12-02	WS	STE	1	0	0	281.90
...						
2005-12-01	COR	STD	0	0	0	0.00
2005-12-01	COR	DLX	0	0	0	0.00
2005-12-01	COR	STE	0	0	0	0.00
2005-12-01	DIS	STD	0	0	0	0.00
2005-12-01	DIS	DLX	0	0	0	0.00
2005-12-01	DIS	STE	0	0	0	0.00
2005-12-01	WS	STD	0	0	0	0.00
2005-12-01	WS	DLX	0	0	0	0.00
2005-12-01	WS	STE	0	0	0	0.00

OTA_HotelStatsNotifRQ.xml

The XML message shown below is sent from the CRS to the RMS.

The following notes should help understand how the message was composed.

1. There are two Statistic elements indicating two reports are sent.
2. The attribute FiscalDate in both Statistic elements is set to December 1st, 2004 indicating the date just closed by the end of day process.

3. The attribute ReportCode in the first Statistic element is set to IDEaSTotalReport_v1.0 indicating a pre-defined report agreed between the two partners that provides data grouped by Room Types.
4. The attribute ReportCode in the second Statistic element is set to IDEaSMarketReport_v1.0 indicating another pre-defined report agreed between the two partners that provides data grouped by Market Segments and Room Types.
5. There are three StatisticApplicationSet elements in the first report for each date, corresponding to the three room types defined in the system: STD, DLX, and STE.
6. There are nine StatisticApplicationSet elements in the second report for each date. One for each combination of the three Market Segments (COR, DIS, and WS) and the three Room Types (STD, DLX, and STE).
7. There is only one StatisticCode element in each StatisticApplicationSet element in the first report, defining the Room Type code. There are two StatisticCode elements in each StatisticApplicationSet in the second report, one defining the Market Segment code and the other defining the Room Type code.
8. There is only one RevenueCategorySummary element in both reports with the Total Revenue amount, indicated by the value 17.RCC in the RevenueCategoryCode attribute.
9. There are six CountCategorySummary elements in the first report: Physical Capacity (8.CNT), Rooms Out of Order (9.CNT), Rooms not Available (10.CNT), Rooms Sold (11.CNT), Room Arrivals (12.CNT) and Room Departures (13.CNT).
10. There are three CountCategorySummary elements in the second report: Rooms Sold (11.CNT), Room Arrivals (12.CNT) and Room Departures (13.CNT).

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelStatsNotifRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelStatsNotifRQ.xsd"
EchoToken="952698" TimeStamp="2004-12-02T02:30:47-05:00" Target="Production" Version="1.002"
PrimaryLangID="en-us">
  <Statistics>
    <Statistic ChainCode="1571" HotelCode="0001" FiscalDate="2004-12-01"
ReportCode="IDEaSTotalReport_v1.0">
      <StatisticApplicationSets>
        <StatisticApplicationSet Start="2004-12-02" Duration="P1D">
          <StatisticCodes>
            <StatisticCode StatCode="STD" StatCategoryCode="3.SCC"/>
          </StatisticCodes>
          <RevenueCategorySummaries>
            <RevenueCategorySummary RevenueCategoryCode="17.RCC"
Amount="10987.50"/>
          </RevenueCategorySummaries>
          <CountCategorySummaries>
            <CountCategorySummary SummaryCount="66" CountCategoryCode="8.CNT"/>
            <CountCategorySummary SummaryCount="1" CountCategoryCode="9.CNT"/>
            <CountCategorySummary SummaryCount="0" CountCategoryCode="10.CNT"/>
            <CountCategorySummary SummaryCount="57" CountCategoryCode="11.CNT"/>
            <CountCategorySummary SummaryCount="28" CountCategoryCode="12.CNT"/>
            <CountCategorySummary SummaryCount="21" CountCategoryCode="13.CNT"/>
          </CountCategorySummaries>
        </StatisticApplicationSet>
      </StatisticApplicationSets>
    </Statistic>
  </Statistics>
</OTA_HotelStatsNotifRQ>
```

```

</StatisticApplicationSet>
  <StatisticApplicationSet Start="2004-12-02" Duration="P1D">
    <StatisticCodes>
      <StatisticCode StatCode="DLX" StatCategoryCode="3.SCC"/>
    </StatisticCodes>
    <RevenueCategorySummaries>
      <RevenueCategorySummary RevenueCategoryCode="17.RCC" Amount="2197.50"/>
    </RevenueCategorySummaries>
    <CountCategorySummaries>
      <CountCategorySummary SummaryCount="13" CountCategoryCode="8.CNT"/>
      <CountCategorySummary SummaryCount="0" CountCategoryCode="9.CNT"/>
      <CountCategorySummary SummaryCount="0" CountCategoryCode="10.CNT"/>
      <CountCategorySummary SummaryCount="11" CountCategoryCode="11.CNT"/>
      <CountCategorySummary SummaryCount="5" CountCategoryCode="12.CNT"/>
      <CountCategorySummary SummaryCount="4" CountCategoryCode="13.CNT"/>
    </CountCategorySummaries>
  </StatisticApplicationSet>
  <StatisticApplicationSet Start="2004-12-02" Duration="P1D">
    <StatisticCodes>
      <StatisticCode StatCode="STE" StatCategoryCode="3.SCC"/>
    </StatisticCodes>
    <RevenueCategorySummaries>
      <RevenueCategorySummary RevenueCategoryCode="17.RCC" Amount="1465.00"/>
    </RevenueCategorySummaries>
    <CountCategorySummaries>
      <CountCategorySummary SummaryCount="8" CountCategoryCode="8.CNT"/>
      <CountCategorySummary SummaryCount="0" CountCategoryCode="9.CNT"/>
      <CountCategorySummary SummaryCount="0" CountCategoryCode="10.CNT"/>
      <CountCategorySummary SummaryCount="7" CountCategoryCode="11.CNT"/>
      <CountCategorySummary SummaryCount="3" CountCategoryCode="12.CNT"/>
      <CountCategorySummary SummaryCount="2" CountCategoryCode="13.CNT"/>
    </CountCategorySummaries>
  </StatisticApplicationSet>
  <StatisticApplicationSet Start="2005-12-02" Duration="P1D">
    <StatisticCodes>
      <StatisticCode StatCode="STD" StatCategoryCode="3.SCC"/>
    </StatisticCodes>
    <RevenueCategorySummaries>
      <RevenueCategorySummary RevenueCategoryCode="17.RCC" Amount="0.00"/>
    </RevenueCategorySummaries>
    <CountCategorySummaries>
      <CountCategorySummary SummaryCount="66" CountCategoryCode="8.CNT"/>
      <CountCategorySummary SummaryCount="0" CountCategoryCode="9.CNT"/>
      <CountCategorySummary SummaryCount="0" CountCategoryCode="10.CNT"/>
      <CountCategorySummary SummaryCount="0" CountCategoryCode="11.CNT"/>
      <CountCategorySummary SummaryCount="0" CountCategoryCode="12.CNT"/>
      <CountCategorySummary SummaryCount="0" CountCategoryCode="13.CNT"/>
    </CountCategorySummaries>
  </StatisticApplicationSet>
  <StatisticApplicationSet Start="2005-12-02" Duration="P1D">
    <StatisticCodes>
      <StatisticCode StatCode="DLX" StatCategoryCode="3.SCC"/>
    </StatisticCodes>
    <RevenueCategorySummaries>
      <RevenueCategorySummary RevenueCategoryCode="17.RCC" Amount="0.00"/>
    </RevenueCategorySummaries>
    <CountCategorySummaries>
      <CountCategorySummary SummaryCount="13" CountCategoryCode="8.CNT"/>
      <CountCategorySummary SummaryCount="0" CountCategoryCode="9.CNT"/>
      <CountCategorySummary SummaryCount="0" CountCategoryCode="10.CNT"/>
      <CountCategorySummary SummaryCount="0" CountCategoryCode="11.CNT"/>
      <CountCategorySummary SummaryCount="0" CountCategoryCode="12.CNT"/>
      <CountCategorySummary SummaryCount="0" CountCategoryCode="13.CNT"/>
    </CountCategorySummaries>
  </StatisticApplicationSet>
  <StatisticApplicationSet Start="2005-12-02" Duration="P1D">

```

```

    <StatisticCodes>
      <StatisticCode StatCode="STE" StatCategoryCode="3.SCC"/>
    </StatisticCodes>
    <RevenueCategorySummaries>
      <RevenueCategorySummary RevenueCategoryCode="17.RCC" Amount="0.00"/>
    </RevenueCategorySummaries>
    <CountCategorySummaries>
      <CountCategorySummary SummaryCount="8" CountCategoryCode="8.CNT"/>
      <CountCategorySummary SummaryCount="0" CountCategoryCode="9.CNT"/>
      <CountCategorySummary SummaryCount="0" CountCategoryCode="10.CNT"/>
      <CountCategorySummary SummaryCount="0" CountCategoryCode="11.CNT"/>
      <CountCategorySummary SummaryCount="0" CountCategoryCode="12.CNT"/>
      <CountCategorySummary SummaryCount="0" CountCategoryCode="13.CNT"/>
    </CountCategorySummaries>
  </StatisticApplicationSet>
</StatisticApplicationSets>
</Statistic>
<Statistic ChainCode="1571" HotelCode="0001" FiscalDate="2004-12-01"
ReportCode="IDeaSMarketReport_v1.0">
  <StatisticApplicationSets>
    <StatisticApplicationSet Start="2004-12-02" Duration="P1D">
      <StatisticCodes>
        <StatisticCode StatCode="COR" StatCategoryCode="1.SCC"/>
        <StatisticCode StatCode="STD" StatCategoryCode="3.SCC"/>
      </StatisticCodes>
      <RevenueCategorySummaries>
        <RevenueCategorySummary RevenueCategoryCode="17.RCC" Amount="1392.75"/>
      </RevenueCategorySummaries>
      <CountCategorySummaries>
        <CountCategorySummary SummaryCount="11" CountCategoryCode="11.CNT"/>
        <CountCategorySummary SummaryCount="6" CountCategoryCode="12.CNT"/>
        <CountCategorySummary SummaryCount="9" CountCategoryCode="13.CNT"/>
      </CountCategorySummaries>
    </StatisticApplicationSet>
    <StatisticApplicationSet Start="2004-12-02" Duration="P1D">
      <StatisticCodes>
        <StatisticCode StatCode="COR" StatCategoryCode="1.SCC"/>
        <StatisticCode StatCode="DLX" StatCategoryCode="3.SCC"/>
      </StatisticCodes>
      <RevenueCategorySummaries>
        <RevenueCategorySummary RevenueCategoryCode="17.RCC" Amount="278.55"/>
      </RevenueCategorySummaries>
      <CountCategorySummaries>
        <CountCategorySummary SummaryCount="1" CountCategoryCode="11.CNT"/>
        <CountCategorySummary SummaryCount="0" CountCategoryCode="12.CNT"/>
        <CountCategorySummary SummaryCount="1" CountCategoryCode="13.CNT"/>
      </CountCategorySummaries>
    </StatisticApplicationSet>
    <StatisticApplicationSet Start="2004-12-02" Duration="P1D">
      <StatisticCodes>
        <StatisticCode StatCode="COR" StatCategoryCode="1.SCC"/>
        <StatisticCode StatCode="STE" StatCategoryCode="3.SCC"/>
      </StatisticCodes>
      <RevenueCategorySummaries>
        <RevenueCategorySummary RevenueCategoryCode="17.RCC" Amount="185.70"/>
      </RevenueCategorySummaries>
      <CountCategorySummaries>
        <CountCategorySummary SummaryCount="1" CountCategoryCode="11.CNT"/>
        <CountCategorySummary SummaryCount="0" CountCategoryCode="12.CNT"/>
        <CountCategorySummary SummaryCount="1" CountCategoryCode="13.CNT"/>
      </CountCategorySummaries>
    </StatisticApplicationSet>
    <StatisticApplicationSet Start="2004-12-02" Duration="P1D">
      <StatisticCodes>
        <StatisticCode StatCode="DIS" StatCategoryCode="1.SCC"/>
        <StatisticCode StatCode="STD" StatCategoryCode="3.SCC"/>
      </StatisticCodes>

```

```

        </StatisticCodes>
        <RevenueCategorySummaries>
          <RevenueCategorySummary RevenueCategoryCode="17.RCC" Amount="3825.00"/>
        </RevenueCategorySummaries>
        <CountCategorySummaries>
          <CountCategorySummary SummaryCount="19" CountCategoryCode="11.CNT"/>
          <CountCategorySummary SummaryCount="12" CountCategoryCode="12.CNT"/>
          <CountCategorySummary SummaryCount="5" CountCategoryCode="13.CNT"/>
        </CountCategorySummaries>
      </StatisticApplicationSet>
      <StatisticApplicationSet Start="2004-12-02" Duration="P1D">
        <StatisticCodes>
          <StatisticCode StatCode="DIS" StatCategoryCode="1.SCC"/>
          <StatisticCode StatCode="DLX" StatCategoryCode="3.SCC"/>
        </StatisticCodes>
        <RevenueCategorySummaries>
          <RevenueCategorySummary RevenueCategoryCode="17.RCC" Amount="765.00"/>
        </RevenueCategorySummaries>
        <CountCategorySummaries>
          <CountCategorySummary SummaryCount="3" CountCategoryCode="11.CNT"/>
          <CountCategorySummary SummaryCount="2" CountCategoryCode="12.CNT"/>
          <CountCategorySummary SummaryCount="0" CountCategoryCode="13.CNT"/>
        </CountCategorySummaries>
      </StatisticApplicationSet>
      <StatisticApplicationSet Start="2004-12-02" Duration="P1D">
        <StatisticCodes>
          <StatisticCode StatCode="DIS" StatCategoryCode="1.SCC"/>
          <StatisticCode StatCode="STE" StatCategoryCode="3.SCC"/>
        </StatisticCodes>
        <RevenueCategorySummaries>
          <RevenueCategorySummary RevenueCategoryCode="17.RCC" Amount="510.00"/>
        </RevenueCategorySummaries>
        <CountCategorySummaries>
          <CountCategorySummary SummaryCount="2" CountCategoryCode="11.CNT"/>
          <CountCategorySummary SummaryCount="1" CountCategoryCode="12.CNT"/>
          <CountCategorySummary SummaryCount="0" CountCategoryCode="13.CNT"/>
        </CountCategorySummaries>
      </StatisticApplicationSet>
      <StatisticApplicationSet Start="2004-12-02" Duration="P1D">
        <StatisticCodes>
          <StatisticCode StatCode="WS" StatCategoryCode="1.SCC"/>
          <StatisticCode StatCode="STD" StatCategoryCode="3.SCC"/>
        </StatisticCodes>
        <RevenueCategorySummaries>
          <RevenueCategorySummary RevenueCategoryCode="17.RCC" Amount="2114.25"/>
        </RevenueCategorySummaries>
        <CountCategorySummaries>
          <CountCategorySummary SummaryCount="15" CountCategoryCode="11.CNT"/>
          <CountCategorySummary SummaryCount="6" CountCategoryCode="12.CNT"/>
          <CountCategorySummary SummaryCount="4" CountCategoryCode="13.CNT"/>
        </CountCategorySummaries>
      </StatisticApplicationSet>
      <StatisticApplicationSet Start="2004-12-02" Duration="P1D">
        <StatisticCodes>
          <StatisticCode StatCode="WS" StatCategoryCode="1.SCC"/>
          <StatisticCode StatCode="DLX" StatCategoryCode="3.SCC"/>
        </StatisticCodes>
        <RevenueCategorySummaries>
          <RevenueCategorySummary RevenueCategoryCode="17.RCC" Amount="422.85"/>
        </RevenueCategorySummaries>
        <CountCategorySummaries>
          <CountCategorySummary SummaryCount="2" CountCategoryCode="11.CNT"/>
          <CountCategorySummary SummaryCount="0" CountCategoryCode="12.CNT"/>
          <CountCategorySummary SummaryCount="0" CountCategoryCode="13.CNT"/>
        </CountCategorySummaries>
      </StatisticApplicationSet>

```

```

<StatisticApplicationSet Start="2004-12-02" Duration="P1D">
  <StatisticCodes>
    <StatisticCode StatCode="WS" StatCategoryCode="1.SCC"/>
    <StatisticCode StatCode="STE" StatCategoryCode="3.SCC"/>
  </StatisticCodes>
  <RevenueCategorySummaries>
    <RevenueCategorySummary RevenueCategoryCode="17.RCC" Amount="281.90"/>
  </RevenueCategorySummaries>
  <CountCategorySummaries>
    <CountCategorySummary SummaryCount="1" CountCategoryCode="11.CNT"/>
    <CountCategorySummary SummaryCount="0" CountCategoryCode="12.CNT"/>
    <CountCategorySummary SummaryCount="0" CountCategoryCode="13.CNT"/>
  </CountCategorySummaries>
</StatisticApplicationSet>
<StatisticApplicationSet Start="2005-12-02" Duration="P1D">
  <StatisticCodes>
    <StatisticCode StatCode="COR" StatCategoryCode="1.SCC"/>
    <StatisticCode StatCode="STD" StatCategoryCode="3.SCC"/>
  </StatisticCodes>
  <RevenueCategorySummaries>
    <RevenueCategorySummary RevenueCategoryCode="17.RCC" Amount="0.00"/>
  </RevenueCategorySummaries>
  <CountCategorySummaries>
    <CountCategorySummary SummaryCount="0" CountCategoryCode="11.CNT"/>
    <CountCategorySummary SummaryCount="0" CountCategoryCode="12.CNT"/>
    <CountCategorySummary SummaryCount="0" CountCategoryCode="13.CNT"/>
  </CountCategorySummaries>
</StatisticApplicationSet>
<StatisticApplicationSet Start="2005-12-02" Duration="P1D">
  <StatisticCodes>
    <StatisticCode StatCode="COR" StatCategoryCode="1.SCC"/>
    <StatisticCode StatCode="DLX" StatCategoryCode="3.SCC"/>
  </StatisticCodes>
  <RevenueCategorySummaries>
    <RevenueCategorySummary RevenueCategoryCode="17.RCC" Amount="0.00"/>
  </RevenueCategorySummaries>
  <CountCategorySummaries>
    <CountCategorySummary SummaryCount="0" CountCategoryCode="11.CNT"/>
    <CountCategorySummary SummaryCount="0" CountCategoryCode="12.CNT"/>
    <CountCategorySummary SummaryCount="0" CountCategoryCode="13.CNT"/>
  </CountCategorySummaries>
</StatisticApplicationSet>
<StatisticApplicationSet Start="2005-12-02" Duration="P1D">
  <StatisticCodes>
    <StatisticCode StatCode="COR" StatCategoryCode="1.SCC"/>
    <StatisticCode StatCode="STE" StatCategoryCode="3.SCC"/>
  </StatisticCodes>
  <RevenueCategorySummaries>
    <RevenueCategorySummary RevenueCategoryCode="17.RCC" Amount="0.00"/>
  </RevenueCategorySummaries>
  <CountCategorySummaries>
    <CountCategorySummary SummaryCount="0" CountCategoryCode="11.CNT"/>
    <CountCategorySummary SummaryCount="0" CountCategoryCode="12.CNT"/>
    <CountCategorySummary SummaryCount="0" CountCategoryCode="13.CNT"/>
  </CountCategorySummaries>
</StatisticApplicationSet>
<StatisticApplicationSet Start="2005-12-02" Duration="P1D">
  <StatisticCodes>
    <StatisticCode StatCode="DIS" StatCategoryCode="1.SCC"/>
    <StatisticCode StatCode="STD" StatCategoryCode="3.SCC"/>
  </StatisticCodes>
  <RevenueCategorySummaries>
    <RevenueCategorySummary RevenueCategoryCode="17.RCC" Amount="0.00"/>
  </RevenueCategorySummaries>
  <CountCategorySummaries>
    <CountCategorySummary SummaryCount="0" CountCategoryCode="11.CNT"/>

```

```

        <RevenueCategorySummary RevenueCategoryCode="17.RCC" Amount="0.00"/>
      </RevenueCategorySummaries>
    <CountCategorySummaries>
      <CountCategorySummary SummaryCount="0" CountCategoryCode="11.CNT"/>
      <CountCategorySummary SummaryCount="0" CountCategoryCode="12.CNT"/>
      <CountCategorySummary SummaryCount="0" CountCategoryCode="13.CNT"/>
    </CountCategorySummaries>
  </StatisticApplicationSet>
</StatisticApplicationSets>
</Statistic>
</Statistics>
</OTA_HotelStatsNotifRQ>

```

9.27.1.2. Response: Acknowledge RMS Inputs

A response message is sent acknowledging the request message was successful.

OTA_HotelStatsNotifRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelStatsNotifRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelStatsNotifRS.xsd"
  EchoToken="952698" TimeStamp="2004-12-02T02:35:47-05:00" Target="Production" Version="1.002"
  PrimaryLangID="en-us">
  <Success/>
</OTA_HotelStatsNotifRS>

```

9.28. OTA_HotelStayInfoNotifRQ/RS

Stay Information Notification provides a request/response pair of messages to support the functionality of updating other systems with Guest Stay Information. The message set assumes a push model, with the reporting system (typically a Property Management System – PMS) pushing the data to the Management Company or Central Reservation Office that is responsible for accumulating the information.

In the push model, the sending system will send a report using the OTA_HotelStayInfoNotifRQ message. The receiving system will acknowledge its receipt of that report using the OTA_HotelStayInfoNotifRS message. All message responses include the request identification. Responses may be returned in any order.

9.28.1. Use Case 1

9.28.1.1. Request: Hotel Stay Information Notification

Mr. Dieter Gastwart, a Marriott Rewards member, stayed at the J.W. Marriott Hotel Pennsylvania Avenue in Washington, DC from Oct. 18-21. When he checked out of his room, the hotel's PMS (Property Management System) formatted Mr. Gastwart's hotel folio charges, together with those for all the other guests who checked out that day, into the OTA_HotelStayInfoNotifRQ.xsd message that was sent to Marriott Corporate Headquarters that night.

The message provided a breakdown of each guest's charges by type of revenue to allow reporting for each revenue category by hotel, region and brand.

Mr. Gastwart's hotel folio looked like this:

Telephone (10/18)	\$ 1.50
Telephone (10/18)	\$ 1.50
Restaurant (10/18)	\$ 75.00
Parking (10/18)	\$ 28.00
Room (10/18)	\$ 399.00
Room tax (10/18)	\$ 57.86
Room service (10/19)	\$ 27.00
Telephone (10/19)	\$ 1.50
Parking (10/19)	\$ 28.00
Room (10/19)	\$ 399.00
Room tax (10/19)	\$ 57.86
Room service (10/20)	\$ 27.00
Telephone (10/20)	\$ 1.50
Room service (10/20)	\$ 42.00
In-room movie (10/20)	\$ 10.36
Parking (10/20)	\$ 28.00
Room (10/20)	\$ 399.00
Room tax (10/20)	\$ 57.86
<u>Room service (10/21)</u>	<u>\$ 27.00</u>
Total	\$ 1,668.94

OTA_HotelStayInfoNotifRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelStayInfoNotifRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelStayInfoNotifRQ.xsd" TimeStamp="2005-
10-18T09:30:47-05:00" Target="Production" Version="2.000" PrimaryLangID="en-us">
  <StayInfos ChainCode="MI" BrandCode="MC" HotelCode="WASJW" HotelCityCode="WAS" HotelName="JW
Marriott Hotel Pennsylvania Avenue" ChainName="Marriott International" BrandName="Marriott Hotels and Resorts">
    <StayInfo>
      <RevenueCategories>
        <RevenueCategory RevenueCategoryCode="14">
          <!--The RevenueCategoryCode value of 14 indicates this is a Telephone charge-->
```

```

        <RevenueDetails>
          <RevenueDetail TransactionDate="2005-10-18" PMSRevenueCode="40"
Amount="1.50" CurrencyCode="USD">
            <FolioIDs>
              <FolioID>4586</FolioID>
            </FolioIDs>
          </RevenueDetail>
          <RevenueDetail TransactionDate="2005-10-18" PMSRevenueCode="40"
Amount="1.50" CurrencyCode="USD">
            <FolioIDs>
              <FolioID>4586</FolioID>
            </FolioIDs>
          </RevenueDetail>
          <RevenueDetail TransactionDate="2005-10-19" PMSRevenueCode="40"
Amount="1.50" CurrencyCode="USD">
            <FolioIDs>
              <FolioID>4586</FolioID>
            </FolioIDs>
          </RevenueDetail>
          <RevenueDetail TransactionDate="2005-10-20" PMSRevenueCode="40"
Amount="1.50" CurrencyCode="USD">
            <FolioIDs>
              <FolioID>4586</FolioID>
            </FolioIDs>
          </RevenueDetail>
        </RevenueDetails>
      </RevenueCategory>
      <RevenueCategory RevenueCategoryCode="2">
        <!--The RevenueCategoryCode value of 2 indicates this is a Food charge-->
        <RevenueDetails>
          <RevenueDetail TransactionDate="2005-10-18" PMSRevenueCode="50"
Amount="75.00" CurrencyCode="USD">
            <FolioIDs>
              <FolioID>4586</FolioID>
            </FolioIDs>
          </RevenueDetail>
          <RevenueDetail TransactionDate="2005-10-19" PMSRevenueCode="70"
Amount="27.00" CurrencyCode="USD">
            <FolioIDs>
              <FolioID>4586</FolioID>
            </FolioIDs>
          </RevenueDetail>
          <RevenueDetail TransactionDate="2005-10-20" PMSRevenueCode="70"
Amount="27.00" CurrencyCode="USD">
            <FolioIDs>
              <FolioID>4586</FolioID>
            </FolioIDs>
          </RevenueDetail>
          <RevenueDetail TransactionDate="2005-10-20" PMSRevenueCode="70"
Amount="42.00" CurrencyCode="USD">
            <FolioIDs>
              <FolioID>4586</FolioID>
            </FolioIDs>
          </RevenueDetail>
          <RevenueDetail TransactionDate="2005-10-21" PMSRevenueCode="70"
Amount="27.00" CurrencyCode="USD">
            <FolioIDs>
              <FolioID>4586</FolioID>
            </FolioIDs>
          </RevenueDetail>
        </RevenueDetails>
      </RevenueCategory>
      <RevenueCategory RevenueCategoryCode="7">
        <!--The RevenueCategoryCode value of 7 indicates this is a Parking charge-->
        <RevenueDetails>

```

```

        <RevenueDetail TransactionDate="2005-10-18" PMSRevenueCode="83"
Amount="28.00" CurrencyCode="USD">
        <FolioIDs>
        <FolioID>4586</FolioID>
        </FolioIDs>
        </RevenueDetail>
        <RevenueDetail TransactionDate="2005-10-19" PMSRevenueCode="83"
Amount="28.00" CurrencyCode="USD">
        <FolioIDs>
        <FolioID>4586</FolioID>
        </FolioIDs>
        </RevenueDetail>
        <RevenueDetail TransactionDate="2005-10-20" PMSRevenueCode="83"
Amount="28.00" CurrencyCode="USD">
        <FolioIDs>
        <FolioID>4586</FolioID>
        </FolioIDs>
        </RevenueDetail>
    </RevenueDetails>
</RevenueCategory>
<RevenueCategory RevenueCategoryCode="9">
<!--The RevenueCategoryCode value of 9 indicates this is a Room charge-->
    <RevenueDetails>
        <RevenueDetail TransactionDate="2005-10-18" PMSRevenueCode="11"
Amount="399.00" CurrencyCode="USD">
        <FolioIDs>
        <FolioID>4586</FolioID>
        </FolioIDs>
        </RevenueDetail>
        <RevenueDetail TransactionDate="2005-10-19" PMSRevenueCode="11"
Amount="399.00" CurrencyCode="USD">
        <FolioIDs>
        <FolioID>4586</FolioID>
        </FolioIDs>
        </RevenueDetail>
        <RevenueDetail TransactionDate="2005-10-20" PMSRevenueCode="11"
Amount="399.00" CurrencyCode="USD">
        <FolioIDs>
        <FolioID>4586</FolioID>
        </FolioIDs>
        </RevenueDetail>
    </RevenueDetails>
</RevenueCategory>
<RevenueCategory RevenueCategoryCode="12">
<!--The RevenueCategoryCode value of 12 indicates this is a Tax charge-->
    <RevenueDetails>
        <RevenueDetail TransactionDate="2005-10-18" PMSRevenueCode="12"
Amount="57.86" CurrencyCode="USD">
        <FolioIDs>
        <FolioID>4586</FolioID>
        </FolioIDs>
        </RevenueDetail>
        <RevenueDetail TransactionDate="2005-10-19" PMSRevenueCode="12"
Amount="57.86" CurrencyCode="USD">
        <FolioIDs>
        <FolioID>4586</FolioID>
        </FolioIDs>
        </RevenueDetail>
        <RevenueDetail TransactionDate="2005-10-20" PMSRevenueCode="12"
Amount="57.86" CurrencyCode="USD">
        <FolioIDs>
        <FolioID>4586</FolioID>
        </FolioIDs>
        </RevenueDetail>
    </RevenueDetails>
</RevenueCategory>

```

```

        <RevenueCategory RevenueCategoryCode="8">
        <!--The RevenueCategoryCode value of 8 indicates this is a Pay Per View charge-->
        <RevenueDetails>
            <RevenueDetail TransactionDate="2005-10-20" PMSRevenueCode="90"
Amount="10.36" CurrencyCode="USD">
                <FolioIDs>
                    <FolioID>4586</FolioID>
                </FolioIDs>
            </RevenueDetail>
        </RevenueDetails>
        </RevenueCategory>
        <RevenueCategory RevenueCategoryCode="17">
        <!--The RevenueCategoryCode value of 17 indicates this is the Total Revenue-->
        <SummaryAmount Amount="1668.94" CurrencyCode="USD"/>
        </RevenueCategory>
    </RevenueCategories>
    <ReservationID Type="14" ID="71294827"/>
    <!--The Type value of 14 indicates this is a Reservation ID (Confirmation number)-->
    <HotelReservation CreateDateTime="2005-09-17T09:30:47-05:00">
        <RoomStays>
            <RoomStay MarketCode="12CORA">
                <RoomRates>
                    <RoomRate RoomTypeCode="NKNG" NumberOfUnits="1" RatePlanType="4"
RatePlanCode="CORA">
                        <!--RatePlanType value of 4 indicates this is a Corporate rate plan-->
                        <Rates>
                            <Rate EffectiveDate="2005-10-18" ExpireDate="2005-10-21">
                                <Base AmountBeforeTax="399.00" AmountAfterTax="456.86"
CurrencyCode="USD">
                                    <Taxes Amount="57.86" CurrencyCode="USD"/>
                                </Base>
                                <Total AmountBeforeTax="1197.00" AmountAfterTax="1370.58"
CurrencyCode="USD">
                                    <Taxes Amount="173.58" CurrencyCode="USD"/>
                                </Total>
                            </Rate>
                        </Rates>
                    </RoomRate>
                </RoomRates>
                <GuestCounts>
                    <GuestCount Count="1"/>
                </GuestCounts>
            </RoomStay>
        </RoomStays>
        <ResGuests>
            <ResGuest>
                <Profiles>
                    <ProfileInfo>
                        <Profile ProfileType="1">
                            <!--ProfileType value of 1 indicates this is a Guest profile-->
                            <Customer>
                                <PersonName>
                                    <NamePrefix>Mr.</NamePrefix>
                                    <GivenName>Dieter</GivenName>
                                    <Surname>Gastwart</Surname>
                                </PersonName>
                                <Telephone PhoneLocationType="6" PhoneTechType="1"
CountryAccessCode="49" PhoneNumber="89360020" PhoneUseType="4" RPH="0"/>
                                    <!--The PhoneLocationType value of 6 indicates this is a Home phone-->
                                    <!--The PhoneTechType value of 1 indicates this is a Voice phone-->
                                    <!--The PhoneUseType value of 4 indicates this is an Evening Contact phone number-->
                                    <Address Type="1" UseType="2">
                                        <!--The Type value of 1 indicates this is a Home address-->
                                        <!--The UseType value of 2 indicates this is a Mailing address-->
                                        <StreetNmbr>70</StreetNmbr>
                                        <AddressLine>Baslerstrasse</AddressLine>
                                    </Address>
                                </Customer>
                            </ProfileInfo>
                        </Profile>
                    </Profiles>
                </ResGuest>
            </ResGuests>
        </HotelReservation>
    </ReservationID>

```

```

                                <CityName>Munich</CityName>
                                <PostalCode>81476</PostalCode>
                                <CountryName>Germany</CountryName>
                                </Address>
                                <CustLoyalty ProgramID="MRW" MembershipID="123456789"
TravelSector="3" LoyalLevel="Platinum"/>
                                </Customer>
                                </Profile>
                                </ProfileInfo>
                                </Profiles>
                                </ResGuest>
                                </ResGuests>
                                </HotelReservation>
                                </StayInfo>
                                </StayInfos>
                                </OTA_HotelStayInfoNotifRQ>

```

9.28.1.2. Response: Hotel Stay Information Notification

In response to the notification message, Marriott's system returned the OTA_HotelStayInfoNotifRS.xsd message as an acknowledgement that the message was successfully received.

OTA_HotelStayInfoNotifRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelStayInfoNotifRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelStayInfoNotifRS.xsd"
Timestamp="2005-10-18T09:31:49-05:00" Target="Production" Version="1.003" PrimaryLangID="en-us" >
    <Success/>
</OTA_HotelStayInfoNotifRS>

```

9.29. OTA_HotelSummaryNotifRQ/RS

The Hotel Summary Notification message notifies a booking source of the general availability status of the hotel; indicating whether it is Open, Closed, or OnRequest, which means that a hotel is available to take reservations but is limited by restrictions. This notification can be used to update the status of the hotel and may be coupled with other notifications, such as the Booking Rule, Availability, or Rate Amount notifications to convey the general availability, rates, and restrictions in effect at a given time.

The availability status of a hotel may be affected by Yield Management System calculations. On a historical basis, a specific period of time may support higher rates or greater occupancy and thus limit the general availability of the hotel. Rate hurdles establish an open/closed situation based upon the number of units available. If a hotel is open, the Hotel Summary Notification message communicates the minimum and maximum rate at which bookings can be made. As the rates and availability of a hotel property change, status messages are sent frequently (often daily) to reservation sources to notify them of the availability of the hotel for booking purposes.

During a particularly busy time, a hotel may be partially booked with only a few rate plans or room types remaining available. When a travel agent contacts that

hotel to book a reservation for the guest, a message may be returned indicating that the hotel is “On Request”. This means that the property has some availability and the requesting system needs to make another request using a Hotel Availability Request to determine the specific availability. A return of “On Request” indicates that a hotel is not closed, but is sufficiently full that a booking request may fail depending upon what is requested.

9.29.1. Use Case 1

9.29.1.1. Request: Hotel Summary Notification

Marriott International has an agreement with JustInTime Travel to provide snapshots of availability for hotels where there is a specific need for bookings.

The Raleigh, NC area was originally scheduled to be the host city for a national basket weaving exhibition, however, the organization sponsoring it had to cancel the event due to a worldwide shortage of reeds. The Raleigh Marriott Crabtree Valley, host hotel for the exhibition, has a sudden supply of rooms for February 15-21, and wants to notify JustInTime Travel of these “need dates” and the wide availability of discounts to encourage bookings.

The notification message sent to JustInTime Travel provides the dates along with a range of available rates within the date range

OTA_HotelSummaryNotifRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelSummaryNotifRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelSummaryNotifRQ.xsd" ChainCode="MI"
  BrandCode="MC" HotelCode="RDUNC" HotelCityCode="RDU" HotelName="Raleigh Marriott Crabtree Valley"
  ChainName="Marriott International" BrandName="Marriott Hotels and Resorts" TimeStamp="2005-10-18T09:30:47-
05:00" Target="Production" Version="1.002" PrimaryLangID="en-us">
  <HotelSummaryMessages>
    <HotelSummaryMessage Start="2006-02-15" End="2006-02-21" Mon="true" Tue="true" Weds="true"
  Thur="true" Fri="false" Sat="false" Sun="false" StatusType="Open">
      <RateMin Amount="100.00" CurrencyCode="USD"/>
      <RateMax Amount="140.00" CurrencyCode="USD"/>
    </HotelSummaryMessage>
    <HotelSummaryMessage Start="2006-02-17" End="2006-02-19" Mon="false" Tue="false" Weds="false"
  Thur="false" Fri="true" Sat="true" Sun="true" StatusType="Open">
      <RateMin Amount="50.00" CurrencyCode="USD"/>
      <RateMax Amount="90.00" CurrencyCode="USD"/>
    </HotelSummaryMessage>
  </HotelSummaryMessages>
</OTA_HotelSummaryNotifRQ>
```

9.29.1.2. Response: Hotel Summary Notification

In response to the notification message, JustInTime Travel returns the OTA_HotelSummaryNotifRS message as an acknowledgement that the message was successfully received.

OTA_HotelSummaryNotifRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelSummaryNotifRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05 OTA_HotelSummaryNotifRS.xsd" TimeStamp="2005-
10-18T09:31:49-05:00" Target="Production" Version="1.003" PrimaryLangID="en-us">
  <Success/>
</OTA_HotelSummaryNotifRS>
```

9.30. OTA_MeetingProfile

Meeting Profile provides the support for the functionality of creating and updating other systems with meeting profile or group business data. The document assumes a push model, with the sending system pushing the data to another system. The sending system would usually be a meeting source, such as a Sales and Catering system or an RFP site, with the receiving system being a PMS or another Sales and Catering system.

The business model assumes that the sending system either has the authority to take a reservation, or is passing along a message from such a system. The message is a notification of the creation, modification, or cancellation of a meeting, and does not require the receiving system to confirm the booking, only the receipt of the message. The responding system may add its own data (such as its own confirmation ID) and include that data in the response message.

9.30.1. Use Case 1 (TBD)

TBD

9.30.1.1. Request: Hotel Meeting Profile

TBD

OTA_MeetingProfileRQ.xml

TBD

9.30.1.2. Response: Hotel Meeting Profile

TBD

OTA_MeetingProfileRS.xml

TBD

Section 10 —Insurance

10.1. OTA_InsuranceBookRQ/RS

The insurance book request message resembles the insurance quote request in structure and contents. The insurance book request is contained within the <OTA_InsuranceBookRQ> root element and contains one or more <PlanForBookRQ> elements.

The insurance book response returns to the requestor the details about the insurance plan(s) booked as well as confirms the information that was sent with the insurance book request message.

10.1.1. Use Case 1

10.1.1.1. Request: Book Insurance

Jane Smith wants to purchase flight accident insurance for her husband John who will be making one trip that will not last more than 15 days. The cost of the trip is \$480.00 and she wants to purchase \$100,000 worth of coverage. She will be charging the cost of the insurance to John's credit card.

A request message is sent that includes the name of the covered person, the customer purchasing the insurance, address information on both, an emergency contact, and details concerning the required coverage and how it will be charged.

OTA_InsuranceBookRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_InsuranceBookRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_InsuranceBookRQ.xsd" EchoToken="18723222" TimeStamp="2003-03-31T16:13:08Z"
  Target="Production" Version="1.002" SequenceNbr="1569">
  <PlanForBookRQ PlanID="ACME" Type="7">
    <CoveredTravelers>
      <CoveredTraveler>
        <CoveredPerson Relation="Traveler 1" BirthDate="1948-06-13">
          <GivenName>John</GivenName>
          <Surname>Smith</Surname>
        </CoveredPerson>
        <Address>
          <AddressLine>555 Delivery Lane</AddressLine>
          <CityName>Alexandria</CityName>
          <PostalCode>22314</PostalCode>
          <StateProv StateCode="VA"/>
          <CountryName Code="US"/>
        </Address>
        <EmergencyContact Relation="Wife" EmergencyFlag="true">
          <PersonName>
            <GivenName>Jane</GivenName>
            <Surname>Smith</Surname>
          </PersonName>
          <Telephone AreaCityCode="703" PhoneNumber="555-5554"/>
        </EmergencyContact>
      </CoveredTraveler>
    </CoveredTravelers>
  </PlanForBookRQ>
</OTA_InsuranceBookRQ>
```



```

        </EmergencyContact>
        <IndCoverageReqs>
            <IndTripCost Amount="480.00" CurrencyCode="USD"/>
            <FlightAccidentAmount Amount="100000.00" CurrencyCode="USD"/>
        </IndCoverageReqs>
    </CoveredTraveler>
</CoveredTravelers>
<InsCoverageDetail Type="SingleTrip">
    <TotalTripQuantity Quantity="1"/>
    <MaximumTripLength>P15D</MaximumTripLength>
    <TotalTripCost Amount="480.00" CurrencyCode="USD"/>
</InsCoverageDetail>
<InsuranceCustomer>
    <PersonName>
        <GivenName>Jane</GivenName>
        <Surname>Smith</Surname>
    </PersonName>
    <Address>
        <AddressLine>555 Delivery Lane</AddressLine>
        <CityName>Alexandria</CityName>
        <PostalCode>22314</PostalCode>
        <StateProv StateCode="VA"/>
        <CountryName Code="US"/>
    </Address>
    <PaymentForm>
        <PaymentCard CardType="1" CardCode="VI" CardNumber="4111111111111111"
        ExpireDate="0610">
            <CardHolderName>John P. Smith</CardHolderName>
            <Address>
                <StreetNmbr PO_Box="1000">333</StreetNmbr>
                <BldgRoom>1</BldgRoom>
                <AddressLine>John Carlye Street</AddressLine>
                <CityName>Alexandria</CityName>
                <PostalCode>38921</PostalCode>
                <StateProv StateCode="VA"/>
                <CountryName Code="US"/>
            </Address>
        </PaymentCard>
    </PaymentForm>
</InsuranceCustomer>
    <PlanCost Amount="55.25" CurrencyCode="USD">
    </PlanCost>
</PlanForBookRQ>
</OTA_InsuranceBookRQ>

```

10.1.1.2. Response: Book Insurance

The response received includes policy information such as the policy number, effective dates, a breakdown of the costs, and contact information of the insuring company.

OTA_InsuranceBookRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_InsuranceBookRS xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_InsuranceBookRS.xsd" EchoToken="18723222" TimeStamp="2003-03-31T16:13:08Z"
Target="Production" Version="1.002" SequenceNmbr="1569">
    <Success/>
    <PlanForBookRS PlanID="ACME" Type="7">
        <PolicyDetail OrderDate="2003-03-31" EffectiveDate="2003-04-03" ExpireDate="2003-04-30">
            <PolicyNumber Type="14" ID="ACME20031001P">

```

```

    </PolicyNumber>
    <RefNumber Type="16" ID="1011" ID_Context="M.I.S.C Invoice Number">
    </RefNumber>
  </PolicyDetail>
  <PlanCost Amount="55.25" CurrencyCode="USD">
    <BasePremium Amount="50.00" CurrencyCode="USD"/>
    <Charges>
      <Charge TaxInclusive="false" Type="Exclusive">
        <Taxes>
          <Tax Code="21" Amount="1.25" CurrencyCode="USD">
            <TaxDescription Name="2.5% Insurance Tax">
              <Text Formatted="false" Language="En"/>
            </TaxDescription>
          </Tax>
        </Taxes>
      </Charge>
      <Charge TaxInclusive="false" Type="Inclusive" Amount="4.00" CurrencyCode="USD">
        <Description Name="US processing fee">
          <Text Formatted="false" Language="En"/>
        </Description>
      </Charge>
    </Charges>
  </PlanCost>
  <Contact ContactType="CallCenter">
    <Telephone PhoneTechType="1" CountryAccessCode="1" AreaCityCode="800"
    PhoneNumber="555-5556"/>
  </Contact>
  <Contact ContactType="Claims Department">
    <Telephone PhoneTechType="1" CountryAccessCode="1" AreaCityCode="800"
    PhoneNumber="555-5555" Extension="123" DefaultInd="false"/>
    <Address DefaultInd="false">
      <AddressLine>Acme Claims Department</AddressLine>
      <CityName>Alexandria</CityName>
      <PostalCode>22314</PostalCode>
      <StateProv StateCode="VA"/>
      <CountryName Code="US"/>
    </Address>
  </Contact>
</PlanForBookRS>
</OTA_InsuranceBookRS>

```

10.2. OTA_InsurancePlanSearchRQ/RS

The OTA Insurance Plan Search messages provide a method for insurance agents and 3rd party vendors to obtain a list of available insurance products, as well as perform searches to find insurance products that meet certain requirements (length of coverage, number of travelers, residence/citizenship restrictions, etc) from an insurance company or intermediary.

To perform a basic product search to discover what plans are available, an insurance agent or vendor would only need to pass some form of acceptable identification to the insurance provider (insurance agency number, affiliate program id, etc). The basic product search response would return a list of insurance products available to the selling agent, along with full descriptions of the products and insurance providers (if requested).

The Insurance Plan Search message also provides more advanced search functionality. In addition to identification, the searching agent may also indicate length of trip to be insured, specifics about the traveling individuals, benefit

needs, destinations, etc. This more specific product search response would return a group of insurance products that most closely meets the requirements of the search parameters, along with full descriptions of the products and insurance providers (if requested).

10.2.1. Use Case 1

10.2.1.1. Request: Agent Search for Available Plans

An agent (Agent123) of InsComp Insurance Company wants a list of available plans. A request is sent to InsComp to retrieve plans offered. InsComp offers a variety of plans. Not all plans that InsComp offers can be sold by Agent123.

Agent123 sends a request containing his/her agency Id number to the InsComp system responsible for advising on available plans.

OTA_InsurancePlanSearchRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_InsurancePlanSearchRQ TimeStamp="2003-09-11T09:30:47-05:00" Target="Production"
Version="1.002" DetailResponse="0" xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_InsurancePlanSearchRQ.xsd">
  <POS>
    <Source>
      <RequestorID URL="http://www.inscomp.com" Type="20" ID="Agent123">
        <CompanyName>InsComp Insurance Company</CompanyName>
      </RequestorID>
    </Source>
  </POS>
</OTA_InsurancePlanSearchRQ>
```

10.2.1.2. Response: Available Plans

In response, InsComp sends back information on the plans that may be sold by Agent123. There are 6 plans Comprehensive - Silver, Comprehensive - Gold, Comprehensive - Platinum, Emergency Medical Evacuation, Travel Medical - Silver, Travel Medical - Gold. The plan listings expire after 30 days.

OTA_InsurancePlanSearchRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_InsurancePlanSearchRS TimeStamp="2003-09-11T09:30:47-05:00" Target="Production"
Version="1.001" xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_InsurancePlanSearchRS.xsd">
  <Success/>
  <AvailablePlans>
    <AvailablePlan Featured="true" PlanID="ComplnsPlan" Name="Comprehensive Protection Plan"
Type="Silver" TypeID="s" EffectiveDate="2003-09-11" ExpireDate="2003-10-10"/>
    <AvailablePlan Featured="true" PlanID="ComplnsPlan" Name="Comprehensive Protection Plan"
Type="Gold" TypeID="g" EffectiveDate="2003-09-11" ExpireDate="2003-10-10"/>
    <AvailablePlan Featured="true" PlanID="ComplnsPlan" Name="Comprehensive Protection Plan"
Type="Platinum" TypeID="p" EffectiveDate="2003-09-11" ExpireDate="2003-10-10"/>
  </AvailablePlans>
</OTA_InsurancePlanSearchRS>
```

```

    <AvailablePlan Featured="true" PlanID="InsProtPlan I" Name="Insurance Protection Plan I"
EffectiveDate="2003-09-11" ExpireDate="2003-10-10"/>
    <AvailablePlan Featured="false" PlanID="InsProtPlan II" Name="Insurance Protection Plan II"
EffectiveDate="2003-09-11" ExpireDate="2003-10-10"/>
    <AvailablePlan Featured="false" PlanID="MedEvac" Name="Emergency Medical Evacuation Plan"
EffectiveDate="2003-09-11" ExpireDate="2003-10-10"/>
  </AvailablePlans>
</OTA_InsurancePlanSearchRS>

```

10.2.2. Use Case 2

10.2.2.1. Request: Agent Search for Available Plans with Specific Information

An insurance agent (Agent123) is querying an insurance company (InsComp) to learn what travel protection products are available for his clients (John and Jane Doe) who are about to leave on a 15 day vacation. The following information is known: The agency Id assigned by the insurance company to Agent123, the ages of the travelers, and the length of their trip.

Agent123 sends a request to the insurance company containing his/her agency Id number and some specific information about the Doe's upcoming trip. Agent123 has requested that detailed information about the available plans be returned along with the names and identifiers of the insurance products

OTA_InsurancePlanSearchRQ2.xml

```

<OTA_InsurancePlanSearchRQ TimeStamp="2003-09-11T09:30:47-05:00" Target="Production"
Version="1.002" DetailResponse="1" xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_InsurancePlanSearchRQ.xsd">
  <POS>
    <Source>
      <RequestorID URL="http://www.inscomp.com" Type="20" ID="Agent123">
        <CompanyName>InsComp Insurance Company</CompanyName>
      </RequestorID>
    </Source>
  </POS>
  <CoveragePreferences>
    <CoveragePreference CoverageType="7" Covered="1"/>
  </CoveragePreferences>
  <SearchTripInfo>
    <CoveredTrips>
      <CoveredTrip Duration="P0Y0M15D">
        <Destinations>
          <Destination>
            <CountryName Code="FR">France</CountryName>
          </Destination>
        </Destinations>
      </CoveredTrip>
    </CoveredTrips>
  </SearchTripInfo>
  <SearchTravInfo MaxTravelers="2">
    <SearchTravelers>
      <SearchTraveler BirthDate="1967-08-13" Relation="Primary Traveler">
        <Address>
          <StateProv StateCode="VA">Virginia</StateProv>
          <CountryName Code="US">United States of America</CountryName>
        </Address>
        <CitizenCountryName Code="US"/>
      </SearchTraveler>
    </SearchTravelers>
  </SearchTravInfo>
</OTA_InsurancePlanSearchRQ>

```

```

        <IndCoverageReqs>
          <IndTripCost Amount="500.00" CurrencyCode="USD"/>
        </IndCoverageReqs>
      </SearchTraveler>
      <SearchTraveler BirthDate="1969-01-10" Relation="Spouse">
        <Address>
          <StateProv StateCode="VA">Virginia</StateProv>
          <CountryName Code="US">United States of America</CountryName>
        </Address>
        <CitizenCountryName Code="US"/>
        <IndCoverageReqs>
          <IndTripCost Amount="500.00" CurrencyCode="USD"/>
        </IndCoverageReqs>
      </SearchTraveler>
    </SearchTravelers>
  </SearchTravInfo>
</OTA_InsurancePlanSearchRQ>

```

10.2.2.2. Response: Available Plans

The Insurance provider InsComp has identified 2 plans that meet Agent123's criteria (one of which is currently marked as “featured” by InsComp's system) and has included detailed descriptions of the plans as requested by Agent123's search request message

OTA_InsurancePlanSearchRS2.xml

```

<OTA_InsurancePlanSearchRS TimeStamp="2003-09-11T09:30:47-05:00" Target="Production"
Version="1.001" PrimaryLangID="en-us" AltLangID="en-us" xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_InsurancePlanSearchRS.xsd">
  <Success/>
  <AvailablePlans>
    <AvailablePlan PlanID="insprotplan1" Featured="true" Name="Insurance Protection Plan I">
      <PlanDetail>
        <PlanDescription>
          <SubSection>
            <Paragraph>
              <Text>Insurance Protection Plan I is the finest in trip protection insurance
            </Text>
            ...</Text>
          </Paragraph>
        </SubSection>
      </PlanDescription>
      <QuoteDetailURL>http://...</QuoteDetailURL>
      <BookingDetailURL>http://...</BookingDetailURL>
    </PlanDetail>
    <ProviderDetail>
      <ProviderCompany>InsComp Insurance Company</ProviderCompany>
      <ProviderDescription>
        <SubSection>
          <Paragraph>
            <Text>InsComp has recieved the highest ratings form the nations top...</Text>
          </Paragraph>
        </SubSection>
      </ProviderDescription>
    </ProviderDetail>
  </AvailablePlan>
  <AvailablePlan PlanID="insprotplan2" Featured="false" Name="Insurance Protection Plan II">
    <PlanDetail>
      <PlanDescription>
        <SubSection>

```

```

        <Paragraph>
          <Text>Insurance Protection Plan II provides superior protection for your travel
investment ...</Text>
        </Paragraph>
      </SubSection>
    </PlanDescription>
    <QuoteDetailURL>http://...</QuoteDetailURL>
    <BookingDetailURL>http://...</BookingDetailURL>
  </PlanDetail>
  <ProviderDetail>
    <ProviderCompany>InsComp Insurance Company</ProviderCompany>
    <ProviderDescription>
      <SubSection>
        <Paragraph>
          <Text>InsComp has recieved the highest ratings form the nations top...</Text>
        </Paragraph>
      </SubSection>
    </ProviderDescription>
  </ProviderDetail>
</AvailablePlan>
</AvailablePlans>
</OTA_InsurancePlanSearchRS>

```

10.3. OTA_InsuranceQuoteRQ/RS

Unlike other travel services offered by traditional suppliers of travel products (hotels, airlines, etc.), insurance availability is not affected by a limited or finite inventory. Instead, availability is determined by qualification factors (age of travelers, cost of trip, destination, etc.). An insurance availability search is equivalent to a request to an insurance vendor to provide a price for insurance services. The quote response returns pricing information for specific insurance plans carried by the vendor that meet the customer's requirements.

The insurance quote response returns to the requestor a price quotation, as well as details about the insurance company providing the quote, contact people/numbers if the requestor needs more information, any restrictions on the policy, and booking details.

10.3.1. Use Case 1

10.3.1.1. Request: Insurance Quote

John Smith is taking a trip and wants to check on plans/prices for a trip that costs \$480.00. He wants flight protection coverage and flight accident coverage for \$100,000. John sends a request with information concerning the cost of the trip, his date of birth and the type of coverage he wants.

OTA_InsuranceQuoteRQ.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_InsuranceQuoteRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_InsuranceQuoteRQ.xsd" EchoToken="18723222" TimeStamp="2003-10-31T16:13:08"
Target="Production" Version="1.002" SequenceNmbr="1569" PrimaryLangID="en">
  <PlanForQuoteRQ PlanID="ACME" Type="Protection">
    <CoveredTravelers>

```

```

    <CoveredTraveler>
      <CoveredPerson Relation="Traveler 1" BirthDate="1948-06-13">
        <GivenName>John</GivenName>
        <Surname>Smith</Surname>
      </CoveredPerson>
      <Email>JSmith@someServer.com</Email>
      <IndCoverageReqs>
        <IndTripCost Amount="480.00" CurrencyCode="USD"/>
        <FlightAccidentAmount Amount="100000.00" CurrencyCode="USD"/>
      </IndCoverageReqs>
    </CoveredTraveler>
  </CoveredTravelers>
  <InsCoverageDetail Type="SingleTrip">
  </InsCoverageDetail>
  <InsuranceCustomer>
    <PersonName>
      <GivenName>John</GivenName>
      <Surname>Smith</Surname>
    </PersonName>
  </InsuranceCustomer>
</PlanForQuoteRQ>
</OTA_InsuranceQuoteRQ>

```

10.3.1.2. Response: Insurance Quote

A response is returned with the name of the insurance plan, plan restrictions, and a breakdown of the cost of the insurance.

OTA_InsuranceQuoteRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_InsuranceQuoteRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_InsuranceQuoteRS.xsd" EchoToken="18723222" TimeStamp="2003-10-31T16:13:11"
  Target="Production" Version="1.002" SequenceNbr="1569" PrimaryLangID="en">
  <Success/>
  <PlanForQuoteRS PlanID="ACME" Name="ACME Insurance Protection Plan" Type="Protection">
    <QuoteDetail>
      <ProviderCompany CompanyShortName="M.I.S.C. Insurance Agency"/>
      <PlanRestrictions>
        <PlanRestriction Code="111" Name="This plan is only available to US citizens"/>
      </PlanRestrictions>
    </QuoteDetail>
    <InsCoverageDetail Type="SingleTrip">
      <CoverageRequirements>
        <CoverageRequirement CoverageType="12">
          <PolicyLimit Amount="100000.00" CurrencyCode="USD"/>
        </CoverageRequirement>
      </CoverageRequirements>
      <TotalTripCost Amount="480.00" CurrencyCode="USD"/>
    </InsCoverageDetail>
    <PlanCost Amount="55.25" CurrencyCode="USD">
      <BasePremium Amount="50.00" CurrencyCode="USD"/>
      <Charges>
        <Charge TaxInclusive="false" Type="Exclusive">
          <Taxes>
            <Tax Type="Exclusive" Code="21" Amount="1.25" CurrencyCode="USD">
              <TaxDescription Name="There is a 2.5% insurance tax on this policy">
                <Text Formatted="false" Language="en"/>
              </TaxDescription>
            </Tax>
          </Taxes>
        </Charge>
      </Charges>
    </PlanCost>
  </InsCoverageDetail>

```

```
        </Taxes>
      </Charge>
      <Charge TaxInclusive="false" Type="Inclusive" Amount="4.00" CurrencyCode="USD">
        <Description Name=" US Processing fee">
          <Text Formatted="false" Language="en"/>
        </Description>
      </Charge>
    </Charges>
  </PlanCost>
  <Contact ContactType="CallCenter">
    <Telephone PhoneTechType="1" CountryAccessCode="1" AreaCityCode="800"
    PhoneNumber="555-5556"/>
    <CompanyName CompanyShortName="M.I.S.C. Insurance Agency"/>
  </Contact>
</PlanForQuoteRS>
</OTA_InsuranceQuoteRS>
```

Section 11 —PackageTours/HolidayBookings

A package holiday usually consists of a single “pre-defined” offering with or without a choice of basic elements such as transport and accommodation. The business model for this concept is that allocated blocks of transport and accommodation inventory for a ‘season’ or ‘brochure period’, typically ‘Summer’ (May to October) and ‘Winter’ (November to April) are reserved by a tour operator from the supplier. These are combined into package holiday inventory items, and set up and sold from the tour operator’s system. Notification to the original supplier of the take-up of individual inventory items takes place a short period before departure of the customers. The use cases covered in this document relate to the selling by the tour operator of the packages from their internal inventory stock.

A booking can contain any number of itinerary elements, such as transport, accommodation, car rental, extra products or services, special services, extras, etc. Itinerary or journey elements are distinct by type of service and product, place of delivery, date and time the service is offered and can be individually assigned to one or more of the customers involved in the booking.

The parties involved in the current business interactions comprise Travel Agents (on behalf of customers) making enquiries and bookings with the Tour Operators who publish brochures describing the package tours on offer. The normal interaction medium is currently videotex which, due to the limited screen display size (80 characters x 25 lines), requires a considerable number of message pairs to achieve a booking. However, it is well established and extensively used, with some operators taking the majority of their bookings this way. The intention behind creating the same functionality using XML is to increase the efficiency of the booking process, extend the reach of the tour operators’ systems and expand the information available to the customer.

This document covers four scenarios—Package Availability, Package Extras, Package Costing and Package Booking. The Availability phase checks a selected package against the supplier’s system providing full details and item-level prices; the Extras phase identifies additional optional items available with the package, the Costing phase calculates the final price for the customer’s selections and the Booking phase completes the cycle by committing the customer to paying for the holiday and the supplier to providing it. Each scenario can be invoked independently of the others, subject to the necessary minimum information being supplied in the request message.

11.1. OTA_PkgAvailRQ/RS

The Package Availability Request message is designed to establish whether a specific package is available for a specific date and duration for a given number of customers (who may be subdivided by category e.g., Adult, Child etc.).

If the request is satisfied, the enquirer will be provided with a priced breakdown of the package elements.

If the request is not satisfied because one or more elements of the package are not available, the enquirer may be provided with a selection of alternatives for that element.

The business use case (see below) that supports this message identifies a customer or agent (person or system acting on behalf of the customer) who requests the availability status of a specific occurrence of a package. The first step in this use case is for the enquirer to supply the details of the package, the stay and the party composition.

The steps of the use case proceed as follows:

- The customer or agent requests the availability of a specific package for a date and duration for a number of passengers.
- The system returns a priced package summary detailing all possible combinations of facilities (where appropriate).

The data returned at step 2 is used as the basis for the Package Booking Request.

Additional data that accompanies the response message may include information, which may affect the enquirer's decision on whether to book the package, e.g., building works, unavailable facilities etc.

Where the supplier system is unable to provide costs for all combinations, it may return a basic priced summary with details of the availability of facilities from which the customer must make a choice and submit a revised request in order to get a full costing.

Possible business processing errors include:

- One or more components of the package cannot satisfy the number of passengers for the date and duration requested. The system may return a list of possible alternative components and if the enquirer chooses one from the list as a substitute the use case will restart from step 1.

11.1.1. Use Case 1

11.1.1.1. Request: Availability for a Specific Package Holiday

A customer has been looking at a holiday brochure for tour operator TakeYouThere. They visit the Getaway agency (ABTA Code 01253) to check if the package K01904 consisting of the Victoria Playa Hotel in Santo Tomas, Minorca with flights between London Gatwick and Mahon is available for 2 adults, and one child aged 5 for 14 nights from June 20, 2005.

The agent establishes that the tour operator's code for the hotel is MINAMA and for the flight is 42213 and sends a package availability request message to TakeYouThere.

OTA_PkgAvailRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_PkgAvailRQ
  xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_PkgAvailRQ.xsd" Target="Production" Version="3.000" TimeStamp="2005-04-08T21:10:30"
  EchoToken="7656">
  <POS>
    <Source AgentSine="ABC" AgentDutyCode="49682">
      <RequestorID Type="4" ID="01253">
        </RequestorID>
      </Source>
    </POS>
    <PackageRequest ID="K09104" TravelCode="42213" TourCode="MINAMA" ProductCode="K">
      <DateRange Start="2005-06-20" Duration="P14N"/>
    </PackageRequest>
    <CustomerCounts>
      <CustomerCount Code="10" Quantity="2"/>
      <!-- Code 10 indicates an adult -->
      <CustomerCount Code="8" Quantity="1" Age="5"/>
      <!-- Code 8 indicates a child -->
    </CustomerCounts>
  </OTA_PkgAvailRQ>
```

11.1.1.2. Response: Availability Information for a Specific Holiday Package

The TakeYouThere system responds with routing information and seat availability for the requested flight, and information describing the hotel and its available meal plans and rooms. The outbound flight series is 42213 and inbound 42713, with flight numbers BY232A and By232B respectively. The brochured basic adult price is £595, but the holiday is currently being sold for £575 and the first child is free. Two room types are available at the hotel, a TWIN3 is included in the price and a DB4BK is available at a supplement. The standard board arrangement is half board, whilst all inclusive is available for £12.50 per night.

OTA_PkgAvailRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_PkgAvailRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_PkgAvailRS.xsd" TimeStamp="2005-04-08T21:10:30" EchoToken="7656" Target="Production"
  Version="3.000" CurrencyCode="GBP">
  <Success/>
  <Package ID="K09104" TravelCode="42213" TourCode="MINAMA" BoardCode="HB" ExtrasInd="true">
    <DateRange Start="2005-06-20" Duration="P7N"/>
    <PriceInfo Code="10" CodeContext="Adult Brochure Price" Amount="595.00" OtherPrice="575.00"
      OtherPriceDescription="Adult Selling Price"/>
    <PriceInfo Code="8" CodeContext="First Child Price" Amount="0.00"/>
    <ItineraryItems>
      <ItineraryItem ItinerarySequence="1">
        <Flight DepartureDateTime="2005-06-20T06:00:00" ArrivalDateTime="2005-06-20T08:30:00"
          DepartureDay="Mon" TravelCode="42213">
          <DepartureAirport LocationCode="LGW"/>
          <ArrivalAirport LocationCode="MAH"/>
          <OperatingAirline Code="BY" FlightNumber="232A"/>
        </Flight>
      </ItineraryItem>
      <ItineraryItem ItinerarySequence="2">
```

```

        <Accommodation ResortName="Santo Tomas" ResortCode="000308"
DestinationCode="00122" DestinationName="Minorca">
        <Identity BrandCode="SFA" BrandName="Superfamily" HotelCode="002775"
HotelName="Victoria Playa" PropertyClassType="20"/>
        <DateRange Start="2005-06-20" Duration="P7N">
        </DateRange>
        <RoomProfiles>
        <RoomProfile RoomType="TWIN3" RoomTypeCode="BC045" Quantity="1"
Description="Twin with 3 beds, PB, WC, BL and CS" MinOccupancy="2" MaxOccupancy="3"
FreeChildFlag="true">
        <RoomAmenity RoomAmenity="10"/>
        </RoomProfile>
        <RoomProfile RoomType="DB4BK" RoomTypeCode="LH045" Quantity="1"
Description="Double room with additional bunk beds, PB, WC, BL, CS" MinOccupancy="2"
MaxOccupancy="4" FreeChildFlag="true">
        <RoomAmenity RoomAmenity="130"/>
        <Prices>
        <Price PriceBasis="Per person per night" Amount="2.50"/>
        </Prices>
        </RoomProfile>
        </RoomProfiles>
        <MealPlans>
        <MealPlan Code="HB" Plan="Half Board"/>
        <MealPlan Code="AI" Plan="All Inclusive">
        <Prices>
        <Price PriceBasis="Per person per night" Amount="12.50"/>
        </Prices>
        </MealPlan>
        </MealPlans>
        </Accommodation>
    </ItineraryItem>
    <ItineraryItem ItinerarySequence="3">
    <Flight DepartureDateTime="2004-06-27T11:00:00" ArrivalDateTime="2004-06-27T13:10:00"
DepartureDay="Mon" TravelCode="42713">
    <DepartureAirport LocationCode="MAH"/>
    <ArrivalAirport LocationCode="LGW"/>
    <OperatingAirline Code="BY" FlightNumber="232B"/>
    </Flight>
    </ItineraryItem>
</ItineraryItems>
<Cautions>
    <Caution ID="E001">BUNK BEDS IN FAMILY ROOMS ARE SUITABLE FOR CHILDREN UP TO
12 YRS</Caution>
    <Caution ListOfItineraryItemRPH="2" ID="E002">INTERCONNECTING ROOMS MUST BE
BOOKED AS A PAIR</Caution>
    <Caution ListOfItineraryItemRPH="2" ID="E003">BED SHARING NOT PERMITTED</Caution>
    <Caution ListOfItineraryItemRPH="1 3" ID="E004">IN-FLIGHT MEALS ARE OPTIONAL AND
MUST BE PRE-BOOKED</Caution>
</Cautions>
</Package>
</OTA_PkgAvailRS>

```

11.2. OTA_PkgBookRQ/RS

The Package Booking messages are designed to make a confirmed booking of a package holiday whose availability may or may not have been checked. An <ActionType> qualifier is available to modify the default 'Book' request to simply return a quotation or make a provisional reservation pending authorization of payment details.

If the 'Book' action request by a direct customer is satisfied, the enquirer may be requested to provide contact and payment details. On authorization of the payment details, the enquirer will be provided with a booking reference (and, optionally, invoice details for printing).

The book message pair is used to make the actual booking and respond with enough information to create a holiday invoice and itinerary. The booking request message can have a number of states, a straight-forward booking, an option booking or confirmation of an option booking. The response can therefore be either a complete booking response or an option booking response.

11.2.1. Use Case 1

11.2.1.1. Request: Booking Request

This example shows a booking request for the Jones family traveling on package K09104 to Minorca to stay at the Victoria Playa selling code MINAMA and flying from Gatwick to Mahon on flight series 42213 on the 20th June 2005. The family has booked using a travel agent - Getaway Travel that has an ABTA number of 01253 and a password of 49628. The agent making the booking is Ann Cook with initials ABC. The family has opted for a DB4BK room in the hotel. They have booked several extras, Mr. Jones an adult flight meal, Mrs. Jones a vegetarian flight meal and Miss Jones a child flight meal. They have also chosen to book a fridge. The family has supplied details of their own insurance through Norwich Union.

OTA_PkgBookRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_PkgBookRQ
  xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_PkgBookRQ.xsd" Target="Production" Version="3.000" ActionType="Book">
  <POS>
    <Source AgentSine="ABC" AgentDutyCode="49682">
      <RequestorID Type="4" ID="01253">
        </RequestorID>
      </Source>
    </POS>
    <PackageRequest ID="K09104" TravelCode="42213" TourCode="MINAMA" BoardCode="HB">
      <DateRange Start="2005-06-20" Duration="P7N"/>
      <ItineraryItems>
        <ItineraryItem>
          <Accommodation>
            <DateRange/>
            <RoomProfiles>
              <RoomProfile RoomType="DB4BK" RoomTypeCode="LH045">
                <PassengerRPHs ListOfPassengerRPH="1 2 3"/>
              </RoomProfile>
            </RoomProfiles>
          </Accommodation>
        </ItineraryItem>
      </ItineraryItems>
      <Extras>
        <Extra Code="AFM" Quantity="1" Type="MLS" ListOfPassengerRPH="1"/>
      </Extras>
    </PackageRequest>
  </OTA_PkgBookRQ>
```

```

        <Extra Code="VEG" Quantity="1" Type="MLS" ListOfPassengerRPH="2"/>
        <Extra Code="CFM" Quantity="1" Type="MLS" ListOfPassengerRPH="3"/>
        <Extra Code="LCS" Quantity="1" Type="EXT"/>
    </Extras>
</PackageRequest>
<ContactDetail ContactType="Agent">
    <PersonName>
        <GivenName>Ann</GivenName>
        <Surname>Cook</Surname>
    </PersonName>
    <Telephone PhoneNumber="01483 461257"/>
    <CompanyName CompanyShortName="Getaway Travel"/>
</ContactDetail>
<PassengerListItems>
    <PassengerListItem RPH="1" InsuranceRPH="1" Age="34" LeadCustomerInd="true">
        <Name>
            <NamePrefix>Mr</NamePrefix>
            <GivenName>J</GivenName>
            <Surname>Jones</Surname>
        </Name>
    </PassengerListItem>
    <PassengerListItem RPH="2" InsuranceRPH="1" Age="34">
        <Name>
            <NamePrefix>Mrs</NamePrefix>
            <GivenName>K</GivenName>
            <Surname>Jones</Surname>
        </Name>
    </PassengerListItem>
    <PassengerListItem RPH="3" InsuranceRPH="1" Age="5" BirthDate="2000-05-01">
        <Name>
            <NamePrefix>Miss</NamePrefix>
            <GivenName>S</GivenName>
            <Surname>Jones</Surname>
        </Name>
    </PassengerListItem>
</PassengerListItems>
<OwnInsuranceChoices>
    <OwnInsuranceChoice InsuranceCompany="Norwich" PolicyNmbr="21/84932VR">
    </OwnInsuranceChoice>
</OwnInsuranceChoices>
</OTA_PkgBookRQ>

```

11.2.1.2. Response: Booking Confirmation

This message will be used in response to either a normal booking request or the confirmation of a previously held option booking. The message gives a complete itinerary, passenger listing and costing for the holiday and may be used to produce a confirmation invoice by the travel agent.

OTA_PkgBookRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_PkgBookRS
    xmlns="http://www.opentravel.org/OTA/2003/05"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_PkgBookRS.xsd" Target="Production" Version="5" CurrencyCode="GBP" DecimalPlaces="2">
    <Success/>
    <PackageReservation>
        <POS>
            <Source AgentSine="ABC">
                <RequestorID Type="4" ID="01253">

```

```

        </RequestorID>
    </Source>
</POS>
<UniqueID Type="1" ID="8943102">
    <CompanyName Code="TYT" CompanyShortName="TakeYouThere"/>
</UniqueID>
<Package ID="K09104" TravelCode="42213" TourCode="MINAMA" BoardCode="HB">
    <DateRange Start="2005-06-20" Duration="P7N"/>
    <ItineraryItems>
        <ItineraryItem ItinerarySequence="1">
            <Flight DepartureDateTime="2005-06-20T06:00:00" ArrivalDateTime="2005-06-
20T08:30:00" DepartureDay="Mon" TravelCode="42213">
                <DepartureAirport LocationCode="LGW"/>
                <ArrivalAirport LocationCode="MAH"/>
                <OperatingAirline Code="BY" FlightNumber="232A"/>
            </Flight>
        </ItineraryItem>
        <ItineraryItem ItinerarySequence="2">
            <Accommodation ResortCode="000308" ResortName="Santo Tomas"
DestinationCode="000123" DestinationName="Minorca">
                <Identity BrandCode="SFA" HotelCode="002775" HotelName="Victoria Playa"
BrandName="Superfamily" PropertyClassType="20"/>
                <DateRange Start="2005-06-20" Duration="P7N">
                    </DateRange>
                <RoomProfiles>
                    <RoomProfile RoomType="BD4BK" RoomTypeCode="LH045" Quantity="1"
Description="Double room with additional bunk beds, PB, WC, BL and CS" MinOccupancy="2"
MaxOccupancy="4">
                        <PassengerRPHs ListOfPassengerRPH="1 2 3"/>
                    </RoomProfile>
                </RoomProfiles>
            </Accommodation>
        </ItineraryItem>
        <ItineraryItem ItinerarySequence="3">
            <Flight DepartureDateTime="2005-06-27T11:00:00" ArrivalDateTime="2005-06-
27T13:10:00" DepartureDay="Mon" TravelCode="42713">
                <DepartureAirport LocationCode="MAH"/>
                <ArrivalAirport LocationCode="LGW"/>
                <OperatingAirline Code="BY" FlightNumber="232B"/>
            </Flight>
        </ItineraryItem>
    </ItineraryItems>
    <Extras>
        <Extra Code="AFM" Quantity="1" Name="Adult Flight Meal" ListOfPassengerRPH="1"/>
        <Extra Code="VEG" Quantity="1" Name="Vegetariant Flight Meal"
ListOfPassengerRPH="2"/>
        <Extra Code="CFM" Quantity="1" Name="Child Flight Meall" ListOfPassengerRPH="3"/>
        <Extra Code="LCS" Quantity="1" Name="Fridge Hire in Room"/>
    </Extras>
</Package>
<ContactDetail ContactType="Agent">
    <PersonName>
        <GivenName>Ann</GivenName>
        <Surname>Cook</Surname>
    </PersonName>
    <Telephone PhoneNumber="01483 461257"/>
    <CompanyName CompanyShortName="Getaway Travel"/>
</ContactDetail>
<PassengerListItems>
    <PassengerListItem RPH="1" InsuranceRPH="1" Age="34" LeadCustomerInd="true">
        <Name>
            <GivenName>J</GivenName>
            <Surname>Jones</Surname>
            <NameTitle>Mr</NameTitle>
        </Name>
    </PassengerListItem>

```

```

    <PassengerListItem RPH="2" InsuranceRPH="1" Age="34">
      <Name>
        <GivenName>K</GivenName>
        <Surname>Jones</Surname>
        <NameTitle>Mrs</NameTitle>
      </Name>
    </PassengerListItem>
    <PassengerListItem RPH="3" InsuranceRPH="1" Age="5" BirthDate="2000-05-01">
      <Name>
        <GivenName>S</GivenName>
        <Surname>Jones</Surname>
        <NameTitle>Miss</NameTitle>
      </Name>
    </PassengerListItem>
  </PassengerListItems>
  <OwnInsuranceChoices>
    <OwnInsuranceChoice InsuranceCompany="Norwich Union" PolicyNmbr="21/8493VR">
    </OwnInsuranceChoice>
  </OwnInsuranceChoices>
  <InvoiceDetail>
    <CostingItems>
      <CostingItem Description="Basic Holiday Price" Quantity="2">
        <UnitCost Amount="595.00"/>
        <ExtendedCost Amount="1190.00"/>
      </CostingItem>
      <CostingItem Description="Saving" Quantity="2">
        <UnitCost Amount="-20.00"/>
        <ExtendedCost Amount="-40.00"/>
      </CostingItem>
      <CostingItem Description="First Child Price" Quantity="1">
        <UnitCost Amount="0.00"/>
        <ExtendedCost Amount="0.00"/>
      </CostingItem>
      <CostingItem Description="Room Charges" Quantity="3">
        <UnitCost Amount="17.50"/>
        <ExtendedCost Amount="52.50"/>
      </CostingItem>
      <CostingItem Description="Adult Flight Meal" Quantity="2">
        <UnitCost Amount="10.00"/>
        <ExtendedCost Amount="20.00"/>
      </CostingItem>
      <CostingItem Description="Child Flight Meal" Quantity="1">
        <UnitCost Amount="5.00"/>
        <ExtendedCost Amount="5.00"/>
      </CostingItem>
      <CostingItem Description="Extras" Quantity="1">
        <UnitCost Amount="17.50"/>
        <ExtendedCost Amount="17.50"/>
      </CostingItem>
    </CostingItems>
    <GrossAmount Amount="1245.00"/>
    <DepositAmount Amount="330.00"/>
    <AgentCommission Amount="124.50"/>
    <BalanceDueAmount Amount="915.00" PaymentDueDate="2005-04-25"/>
  </InvoiceDetail>
</PackageReservation>
</OTA_PkgBookRS>

```

11.3. OTA_PkgExtrasInfoRQ/RS

The Extra Facilities Information request and response is used to provide information on the extra facilities available for a holiday. Extra facilities cover a

number of categories of holiday add-ons including flight meals, transfer options, insurance, car hire and upgraded flight seats. The fact that extra facilities are available for a given package is shown by the ExtrasInd="True" being present in the Package section of the Availability Check Response message.

The selling of Extra facilities is bound by a number of rules that are embedded in TakeYouThere system which are best explained using examples.

- If one person in the party chooses an extra then all the party must have that extra as, e.g. sitting together on a flight must be bought by all of the people on the booking.
- If one person in the party chooses an extra, then everyone in the party must choose from one of a group of extras. For example a number of different flight meals are available and if one person wants a flight meal all the party must choose from one of them.
- The booking of one extra is dependent on another. For example a child car seat can only be booked if car hire has been selected.

The Grouping, ApplyTo and RuleCode attributes of the extras message are used to describe these rules.

The Extra Facilities Information request and response is used to provide information on the extra facilities available for a holiday. Extra facilities cover a number of categories of holiday add-ons including flight meals, transfer options, insurance, car hire and upgraded flight seats. The fact that extra facilities are available for a give package is shown by the ExtrasInd="True" being present in the Package section of the Availability Check Response message.

The selling of Extra facilities is bound by a number of rules that are embedded in TakeYouThere system which are best explained using examples.

- If one person in the party chooses an extra then all the party must have that extra as, e.g. sitting together on a flight must be bought by all of the people on the booking.
- If one person in the party chooses an extra, then everyone in the party must choose from one of a group of extras. For example a number of different flight meals are available and if one person wants a flight meal all the party must choose from one of them.
- The booking of one extra is dependent on another. For example a child car seat can only be booked if car hire has been selected.

The Grouping, ApplyTo and RuleCode attributes of the extras message are used to describe these rules.

11.3.1. Use Case 1

11.3.1.1. Request: A request for extra facilities for an available Package Holiday

This example shows the request for extra facilities available on the Jones family's chosen holiday to the Victoria Playa Hotel in Santo Tomas, Minorca. The request message is relatively simple as it just contains details of chosen package, departure date, passenger types and ages as appropriate.

OTA_PkgExtrasInfoRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_PkgExtrasInfoRQ
  xmlns="http://www.opentravel.org/OTA/2003/05" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
  OTA_PkgExtrasInfoRQ.xsd" Target="Production" Version="1.000">
  <POS>
    <Source AgentSine="ABC" AgentDutyCode="49682">
      <RequestorID Type="4" ID="01253">
        </RequestorID>
      </Source>
    </POS>
    <PackageRequest ID="K09104" TravelCode="42213" TourCode="MINAMA">
      <DateRange Start="2005-06-20" Duration="P7N"/>
    </PackageRequest>
    <PassengerListItems>
      <PassengerListItem Code="10" Quantity="2"/>
      <PassengerListItem Code="8" Quantity="1" Age="5"/>
    </PassengerListItems>
  </OTA_PkgExtrasInfoRQ>
```

11.3.1.2. Response: Extra facilities for an available Package Holiday

The response message to the previous request for information on extra facilities available on the package K09104 to the Victoria Playa in Santo Tomas, Minorca. The extras are of a number of different types:

- MLS – Flight Meals. Optional, but if one customer chooses to have a meal then all customers in the party must choose a meal from the group.
- RQS – Special Request. No guaranteed requests that a customer can make for their holiday. These are non-chargable and optional.
- INS – Insurance. Optional for all passengers, but they can only choose one from the group.
- ECR – Car hire, totally optional and selectable.
- Transfers. Optional for all passengers, but if one person on the booking requires a transfer then everyone on the booking must choose the same transfer.

OTA_PkgExtrasInfoRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_PkgExtrasInfoRS
```

```

xmlns="http://www.opentravel.org/OTA/2003/05" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_PkgExtrasInfoRS.xsd" Target="Production" Version="1.000" CurrencyCode="GBP">
  <Success/>
  <PackageInfo ID="K09104" TravelCode="42213" TourCode="MINAMA">
    <DateRange Start="2005-06-20" Duration="P7N"/>
  </PackageInfo>
  <ExtraGroups>
    <ExtraGroup Code="M" SelectionType="Optional" RuleCode="OneOf" ListofExtrasRPH="1 2 3 4"/>
    <ExtraGroup Code="A" SelectionType="Optional" RuleCode="OneOf" ListofExtrasRPH="7 8"/>
    <ExtraGroup Code="T" SelectionType="Optional" RuleCode="OneOf" ListofExtrasRPH="9 10"/>
    <ExtraGroup Code="C" SelectionType="Optional" RuleCode="AnyOf" ListofExtrasRPH="10 11 12"/>
  </ExtraGroups>
  <Extras>
    <Extra RPH="1" Code="AFM" Type="MLS" GroupCode="M" Name="Adult Flight Meal"
SelectionType="Optional" RuleCode="OneOf" ApplyTo="SelectedPax">
      <Criteria StockControlledInd="false"/>
      <Periods>
        <Period>
          <Price Code="10" Amount="10.00" PriceBasis="Per person"/>
        </Period>
      </Periods>
    </Extra>
    <Extra RPH="2" Code="VEG" Type="MLS" GroupCode="M" Name="Vegetarian Flight Meal"
SelectionType="Optional" RuleCode="OneOf" ApplyTo="SelectedPax">
      <Criteria StockControlledInd="false"/>
      <Periods>
        <Period>
          <Price Code="10" Amount="10.00" PriceBasis="Per person"/>
        </Period>
      </Periods>
    </Extra>
    <Extra RPH="3" Code="DFM" Type="MLS" GroupCode="M" Name="Diabetic Flight Meal"
SelectionType="Optional" RuleCode="OneOf" ApplyTo="SelectedPax">
      <Criteria StockControlledInd="false"/>
      <Periods>
        <Period>
          <Price Code="10" Amount="10.00" PriceBasis="Per person"/>
        </Period>
      </Periods>
    </Extra>
    <Extra RPH="4" Code="CFM" Type="MLS" GroupCode="M" Name="Child Flight Meal"
SelectionType="Optional" RuleCode="OneOf" ApplyTo="SelectedPax">
      <Criteria StockControlledInd="false"/>
      <Periods>
        <Period>
          <Price Code="10" Amount="5.00" PriceBasis="Per person"/>
        </Period>
      </Periods>
    </Extra>
    <Extra RPH="5" Code="#L" Type="RQS" Name="Low Floor" SelectionType="Optional"
ApplyTo="AllPax">
    </Extra>
    <Extra RPH="6" Code="#P" Type="RQS" Name="Quiet Room" SelectionType="Optional"
ApplyTo="AllPax">
    </Extra>
    <Extra RPH="7" Code="GLD" Type="INS" GroupCode="A" Name="Gold Insurance"
SelectionType="Optional" RuleCode="OneOf" ApplyTo="SelectedPax">
      <Periods>
        <Period>
          <Price Code="10" Amount="32.00" PriceBasis="Per person"/>
          <Price Code="8" Amount="24.00" PriceBasis="Per person"/>
          <Price Code="11" Amount="40.00" PriceBasis="Per person"/>
          <Price Code="7" Amount="0.00" PriceBasis="Per person"/>
        </Period>
      </Periods>
  </Extras>

```

```

    </Extra>
    <Extra RPH="8" Code="SIL" Type="INS" GroupCode="A" Name="Silver Insurance"
SelectionType="Optional" RuleCode="OneOf" ApplyTo="SelectedPax">
      <Periods>
        <Period>
          <Price Code="10" Amount="24.00" PriceBasis="Per person"/>
          <Price Code="8" Amount="18.00" PriceBasis="Per person"/>
          <Price Code="11" Amount="30.00" PriceBasis="Per person"/>
          <Price Code="7" Amount="0.00" PriceBasis="Per person"/>
        </Period>
      </Periods>
    </Extra>
    <Extra RPH="9" Code="TRA" Type="EXT" GroupCode="T" Name="Coach Transfer"
SelectionType="Removeable" RuleCode="OneOf" ApplyTo="AllPax">
      <Periods>
        <Period>
          <Price Amount="0.00" PriceBasis="Per person"/>
        </Period>
      </Periods>
    </Extra>
    <Extra RPH="10" Code="HMZ" Type="EXT" GroupCode="T" Name="Taxi Transfer (Max 2 Adults)"
SelectionType="Optional" RuleCode="OneOf" ApplyTo="AllPax">
      <Periods>
        <Period Category="Car">
          <Price Amount="60.00" PriceBasis="Per use"/>
        </Period>
      </Periods>
    </Extra>
    <Extra RPH="11" Code="ECA" Type="ECR" GroupCode="C" Name="EuropCar A - 3 days"
SelectionType="Optional">
      <Criteria MinimumAge="21" MaximumAge="70" StockControlledInd="false"/>
      <Periods>
        <Period Duration="P3N" Category="Car">
          <Price Amount="59.00" PriceBasis="Per use"/>
        </Period>
      </Periods>
      <ExtraLocationInfo Location="7"/>
      <!-- Code 7 indicates City centre/Resort -->
    </Extra>
    <Extra RPH="12" Code="ECB" Type="ECR" GroupCode="C" Name="EuropCar B - 3 days"
SelectionType="Optional">
      <Criteria MinimumAge="21" MaximumAge="70" StockControlledInd="false"/>
      <Periods>
        <Period Duration="P3N" Category="Car">
          <Price Amount="79.00" PriceBasis="Per use"/>
        </Period>
      </Periods>
      <ExtraLocationInfo Location="7"/>
    </Extra>
  </Extras>
</OTA_PkgExtrasInfoRS>

```

11.4. OTA_PkgCostRQ/RS

The Package Cost messages are designed to get a final costing for the package and extras selected by the customer. The message is expected to be used iteratively, so that several cost message pairs can be used as the customer makes selections of options or room types or extras until they are satisfied with their holiday costing. The cost response message contains full details of the holiday so that it is clear exactly what will be booked.

11.4.1. Use Case 1

11.4.1.1. Request: A Costing Request for an available Package Holiday

Once again this uses the example of the Jones Family, two adults and one child aged 5, travelling to on package K09104 with a selling code of MINAMA on outbound flight 42213 on the 20th June 2005. The holiday is for 7 nights. The family has chosen to upgrade to a DB4BK room to give them more space. They have their own insurance from Norwich Union and do not require the tour operators insurance. The family chose to book a fridge in the room and a set of flight meals, an adult meal for Mr Jones, a vegetarian meal for Mrs Jones and a child meal for Miss Jones.

OTA_PkgCostRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_PkgCostRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_PkgCostRQ.xsd" Version="1.000" ActionType="Quote" Target="Production">
  <POS>
    <Source AgentSine="ABC" AgentDutyCode="49682">
      <RequestorID Type="4" ID="01253"/>
    </Source>
  </POS>
  <PackageRequest ID="K09104" TravelCode="42213" TourCode="MINAMA" BoardCode="HB">
    <DateRange Start="2005-06-20" Duration="P7N"/>
    <ItineraryItems>
      <ItineraryItem RPH="2">
        <Accommodation>
          <DateRange/>
          <RoomProfiles>
            <RoomProfile RoomType="DB4BK" RoomTypeCode="LH045" Quantity="1">
              <PassengerRPHs ListOfPassengerRPH="1 2 3"/>
            </RoomProfile>
          </RoomProfiles>
        </Accommodation>
      </ItineraryItem>
    </ItineraryItems>
    <Extras>
      <Extra Code="AFM" Quantity="1" Type="MLS" ListOfPassengerRPH="1"/>
      <Extra Code="VEG" Quantity="1" Type="MLS" ListOfPassengerRPH="2"/>
      <Extra Code="CFM" Quantity="1" Type="MLS" ListOfPassengerRPH="3"/>
      <Extra Code="LCS" Quantity="1" Type="EXT"/>
    </Extras>
  </PackageRequest>
  <PassengerListItems>
    <PassengerListItem RPH="1" Code="10" LeadCustomerInd="true">
      <PassengerListItem>
    </PassengerListItem>
    <PassengerListItem RPH="2" Code="10">
      <PassengerListItem>
    </PassengerListItem>
    <PassengerListItem RPH="3" Code="8" Age="5" BirthDate="2000-05-01">
      <PassengerListItem>
    </PassengerListItem>
  </PassengerListItems>
</OTA_PkgCostRQ>
```

11.4.1.2. Response: A costing for an available Package Holiday

Costing for the Jones family holiday to the Victoria Playa in Minorca. They have chosen to upgrade to a DB4BK room and have elected to take flight meals and book a fridge. The costing is broken down into different elements that make up the total price.

OTA_PkgCostRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_PkgCostRS
  xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_PkgCostRS.xsd" Target="Production" Version="1.000" CurrencyCode="GBP">
  <Success/>
  <Package ID="K09109" TravelCode="42213" TourCode="MINAMA" BoardCode="HB">
    <DateRange Start="2005-06-20" Duration="P7N"/>
    <ItineraryItems>
      <ItineraryItem ItinerarySequence="1" ChronologicalSequence="1">
        <Flight DepartureDateTime="2005-06-20T06:00:00" ArrivalDateTime="2005-06-20T08:30:00"
          DepartureDay="Mon" TravelCode="42213">
          <DepartureAirport LocationCode="LGW"/>
          <ArrivalAirport LocationCode="MAH"/>
          <OperatingAirline Code="BY" FlightNumber="232A"/>
        </Flight>
      </ItineraryItem>
      <ItineraryItem ItinerarySequence="2" ChronologicalSequence="2">
        <Accommodation ResortName="Santo Tomas" ResortCode="000308">
          <Identity PropertyClassType="20" BrandCode="SFA" BrandName="Superfamily"
            HotelCode="002775" HotelName="Victoria Playa Hotel"/>
          <DateRange Start="2005-06-20"/>
          <RoomProfiles>
            <RoomProfile RoomType="DB4BK" RoomTypeCode="LH045" Quantity="1"
              Description="Double room with 3 extra bunk beds, with PB, WC, BL and CS." MinOccupancy="2"
              MaxOccupancy="4" FreeChildFlag="1">
              <PassengerRPHs ListOfPassengerRPH="1 2 3"/>
            </RoomProfile>
          </RoomProfiles>
        </Accommodation>
      </ItineraryItem>
      <ItineraryItem ItinerarySequence="3" ChronologicalSequence="3">
        <Flight DepartureDateTime="2005-06-27T11:00:00" ArrivalDateTime="2005-06-27T13:10:00"
          DepartureDay="Mon" TravelCode="47213">
          <DepartureAirport LocationCode="PMI"/>
          <ArrivalAirport LocationCode="MAH"/>
          <OperatingAirline Code="BY" FlightNumber="232B"/>
        </Flight>
      </ItineraryItem>
    </ItineraryItems>
    <Extras>
      <Extra Code="AFM" Quantity="1" Name="Adult Flight Meal"/>
      <Extra Code="VEG" Quantity="1" Name="Vegetarian Flight Meal"/>
      <Extra Code="CFM" Quantity="1" Name="Child Flight Meal"/>
      <Extra Code="LCS" Quantity="1" Name="Fridge in Room"/>
    </Extras>
    <CostSummary>
      <CostingItems>
        <CostingItem Description="Basic Holiday Price" Quantity="2">
          <UnitCost Amount="595.00"/>
          <ExtendedCost Amount="1190.00"/>
        </CostingItem>
        <CostingItem Description="Saving" Quantity="2">
          <UnitCost Amount="-20.00"/>
          <ExtendedCost Amount="-40.00"/>
        </CostingItem>
      </CostingItems>
    </CostSummary>
  </Package>
</OTA_PkgCostRS>
```

```
</CostingItem>
<CostingItem Description="First Child Price" Quantity="1">
  <UnitCost Amount="0.00"/>
  <ExtendedCost Amount="0.00"/>
</CostingItem>
<CostingItem Description="Room Charges" Quantity="3">
  <UnitCost Amount="17.50"/>
  <ExtendedCost Amount="52.50"/>
</CostingItem>
<CostingItem Description="Adult Flight Meal" Quantity="2">
  <UnitCost Amount="10.00"/>
  <ExtendedCost Amount="20.00"/>
</CostingItem>
<CostingItem Description="Child Flight Meals" Quantity="1">
  <UnitCost Amount="5.00"/>
  <ExtendedCost Amount="5.00"/>
</CostingItem>
<CostingItem Description="Extras" Quantity="1">
  <UnitCost Amount="17.50"/>
  <ExtendedCost Amount="17.50"/>
</CostingItem>
</CostingItems>
<GrossAmount Amount="1245.00"/>
<DepositAmount Amount="330.00"/>
<AgentCommission Amount="124.50"/>
<BalanceDueAmount Amount="915.00" PaymentDueDate="2005-04-25"/>
</CostSummary>
</Package>
</OTA_PkgCostRS>
```

Section 12 — Travel Itinerary Messages

The Travel Industry has successfully enjoyed the benefits of feature rich electronic data exchange among global trading partners for decades. The Travel Itinerary message (or Passenger Name Record—PNR) is widely used to integrate, manage and service travel content—which includes: Air, Car, Hotels, Rail, and Tour & Cruise. The following is a list of travel content information traditionally contained within the Travel Itinerary (included but not limited to):

- Personal Traveler Related Information—Name, Address, Phone, etc.
- Booked Travel Segments—Air, Car, Hotel, Tour/Cruise, etc.
- Ticketing, Pricing & Form of Payment Information
- Special Service Request and Remark Details
- Travel Itinerary or PNR Synchronization
- Complete Travel Itinerary Book Request
- Travel Itinerary Update/Modify
- Travel Itinerary Cancel/Ignore

12.1. OTA_TravelItineraryRQ/RS

The Travel Itinerary message is a combination of existing, OTA XML Schemas (XML components or XML Schema fragments) with some additional components encapsulated as one large XML Schema—the ‘TravelItinerary’. The OTA_TravelItineraryRS message model builds upon the component assets via loosely coupling associations between them (either hierarchically or by attribute references) to maximize both flexibility and reusability.

A request to read (retrieve) a Travel Itinerary is issued using the OTA_TravelItineraryReadRQ message with a unique ID referencing the itinerary.

The response to a read request, OTA_TravelItineraryRS may contain a <SpecialServices> element at both the itinerary item level and higher itinerary level. Such hierarchy provides a clear means to associate a specific service element with one item or to multiple items. This contextual association pattern also applies to the pricing elements <ItemPricing> and <ItineraryPricing>, which directly relate to specific item pricing or subtotal pricing of items respectively. Additionally, content which is related to (e.g., not reserved or owned by) a specific OTA travel itinerary message can be referenced via the <AssocItem> element. This element is modeled much like itinerary items where, unique patterns of contextually related service and pricing options can be applied.

12.1.1. Use Case 1

12.1.1.1. Request: Read Travel Itinerary

Betty Johnson, owner/employee of U-Own-The-World Travel, uses the Atlas12000 GDS booking application installed on her desktop platform. Bob Jones, has requested a copy of his upcoming business trip itinerary from Betty, whom he booked the trip through. Betty, using the super slick GUI interface selects Bob's GDS reservation number (UOTWT0122321) from a list, enters it into the interface and clicks a single button.

OTA_TravellitineraryReadRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_TravellitineraryReadRQ TimeStamp="2003-02-24T11:43:57" PrimaryLangID="en" Version="1.002"
xmlns="http://www.opentravel.org/OTA/2003/05" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_TravellitineraryReadRQ.xsd">
  <POS>
    <Source>
      <RequestorID Type="5" ID="UOTWT0122321"/>
    </Source>
  </POS>
  <UniqueID Type="14" ID="M839LW"/>
</OTA_TravellitineraryReadRQ>
```

12.1.1.2. Response: Travel Itinerary Information

By the miracle of XML and the GDS API, Bob's itinerary is returned to the booking app., 'massaged', sent to Betty's screen for visual confirmation as well as to her local printer and Bob's email address.

OTA_TravellitineraryReadRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_TravellitineraryRS xmlns="http://www.opentravel.org/OTA/2003/05"
TimeStamp="2003-02-24T11:44:00"
PrimaryLangID="en" Version="2.001"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_TravellitineraryRS.xsd">
  <Success/>
  <Travellitinerary>
    <ItineraryRef Type="14" ID="M839LW"/>
    <CustomerInfos>
      <CustomerInfo RPH="01">
        <Customer>
          <PersonName>
            <NamePrefix>Mr.</NamePrefix>
            <GivenName>Robert</GivenName>
            <MiddleName>Anthony</MiddleName>
            <Surname>Jones</Surname>
          </PersonName>
          <Telephone PhoneNumber="2241630" AreaCityCode="302" Extension="5574"/>
          <Email>rajones@somewhere.org</Email>
          <Address FormattedInd="true">
            <StreetNmbr PO_Box="P.O. Box 77">1452 S. 13th St. N.W.</StreetNmbr>
```

```

        <CityName>Westfinster</CityName>
        <PostalCode>90210</PostalCode>
        <StateProv>NY</StateProv>
        <CountryName>US</CountryName>
    </Address>
</Customer>
    <AgencyAcctNumber Type="5" ID="UOTWT0122321"/>
</CustomerInfo>
</CustomerInfos>
<ItineraryInfo>
    <ReservationItems ChronoOrdered="true">
        <Item RPH="01" ItinSeqNumber="01">
            <Air DepartureDateTime="2003-03-03T08:00:00" FlightNumber="942"
ResBookDesigCode="Y">
                <DepartureAirport LocationCode="DEN"/>
                <ArrivalAirport LocationCode="ORD"/>
                <MarketingAirline>UA</MarketingAirline>
                <Seats>
                    <Seat Number="07A" Characteristic="Window" CustomerRPH="01"/>
                </Seats>
            </Air>
        </Item>
        <Item RPH="02" ItinSeqNumber="02">
            <Air DepartureDateTime="2003-03-03T13:00:00" FlightNumber="3545"
ResBookDesigCode="Y">
                <DepartureAirport LocationCode="ORD"/>
                <ArrivalAirport LocationCode="YUL"/>
                <OperatingAirline>AC</OperatingAirline>
                <MarketingAirline>UA</MarketingAirline>
                <Seats>
                    <Seat Number="08B" Characteristic="Aisle" CustomerRPH="01"/>
                </Seats>
            </Air>
        </Item>
        <Item RPH="03" ItinSeqNumber="05">
            <Air DepartureDateTime="2003-03-10T08:00:00" FlightNumber="5568">
                <DepartureAirport LocationCode="YUL"/>
                <ArrivalAirport LocationCode="BOS"/>
                <OperatingAirline>AC</OperatingAirline>
                <MarketingAirline>UA</MarketingAirline>
                <Seats>
                    <Seat Number="3D" Characteristic="Window" CustomerRPH="01"/>
                </Seats>
            </Air>
        </Item>
        <Item RPH="04" ItinSeqNumber="06">
            <Air DepartureDateTime="2003-03-10T10:30:00" FlightNumber="5542">
                <DepartureAirport LocationCode="ORD"/>
                <ArrivalAirport LocationCode="DEN"/>
                <MarketingAirline>UA</MarketingAirline>
                <Seats>
                    <Seat CustomerRPH="01" Number="23B"/>
                </Seats>
            </Air>
        </Item>
        <Item RPH="05" ItinSeqNumber="04">
            <Hotel>
                <Reservation>
                    <RoomTypes>
                        <RoomType RoomTypeCode="KNGSTE" NumberOfUnits="1"/>
                    </RoomTypes>
                    <RoomRates>
                        <RoomRate>
                            <Rates>
                                <Rate AgeQualifyingCode="10" MinAge="18" EffectiveDate="2003-
03-03" ExpireDate="2003-03-10">

```

```

        <Base AmountAfterTax="1495.00" CurrencyCode="CAD"/>
    </Rate>
</Rates>
</RoomRate>
</RoomRates>
<GuestCounts>
    <GuestCount AgeQualifyingCode="10" Count="1"/>
</GuestCounts>
<TimeSpan Start = "2003-03-03" End = "2003-03-10"/>
<BasicPropertyInfo ChainCode="HH" HotelCityCode="YUL" HotelName="Hilton
Bonaventure"/>
    </Reservation>
</Hotel>
</Item>
<Item RPH="06" ItinSeqNumber="03">
    <Vehicle>
        <ConfID Type="14" ID="02138525448412"/>
        <VehRentalCore PickupDateTime="2003-03-03T15:30:00" ReturnDateTime="2003-
03-10T06:00:00">
            <PickUpLocation LocationCode="YUL">Montreal Dorval
Airport</PickUpLocation>
            <ReturnLocation LocationCode="YUL">Montreal Dorval Airport</ReturnLocation>
        </VehRentalCore>
        <Vehicle AirConditionInd="true" TransmissionType="Automatic">
            <VehType VehicleCategory="CAR" DoorCount="4"/>
            <VehClass Size="FUL"/>
            <VehMakeModel Name="Ford Taurus"/>
        </Vehicle>
        <RentalRate>
            <RateDistance Unlimited="true" DistUnitName="Mile"
VehiclePeriodUnitName="Week"/>
        </RentalRate>
        <TotalCharge RateTotalAmount="345.00" CurrencyCode="CAD"/>
    </Vehicle>
</Item>
</ReservationItems>
<Ticketing TicketType="eTicket" eTicketNumber="30465876954325" PlatingCarrier="UAL"/>
<ItineraryPricing ItemRPH_List="01 02 03 04">
    <Cost AmountAfterTax="745.00" CurrencyCode="USD"/>
</ItineraryPricing>
<SpecialRequestDetails>
    <SpecialServiceRequests>
<SpecialServiceRequest FlightRefNumberRPHList="01" TravelerRefNumberRPHList="01"
SSRCode="VGML">
        <Airline Code="UA">United Airlines</Airline>
    </SpecialServiceRequest>
</SpecialServiceRequests>
</SpecialRequestDetails>
</ItineraryInfo>
<TravelCost>
    <FormOfPayment>
        <PaymentCard CardNumber="3151002645983754" ExpireDate="1205" CardType="MC">
            <CardHolderName>ROBERT A. JONES</CardHolderName>
        </PaymentCard>
    </FormOfPayment>
    <CostTotals AmountAfterTax="1957.92" CurrencyCode="USD"/>
</TravelCost>
<UpdatedBy>
    <Access ID="U09932147"/>
</UpdatedBy>
</TravellItinerary>
</OTA_TravellItineraryRS>

```

Section 13 —Rail Messages

13.1. OTA_RailAvailRQ/RS

The Rail availability request provides the ability to request rail services between two station pairs on a specific date, for a specific number of passengers of a particular passenger type. The request can be narrowed to request availability for a specific train number, and can include fares (where applicable) or just scheduled service.

Optional request information can include:

- Time / Time Window
- Time / Time Window for return journey
- Connecting cities / Number of connections
- Fare Types
- Discount or Promotional codes that may apply to the fare
- Client Preferences (class of service, sleeper cars)
- Maximum number of responses desired

The Availability Response message contains train availability for a station pair on a specific date. A set of origin and destination options is returned, each of which contains one or more (connecting) trains that serve the city pair. The message is intended to provide all the information necessary to travelers to make informed accurate selections prior to booking.

Each option may contain the following:

- Class codes for the class of service or amenities
- Special vendor comments for the city pair
- Whether or not seats can be selected
- On time percentage for the train
- Number and type of passengers
- Fare for each passenger type
- Total Fare for all passengers
- Currency

Because of the wide range of capabilities and requirements in various rail inventory management systems, a number of optional details that relate to the fare rules and restrictions may be returned.

13.1.1. Use Case 1

13.1.1.1. Request: Rail Schedule

Someone requests a timetable for the journey between Glasgow and Marylebone via Birmingham, to arrive in Marylebone between 8 and 10 am on the 6th of December, and departing for the return journey between 10pm and midnight the same day. A maximum of three alternatives is required.

There should be no more than one train change and the response should include company GNER and exclude company Arriva.

OTA_RailAvailRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_RailAvailRQ TimeStamp="2003-11-06T10:25:30" EchoToken="7656" Target="Production"
Version="1.002" MaxResponses="3" ResponseType="Schedules"
xmlns="http://www.opentravel.org/OTA/2003/05" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_RailAvailRQ.xsd">
  <POS>
    <Source>
      <RequestorID Type="22" ID="JQIR2004"/>
    </Source>
  </POS>
  <RailAvailInfo MaxChanges="1">
    <OriginDestinationInformation>
      <ArrivalDateTime WindowBefore="PT2H">2003-12-06T10:00:00</ArrivalDateTime>
      <OriginLocation LocationCode="GLC" CodeContext="CRS"/>
      <DestinationLocation LocationCode="MYB" CodeContext="CRS"/>
      <ConnectionLocations>
        <ConnectionLocation LocationCode="BHM" CodeContext="CRS" Inclusive="true"
PreferLevel="Preferred" ConnectionInfo="Via"/>
      </ConnectionLocations>
    </OriginDestinationInformation>
    <ReturnDateTime>
      <DepartureDateTime WindowAfter="PT2H">2003-12-06T22:00:00</DepartureDateTime>
    </ReturnDateTime>
    <RailPrefs>
      <OperatorPref CompanyShortName="GNER" PreferLevel="Preferred"/>
      <OperatorPref CompanyShortName="Arriva" PreferLevel="Unacceptable"/>
    </RailPrefs>
  </RailAvailInfo>
</OTA_RailAvailRQ>
```

13.1.1.2. Response: Schedule Information

The response is returned with the requested information.

OTA_RailAvailRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_RailAvailRS TimeStamp="2003-11-06T10:25:30" EchoToken="7656" Target="Production"
Version="1.002" ResponseType="Schedules" xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_RailAvailRS.xsd">
  <Success/>
  <OriginDestinationOptions>
```

```

    <OriginDestinationOption>
      <OriginLocation LocationCode="GLC" CodeContext="CRS">Glasgow Central</OriginLocation>
      <DestinationLocation LocationCode="MYB"
CodeContext="CRS">Marylebone</DestinationLocation>
      <Journeys>
        <Journey RouteCode="10000">
          <OriginLocation LocationCode="GLC" CodeContext="CRS">Glasgow
Central</OriginLocation>
          <DestinationLocation LocationCode="BHM" CodeContext="CRS">Birmingham
Central</DestinationLocation>
          <JourneySegments>
            <JourneySegment>
              <TrainSegment DepartureDateTime="2003-12-06T10:15:00"
ArrivalDateTime="2003-12-06T14:15:00" StopQuantity="5" CrossBorder="false" SeatAssignable="true">
                <DepartureStation>
                  <Details LocationCode="GLC" CodeContext="CRS"
Staffed="true">Glasgow Central</Details>
                  <OperationSchedules>
                    <OperationSchedule Start="2002-06-30T00:00:00" End="2003-12-
23T00:00:00">
                      <OperationTimes>
                        <OperationTime Mon="true" Tue="true" Weds="true"
Thur="true" Fri="true" Sat="true" Sun="true"/>
                      </OperationTimes>
                    </OperationSchedule>
                  </OperationSchedules>
                </DepartureStation>
                <ArrivalStation>
                  <Details LocationCode="BHM" CodeContext="CRS"
Staffed="true">Birmingham Central</Details>
                  <OperationSchedules>
                    <OperationSchedule Start="2002-06-30T00:00:00" End="2003-12-
23T00:00:00">
                      <OperationTimes>
                        <OperationTime Mon="true" Tue="true" Weds="true"
Thur="true" Fri="true" Sat="true" Sun="true"/>
                      </OperationTimes>
                    </OperationSchedule>
                  </OperationSchedules>
                </ArrivalStation>
                <MarketingCompany CompanyShortName="GNER"/>
                <Equipment Code="EMU"/>
                <ClassCodes>
                  <ClassCode Code="2"/>
                </ClassCodes>
              </TrainSegment>
            </JourneySegment>
          </JourneySegments>
        </Journey>
      </Journeys>
    </OriginDestinationOption>
  </OriginDestinationOptions>
</OTA_RailAvailRS>

```

13.2. OTA_RailBookRQ/RS

The Book Request message requests a train reservation on a specific rail service provider for travel between two or more stations on specific dates for a specific number and type of passengers in specific classes of service. The optional request information can include:

- Train number
- Departure date and time
- Seat Type, including the direction the seat faces
- Traveler name(s)
- Rate type
- Form of payment
- Delivery address

The Book Response message validates whether or not the booking was successful, provides warning information regarding the booking and itinerary elements including a rail reservation number or “PNR”.

13.2.1. Use Case 1

13.2.1.1. Request: Rail Reservation Booking

The traveler sends a request to book a reservation for a journey between Washington DC and Miami Florida 17 December 2003 on Train 91. A standard Y class has been selected for single traveler. The traveler is paying by an American Express credit card and appropriate personal information is given to complete the booking.

OTA_RailBookRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_RailBookRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_RailBookRQ.xsd"
  EchoToken="183529" TimeStamp="2003-12-16T09:30:47-05:00" Target="Production" Version="1.002"
  SequenceNbr="1" PrimaryLangID="en-us" AltLangID="en-us">
  <POS>
    <Source>
      <RequestorID Type="22" ID="JQIR2004"/>
    </Source>
  </POS>
  <RailBookInfo>
    <OriginDestinationOptions>
      <OriginDestinationOption>
        <TrainSegments>
          <TrainSegment DepartureDateTime="2003-12-17T09:30:47-05:00" TrainNumber="91">
            <DepartureStation LocationCode="WAS" CodeContext="Amtrak"/>
            <ArrivalStation LocationCode="MIA" CodeContext="IATA"/>
            <ClassCode Code="Y" Quantity="1"/>
          </TrainSegment>
        </TrainSegments>
      </OriginDestinationOption>
    </OriginDestinationOptions>
  </RailBookInfo>
</OTA_RailBookRQ>
```

```

        </TrainSegments>
      </OriginDestinationOption>
    </OriginDestinationOptions>
    <TravelerNames>
      <TravelerName>
        <NamePrefix>Mr.</NamePrefix>
        <GivenName>Thomas</GivenName>
        <Surname>Krotchko</Surname>
      </TravelerName>
    </TravelerNames>
    <RateQualifier PromotionCode="123456"/>
    <Fulfillment>
      <DeliveryAddress>
        <AddressLine>508 Brighton</AddressLine>
        <CityName>Brookville</CityName>
        <PostalCode>22222</PostalCode>
        <StateProv StateCode="MD"/>
        <CountryName Code="US"/>
      </DeliveryAddress>
    </Fulfillment>
    <PaymentForm>
      <PaymentCard CardType="AMX" CardNumber="970000000000002" ExpireDate="0400">
        <CardHolderName>Thomas Krotchko</CardHolderName>
        <CardIssuerName BankID="American Express"/>
        <Address>
          <AddressLine>508 Brighton</AddressLine>
          <CityName>Brookville</CityName>
          <PostalCode>20833</PostalCode>
          <County>US</County>
          <StateProv StateCode="MD"/>
        </Address>
      </PaymentCard>
    </PaymentForm>
  </RailBookInfo>
</OTA_RailBookRQ>

```

13.2.1.2. Response: Booking Confirmed

The response to the request is an indication of success, essentially echoing the RQ information for train and passenger information. Pricing information in this case indicates there is no tax for rail tickets.

Also included in the response is station information where available.

Amtrak city codes are not all IATA compliant and are marked as such in the CodeContext.

OTA_RailBookRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_RailBookRS EchoToken="183529" TimeStamp="2003-12-16T09:30:47-05:00" Target="Production"
Version="1.002" SequenceNmbr="1" PrimaryLangID="en-us" AltLangID="en-us"
xmlns="http://www.opentravel.org/OTA/2003/05" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_RailBookRS.xsd">
  <Success/>
  <RailReservation>
    <BookingID Type="PNR" ID="134DA1"/>
    <Itinerary>
      <OriginandDestinations>
        <OriginandDestination>
          <OriginLocation LocationCode="WAS" CodeContext="AMTRAK"/>

```



```

        <DestinationLocation LocationCode="MIA" CodeContext="IATA"/>
        <TrainSegments>
          <TrainSegment DepartureDateTime="2003-12-17T09:30:47-05:00"
ArrivalDateTime="2003-12-18T05:00:47-05:00" TrainNumber="91" StopQuantity="9"
JourneyDuration="P1Y2M3DT10H30M" SmokingAllowed="false" CrossBorder="false" BookStatus="active"
TicketStatus="ticketed">
            <DepartureStation>
              <Details LocationCode="WAS" CodeContext="AMTRAK" Staffed="1"
TicketPrinter="1" SST_Machine="1" USTimeZone="E"/>
              <Address>
                <AddressLine>60 Mass. Ave.</AddressLine>
                <CityName>Washington</CityName>
                <PostalCode>20002</PostalCode>
                <County>US</County>
                <StateProv StateCode="DC">Washington, DC</StateProv>
                <CountryName Code="US"/>
              </Address>
              <Telephone CountryAccessCode="001" AreaCityCode="800"
PhoneNumber="USA-RAIL"/>
            </DepartureStation>
            <ArrivalStation>
              <Details LocationCode="MIA" CodeContext="IATA" Staffed="1"
TicketPrinter="1" SST_Machine="false" USTimeZone="E"/>
            </ArrivalStation>
            <MarketingCompany CompanyShortName="Amtrak"/>
            <OperatingCompany CompanyShortName="Amtrak"/>
            <ClassCode ClassCode="Y" Quantity="1"/>
            <Comment Language="en-us">Questions Call 1-800-USA-RAIL</Comment>
          </TrainSegment>
        </TrainSegments>
      </OriginandDestination>
    </OriginandDestinations>
    <RailCharges CurrencyCode="DOL" DecimalPlaces="2">
      <Total AmountBeforeTax="345.22" AmountAfterTax="345.22" CurrencyCode="DOL"
DecimalPlaces="2">
        <Taxes Amount="0" CurrencyCode="DOL" DecimalPlaces="2">
          <Tax Type="Inclusive" Percent="0.01" Amount="0" CurrencyCode="DOL">
            <TaxDescription ParagraphNumber="1" CreateDateTime="2001-12-17T09:30:47-
05:00" LastModifyDateTime="2001-12-17T09:30:47-05:00" LastModifierID="STR" Language="en-us">
              <Text Formatted="1" Language="en-us">No tax on rail or
accomodation</Text>
            </TaxDescription>
          </Tax>
        </Taxes>
      </Total>
    <Charges>
      <Charge TaxInclusive="1" Type="Inclusive" Code="0" Percent="0.01" Amount="0.00"
CurrencyCode="DOL">
        <Taxes Amount="0" CurrencyCode="DOL" DecimalPlaces="2">
          <Tax Type="Inclusive" Code="0" Percent="0.01" Amount="0.00"
CurrencyCode="DOL">
            <TaxDescription ParagraphNumber="1" CreateDateTime="2001-12-
17T09:30:47-05:00" LastModifyDateTime="2001-12-17T09:30:47-05:00" Language="en-us">
              <Text Formatted="1" Language="en-us"/>
            </TaxDescription>
          </Tax>
        </Taxes>
      <Description ParagraphNumber="1" CreateDateTime="2001-12-17T09:30:47-05:00"
CreatorID="STR" LastModifyDateTime="2001-12-17T09:30:47-05:00" LastModifierID="STR" Language="en-
us">
        <Text Formatted="1" Language="en-us">No refunds after train departure</Text>
      </Description>
    </Charge>
  </Charges>
</RailCharges>
</Itinerary>

```

```

    <TravelerNames>
      <TravelerName>
        <NamePrefix>Mr.</NamePrefix>
        <GivenName>Thomas</GivenName>
        <Surname>Krotchko</Surname>
      </TravelerName>
    </TravelerNames>
    <PaymentRules>
      <PaymentRule RuleType="0" Amount="345.22" CurrencyCode="DOL" Percent="0.01"
DateTime="2003-12-17T09:30:47-05:00" PaymentType="0">No refunds after train departure</PaymentRule>
    </PaymentRules>
    <Fulfillment>
      <DeliveryAddress>
        <AddressLine>508 Brighton</AddressLine>
        <CityName>Brookville</CityName>
        <PostalCode>22222</PostalCode>
        <County>US</County>
        <StateProv StateCode="MD"/>
        <CountryName Code="US"/>
      </DeliveryAddress>
      <Name>
        <NamePrefix>Mr.</NamePrefix>
        <GivenName>Thomas</GivenName>
        <Surname>Krotchko</Surname>
      </Name>
    </Fulfillment>
  </RailReservation>
</OTA_RailBookRS>

```

13.3. OTA_RailRetrieveRQ/RS

The Rail Retrieve response message is the response to OTA's generic Read Request for a previously booked itinerary. The response provides the booking, informs the requestor if the booking was successfully retrieved, and provides warning messages.

13.3.1. Use Case 1

13.3.1.1. Request: Booking Information

This instance document describes a request to retrieve a booking (PNR) with the code 123CA2.

OTA_RailRetrieveRQ.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_ReadRQ xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_ReadRQ.xsd"
TimeStamp="2003-12-16T09:30:47-05:00" Target="Production" Version="1.002" SequenceNbr="1"
PrimaryLangID="en-us" AltLangID="en-us">
  <POS>
    <Source>
      <RequestorID Type="22" ID="JQIR2004"/>
    </Source>
  </POS>
  <UniqueID Type="0" Instance="1" ID="123CA2"/>
</OTA_ReadRQ>

```

13.3.1.2. Response: The Booking Information is Returned

The response to the request is an indication of success, echoing the RS information originally provided in the RailBookingRQ. Also included in the response is station information where available.

Amtrak city codes are not all IATA compliant and are marked as such in the CodeContext.

OTA_RailRetrieve RS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_RailRetrieveRS EchoToken="183529" TimeStamp="2003-12-16T09:30:47-05:00" Target="Production"
Version="1.002" SequenceNmbr="1" PrimaryLangID="en-us" AltLangID="en-us"
xmlns="http://www.opentravel.org/OTA/2003/05" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_RailRetrieveRS.xsd">
  <Success/>
  <RailReservation LastHoldDate="2003-12-20">
    <BookingID Type="0" ID="123CA2">
      <CompanyName CompanyShortName="Amtrak"/>
    </BookingID>
    <Itinerary>
      <OriginandDestinations>
        <OriginandDestination>
          <OriginLocation LocationCode="WAS" CodeContext="AMTRAK">Washington,
DC</OriginLocation>
          <DestinationLocation LocationCode="MIA" CodeContext="IATA">Miami,
Florida</DestinationLocation>
          <TrainSegments>
            <TrainSegment DepartureDateTime="2003-12-17T09:30:47-05:00"
ArrivalDateTime="2003-12-17T09:30:47-05:00" TrainNumber="91" StopQuantity="9"
JourneyDuration="P1Y2M3DT17H30M" SmokingAllowed="false" CrossBorder="false" BookStatus="Active"
TicketStatus="Ticketed">
              <DepartureStation>
                <Details LocationCode="WAS" CodeContext="AMTRAK" Staffed="1"
TicketPrinter="1" SST_Machine="1" USTimeZone="E">Washington, DC</Details>
                <Address>
                  <AddressLine>60 Mass Ave</AddressLine>
                  <CityName>Washington</CityName>
                  <PostalCode>20002</PostalCode>
                  <County>US</County>
                  <StateProv StateCode="DC"/>
                  <CountryName Code="US"/>
                </Address>
                <Telephone CountryAccessCode="001" AreaCityCode="800"
PhoneNumber="USA-RAIL"/>
              </DepartureStation>
              <ArrivalStation>
                <Details LocationCode="MIA" CodeContext="IATA" Staffed="1"
TicketPrinter="1" SST_Machine="false" USTimeZone="E"/>
              </ArrivalStation>
              <MarketingCompany CompanyShortName="Amtrak"/>
              <OperatingCompany CompanyShortName="Amtrak"/>
              <ClassCode ClassCode="Y" Quantity="1"/>
              <Comment Language="en-us">Call 1-800-USA-RAIL for more
information</Comment>
            </TrainSegment>
          </TrainSegments>
        </OriginandDestination>
      </OriginandDestinations>
      <RailCharges CurrencyCode="DOL" DecimalPlaces="2">
```

```
<Total AmountBeforeTax="352.22" AmountAfterTax="352.22" CurrencyCode="DOL "
DecimalPlaces="2"/>
<Charges>
  <Charge TaxInclusive="1" Type="Inclusive" Code="0" Percent="0.01" Amount="0.00"/>
</Charges>
</RailCharges>
</Itinerary>
<TravelerNames>
  <TravelerName>
    <NamePrefix>Mr.</NamePrefix>
    <GivenName>Thomas</GivenName>
    <Surname>Krotchko</Surname>
  </TravelerName>
</TravelerNames>
<Fulfillment>
  <DeliveryAddress>
    <AddressLine>508 Brighton</AddressLine>
    <CityName>Brookville</CityName>
    <PostalCode>22222</PostalCode>
    <County>USA</County>
    <StateProv StateCode="MD"/>
    <CountryName Code="US"/>
  </DeliveryAddress>
  <Name>
    <NamePrefix>Mr.</NamePrefix>
    <GivenName>Thomas</GivenName>
    <Surname>Krotchko</Surname>
  </Name>
</Fulfillment>
</RailReservation>
</OTA_RailRetrieveRS>
```

Section 14 —Loyalty Messages

Many companies in the travel industry offer loyalty programs. In the past, many companies managed their own loyalty programs, but now there are specialized companies whose sole business is to manage loyalty programs. This standard message set allows the travel industry to communicate with the loyalty industry. All currently defined verticals in the OTA can use this message set.

Within the loyalty services industry, certificates are frequently granted to consumers for use in purchasing products and/or services from participating businesses. These certificates can be given a variety of loyalty point values and can be issued in a variety of formats (e.g., electronic certificates, paper certificates).

14.1. OTA_LoyaltyAccountCreateRQ; OTA_LoyaltyAccountRS

The “LoyaltyAccountCreate” message set allows businesses to send enrolment information to their loyalty service provider to create a new account for one of their customers. This message pair is based on the profile structure (OTA_Profile.xsd) with extensions for information that pertains only to loyalty account creation. In the response message the newly created account information (e.g., membership ID) is returned.

14.1.1. Use Case 1

14.1.1.1. Request: Loyalty Program Enrollment

John T. Smith is checking in for a night’s stay at Hotel Z. While at the front desk, the customer requests that they be enrolled in the Hotel’s loyalty program. The desk clerk collects the required information for John and his wife, Cathy, and sends request to the loyalty service provider.

OTA_LoyaltyAccountCreateRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_LoyaltyAccountCreateRQ TimeStamp="2003-12-17T09:30:47-05:00" Version="1.002"
xmlns="http://www.opentravel.org/OTA/2003/05" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_LoyaltyAccountCreateRQ.xsd">
  <AccountInfo PointBalance="10000" EnrollmentType="Full" EnrollmentMethod="1">
    <MemberInfo>
      <PersonName>
        <GivenName>John</GivenName>
        <MiddleName>T</MiddleName>
        <Surname>Smith</Surname>
      </PersonName>
      <Telephone PhoneNumber="804-333-8989" PhoneUseType="4"/>
      <Telephone PhoneNumber="804-222-7777" PhoneUseType="3"/>
      <Address Type="2">
        <AddressLine>1234 Main Street</AddressLine>
        <AddressLine>Suite 22</AddressLine>
        <CityName>Akron</CityName>
      </Address>
    </MemberInfo>
  </AccountInfo>
</OTA_LoyaltyAccountCreateRQ>
```

```

        <PostalCode>23255</PostalCode>
        <StateProv StateCode="VA"/>
        <CountryName Code="US"/>
    </Address>
    <Email EmailType="1">jsmith99@myserver.com</Email>
    <Email EmailType="2">jsmith@company.com</Email>
    <CompanyName>MyCompany</CompanyName>
    <EmployeeInfo EmployeeTitle="Manager">Manager</EmployeeInfo>
</MemberInfo>
<MemberPreferences Awareness="Web" PromotionCode="A1" AwardsPreference="Points">
    <AdditionalReward MemberID="1234567">
        <Name>
            <GivenName>Cathy</GivenName>
            <Surname>Stevens-Smith</Surname>
        </Name>
    </AdditionalReward>
    <Offer Type="Partner">
        <Communication DistribType="0"/>
    </Offer>
    <Offer Type="Loyalty">
        <Communication DistribType="1"/>
    </Offer>
</MemberPreferences>
</AccountInfo>
<Location LocationCode="524763"/>
</OTA_LoyaltyAccountCreateRQ>

```

14.1.1.2. Response: Loyalty Program Enrollment Confirmation

In the response, the new member number is returned to the clerk. The new member number can then be conveyed to the customer, and at check-out the current night's stay can be credited to the customer's loyalty account for point accumulation.

OTA_LoyaltyAccountRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_LoyaltyAccountRS Version="1.002" xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
  OTA_LoyaltyAccountRS.xsd">
    <Success/>
    <UniqueID Type="1" ID="7653874T"/>
    <AccountInfo PointBalance="10000" EnrollmentType="Full" EnrollmentMethod="1">
        <MemberInfo>
            <PersonName>
                <GivenName>John</GivenName>
                <MiddleName>T</MiddleName>
                <Surname>Smith</Surname>
            </PersonName>
            <Telephone PhoneNumber="804-333-8989" PhoneUseType="4"/>
            <Telephone PhoneNumber="804-222-7777" PhoneUseType="3"/>
            <Address Type="2">
                <AddressLine>1234 Main Street</AddressLine>
                <AddressLine>Suite 22</AddressLine>
                <CityName>Akron</CityName>
                <PostalCode>23255</PostalCode>
                <StateProv StateCode="VA"/>
                <CountryName Code="US"/>
            </Address>
            <Email EmailType="1">jsmith99@myserver.com</Email>
            <Email EmailType="2">jsmith@company.com</Email>

```

```

    <CompanyName>MyCompany</CompanyName>
    <EmployeeInfo EmployeeTitle="Manager">Manager</EmployeeInfo>
  </MemberInfo>
  <MemberPreferences Awareness="Web" PromotionCode="A1" AwardsPreference="Points">
    <AdditionalReward MemberID="1234567">
      <Name>
        <GivenName>Cathy</GivenName>
        <Surname>Stevens-Smith</Surname>
      </Name>
    </AdditionalReward>
    <Offer Type="Partner">
      <Communication DistribType="0"/>
    </Offer>
    <Offer Type="Loyalty">
      <Communication DistribType="1"/>
    </Offer>
  </MemberPreferences>
</AccountInfo>
</OTA_LoyaltyAccountRS>

```

14.2. OTA_LoyaltyCertificateCreateRQ/RS and OTA_LoyaltyCertificateCreateNotifRQ/RS

The “LoyaltyCertificateCreate” and “LoyaltyCertificateCreateNotif” message sets allow businesses to communicate with their loyalty service provider to generate redemption certificates for their customers. Whereas the “Create” message pair is for on-line information exchange, the “CreateNotif” message pair is for a batch “push” transmission.

14.2.1. Use Case 1

14.2.1.1. Request: Loyalty Program Certificate Creation

John T Smith is checking in for a single night’s stay at Hotel Z. While at the front desk, the customer indicates that they would like to use points accumulated through the Hotel’s loyalty program to pay for the current night stay. Having verified that the customer has the required number of points for a free night stay (see LoyaltyAccount message set), the desk clerk can use the property management system to send a message to their loyalty service provider to generate a redemption certificate for the appropriate number of loyalty points.

OTA_LoyaltyCertificateCreateRQ.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_LoyaltyCertificateCreateRQ Version="1.002" xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_LoyaltyCertificateCreateRQ.xsd">
  <Customer>
    <GivenName>John</GivenName>
    <MiddleName>T</MiddleName>
    <Surname>Smith</Surname>
  </Customer>
  <TravelInfos>
    <TravelInfo>
      <HotelStayInfo BrandCode="RA" HotelCityCode="RIC" HotelCodeContext="2">
        <RoomStayInfo Duration="P0Y0M3DT00H00M">

```

```

        <RoomType NumberOfUnits="1"/>
      </RoomStayInfo>
    </HotelStayInfo>
  </TravelInfo>
  <LoyaltyCertificateDetail MemberNumber="T176309763"/>
</TravelInfos>
</OTA_LoyaltyCertificateCreateRQ>

```

14.2.1.2. Response: Verification of Certificate

After deducting the requested number of points from the customers account and generating an electronic certificate, the loyalty service provider will respond with a message to verify the creation of the certificate and enabling the hotel to store a reference to the certificate within their database.

OTA_LoyaltyCertificateCreateRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_LoyaltyCertificateCreateRS Version="1.001" xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
  OTA_LoyaltyCertificateCreateRS.xsd">
  <Success/>
  <LoyaltyCertificateDetail CertificateNumber="47458S"/>
</OTA_LoyaltyCertificateCreateRS>

```

14.3. OTA_LoyaltyCertificateRedemptionRQ/RS

The “LoyaltyCertificateRedemption” message set allows businesses to notify their loyalty service provider, or loyalty service providers to notify businesses, that a customer has redeemed an existing redemption certificate.

14.3.1. Use Case 1

14.3.1.1. Request: Loyalty Program Certificate Redemption

Customer A is checking in for a single night’s stay at Hotel Z. While at the front desk, the customer indicates that they would like to use points accumulated through the Hotel’s loyalty program to pay for the current night stay. The desk clerk can use the property management system to send a message to their loyalty service provider to indicate that an existing certificate has been redeemed.

OTA_LoyaltyCertificateRedemptionRQ.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_LoyaltyCertificateRedemptionRQ Version="1.002" TimeStamp="2003-10-13T09:30:47-05:00"
  xmlns="http://www.opentravel.org/OTA/2003/05" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
  OTA_LoyaltyCertificateRedemptionRQ.xsd">
  <RedemptionInfo>
    <RedemptionDetail CertificateNumber="47458S" MemberNumber="T176309763"/>
  </RedemptionInfo>
  <TravelInfos>
    <TravelInfo>
      <HotelStayInfo BrandCode="RA" HotelCode="524763">
        <ReservationID Type="1" ID="78694673"/>
        <RoomStayInfo Start="2003-10-13T00:00:00-05:00" Duration="P1D">

```

```

        <RoomType NumberOfUnits="2"/>
      </RoomStayInfo>
    </HotelStayInfo>
  </TravellInfo>
</TravellInfos>
</RedemptionInfo>
</OTA_LoyaltyCertificateRedemptionRQ>

```

14.3.1.2. Response: Verification of Certificate Redemption

After marking the certificate as redeemed within their internal accounting system, the loyalty service provider will respond with a message to verify that the certificate has been redeemed.

OTA_LoyaltyCertificateRedemptionRS.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_LoyaltyCertificateRedemptionRS Version="1.001" xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_LoyaltyCertificateRedemptionRS.xsd">
  <Success/>
</OTA_LoyaltyCertificateRedemptionRS>

```

14.4. OTA_ReadRQ; OTA_LoyaltyAccountRS

This message set allows businesses to request from their loyalty service provider account information for customers enrolled in their loyalty program. The generic OTA_ReadRQ message is used to request the loyalty account information. In response, the loyalty service provider returns a message containing the customers account information. The response is based on the OTA_Profile.xsd with extensions for the information that pertains specifically to the loyalty account.

14.4.1. Use Case 1

14.4.1.1. Request: Loyalty Account Information

Customer A is checking in for a night stay at Hotel Z. While at the front desk, the customer has questions regarding their loyalty account information. The desk clerk sends a message to the loalty service provider to request information about the status of the customer's loyalty account.

OTA_ReadRQ8.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_ReadRQ Version="1.002" xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_ReadRQ.xsd">
  <UniqueID Type="1" ID="T176309763"/>
</OTA_ReadRQ>

```

14.4.1.2. Response: Loyalty Account Information

The service provider responds with the customer's account information.

OTA_LoyaltyAccountRS2.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_LoyaltyAccountRS Version="1.002" xmlns="http://www.opentravel.org/OTA/2003/05"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
OTA_LoyaltyAccountRS.xsd">
  <Success/>
  <UniqueID Type="1" ID="7653874T"/>
  <AccountInfo PointBalance="10000" EnrollmentType="Full" EnrollmentMethod="1">
    <MemberInfo>
      <PersonName>
        <GivenName>John</GivenName>
        <MiddleName>T</MiddleName>
        <Surname>Smith</Surname>
      </PersonName>
      <Telephone PhoneNumber="804-333-8989" PhoneUseType="4"/>
      <Telephone PhoneNumber="804-222-7777" PhoneUseType="3"/>
      <Address Type="2">
        <AddressLine>1234 Main Street</AddressLine>
        <AddressLine>Suite 22</AddressLine>
        <CityName>Akron</CityName>
        <PostalCode>23255</PostalCode>
        <StateProv StateCode="VA"/>
        <CountryName Code="US"/>
      </Address>
      <Email EmailType="1">jsmith99@myserver.com</Email>
      <Email EmailType="2">jsmith@company.com</Email>
      <CompanyName>MyCompany</CompanyName>
      <EmployeeInfo EmployeeTitle="Manager">Manager</EmployeeInfo>
    </MemberInfo>
    <MemberPreferences Awareness="Web" PromotionCode="A1" AwardsPreference="Points">
      <AdditionalReward MemberID="1234567">
        <Name>
          <GivenName>Cathy</GivenName>
          <Surname>Stevens-Smith</Surname>
        </Name>
      </AdditionalReward>
      <Offer Type="Partner">
        <Communication DistribType="0"/>
      </Offer>
      <Offer Type="Loyalty">
        <Communication DistribType="1"/>
      </Offer>
    </MemberPreferences>
  </AccountInfo>
</OTA_LoyaltyAccountRS>
```

Section 15 —Profile

The Profile messages define the detailed business content of a customer profile from a travel industry perspective. This specification provides a set of common messages for transmitting customer profile data that customers provide to travel services to create these profiles, and for the exchange of profile information between travel services within the industry.

A profile includes basic information about a customer or a company for identification as well as financial transactions, memberships and contacts. The profile also defines collections of preferences for specific types of travel including key travel support services such as travel agencies and insurance. Profiles contain information about organizational affiliations, and identify certifications and alliances held by companies in their business relationships. No supplier pricing information is included, nor is data on the travel policies or requirements of an organization addressed in this specification.

15.1. OTA_ProfileCreateRQ/RS

Create messages define an operation that generates a new record with a unique identifier. The sequence follows these steps.

- Requestor sends a Create request along with the initial data, and optionally a unique identifier.
- Responder creates a new record and assigns a unique identifier (e.g., a Profiler ID or Reservation ID)
- Responder responds with a message providing a unique identifier for the new record created.

15.1.1. Use Case 1

15.1.1.1. Request: Create Profile

Ms. Delilah Beaudry works for ABC Corporation and travels often for business. The travel division of ABC Corporation uses a Worldspan product to do their business travel booking. They want to set up a profile for Ms. Beaudry so that there will be information such as address, phone number, credit card and personal preferences in the Worldspan data base so that they will not have to input this information for each booking.

The ABC Corporation sends a message to create a customer profile. This message includes name, birthdate, gender, phone numbers, address, loyalty program membership numbers, and credit card number and expiration date. Because Ms. Beaudry doesn't want this information shared with anyone else, the indicators for 'sharing' info are set to No.

OTA_ProfileCreateRQ.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_ProfileCreateRQ xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_ProfileCreateRQ.xsd" EchoToken="452987" TimeStamp="2003-03-17T09:30:47-05:00"
  Target="Production" Version="1.002" SequenceNbr="1">
  <UniqueID Type="21" ID="4389-34587">
    <CompanyName CompanyShortName="ABC Corporation"/>
  </UniqueID>
  <Profile ShareAllSynchInd="No" ShareAllMarketInd="No" ProfileType="1" CreateDateTime="2003-03-17T09:30:47-05:00" CreatorID="73482" LastModifyDateTime="2003-03-17T09:30:47-05:00">
    <Accesses ShareSynchInd="No" ShareMarketInd="No" CreateDateTime="2003-03-17T09:30:47-05:00">
      <Access ActionType="Create" ActionDateTime="2003-03-17T09:30:47-05:00" ID="3452849"/>
    </Accesses>
    <Customer Gender="Female" Deceased="false" BirthDate="1949-06-03" CurrencyCode="USD"
      DecimalPlaces="2">
      <PersonName ShareSynchInd="Inherit" ShareMarketInd="Inherit" NameType="0">
        <NamePrefix>Ms</NamePrefix>
        <GivenName>Delilah</GivenName>
        <MiddleName>Ann</MiddleName>
        <Surname>Beaudry</Surname>
      </PersonName>
      <Telephone ShareSynchInd="Inherit" ShareMarketInd="Inherit" PhoneTechType="1"
        CountryAccessCode="001" AreaCityCode="770" PhoneNumber="563-2891" PhoneUseType="3"/>
      <Telephone ShareSynchInd="Inherit" ShareMarketInd="Inherit" PhoneTechType="5"
        CountryAccessCode="001" AreaCityCode="404" PhoneNumber="933-0045" PhoneUseType="4"/>
      <Email>delilah@hotmail.com</Email>
      <Address FormattedInd="false" ShareSynchInd="Inherit" ShareMarketInd="Inherit" UseType="2">
        <StreetNbr>2980 Elm Street</StreetNbr>
        <CityName>Atlanta</CityName>
        <PostalCode>30067</PostalCode>
        <County>Cobb</County>
        <StateProv>GA</StateProv>
        <CountryName Code="US"/>
      </Address>
      <CitizenCountryName DefaultInd="true" Code="US"/>
      <PaymentForm ShareSynchInd="Inherit" ShareMarketInd="Inherit">
        <PaymentCard ShareSynchInd="Inherit" ShareMarketInd="Inherit" CardType="1"
          CardCode="AX" CardNumber="832593235600" ExpireDate="0405">
          <CardHolderName>Delilah A. Beaudry</CardHolderName>
        </PaymentCard>
      </PaymentForm>
      <Document ShareSynchInd="Inherit" ShareMarketInd="Inherit" DocIssueAuthority="US"
        DocIssueLocation="Miami, FL" DocID="34985769574" DocType="2" EffectiveDate="1995-02-05"
        ExpireDate="2005-02-05">
        <DocHolderName>Delilah A. Beaudry</DocHolderName>
      </Document>
      <CustLoyalty ShareSynchInd="Inherit" ShareMarketInd="Inherit" ProgramID="DL"
        MembershipID="589038475" TravelSector="1" LoyalLevel="Gold" SingleVendorInd="Alliance"
        SignupDate="1985-04-23" EffectiveDate="1985-04-23"/>
      <CustLoyalty ShareSynchInd="Inherit" ShareMarketInd="Inherit" ProgramID="Avis"
        MembershipID="458574943" TravelSector="2" SingleVendorInd="SingleVndr" SignupDate="1998-11-05"
        EffectiveDate="1998-11-05"/>
      <EmployeeInfo>String</EmployeeInfo>
      <EmployeeInfo>String</EmployeeInfo>
    </Customer>
    <PrefCollections ShareSynchInd="Inherit" ShareMarketInd="Inherit">
      <PrefCollection ShareSynchInd="Inherit" ShareMarketInd="Inherit" TravelPurpose="1">
        <CommonPref ShareSynchInd="Inherit" ShareMarketInd="Inherit" SmokingAllowed="false"
          PrimaryLangID="en-us" AltLangID="en-us">
          <PaymentFormPref PreferLevel="Preferred">Credit card</PaymentFormPref>
        </CommonPref>
      </PrefCollection>
    </PrefCollections>
  </Profile>
</OTA_ProfileCreateRQ>
```

```
    </PrefCollection>
  </PrefCollections>
</Profile>
</OTA_ProfileCreateRQ>
```

15.1.1.2. Response: Profile Created

On successful creation of the profile, Worldspan responds with a unique id for Ms. Beaudry's profile.

OTA_ProfileCreateRS.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_ProfileCreateRS xmlns="http://www.opentravel.org/OTA/2003/05"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opentravel.org/OTA/2003/05
    OTA_ProfileCreateRS.xsd" EchoToken="45297" TimeStamp="2003-03-17T09:30:47-05:00"
  Target="Production" Version="1.001" SequenceNmbr="1">
  <Success/>
  <UniqueID Type="21" ID="542084">
    <CompanyName CompanyShortName="1P"/>
  </UniqueID>
</OTA_ProfileCreateRS>
```

Section 16 —Appendix

16.1. Specification Versioning Table

The first issue of the XML Schema is indicated by either an 'N' for new or the actual version number in the release column.

	2001			2002		2003		2004		2005		2006
XSD Name	A	B	C	A	B	A	B	A	B	A	B	A
OTA_AirAvailRQ				N			2.000	2.001	2.002	2.003	3.000	3.001
OTA_AirAvailRS				N			1.001	1.002	1.003	1.004	1.005	1.006
OTA_AirBookModifyRQ										1.000	2.000	2.001
OTA_AirBookRQ		N					2.000	2.001	3.000	4.000	5.000	5.001
OTA_AirBookRS		N					2.000	2.001	3.000	4.000	5.000	5.001
OTA_AirCommonTypes				N			2.000	2.001	3.000	4.000	5.000	5.001
OTA_AirDetailsRQ				N			1.001	1.002	1.003	1.004	1.005	1.006
OTA_AirDetailsRS				N			1.001	1.002	1.003	1.004	1.005	1.006
OTA_AirDisplayQueueRS												1.000
OTA_AirFareDisplayRQ										1.000	2.000	2.001
OTA_AirFareDisplayRS										1.000	1.001	1.002
OTA_AirFlifoRQ					N		1.001	1.002	1.003	1.004	1.005	1.006
OTA_AirFlifoRS					N		1.001	1.002	1.003	1.004	2.000	2.001
OTA_AirLowFareSearchRQ				N			2.000	2.001	2.002	2.003	2.004	2.005
OTA_AirLowFareSearchRS				N			2.000	2.001	3.000	3.001	4.000	4.001
OTA_AirPreferences				N			1.001	1.002	1.003	1.004	1.005	1.006
OTA_AirPriceRQ				N			2.000	2.001	2.002	2.003	3.000	3.001
OTA_AirPriceRS				N			2.000	2.001	3.000	3.001	4.000	4.001
OTA_AirRulesRQ				N			2.000	2.001	2.002	2.003	2.004	2.005
OTA_AirRulesRS				N			2.000	2.001	2.002	2.003	2.004	2.005
OTA_AirScheduleRQ					N		1.001	1.002	1.003	1.004	1.005	1.006
OTA_AirScheduleRS					N		1.001	1.002	1.003	1.004	1.005	1.006
OTA_AirSeatMapRQ					N		1.000	1.001	1.002	1.003	2.000	2.001
OTA_AirSeatMapRS					N		1.000	1.001	2.000	2.001	3.000	3.001
OTA_CancelRQ					N		1.001	1.002	1.003	1.004	1.005	1.006
OTA_CancelRS					N		1.001	1.001	1.002	1.003	2.000	2.001
OTA_CommonPrefs				N			1.001	1.002	1.003	1.004	1.005	1.006
OTA_CommonTypes				N			1.001	1.002	1.003	1.004	1.005	1.006
OTA_CruiseCabinAvailRQ											1.000	2.000
OTA_CruiseCabinAvailRS											1.000	2.000
OTA_CruiseCabinHoldRQ											1.000	2.000
OTA_CruiseCabinHoldRS											1.000	2.000
OTA_CruiseCabinUnholdRQ											1.000	2.000
OTA_CruiseCabinUnholdRS											1.000	2.000
OTA_CruiseCancellationPricingRQ												1.000
OTA_CruiseCancellationPricingRS												1.000

	2001			2002		2003		2004		2005		2006
XSD Name	A	B	C	A	B	A	B	A	B	A	B	A
OTA_CruiseCategoryAvailRQ											1.000	2.000
OTA_CruiseCategoryAvailRS											1.000	2.000
OTA_CruiseCommonTypes											1.000	2.000
OTA_CruiseBookRQ												2.000
OTA_CruiseBookRS												2.000
OTA_CruiseCreateBookingRQ*											1.000	
OTA_CruiseCreateBookingRS*											1.000	
OTA_CruiseDiningAvailRQ												1.000
OTA_CruiseDiningAvailRS												1.000
OTA_CruiseFareAvailRQ											1.000	2.000
OTA_CruiseFareAvailRS											1.000	2.000
OTA_CruiseItineraryDescRQ												1.000
OTA_CruiseItineraryDescRS												1.000
OTA_CruisePkgAvailRQ												1.000
OTA_CruisePkgAvailRS												1.000
OTA_CruisePNR_UpdateNotifRQ												1.000
OTA_CruisePNR_UpdateNotifRS												1.000
OTA_CruisePriceBookingRQ											1.000	2.000
OTA_CruisePriceBookingRS											1.000	2.000
OTA_CruiseSailAvailRQ											1.000	2.000
OTA_CruiseSailAvailRS											1.000	2.000
OTA_CruiseShorexAvailRQ												1.000
OTA_CruiseShorexAvailRS												1.000
OTA_CruiseSpecialServiceAvailRQ												1.000
OTA_CruiseSpecialServiceAvailRS												1.000
OTA_DeleteRQ	N						1.001	1.002	1.003	1.004	1.005	1.006
OTA_DeleteRS	N						1.001	1.001	1.002	1.003	1.004	1.005
OTA_DestActivityCapabilitiesRQ										1.000	1.001	1.002
OTA_DestActivityCapabilitiesRS										1.000	1.001	1.002
OTA_DestActivityResRQ										1.000	1.001	1.002
OTA_DestActivityResRS										1.000	1.001	1.002
OTA_DestinationActivity										1.000	1.001	1.002
OTA_ErrorRS					N		1.001	1.001	1.002	1.002	1.003	1.004
OTA_FileAttachmentNotifRQ											1.000	1.001
OTA_FileAttachmentNotifRS											1.000	1.001
OTA_GolfCommonTypes				N			1.001	1.002	1.003	1.003	1.004	1.005
OTA_GolfCourseAvailRQ			N				1.001	1.001	1.002	1.003	1.004	1.005
OTA_GolfCourseAvailRS			N				1.001	1.001	1.002	1.003	1.004	1.005
OTA_GolfCourseResRQ			N				1.001	1.002	1.003	1.004	1.005	1.006
OTA_GolfCourseResRS			N				1.001	1.002	1.003	1.004	1.005	1.006
OTA_GolfCourseSearchRQ			N				1.001	1.001	1.002	1.003	1.004	1.005
OTA_GolfCourseSearchRS			N				1.001	1.002	1.003	1.004	1.005	1.006
OTA_HotelAvailNotifRQ		N					1.001	1.002	1.003	1.004	1.005	1.006
OTA_HotelAvailNotifRS		N					1.001	1.001	1.002	1.003	1.004	1.005
OTA_HotelAvailRQ		N					1.001	1.002	1.003	1.004	1.005	1.006

	2001			2002		2003		2004		2005		2006
XSD Name	A	B	C	A	B	A	B	A	B	A	B	A
OTA_HotelAvailRS		N					1.001	1.002	1.003	2.000	3.000	3.001
OTA_HotelBookingRuleNotifRQ		N					1.001	1.002	1.003	2.000	2.001	2.002
OTA_HotelBookingRuleNotifRS		N					1.001	1.001	1.002	1.003	1.004	1.005
OTA_HotelBookingRuleRQ												1.000
OTA_HotelBookingRuleRS												1.000
OTA_HotelCommNotifRQ		N					1.001	1.002	1.003	1.004	1.005	1.006
OTA_HotelCommNotifRS		N					1.001	1.001	1.002	1.003	1.004	1.005
OTA_HotelCommonTypes				N			1.001	2.000	2.001	3.000	4.000	4.001
OTA_HotelContentDescription					N		1.001	2.000	2.001	3.000	4.000	4.001
OTA_HotelDescriptiveContentNotifRQ		N					1.001	2.000	2.001	3.000	4.000	5.000
OTA_HotelDescriptiveContentNotifRS		N					1.001	1.001	1.002	1.003	1.004	1.005
OTA_HotelDescriptiveInfoRQ					N		1.001	1.002	1.003	1.004	1.005	1.006
OTA_HotelDescriptiveInfoRS					N		1.001	2.000	2.001	3.000	4.000	5.000
OTA_HotelGetMsgRQ		N					1.001	1.002	1.003	1.004	1.005	1.006
OTA_HotelGetMsgRS		N					1.001	1.002	1.003	1.004	1.005	1.006
OTA_HotelInvAdjustRQ		N					1.001	1.001	1.002	1.003	1.004	1.005
OTA_HotelInvAdjustRS		N					1.001	1.001	1.002	1.003	1.004	1.005
OTA_HotelInvBlockNotifRQ		N					1.001	2.000	2.001	3.000	3.001	3.002
OTA_HotelInvBlockNotifRS		N					1.001	2.000	2.001	2.002	2.003	2.004
OTA_HotelInvCountNotifRQ		N					1.001	1.002	1.003	1.004	1.005	1.006
OTA_HotelInvCountNotifRS		N					1.001	1.001	1.002	1.003	1.004	1.005
OTA_HotelInvNotifRQ		N					1.001	2.000	2.001	2.002	2.003	2.004
OTA_HotelInvNotifRS		N					1.001	1.001	1.002	1.002	1.003	1.004
OTA_HotelInvSyncRQ		N					1.001	1.001	1.002	1.003	1.004	1.005
OTA_HotelInvSyncRS		N					1.001	1.001	1.002	1.003	1.004	1.005
OTA_HotelPreferences		N					1.001	1.002	1.003	1.004	1.005	1.005
OTA_HotelRateAmountNotifRQ		N					1.001	1.002	1.003	2.000	2.001	2.002
OTA_HotelRateAmountNotifRS		N					1.001	1.001	1.002	1.003	1.004	1.005
OTA_HotelRatePlanNotifRQ		N					1.001	2.000	2.001	3.000	3.001	3.002
OTA_HotelRatePlanNotifRS		N					1.001	1.001	1.002	1.002	1.003	1.004
OTA_HotelReservation				N			1.001	1.002	1.003	2.000	2.001	2.002
OTA_HotelResModifyRQ						1.0	1.001	1.002	1.003	2.000	2.001	2.002
OTA_HotelResModifyRS						1.0	1.001	1.002	1.003	2.000	2.001	2.002
OTA_HotelResModifyNotifRQ							1.000	1.001	1.002	2.000	2.001	2.002
OTA_HotelResModifyNotifRS							1.000	1.001	1.002	2.000	2.001	2.002
OTA_HotelResNotifRQ		N					1.001	1.002	1.003	2.000	2.001	2.002
OTA_HotelResNotifRS		N					1.001	1.002	1.003	2.000	2.001	2.002
OTA_HotelResRQ		N					1.001	1.002	1.003	2.000	2.001	2.002
OTA_HotelResRS		N					1.001	1.002	1.003	2.000	2.001	2.002
OTA_HotelRFP							1.000	1.001	1.002	2.000	3.000	3.001
OTA_HotelRFP_RQ*						1.0	1.001					
OTA_HotelRFP_RS*						1.0	2.000					
OTA_HotelRFP_MeetingRQ								1.000	1.001	1.002	1.003	1.004
OTA_HotelRFP_MeetingRS								1.000	2.000	2.001	2.002	2.003
OTA_HotelRFP_MeetingNotifRQ								1.000	2.000	2.001	2.002	2.003

	2001			2002		2003		2004		2005		2006
XSD Name	A	B	C	A	B	A	B	A	B	A	B	A
OTA_HotelRFP_MeetingNotifRS								1.000	1.001	1.002	1.003	1.004
OTA_HotelRFP_NotifRQ*							1.000					
OTA_HotelRFP_NotifRS*							1.000					
OTA_HotelRFP_TransientNotifRQ									1.000	2.000	3.000	4.000
OTA_HotelRFP_TransientNotifRS									1.000	1.001	1.002	1.003
OTA_HotelRFP_TransientRQ									1.000	1.001	1.002	1.003
OTA_HotelRFP_TransientRS									1.000	2.000	3.000	4.000
OTA_HotelRoomListRQ					N		1.001	1.002	1.003	2.000	2.001	2.002
OTA_HotelRoomListRS					N		1.001	1.002	1.003	2.000	2.001	2.002
OTA_HotelSearchRQ		N					1.001	1.002	1.003	1.004	1.005	1.006
OTA_HotelSearchRS		N					1.001	1.002	1.003	1.004	1.005	1.006
OTA_HotelStatsNotifRQ		N					1.001	1.001	2.000	2.001	2.002	2.003
OTA_HotelStatsNotifRS		N					1.001	1.001	1.002	1.003	1.004	1.005
OTA_HotelStatsRQ		N					1.001	1.002	2.000	2.001	2.002	2.003
OTA_HotelStatsRS		N					1.001	1.001	2.000	2.001	2.002	2.003
OTA_HotelStayInfoNotifRQ		N					1.001	1.002	1.003	2.000	2.001	2.002
OTA_HotelStayInfoNotifRS		N					1.001	1.001	1.002	1.003	1.004	1.005
OTA_HotelSummaryNotifRQ		N					1.001	1.001	1.002	1.002	1.003	1.004
OTA_HotelSummaryNotifRS		N					1.001	1.001	1.002	1.003	1.004	1.005
OTA_InsuranceBookRQ		N					1.001	1.002	1.003	1.004	1.005	1.006
OTA_InsuranceBookRS		N					1.001	1.002	1.003	1.004	1.005	1.006
OTA_InsuranceCommonTypes				N			1.001	1.002	1.003	1.004	1.005	1.006
OTA_InsurancePlanSearchRQ						1.0	1.001	1.002	1.003	1.004	1.005	1.006
OTA_InsurancePlanSearchRS						1.0	1.001	1.001	1.002	1.003	1.004	1.005
OTA_InsuranceQuoteRQ		N					1.001	1.002	1.003	1.004	1.005	1.006
OTA_InsuranceQuoteRS		N					1.001	1.002	1.003	1.004	1.005	1.006
OTA_LoyaltyAccountCreateRQ					N		1.001	1.002	1.003	1.004	1.005	1.006
OTA_LoyaltyAccountRS					N		1.001	1.002	1.003	1.004	1.005	1.006
OTA_LoyaltyCertificateCreateNotifRQ					N		1.001	1.002	1.003	1.004	1.005	1.006
OTA_LoyaltyCertificateCreateNotifRS					N		1.001	1.001	1.002	1.002	1.003	1.004
OTA_LoyaltyCertificateCreateRQ					N		1.001	1.002	1.003	1.004	1.005	1.006
OTA_LoyaltyCertificateCreateRS					N		1.001	1.001	1.002	1.002	1.003	1.004
OTA_LoyaltyCertificateRedemptionRQ					N		1.001	1.002	1.003	1.004	1.005	1.006
OTA_LoyaltyCertificateRedemptionRS					N		1.001	1.001	1.002	1.002	1.003	1.004
OTA_LoyaltyCommonTypes					N		1.001	1.002	1.003	1.004	1.005	1.006
OTA_MeetingProfile		N					1.001	1.002	1.003	1.004	1.005	1.006
OTA_NotifReportRQ											1.000	1.001
OTA_NotifReportRS											1.000	1.001
OTA_PingRQ				N			1.001	1.001	1.002	1.002	1.003	1.004
OTA_PingRS				N			1.001	1.001	1.002	1.003	1.004	1.005
OTA_PkgAvailRQ			N				2.000	2.001	2.002	3.000	3.001	3.002
OTA_PkgAvailRS			N				2.000	2.001	2.002	3.000	3.001	3.002
OTA_PkgBookRQ			N				2.000	2.001	2.002	3.000	3.001	3.002
OTA_PkgBookRS			N				2.000	2.001	2.002	3.000	3.001	3.002
OTA_PkgCommonTypes				N			2.000	2.001	2.002	3.000	3.001	3.002

	2001			2002		2003		2004		2005		2006
XSD Name	A	B	C	A	B	A	B	A	B	A	B	A
OTA_PkgCostRQ										1.000	1.001	1.002
OTA_PkgCostRS										1.000	1.001	1.002
OTA_PkgExtrasInfoRQ										1.000	1.001	1.002
OTA_PkgExtrasInfoRS										1.000	1.001	1.002
OTA_PkgReservation				N		2.000	2.001	2.002	3.000	3.001	3.002	
OTA_Profile				N		1.001	1.002	1.003	1.004	1.005	1.006	
OTA_ProfileCreateRQ				N		1.001	1.002	1.003	1.004	1.005	1.006	
OTA_ProfileCreateRS				N		1.001	1.001	1.002	1.003	1.004	1.005	
OTA_ProfileReadRS					1.0	1.001	1.002	1.003	1.004	1.005	1.006	
OTA_RailAvailRQ					N	1.001	1.002	1.003	1.004	1.005	1.006	
OTA_RailAvailRS					N	1.001	1.002	1.003	1.004	1.005	1.006	
OTA_RailBookRQ					N	1.001	1.002	1.003	1.004	1.005	1.006	
OTA_RailBookRS					N	1.001	1.002	1.003	1.004	1.005	1.006	
OTA_RailCommonTypes					N	1.001	1.002	1.003	1.004	1.005	1.006	
OTA_RailRetrieveRS					N	1.001	1.002	1.003	1.004	1.005	1.006	
OTA_ReadRQ	N					1.001	1.002	1.003	1.004	1.005	1.006	
OTA_ResRetrieveRS						1.000	2.000	2.001	3.000	3.001	3.002	
OTA_ScreenTextRQ									1.000	1.001	1.002	
OTA_ScreenTextRS									1.000	1.001	1.002	
OTA_SimpleTypes				N		1.001	1.002	1.003	2.000	2.001	2.002	
OTA_TravelItineraryReadRQ					N	1.001	1.002	1.003	1.004	1.005	1.006	
OTA_TravelItineraryRS					N	2.000	2.001	3.000	4.000	4.001	4.002	
OTA_UpdateRQ	N					1.001	1.002	1.003	1.004	1.005	1.006	
OTA_UpdateRS	N					1.001	1.001	1.002	1.003	1.004	1.005	
OTA_VehAvailRateRQ		N				1.001	1.002	1.003	1.004	1.005	1.006	
OTA_VehAvailRateRS		N				2.000	2.001	2.002	2.003	2.004	2.005	
OTA_VehCancelRQ				N		1.001	1.002	1.003	1.004	1.005	1.006	
OTA_VehCancelRS				N		2.000	2.001	2.002	2.003	3.000	3.001	
OTA_VehCheckInRQ								1.000	2.000	2.001	2.002	
OTA_VehCheckInRS								1.000	2.000	2.001	2.002	
OTA_VehCheckOutRQ								1.000	2.000	2.001	2.002	
OTA_VehCheckOutRS								1.000	2.000	2.001	2.002	
OTA_VehicleCommonTypes				N		2.000	2.001	2.002	3.000	3.001	3.002	
OTA_VehExchangeRQ										1.000	1.001	
OTA_VehExchangeRS										1.000	1.001	
OTA_VehLocDetailRQ					N	1.001	1.002	1.003	1.004	1.005	1.006	
OTA_VehLocDetailRS					N	2.000	2.001	2.002	2.003	2.004	2.005	
OTA_VehLocDetailsNotifRQ											1.000	
OTA_VehLocDetailsNotifRS											1.000	
OTA_VehLocSearchRQ					N	1.001	1.002	1.003	1.004	1.005	1.006	
OTA_VehLocSearchRS					N	2.000	2.001	2.002	2.003	2.004	2.005	
OTA_VehModifyRQ				N		1.001	1.002	1.003	1.004	1.005	1.006	
OTA_VehModifyRS				N		2.000	2.001	2.002	2.003	2.004	2.005	
OTA_VehRateRuleRQ											1.000	
OTA_VehRateRuleRS											1.000	

	2001			2002		2003		2004		2005		2006
XSD Name	A	B	C	A	B	A	B	A	B	A	B	A
OTA_VehResRQ		N					1.001	1.002	1.003	1.004	1.005	1.006
OTA_VehResRS		N					2.000	2.001	2.002	2.003	2.004	2.005
OTA_VehRetResRQ				N			1.001	1.002	1.003	1.004	1.005	1.006
OTA_VehRetResRS				N			1.001	1.002	1.003	1.004	1.005	1.006

*The names of OTA_CruiseCreateBookingRQRS were changed to OTA_CruiseBookRQ/RS in 2006A. The HotelRFP messages were given new names in 2004A. They are now more specifically HotelRFPMeeting messages.

The following table lists XML Schemas that were created in the early versions of the specification and were later either deprecated and/or replaced in one of the common type OTA XML Schemas or by a new message.

	2001			2002
XSD Name	A	B	C	A
Address			N	Deprecated – now included in OTA_CommonTypes as AddressInfoType
Airtinerary		N		Deprecated – now included in OTA_AirCommonTypes as AirtineraryType
AirTraveler		N		Deprecated – now included in OTA_AirCommonTypes as AirTravelerType
ArrivalDaysOfWeek		N		Deprecated – now included in OTA_SimpleTypes as DayOfWeekType
CancelPenalties		N		Deprecated - now included in OTA_HotelCommonTypes as CancelPenaltiesType
CommonAirSchema		N		Deprecated - now included in OTA_AirCommonTypes and OTA_CommonTypes
CompanyName		N		Deprecated - now included in OTA_CommonTypes as CompanyNameType
Control	N	Deprecated		
DateTimeSpan		N		Deprecated – now included in OTA_CommonTypes as DateTimeSpanType
DestinationSystemCodes		N		Deprecated – now included in OTA_HotelCommonTypes as DestinationSystemCodesType
DOWPattern		N		Deprecated – now included in OTA_CommonTypes as DOW_PatternType
Email			N	Deprecated – now included in OTA_CommonTypes as EmailType.
GolfCourseRes			N	Deprecated – now included in OTA_GolfCommonTypes as GolfCourseResType
GolfCourseTeeTimes			N	Deprecated – now included in OTA_GolfCommonTypes as GolfCourseTeeTimeType

	2001			2002
XSD Name	A	B	C	A
HotelReference		N		Deprecated – now included in OTA_CommonTypes as HotelReferenceGroup
InvBlockCode		N		Deprecated – now included in OTA_HotelCommonTypes as InvBlockCodeType
Memberships			N	Deprecated – now included in OTA_GolfCommonTypes as MembershipsType
OTA_CreateProfileRQ	N			Deprecated – message name changed to OTA_ProfileCreateRQ
OTA_CreateProfileRS	N			Deprecated – message name changed to OTA_ProfileCreateRS
OTA_ReadProfileRS	N			Deprecated – message name changed to OTA_ProfileReadRS
OTA_nvent	N	Deprecated –included in OTA_v2ent.xsd		
OTA_payloadRQ	N	Deprecated		
OTA_payloadRS	N	Deprecated		
OTA_pos		N		Deprecated – now included in OTA_CommonTypes as POS_Type
OTA_stderr	N	Deprecated – included in OTA_v2ent.xsd		
OTA_v2ent	N			Deprecated – replaced by OTA_ErrorRS.xsd
OTA_Privacy	N			Deprecated – now included in OTA_CommonTypes as PrivacyGroup
PackageRequest			N	Deprecated – now included in OTA_PackageCommonTypes as PackageType
PaymentForm			N	Deprecated – now included in OTA_CommonTypes as PaymentFormType
PersonName			N	Deprecated – now included in OTA_CommonTypes as PersonNameType
PkgCodeList			N	Deprecated – now included in OTA_PackageCommonTypes, OTA_CommonTypes, and OTA_SimpleTypes
PkgCommonElements			N	Deprecated – replaced with OTA_PackageCommonTypes
PackageInvoiceDetail			N	Deprecated – now included in OTA_PackageCommonTypes as PkgInvoiceDetail
PkgPackageSegment			N	Deprecated – now included in OTA_PackageCommonTypes as PackageType
PkgPassengerListItem			N	Deprecated – now included in OTA_PackageCommonTypes as PkgPassengerListItem
PkgRoomProfile			N	Deprecated – now included in OTA_PackageCommonTypes as PkgRoomProfileType

	2001			2002
XSD Name	A	B	C	A
PkgStdTypes			N	Deprecated – now included in OTA_PackageCommonTypes and OTA_CommonTypes
PkgTravelJourney			N	Deprecated – now included in OTA_PackageCommonTypes as PkgTravelJourney
PkgTravelSegment			N	Deprecated – now included in OTA_PackageCommonTypes as PkgTravelSegment
Preferences			N	Deprecated – replaced with OTA_CommonPrefs
Privacy		N		Deprecated – now included in OTA_CommonTypes as PrivacyGroup
ProductDescriptions		N		Deprecated – now included in OTA_HotelCommonTypes as ProductDescriptionsType
Profile	N			Deprecated – replaced with OTA_Profile
ProfileRef		N		Deprecated – replaced with OTA_Profile
ProfileType		N		Deprecated – replaced with OTA_Profile
RoutingHop		N		Deprecated – now included in OTA_HotelCommonTypes as RoutingHopType
SellableProducts		N		Deprecated – now included in OTA_HotelCommonTypes as SellableProductsType
SpecialReqDetails		N		Deprecated – now included in OTA_AirCommonTypes as SpecialReqDetailsType
Statistics		N		Deprecated – now included in OTA_HotelCommonTypes as StatisticsType
StatusApplicationControl		N		Deprecated – now included in OTA_HotelCommonTypes as StatusApplicationControlType
Telephone			N	Deprecated – now included in OTA_CommonTypes as TelephoneType
Ticketing		N		Deprecated – now included in OTA_AirCommonTypes as TicketingInfoType
TPA_Extensions			N	Deprecated – now included in OTA_CommonTypes as TPA_ExtensionsType
TravelerInfo		N		Deprecated – now included in OTA_AirCommonTypes as TravelerInfoType
UniqueID		N		Deprecated – now included in OTA_CommonTypes as UniqueID_Type
Viewership		N		Deprecated – now included in OTA_HotelCommonTypes as ViewershipsType

	2001			2002
XSD Name	A	B	C	A
WrittenConflnst		N		Deprecated – now included in OTA_HotelCommonTypes as WrittenConflnstType