



May 2017

---

# OpenTravel 2017B Object Suite Comments Report

<p><b>492</b></p> <p><b>Submitted By:</b> <b>2.0 Model Build Team</b></p> <p><b>OpenTravel</b></p>	<p>-----</p> <p><b>SUBMITTER</b></p> <p>-----</p> <p><b>Comment</b></p> <p>Processing info is not needed in the Response Message.</p> <p><b>Proposed Change</b></p> <p>Remove ProcessingInfo from Golf/GetOffersResponse</p> <p>-----</p> <p><b>RELEASE NOTES</b></p> <p>-----</p> <p><b>Library Name:</b> Golf</p> <p><b>X-Path:</b> Golf/GetOffersResponse/ProcessingInfo</p> <p><i>-removed element</i> GetOffersResponse/ProcessinInfo was removed.</p>
--	---

<p><b>493</b></p> <p><b>Submitted By:</b> <b>2.0 Model Build Team</b></p> <p><b>OpenTravel</b></p>	<p>-----</p> <p><b>SUBMITTER</b></p> <p>-----</p> <p><b>Comment</b></p> <p>PriceModifiers is not needed on Golf/TeeTimeAvailability since it exists on the ProductQueries object and therefore exists in multiple locations.</p> <p><b>Proposed Change</b></p> <p>Deleted PriceModifiers from Golf/TeeTimeAvailability.</p> <p>-----</p> <p><b>RELEASE NOTES</b></p> <p>-----</p> <p><b>Library Name:</b> Golf</p> <p><b>X-Path:</b> Golf/TeeTimeAvailability/PriceModifiers</p> <p><i>-removed element</i> Deleted PriceModifiers from Golf/TeeTimeAvailability</p>
--	--

<p><b>494</b></p> <p><b>Submitted By:</b> <b>2.0 Model Build Team</b></p> <p><b>OpenTravel</b></p>	<p>-----</p> <p><b>SUBMITTER</b></p> <p>-----</p> <p><b>Comment</b></p> <p>Currently the Golf/GetOffersResponse only allows for one offer to be returned. Increase the number of occurrences from 1 to 100 to allow for multiple offers to be returned.</p> <p><b>Proposed Change</b></p> <p>Increase the number of occurrences on the offer object in Golf/GetOfferResponse from 1 to 100.</p> <p>-----</p> <p><b>RELEASE NOTES</b></p> <p>-----</p> <p><b>Library Name:</b> Golf</p> <p><b>X-Path:</b> Golf/GetOffersResponse/Offer</p> <p><i>-increased number of occurrences</i> Increased the number of occurrences of Golf/GetOffersResponse/Offer from 1 to 100.</p>
--	---

<p><b>495</b></p> <p><b>Submitted By:</b> <b>2.0 Model Build Team</b></p> <p><b>OpenTravel</b></p>	<p>-----</p> <p><b>SUBMITTER</b></p> <p>-----</p> <p><b>Comment</b></p> <p>The Product/ProductQueries object would be better served to be a choice object rather than a business object so a selection for the type of product to be queried can be distinctly made.</p> <p><b>Proposed Change</b></p> <p>Change Product/ProductQueries from a business object to a choice object.</p> <p>-----</p> <p><b>RELEASE NOTES</b></p> <p>-----</p> <p><b>Library Name:</b> Product</p> <p><b>X-Path:</b> Product/ProductQueries</p> <p><i>-change object type</i> Changed Product/ProductQueries from a business object to a choice object.</p>
--	---

<p><b>496</b></p> <p><b>Submitted By:</b> <b>2.0 Model Build Team</b></p> <p><b>OpenTravel</b></p>	<p>-----</p> <p><b>SUBMITTER</b></p> <p>-----</p> <p><b>Comment</b></p> <p>Update annotation on the Golf/GetOffersResponse/Result to indicate that the result object can be returned during a successful transaction.</p> <p><b>Proposed Change</b></p> <p>Change annotation on Golf/GetOffersResponse/Result from “When present indicates that errors or warnings occurred during processing”. To “Absense of this object indicates a successful transaction. When this object is present, it generally indicates that an error or warning occurred but may also be used to explicitly indicate a successful transaction.</p> <p>-----</p> <p><b>RELEASE NOTES</b></p> <p>-----</p> <p><b>Library Name:</b> Golf</p> <p><b>X-Path:</b> Golf/GetOffersResponse/Result</p> <p><i>-changed annotation</i></p> <p>Change annotation on Golf/GetOffersResponse/Result from “When present indicates that errors or warnings occurred during processing”. To “Absense of this object indicates a successful transaction. When this object is present, it generally indicates that an error or warning occurred but may also be used to explicitly indicate a successful transaction.</p>
<p><b>497</b></p> <p><b>Submitted By:</b> <b>2.0 Model Build Team</b></p> <p><b>OpenTravel</b></p>	<p>-----</p> <p><b>SUBMITTER</b></p> <p>-----</p> <p><b>Comment</b></p> <p>The Reservation/Receipt object needs to be able to be associated to the reservation for which it applies.</p> <p><b>Proposed Change</b></p> <p>Add a ReservationIdentifier of type ReservationID to Reservation/Receipt.</p> <p>-----</p> <p><b>RELEASE NOTES</b></p> <p>-----</p> <p><b>Library Name:</b> Reservation</p> <p><b>X-Path:</b> Reservation/Receipt</p> <p><i>-added element</i></p> <p>ReservationIdentifier of type ReservationID to Reservation</p> <p><i>-annotation</i></p> <p>Identifies the reservation for which this receipt applies.</p>

<p><b>498</b></p> <p><b>Submitted By:</b> <b>2.0 Model Build Team</b></p> <p><b>OpenTravel</b></p>	<div>-----</div> <p><b>SUBMITTER</b></p> <div>-----</div> <p><b>Comment</b></p> <p>Add a Cancellation facet to Reservation to support basic cancellation operations to Reservation and move the comment element to the summary facet to be picked up by the new custom facet.</p> <p><b>Proposed Change</b></p> <p>Add a Cancellation facet to Reservation with a CancellationID of type identifier and move comment from the detail facet to the summary facet.</p> <div>-----</div> <p><b>RELEASE NOTES</b></p> <div>-----</div> <p><b>Library Name:</b> Reservation</p> <p><b>X-Path:</b> Reservation/Reservation</p> <p><i>-added custom facet</i> Created a custom facet Cancellation on Reservation</p> <p><i>-added element</i> CancellationID of type identifier to the custom facet Cancellation on Reservation.</p> <p><i>-annotation</i> Confirmation of the cancellation.</p> <p><i>-moved element</i> Comment of type Comment from the detail facet to the summary facet of Reservation/Reservation</p>
--	--

<p><b>499</b></p> <p><b>Submitted By:</b> <b>2.0 Model Build Team</b></p> <p><b>OpenTravel</b></p>	<div>-----</div> <p><b>SUBMITTER</b></p> <div>-----</div> <p><b>Comment</b></p> <p>Add operations to reservation to support a basic cancel function.</p> <p><b>Proposed Change</b></p> <p>Add RQ, RS and NOTIF operations to Reservation for Cancel.</p> <div>-----</div> <p><b>RELEASE NOTES</b></p> <div>-----</div> <p><b>Library Name:</b> Reservation</p> <p><b>X-Path:</b> Reservation/Reservation</p> <p><i>-add operation</i> CancelRQ with the following elements:</p> <ul style="list-style-type: none"> <li>• PayloadStdAttributes of type PayloadStdAttributes</li> <li>• POS of type POS</li> <li>• ReservationIdentifier of typeReservationID</li> <li>• Verification of type Verification</li> </ul> <p><i>-add operation</i> CancelRS with the following elements:</p> <ul style="list-style-type: none"> <li>• PayloadStdAttributes of type PayloadStdAttributes</li> <li>• Result of type Result</li> <li>• ReservationCancellation of type Cancellation (a custom facet on Reservation)</li> </ul> <p><i>-add operation</i> CancelNotif with the following elements:</p> <ul style="list-style-type: none"> <li>• PayloadStdAttributes of type PayloadStdAttributes</li> <li>• POS of type POS</li> <li>• Result of type Result</li> <li>• ReservationCancellation of type Cancellation (a custom facet on Reservation)</li> </ul>
--	---

<p><b>500</b></p> <p><b>Submitted By:</b> <b>2.0 Model Build Team</b></p> <p><b>OpenTravel</b></p>	<div>-----</div> <p><b>SUBMITTER</b></p> <div>-----</div> <p><b>Comment</b></p> <p>Add example and correct description information on EncryptionToken, ThreeDomainSecurity, ThreeDomainSecurity_Gateway and ThreeDomainSecurity_Results</p> <p><b>Proposed Change</b></p> <p>Update annotation and example data to match 1.0 for the above mentioned Finance Objects.</p> <div>-----</div> <p><b>RELEASE NOTES</b></p> <div>-----</div> <p><b>Library Name:</b> Finance</p> <p><b>X-Path:</b> Finance/EncryptionToken</p> <p><i>-added descriptions and examples</i></p> <p><b>Library Name:</b> Finance</p> <p><b>X-Path:</b> Finance/ThreeDomainSecurity</p> <p><i>-added descriptions and examples</i></p> <p><b>Library Name:</b> Finance</p> <p><b>X-Path:</b> Finance/ThreeDomainSecurity_Gateway</p> <p><i>-added descriptions and examples</i></p> <p><b>Library Name:</b> Finance</p> <p><b>X-Path:</b> Finance/ThreeDomainSecurity_Resultsx</p> <p><i>-added descriptions and examples</i></p>
--	--

<p><b>501</b></p> <p><b>Submitted By:</b> <b>2.0 Model Build Team</b></p> <p><b>OpenTravel</b></p>	<p>-----</p> <p><b>SUBMITTER</b></p> <p>-----</p> <p><b>Comment</b></p> <p>Correct typo in Common/OperationSchedules @doysOfWeek</p> <p><b>Proposed Change</b></p> <p>Correct typo in Common/OperationsSchedules @doysOfWeek to read @daysOfWeek.</p> <p>-----</p> <p><b>RELEASE NOTES</b></p> <p>-----</p> <p><b>Library Name:</b> Common</p> <p><b>X-Path:</b> Common/OperationSchedules @doysOfWeek</p> <p><i>-correct typo in attribute name</i></p> <p>Change @doysOfWeek to @daysOfWeek</p>
<p><b>502</b></p> <p><b>Submitted By:</b> <b>2.0 Model Build Team</b></p> <p><b>OpenTravel</b></p>	<p>-----</p> <p><b>SUBMITTER</b></p> <p>-----</p> <p><b>Comment</b></p> <p>There is no need for a VIPIndicator on the Common/VIP object as inclusion of the object indicates the guest is a VIP.</p> <p><b>Proposed Change</b></p> <p>Remove the attribute vipInd from Common/VIP.</p> <p>-----</p> <p><b>RELEASE NOTES</b></p> <p>-----</p> <p><b>Library Name:</b> Common</p> <p><b>X-Path:</b> Common/VIP</p> <p><i>-delete attribute</i></p> <p>vipInd of type Indicator</p>



<b>503</b>  <b>Submitted By:</b> <b>2.0 Model Build Team</b>  <b>OpenTravel</b>	<p>-----  <b>SUBMITTER</b>  -----</p> <p><b>Comment</b></p> <p>There can be more than 20 travelers associated to a reservation.</p> <p><b>Proposed Change</b></p> <p>Increase the number of Traveler occurrences on Reservation/Reservation from 20 to 99.</p> <p>-----  <b>RELEASE NOTES</b>  -----</p> <p><b>Library Name:</b> Reservation</p> <p><b>X-Path:</b> Reservation/Reservation</p> <p><i>-increase number of occurrences</i></p> <p>Increased the number of occurrences of Traveler on Reservation/Reservation from 20 to 99.</p>
--	---

<b>504</b>  <b>Submitted By:</b> <b>2.0 Model Build Team</b>  <b>OpenTravel</b>	<p>-----  <b>SUBMITTER</b>  -----</p> <p><b>Comment</b></p> <p>Need the ability to indicate a primary traveler on an order.</p> <p><b>Proposed Change</b></p> <p>Add a new element Order/Order/RelatedTraveler of type Traveler, optional with 98 occurrences. Change number of occurrences on Order/Order/Traveler to 1. This will allow for the Traveler object to be used for the primary Traveler and then all associated travelers will be included in the RelatedTraveler object. Update annotation on Traveler to indicate this is the primary traveler.</p> <p>-----  <b>RELEASE NOTES</b>  -----</p> <p><b>Library Name:</b> Order</p> <p><b>X-Path:</b> Order/Order</p> <p><i>-add element</i></p> <p>Added element RelatedTraveler, of type Traveler, optional with 98 occurrences.</p> <p><i>-annotation - RelatedTraveler</i></p> <p>Additional traveler(s) for this order.</p> <p><i>-annotation – Traveler</i></p> <p>The primary traveler for this order.</p> <p><i>-decrease number of occurrences</i></p> <p>Decreased number of occurrences on Traveler, from 99 to 1.</p>
--	---

<p><b>505</b></p> <p><b>Submitted By:</b> <b>2.0 Model Build Team</b></p> <p><b>OpenTravel</b></p>	<p>-----</p> <p><b>SUBMITTER</b></p> <p>-----</p> <p><b>Comment</b></p> <p>A trip purpose should be related to a trip not a traveler. Move Common/Traveler/TripPurpose.</p> <p><b>Proposed Change</b></p> <p>Move Common/Traveler/TripPurpose from Traveler to Order/Order.</p> <p>-----</p> <p><b>RELEASE NOTES</b></p> <p>-----</p> <p><b>Library Name:</b> Common</p> <p><b>X-Path:</b> Common/Traveler</p> <p><i>-remove element</i></p> <p>Deleted element Common/Traveler/TripPurpose.</p> <p><b>Library Name:</b> Order</p> <p><b>X-Path:</b> Order/Order</p> <p><i>-add element</i></p> <p>Added element Order/Order/TripPurpose, of type Code, optional with 98 occurrences.</p> <p><i>-annotation</i></p> <p>Specifies the purpose of the trip.</p>
--	---

<p><b>506</b></p> <p><b>Submitted By:</b> <b>2.0 Model Build Team</b></p> <p><b>OpenTravel</b></p>	<div>-----</div> <p><b><i>SUBMITTER</i></b></p> <div>-----</div> <p><b>Comment</b></p> <p>Trip purpose is not needed in rebate. Remove TripPurpose and replace with ProgramRestrictions.</p> <p><b>Proposed Change</b></p> <p>Delete the TripPurpose element from Order/RebateProgram and add a new element ProgramRestrictions of type TextFree, optional.</p> <div>-----</div> <p><b><i>RELEASE NOTES</i></b></p> <div>-----</div> <p><b>Library Name:</b> Order</p> <p><b>X-Path:</b> Order/Rebate</p> <p><i>-delete element</i></p> <p>Delete element TripPupose of type TripPurpose.</p> <p><i>-delete object</i></p> <p>TripPurpose as it is no longer used.</p> <p><i>-add element</i></p> <p>ProgramRestrictions of type TextFree, optional</p> <p><i>-annotation</i></p> <p>Describes restrictions related to the rebate program.</p>
--	--