


0 1 2 3 4 5 6  
 (USE RULER TO SCALE DIMENSIONS IN INCHES)  
**SCALE: 1/4"**

**FIXED WINDOW DETAILS**  
 1/4", 9/16", 1", 1-1/4", 1-1/2"  
 AND 2-1/4" GLAZING AVAILABLE


**Product Specifications**  
[Click Here](#)



0 1 2 3 4 5 6  
 (USE RULER TO SCALE DIMENSIONS IN INCHES)


SCALE: 1/4

 FIXED WINDOW DETAILS  
 1/4", 9/16", 1", 1-1/4", 1-1/2"  
 AND 2-1/4" GLAZING AVAILABLE

[Architecturals](#)  
[Click Here](#)
[Parts List](#)  
[Click Here](#)



[Architecturals  
Click Here](#)
[Product Specs  
Click Here](#)


BILL OF MATERIALS			
ITEM #	PART#	DESCRIPTION	IMAGE
ALUMINUM EXTRUSIONS			
1	3801	1" GLAZING BEAD	
2	3802	1" BENDABLE GLAZING BEAD	
3	3803	1/4" GLAZING BEAD	
4	3804	9/16" GLAZING BEAD	
5	3805	4.5 FRAME	
6	3806	TDL	
7	3807	1-1/2" SERIES GLASS STOP	
8	3810	2-1/4" SERIES GLASS STOP	
9	3811	1 1/4" GLASS STOP	
10	3812	INTERSECTING MULLION KEY (INTERSECTING TDL)	
11	3814	APPLIED GRID INTERIOR	
12	3815	SHEAR BLOCK (FOR HP ONLY)	
13	FW1194	2.0" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
14	FW1195	1.5" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
15		SILL PAN, BLOCK FRAME	
16		SILL PAN, NAIL ON	
17	3082	THERMAL MULLION	
18	3809	4.5 BLOCK FRAME	
19	3816	1 1/4" TIERED GLASS STOP	
20	3817	90° CORNER BUTT GLAZED EXTERIOR CAP/COVER FOR 1.25" GLASS	
21	3818	90° CORNER BUTT GLAZED INTERIOR CAP/COVER FOR 1.25" GLASS	
HARDWARE			
31	VARY BY COLOR	SCREW NO 10, PPH, 1.00"	
32	VARY BY COLOR	SCREW NO 6, PFHU, .50"	
33	VARY BY COLOR	SCREW NO 8, PFH, 1 1/2"	
SEAL & SEALANT			
51	25199	BULB VINYL - MINI (ASTM C864)	
52	25031	BULB VINYL - LARGE (ASTM C864)	
53	19120	Q-LON WEATHERSTRIP (U 5212)	
54	18622	SETTING BLOCK 3/8 X 1 X 4	
55	18621	SETTING BLOCK 1/8 X 1 X 4	
56	23217	RIGID PVC SETTING BLOCK	



(USE RULER TO SCALE DIMENSIONS IN INCHES)  
SCALE: FULL

FIXED WINDOW DETAILS  
1", 1-1/2", AND 2-1/4"  
INSULATED GLAZING SHOWN






(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

 FIXED WINDOW DETAILS  
 1/4" AND 9/16" GLAZING SHOWN

NAIL-ON HEAD


1A



EXTERIOR

 NAIL-ON SILL  
 W/ SILL PAN


3A




0      0.5      1

(USE RULER TO SCALE DIMENSIONS IN INCHES)  
 SCALE: FULL

FIXED WINDOW DETAILS  
 TIERED GLASS STOP WITH  
 1-1/4" INSULATED GLAZING







(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

## FIXED WINDOW DETAILS


1-1/4" AND 1" INSULATED GLAZING SHOWN





(USE RULER TO SCALE DIMENSIONS IN INCHES)

**SCALE: FULL**


 FIXED WINDOW DETAILS  
 1/4" AND 9/16" GLAZING SHOWN




# SERIES 3800-T

DWG NO.: 3800-T-01\_07

DATE: 7/6/18





(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

## FIXED WINDOW DETAILS 1" INSULATED GLAZING

7  
BLOCK HEAD  
W/ SCREW ON  
GLASS STOPS






(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

## FIXED WINDOW DETAILS


1-1/4" INSULATED  
GLAZING SHOWN

(8)


90° CORNER COVER FOR  
1-1/4" GLAZING


 (USE RULER TO SCALE DIMENSIONS IN INCHES)  
**SCALE: 1/4**
**JAMB MULLION DETAILS**
[Product Specifications](#)  
[Click Here](#)


**1**  
 EXTERNAL "I"  
 THERMALLY-BROKEN  
 JAMB MULLION


 EXTERIOR  
 SERIES 1000 TO SERIES 3800-T



**1A**  
 EXTERNAL "I"  
 THERMALLY-BROKEN  
 JAMB MULLION


 EXTERIOR  
 SERIES 3000 TO SERIES 3800-T


**1B**  
 EXTERNAL "I"  
 THERMALLY-BROKEN  
 JAMB MULLION


 EXTERIOR  
 SERIES 3300-T TO SERIES 3800-T

**2**  
 EXTERNAL "I"  
 THERMALLY-BROKEN  
 JAMB MULLION


 EXTERIOR  
 SERIES 3800-T TO SERIES 3800-T


X0 SLIDING DOOR MULLED TO 3800-T



3800-T MULLED TO 3800-T

-EXTERIOR RATED PRODUCTS HAVE WEEP SLOTS ON HORIZONTAL SILLS.

**SERIES 3800-T**

0 1 2 3 4 5 6


(USE RULER TO SCALE DIMENSIONS IN INCHES)  
SCALE: 1/4

JAMB MULLION DETAILS

Architecturals  
[Click Here](#)

Parts List  
[Click Here](#)


1  
EXTERNAL "I"  
THERMALLY-BROKEN  
JAMB MULLION



EXTERIOR

SERIES 1000 TO SERIES 3800-T


1A  
EXTERNAL "I"  
THERMALLY-BROKEN  
JAMB MULLION



EXTERIOR

SERIES 3000 TO SERIES 3800-T


1B  
EXTERNAL "I"  
THERMALLY-BROKEN  
JAMB MULLION



EXTERIOR


SERIES 3300-T TO SERIES 3800-T

2  
EXTERNAL "I"  
THERMALLY-BROKEN  
JAMB MULLION




EXTERIOR

SERIES 3800-T TO SERIES 3800-T




XO SLIDING DOOR MULLED TO 3800-T




3800-T MULLED TO 3800-T

SERIES 3800-T




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


THERMALLY-BROKEN  
JAMB MULLION DETAILS  
1" INSULATED GLAZING

SERIES 1000 TO SERIES 3800-T




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

THERMALLY-BROKEN  
JAMB MULLION DETAILS  
1" INSULATED GLAZING

SERIES 3000 TO SERIES 3800-T




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


THERMALLY-BROKEN  
JAMB MULLION DETAILS  
1" INSULATED GLAZING

1B

JAMB MULLION




SERIES 3300-T TO SERIES 3800-T



(USE RULER TO SCALE DIMENSIONS IN INCHES)


SCALE: FULL

THERMALLY-BROKEN  
JAMB MULLION DETAILS  
1" INSULATED GLAZING

SERIES 3800-T TO SERIES 3800-T

[Architecturals  
Click Here](#)
[Product Specs  
Click Here](#)

BILL OF MATERIALS			
ITEM #	PART#	DESCRIPTION	IMAGE
ALUMINUM EXTRUSIONS			
1	3801	1" GLAZING BEAD	
2	3802	1" BENDABLE GLAZING BEAD	
3	3803	1/4" GLAZING BEAD	
4	3804	9/16" GLAZING BEAD	
5	3805	4.5 FRAME	
6	3806	TDL	
7	3807	1-1/2" SERIES GLASS STOP	
8	3810	2-1/4" SERIES GLASS STOP	
9	3811	1 1/4" GLASS STOP	
10	3812	INTERSECTING MULLION KEY (INTERSECTING TDL)	
11	3814	APPLIED GRID INTERIOR	
12	3815	SHEAR BLOCK (FOR HP ONLY)	
13	FW1194	2.0" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
14	FW1195	1.5" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
15		SILL PAN, BLOCK FRAME	
16		SILL PAN, NAIL ON	
17	3082	THERMAL MULLION	
18	3809	4.5 BLOCK FRAME	
19	3816	1 1/4" TIERED GLASS STOP	
20	3817	90° CORNER BUTT GLAZED EXTERIOR CAP/COVER FOR 1.25" GLASS	
21	3818	90° CORNER BUTT GLAZED INTERIOR CAP/COVER FOR 1.25" GLASS	
HARDWARE			
31	VARY BY COLOR	SCREW NO 10, PPH, 1.00"	
32	VARY BY COLOR	SCREW NO 6, PFHU, .50"	
33	VARY BY COLOR	SCREW NO 8, PFH, 1 1/2"	
SEAL & SEALANT			
51	25199	BULB VINYL - MINI (ASTM C864)	
52	25031	BULB VINYL - LARGE (ASTM C864)	
53	19120	Q-LON WEATHERSTRIP (U 5212)	
54	18622	SETTING BLOCK 3/8 X 1 X 4	
55	18621	SETTING BLOCK 1/8 X 1 X 4	
56	23217	RIGID PVC SETTING BLOCK	



 (USE RULER TO SCALE DIMENSIONS IN INCHES)  
**SCALE: 1/4**
**TRANSOM DETAILS**
[Product Specifications](#)  
[Click Here](#)


-SEE MULLION & TRANSOM INSTALLATION  
INSTRUCTIONS FOR RECOMMENDED METHODS OF  
JOINING FLEETWOOD PRODUCTS.  
-EXTERIOR RATED PRODUCTS HAVE WEEP SLOTS  
ON HORIZONTAL SILLS.

**3800-T STACKED ON 3800-T**
**SERIES 3800-T**



(USE RULER TO SCALE DIMENSIONS IN INCHES)  
**SCALE: 1/4**

**TRANSOM DETAILS**
[Architecturals  
Click Here](#)
[Parts List  
Click Here](#)

**SERIES 3800-T**

0      0.5      1


(USE RULER TO SCALE DIMENSIONS IN INCHES)  
SCALE: FULL

FIXED WINDOW DETAILS

1/4" SINGLE AND  
1" INSULATED GLAZING

EXTERIOR

1  
TRANSOM  
W/ STACK  
FLASHING



SERIES 3800-T/SERIES 1000


0      0.5      1

(USE RULER TO SCALE DIMENSIONS IN INCHES)  
**SCALE: FULL**


FIXED WINDOW DETAILS  
 1/4" SINGLE AND  
 1" INSULATED GLAZING


EXTERIOR

1A  
 TRANSOM  
 W/ STACK  
 FLASHING



SERIES 3800-T/SERIES 3000


 (USE RULER TO SCALE DIMENSIONS IN INCHES)  
**SCALE: FULL**
**FIXED WINDOW DETAILS**


 1/4" SINGLE AND  
 1" INSULATED GLAZING

**SERIES 3800-T/SERIES 3300-T**



# SERIES 3800-T

DWG NO.: 3800-T-03\_02

DATE: 7/6/18





(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

## FIXED WINDOW DETAILS 1" INSULATED GLAZING


2  
TRANSOM  
W/ STACK  
FLASHING




 (USE RULER TO SCALE DIMENSIONS IN INCHES)  
**SCALE: FULL**
**FIXED WINDOW DETAILS**

 1/4" SINGLE AND  
 1" INSULATED GLAZING








EXTERIOR


 3  
 TRANSMOM  
 W/ STACK  
 FLASHING


SERIES 3800-T/SERIES 3800-T

[Architecturals  
Click Here](#)
[Product Specs  
Click Here](#)

BILL OF MATERIALS			
ITEM #	PART#	DESCRIPTION	IMAGE
ALUMINUM EXTRUSIONS			
1	3801	1" GLAZING BEAD	
2	3802	1" BENDABLE GLAZING BEAD	
3	3803	1/4" GLAZING BEAD	
4	3804	9/16" GLAZING BEAD	
5	3805	4.5 FRAME	
6	3806	TDL	
7	3807	1-1/2" SERIES GLASS STOP	
8	3810	2-1/4" SERIES GLASS STOP	
9	3811	1 1/4" GLASS STOP	
10	3812	INTERSECTING MULLION KEY (INTERSECTING TDL)	
11	3814	APPLIED GRID INTERIOR	
12	3815	SHEAR BLOCK (FOR HP ONLY)	
13	FW1194	2.0" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
14	FW1195	1.5" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
15		SILL PAN, BLOCK FRAME	
16		SILL PAN, NAIL ON	
17	3082	THERMAL MULLION	
18	3809	4.5 BLOCK FRAME	
19	3816	1 1/4" TIERED GLASS STOP	
20	3817	90° CORNER BUTT GLAZED EXTERIOR CAP/COVER FOR 1.25" GLASS	
21	3818	90° CORNER BUTT GLAZED INTERIOR CAP/COVER FOR 1.25" GLASS	
HARDWARE			
31	VARY BY COLOR	SCREW NO 10, PPH, 1.00"	
32	VARY BY COLOR	SCREW NO 6, PFHU, .50"	
33	VARY BY COLOR	SCREW NO 8, PFH, 1 1/2"	
SEAL & SEALANT			
51	25199	BULB VINYL - MINI (ASTM C864)	
52	25031	BULB VINYL - LARGE (ASTM C864)	
53	19120	Q-LON WEATHERSTRIP (U 5212)	
54	18622	SETTING BLOCK 3/8 X 1 X 4	
55	18621	SETTING BLOCK 1/8 X 1 X 4	
56	23217	RIGID PVC SETTING BLOCK	





 (USE RULER TO SCALE DIMENSIONS IN INCHES)  
**SCALE: 1/4"**

**WINDOW INSERTS**

**Product Specifications**  
[Click Here](#)



(USE RULER TO SCALE DIMENSIONS IN INCHES)

**SCALE: 1/4**

(1) HORIZONTAL TDL  
EXTERIOR

**WINDOW INSERTS**
[Architecturals Click Here](#)
  
[Parts List Click Here](#)


(2) BLOCK SILL W/ SILL PAN

3800-T 1" GLAZING OVER  
250-T 1" GLAZING  
CASEMENT/AWNING



(4) BLOCK SILL W/ SILL PAN

3800-T 1" GLAZING OVER  
250-T 1" GLAZING  
HOPPER

(6) BLOCK SILL W/ SILL PAN

3800-T 1" GLAZING OVER  
250 5/8" GLAZING  
SINGLE HUNG

(7) HORIZONTAL TDL  
EXTERIOR




(11) BLOCK JAMB

3800-T/250  
SINGLE HUNG


(8) BLOCK SILL W/ SILL PAN

3800-T 1" GLAZING OVER  
250 5/8" GLAZING  
XO SLIDER






(10) BLOCK JAMB



(12) BLOCK JAMB



3800-T/250  
SLIDER



O/SH WINDOW

**SERIES 3800-T**

0      0.5      1


(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


WINDOW INSERT DETAILS  
1" INSULATED GLAZING

1  
HORIZONTAL  
TDL

EXTERIOR




3800-T 1" GLAZING OVER  
250-T CASEMENT INSERT




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

WINDOW INSERT DETAILS  
1" INSULATED GLAZING



3800-T SILL WITH  
250-T CASEMENT/AWNING INSERT




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


WINDOW INSERT DETAILS  
1" INSULATED GLAZING

3  
HORIZONTAL  
TDL

EXTERIOR




3800-T 1" GLAZING OVER  
250-T HOPPER INSERT



(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

WINDOW INSERT DETAILS  
1" INSULATED GLAZING



3800-T SILL WITH  
250-T HOPPER INSERT


0      0.5      1

(USE RULER TO SCALE DIMENSIONS IN INCHES)


SCALE: FULL

WINDOW INSERT DETAILS  
GLAZING AS NOTED

5  
HORIZONTAL  
TDL



EXTERIOR



3800-T 1" GLAZING OVER  
250 5\8" GLAZING  
SINGLE HUNG INSERT



# SERIES 3800-T

DWG NO.: 3800-T-04\_06

DATE: 7/6/18




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

## WINDOW INSERT DETAILS 5/8" INSULATED GLAZING

EXTERIOR

6  
BLOCK SILL  
W/ SILL PAN



3800-T SILL WITH  
250 SINGLE HUNG INSERT




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


WINDOW INSERT DETAILS  
GLAZING AS NOTED

7  
HORIZONTAL  
TDL

EXTERIOR



3800-T 1" GLAZING OVER  
250 5\8" GLAZING XO SLIDER INSERT





(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

WINDOW INSERT DETAILS  
5/8" INSULATED GLAZING


EXTERIOR


8  
BLOCK SILL  
W/ SILL PAN3800-T SILL WITH  
250 XO SLIDER INSERT



(USE RULER TO SCALE DIMENSIONS IN INCHES)


SCALE: FULL


WINDOW INSERT DETAILS  
1/4" SINGLE GLAZING



(USE RULER TO SCALE DIMENSIONS IN INCHES)


SCALE: FULL

WINDOW INSERT DETAILS  
1" INSULATED GLAZING3800-T JAMB WITH  
250-T HOPPER INSERT



(USE RULER TO SCALE DIMENSIONS IN INCHES)


SCALE: FULL

WINDOW INSERT DETAILS  
5/8" INSULATED GLAZING11  
BLOCK  
JAMB3800-T JAMB WITH  
250 SINGLE HUNG INSERT



(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


WINDOW INSERT DETAILS  
5/8" INSULATED GLAZING

[Architecturals  
Click Here](#)
[Product Specs  
Click Here](#)





BILL OF MATERIALS			
ITEM #	PART#	DESCRIPTION	IMAGE
ALUMINUM EXTRUSIONS			
1	3801	1" GLAZING BEAD	
2	3802	1" BENDABLE GLAZING BEAD	
3	3803	1/4" GLAZING BEAD	
4	3804	9/16" GLAZING BEAD	
5	3805	4.5 FRAME	
6	3806	TDL	
7	3807	1-1/2" SERIES GLASS STOP	
8	3810	2-1/4" SERIES GLASS STOP	
9	3811	1 1/4" GLASS STOP	
10	3812	INTERSECTING MULLION KEY (INTERSECTING TDL)	
11	3814	APPLIED GRID INTERIOR	
12	3815	SHEAR BLOCK (FOR HP ONLY)	
13	FW1194	2.0" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
14	FW1195	1.5" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
15		SILL PAN, BLOCK FRAME	
16		SILL PAN, NAIL ON	
17	3082	THERMAL MULLION	
18	3809	4.5 BLOCK FRAME	
19	3816	1 1/4" TIERED GLASS STOP	
20	3817	90° CORNER BUTT GLAZED EXTERIOR CAP/COVER FOR 1.25" GLASS	
21	3818	90° CORNER BUTT GLAZED INTERIOR CAP/COVER FOR 1.25" GLASS	
HARDWARE			
31	VARY BY COLOR	SCREW NO 10, PPH, 1.00"	
32	VARY BY COLOR	SCREW NO 6, PFHU, .50"	
33	VARY BY COLOR	SCREW NO 8, PFH, 1 1/2"	
SEAL & SEALANT			
51	25199	BULB VINYL - MINI (ASTM C864)	
52	25031	BULB VINYL - LARGE (ASTM C864)	
53	19120	Q-LON WEATHERSTRIP (U 5212)	
54	18622	SETTING BLOCK 3/8 X 1 X 4	
55	18621	SETTING BLOCK 1/8 X 1 X 4	
56	23217	RIGID PVC SETTING BLOCK	


 (USE RULER TO SCALE DIMENSIONS IN INCHES)  
 SCALE: 1/4"

## DOOR PANEL INSERTS




[Product Specifications](#)  
[Click Here](#)

**SERIES 3800-T**


**DOOR PANEL INSERTS**
[Architecturals  
Click Here](#)
[Parts List  
Click Here](#)

 (USE RULER TO SCALE DIMENSIONS IN INCHES)  
**SCALE: 1/4**


**4A**  
VERTICAL TDL  
W/ARCHETYPE NARROW STILE INSERT

**4B**  
VERTICAL TDL  
W/ARCHETYPE STILE INSERT


**SERIES 3800-T**


0      0.5      1

(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

WINDOW INSERT DETAILS  
1" INSULATED GLAZING


1  
BLOCK HEAD  
W/INSERT




EXTERIOR

2  
BLOCK SILL  
W/INSERT


1/4" SHIM  
SERIES 3070







(USE RULER TO SCALE DIMENSIONS IN INCHES)

**SCALE: FULL**
**WINDOW INSERT DETAILS**  
 1" INSULATED GLAZING

 1A  
 BLOCK HEAD  
 W/INSERT


EXTERIOR

 2A  
 BLOCK SILL  
 W/INSERT






(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

WINDOW INSERT DETAILS  
1" INSULATED GLAZING

3  
BLOCK JAMB  
W/NARROW STILE INSERT






(USE RULER TO SCALE DIMENSIONS IN INCHES)


SCALE: FULL

WINDOW INSERT DETAILS  
1" INSULATED GLAZING

3A

BLOCK JAMB  
W/ARCHETYPE NARROW  
STILE INSERT

EXTERIOR




(USE RULER TO SCALE DIMENSIONS IN INCHES)


SCALE: FULL

WINDOW INSERT DETAILS  
1" INSULATED GLAZING

3B

BLOCK JAMB  
W/ARCHETYPE STILE INSERT


EXTERIOR




(USE RULER TO SCALE DIMENSIONS IN INCHES)

**SCALE: FULL**

 WINDOW INSERT DETAILS  
 1" INSULATED GLAZING

 4  
 VERTICAL TDL  
 W/NARROW STILE INSERT






(USE RULER TO SCALE DIMENSIONS IN INCHES)

**SCALE: FULL**

 WINDOW INSERT DETAILS  
 1" INSULATED GLAZING

4A

 VERTICAL TDL  
 W/ARCHETYPE NARROW STILE INSERT





(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


WINDOW INSERT DETAILS  
1" INSULATED GLAZING

4B

VERTICAL TDL  
W/ARCHETYPE STILE INSERT


[Architecturals  
Click Here](#)
[Product Specs  
Click Here](#)

BILL OF MATERIALS			
ITEM #	PART#	DESCRIPTION	IMAGE
ALUMINUM EXTRUSIONS			
1	3801	1" GLAZING BEAD	
2	3802	1" BENDABLE GLAZING BEAD	
3	3803	1/4" GLAZING BEAD	
4	3804	9/16" GLAZING BEAD	
5	3805	4.5 FRAME	
6	3806	TDL	
7	3807	1-1/2" SERIES GLASS STOP	
8	3810	2-1/4" SERIES GLASS STOP	
9	3811	1 1/4" GLASS STOP	
10	3812	INTERSECTING MULLION KEY (INTERSECTING TDL)	
11	3814	APPLIED GRID INTERIOR	
12	3815	SHEAR BLOCK (FOR HP ONLY)	
13	FW1194	2.0" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
14	FW1195	1.5" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
15		SILL PAN, BLOCK FRAME	
16		SILL PAN, NAIL ON	
17	3082	THERMAL MULLION	
18	3809	4.5 BLOCK FRAME	
19	3816	1 1/4" TIERED GLASS STOP	
20	3817	90° CORNER BUTT GLAZED EXTERIOR CAP/COVER FOR 1.25" GLASS	
21	3818	90° CORNER BUTT GLAZED INTERIOR CAP/COVER FOR 1.25" GLASS	
HARDWARE			
31	VARY BY COLOR	SCREW NO 10, PPH, 1.00"	
32	VARY BY COLOR	SCREW NO 6, PFHU, .50"	
33	VARY BY COLOR	SCREW NO 8, PFH, 1 1/2"	
SEAL & SEALANT			
51	25199	BULB VINYL - MINI (ASTM C864)	
52	25031	BULB VINYL - LARGE (ASTM C864)	
53	19120	Q-LON WEATHERSTRIP (U 5212)	
54	18622	SETTING BLOCK 3/8 X 1 X 4	
55	18621	SETTING BLOCK 1/8 X 1 X 4	
56	23217	RIGID PVC SETTING BLOCK	


 (USE RULER TO SCALE DIMENSIONS IN INCHES)  
**SCALE: 1/4"**
**DOOR PANEL INSERTS**
[Product Specifications](#)  
[Click Here](#)
**1**  
 BLOCK HEAD  
 W/3070-T  
 INSERT


EXTERIOR

**2**  
 BLOCK SILL  
 W/3070-T  
 INSERT








**1A**  
 BLOCK HEAD  
 W/3000-T  
 INSERT


EXTERIOR

**2A**  
 BLOCK SILL  
 W/3000-T  
 INSERT

SERIES 3070-T

SERIES 3300-T

**3**  
 BLOCK JAMB  
 W/NARROW STILE INSERT

**3A**  
 BLOCK JAMB  
 W/ARCHETYPE NARROW  
 STILE INSERT

**3B**  
 BLOCK JAMB  
 W/ARCHETYPE STILE  
 INSERT

**4**  
 VERTICAL TDL  
 W/NARROW STILE INSERT

**4A**  
 VERTICAL TDL  
 W/ARCHETYPE NARROW STILE INSERT

**4B**  
 VERTICAL TDL  
 W/ARCHETYPE STILE INSERT

**SERIES 3800-T**




## DOOR PANEL INSERTS


[Architecturals  
Click Here](#)
[Parts List  
Click Here](#)

(USE RULER TO SCALE DIMENSIONS IN INCHES)









SCALE: 1/4



SERIES 3070-T



SERIES 3300-T



SERIES 3800-T

0      0.5      1

 (USE RULER TO SCALE DIMENSIONS IN INCHES)  
**SCALE: FULL**

 DOOR PANEL INSERT DETAILS  
 1" GLAZING SHOWN

 1  
 BLOCK HEAD  
 W/INSERT

 $4\frac{1}{2}$ 
 $2\frac{3}{16}$ 
 $1\frac{7}{16}$ 
 $\frac{3}{4}$ 


EXTERIOR


 2  
 BLOCK SILL  
 W/INSERT

 $1/4$ " SHIM

SERIES 3070-T


6"


 $1\frac{11}{16}$ 



 DOOR PANEL INSERT DETAILS  
 1" GLAZING SHOWN

(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL







(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

DOOR PANEL INSERT DETAILS  
1" GLAZING SHOWN






(USE RULER TO SCALE DIMENSIONS IN INCHES)


SCALE: FULL

DOOR PANEL INSERT DETAILS  
1" GLAZING SHOWN

3A

BLOCK JAMB  
W/ARCHETYPE NARROW STILE INSERT  
(3070-T & 3000-T)






(USE RULER TO SCALE DIMENSIONS IN INCHES)


SCALE: FULL

DOOR PANEL INSERT DETAILS  
1" GLAZING SHOWN

3B

BLOCK JAMB  
W/ARCHETYPE STILE INSERT  
(3070-T & 3000-T)







(USE RULER TO SCALE DIMENSIONS IN INCHES)

**SCALE: FULL**

 DOOR PANEL INSERT DETAILS  
 1" GLAZING SHOWN

4

 VERTICAL TDL  
 W/NARROW STILE INSERT  
 (3070-T & 3000-T)






(USE RULER TO SCALE DIMENSIONS IN INCHES)

**SCALE: FULL**

 DOOR PANEL INSERT DETAILS  
 1" GLAZING SHOWN

4A

 VERTICAL TDL  
 W/ARCHETYPE NARROW STILE INSERT  
 (3070-T & 3000-T)





(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

DOOR PANEL INSERT DETAILS  
1" GLAZING SHOWN

4B

VERTICAL TDL  
W/ARCHETYPE STILE INSERT  
(3070-T & 3000-T)10 $\frac{1}{16}$ "2 $\frac{7}{16}$ "1 $\frac{3}{8}$ "


[Architecturals  
Click Here](#)
[Product Specs  
Click Here](#)

BILL OF MATERIALS			
ITEM #	PART#	DESCRIPTION	IMAGE
ALUMINUM EXTRUSIONS			
1	3801	1" GLAZING BEAD	
2	3802	1" BENDABLE GLAZING BEAD	
3	3803	1/4" GLAZING BEAD	
4	3804	9/16" GLAZING BEAD	
5	3805	4.5 FRAME	
6	3806	TDL	
7	3807	1-1/2" SERIES GLASS STOP	
8	3810	2-1/4" SERIES GLASS STOP	
9	3811	1 1/4" GLASS STOP	
10	3812	INTERSECTING MULLION KEY (INTERSECTING TDL)	
11	3814	APPLIED GRID INTERIOR	
12	3815	SHEAR BLOCK (FOR HP ONLY)	
13	FW1194	2.0" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
14	FW1195	1.5" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
15		SILL PAN, BLOCK FRAME	
16		SILL PAN, NAIL ON	
17	3082	THERMAL MULLION	
18	3809	4.5 BLOCK FRAME	
19	3816	1 1/4" TIERED GLASS STOP	
20	3817	90° CORNER BUTT GLAZED EXTERIOR CAP/COVER FOR 1.25" GLASS	
21	3818	90° CORNER BUTT GLAZED INTERIOR CAP/COVER FOR 1.25" GLASS	
HARDWARE			
31	VARY BY COLOR	SCREW NO 10, PPH, 1.00"	
32	VARY BY COLOR	SCREW NO 6, PFHU, .50"	
33	VARY BY COLOR	SCREW NO 8, PFH, 1 1/2"	
SEAL & SEALANT			
51	25199	BULB VINYL - MINI (ASTM C864)	
52	25031	BULB VINYL - LARGE (ASTM C864)	
53	19120	Q-LON WEATHERSTRIP (U 5212)	
54	18622	SETTING BLOCK 3/8 X 1 X 4	
55	18621	SETTING BLOCK 1/8 X 1 X 4	
56	23217	RIGID PVC SETTING BLOCK	

0 1 2 3 4 5 6

 (USE RULER TO SCALE DIMENSIONS IN INCHES)  
**SCALE: 1/4"**
INSIDE GLAZED
FIXED WINDOW DETAILS

 1/4", 9/16", 1", 1-1/4", 1-1/2"  
 AND 2-1/4" GLAZING AVAILABLE

[Product Specifications](#)  
[Click Here](#)

**INSTALLER NOTE:**  
 CONTINUOUS BEAD OF SEALANT  
 REQUIRED ON GLASS PERIMETER.


 -GLASS PENETRATION: 9/16"  
 -EXTERIOR RATED PRODUCTS HAVE WEEP SLOTS  
 ON HORIZONTAL SILLS.

**SERIES 3800-T**

0 1 2 3 4 5 6  
 (USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: 1/4

INSIDE GLAZEDFIXED WINDOW DETAILS
 1/4", 9/16", 1", 1-1/4", 1-1/2"  
 AND 2-1/4" GLAZING AVAILABLE

[Architecturals](#)  
[Click Here](#)
[Parts List](#)  
[Click Here](#)



0      0.5      1

(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


INSIDE GLAZED FIXED WINDOW DETAILS  
 1" INSULATED GLAZING SHOWN

1  
 BLOCK HEAD




EXTERIOR

2  
 HORIZONTAL  
 TDL



1" INSULATED  
 GLAZING

3  
 BLOCK SILL  
 W/ SILL PAN






## SERIES 3800-T

DWG NO.: 3800-T-07\_1A

DATE: 7/6/18





(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

INSIDE GLAZED FIXED WINDOW DETAILS  
1-1/4" INSULATED GLAZING SHOWN

1A

BLOCK HEAD  
W/ 1-1/4" GLAZING




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

INSIDE GLAZED FIXED WINDOW DETAILS  
2-1/4" INSULATED GLAZING SHOWN

1B

BLOCK HEAD  
W/ 2-1/4" GLAZING


0      0.5      1

(USE RULER TO SCALE DIMENSIONS IN INCHES)


SCALE: FULL

INSIDE GLAZED FIXED WINDOW DETAILS  
1" INSULATED GLAZING

4

BLOCK HEAD  
W/ SCREW ON  
GLASS STOPS


1" DUAL GLAZING ONLY




(USE RULER TO SCALE DIMENSIONS IN INCHES)

**SCALE: FULL**


5

 FIXED  
 BLOCK JAMB


6

 VERTICAL  
 TDL


7

 FIXED  
 BLOCK JAMB



EXTERIOR



# SERIES 3800 - T

DWG NO.: 3800-T-07\_5A\_7A

DATE: 7/6/18




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


5A

BLOCK JAMB  
W/ 1-1/4" GLAZING



7A



BLOCK JAMB  
W/ 1-1/4" GLAZING













EXTERIOR

[Architecturals  
Click Here](#)
[Product Specs  
Click Here](#)

BILL OF MATERIALS			
ITEM #	PART#	DESCRIPTION	IMAGE
ALUMINUM EXTRUSIONS			
1	3801	1" GLAZING BEAD	
2	3802	1" BENDABLE GLAZING BEAD	
3	3803	1/4" GLAZING BEAD	
4	3804	9/16" GLAZING BEAD	
5	3805	4.5 FRAME	
6	3806	TDL	
7	3807	1-1/2" SERIES GLASS STOP	
8	3810	2-1/4" SERIES GLASS STOP	
9	3811	1 1/4" GLASS STOP	
10	3812	INTERSECTING MULLION KEY (INTERSECTING TDL)	
11	3814	APPLIED GRID INTERIOR	
12	3815	SHEAR BLOCK (FOR HP ONLY)	
13	FW1194	2.0" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
14	FW1195	1.5" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
15		SILL PAN, BLOCK FRAME	
16		SILL PAN, NAIL ON	
17	3082	THERMAL MULLION	
18	3809	4.5 BLOCK FRAME	
19	3816	1 1/4" TIERED GLASS STOP	
20	3817	90° CORNER BUTT GLAZED EXTERIOR CAP/COVER FOR 1.25" GLASS	
21	3818	90° CORNER BUTT GLAZED INTERIOR CAP/COVER FOR 1.25" GLASS	
HARDWARE			
31	VARY BY COLOR	SCREW NO 10, PPH, 1.00"	
32	VARY BY COLOR	SCREW NO 6, PFHU, .50"	
33	VARY BY COLOR	SCREW NO 8, PFH, 1 1/2"	
SEAL & SEALANT			
51	25199	BULB VINYL - MINI (ASTM C864)	
52	25031	BULB VINYL - LARGE (ASTM C864)	
53	19120	Q-LON WEATHERSTRIP (U 5212)	
54	18622	SETTING BLOCK 3/8 X 1 X 4	
55	18621	SETTING BLOCK 1/8 X 1 X 4	
56	23217	RIGID PVC SETTING BLOCK	

[Product Specifications  
Click Here](#)

(USE RULER TO SCALE DIMENSIONS IN INCHES)  
**SCALE: 1/4**



## INSIDE GLAZED SERIES WINDOW INSERTS


**SERIES 3800-T**


 INSIDE GLAZED SERIES  
WINDOW INSERTS

[Architecturals  
Click Here](#)
[Parts List  
Click Here](#)

(USE RULER TO SCALE DIMENSIONS IN INCHES)

**SCALE: 1/4**

[Architecturals  
Click Here](#)
[Product Specs  
Click Here](#)


BILL OF MATERIALS			
ITEM #	PART#	DESCRIPTION	IMAGE
ALUMINUM EXTRUSIONS			
1	3801	1" GLAZING BEAD	
2	3802	1" BENDABLE GLAZING BEAD	
3	3803	1/4" GLAZING BEAD	
4	3804	9/16" GLAZING BEAD	
5	3805	4.5 FRAME	
6	3806	TDL	
7	3807	1-1/2" SERIES GLASS STOP	
8	3810	2-1/4" SERIES GLASS STOP	
9	3811	1 1/4" GLASS STOP	
10	3812	INTERSECTING MULLION KEY (INTERSECTING TDL)	
11	3814	APPLIED GRID INTERIOR	
12	3815	SHEAR BLOCK (FOR HP ONLY)	
13	FW1194	2.0" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
14	FW1195	1.5" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
15		SILL PAN, BLOCK FRAME	
16		SILL PAN, NAIL ON	
17	3082	THERMAL MULLION	
18	3809	4.5 BLOCK FRAME	
19	3816	1 1/4" TIERED GLASS STOP	
20	3817	90° CORNER BUTT GLAZED EXTERIOR CAP/COVER FOR 1.25" GLASS	
21	3818	90° CORNER BUTT GLAZED INTERIOR CAP/COVER FOR 1.25" GLASS	
HARDWARE			
31	VARY BY COLOR	SCREW NO 10, PPH, 1.00"	
32	VARY BY COLOR	SCREW NO 6, PFHU, .50"	
33	VARY BY COLOR	SCREW NO 8, PFH, 1 1/2"	
SEAL & SEALANT			
51	25199	BULB VINYL - MINI (ASTM C864)	
52	25031	BULB VINYL - LARGE (ASTM C864)	
53	19120	Q-LON WEATHERSTRIP (U 5212)	
54	18622	SETTING BLOCK 3/8 X 1 X 4	
55	18621	SETTING BLOCK 1/8 X 1 X 4	
56	23217	RIGID PVC SETTING BLOCK	

0 1 2 3 4 5 6

(USE RULER TO SCALE DIMENSIONS IN INCHES)  
SCALE: 1/4


EXTERNAL "I" THERMALLY BROKEN  
JAMB MULLION DETAILS  
SWING & PIVOT DOORS

1  
SERIES 3400P/  
JAMB MULLION/  
SERIES 3800-T




EXTERIOR

2  
SERIES 3900-T/  
JAMB MULLION/  
SERIES 3800-T




EXTERIOR


2A  
SERIES 3200-T/  
JAMB MULLION/  
SERIES 3800-T



EXTERIOR



PIVOT DOOR MULLED TO 3800-T



SWING DOOR MULLED TO 3800-T


**SERIES 3800-T**



(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: 3/4

THERMALLY-BROKEN JAMB MULLION DETAILS  
SWING & PIVOT DOORS (1" INSULATED GLAZING)






# SERIES 3800-T

DWG NO.: 3800-T-09\_02

DATE: 8/4/17




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: 3/4

THERMALLY-BROKEN JAMB MULLION DETAILS  
SWING & PIVOT DOORS (1" INSULATED GLAZING)

2

SERIES 3900-T/  
JAMB MULLION/  
SERIES 3800-T




EXTERIOR



# SERIES 3800-T

DWG NO.: 3800-T-09\_02A

DATE: 8/4/17




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: 3/4

THERMALLY-BROKEN JAMB MULLION DETAILS  
SWING & PIVOT DOORS (1" INSULATED GLAZING)

2A

SERIES 3200-T/  
JAMB MULLION/  
SERIES 3800-T



EXTERIOR

[Architecturals  
Click Here](#)
[Product Specs  
Click Here](#)

BILL OF MATERIALS			
ITEM #	PART#	DESCRIPTION	IMAGE
ALUMINUM EXTRUSIONS			
1	3801	1" GLAZING BEAD	
2	3802	1" BENDABLE GLAZING BEAD	
3	3803	1/4" GLAZING BEAD	
4	3804	9/16" GLAZING BEAD	
5	3805	4.5 FRAME	
6	3806	TDL	
7	3807	1-1/2" SERIES GLASS STOP	
8	3810	2-1/4" SERIES GLASS STOP	
9	3811	1 1/4" GLASS STOP	
10	3812	INTERSECTING MULLION KEY (INTERSECTING TDL)	
11	3814	APPLIED GRID INTERIOR	
12	3815	SHEAR BLOCK (FOR HP ONLY)	
13	FW1194	2.0" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
14	FW1195	1.5" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
15		SILL PAN, BLOCK FRAME	
16		SILL PAN, NAIL ON	
17	3082	THERMAL MULLION	
18	3809	4.5 BLOCK FRAME	
19	3816	1 1/4" TIERED GLASS STOP	
20	3817	90° CORNER BUTT GLAZED EXTERIOR CAP/COVER FOR 1.25" GLASS	
21	3818	90° CORNER BUTT GLAZED INTERIOR CAP/COVER FOR 1.25" GLASS	
HARDWARE			
31	VARY BY COLOR	SCREW NO 10, PPH, 1.00"	
32	VARY BY COLOR	SCREW NO 6, PFHU, .50"	
33	VARY BY COLOR	SCREW NO 8, PFH, 1 1/2"	
SEAL & SEALANT			
51	25199	BULB VINYL - MINI (ASTM C864)	
52	25031	BULB VINYL - LARGE (ASTM C864)	
53	19120	Q-LON WEATHERSTRIP (U 5212)	
54	18622	SETTING BLOCK 3/8 X 1 X 4	
55	18621	SETTING BLOCK 1/8 X 1 X 4	
56	23217	RIGID PVC SETTING BLOCK	