


0 1 2 3 4 5 6
 (USE RULER TO SCALE DIMENSIONS IN INCHES)
SCALE: 1/4"


FIXED WINDOW DETAILS
 1/4", 9/16", 1", 1-1/4", 1-1/2"
 AND 2-1/4" GLAZING AVAILABLE

Product Specifications
[Click Here](#)




SERIES 3800-T

(USE RULER TO SCALE DIMENSIONS IN INCHES)
SCALE: 1/4"
FIXED WINDOW DETAILS
 1/4", 9/16", 1", 1-1/4", 1-1/2"
 AND 2-1/4" GLAZING AVAILABLE

[Architecturals
Click Here](#)
[Parts List
Click Here](#)



[Architecturals
Click Here](#)
[Product Specs
Click Here](#)


BILL OF MATERIALS			
ITEM #	PART#	DESCRIPTION	IMAGE
ALUMINUM EXTRUSIONS			
1	3801	1" GLAZING BEAD	
2	3802	1" BENDABLE GLAZING BEAD	
3	3803	1/4" GLAZING BEAD	
4	3804	9/16" GLAZING BEAD	
5	3805	4.5 FRAME	
6	3806	TDL	
7	3807	1-1/2" SERIES GLASS STOP	
8	3810	2-1/4" SERIES GLASS STOP	
9	3811	1 1/4" GLASS STOP	
10	3812	INTERSECTING MULLION KEY (INTERSECTING TDL)	
11	3814	APPLIED GRID INTERIOR	
12	3815	SHEAR BLOCK (FOR HP ONLY)	
13	FW1194	2.0" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
14	FW1195	1.5" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
15		SILL PAN, BLOCK FRAME	
16		SILL PAN, NAIL ON	
17	3082	THERMAL MULLION	
18	3809	4.5 BLOCK FRAME	
19	3816	1 1/4" TIERED GLASS STOP	
20	3817	90° CORNER BUTT GLAZED EXTERIOR CAP/COVER FOR 1.25" GLASS	
21	3818	90° CORNER BUTT GLAZED INTERIOR CAP/COVER FOR 1.25" GLASS	
HARDWARE			
31	VARY BY COLOR	SCREW NO 10, PPH, 1.00"	
32	VARY BY COLOR	SCREW NO 6, PFHU, .50"	
33	VARY BY COLOR	SCREW NO 8, PFH, 1 1/2"	
SEAL & SEALANT			
51	25199	BULB VINYL - MINI (ASTM C864)	
52	25031	BULB VINYL - LARGE (ASTM C864)	
53	19120	Q-LON WEATHERSTRIP (U 5212)	
54	18622	SETTING BLOCK 3/8 X 1 X 4	
55	18621	SETTING BLOCK 1/8 X 1 X 4	
56	23217	RIGID PVC SETTING BLOCK	



(USE RULER TO SCALE DIMENSIONS IN INCHES)
SCALE: FULL

FIXED WINDOW DETAILS
1", 1-1/2", AND 2-1/4"
INSULATED GLAZING SHOWN






(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL
 FIXED WINDOW DETAILS
 1/4" AND 9/16" GLAZING SHOWN

NAIL-ON HEAD


1A



EXTERIOR

NAIL-ON SILL
W/ SILL PAN


3A




0 0.5 1

(USE RULER TO SCALE DIMENSIONS IN INCHES)
 SCALE: FULL

FIXED WINDOW DETAILS
 TIERED GLASS STOP WITH
 1-1/4" INSULATED GLAZING







(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

FIXED WINDOW DETAILS


1-1/4" AND 1" INSULATED GLAZING SHOWN





(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


 FIXED WINDOW DETAILS
 1/4" AND 9/16" GLAZING SHOWN




SERIES 3800-T

DWG NO.: 3800-T-01_07

DATE: 7/6/18





(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

FIXED WINDOW DETAILS 1" INSULATED GLAZING

7
BLOCK HEAD
W/ SCREW ON
GLASS STOPS






(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL
FIXED WINDOW DETAILS


 1-1/4" INSULATED
 GLAZING SHOWN

8


 90° CORNER COVER FOR
 1-1/4" GLAZING



 (USE RULER TO SCALE DIMENSIONS IN INCHES)
SCALE: 1/4
JAMB MULLION DETAILS
[Product Specifications
Click Here](#)


1
EXTERNAL "I"
THERMALLY-BROKEN
JAMB MULLION


 EXTERIOR
 SERIES 1000 TO SERIES 3800-T



1A
EXTERNAL "I"
THERMALLY-BROKEN
JAMB MULLION


 EXTERIOR
 SERIES 3000 TO SERIES 3800-T


1B
EXTERNAL "I"
THERMALLY-BROKEN
JAMB MULLION


 EXTERIOR
 SERIES 3300-T TO SERIES 3800-T

2
EXTERNAL "I"
THERMALLY-BROKEN
JAMB MULLION


 EXTERIOR
 SERIES 3800-T TO SERIES 3800-T


X0 SLIDING DOOR MULLED TO 3800-T



3800-T MULLED TO 3800-T


-EXTERIOR RATED PRODUCTS HAVE WEEP SLOTS ON HORIZONTAL SILLS.

SERIES 3800-T


0 1 2 3 4 5 6

 (USE RULER TO SCALE DIMENSIONS IN INCHES)
SCALE: 1/4
JAMB MULLION DETAILS
[Architecturals](#)
[Click Here](#)
[Parts List](#)
[Click Here](#)


1
 EXTERNAL "I"
 THERMALLY-BROKEN
 JAMB MULLION


 EXTERIOR
 SERIES 1000 TO SERIES 3800-T



1A
 EXTERNAL "I"
 THERMALLY-BROKEN
 JAMB MULLION


 EXTERIOR
 SERIES 3000 TO SERIES 3800-T


1B
 EXTERNAL "I"
 THERMALLY-BROKEN
 JAMB MULLION


 EXTERIOR
 SERIES 3300-T TO SERIES 3800-T

2
 EXTERNAL "I"
 THERMALLY-BROKEN
 JAMB MULLION



 EXTERIOR
 SERIES 3800-T TO SERIES 3800-T


XO SLIDING DOOR MULLED TO 3800-T




3800-T MULLED TO 3800-T

SERIES 3800-T




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

THERMALLY-BROKEN
JAMB MULLION DETAILS
1" INSULATED GLAZING


EXTERIOR

SERIES 1000 TO SERIES 3800-T




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

THERMALLY-BROKEN
JAMB MULLION DETAILS
1" INSULATED GLAZING

EXTERIOR

SERIES 3000 TO SERIES 3800-T




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


THERMALLY-BROKEN
JAMB MULLION DETAILS
1" INSULATED GLAZING

1B

JAMB MULLION




SERIES 3300-T TO SERIES 3800-T



(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


THERMALLY-BROKEN
JAMB MULLION DETAILS
1" INSULATED GLAZING

EXTERIOR

SERIES 3800-T TO SERIES 3800-T

[Architecturals
Click Here](#)
[Product Specs
Click Here](#)


BILL OF MATERIALS			
ITEM #	PART#	DESCRIPTION	IMAGE
ALUMINUM EXTRUSIONS			
1	3801	1" GLAZING BEAD	
2	3802	1" BENDABLE GLAZING BEAD	
3	3803	1/4" GLAZING BEAD	
4	3804	9/16" GLAZING BEAD	
5	3805	4.5 FRAME	
6	3806	TDL	
7	3807	1-1/2" SERIES GLASS STOP	
8	3810	2-1/4" SERIES GLASS STOP	
9	3811	1 1/4" GLASS STOP	
10	3812	INTERSECTING MULLION KEY (INTERSECTING TDL)	
11	3814	APPLIED GRID INTERIOR	
12	3815	SHEAR BLOCK (FOR HP ONLY)	
13	FW1194	2.0" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
14	FW1195	1.5" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
15		SILL PAN, BLOCK FRAME	
16		SILL PAN, NAIL ON	
17	3082	THERMAL MULLION	
18	3809	4.5 BLOCK FRAME	
19	3816	1 1/4" TIERED GLASS STOP	
20	3817	90° CORNER BUTT GLAZED EXTERIOR CAP/COVER FOR 1.25" GLASS	
21	3818	90° CORNER BUTT GLAZED INTERIOR CAP/COVER FOR 1.25" GLASS	
HARDWARE			
31	VARY BY COLOR	SCREW NO 10, PPH, 1.00"	
32	VARY BY COLOR	SCREW NO 6, PFHU, .50"	
33	VARY BY COLOR	SCREW NO 8, PFH, 1 1/2"	
SEAL & SEALANT			
51	25199	BULB VINYL - MINI (ASTM C864)	
52	25031	BULB VINYL - LARGE (ASTM C864)	
53	19120	Q-LON WEATHERSTRIP (U 5212)	
54	18622	SETTING BLOCK 3/8 X 1 X 4	
55	18621	SETTING BLOCK 1/8 X 1 X 4	
56	23217	RIGID PVC SETTING BLOCK	



 (USE RULER TO SCALE DIMENSIONS IN INCHES)
SCALE: 1/4
TRANSOM DETAILS
[Product Specifications](#)
[Click Here](#)



-SEE MULLION & TRANSOM INSTALLATION
 INSTRUCTIONS FOR RECOMMENDED METHODS OF
 JOINING FLEETWOOD PRODUCTS.
 -EXTERIOR RATED PRODUCTS HAVE WEEP SLOTS
 ON HORIZONTAL SILLS.

3800-T STACKED ON 3800-T
SERIES 3800-T


0 1 2 3 4 5 6

 (USE RULER TO SCALE DIMENSIONS IN INCHES)
SCALE: 1/4
TRANSOM DETAILS
[Architecturals
Click Here](#)
[Parts List
Click Here](#)
EXTERIOR
 TRANSOM
W/ STACK
FLASHING

 SERIES 3800-T/
SERIES 1000



EXTERIOR
 TRANSOM
W/ STACK
FLASHING

 SERIES 3800-T/
SERIES 3000

EXTERIOR
 TRANSOM
W/ STACK
FLASHING

 SERIES 3800-T/
SERIES 3300-T


EXTERIOR

 2
 TRANSOM
W/ STACK
FLASHING

 SERIES 3800-T/
SERIES 3900-T (IN-SWING)


EXTERIOR

 3
 TRANSOM
W/ STACK
FLASHING

 SERIES 3800-T/
SERIES 3800-T


3800-T STACKED ON SLIDING DOOR



3800-T STACKED ON 3800-T



3800-T STACKED ON SWING DOOR

SERIES 3800-T

0 0.5 1


(USE RULER TO SCALE DIMENSIONS IN INCHES)
SCALE: FULL

FIXED WINDOW DETAILS

1/4" SINGLE AND
1" INSULATED GLAZING

EXTERIOR

1
TRANSOM
W/ STACK
FLASHING




SERIES 3800-T/SERIES 1000

0 0.5 1

(USE RULER TO SCALE DIMENSIONS IN INCHES)
SCALE: FULL

FIXED WINDOW DETAILS
 1/4" SINGLE AND
 1" INSULATED GLAZING




SERIES 3800-T/SERIES 3000

0 0.5 1

(USE RULER TO SCALE DIMENSIONS IN INCHES)
SCALE: FULL

FIXED WINDOW DETAILS

 1/4" SINGLE AND
 1" INSULATED GLAZING



SERIES 3800-T/SERIES 3300-T



SERIES 3800-T

DWG NO.: 3800-T-03_02

DATE: 7/6/18





(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

FIXED WINDOW DETAILS 1" INSULATED GLAZING


2
TRANSOM
W/ STACK
FLASHING




 (USE RULER TO SCALE DIMENSIONS IN INCHES)
SCALE: FULL
FIXED WINDOW DETAILS

 1/4" SINGLE AND
 1" INSULATED GLAZING








EXTERIOR


 3
 TRANSMOM
 W/ STACK
 FLASHING


SERIES 3800-T/SERIES 3800-T

[Architecturals
Click Here](#)
[Product Specs
Click Here](#)

BILL OF MATERIALS			
ITEM #	PART#	DESCRIPTION	IMAGE
ALUMINUM EXTRUSIONS			
1	3801	1" GLAZING BEAD	
2	3802	1" BENDABLE GLAZING BEAD	
3	3803	1/4" GLAZING BEAD	
4	3804	9/16" GLAZING BEAD	
5	3805	4.5 FRAME	
6	3806	TDL	
7	3807	1-1/2" SERIES GLASS STOP	
8	3810	2-1/4" SERIES GLASS STOP	
9	3811	1 1/4" GLASS STOP	
10	3812	INTERSECTING MULLION KEY (INTERSECTING TDL)	
11	3814	APPLIED GRID INTERIOR	
12	3815	SHEAR BLOCK (FOR HP ONLY)	
13	FW1194	2.0" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
14	FW1195	1.5" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
15		SILL PAN, BLOCK FRAME	
16		SILL PAN, NAIL ON	
17	3082	THERMAL MULLION	
18	3809	4.5 BLOCK FRAME	
19	3816	1 1/4" TIERED GLASS STOP	
20	3817	90° CORNER BUTT GLAZED EXTERIOR CAP/COVER FOR 1.25" GLASS	
21	3818	90° CORNER BUTT GLAZED INTERIOR CAP/COVER FOR 1.25" GLASS	
HARDWARE			
31	VARY BY COLOR	SCREW NO 10, PPH, 1.00"	
32	VARY BY COLOR	SCREW NO 6, PFHU, .50"	
33	VARY BY COLOR	SCREW NO 8, PFH, 1 1/2"	
SEAL & SEALANT			
51	25199	BULB VINYL - MINI (ASTM C864)	
52	25031	BULB VINYL - LARGE (ASTM C864)	
53	19120	Q-LON WEATHERSTRIP (U 5212)	
54	18622	SETTING BLOCK 3/8 X 1 X 4	
55	18621	SETTING BLOCK 1/8 X 1 X 4	
56	23217	RIGID PVC SETTING BLOCK	




(USE RULER TO SCALE DIMENSIONS IN INCHES)
SCALE: 1/4"

WINDOW INSERTS

SERIES 3800-T
[Product Specifications](#)
[Click Here](#)




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: 1/4


(1) HORIZONTAL TDL
EXTERIOR

**WINDOW INSERTS**
[Architecturals Click Here](#)
[Parts List Click Here](#)

(5) HORIZONTAL TDL
EXTERIOR




(2) BLOCK SILL W/ SILL PAN




3800-T 1" GLAZING OVER
250-T 1" GLAZING
CASEMENT/AWNING

(4) BLOCK SILL W/ SILL PAN





3800-T 1" GLAZING OVER
250-T 1" GLAZING
HOPPER

(6) BLOCK SILL W/ SILL PAN




3800-T 1" GLAZING OVER
250 5/8" GLAZING
SINGLE HUNG

(7) HORIZONTAL TDL
EXTERIOR




(11) BLOCK JAMB
EXTERIOR




3800-T/250
SINGLE HUNG

(8) BLOCK SILL W/ SILL PAN




3800-T 1" GLAZING OVER
250 5/8" GLAZING
XO SLIDER








3800-T/250-T
HOPPER

(12) BLOCK JAMB
EXTERIOR



3800-T/250
SLIDER


SERIES 3800-T

O/SH WINDOW

0 0.5 1


(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


WINDOW INSERT DETAILS
1" INSULATED GLAZING

1
HORIZONTAL
TDL

EXTERIOR




3800-T 1" GLAZING OVER
250-T CASEMENT INSERT




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

WINDOW INSERT DETAILS
1" INSULATED GLAZING



3800-T SILL WITH
250-T CASEMENT/AWNING INSERT




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


WINDOW INSERT DETAILS
1" INSULATED GLAZING

3
HORIZONTAL
TDL

EXTERIOR




3800-T 1" GLAZING OVER
250-T HOPPER INSERT



(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

WINDOW INSERT DETAILS
1" INSULATED GLAZING



3800-T SILL WITH
250-T HOPPER INSERT


0 0.5 1

(USE RULER TO SCALE DIMENSIONS IN INCHES)


SCALE: FULL

WINDOW INSERT DETAILS
GLAZING AS NOTED

5
HORIZONTAL
TDL



EXTERIOR




3800-T 1" GLAZING OVER
250 5\8" GLAZING
SINGLE HUNG INSERT



SERIES 3800-T

DWG NO.: 3800-T-04_06

DATE: 7/6/18




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


WINDOW INSERT DETAILS 5/8" INSULATED GLAZING

EXTERIOR

6
BLOCK SILL
W/ SILL PAN



3800-T SILL WITH
250 SINGLE HUNG INSERT




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


WINDOW INSERT DETAILS
GLAZING AS NOTED

7
HORIZONTAL
TDL

EXTERIOR



3800-T 1" GLAZING OVER
250 5\8" GLAZING XO SLIDER INSERT




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


WINDOW INSERT DETAILS
5/8" INSULATED GLAZING

EXTERIOR

8
BLOCK SILL
W/ SILL PAN





3800-T SILL WITH
250 XO SLIDER INSERT



(USE RULER TO SCALE DIMENSIONS IN INCHES)


SCALE: FULL


WINDOW INSERT DETAILS
1/4" SINGLE GLAZING



(USE RULER TO SCALE DIMENSIONS IN INCHES)


SCALE: FULL


WINDOW INSERT DETAILS
1" INSULATED GLAZING3800-T JAMB WITH
250-T HOPPER INSERT



(USE RULER TO SCALE DIMENSIONS IN INCHES)


SCALE: FULL

WINDOW INSERT DETAILS
5/8" INSULATED GLAZING11
BLOCK
JAMB



(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


WINDOW INSERT DETAILS
5/8" INSULATED GLAZING

[Architecturals
Click Here](#)
[Product Specs
Click Here](#)

BILL OF MATERIALS			
ITEM #	PART#	DESCRIPTION	IMAGE
ALUMINUM EXTRUSIONS			
1	3801	1" GLAZING BEAD	
2	3802	1" BENDABLE GLAZING BEAD	
3	3803	1/4" GLAZING BEAD	
4	3804	9/16" GLAZING BEAD	
5	3805	4.5 FRAME	
6	3806	TDL	
7	3807	1-1/2" SERIES GLASS STOP	
8	3810	2-1/4" SERIES GLASS STOP	
9	3811	1 1/4" GLASS STOP	
10	3812	INTERSECTING MULLION KEY (INTERSECTING TDL)	
11	3814	APPLIED GRID INTERIOR	
12	3815	SHEAR BLOCK (FOR HP ONLY)	
13	FW1194	2.0" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
14	FW1195	1.5" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
15		SILL PAN, BLOCK FRAME	
16		SILL PAN, NAIL ON	
17	3082	THERMAL MULLION	
18	3809	4.5 BLOCK FRAME	
19	3816	1 1/4" TIERED GLASS STOP	
20	3817	90° CORNER BUTT GLAZED EXTERIOR CAP/COVER FOR 1.25" GLASS	
21	3818	90° CORNER BUTT GLAZED INTERIOR CAP/COVER FOR 1.25" GLASS	
HARDWARE			
31	VARY BY COLOR	SCREW NO 10, PPH, 1.00"	
32	VARY BY COLOR	SCREW NO 6, PFHU, .50"	
33	VARY BY COLOR	SCREW NO 8, PFH, 1 1/2"	
SEAL & SEALANT			
51	25199	BULB VINYL - MINI (ASTM C864)	
52	25031	BULB VINYL - LARGE (ASTM C864)	
53	19120	Q-LON WEATHERSTRIP (U 5212)	
54	18622	SETTING BLOCK 3/8 X 1 X 4	
55	18621	SETTING BLOCK 1/8 X 1 X 4	
56	23217	RIGID PVC SETTING BLOCK	






 (USE RULER TO SCALE DIMENSIONS IN INCHES)
 SCALE: 1/4"

DOOR PANEL INSERTS



[Product Specifications](#)
[Click Here](#)



DOOR PANEL INSERTS
[Architecturals
Click Here](#)
[Parts List
Click Here](#)

(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: 1/4

VERTICAL TDL W/ARCHETYPE STILE INSERT


SERIES 3800-T


0 0.5 1

(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

WINDOW INSERT DETAILS
1" INSULATED GLAZING


1
BLOCK HEAD
W/INSERT




EXTERIOR

2
BLOCK SILL
W/INSERT


1/4" SHIM
SERIES 3070







(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL
WINDOW INSERT DETAILS
 1" INSULATED GLAZING

 1A
 BLOCK HEAD
 W/INSERT


EXTERIOR

 2A
 BLOCK SILL
 W/INSERT






(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

WINDOW INSERT DETAILS
1" INSULATED GLAZING

3
BLOCK JAMB
W/NARROW STILE INSERT






(USE RULER TO SCALE DIMENSIONS IN INCHES)


SCALE: FULL

WINDOW INSERT DETAILS
1" INSULATED GLAZING

3A

BLOCK JAMB
W/ARCHETYPE NARROW
STILE INSERT

EXTERIOR




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


WINDOW INSERT DETAILS
1" INSULATED GLAZING

3B

BLOCK JAMB
W/ARCHETYPE STILE INSERT





EXTERIOR



(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

WINDOW INSERT DETAILS
1" INSULATED GLAZING4
VERTICAL TDL
W/NARROW STILE INSERT





(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

 WINDOW INSERT DETAILS
 1" INSULATED GLAZING

4A

 VERTICAL TDL
 W/ARCHETYPE NARROW STILE INSERT





(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

 WINDOW INSERT DETAILS
 1" INSULATED GLAZING

4B

 VERTICAL TDL
 W/ARCHETYPE STILE INSERT


[Architecturals
Click Here](#)
[Product Specs
Click Here](#)

BILL OF MATERIALS			
ITEM #	PART#	DESCRIPTION	IMAGE
ALUMINUM EXTRUSIONS			
1	3801	1" GLAZING BEAD	
2	3802	1" BENDABLE GLAZING BEAD	
3	3803	1/4" GLAZING BEAD	
4	3804	9/16" GLAZING BEAD	
5	3805	4.5 FRAME	
6	3806	TDL	
7	3807	1-1/2" SERIES GLASS STOP	
8	3810	2-1/4" SERIES GLASS STOP	
9	3811	1 1/4" GLASS STOP	
10	3812	INTERSECTING MULLION KEY (INTERSECTING TDL)	
11	3814	APPLIED GRID INTERIOR	
12	3815	SHEAR BLOCK (FOR HP ONLY)	
13	FW1194	2.0" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
14	FW1195	1.5" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
15		SILL PAN, BLOCK FRAME	
16		SILL PAN, NAIL ON	
17	3082	THERMAL MULLION	
18	3809	4.5 BLOCK FRAME	
19	3816	1 1/4" TIERED GLASS STOP	
20	3817	90° CORNER BUTT GLAZED EXTERIOR CAP/COVER FOR 1.25" GLASS	
21	3818	90° CORNER BUTT GLAZED INTERIOR CAP/COVER FOR 1.25" GLASS	
HARDWARE			
31	VARY BY COLOR	SCREW NO 10, PPH, 1.00"	
32	VARY BY COLOR	SCREW NO 6, PFHU, .50"	
33	VARY BY COLOR	SCREW NO 8, PFH, 1 1/2"	
SEAL & SEALANT			
51	25199	BULB VINYL - MINI (ASTM C864)	
52	25031	BULB VINYL - LARGE (ASTM C864)	
53	19120	Q-LON WEATHERSTRIP (U 5212)	
54	18622	SETTING BLOCK 3/8 X 1 X 4	
55	18621	SETTING BLOCK 1/8 X 1 X 4	
56	23217	RIGID PVC SETTING BLOCK	






DOOR PANEL INSERTS

[Product Specifications](#)
[Click Here](#)






 (USE RULER TO SCALE DIMENSIONS IN INCHES)
SCALE: 1/4"

 1
 BLOCK HEAD
 W/3070-T
 INSERT

EXTERIOR

 2
 BLOCK SILL
 W/3070-T
 INSERT

 3
 BLOCK JAMB
 W/NARROW STILE INSERT

 3A
 BLOCK JAMB
 W/ARCHETYPE NARROW
 STILE INSERT

 1A
 BLOCK HEAD
 W/3000-T
 INSERT

EXTERIOR

 2A
 BLOCK SILL
 W/3000-T
 INSERT

 3B
 BLOCK JAMB
 W/ARCHETYPE STILE
 INSERT

 4
 VERTICAL TDL
 W/NARROW STILE INSERT

 4A
 VERTICAL TDL
 W/ARCHETYPE NARROW STILE INSERT

 4B
 VERTICAL TDL
 W/ARCHETYPE STILE INSERT

SERIES 3800-T

 1
 3
 4
 3
 OPP.
 2




DOOR PANEL INSERTS


[Architecturals
Click Here](#)
[Parts List
Click Here](#)

(USE RULER TO SCALE DIMENSIONS IN INCHES)









SCALE: 1/4



SERIES 3070-T



SERIES 3300-T



SERIES 3800-T

0 0.5 1

 (USE RULER TO SCALE DIMENSIONS IN INCHES)
SCALE: FULL

 DOOR PANEL INSERT DETAILS
 1" GLAZING SHOWN

 1
 BLOCK HEAD
 W/INSERT

 $4\frac{1}{2}$
 $2\frac{3}{16}$
 $1\frac{7}{16}$


EXTERIOR


 2
 BLOCK SILL
 W/INSERT

 $1/4$ " SHIM

SERIES 3070-T


6"

 $11\frac{11}{16}$



 DOOR PANEL INSERT DETAILS
 1" GLAZING SHOWN

(USE RULER TO SCALE DIMENSIONS IN INCHES)


SCALE: FULL



 1A
 BLOCK HEAD
 W/INSERT

EXTERIOR

 2A
 BLOCK SILL
 W/INSERT
 $1/4"$ SHIM

SERIES 3000-T







(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

DOOR PANEL INSERT DETAILS
1" GLAZING SHOWN






(USE RULER TO SCALE DIMENSIONS IN INCHES)


SCALE: FULL

DOOR PANEL INSERT DETAILS
1" GLAZING SHOWN

3A

BLOCK JAMB
W/ARCHETYPE NARROW STILE INSERT
(3070-T & 3000-T)






(USE RULER TO SCALE DIMENSIONS IN INCHES)


SCALE: FULL

DOOR PANEL INSERT DETAILS
1" GLAZING SHOWN

3B

BLOCK JAMB
W/ARCHETYPE STILE INSERT
(3070-T & 3000-T)







(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

 DOOR PANEL INSERT DETAILS
 1" GLAZING SHOWN

4

 VERTICAL TDL
 W/NARROW STILE INSERT
 (3070-T & 3000-T)






(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

 DOOR PANEL INSERT DETAILS
 1" GLAZING SHOWN

4A

 VERTICAL TDL
 W/ARCHETYPE NARROW STILE INSERT
 (3070-T & 3000-T)





(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

DOOR PANEL INSERT DETAILS
1" GLAZING SHOWN

4B

VERTICAL TDL
W/ARCHETYPE STILE INSERT
(3070-T & 3000-T)10 $\frac{1}{16}$ "2 $\frac{7}{16}$ "1 $\frac{3}{8}$ "


[Architecturals
Click Here](#)
[Product Specs
Click Here](#)

BILL OF MATERIALS			
ITEM #	PART#	DESCRIPTION	IMAGE
ALUMINUM EXTRUSIONS			
1	3801	1" GLAZING BEAD	
2	3802	1" BENDABLE GLAZING BEAD	
3	3803	1/4" GLAZING BEAD	
4	3804	9/16" GLAZING BEAD	
5	3805	4.5 FRAME	
6	3806	TDL	
7	3807	1-1/2" SERIES GLASS STOP	
8	3810	2-1/4" SERIES GLASS STOP	
9	3811	1 1/4" GLASS STOP	
10	3812	INTERSECTING MULLION KEY (INTERSECTING TDL)	
11	3814	APPLIED GRID INTERIOR	
12	3815	SHEAR BLOCK (FOR HP ONLY)	
13	FW1194	2.0" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
14	FW1195	1.5" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
15		SILL PAN, BLOCK FRAME	
16		SILL PAN, NAIL ON	
17	3082	THERMAL MULLION	
18	3809	4.5 BLOCK FRAME	
19	3816	1 1/4" TIERED GLASS STOP	
20	3817	90° CORNER BUTT GLAZED EXTERIOR CAP/COVER FOR 1.25" GLASS	
21	3818	90° CORNER BUTT GLAZED INTERIOR CAP/COVER FOR 1.25" GLASS	
HARDWARE			
31	VARY BY COLOR	SCREW NO 10, PPH, 1.00"	
32	VARY BY COLOR	SCREW NO 6, PFHU, .50"	
33	VARY BY COLOR	SCREW NO 8, PFH, 1 1/2"	
SEAL & SEALANT			
51	25199	BULB VINYL - MINI (ASTM C864)	
52	25031	BULB VINYL - LARGE (ASTM C864)	
53	19120	Q-LON WEATHERSTRIP (U 5212)	
54	18622	SETTING BLOCK 3/8 X 1 X 4	
55	18621	SETTING BLOCK 1/8 X 1 X 4	
56	23217	RIGID PVC SETTING BLOCK	

0 1 2 3 4 5 6

 (USE RULER TO SCALE DIMENSIONS IN INCHES)
SCALE: 1/4"
INSIDE GLAZED
FIXED WINDOW DETAILS

 1/4", 9/16", 1", 1-1/4", 1-1/2"
 AND 2-1/4" GLAZING AVAILABLE

[Product Specifications](#)
[Click Here](#)

INSTALLER NOTE:
 CONTINUOUS BEAD OF SEALANT
 REQUIRED ON GLASS PERIMETER.


 -GLASS PENETRATION: 9/16"
 -EXTERIOR RATED PRODUCTS HAVE WEEP SLOTS
 ON HORIZONTAL SILLS.

SERIES 3800-T

0 1 2 3 4 5 6
 (USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: 1/4

INSIDE GLAZEDFIXED WINDOW DETAILS
 1/4", 9/16", 1", 1-1/4", 1-1/2"
 AND 2-1/4" GLAZING AVAILABLE

[Architecturals](#)
[Click Here](#)
[Parts List](#)
[Click Here](#)



0 0.5 1

(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


INSIDE GLAZED FIXED WINDOW DETAILS
 1" INSULATED GLAZING SHOWN

1
 BLOCK HEAD




EXTERIOR

2
 HORIZONTAL TDL



1" INSULATED GLAZING

3
 BLOCK SILL
 W/ SILL PAN






SERIES 3800-T

DWG NO.: 3800-T-07_1A

DATE: 7/6/18





(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

INSIDE GLAZED FIXED WINDOW DETAILS
1-1/4" INSULATED GLAZING SHOWN

1A

BLOCK HEAD
W/ 1-1/4" GLAZING




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

INSIDE GLAZED FIXED WINDOW DETAILS
2-1/4" INSULATED GLAZING SHOWN

1B

BLOCK HEAD
W/ 2-1/4" GLAZING


0 0.5 1

(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


INSIDE GLAZED FIXED WINDOW DETAILS
1" INSULATED GLAZING

4

BLOCK HEAD
W/ SCREW ON
GLASS STOPS

EXTERIOR


1" DUAL GLAZING ONLY




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


5

 FIXED
 BLOCK JAMB


6

 VERTICAL
 TDL


7

 FIXED
 BLOCK JAMB



EXTERIOR



SERIES 3800 - T

DWG NO.: 3800-T-07_5A_7A

DATE: 7/6/18




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


5A

BLOCK JAMB
W/ 1-1/4" GLAZING



7A



BLOCK JAMB
W/ 1-1/4" GLAZING















EXTERIOR

[Architecturals
Click Here](#)
[Product Specs
Click Here](#)

BILL OF MATERIALS			
ITEM #	PART#	DESCRIPTION	IMAGE
ALUMINUM EXTRUSIONS			
1	3801	1" GLAZING BEAD	
2	3802	1" BENDABLE GLAZING BEAD	
3	3803	1/4" GLAZING BEAD	
4	3804	9/16" GLAZING BEAD	
5	3805	4.5 FRAME	
6	3806	TDL	
7	3807	1-1/2" SERIES GLASS STOP	
8	3810	2-1/4" SERIES GLASS STOP	
9	3811	1 1/4" GLASS STOP	
10	3812	INTERSECTING MULLION KEY (INTERSECTING TDL)	
11	3814	APPLIED GRID INTERIOR	
12	3815	SHEAR BLOCK (FOR HP ONLY)	
13	FW1194	2.0" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
14	FW1195	1.5" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
15		SILL PAN, BLOCK FRAME	
16		SILL PAN, NAIL ON	
17	3082	THERMAL MULLION	
18	3809	4.5 BLOCK FRAME	
19	3816	1 1/4" TIERED GLASS STOP	
20	3817	90° CORNER BUTT GLAZED EXTERIOR CAP/COVER FOR 1.25" GLASS	
21	3818	90° CORNER BUTT GLAZED INTERIOR CAP/COVER FOR 1.25" GLASS	
HARDWARE			
31	VARY BY COLOR	SCREW NO 10, PPH, 1.00"	
32	VARY BY COLOR	SCREW NO 6, PFHU, .50"	
33	VARY BY COLOR	SCREW NO 8, PFH, 1 1/2"	
SEAL & SEALANT			
51	25199	BULB VINYL - MINI (ASTM C864)	
52	25031	BULB VINYL - LARGE (ASTM C864)	
53	19120	Q-LON WEATHERSTRIP (U 5212)	
54	18622	SETTING BLOCK 3/8 X 1 X 4	
55	18621	SETTING BLOCK 1/8 X 1 X 4	
56	23217	RIGID PVC SETTING BLOCK	

[Product Specifications
Click Here](#)

(USE RULER TO SCALE DIMENSIONS IN INCHES)
SCALE: 1/4



INSIDE GLAZED SERIES WINDOW INSERTS


SERIES 3800-T


 INSIDE GLAZED SERIES
WINDOW INSERTS


[Architecturals
Click Here](#)
[Parts List
Click Here](#)

(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: 1/4

[Architecturals
Click Here](#)
[Product Specs
Click Here](#)


BILL OF MATERIALS			
ITEM #	PART#	DESCRIPTION	IMAGE
ALUMINUM EXTRUSIONS			
1	3801	1" GLAZING BEAD	
2	3802	1" BENDABLE GLAZING BEAD	
3	3803	1/4" GLAZING BEAD	
4	3804	9/16" GLAZING BEAD	
5	3805	4.5 FRAME	
6	3806	TDL	
7	3807	1-1/2" SERIES GLASS STOP	
8	3810	2-1/4" SERIES GLASS STOP	
9	3811	1 1/4" GLASS STOP	
10	3812	INTERSECTING MULLION KEY (INTERSECTING TDL)	
11	3814	APPLIED GRID INTERIOR	
12	3815	SHEAR BLOCK (FOR HP ONLY)	
13	FW1194	2.0" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
14	FW1195	1.5" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
15		SILL PAN, BLOCK FRAME	
16		SILL PAN, NAIL ON	
17	3082	THERMAL MULLION	
18	3809	4.5 BLOCK FRAME	
19	3816	1 1/4" TIERED GLASS STOP	
20	3817	90° CORNER BUTT GLAZED EXTERIOR CAP/COVER FOR 1.25" GLASS	
21	3818	90° CORNER BUTT GLAZED INTERIOR CAP/COVER FOR 1.25" GLASS	
HARDWARE			
31	VARY BY COLOR	SCREW NO 10, PPH, 1.00"	
32	VARY BY COLOR	SCREW NO 6, PFHU, .50"	
33	VARY BY COLOR	SCREW NO 8, PFH, 1 1/2"	
SEAL & SEALANT			
51	25199	BULB VINYL - MINI (ASTM C864)	
52	25031	BULB VINYL - LARGE (ASTM C864)	
53	19120	Q-LON WEATHERSTRIP (U 5212)	
54	18622	SETTING BLOCK 3/8 X 1 X 4	
55	18621	SETTING BLOCK 1/8 X 1 X 4	
56	23217	RIGID PVC SETTING BLOCK	



(USE RULER TO SCALE DIMENSIONS IN INCHES)
SCALE: 1/4


EXTERNAL "I" THERMALLY BROKEN
JAMB MULLION DETAILS
SWING & PIVOT DOORS

1
SERIES 3400P/
JAMB MULLION/
SERIES 3800-T




EXTERIOR

2
SERIES 3900-T/
JAMB MULLION/
SERIES 3800-T




EXTERIOR


2A
SERIES 3200-T/
JAMB MULLION/
SERIES 3800-T



EXTERIOR



PIVOT DOOR MULLED TO 3800-T



SWING DOOR MULLED TO 3800-T


SERIES 3800-T



(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: 3/4

THERMALLY-BROKEN JAMB MULLION DETAILS
SWING & PIVOT DOORS (1" INSULATED GLAZING)






SERIES 3800-T

DWG NO.: 3800-T-09_02

DATE: 8/4/17




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: 3/4

THERMALLY-BROKEN JAMB MULLION DETAILS
SWING & PIVOT DOORS (1" INSULATED GLAZING)

2

SERIES 3900-T/
JAMB MULLION/
SERIES 3800-T




EXTERIOR



SERIES 3800-T

DWG NO.: 3800-T-09_02A

DATE: 8/4/17




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: 3/4

THERMALLY-BROKEN JAMB MULLION DETAILS
SWING & PIVOT DOORS (1" INSULATED GLAZING)

2A

SERIES 3200-T/
JAMB MULLION/
SERIES 3800-T



EXTERIOR

[Architecturals
Click Here](#)
[Product Specs
Click Here](#)

BILL OF MATERIALS			
ITEM #	PART#	DESCRIPTION	IMAGE
ALUMINUM EXTRUSIONS			
1	3801	1" GLAZING BEAD	
2	3802	1" BENDABLE GLAZING BEAD	
3	3803	1/4" GLAZING BEAD	
4	3804	9/16" GLAZING BEAD	
5	3805	4.5 FRAME	
6	3806	TDL	
7	3807	1-1/2" SERIES GLASS STOP	
8	3810	2-1/4" SERIES GLASS STOP	
9	3811	1 1/4" GLASS STOP	
10	3812	INTERSECTING MULLION KEY (INTERSECTING TDL)	
11	3814	APPLIED GRID INTERIOR	
12	3815	SHEAR BLOCK (FOR HP ONLY)	
13	FW1194	2.0" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
14	FW1195	1.5" x 0.25" ALUMINUM BAR (INTERSECTING TDL HP ONLY)	
15		SILL PAN, BLOCK FRAME	
16		SILL PAN, NAIL ON	
17	3082	THERMAL MULLION	
18	3809	4.5 BLOCK FRAME	
19	3816	1 1/4" TIERED GLASS STOP	
20	3817	90° CORNER BUTT GLAZED EXTERIOR CAP/COVER FOR 1.25" GLASS	
21	3818	90° CORNER BUTT GLAZED INTERIOR CAP/COVER FOR 1.25" GLASS	
HARDWARE			
31	VARY BY COLOR	SCREW NO 10, PPH, 1.00"	
32	VARY BY COLOR	SCREW NO 6, PFHU, .50"	
33	VARY BY COLOR	SCREW NO 8, PFH, 1 1/2"	
SEAL & SEALANT			
51	25199	BULB VINYL - MINI (ASTM C864)	
52	25031	BULB VINYL - LARGE (ASTM C864)	
53	19120	Q-LON WEATHERSTRIP (U 5212)	
54	18622	SETTING BLOCK 3/8 X 1 X 4	
55	18621	SETTING BLOCK 1/8 X 1 X 4	
56	23217	RIGID PVC SETTING BLOCK	