Andersen Windows - Abbreviated Quote Report

Project Name: SCHULTZ,DAVE -REVISED 6/12/19

Quote #: 31649 Print Date: 07/19/2019 Quote Date: 07/18/2019 iQ Version: 19.0

Dealer: Nelson-Young Lumber Co.
11 South Catlin Street
Edgerton, WI 53534
608-884-3316
Sales Rep: Administrator - DO NOT REMOVE
Created By:

Customer: "CONTRACTOR" NET PRICING
Billing Address:
Phone: Fax:
Contact:
Trade ID: 181143 Promotion Code:

Item	Qty	Item Size (Operation)	Location	Unit Price	Ext. Price
000	1	ACW21080-ACW21080-ACW21080-ACW21080-ACW21080 (L-L-L-L-L)	UNIT 01 TEMP GLASS >>FIBERGLASS REINFORCED MULLION-JOB SITE ASSEMBLY	$ 5825.88	$ 5825.88



Viewed from Exterior

RO Size = 14' 2" W x 8' 0" H Unit Size = 14' 1 1/4" W x 7' 11 1/4" H

A Series
Composite Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, White Sash, High Performance Low-E4 ~~Tempered~~ Glass, No Grille(s), Mulling Location: Job Site, Mull Type: 3/4" 4 9/16" Fiberglass Reinforced Joining, Mull Priority: Vertical
Insect Screen - Aluminum, ~~White~~
ACW, ~~Contemporary~~ Folding, Black

no tempered

Zone: Northern

Unit	U-Factor	SHGC	ENERGY STAR® Certified
1	0.27	0.26	Yes
2	0.27	0.26	Yes
3	0.27	0.26	Yes
4	0.27	0.26	Yes
5	0.27	0.26	Yes

Traditional Foldering (black) thoughout all windows in project

Item	Qty	Item Size (Operation)	Location	Unit Price	Ext. Price
0003	1	ACW21080-ACW21080 (R-R)	UNIT 01 TEMP GLASS >>FIBERGLASS REINFORCED MULLION- JOB SITE ASSEMBLY*	$ 2242.94	$ 2242.94



Viewed from Exterior

RO Size = 5' 8" W x 8' 0" H Unit Size = 5' 7 1/4" W x 7' 11 1/4" H

A Series
Composite Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, White Sash, High Performance Low-E4 ~~Tempered~~ Glass, No Grille(s), Mulling
Location: Job Site, Mull Type: 3/4" 4 9/16" Fiberglass Reinforced Joining, Mull Priority: Vertical
Insect Screen - Aluminum, White
ACW, Contemporary Folding, Black

Zone: Northern

Unit	U-Factor	SHGC	ENERGY STAR® Certified
1	0.27	0.26	Yes
2	0.27	0.26	Yes

no tempered

not tempered

0005	1	ACW2868-ACW2868-ACW2868 (L-L-L)	UNIT 03 -BASEMENT - TEMP GLASS >> NON- REINFORCED MULLION - 1 COMPLETE UNIT	$ 2874.77	$ 2874.77



Viewed from Exterior

RO Size = 8' 0" W x 6' 8" H Unit Size = 7' 11 1/4" W x 6' 7 1/4" H

A Series
Composite Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, White Sash, High Performance Low-E4 ~~Tempered~~ Glass, No Grille(s), Mulling
Location: Factory (Direct), Mull Type: Non-Reinforced Mull, Mull Priority: Vertical
Insect Screen - Aluminum, White
ACW, Contemporary Folding, Black

Zone: Northern

Unit	U-Factor	SHGC	ENERGY STAR® Certified
1	0.27	0.27	Yes
2			
3			

no tempered

tempered - close to swinging door

Item	Qty	Item Size (Operation)	Location	Unit Price	Ext. Price



Viewed from Exterior

0006 **1** **~~ACW21068~~-ACW21068 (R-R)** **UNIT 03 KITCHEN -TEMP GLASS >>NON REINFORCED MULLION - 1 COMPLETE UNIT** **$ 1921.26 $ 1921.26**

RO Size = 5' 8" W x 6' 8" H Unit Size = 5' 7 1/4" W x 6' 7 1/4" H

A Series
Composite Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, White Sash, High Performance Low-E4 Tempered Glass, No Grille(s), Mulling Location: Factory (Direct), Mull Type: Non-Reinforced Mull, Mull Priority: Vertical
Insect Screen - Aluminum, White
ACW, Contemporary Folding, Black

Zone: Northern

Unit	U-Factor	SHGC	ENERGY STAR® Certified
1	0.27	0.27	Yes
2	0.27	0.27	Yes

ACW2664

Viewed from Exterior

0007 **1** **ACW21068 (L)** **UNIT 03 KITCHEN TEMP GLASS** **$ 919.71 $ 919.71**

RO Size = 2' 10" W x 6' 8" H Unit Size = 2' 9 1/4" W x 6' 7 1/4" H

A Series
Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, L Handing, High Performance Low-E4 Tempered, w/ Standard Flange
Insect Screen - Aluminum, White
ACW, Contemporary Folding, Black

Zone: Northern
U-Factor: 0.27, SHGC: 0.27, ENERGY STAR® Certified: Yes

ACW2664

Item	Qty	Item Size (Operation)	Location	Unit Price	Ext. Price
0008	1	~~FWOD54611~~ (PALR)	DOOR UNIT 04 - KITCHEN >> NO SCREEN >>CONFIRM HARDWARE/FINISH	$ 2958.65	$ 2958.65



Viewed from Exterior

RO Size = 5' 4" W x 6' 11" H Unit Size = 5' 3 1/4" W x 6' 10 3/8" H

A Series
Unit, Outswing, 4 9/16" Frame Depth, Gray Sill, PALR Handing, White/Pine, White - Factory Painted, High Performance Low-E4 Tempered
Hardware Trim Set, FWH/FWO, AP/PA, Tribeca - White

Zone: Northern
U-Factor: 0.30, SHGC: 0.24, ENERGY STAR® Certified: Yes

FWOD5468

0009	1	FWOD31611-FWSLD-1-17611 (AL-S)	DOOR UNIT 05 & 01 DOOR SIDELITE -NO SCREEN - BASEMENT >> JOB SITE	$ 2653.74	$ 2653.74



Viewed from Exterior

RO Size = 4' 7 7/8" W x 6' 11" H Unit Size = 4' 7 1/8" W x 6' 10 3/8" H

A Series
Composite Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, White Panel, High Performance Low-E4 Tempered Glass, No Grille(s), Mulling
Location: Job Site, Mull Type: LVL 4 9/16 Reinforced Mull, Mull Priority: Vertical
Hardware Trim Set, FWH/FWO, LH, Tribeca - White

Zone: Northern

Unit	U-Factor	SHGC	ENERGY STAR® Certified
1	0.30	0.24	Yes
2	0.30	0.23	Yes

Albany - Black

not tempered

Item	Qty	Item Size (Operation)	Location	Unit Price	Ext. Price
0010	2	APW21080-APW21080 (F-F)	UNIT 02 BACK FOYER - FIXED SASH >>FIBERGLASS REINFORCED MULLION >>JOB SITE ASSEMBLY	$ 2167.70	$ 4335.40



Viewed from Exterior

RO Size = 5' 8" W x 8' 0" H Unit Size = 5' 7 1/4" W x 7' 11 1/4" H

A Series
Composite Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, White Sash, High Performance Low-E4 Tempered Glass, No Grille(s), Mulling Location: Job Site, Mull Type: 3/4" 4 9/16" Fiberglass Reinforced Joining, Mull Priority: Vertical

Zone: Northern

Unit	U-Factor	SHGC	ENERGY STAR® Certified
1	0.27	0.31	Yes

tempered - close to swinging door

Item	Qty	Item Size (Operation)	Location	Unit Price	Ext. Price
0011	1	FWOD3180-FWSLD-1-1780 (AL-S)	DOOR UNIT 02 & 03 DOOR SIDEL;ITE- NO SCREEN-BACK FOYER >> JOB SITE ASSEMBLY	$ 3104.39	$ 3104.39



Viewed from Exterior

RO Size = 4' 7 7/8" W x 8' 0" H Unit Size = 4' 7 1/8" W x 7' 11 1/2" H

A Series
Composite Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, White Panel, High Performance Low-E4 Tempered Glass, No Grille(s), Mulling Location: Job Site, Mull Type: LVL 4 9/16 Reinforced Mull, Mull Priority: Vertical
Hardware Trim Set, FWH/FWO, LH, Tribeca - White
Lock, FWH/FWO, Exterior Keyed, Tribeca - White

Zone: Northern

Unit	U-Factor	SHGC	ENERGY STAR® Certified
1	0.30	0.24	Yes
2	0.30	0.23	Yes

Albany - Black

Item	Qty	Item Size (Operation)	Location	Unit Price	Ext. Price

Viewed from Exterior

0012 **1** **ACW3068 (R)** **UNIT 04 TEMP GLASS - KITCHEN** **$ 934.43 $ 934.43**

RO Size = 3' 0" W x 6' 8" H Unit Size = 2' 11 1/4" W x 6' 7 1/4" H

A Series
Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, R Handing, High Performance Low-E4 ~~Tempered~~, w/ Standard Flange
Insect Screen - Aluminum, White
ACW, Contemporary Folding, Black

Zone: Northern
U-Factor: 0.27, SHGC: 0.27, ENERGY STAR® Certified: Yes

ACW3064

no tempered



Viewed from Exterior

0013 **5** **ACW3030 (R)** **UNIT 85** **$ 525.89 $ 2629.45**

RO Size = 3' 0" W x 3' 0" H Unit Size = 2' 11 1/4" W x 2' 11 1/4" H

A Series
Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, R Handing, High Performance Low-E4, w/ Standard Flange
Insect Screen - Aluminum, White
ACW, Contemporary Folding, Black

Zone: Northern
U-Factor: 0.27, SHGC: 0.27, ENERGY STAR® Certified: Yes



Viewed fro

0014 **3** **APW4420 (F)** **UNIT 05 FIXED GLASS - KITCHEN >>TRANSOM** **$ 511.50 $ 1534.50**

RO Size = 4' 4" W x 2' 0" H Unit Size = 4' 3 1/4" W x 1' 11 1/4" H

A Series
Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, High Performance Low-E4, w/ Standard Flange

tempered (since close to a door)

rtified: Yes

Item	Qty	Item Size (Operation)	Location	Unit Price	Ext. Price



Viewed from Exterior

0015 **8** **ACW3234 (L)** **UNIT 07** **$ 653.86 $ 5230.88**

RO Size = 3' 2" W x 3' 4" H Unit Size = 3' 1 1/4" W x 3' 3 1/4" H

A Series
Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, L Handing, High Performance Low-E4 ~~Tempered~~, w/ Standard Flange
Insect Screen - Aluminum, White
ACW, Contemporary Folding, Black

Zone: Northern
U-Factor: 0.27, SHGC: 0.27, ENERGY STAR® Certifie

ACW3434

no tempered



Viewed from Exterior

0016 **8** **ACW3434 (S)** **UNIT 08** **$ 568.92 $ 4551.36**

RO Size = 3' 4" W x 3' 4" H Unit Size = 3' 3 1/4" W x 3' 3 1/4" H

A Series
Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, S Handing, High Performance Low-E4 ~~Tempered~~, w/ Standard Flange

Zone: Northern
U-Factor: 0.27, SHGC: 0.27, ENERGY STAR® Certified: Yes

should this be an APW designation?

no tempered



Viewed from Exterior

0017 **1** **ACW3030 (S)** **UNIT 96** **$ 434.94 $ 434.94**

RO Size = 3' 0" W x 3' 0" H Unit Size = 2' 11 1/4" W x 2' 11 1/4" H

A Series
Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, S Handing, High Performance Low-E4, w/ Standard Flange

Zone: Northern
U-Factor: 0.27, SHGC: 0.27, ENERGY STAR® Certified: Yes

should this be an APW designation?

Item	Qty	Item Size (Operation)	Location	Unit Price	Ext. Price
0018	1	APW3020 (F)	UNIT 06 *CHECK FRAME OF UNIT 04 TO MATCH	$ 412.50	$ 412.50



Viewed from Exterior

RO Size = 3' 0" W x 2' 0" H Unit Size = 2' 11 1/4" W x 1' 11 1/4" H

A Series
Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, High Performance Low-E4, w/ Standard Flange
Zone: Northern
U-Factor: 0.27, SHGC: 0.31, ENERGY STAR® Certified: Yes

Customer Signature

Total Load Factor
12.482

Subtotal	$ 42,564.80
Tax (5.500%)	$ 2,341.06
Grand Total	$ 44,905.86

Dealer Signature

**** All graphics viewed from the exterior**

**** Rough opening dimensions are minimums and may need to be increased to allow for use of building wraps or flashings or sill panning or brackets or fasteners or other items.**

ASK ABOUT ENERGY STAR

Ask to see if all of the products you purchase can be upgraded to be ENERGY STAR® certified.

This image indicates that the product selected is certified in the US ENERGY STAR® climate zone that you have selected.

Data is current as of December 2018. This data may change over time due to ongoing product changes or updated test results or requirements. Ratings for all sizes are specified by NFRC for testing and certification. Ratings may vary depending on the use of tempered glass or different grille options or glass for high altitudes etc.

Nexia is a registered trademark of Ingersoll Rand Inc.

Project Comments: