PICTURE WINDOWS

Table of Picture Window Sizes

Window Dimension	1'-3 1/4" (387)	1'-71/4" (489)	1'-11 1/4" (591)	2'-3 1/4" (692)	2'-5 1/4" (743)	2'-7 1/4" (794)	2'-9 1/4" (845)	2'-11 1/4" (895)	3'-1 1/4" (946)	3'-3 1/4" (997)	3'-7 1/4" (1099)	3'-11 ¹ /4" (1200)
Minimum Rough Opening	1'-4"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10" (864)	3'-0"	3'-2"	3'-4"	3'-8"	4'-0" (1219)
Unobstructed Glass	8 5/8"	12 5/8"	16 5/8"	20 5/8"	22 5/8"	24 5/8"	26 5/8"	28 5/8"	30 5/8"	32 5/8"	36 5/8"	40 5/8"
	(219)	(321) WIDTHS - 1	(422) L'- 3 1/4" to 5	(524)	(575)	(625)	(676)	(727)	(778)	(829)	(930)	(1032)
(591) 2-0" (610) 15 ¹³ / ₁₆ " (401)		WIDIII3 — 1	- 3 -7 4 (0 3	, -11 -/4								
2.3 1/4" 1.11 1/4 (692) (591) 2'-4" 2.0" (711) (610) 19 13/16" 15 13/16" (503) (401)	APW1420	APW1820	APW2020	APW 2420	APW2620	APW2820	APW 21020	APW 3020	APW 3220	APW 3420	APW 3820	APW 4020
2'-3 1/4" (692) 2'-4" (711) 19 ¹³ / 16" (503)												
		APW 1824	APW 2024	APW 2424	APW 2624	APW 2824	APW21024	APW3024	APW 3224	APW 3424	APW 3824	APW 4024
2'-7 1/4" (794) 2'-8" (813) 23 ¹³ / ₁₆ " (604)												
2'-7 (7 (8 (8 (8 (8 (6	APW1428	APW1828	APW2028	APW 2428	APW2628	APW2828	APW21028	APW3028	APW3228	APW 3428	APW 3828	APW 4028
2-11 ¹ / ₄ " 2-7 ¹ / ₄ " (895) (794) 3-0" 2-8" (914) (813) 27 ¹³ / ₁₆ " (706) (604) COS (1870) HEIGHTS												
2'-11 ¹ / _{4"} (895) 3'-0" (914) 27 ¹³ / _{16"} (706)		A DWG 000	A DIMINION OF	A PINA CA CO	A PN4/2020	APIMOGGO	A PNA/24 020	A PIMA 0 2 2	ABWARA	A PNA/2 4 2 0	ARMOOOO	A DW44020
" ₄ "	APW1430	APW1830	APW2030	APW2430	APW2630	APW2830	APW21030	APW3030	APW3230	APW3430	APW3830	APW4030
3'-3 1/4" (997) 3'-4" (1016) 31 13/16" (808)												
	APW1434	APW1834	APW 034	APW 2434	APW 2634	APW2834	APW21034	APW 3034	APW3234	APW3434	APW 3834	APW 4034
3'-7 1/4" (1099) 3'-8" (1118) 35 ¹³ / ₁₆ " (910)												
3 35 1 (11)												
=	APW1438	APW1838	APW2038	APW2438	APW2638	APW2838	APW21038	APW3038	APW3238	APW3438	APW3838	APW4038
3'-11 1/4" (1200) 4'-0" (1219) 39 13/16" (1011)												
36	APW1440	APW1840	APW2040	APW 2440	APW2640	APW2840	APW 21040	APW 3040	APW 3240	APW 3440	APW 3840	APW 4040
"+ O O "9						AI WZG 16	AWZIOIO	AL MOOTO				
(1302) 4'-3 1/4" (1302) 4'-4" (1321) 43 13/16" (1113)												
4	APW1444	APW1844	APW2044	APW2444	APW2644	APW2844	APW 21044	APW 3044	APW3244	APW3444	APW 3844	APW 4044
= = =												
(1403) (1403) 4'-8" (1422) 47 13/16" (1214)												
4 0 4 0	ADW1 449	A DW/1 9/49	APW 2048	ADW2448	ADW2649	APW2848	ADW/21048	APW 3048	APW 3248	A DW/2 4 49	ADW/29/49	APW 4048
	APW1446	APW1848	APW2046	APW2446	APW2648	APW2040	APW21048	APW3046	APW3246	APW3448	APW3848	APW4046
4'-11 1/4" (1505) 5'-0" (1524) 51 13/16" (1316)												
(1) (1) (2) (1) (2) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1												
	APW1450	APW1850	APW2050	APW2450	APW2650	APW2850	APW21050	APW3050	APW3250	APW3450	APW3850	APW4050
//4" 77) 77) 6) 6) 8)												
5'-3 1/4" (1607) 5'-4" (1626) 55 13/16" (1418)												
	APW1454	APW1854	APW2054	APW2454	APW2654	APW2854	APW 21054	APW 3054	APW3254	APW 3454	APW 3854	APW 4054
5'-71/4" (1708) 5'-8" (1727) 59 13/16" (1519)												
(1) (1) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4												
	APW1458	APW 1858	APW 2058	APW 2458	APW 2658	APW 2858	APW 21058	APW 3058	APW 3258	APW 3458	APW 3858	APW 4058

2012-13 A-Series Product Guide Page 1 of 4

[&]quot;Window Dimension" always refers to outside frame to frame dimension.
"Minimum Rough Opening" dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.
Dimensions in parentheses are in millimeters.

4'-3 1/4"	4'-7 1/4"	4'-11 1/4"	5'-3 1/4"	5'-7 1/4"	5'-11 1/4"
(1302)	(1403)	(1505)	(1607)	(1708)	(1810)
4'-4" (1321)	4'-8" (1422)	5'-0" (1524)	5'-4" (1626)	5'-8" (1727)	6'-0" (1829)
44 5/8"	48 5/8"	52 5/8"	56 ⁵ /8"	60 5/8"	64 5/8"
(1133)	(1335)	(1337)	(1438)	(1540)	(1641)
APW4420	APW 4820	APW5020	APW5420	APW5820	APW6020
APW4424	APW4824	APW5024	APW5424	APW5824	APW6024
APW 4428	APW 4828	APW5028	APW 5428	APW5828	APW6028
APW 4430	APW 4830	APW5030	APW5430	APW5830	APW6030
	A 1994 4 0 0 4	ABWEGGA	A DW/5 40 4	ARWESSA	A PWGGG 4
APW 4434	APW4834	APW5034	APW5434	APW 5834	APW 6034
ADW/4/20	ADW/4020	ADMEGGO	A DIME 420	ADMESSO	ADWCCCC
APW 4438	APW4838	APW5038	APW5438	APW5838	APW6038
APW4440	APW4840	APW5040	APW5440	APW5840	APW 6040
APW4444	APW 4844	APW5044	APW5444	APW 5844	APW 6044
APW4448	APW4848	APW5048	APW5448	APW5848	APW6048
APW 4450	APW 4850	APW5050	APW5450	APW 5850	APW 6050
AL WITTED	AI 114030				7.1 H 00000
APW 4454	APW 4854	APW 5054	APW 5454	APW 5854	APW 6054
APW 4458	APW4858	APW5058	APW5458	APW 5858	APW6058
	A 7000				continued on next page



Custom-size windows are available in 1/8" increments.

Picture window must be installed as shown and should not be rotated. Taller bottom rail is designed to align with bottom rail of double-hung and casement windows.

"Window Dimension" always refers to outside frame to frame dimension.
"Minimum Rough Opening" dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.
Dimensions in parentheses are in millimeters.

PICTURE WINDOWS

Table of Picture Window Sizes (continued)


1												
Window Dimension	1'-31/4" (387)	1'-71/4" (489)	1'-11 1/4" (591)	2'-3 1/4" (692)	2'-5 1/4" (743)	2'-7 1/4" (794)	2'-9 ¹ / ₄ " (845)	2'-11 1/4" (895)	3'-1 1/4" (946)	3'-3 ¹ / ₄ " (997)	3'-7 ¹ /4" (1099)	3'-11 ¹ /4" (1200)
Minimum Rough Opening	1'-4" (406)	1'-8"	2'-0"	2'-4"	2'-6" (762)	2'-8" (813)	2'-10" (864)	3'-0" (914)	3'-2" (965)	3'-4" (1016)	3'-8" (1118)	4'-0" (1219)
Unobstructed Glass	8 ⁵ /8" (219)	12 ⁵ /8" (321)	16 ⁵ /8" (422)	20 ⁵ /8" (524)	22 ⁵ /8" (575)	24 ⁵ /8" (625)	26 ⁵ /8" (676)	28 ⁵ /8" (727)	30 ⁵ /8" (778)	32 ⁵ /8" (829)	36 ⁵ /8" (930)	40 ⁵ /8" (1032)
	CUSTOM V	VIDTHS – 1	.'-3 1/4" to 5	5'- 11 ¹ /4"								
611 1/4" (1810) 6-0" (1829) 63 13/16" (1621) 1-9 1/4" to 7-11 1/4"										ADM/S 4CS	ANIAGOGO	
	APW1460	APW1860	APW2060	APW2460	APW2660	APW2860	APW21060	APW3060	APW3260	APW3460	APW3860	APW4060
6'-3 1/4" (1911) 6'-4" (1930) 67 13/16" (1722) CUSTOM HEIGHTS												
	APW1464	APW1864	APW2064	APW2464	APW2664	APW2864	APW21064	APW3064	APW3264	APW3464	APW3864	APW4064
6'-7 1/4" (2013) 6'-8" (2032) 71 13/16" (1824)												
	APW1468	APW1868	APW2068	APW2468	APW2668	APW2868	APW21068	APW3068	APW3268	APW3468	APW3868	APW4068
7'-3 1/4" (2216) 7'-4" (2235) 79 13/16" (2027)												
	APW1474	APW 1874	APW 2074	APW2474	APW2674	APW2874	APW 21074	APW 3074	APW 3274	APW3474	APW 3874	APW4074
7-11 1/4" (2419) 8-0" (2438) 87 13/16" (2230)	APW1480	APW1880	APW2080	APW2480	APW2680	APW2880	APW21080	APW 3080	APW3280	APW 3480	APW 3880	APW4080

2012-13 A-Series Product Guide Page 3 of 4

[&]quot;Window Dimension" always refers to outside frame to frame dimension.
"Minimum Rough Opening" dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.
Dimensions in parentheses are in millimeters.
Tempered glass required. Some visual distortion may occur.



4'-3 1/4"	4'-7 1/4"	4'-11 1/4"	5'-3 1/4"	5'-7 1/4"	5'-11 1/4"
(1302)	(1403)	(1505)	(1607)	(1708)	(1810)
4'-4"	4'-8"	5'-0"	5'-4"	5'-8"	6'-0"
(1321)	(1422)	(1524)	(1626)	(1727)	(1829)
44 5/8"	48 5/8"	52 ⁵ /8"	56 ⁵ /8"	60 5/8"	64 5/8"
T (1133)	(1335)	(1337)	(1438)	(1540)	(1641)




Picture window must be installed as shown and should not be rotated. Taller bottom rail is designed to align with bottom rail of double-hung and casement windows.



A-Series windows are available in 1/8" increments between minimum and maximum widths and heights shown. Some restrictions apply. Contact your Andersen supplier for custom-sized specialty windows.

Custom Sizes & Specifications

Picture Windows



Unobstr. Glass	Picture	Minimum R.O.	Width = width $+ \frac{3}{4}$ "
	Width = window width - 6.650 Height = window height - 7.450		Height = height + ³ /4"

2012-13 A-Series Product Guide Page 4 of 4