



Andersen Windows - Abbreviated Quote Report

Project Name: SCHULTZ,DAVE -REVISED 6/12/19



Quote #: 31649

Print Date: 08/01/2019

Quote Date: 07/18/2019

iQ Version: 19.0

Dealer: Nelson-Young Lumber Co.
11 South Catlin Street
Edgerton, WI 53534
608-884-3316

Sales Rep: Administrator - DO NOT REMOVE

Created By:

Customer: "CONTRACTOR" NET PRICING

Billing

Address:

Phone:

Fax:

Contact:

Trade ID: 181143

Promotion Code:



Item	Qty	Item Size (Operation)	Location	Unit Price	Ext. Price
0001	1	ACW21080-ACW21080-ACW21080-ACW21080-ACW21080 (L-L-L-L-L)	UNIT 01 TEMP GLASS >>FIBERGLASS REINFORCED MULLION-JOB SITE ASSEMBLY	\$ 5825.88	\$ 5825.88

RO Size = 14' 2" W x 8' 0" H Unit Size = 14' 1 1/4" W x 7' 11 1/4" H

A Series

Composite Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, White Sash, High Performance Low-E4 Tempered Glass, No Grille(s), Mulling
Location: Job Site, Mull Type: 3/4" 4 9/16" Fiberglass Reinforced Joining, Mull Priority: Vertical

Insect Screen - Aluminum, White


ACW, Traditional Folding, Black

Zone: Northern

Unit U-Factor SHGC ENERGY STAR® Certified

1	0.27	0.26	Yes
2	0.27	0.26	Yes
3	0.27	0.26	Yes
4	0.27	0.26	Yes
5	0.27	0.26	Yes

Viewed from Exterior



Viewed from Exterior

Item	Qty	Item Size (Operation)	Location	Unit Price	Ext. Price
0003	1	ACW21080-ACW21080 (R-R)	UNIT 01 TEMP GLASS >>FIBERGLASS REINFORCED MULLION- JOB SITE ASSEMBLY*	\$ 2242.94	\$ 2242.94

RO Size = 5' 8" W x 8' 0" H Unit Size = 5' 7 1/4" W x 7' 11 1/4" H

A Series

Composite Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, White Sash, High Performance Low-E4 Tempered Glass, No Grille(s), Mulling

Location: Job Site, Mull Type: 3/4" 4 9/16" Fiberglass Reinforced Joining, Mull Priority: Vertical


Insect Screen - Aluminum, White

ACW, Traditional Folding, Black

Zone: Northern

Unit U-Factor SHGC ENERGY STAR® Certified

1	0.27	0.26	Yes
2	0.27	0.26	Yes



Viewed from Exterior

0005	1	ACW2868-ACW2868-ACW2868 (L-L-L)	UNIT 03 -BASEMENT - TEMP GLASS >> NON- REINFORCED MULLION - 1 COMPLETE UNIT FACTORY MULL	\$ 2874.77	\$ 2874.77
------	---	---------------------------------	---	------------	------------

RO Size = 8' 0" W x 6' 8" H Unit Size = 7' 11 1/4" W x 6' 7 1/4" H

A Series

Composite Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, White Sash, High Performance Low-E4 Tempered Glass, No Grille(s), Mulling

Location: Factory (Direct), Mull Type: Non-Reinforced Mull, Mull Priority: Vertical

Insect Screen - Aluminum, White


ACW, Traditional Folding, Black

Zone: Northern

Unit U-Factor SHGC ENERGY STAR® Certified

1	0.27	0.27	Yes
2	0.27	0.27	Yes
3	0.27	0.27	Yes

Item	Qty	Item Size (Operation)	Location	Unit Price	Ext. Price
0006	1	ACW2664-ACW2664 (R-R)	UNIT 03 KITCHEN -TEMP GLASS >>NON REINFORCED MULLION - 1 COMPLETE UNIT	\$ 1801.33	\$ 1801.33



Viewed from Exterior

RO Size = 5' 0" W x 6' 4" H Unit Size = 4' 11 1/4" W x 6' 3 1/4" H

A Series

Composite Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, White Sash, High Performance Low-E4 Tempered Glass, No Grille(s), Mulling

Location: Factory (Direct), Mull Type: Non-Reinforced Mull, Mull Priority: Vertical


Insect Screen - Aluminum, White

ACW, Traditional Folding, Black

Zone: Northern

Unit U-Factor SHGC ENERGY STAR® Certified

1	0.27	0.27	Yes
2	0.27	0.27	Yes



Viewed from Exterior

0007	1	ACW2664 (L)	UNIT 03 KITCHEN TEMP GLASS	\$ 860.77	\$ 860.77
------	---	-------------	----------------------------	-----------	-----------

RO Size = 2' 6" W x 6' 4" H Unit Size = 2' 5 1/4" W x 6' 3 1/4" H

A Series


Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, L Hanging, High Performance Low-E4 Tempered, w/ Standard Flange


Insect Screen - Aluminum, White

ACW, Traditional Folding, Black

Zone: Northern

U-Factor: 0.27, SHGC: 0.27, ENERGY STAR® Certified: Yes

Item	Qty	Item Size (Operation)	Location	Unit Price	Ext. Price
 Viewed from Exterior	0008	1 FWOD5468 (PALR)	DOOR UNIT 04 - KITCHEN >> NO SCREEN >>CONFIRM HARDWARE/FINISH	\$ 2858.33	\$ 2858.33
RO Size = 5' 4" W x 6' 8" H Unit Size = 5' 3 1/4" W x 6' 7 1/2" H A Series Unit, Outswing, 4 9/16" Frame Depth, Gray Sill, PALR Handing, White/Pine, White - Factory Painted, High Performance Low-E4 Tempered Hardware Trim Set, FWH/FWO, AP/PA, Albany - Black Zone: Northern U-Factor: 0.30, SHGC: 0.24, ENERGY STAR® Certified: Yes					



Viewed from Exterior

0009

1

FWOD31611-FWSLD-1-17611 (AL-S)

DOOR UNIT 05 & 01 DOOR

SIDELITE -NO SCREEN -

BASEMENT >> JOB SITE

ASSEMBLY

\$

2653.74

\$

2653.74

RO Size = 4' 7 7/8" W x 6' 11" H

Unit Size = 4' 7 1/8" W x 6' 10 3/8" H

A Series

Composite Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, White Panel, High Performance Low-E4 Tempered Glass, No Grille(s), Mulling


Location: Job Site, Mull Type: LVL 4 9/16 Reinforced Mull, Mull Priority: Vertical

Hardware Trim Set, FWH/FWO, LH, Albany - Black

Zone: Northern

Unit U-Factor SHGC ENERGY STAR® Certified

1	0.30	0.24	Yes
2	0.30	0.23	Yes



Viewed from Exterior

Item	Qty	Item Size (Operation)	Location	Unit Price	Ext. Price
0010	2	APW21080-APW21080 (F-F)	UNIT 02 BACK FOYER - FIXED SASH >>FIBERGLASS REINFORCED MULLION >>JOB SITE ASSEMBLY	\$ 2167.70	\$ 4335.40

RO Size = 5' 8" W x 8' 0" H Unit Size = 5' 7 1/4" W x 7' 11 1/4" H


A Series

Composite Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, White Sash, High Performance Low-E4 Tempered Glass, No Grille(s), Mulling
Location: Job Site, Mull Type: 3/4" 4 9/16" Fiberglass Reinforced Joining, Mull Priority: Vertical

Zone: Northern

Unit U-Factor SHGC ENERGY STAR® Certified

1	0.27	0.31	Yes
2	0.27	0.31	Yes



Viewed from Exterior

0011	1	FWOD3180-FWSLD-1-1780 (AL-S)	DOOR UNIT 02 & 03 DOOR SIDE LITE- NO SCREEN-BACK FOYER >> JOB SITE ASSEMBLY	\$ 3104.39	\$ 3104.39
------	---	------------------------------	---	------------	------------

RO Size = 4' 7 7/8" W x 8' 0" H Unit Size = 4' 7 1/8" W x 7' 11 1/2" H

A Series

Composite Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, White Panel, High Performance Low-E4 Tempered Glass, No Grille(s), Mulling
Location: Job Site, Mull Type: LVL 4 9/16 Reinforced Mull, Mull Priority: Vertical


Hardware Trim Set, FWH/FWO, LH, Albany - Black


Lock, FWH/FWO, Exterior Keyed, Albany - Black


Zone: Northern




Unit U-Factor SHGC ENERGY STAR® Certified


1	0.30	0.24	Yes
2	0.30	0.23	Yes

Item	Qty	Item Size (Operation)	Location	Unit Price	Ext. Price
 Viewed from Exterior	0012	1 ACW3064 (R)	UNIT 04 TEMP GLASS - KITCHEN	\$ 904.93	\$ 904.93
RO Size = 3' 0" W x 6' 4" H Unit Size = 2' 11 1/4" W x 6' 3 1/4" H A Series Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, R Handing, High Performance Low-E4 Tempered, w/ Standard Flange Insect Screen - Aluminum, White ACW, Traditional Folding, Black Zone: Northern U-Factor: 0.27, SHGC: 0.27, ENERGY STAR® Certified: Yes					

 Viewed from Exterior	0013	5 ACW3030 (R)	UNIT 85	\$ 525.89	\$ 2629.45
RO Size = 3' 0" W x 3' 0" H Unit Size = 2' 11 1/4" W x 2' 11 1/4" H A Series Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, R Handing, High Performance Low-E4, w/ Standard Flange Insect Screen - Aluminum, White ACW, Traditional Folding, Black Zone: Northern U-Factor: 0.27, SHGC: 0.27, ENERGY STAR® Certified: Yes					

 Viewed from Exterior	0014	3 APW4420 (F)	UNIT 05 FIXED GLASS - KITCHEN >>TRANSOM - TEMP GLASS	\$ 599.94	\$ 1799.82
RO Size = 4' 4" W x 2' 0" H Unit Size = 4' 3 1/4" W x 1' 11 1/4" H A Series Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, High Performance Low-E4 Tempered, w/ Standard Flange Zone: Northern U-Factor: 0.27, SHGC: 0.31, ENERGY STAR® Certified: Yes					

	Item	Qty	Item Size (Operation)	Location	Unit Price	Ext. Price
 Viewed from Exterior	0015	8	ACW3434 (L)	UNIT 07	\$ 668.58	\$ 5348.64
	RO Size = 3' 4" W x 3' 4" H Unit Size = 3' 3 1/4" W x 3' 3 1/4" H					
	A Series					
	Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, L Hanging, High Performance Low-E4 Tempered, w/ Standard Flange					
	Insect Screen - Aluminum, White ACW, Traditional Folding, Black					
	Zone: Northern U-Factor: 0.27, SHGC: 0.27, ENERGY STAR® Certified: Yes					
 Viewed from Exterior	0016	8	ACW3434 (S)	UNIT 08	\$ 568.92	\$ 4551.36
	RO Size = 3' 4" W x 3' 4" H Unit Size = 3' 3 1/4" W x 3' 3 1/4" H					
	A Series					
	Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, S Hanging, High Performance Low-E4 Tempered, w/ Standard Flange					
	Zone: Northern U-Factor: 0.27, SHGC: 0.27, ENERGY STAR® Certified: Yes					
 Viewed from Exterior	0017	1	ACW3030 (S)	UNIT 96	\$ 434.94	\$ 434.94
	RO Size = 3' 0" W x 3' 0" H Unit Size = 2' 11 1/4" W x 2' 11 1/4" H					
	A Series					
	Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, S Hanging, High Performance Low-E4, w/ Standard Flange					
	Zone: Northern U-Factor: 0.27, SHGC: 0.27, ENERGY STAR® Certified: Yes					

	Item	Qty	Item Size (Operation)	Location	Unit Price	Ext. Price
	0018	1	APW3020 (F)	UNIT 06 *CHECK FRAME OF UNIT 04 TO MATCH	\$ 412.50	\$ 412.50
RO Size = 3' 0" W x 2' 0" H Unit Size = 2' 11 1/4" W x 1' 11 1/4" H A Series Unit, 4 9/16" Frame Depth, White/Pine, White - Factory Painted, High Performance Low-E4, w/ Standard Flange Zone: Northern U-Factor: 0.27, SHGC: 0.31, ENERGY STAR® Certified: Yes						
Viewed from Exterior						

Customer Signature _____

Total Load Factor

12.374

Subtotal

\$ 42,639.18

Tax (5.500%)

\$ 2,345.16

Grand Total

\$ 44,984.34

Dealer Signature _____

**** All graphics viewed from the exterior**

**** Rough opening dimensions are minimums and may need to be increased to allow for use of building wraps or flashings or sill panning or brackets or fasteners or other items.**



Ask to see if all of the products you purchase can be upgraded to be ENERGY STAR® certified.

 This image indicates that the product selected is certified in the US ENERGY STAR® climate zone that you have selected.

Data is current as of December 2018. This data may change over time due to ongoing product changes or updated test results or requirements. Ratings for all sizes are specified by NFRC for testing and certification. Ratings may vary depending on the use of tempered glass or different grille options or glass for high altitudes etc.

Nexia is a registered trademark of Ingersoll Rand Inc.

Project Comments: _____