



OPTIONAL

REFER TO DETAIL CS 1.2.1 FOR ADDITIONAL INFORMATION. WHERE UPPER ROOF IS BALLASTED ROOF, REFER TO CARLISLE SYNTec, INC. FOR REVIEW OF UPPER EDGE DETAIL.

3" WIDE SECURTAPE

SEAM FASTENING PLATE & FASTENERS SPACED 12" O.C. AND 6" PRESSURE-SENSITIVE RUSS

CARLISLE ROOF MEMBRANE

CARLISLE ROOF INSULATION

BONDING ADHESIVE  
INSULATED WALL  
PANEL (BY OTHERS)

1/2"

STEEL DECK

- NOTES:
1. ENSURE AIR INFILTRATION FROM OUTSIDE IS COMPLETELY RESTRICTED.
  2. ENSURE THE VERTICAL JOINTS OF ALL INSULATED WALL PANELS ARE SEALED (BY OTHERS).

DETAIL PROVIDED COURTESY OF  
GROUP 4 MATERIALS, INC.  
BROOKFIELD, WISCONSIN

**CARLISLE**

Carlisle Syntec Incorporated

# COLD STORAGE ENVELOPE IWP: COVERED RISING WALL FLASHING

XXXXXXX	SURE-SEAL WATER CUT-OFF MASTIC
	FOAM-IN-PLACE INSULATION

COLD STORAGE DETAILS

**CS 3.2.1**