

**CORRIDOR JOISTS PARALLEL TO STAIR WALL**

BOTTOM PLATE TO LADDER  
 6d AT 12" o/c TYPICAL AT  
 SHEAR WALLS. REFER TO SHEAR  
 WALL SCHEDULE FOR SPECIFICS.

GYPSUM CONCRETE TOP  
 MATCH WIDTH OF WALL B.

1/4" CDX PLYWOOD

LADDER TRUSS w/ VERTICAL  
 WEB MEMBERS AT 24" o/c  
 MAXIMUM. LADDER TRUSS  
 MATCH WIDTH OF WALL B.

T.O. SHEAR  
 ELEV. SEE

24" LEDGER w/ (2) 16d AT 12" o/c  
 VERTICAL TRUSS WEB

22" DEEP WOOD FLOOR T  
 SEE PLANS

1/4" GYP BOARD

DOOR SHEATHING TO  
 TRUSS w/ 10d AT 6" o/c

CONCRETE SLAB

AT 24" o/c  
 NOT INSTALLED BY  
 R

LADDER TRUSS TO DOUBLE  
 w/ 16d AT 12" o/c  
 AT SHEAR WALLS. REFER  
 WALL SCHEDULE FOR


| Date       | Description |
|------------|-------------|
| 08.15.2019 | 75% CD Set  |
| 08.21.2019 | Permit      |
| 09.25.2019 | <Progress>  |

S211  
10/3/2019 11:45:16 PM









ATTACH ROOF SHEATHING TO  
NAILER w/ 10d AT 6" o/c

INSULATION  
SEE ARCH. PLANS

3/4" CDX PLYWOOD

5/8" GYP BOARD

ROOF TRUSSES, SEE PLANS

SIMPSON "H1" ANCHOR AT EACH

T.O. PARAPET

DOBL. 2x TOP PLATES, STAGGER  
SPICES A MINIMUM OF 6'-0"

2x6 PARAPET FRAMING  
INTEGRAL w/ TRUSS DESIGN

2x6 BLOCKING w/ (4) 10d TOE NAILS INTO  
ROOF TRUSS EACH END OF WOOD  
BLOCKING

EXTERIOR WALL SHEATHING, w/ INSULAT

DOUBLE TOP PLATE

2x6 EXTERIOR BEARING WALL

APA RATED ROOF SHEATHING

2x NAILER w/ 1/2" DIAMETER SIMPSON T HD AT 4'-0" o/c (3 5/8" MINIMUM EMBED)

BOND BEAM W/ (2) #5 x CONTINUOUS

3 1/2"x6" JOISTS AT 32" o/c

ROOF FRAMING, SEE PLANS

SIMPSON H3 CLIP

ATTACH SHEATHING TO 2x10 BLOCKING w/ 10d AT 6" o/c

INSULATION  
SEE ARCH. PLANS

3/4" CDX PLYWOOD

WOOD ROOF TRUSSES,  
SEE PLANS

CONT. 3 1/2"x6" BOLT TO MASONRY w/ SIMPSONS 5/8"x6" TITEN HD SCREW ANCHORS AT 16" o/c w/ SIMPON BP 3/4"-3RDG BEARING PLATES (STAGGER TOP AND BOTTOM)

DOBL. 2x TOP PLATES.  
 STAGGER SPICES A  
 MINIMUM OF 6'-0"

T.O. PARAPET  
 ATTACH ROOF SHEATHING TO  
 BLOCKING W/ 10d NAILS AT 6"  
 MAXIMUM

3/2"x6 RIM BOARD w/ (3)  
 16d NAILS AT EACH JOIST

3/4" CDX PLYWOOD

3 1/2"x6" JOISTS AT 32" o/c

TOE NAIL FLOOR JOIST TO DOUBLE  
 TOP PLATE w/ (4) 10d EACH JOIST

TOE NAIL RIM BOARD TO DOUBLE TOP  
 PLATE w/ 10d AT 7" o/c UNLESS NOTED  
 OTHERWISE


DOUBLE TOP PLATE


EXTERIOR WALL SHEATHING  
 W/ INSULATION


7 ROOF FRAMING AT STAIR STUD WALL  
S213


0 FRAMING PLAN - ROOF  
S213 1/8" = 1'-0"


[illegible]


  
**W CAPITAL GROUP**  
**Developer:** W Capital Group  
 hylter@wcapitalgroup.com | 608.345.9848


  
**Architect:** OpeningDesign  
 316 W Washington Ave | Suite 675  
 Waukegan, WI 53093  
 ryan@openingdesign.com | 773.425.6456


  
**General Contractor:** ROYAL CONSTRUCTION  
 3653 Greenway Street | Eau Claire, WI 54701  
 jim@royalbuild.com | 715.235-6377


  
**Civil Engineer:** CEDAR CORPORATION  
 604 Wilson Avenue | Menomonie, WI 54751  
 kevin.olum@cedarcorp.com | 715.235-9081

  
**Structural Engineer:** XC Structural Engineering  
 Calle Apolonio Morales, 628036 Madrid,  
 +prestatos@engineering-xyc.es | +34 910 58 26 37

  
**Structural Engineer of Record:** ENNOVATION  
 4729 Dale-Curtin Dr | McFarland, WI 53558  
 kfrey@ennovationbuild.com

  
**Mechanical Engineer:** HOYLAND'S HVAC  
 10954 E. Melby Street | Chippewa Falls, WI 54729  
 jhansen@hoylands-inc.com | 715.552.5595

  
**Electrical Engineer:** PRISM DESIGN ELECTRICAL  
 CONSULTANTS INC.  
 EB403 State Rd 89 | Monroeville, WI 54755  
 calgreen@prismdesign-electrical.com | 715.797.0602

  
**Plumbing Engineer:** TAILORED ENGINEERING  
 1600 Aspen Commons | Ste 210 | Middleton, WI  
 53562  
 bnovak@tailoredeng.com | 608.209.7500





S214



