



CONCRETE WALL REINFORCING SCHEDULE					
MARK	TYPE	THICKNESS	REINFORCEMENT		REMARKS
			VERTICAL	HORIZONTAL	
W1	CONCRETE	14"	5# s AT 18" o.c.	5# s AT 12" o.c.	inside face
W2	CONCRETE	10"	5# s AT 12" o.c.	5# s AT 12" o.c.	inside face
W4	CONCRETE	8"	4# s AT 12" o.c.	3# s AT 12" o.c.	centered in wall thickness
W5	CONCRETE	8"	4# s AT 12" o.c.	3# s AT 12" o.c.	inside face

CONCRETE WALL REINFORCING SCHEDULE NOTES:
 1. REFER TO STRUCTURAL NOTES SHEET FOR LAPS IN STEEL REINFORCEMENT.
 2. COORDINATE AND VERIFY ALL DIMENSIONS WITH ARCHITECTURAL DRAWINGS AND EXIST. CONDITIONS

Date	Description
07.08.2019	Footings/Foundation Permit
08.15.2019	75% CD Set
08.21.2019	Permit
10.09.2019	IFC - Foundation

Plumbing Engineer: TAILORED ENGINEERING
600 Aspen Commons | Ste 210 | Middleton,
53562
bnovak@tailoredeng.com | 608.209.7500

\$100

10/8/2019 8:28:58 PM