

Calculation Report: «1750 OX Residences - 1750 N Oxford Ave. - Eau Claire, WI»

XC structural engineering

June 30, 2020

Contents

1	Introduction and scope	3
2	Building codes	3
3	Loading criteria	3
3.1	Gravity loading	3
3.2	Wind design criteria	3
3.3	Snow loading	3
4	Seismic design criteria	5
5	Materials	5
6	Design and analysis software	5
7	Load combinations	5
8	Wood framing	8
8.1	Gravity	8
8.2	Trusses	8
8.2.1	Introduction	8
8.2.2	Trusses A and B. Roof	8
8.2.3	Trusses A and B. Third floor	8
8.2.4	Trusses A and B. Second floor	10
8.2.5	Trusses C and D. Roof	11
8.2.6	Trusses C and D. Third floor	12
8.2.7	Trusses C and D. Second floor	13
8.2.8	Truss E. Roof	14
8.2.9	Truss E. Third floor	15
8.2.10	Truss E. Second floor	17
8.3	Joists	17
8.3.1	Corridor floor sheathing	17
8.3.2	Corridor Joists	19
8.3.3	Joists under storage/HVAC floor	22
8.4	Headers	23
8.4.1	Third floor enclosed balconies headers (H3.1 to H3.3)	23
8.4.2	Corridor headers (H3.4 to H3.9, H2.1 to H2.6 and H1.1 to H1.6)	27

8.4.3	Headers H3.10 and H2.7	28
8.4.4	Header H1.9	29
8.4.5	Facade headers	30
8.4.6	Corridor headers	31
8.5	Steel beams	31
8.5.1	Steel beam at courtyard facade	31
8.5.2	Steel beam at corridor	36
8.5.3	North steel beam	36
8.6	Columns	39
8.6.1	Columns P3.1 to P3.6	39
8.6.2	Column P3.7	39
8.6.3	Column P2.1	43
8.6.4	2x6 wood stud capacity	43
8.6.5	Columns P1.1, P1.2 and P1.3	44
8.6.6	Column P1.4	45
8.7	Bearing walls	45
8.7.1	Facade bearing walls at first floor	45
8.7.2	Facade bearing walls at second floor	47
8.7.3	Facade bearing walls at third floor	48
8.7.4	Top plates	49
8.7.5	Interior bearing walls at first floor	50
8.7.6	Interior bearing walls at second floor	51
8.7.7	Interior bearing walls at third floor	51
8.7.8	Top plates	52
8.8	Lateral. Diaphragms/Shear walls	53
8.8.1	East and West facades shear walls	53
8.8.2	Courtyard facades shear walls	54
8.8.3	South facades shear walls	56
8.8.4	North facade shear walls	57
9	Basement	62
9.1	Structural model	62
9.2	Footings	66
9.2.1	Loads	66
9.2.2	Load combinations	66
9.2.3	Footing dimensions and reinforcement	66
9.2.4	Limit state checking	66
9.3	Basement walls	66
9.3.1	Introduction	66
9.3.2	Load determination	69
9.3.3	Load combinations	70
9.3.4	Stem dimensions and reinforcement	71
9.4	Ramp walls and steel structure bearing hollowcore 2nd floor	76
9.4.1	Materials	76
9.4.2	Loads	76
9.4.3	Load combination	77
9.4.4	Structural model	77
9.4.5	Material and RC-sections properties	82
9.4.6	Verification of reinforced-concrete walls	82
9.4.7	Verification of steel structure	119

10 Elevator shaft lintels	121
10.1 Lintel roof	121
10.1.1 Geometry data	121
10.1.2 Load data	121
10.1.3 Check for arching action	121
10.1.4 Check lintel deflection	121
10.2 Lintel 3rd and 2nd floor	122
10.2.1 Geometry data	122
10.2.2 Load data	122
10.2.3 Check for arching action	122
10.2.4 Check concrete masonry lintel - strenght design	122
10.2.5 Check lintel deflection	124
10.3 Lintel 1st floor	124
10.3.1 Geometry data	124
10.3.2 Load data	124
10.3.3 Check for arching action	125
10.3.4 Check concrete masonry lintel - strenght design	125
10.3.5 Check lintel deflection	125
11 Balconies connection	127
11.1 Loads on the connection	127
11.2 Loads on fasteners	127
11.3 Fastener strength	127
11.4 Checking of fastener capacities	127
Appendices	131
A Loading criteria	131
A.1 Dead loads	131
A.2 Live loads	132
A.3 Snow loads	132
A.4 Wind loads	133
A.5 Earthquake loads	134
B Calculation results. Internal forces on columns	135
B.1 Ultimate limit states	135
B.2 Serviceability limit states	161

List of Tables

1	Gravity Loads	4
2	Wind Design Criteria	4
3	Snow Design Criteria	4
4	Seismic Design Criteria	5
5	Concrete properties	5
6	Reinforcement properties	5
7	Combinations Ultimate Limit States	6
8	Combinations Serviceability Limit States	7
9	Time assigned to wallboard membranes	20
10	Steel beam at courtyard facade.Trusses reactions.	34
11	Steel beam at corridor. Trusses reactions.	37
16	Column footing schedule.	66
17	Soil bearing pressures. Capacity factors	67