

DOOR SCHEDULE - NUMBER														
From Room: Name	Type Mark	Level	Mark	Type	Width	Height	Fire Rating	Door Type	Door Material	Frame Type	Frame Material	Type Comments	Comments	Hardware Set
LOBBY	08	1ST FLOOR	100.A	ALUM. STILE W/ GLASS INSET	3'-0"	7'-7"		B1	AL/GL INSET	A	AL	TEMPERED INSULATED GLAZING		10
	08	1ST FLOOR	100.B	ALUM. STILE W/ GLASS INSET	3'-0"	7'-0"		B1	AL/GL INSET	A	AL	TEMPERED GLAZING		7
CORRIDOR - NORTH	03	1ST FLOOR	101.A	HM - METAL LEAF - 1HR - 3-0 x 7-0	3'-0"	7'-0"	1HR	A1	WD	A	HM			16
CORRIDOR - EAST	03	1ST FLOOR	101.B	HM - METAL LEAF - 1HR - 3-0 x 7-0	3'-0"	7'-0"	1HR	A1	WD	A	HM			16
LOBBY	08	1ST FLOOR	104	ALUM. STILE W/ GLASS INSET	3'-0"	7'-0"		B1	WD/GL INSET	A	AL	TEMPERED GLAZING		21
PACKAGE ROOM	03	1ST FLOOR	105	HM - WOOD LEAF - 3-0 x 7-0	3'-0"	7'-0"		A1	WD	A	HM			8
	12	1ST FLOOR	107	STAIR DOOR 3-0 x 7-0	3'-0"	7'-0"	1.5HR	A1	WD	A	HM			15
	12	1ST FLOOR	108.A	STAIR DOOR 3-0 x 7-0	3'-0"	7'-0"	1.5HR	A1	WD	A	HM			14
	10	1ST FLOOR	108.B	ALUM. STILE W/ GLASS INSET	3'-0"	7'-0"		B1	AL/GL INSET	A	AL	TEMPERED INSULATED GLAZING		6
STOR./HVAC	05	1ST FLOOR	109	HM - WOOD LEAF - 20 MIN - 3-0 x 7-0	3'-0"	7'-0"	20 MIN.	A1	WD	A	HM			26
CORRIDOR - WEST	05	1ST FLOOR	110	HM - WOOD LEAF - 20 MIN - 3-0 x 7-0	3'-0"	7'-0"	20 MIN.	A1	WD	A	HM			26
	12	1ST FLOOR	111.A	STAIR DOOR 3-0 x 7-0	3'-0"	7'-0"	1.5HR	A1	WD	A	HM			14
	10	1ST FLOOR	111.B	ALUM. STILE W/ GLASS INSET	3'-0"	7'-0"		B1	AL/GL INSET	A	AL	TEMPERED INSULATED GLAZING		6
	09	1ST FLOOR	112.A	RAMP GARAGE DOOR	16'-0"	8'-0"	-	-	AL/GL INSET	-	AL	TEMPERED INSULATED GLAZING		1
	10	1ST FLOOR	112.B	ALUM. STILE W/ GLASS INSET	3'-0"	7'-0"		B1	AL/GL INSET	A	AL	TEMPERED INSULATED GLAZING		6
FITNESS	04	1ST FLOOR	113.A	WOOD STILE W/ GLASS INSET	3'-0"	7'-0"		B1	WD/GL INSET	A	AL	TEMPERED GLAZING		19
RESTROOM	07	1ST FLOOR	114	HM - WOOD LEAF - 2-10 x 6-8	2'-10"	6'-8"		A1	WD	A	HM			19
												USE 1.5" DOOR SLAB - ASSURE 32" MIN CLEAR BETWEEN DOOR SLAB AND DOOR FRAME SOFFIT		
COMMUNITY ROOM	04	1ST FLOOR	115.A	WOOD STILE W/ GLASS INSET	3'-0"	7'-0"		B1	WD/GL INSET	A	AL	TEMPERED GLAZING		8
	08	1ST FLOOR	115.B	ALUM. STILE W/ GLASS INSET	3'-0"	6'-10"		B1	AL/GL INSET	A	AL	TEMPERED INSULATED GLAZING		6
	11	1ST FLOOR	115.C	DOOR AT COMMUNITY ROOM	10'-0"	7'-0"		-	AL/GL INSET	-	AL	TEMPERED INSULATED GLAZING		1
	11	1ST FLOOR	115.D	DOOR AT COMMUNITY ROOM	10'-0"	7'-0"		-	AL/GL INSET	-	AL	TEMPERED INSULATED GLAZING		1
HVAC	07	1ST FLOOR	115.E	HM - WOOD LEAF - 2-10 x 6-8	2'-10"	6'-8"		A1	WD	A	HM			22
CLOS.	07	1ST FLOOR	115.F	HM - WOOD LEAF - 2-10 x 6-8	2'-10"	6'-8"		A1	WD	A	HM			22
CLOS.	07	1ST FLOOR	115.G	HM - WOOD LEAF - 2-10 x 6-8	2'-10"	6'-8"		A1	WD	A	HM			22
STOR./HVAC	12	2ND FLOOR	201	STAIR DOOR 3-0 x 7-0	3'-0"	7'-0"	1.5HR	A1	WD	A	HM			13
	06	2ND FLOOR	203	HM - METAL LEAF - 20 MIN. - 6-0 x 6-8	6'-0"	6'-8"	20 MIN.	A2	WD	A	HM			27
	12	2ND FLOOR	204	STAIR DOOR 3-0 x 7-0	3'-0"	7'-0"	1.5HR	A1	WD	A	HM			13
CORRIDOR - WEST	06	2ND FLOOR	205	HM - METAL LEAF - 20 MIN. - 6-0 x 6-8	6'-0"	6'-8"	20 MIN.	A2	WD	A	HM			27
	12	2ND FLOOR	206	STAIR DOOR 3-0 x 7-0	3'-0"	7'-0"	1.5HR	A1	WD	A	HM			13
	13	3RD FLOOR	301	STAIR DOOR 3-0 x 6-8	3'-0"	6'-8"	1.5HR	A1	WD	A	HM			13
	13	3RD FLOOR	303	STAIR DOOR 3-0 x 6-8	3'-0"	6'-8"	1.5HR	A1	WD	A	HM			13
STOR./HVAC	06	3RD FLOOR	304	HM - METAL LEAF - 20 MIN. - 6-0 x 6-8	6'-0"	6'-8"	20 MIN.	A2	WD	A	HM			27
CORRIDOR - WEST	06	3RD FLOOR	305	HM - METAL LEAF - 20 MIN. - 6-0 x 6-8	6'-0"	6'-8"	20 MIN.	A2	WD	A	HM			27
	13	3RD FLOOR	306	STAIR DOOR 3-0 x 6-8	3'-0"	6'-8"	1.5HR	A1	WD	A	HM			13
	12	BASEMENT	B01	STAIR DOOR 3-0 x 7-0	3'-0"	7'-0"	1.5HR	A1	WD	A	HM			13
STR.	02	BASEMENT	B03	HM - METAL LEAF - 3-0 x 7-0	3'-0"	7'-0"		A1	HM	A	HM			24
STR.	02	BASEMENT	B04	HM - METAL LEAF - 3-0 x 7-0	3'-0"	7'-0"		A1	HM	A	HM			24
BASEMENT PARKING	27	BASEMENT	B05	ALUM. STILE W/ GLASS INSET - 1HR	2'-11"	6'-10"	1HR	B1	AL/GL INSET	A	AL	TEMPERED GLAZING		1
TRASH/RECYCLE	02	BASEMENT	B06.A	7'X8'	7'-0"	8'-0"		-						1
TRASH/RECYCLE	02	BASEMENT	B06.B	HM - METAL LEAF - 3-0 x 7-0	3'-0"	7'-0"		A1	HM	A	HM			11
UTILITY ROOM	02	BASEMENT	B08	HM - METAL LEAF - 3-0 x 7-0	3'-0"	7'-0"		A1	HM	A	HM			22
FITNESS AREA	04	1ST FLOOR	B10	WOOD STILE W/ GLASS INSET	3'-0"	7'-0"		B1	WD/GL INSET	A	AL	TEMPERED GLAZING		8
HVAC	02	BASEMENT	B10.A	HM - METAL LEAF - 3-0 x 7-0	3'-0"	7'-0"		A1	HM	A	HM			24
MECH. AREA	02	BASEMENT	B11.A	HM - METAL LEAF - 3-0 x 7-0	3'-0"	7'-0"		A1	HM	A	HM			23
MECH. AREA	02	BASEMENT	B11.B	HM - METAL LEAF - 3-0 x 7-0	3'-0"	7'-0"		A1	HM	A	HM			23
	12	BASEMENT	B13	STAIR DOOR 3-0 x 7-0	3'-0"	7'-0"	1.5HR	A1	WD	A	HM			13
R.M. BASEMENT	02	BASEMENT	B29.A	HM - METAL LEAF - 3-0 x 7-0	3'-0"	7'-0"		A1	WD	A	HM			19
FITNESS AREA	02	BASEMENT	B29.B	HM - METAL LEAF - 3-0 x 7-0	3'-0"	7'-0"		A1	WD	A	HM			19

DOOR SCHEDULE - TYPE											
Count	Type Mark	Type	Width	Height	Fire Rating	Door Type	Door Material	Frame Type	Frame Material	Type Comments	DS_Hardware_Set_(SFI)
71	U01	UNIT DOOR	3'-0"	7'-0"	20 MIN.	A1	WD	A	HM		29
10	U1-LH	VISTAGRANDE FLUSH (LH) - 37-1/2" x 81-3/4" - 1ST FLOOR	3'-1 1/2"	6'-9 3/4"		B1	FG	A	FG	WITH INSULATED TEMPERED GLAZING	
9	U1-RH	VISTAGRANDE FLUSH (RH) - 37-1/2" x 81-3/4" - 1ST FLOOR	3'-1 1/2"	6'-9 3/4"		B1	FG	A	FG	WITH INSULATED TEMPERED GLAZING	
256	U02	SWING - FLUSH - 2-10 x 6-8 - PRIVACY	2'-10"	6'-8"		A1	WD	A	WD		20
1	U2-LL	LL-MARVIN ESSENTIAL SLIDING - 6'-0"x6'-10" - 2ND FLOOR	5'-11 1/2"	6'-9 1/2"		B1	AL	A	AL	WITH INSULATED TEMPERED GLAZING	
2	U2-LR	LR-MARVIN ESSENTIAL SLIDING - 6'-0"x6'-10" - 2ND FLOOR	5'-11 1/2"	6'-9 1/2"		B1	AL	A	AL	WITH INSULATED TEMPERED GLAZING	
4	U2-RL	RL-MARVIN ESSENTIAL SLIDING - 6'-0"x6'-10" - 2ND FLOOR	5'-11 1/2"	6'-9 1/2"		B1	AL	A	AL	WITH INSULATED TEMPERED GLAZING	
5	U2-RR	RR-MARVIN ESSENTIAL SLIDING - 6'-0"x6'-10" - 2ND FLOOR	5'-11 1/2"	6'-9 1/2"		B1	AL	A	AL	WITH INSULATED TEMPERED GLAZING	
4	U3-LL	LL-MARVIN ESSENTIAL SLIDING - 6'-0"x6'-10" - 3RD FLOOR	5'-11 1/2"	6'-9 1/2"		B1	AL	A	AL	WITH INSULATED TEMPERED GLAZING	
4	U3-LR	LR-MARVIN ESSENTIAL SLIDING - 6'-0"x6'-10" - 3RD FLOOR	5'-11 1/2"	6'-9 1/2"		B1	AL	A	AL	WITH INSULATED TEMPERED GLAZING	
3	U3-RL	RL-MARVIN ESSENTIAL SLIDING - 6'-0"x6'-10" - 3RD FLOOR	5'-11 1/2"	6'-9 1/2"		B1	AL	A	AL	WITH INSULATED TEMPERED GLAZING	
2	U3-RR	RR-MARVIN ESSENTIAL SLIDING - 6'-0"x6'-10" - 3RD FLOOR	5'-11 1/2"	6'-9 1/2"		B1	AL	A	AL	WITH INSULATED TEMPERED GLAZING	
55	U06	SLIDING - FLUSH - 5-0 x 6-8	5'-0"	6'-8"		B1	WD	A	WD		4
1	U13	SWING - DOUBLE - 4-0 x 6-8	4'-0"	6'-8"		B1	WD	A	WD		30
21	U14	SWING - FLUSH - 2-10 x 6-8 - PASSAGE	2'-10"	6'-8"		A1	WD	A	WD		18
22	U20	SWING - FLUSH - 3-0 x 6-8 - PASSAGE	3'-0"	6'-8"		A1	WD	A	WD		18
15	U22	CHAINLINK GATE	3'-0"	7'-0"		-	CHAINLINK	-	CHAINLINK	CHAINLINK GATE	1
19	U27	ACCESS PANEL - 2-6 X 6-0	2'-6"	6'-0"							
17	U28	SWING - DOUBLE - 5-0 x 6-8 - DUMMY	5'-0"	6'-8"		B1	WD	A	WD		30
1	U33	SWING - FLUSH - 2-0 x 6-8 - PRIVACY	2'-0"	6'-8"		A1	WD	A	WD		20
1	U38	CLEAR OPENING - 34' x 80'	0'-0"	0'-0"							
18	U41	SWING - 32" x 80" - WITH ACOUSTICAL SEAL	2'-8"	6'-8"		A1	WD	A	WD		3
34	U43	SWING - FLUSH - 2-6 x 6-8 - PASSAGE	2'-6"	6'-8"		A1	WD	A	WD		18
10	U44	SLIDING - FLUSH - 6-0 x 6-8	6'-0"	6'-8"		B1	WD	A	WD		4
5	U45	CLEAR OPENING - 3'-0" x 6'-10.5"	0'-0"	0'-0"							
14	U46	SWING - FLUSH - 2-10 x 6-8 - PRIVACY AT 3RD FLOOR (3-0 X 6-10 OPENING ONLY AT 1ST AND 2ND FLOOR ONLY)	2'-10"	6'-8"		A1	WD	A	WD		20

6A



DOOR TYPES

1/4" = 1'-0"

5A

FRAME TYPES

1/4" = 1'-0"



WINDOW SCHEDULE - SIMPLIFIED				
Type Mark	Type	Count	Width	Height
QQ	1-WIDE (TEMP ALL) ESDH3066	16	35 1/2"	77 1/2"
RR	1-WIDE (TEMP LOWER) ESDH3066	84	35 1/2"	77 1/2"
SS	2-WIDE (TEMP ALL LOW) ESDH3066	118	35 1/2"	77 1/2"
TT	2-WIDE (TEMP LOW L/ ALL R) ESDH3066	4	35 1/2"	77 1/2"
UU	2-WIDE (TEMP LOW R/ ALL L) ESDH3066	4	35 1/2"	77 1/2"
VV	3-WIDE (TEMP ALL LOW) ESDH3066	9	35 1/2"	77 1/2"

8.55F OPEN AREA PER WINDOW - ONLY UPPER SASH WILL BE OPERABLE - BOTTOM SASH WILL BE FIXED IN PLACE

- IF (1) WINDOWS = 8.55F/.04 = FLOOR AREA TO BE VENTILATED SHOULD BE LESS THAN 212.55F
- IF (2) WINDOWS = 175F/.04 = FLOOR AREA TO BE VENTILATED SHOULD BE LESS THAN 4255F
- IF (3) WINDOWS = 25.545F/.04 = FLOOR AREA TO BE VENTILATED SHOULD BE LESS THAN 637.55F
- IF (4) WINDOWS = 345F/.04 = FLOOR AREA TO BE VENTILATED SHOULD BE LESS THAN 850F
- IF (1) DOOR ADD (205F/.04 = 5005F) TO MIN. FLOOR AREA TO BE VENTILATED

CAPITAL GROUP
Developer: W Capital Group
tyler@wcapitalgroupre.com | 608.345.9848

d
Architect: OpeningDesign
316 W Washington Ave | Suite 675
Madison, WI 53703
ryon@openingdesign.com | 773.425.6456

ROYAL CONSTRUCTION
General Contractor: ROYAL CONSTRUCTION
3653 Greenway Street | Eau Claire, WI 54701
jim@royalbuilt.com | 715.225.6377

Cedar
Civil Engineer: CEDAR CORPORATION
604 Wilson Avenue | Menomonie, WI 54751
kevin.olum@cedarcorp.com | 715.235.9081


XC
Structural Engineer: XC Structural Engineering
Calle Apolonia Morales, 628036 Madrid,
l.perezato@xcengineering.xyz | +34 610 56 26 37

Innovation
Engineering Services Incorporated
Structural Engineer of Record: Innovation
4729 Dale-Curtain Dr, McFarland, WI 53558
kfrey@innovationbuilt.com

Hovland's
Mechanical Engineer: HOVLAND'S HVAC
10954 E. Melby Street | Chippewa Falls, WI 54729
jhansen@hovlands-inc.com | 715.552.5595

PRISM DESIGN
Electrical Engineer: PRISM DESIGN ELECTRICAL CONSULTANTS INC
E8403 State Rd 85 | Mondovi, WI 54755
bhaigren@prismdesign-electrical.com | 715.797.0602

TAILORED ENGINEERING
Plumbing Engineer: TAILORED ENGINEERING
1600 Aspen Commons | Ste 210 | Middleton, WI 53562
bnovak@tailoredeng.com | 608.209.7500



Date	Description
08/15/2019	75% CD Set
08/20/2019	Permit
09/21/2019	Permit Revision #1
01/27/2020	Updates to Panelizer
03/27/2020	Updates
05/13/2020	Permit Revision #4
07/02/2020	Permit Revision #5
07/15/2020	Permit Revision #6