

E

D

C

B

A






E

D

C

B

A



PARTITION TAG NOMENCLATURE

- 1ST LETTER = CORE MATERIAL
  - W= WOOD
  - M=METAL
  - C=CONCRETE
  - B=MASONRY BLOCK
- 2ND LETTER = SIZE OF CORE
  - WOOD: NOMINAL STUD SIZES (EX: 4 = 3 1/2")
  - METAL STUD: (EX: 558 = 3 5/8")
  - CONCRETE: ACTUAL WALL THICKNESS (EX: 8 = 8")
  - MASONRY: NOMINAL BRICK MODULES (EX: 8 = 7 5/8")
- 3RD LETTER = LAYER MATERIAL

LAYER MATERIAL (3RD LETTER)						
	LAYER 3	LAYER 2	LAYER 1	CORE	LAYER 1	LAYER 2
A=	-	-	5/8" GYP. BD.	STUDS 16" O.C. (20 GA. IF METAL)	5/8" GYP. BD.	-
B=	-	-	5/8" GYP. BD.	STUDS 24" O.C. (20 GA. IF METAL)	5/8" GYP. BD.	-
C=	OCCASIONAL FINISH PLYWOOD (SEE INT. ELEV.)	5/8" GYP. BD.	1/2" RESILIENT CHANNEL	WOOD STUDS (SEE STRUCT DWG FOR SIZE AND SPACING)	5/8" GYP. BD.	-
D=	-	-	5/8" GYP. BD.	STUDS 16" O.C. (20 GA. IF METAL)	5/8" GYP. BD.	-
E=	-	-	5/8" GYP. BD.	STUDS 24" O.C. (20 GA. IF METAL)	5/8" GYP. BD.	-
F=	-	-	5/8" GYP. BD.	STUDS 16" O.C. (20 GA. IF METAL)	-	-
G=	-	-	5/8" GYP. BD.	STUDS 12" O.C. W/ BATT. INSULATION	-	-
H=	-	-	5/8" GYP. BD.	-	-	-
M=	5/8" GYP. BD.	5/8" GYP. BD.	1/2" RESILIENT CHANNEL OVER SHEAR WALL PANELING(SEE STRUCT. DWGS)	EXPOSED ARCHITECTURAL CMU	SHEAR WALL PANELING - SEE STRUCT DWGS	5/8" GYP. BD.
Q=	5/8" GYP. BD.	5/8" GYP. BD.	1/2" RESILIENT CHANNEL	WOOD STUDS (SEE STRUCT DWG FOR SIZE AND SPACING)	5/8" GYP. BD.	5/8" GYP. BD.
R=	5/8" GYP. BD.	5/8" GYP. BD.	1/2" RESILIENT CHANNEL	WOOD STUDS (SEE STRUCT DWG FOR SIZE AND SPACING)	5/8" GYP. BD.	5/8" GYP. BD.
S=	5/8" GYP. BD.	5/8" GYP. BD.	1/2" RESILIENT CHANNEL OVER SHEAR WALL PANELING(SEE STRUCT. DWGS)	WOOD STUDS (SEE STRUCT DWG FOR SIZE AND SPACING)	SHEAR WALL PANELING - SEE STRUCT DWGS	5/8" GYP. BD.
T=	-	-	5/8" GYP. BD.	WOOD STUDS (SEE STRUCT DWG FOR SIZE AND SPACING)	5/8" GYP. BD.	-

- 4TH NUMBER: FIRE RATING
  - Ø=0 HOUR
  - 1=1 HOUR
  - 2=1 HOUR
  - 3=1 HOUR
  - 5=1/2 HOUR
- 5TH (AND BEYOND) LETTERS = MODIFIERS
  - D=FULL HEIGHT TO UNDERSIDE OF STRUCTURAL DECKING/SHEATHING
  - F=FULL HEIGHT PARTITION
  - K=KNEE WALL PARTITION
  - P=PARTIAL HEIGHT PARTITION
  - R=FURRED OUT WALL
- EXAMPLE: M358BØPR - A NON-FIRE RATED, BATT INSULATED 3 5/8" PARTIAL HEIGHT WALL WITH 5/8" GYP ON ONE SIDE
  - M=METAL
  - 358=3 5/8" METAL STUD
  - B=5/8" GYP. BD W/ BATT INSULATION IN CAVITY
  - Ø=0 HOUR
  - P=PARTIAL HEIGHT PARTITION
  - R=FURRED OUT WALL

**CAPITAL GROUP**  
Developer: W Capital Group  
hyler@wcapitalgroup.com | 608.345.9848

**d**  
Architect: OpeningDesign  
316 W Washington Ave | Suite 675  
Madison, WI 53703  
ryan@openingdesign.com | 773.425.6456

**ROYAL CONSTRUCTION**  
General Contractor: ROYAL CONSTRUCTION  
3653 Greenway Street | Eau Claire, WI 54701  
jrm@royalbuild.com | 715.225.6377

**Cedar Corporation**  
Civil Engineer: CEDAR CORPORATION  
604 Wilson Avenue | Menomonee, WI 54751  
kevin.colum@cedarcorp.com | 715.235.9081

**XC**  
Structural Engineer: XC Structural Engineering  
Calle Apolonia Morales, 628036 Madrid,  
l.perezata@xcengineering.xyz | +34 610 56 26 37


**Innovation**  
Engineering Services Incorporated

Structural Engineer of Record: Innovation  
4729 Dale-Curtain Dr, McFarland, WI 53558  
kfreyl@innovationbuild.com

**Hovland's**  
Mechanical Engineer: HOVLAND'S HVAC  
10954 E. Welby Street | Chippewa Falls, WI 54729  
jhansen@hovlands-inc.com | 715.552.5595

**PRISM DESIGN**  
ELECTRICAL CONSULTANTS INC.  
Electrical Engineer: PRISM DESIGN ELECTRICAL CONSULTANTS INC  
E8403 State Rd 85 | Mondovi, WI 54755  
bhaigren@prismdesign-electrical.com | 715.797.0602

**TAILORED ENGINEERING**  
Plumbing Engineer: TAILORED ENGINEERING  
1600 Aspen Commons | Ste 210 | Middleton, WI 53562  
bnovak@tailoredeng.com | 608.209.7500



Date	Description
08.21.2019	Permit
09.21.2019	Permit Revision #1
01.24.2020	Updates for Panelizer
03.27.2020	Updates