

Applicable Codes:	<p>General:</p> <ul style="list-style-type: none"> • Building/Dwelling Code IBC 2015 • (WI Commercial Building Code SPS 362) <p>Existing:</p> <ul style="list-style-type: none"> • International Existing Building Code 2015 • (WI Commercial Building Code SPS 366) <p>Energy Conservation:</p> <ul style="list-style-type: none"> • International Energy Conservation Code 2015 • (WI Commercial Building Code v363) <p>Plumbing:</p> <ul style="list-style-type: none"> • WI Commercial Building Code SPS 381-387 <p>Mechanical:</p> <ul style="list-style-type: none"> • Mechanical Code IMC 2015 • (WI Commercial Building Code SPS 364) <p>Electrical:</p> <ul style="list-style-type: none"> • Electrical Code NEC 2017 • (WI Commercial Building Code SPS 316) <p>Fire:</p> <ul style="list-style-type: none"> • Fire/Life Safety Code 2009 NFPA-1 • (WI Commercial Building Code SPS 314 & 330) <p>Accessibility:</p> <ul style="list-style-type: none"> • ANSI Standard A117.1-2009- for Accessibility • (WI Commercial Building Code SPS 362) <p>Fuel:</p> <ul style="list-style-type: none"> • International Fuel Gas Code 2015 • (WI Commercial Building Code Chapter 365)
Sprinklers (Section 903 Automatic Sprinkler Systems):	Yes, NFPA 13 Sprinkler throughout project (R-2)
Chapter 5 Classification of Work:	New
Chapter 3 Use and Occupancy Classification:	1st-3rd Floors: 310.4 Residential Group R-2 Basement Parking: Low-Hazard Storage, Group S-2 1 st Floor Common Area: A-2
Chapter 4 Special Detailed Requirements Based on Use and Occupancy:	Section 420 Groups R-2 <ul style="list-style-type: none"> • fire partitions in accordance with Section 708 • horizontal assemblies in accordance with Section 711.
Section 602 Construction Classification:	Type-VB
Table 504.4a, Allowable Number Of Stories Above Grade Plane	R-2 (sprinklered): <ul style="list-style-type: none"> • Actual: 3 • Allowed: 3 S-2(sprinklered): <ul style="list-style-type: none"> • Actual: 1 • Allowed: 2
506.2 Allowable Area Determination & 506.3 Frontage Increase:	<p>Facing North:</p> <ul style="list-style-type: none"> • 174ft (60ft to R.O.W) <p>Facing East:</p> <ul style="list-style-type: none"> • 145 (60ft to R.O.W) <p>Facing South:</p> <ul style="list-style-type: none"> • 73ft (6ft to P.L.) • 33ft (117ft to P.L) • 73ft (6ft to P.L.) <p>Facing West:</p> <ul style="list-style-type: none"> • 145Ft (13ft to P.L.) <p>For R-2</p> <ul style="list-style-type: none"> • Allowable area per floor: 23,082sf (w/ Frontage Increase) • Actual <ul style="list-style-type: none"> • 1st Floor:20,889sf • 2nd Floor:22,879sf • 3rd Floor: 22,957sf • Total allowable area:69,246sf • Actual: 66,725sf <p>For S-2</p> <ul style="list-style-type: none"> • Type 1B (316,000 w/o Frontage Increase) • Actual: 29,041sf
508.3 Nonseparated Occupancies:	
508.4 Separated Occupancies Beneath Group R	Yes
	2hr Floor separation between R-2 and S-2
Table 602 Fire-resistance Rating Requirements For Exterior Walls Based On Fire Separation Distance:	<p>For Type VB</p> <p>Structural Frame: 0 hr</p> <p>Bearing Walls- exterior: 0 hr</p> <p>Bearing Walls-interior: 0 hr</p> <p>Non-bearing walls-exterior - Fire Separation Distance</p> <ul style="list-style-type: none"> • X < 5c = 1 hr • 5 ≤ X ≤ 10 = 1 hr • 10 ≤ X ≤ 30 = 0 hr • X ≥ 30 = 0 hr <p>Non-bearing walls-interior: 0 hr</p> <p>Floor Construction: 0 hr</p> <p>Roof Construction: 0 hr</p> <p>For Type 1B</p> <p>Structural Frame: 2 hr</p> <p>Bearing Walls- exterior: 2 hr</p> <p>Bearing Walls-interior: 2 hr</p> <p>Non-bearing walls-exterior - Fire Separation Distance</p> <ul style="list-style-type: none"> • X < 5c = 1 hr • 5 = X< 10 = 1 hr • 10 = X< 30 = 1 hr • X = 30 = 0 hr <p>Non-bearing walls-interior: 0 hr</p> <p>Floor Construction: 2 hr</p> <p>Roof Construction: 1.5 hr</p>
708.3 Fire-Resistance Rating	Corridors: 1/2hr rated Between Dwelling Units: 1/2hr rated
711.2.4.3 Dwelling Units and Sleeping Units	Between Dwelling Units: 1/2hr rated
Section 1020 Corridors	Corridors: 1/2hr rated
1006.2.1 Egress Based on Occupant Load and Common Path of Egress Travel Distance:	For R-2 Maximum Common Path with Sprinkler System: 125ft Maximum Occupant Load Of Space With One Exit: 49 For S-2 Maximum Common Path with Sprinkler System: 100ft Maximum Occupant Load Of Space With One Exit: 29
Section 1017 Exit Access Travel Distance:	For R-2: 250 (w/sprinkler) For S-2: 400 (w/sprinkler)
1020.4 Dead Ends:	50ft
Table 906.3(1) Fire Extinguishers For Class A Fire Hazards	Type 2-A: <ul style="list-style-type: none"> • (everywhere except kitchen) • Maximum Floor Area Per Unit of A: 3,000sf • Maximum floor area for extinguisher: 11,250sf • Maximum Distance to Extinguisher: 75ft • Hazard Classification: Ordinary (Low)
2902.1 Minimum Number of Fixtures	<p>Classification & Occupancy:</p> <p>--</p> <p>R-2</p> <ul style="list-style-type: none"> • Water Closets: 1 per dwelling • (Required/Provided) 71/88 • Lavatories: 1 per dwelling • (Required/Provided) 71/88 <p>--</p> <p>A-2 (44 occupants)</p> <ul style="list-style-type: none"> • Water Closets: 1 per 75 • Women: .29 • Men: .29 • Lavatories: 1 per 75 • Women: .29 • Men: .29 <p>--</p> <p>S-2 (128 occupants)</p> <ul style="list-style-type: none"> • Water Closets: 1 per 100 • Women: .64 • Men: .64 <p>Lavatories: 1 per 100</p> <ul style="list-style-type: none"> • Women: .64 • Men: .64 <p>--</p> <p>A-2 & S-2 Combined</p> <ul style="list-style-type: none"> • Water Closets: 1 per 100 • Women: 1 • Men: 1 • Lavatories: 1 per 100 • Women: 1 • Men: 1

CANNERY TRAIL RESIDENCES

1750 N OXFORD AVE. - EAU CLAIRE, WI



From Oxford Avenue - Looking NorthWest




From Maxon Street - At Entry



Inside Courtyard - Looking North



Corner of Oxford Avenue & Mason St - Looking Southwest



VICINITY MAP

SHEET INDEX		
Sheet Number	Sheet Name	Lastest Issue Date
A000	COVER SHEET	03/27/20
A020	LIFE SAFETY	09/21/19
A021	LIFE SAFETY – LIST OF ROOMS	09/21/19
A100	FLOOR PLANS - BASEMENT	5/15/2020
A101	FLOOR PLANS - 1ST FLOOR	5/15/2020
A102	FLOOR PLANS - 2ND FLOOR	5/15/2020
A103	FLOOR PLANS - 3RD FLOOR	5/15/2020
A104	FLOOR PLANS - ROOF PLAN	5/15/2020
A200	ELEVATIONS - BUILDING	5/15/2020
A201	ELEVATIONS - BUILDING	5/15/2020
A202	ELEVATIONS - BUILDING	5/15/2020
A300	SECTIONS - BUILDING	5/15/2020
A301	SECTIONS - BUILDING	5/15/2020
A302	SECTIONS - BUILDING	5/15/2020
A400	SECTIONS - WALL	5/15/2020
A401	SECTIONS - WALL	5/15/2020
A402	SECTIONS - WALL	5/15/2020
A403	SECTIONS - WALL	5/15/2020
A404	SECTIONS - WALL	5/15/2020
A405	SECTIONS - WALL	5/15/2020
A410-A	ENLARGED FLOOR PLANS - BASEMENT EAST	5/15/2020
A410-B	ENLARGED FLOOR PLANS – BASEMENT WEST	5/15/2020
A411-A	ENLARGED PLAN 1ST - AREA A (NORTHEAST)	5/15/2020
A411-B	ENLARGED PLAN 1ST - AREA B (SOUTHEAST)	5/15/2020
A411-C	ENLARGED PLAN 1ST - AREA C (NORTHCENTER)	5/15/2020
A411-D	ENLARGED PLAN 1ST - AREA D (SOUTHCENTER)	5/15/2020
A411-E	ENLARGED PLAN 1ST - AREA E (NORTHWEST)	5/15/2020
A411-F	ENLARGED PLAN 1ST - AREA F (SOUTHWEST)	5/15/2020
A412-A	ENLARGED PLAN 2ND - AREA A (NORTHEAST)	5/15/2020
A412-B	ENLARGED PLAN 2ND - AREA B (SOUTHEAST)	5/15/2020
A412-C	ENLARGED PLAN 2ND - AREA C (NORTHCENTER)	5/15/2020
A412-D	ENLARGED PLAN 2ND - AREA D (SOUTHCENTER)	5/15/2020
A412-E	ENLARGED PLAN 2ND - AREA E (NORTHWEST)	5/15/2020
A412-F	ENLARGED PLAN 2ND - AREA F (SOUTHWEST)	5/15/2020
A413-A	ENLARGED PLAN 3RD - AREA A (NORTHEAST)	5/15/2020
A413-B	ENLARGED PLAN 3RD - AREA B (SOUTHEAST)	5/15/2020
A413-C	ENLARGED PLAN 3RD - AREA C (NORTHCENTER)	5/15/2020
A413-D	ENLARGED PLAN 3RD - AREA D (SOUTHCENTER)	5/15/2020
A413-E	ENLARGED PLAN 3RD - AREA E (NORTHWEST)	5/15/2020
A413-F	ENLARGED PLAN 3RD - AREA F (SOUTHWEST)	5/15/2020
A420	RCP PLANS - BASEMENT	09/21/19
A421.A	RCP PLANS - 1ST FLOOR EAST SIDE	5/15/2020
A421.B	RCP PLANS - 1ST FLOOR WEST SIDE	5/15/2020
A422.A	RCP PLANS - 2ND FLOOR EAST SIDE	5/15/2020
A422.B	RCP PLANS - 2ND FLOOR WEST SIDE	5/15/2020
A423.A	RCP PLAN - 3RD FLOOR EAST SIDE	5/15/2020
A423.B	RCP PLAN - 3RD FLOOR WEST SIDE	5/15/2020
A450	ELEVATIONS - INTERIOR	5/15/2020
A451	ELEVATIONS - INTERIOR	5/15/2020
A452	ELEVATIONS - INTERIOR	5/15/2020
A453	ELEVATIONS - INTERIOR	5/15/2020
A454	ELEVATIONS - INTERIOR	5/15/2020
A455	ELEVATIONS - INTERIOR	5/15/2020
A460	STAIRS - EAST	04/09/2020
A461	STAIRS - WEST	04/09/2020
A462	STAIRS - ELEVATOR NORTH	04/09/2020
A463	STAIRS - ELEVATOR NORTH & SECTIONS	04/09/2020
A470	1ST FLOOR STUDIO UNITS	5/15/2020
A471	1ST FLOOR 1BD UNITS	5/15/2020
A472	1ST FLOOR 1BD UNITS	5/15/2020
A473	1ST FLOOR 2BD UNITS	5/15/2020
A474	1ST FLOOR 2BD UNITS	5/15/2020
A475	2ND FLOOR STUDIO UNITS	5/15/2020
A476	2ND FLOOR 1BD UNITS	5/15/2020
A477	2ND FLOOR 1BD UNITS	5/15/2020
A478	2ND FLOOR 2BD UNITS	5/15/2020
A479	2ND FLOOR 2BD UNITS	5/15/2020
A501	DETAILS - BALCONY	01/27/20
A502	DETAILS - EXT CLADDING	01/27/20
A503	DETAILS - STAIRS	03/17/20
A700	DOOR & FINISH SCHEDULE	5/15/2020
A800	WALL PARTITION DETAILS	5/15/2020
A801	WALL PARTITION DETAILS	5/15/2020
H-0	BASEMENT FLOOR – HVAC PLAN	4/17/20
H-1	FIRST FLOOR – HVAC PLAN	4/17/20
H-2	SECOND FLOOR – HVAC PLAN	4/17/20
H-3	THIRD FLOOR – HVAC PLAN	4/17/20
H-4	ROOF LEVEL – HVAC PLAN	4/17/20
S000	STRUCTURAL NOTES	5/15/2020
S100	FOUNDATION PLAN	5/15/2020
S101	ENLARGED PLANS	5/15/2020
S200	STRUCTURAL DETAILS	5/15/2020
S201	STRUCTURAL DETAILS	5/15/2020
S202	STRUCTURAL DETAILS	5/15/2020
S210	FRAMING PLAN – 1ST FLOOR	5/15/2020
S211	FRAMING PLAN - 2ND FLOOR	5/15/2020
S212	FRAMING PLAN - 3RD FLOOR	5/15/2020
S213	FRAMING PLAN - ROOF	5/15/2020
S214	STRUCTURAL DETAILS	5/15/2020
S215	STRUCTURAL DETAILS	5/15/2020
S216	STRUCTURAL NOTES	5/15/2020
S217	STRUCTURAL DETAILS	5/15/2020
S300	ELEVATIONS – FOUNDATION	5/15/2020
S301	ELEVATIONS – FOUNDATION	5/15/2020
S400	ENLARGED PLANS	5/15/2020
S401	STRUCTURAL DETAILS	5/15/2020

A circular seal for Wisconsin Architects. The outer ring contains the word "WISCONSIN" at the top and "ARCHITECT" at the bottom, separated by a diagonal line. The inner circle contains the name "RYAN P. SCHULTZ", the identification number "A-11197-5", and the location "STOUGHTON, WI". Two small stars flank the inner circle. A signature is present to the right of the seal.

Date	Description
.21.2019	Permit
.21.2019	Permit Revision #1
.23.2019	Permit Revision #2
.27.2020	Updates
.15.2020	Permit Revision #4