



CONCRETE WALL REINFORCING SCHEDULE					
MARK	TYPE	THICKNESS	REINFORCEMENT		REMARKS
			VERTICAL	HORIZONTAL	
W1	CONCRETE	10"	5# S AT 18" O.C.	5# S AT 12" O.C.	inside face
W2	CONCRETE	10"	5# S AT 18" O.C.	5# S AT 12" O.C.	inside face
W3	CONCRETE	10"	6# S AT 12" O.C.	5# S AT 12" O.C.	inside face
W4	CONCRETE	8"	4# S AT 12" O.C.	3# S AT 12" O.C.	centered in wall thickness

CONCRETE WALL REINFORCING SCHEDULE NOTES:  
 1. REFER TO STRUCTURAL NOTES SHEET FOR LAPS IN STEEL REINFORCEMENT.  
 2. COORDINATE AND VERIFY ALL DIMENSIONS WITH ARCHITECTURAL DRAWINGS AND EXIST. CONDITIONS

CONCRETE WALL REINFORCING SCHEDULE					
MARK	TYPE	THICKNESS	REINFORCEMENT		REMARKS
			VERTICAL	HORIZONTAL	
W1	CONCRETE	10"	5# S AT 18" O.C.	5# S AT 12" O.C.	inside face
W2	CONCRETE	10"	5# S AT 18" O.C.	5# S AT 12" O.C.	inside face
W3	CONCRETE	10"	6# S AT 12" O.C.	5# S AT 12" O.C.	inside face
W4	CONCRETE	8"	4# S AT 12" O.C.	3# S AT 12" O.C.	centered in wall thickness

CONCRETE WALL REINFORCING SCHEDULE NOTES:  
 1. REFER TO STRUCTURAL NOTES SHEET FOR LAPS IN STEEL REINFORCEMENT.  
 2. COORDINATE AND VERIFY ALL DIMENSIONS WITH ARCHITECTURAL DRAWINGS AND EXIST. CONDITIONS

CONCRETE WALL REINFORCING SCHEDULE NOTES:  
1. REFER TO STRUCTURAL NOTES SHEET FOR LAPS IN STEEL REINFORCEMENT.  
2. COORDINATE AND VERIFY ALL DIMENSIONS WITH ARCHITECTURAL DRAWINGS AND EXIST. CONDITIONS

Date	Description
07.08.2019	Footing/Foundation Permit
08.15.2019	75% CD Set
08.21.2019	Permit

\$100

8/21/2019 1:25:21 PM