

FLOOR FRAMING/HOLLOWCORE SLAB

ATTACH BLOCKING TO WALL STUD w/ SIMPSON
"H10A" USE 10d x 2-1/2" NAILS THRU SHEATHING
TO LV L's

-FINISH FLOOR: 1 1/2" FINISH GRADE PLYWOOD
-SOUND MAT
-1 1/2" OSB PLYWOOD BONDED w/ EXT. GLUE
-1 1/2" OSB PLYWOOD BONDED w/ EXT. GLUE
SEAL/STAIN WITH LV L's

T.O. SHEATHING
ELEV. SEE PLANS

3 1/2" x 6" JOISTS AT 32" o.c.

DBL. 2x6 BLOCKING AT EVERY OTHER
WALL STUD

3 1/2" x 6" JOIST ATTACHED TO EACH
WALL STUD w/ (3) 16d NAILS

2x6 BLOCKING

2x6 STUD WALL

CORRIDOR JOISTS PARALLEL TO STAIR WALL

BOTTOM PLATE TO LADDER
6d AT 12" o/c TYPICAL AT
LV L's. REFER TO SHEAR
WALL SCHEDULE FOR SPECIFICS.

DOOR SHEATHING TO
TRUSS w/ 10d AT 6" o/c

DOOR SLAB

AT 24" o/c
NO NAIL INSTALLED BY
TR

LADDER TRUSS TO DOUBLE
w/ 16d AT 12" o/c.
AT SHEAR WALLS. REFER
WALL SCHEDULE FOR

LADDER TRUSS w/ VERTICAL
WEB MEMBERS AT 24" o/c
MAXIMUM. LADDER TRUSS TO
MATCH WIDTH OF WALL BELOW.

GYPSUM CONCRETE TOPPING

3/4" CDX PLYWOOD

T.O. SHEATHING
ELEV. SEE PLANS


22" DEEP WOOD FLOOR TRUSSES
SEE PLANS

1/4" GYP BOARD

2x4 LEDGER w/ (2) 16d AT EACH
VERTICAL TRUSS WEB.

FLOOR FRAMING/HOLLOWCORE SLAB

[illegible]




"SEE HEADER/POST SCHEDULE IN S216 SHEET"
"SEE SHEAR WALL SCHEDULE IN S216 SHEET"

Date	Description
08.15.2019	75% CD Set
08.21.2019	Permit
09.25.2019	<Progress>

FRAMING PLAN - 3RD FLOOR
CANNERY TRAIL RESIDENCES - 1750 N OXFORD AVE. - EAU CLAIRE, WI

Plumbing Engineer: TAILORED ENGINEERING
1600 Aspen Commons | Ste 210 | Middleton, WI
53562
bnovak@tailoredeng.com | 608.209.7500

S212



Technical drawing showing a cross-section of a parapet wall assembly. The drawing includes the following components and labels:

- T.O. PARAPET (Top of Parapet)
- DOBL 2x TOP PLATES, STAGGER SPICES A MINIMUM OF 6'-0"
- 2x6 PARAPET FRAMING INTEGRAL w/ TRUSS DESIGN
- 2x6 BLOCKING w/ (4) 10d TOE NAILS INTO ROOF TRUSS EACH END OF WOOD BLOCKING
- EXTERIOR WALL SHEATHING, w/ INSULAT
- DOUBLE TOP PLATE
- 2x6 EXTERIOR BEARING WALL
- 5/8" GYP BOARD
- ROOF TRUSSES, SEE PLANS
- SIMPSON "H1" ANCHOR AT EACH
- 3/4" CDX PLYWOOD
- INSULATION SEE ARCH. PLANS
- ATTACH ROOF SHEATHING TO NAILER w/ 10d AT 6" o/c

PARALLEL ROOF SHEATHING
 1/2"x6" JOISTS AT 32" o/c
 ROOF FRAMING, SEE PLANS
 SIMPSON H3 CLIP
 2x NAILER w/ 1/2" DIAMETER SIMPSON T
 HD AT 4'-0" o/c (3 5/8" MINIMUM EMBED)
 BOND BEAM W/ (2) #5 x
 CONTINUOUS
 ATTACH SHEATHING TO 2x10
 BLOCKING w/ 10d AT 6" o/c
 INSULATION
 (SEE ARCH. PLANS)
 3/4" CDX PLYWOOD
 WOOD ROOF TRUSSES,
 SEE PLANS
 CONT. 3 1/2"x6" BOLT TO MASONRY
 w/ SIMPSON'S 1/2"x6" TITEN HD
 SCREW ANCHORS AT 16" o/c
 w/ SIMPSON BP 3/4-3HDG
 BEARING PLATES (STAGGER TOP
 AND BOTTOM)

3½"x6" RIM BOARD w/ (3)
 16d NAILS AT EACH JOIST

¾" CDX PLYWOOD

3 ½"x6" JOISTS AT 32" o/c

TOE NAIL FLOOR JOIST TO DOUBLE
 TOP PLATE w/ (4) 10d EACH JOIST

TOE NAIL RIM BOARD TO DOUBLE TOP
 PLATE w/ 10d AT 7" o/c UNLESS NOTED
 OTHERWISE

DOUBLE TOP PLATE

DOBL. 2x TOP PLATES,
 STAGGER SPICES A
 MINIMUM OF 6'-0"

T.O. PARAPET

ATTACH ROOF SHEATHING TO
 BLOCKING w/ 10d NAILS AT 6"
 MAXIMUM

EXTERIOR WALL SHEATHING
 W/ INSULATION

6 ROOF FRAMING. JOISTS ON EXTERIOR BEARING WALL
S212[illegible]

W
CAPITAL GROUP
Developer: W Capital Group
tylere@wcapitalgroup.com | 608.345.9848

d
Architect: OpeningDesign
316 W Washington Ave | Suite 675
Madison, WI 53703
ryan@openingdesign.com | 773.425.6456

ROYAL CONSTRUCTION
General Contractor: ROYAL CONSTRUCTION
3653 Greenway Street | Eau Claire, WI 54701
jim@royalbuilt.com | 715.225.6377

Cedar Corporation
Civil Engineer: CEDAR CORPORATION
604 Wilson Avenue | Menomonie, WI 54751
kevin.oum@cedarcorp.com | 715.235.9081









XC
Structural Engineer: XC Structural Engineering
Calle Apolonio Morales, 628036 Madrid,
perastotat@engineering.xyc | +34 610 56 26 37

Innovation Engineering Services Incorporated
Structural Engineer of Record: Innovation
8729 Dale-Curtain Dr | Chippewa Falls, WI 54558
kfrey@innovationbuilt.com


Hovland's
Mechanical Engineer: HOVLAND'S HVAC
10954 E. Melby Street | Chippewa Falls, WI 54729
jhansen@hovlands-inc.com | 715.552.5595

PRISM DESIGN
ELECTRICAL CONSULTANTS INC.
Electrical Engineer: PRISM DESIGN ELECTRICAL CONSULTANTS INC.
E8403 State Rd 88 | Monroeville, WI 54755
nat@prismdesign-electrical.com | 715.971.0602


TE TAILORED ENGINEERING
Plumbing Engineer: TAILORED ENGINEERING
1600 Aspen Commons | Ste 210 | Middleton, WI 53562
bnovak@tailoredeng.com | 608.209.7500




Date	Description
08.15.2019	75% CD Set
08.21.2019	Permit
09.25.2019	<Progress>




5 FLOOR FRAMING AT CORRIDOR, INTERIOR BEARING WALL




6 FLOOR FRAMING AT EXTERIOR WALL BEARING ON HEADER




7 FLOOR FRAMING AT EXTERIOR BEARING WALL




8 FLOOR FRAMING AT CORRIDOR, PLATFORM FRAMING AT INTERIOR BEARING WALL




9 FLOOR FRAMING PARALLEL TO EXTERIOR WALL



10 FLOOR FRAMING AT CORRIDOR, INTERIOR HEADER



11 FLOOR FRAMING AT CORRIDOR, PLATFORM FRAMING AT EXTERIOR BEARING WALL



12 METAL BALCONY BASE CONNECTION AND HANGER ROD CONNECTION. 3th FLOOR

CAPITAL GROUP
Developer: W Capital Group
tyler@wcapitalgroup.com | 608-345-9848

OpeningDesign
Architect: OpeningDesign
316 W Washington Ave | Suite 675
Madison, WI 53703
ryan@openingdesign.com | 773-425-6456

ROYAL CONSTRUCTION
General Contractor: ROYAL CONSTRUCTION
3653 Greenway Street | Eau Claire, WI 54701
jmr@royalbuilt.com | 715-225-6377

Cedar Corporation
Civil Engineer: CEDAR CORPORATION
606 Wilson Avenue | Menomonie, WI 54751
kevin.olum@cedarcorp.com | 715-235-9081

XC Structural Engineering
Structural Engineer: XC Structural Engineering
Calle Apolonio Morales, 628036 Madrid,
l.perez@xcengineering.xyz | +34 610 56 26 37

Ennovation
Structural Engineer of Record: Ennovation
4729 Dale-Curtain Dr, McFarland, WI 53558
kfreyl@ennovationbuilt.com

Hovland's
Mechanical Engineer: HOVLAND'S HVAC
10954 E. Mielby Street | Chippewa Falls, WI 54729
jhansen@hovlands-inc.com | 715-552-5595

PRISM DESIGN ELECTRICAL CONSULTANTS INC.
Electrical Engineer: PRISM DESIGN ELECTRICAL CONSULTANTS INC
E8403 State Rd 85 | Mondovi, WI 54755
bhaigren@prismdesign-electrical.com | 715-797-0602

TAILORED ENGINEERING
Plumbing Engineer: TAILORED ENGINEERING
1600 Aspen Commons | Ste 210 | Middleton, WI 53562
bnovak@tailoredeng.com | 608-209-7500

Date	Description
08.15.2019	75% CD Set
08.21.2019	Permit
09.25.2019	<Progress>