



GEA Farm Technologies

Extendo Gate

Designed for durability and versatility
in high density cattle areas

- Adjustable length to fit any opening on site.
- Constructed of pre-galvanized high tensile strength tubing.
- Exclusive 1" diameter threaded female hinge and 1" diameter male hinge pin.

GEA Farm Equipment | [Norbc](#)

GEA Farm Technologies — The right choice.

Innovative, versatile design

Extremely Durable Gate

- High tensile strength galvanized tubing.
- 2" square tubing for the ends.
- 1½" or 1⅝" high tensile strength galvanized tube for horizontal rails.



Built to last.

Adjustable Length

- Versatile and flexible design.
- Gates can be ordered before the posts are installed.
- Four sizes that vary 1½' length.
- Gate sizes:
 - 8' to 9½'
 - 9½' to 11'
 - 11' to 12½'
 - 12½' to 14'



Adjustable gate.

Easy to Install

- Latch end of gate allows for 1½' of adjustment.
- Can be secured with self-tapping screws or spot welded.
- This eliminates the need for custom built gates.
- Gates can now be ordered at the beginning of a project.



1½' of adjustment.

Versatile Hinge System

- Rugged 1" x 6" forged female hinge.
- Heavy-duty 1" male hinge pin.
- Adjustable hinges for precise leveling.
- Hinge bushings welded into vertical square tube.



Easy-to-adjust hinge system.

Reliable and adjustable hinge systems

Pipe Clamp Hinges

- Easy installation.
- Adjustable.
- Fits 2⅜", 2⅞", 3½", 4", 4½", and 5½" OD pipe.



Pipe clamp hinge.

Weld Stub

- Weld to steel post.
- Economical mounting system.



Weld stub.



Multi-fit hinge.

Multi-Fit Hinge

- Bolt to wood or concrete.
- Weld to steel post or pipe.
- Separate hinge for top and bottom.

Strap Hinge

- Bolt to wood or concrete.
- Weld to steel post or pipe.
- One-piece hinge.



Strap hinge.

Well built, unique and user friendly latches

Rugged Latch Stub

- Stub is inserted into square tube.
- Stub is welded on the back side of square tube.



Rugged latch stub.

Double Auto Latch


- Heavy duty.
- Solid cast blocks.
- Stainless steel springs.
- Bolt, weld or clamp mounting.



Double auto latch.

Single Auto Latch

- 1.9" front latch.
- Left and right single latches.



Single auto latch.

Chain Latches

- Simple, effective design.
- Easy to hook and unhook.
- Can be ordered with the gate or added at a later time.



Chain latch.

Rigid Center Latch


- Latch two gates together.
- Solid steel latch pin.



Rigid center latch.

Gate Specifications

- Available in four bar gates only.
- Gate sizes:
 - 8' to 9½'
 - 9½' to 11'
 - 11' to 12½'
 - 12½' to 14'



GEA Farm Technologies

GEA Farm Technologies, Inc.

4754 State Route 233, Westmoreland, NY 13490 USA
Tel: 315.853.3936
www.norbco.com

20903 W. Gale Avenue, Galesville, WI 54630 USA
Tel: 608.582.3081
www.norbco.com

2500 E. Tulare Avenue, Tulare, CA 93274 USA
Tel: 559.686.7835
www.norbco.com