





























ARCH 1 Dimensional Data

Unit and Rough Opening Sizing.....	1.3
Full Lite Panel Dimensions.....	1.39
6/8 Lip Lite Grille Locations.....	1.45
8/0 Lip Lite Grille Locations.....	1.53
6/8 Flush-Glazed Grille Locations.....	1.62
8/0 Flush-Glazed Grille Locations.....	1.69
Vinyl Sliding Patio Doors.....	1.71

Unit and Rough Opening Sizing

Single or M.E.U. 6/6, 6/8, 7/0, 8/0
























Single or M.E.U. - Inswing

Brickmould Dim.		28 1/8"	32 1/8"	34 1/8"	36 1/8"	38 1/8"	40 1/8"	46 1/8"		
Rough Opening		26 3/8"	30 3/8"	32 3/8"	34 3/8"	36 3/8"	38 3/8"	44 3/8"		
Unit Dimension		25 5/8"	29 5/8"	31 5/8"	33 5/8"	35 5/8"	37 5/8"	43 5/8"		
80 3/4" 80" 79 1/2"	6/6								78 5/8"	78 1/16"
		2/0	2/4	2/6	2/8	2/10	3/0	3/6	81 3/16"	80 1/8"
	6/8								80 5/8"	79 9/16"
		2/0	2/4	2/6	2/8	2/10	3/0	3/6	82 1/8"	80 1/8"
83 1/4" 82 1/2" 82"	7/0								85 3/16"	82 1/16"
		2/0	2/4	2/6	2/8	2/10	3/0	3/6	86 1/8"	81 1/8"
87 1/4" 86 1/2" 86"	8/0								84 5/8"	82 1/16"
		2/0	2/4	2/6	2/8	2/10	3/0	3/6	85 1/8"	81 1/8"
99 1/4" 98 1/2" 98"									96 5/8"	85 1/16"
									97 3/16"	85 1/8"
									Unit Dim.	98 1/8"
									Rough Opening	98 1/16"
									Brickmould Dim.	97 1/8"
										97 1/16"
										96 5/8"
										96 1/8"
										95 1/8"
										94 5/8"
										85 1/16"
										84 5/8"
										81 1/16"
										80 5/8"
										81 3/16"
										78 5/8"
										78 1/16"
										79 9/16"
										80 1/8"
										82 1/8"
										82 1/16"
										86 1/16"
										86 1/8"
										98 1/16"
										98 1/8"
										97 1/8"
										97 1/16"
										96 5/8"
										96 1/8"
										95 1/8"
										94 5/8"
										85 1/16"
										84 5/8"
										81 1/16"
										80 5/8"
										81 3/16"
										78 5/8"
										78 1/16"
										79 9/16"
										80 1/8"
										82 1/8"
										82 1/16"
										86 1/16"
										86 1/8"
										98 1/16"
										98 1/8"
										97 1/8"
										97 1/16"
										96 5/8"
										96 1/8"
										95 1/8"
										94 5/8"
										85 1/16"
										84 5/8"
										81 1/16"
										80 5/8"
										81 3/16"
										78 5/8"
										78 1/16"
										79 9/16"
										80 1/8"
										82 1/8"
										82 1/16"
										86 1/16"
										86 1/8"
										98 1/16"
										98 1/8"
										97 1/8"
										97 1/16"
										96 5/8"
										96 1/8"
										95 1/8"
										94 5/8"
										85 1/16"
										84 5/8"
										81 1/16"
										80 5/8"
										81 3/16"
										78 5/8"
										78 1/16"
										79 9/16"
										80 1/8"
										82 1/8"
										82 1/16"
										86 1/16"
										86 1/8"
										98 1/16"
										98 1/8"
										97 1/8"
										97 1/16"
										96 5/8"
										96 1/8"
										95 1/8"
										94 5/8"
										85 1/16"
										84 5/8"
										81 1/16"
										80 5/8"
										81 3/16"
										78 5/8"
										78 1/16"
										79 9/16"
										80 1/8"
										82 1/8"
										82 1/16"
										86 1/16"
										86 1/8"
										98 1/16"
										98 1/8"
										97 1/8"
										97 1/16"
										96 5/8"
										96 1/8"
										95 1/8"
										94 5/8"
										85 1/16"
										84 5/8"
										81 1/16"
										80 5/8"
										81 3/16"
										78 5/8"
										78 1/16"
										79 9/16"
										80 1/8"
										82 1/8"
										82 1/16"
										86 1/16"
										86 1/8"
										98 1/16"
										98 1/8"
										97 1/8"
										97 1/16"
										96 5/8"
										96 1/8"
										95 1/8"
										94 5/8"
										85 1/16"
										84 5/8"
										81 1/16"
										80 5/8"
										81 3/16"
										78 5/8"
										78 1/16"
										79 9/16"
										80 1/8"
										82 1/8"
										82 1/16"
										86 1/16"
										86 1/8"
										98 1/16"
										98 1/8"
										97 1/8"
										97 1/16"
										96 5/8"
										96 1/8"
										95 1/8"
										94 5/8"
										85 1/16"
										84 5/8"
										81 1/16"
										80 5/8"
										81 3/16"
										78 5/8"
										78 1/16"
										79 9/16"
										80 1/8"
										82 1/8"
										82 1/16"
										86 1/16"
										86 1/8"
										98 1/16"
										98 1/8"
										97 1/8"
										97 1/16"
										96 5/8"
										96 1/8"
										95 1/8"
										94 5/8"
										85 1/16"
										84 5/8"
										81 1/16"
										80 5/8"
										81 3/16"
										78 5/8"
										78 1/16"
										79 9/16"
										80 1/8"
										82 1/8"
										82 1/16"
										86 1/16"
										86 1/8"
										98 1/16"
										98 1/8"
										97 1/8"
										97 1/16"
										96 5/8"
										96 1/8"
										95 1/8"
										94 5/8"
										85 1/16"
										84 5/8"
										81 1/16"
										80 5/8"
										81 3/16"
										78 5/8"
										78 1/16"
										79 9/16"
										80 1/8"
										82 1/8"
										82 1/16"
										86 1/16"
										86 1/8"
										98 1/16"
										98 1/8"
										97 1/8"
										97 1/16"
										96 5/8"
										96 1/8"
										95 1/8"
										94 5/8"
										85 1/16"
										84 5/8"
										81 1/16"
										80 5/8"
										81 3/16"
										78 5/8"
										78 1/16"
										79 9/16"
										80 1/8"
										82 1/8"
										82 1/16"
										86 1/16"
										86 1/8"
										98 1/16"
										98 1/8"
										97 1/8"
										97 1/16"
										96 5/8"
										96 1/8"
										95 1/8"
										94 5/8"
										85 1/16"
										84 5/8"
										81 1/16"
										80 5/8"
										81 3/16"
										78 5/8"
										78 1/16"
										79 9/16"
										80 1/8"
										82 1/8"
										82 1/16"
										86 1/16"
										86 1/8"
										98 1/16"
										98 1/8"
										97 1/8"
										97 1/16"
										96 5/8"
										96 1/8"
										95 1/8"
										94 5/8"
										85 1/16"
										84 5/8"
										81 1/16"
										80 5/8"
										81 3/16"
										78 5/8"
										78 1/16"
										79 9/16"
										80 1/8"
										82 1/8"
										82 1/16"
										86 1/16"
										86 1/8"
										98 1/16"
										98 1/8"
										97 1/8"
										97 1/16"
										96 5/8"
										96 1/8"
										95 1/8"
										94 5/8"
										85 1/16"
										84 5/8"
										81 1/16"
										80 5/8"
										81 3/16"
										78 5/8"
										78 1/16"
										79 9/16"
										80 1/8"
										82 1/8"
										82 1/16"
										86 1/16"
										86 1/8"
										98 1/16"
										98 1/8"
										97 1/8"
										97 1/16"
										96 5/8"
										96 1/8"
										95 1/8"
										94 5/8"
										85 1/16"
										84 5/8"
										81 1/16"
										80 5/8"
										81 3/16"
										78 5/8"
										78 1/16"
										79 9/16"
										80 1/8"
										82 1/8"
										82 1/16"
										86 1/16"
										86 1/8"
										98 1/16"
										98 1/8"
										97 1/8"
										97 1/16"
										96 5/8"
										96 1/8"
										95 1/8"
										94 5/8"
										85 1/16"
										84 5/8"
										81 1/16"
										80 5/8"
										81 3/16"
										78 5/8"
										78 1/16"
										79 9/16"
										80 1/8"
										82 1/8"
										82 1/16"
										86 1/16"
										86 1/8"
										98 1/16"
										98 1/8"
										97 1/8"
										97 1/16"
										96 5/8"
										96 1/8"
										95 1/8"
										94 5/8"
										85 1/16"
										84 5/8"
										81 1/16"
										80 5/8"
										81 3/16"
										78 5/8"
										78 1/16"
										79 9/16"
										80 1/8"
										82 1/8"
										82 1/16"
										86 1/16"
										86 1/8"
										98 1/16"
										98 1/8"
										97 1/8"
										97 1/16"
										96 5/8"
										96 1/8"
										95 1/8"
										94 5/8"
										85 1/16"
										84 5/8"
										81 1/16"
										80 5/8"
										81 3/16"
										78 5/8"
										78 1/16"
										79 9/16"
										80 1/8"
										82 1/8"
										82 1/16"
										86 1/16"
										86 1/8"
										98 1/16"
										98 1/8"
										97 1/8"
										97 1/16"
										96 5/8"
										96 1/8"
										95 1/8"
										94 5/8"
										85 1/16"
										84 5/8"
										81 1/16"
										80 5/8"
										81 3/16"
									</	

Unit and Rough Opening Sizing

French - 7/8" Astragal, 6/6, 6/8, 7/0, 8/0

French - Inswing - Astragal

Brickmould Dim.		53 1/16"	61 1/16"	65 1/16"	69 1/16"	73 1/16"	77 1/16"		
Rough Opening		51 5/16"	59 5/16"	63 5/16"	67 5/16"	71 5/16"	75 5/16"		
Unit Dimension		50 9/16"	58 9/16"	62 9/16"	66 9/16"	70 9/16"	74 9/16"		
80 3/4" 80"	79 1/2"	6/6							78 5/8"
			4/0	4/8	5/0	5/4	5/8	6/0	81 3/16"
			6/8						80 5/8"
			4/0	4/8	5/0	5/4	5/8	6/0	81 1/16"
83 1/4" 82 1/2"	82"	7/0							85 3/16"
			4/0	4/8	5/0	5/4	5/8	6/0	84 5/8"
87 1/4" 86 1/2"	86"	8/0							97 3/16"
			4/0	4/8	5/0	5/4	5/8	6/0	96 5/8"
99 1/4" 98 1/2"	98"								
			50 9/16"	58 9/16"	62 9/16"	66 9/16"	70 9/16"	74 9/16"	Unit Dim.
			51 5/16"	59 5/16"	63 5/16"	67 5/16"	71 5/16"	75 5/16"	Rough Opening
			53 9/16"	61 9/16"	65 9/16"	69 9/16"	73 9/16"	77 9/16"	Brickmould Dim.
									Aluminum Composite
									Aluminum Composite
									Aluminum Composite
									Aluminum Composite

French - Outswing - Astragal

For units with public access sills, subtract 1" from inswing height. Unit widths will be the same as in the table above.

Hand Designations	
(Viewed from the exterior)	
A	Astragal (Passive)
L	Left Hand
R	Right Hand

Inswing



LA



AR

Outswing



AL



RA

Unit and Rough Opening Sizing

Double - Standard Mullion, 6/6, 6/8, 7/0, 8/0


Double - Inswing - Standard Mullion

Brickmould Dim.	53 5/16"	61 5/16"	65 5/16"	69 5/16"	73 5/16"	77 5/16"	
Rough Opening	51 9/16"	59 9/16"	63 9/16"	67 9/16"	71 9/16"	75 9/16"	
Unit Dimension	50 13/16"	58 13/16"	62 13/16"	66 13/16"	70 13/16"	74 13/16"	
							Unit Dim. Rough Opening Brickmould Dim.
							Composite Composite Composite


Double - Outswing - Standard Mullion

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Double - Inswing - Wide Mullion

Double - Outswing - Wide Mullion

F	Fixed Panel
L	Left Hand
R	Right Hand

FF LF RF FL FR

FF LF RF FL FR

Unit and Rough Opening Sizing

Triple - Standard Mullion - 6/6, 6/8, 7/0, 8/0

Triple - Inswing - Standard Mullion

Brickmould Dim.	78 1/2"	90 1/2"	96 1/2"	102 1/2"	108 1/2"	114 1/2"	
Rough Opening	76 3/4"	88 3/4"	94 3/4"	100 3/4"	106 3/4"	112 3/4"	
Unit Dimension	76"	88"	94"	100"	106"	112"	
	6/6	6/6	6/6	6/6	6/6	6/6	
	6/0	7/0	7/6	8/0	8/6	9/0	
	6/8	6/8	6/8	6/8	6/8	6/8	
	6/0	7/0	7/6	8/0	8/6	9/0	
	7/0	7/0	7/0	7/0	7/0	7/0	
	6/0	7/0	7/6	8/0	8/6	9/0	
	8/0	8/0	8/0	8/0	8/0	8/0	
	6/0	7/0	7/6	8/0	8/6	9/0	
	76"	88"	94"	100"	106"	112"	Unit Dim.
	76 3/4"	88 3/4"	94 3/4"	100 3/4"	106 3/4"	112 3/4"	Rough Opening
	79"	91"	97"	103"	109"	115"	Brickmould Dim.


Triple - Outswing - Standard Mullion

Hand Designations


(Viewed from the exterior)

F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Unit and Rough Opening Sizing

Triple - Inswing -Wide Mullion

Brickmould Dim.		79 1/2"	91 1/2"	97 1/2"	103 1/2"	109 1/2"	115 1/2"	
Rough Opening		77 3/4"	89 3/4"	95 3/4"	101 3/4"	107 3/4"	113 3/4"	
Unit Dimension		77"	89"	95"	101"	107"	113"	
80 3/4" 80" 79 1/2" 83 1/4" 82 1/2" 82" 87 1/4" 86 1/2" 86" 99 1/4" 98 1/2" 98"	6/6							80 1/8" 79 1/8" 78 5/8"
	6/8							82 11/16" 81 11/16" 81 3/16"
	7/0							86 11/16" 85 11/16" 85 3/16"
	8/0							98 11/16" 97 11/16" 97 3/16"
		77"	89"	95"	101"	107"	113"	Unit Dim.
		77 3/4"	89 3/4"	95 3/4"	101 3/4"	107 3/4"	113 3/4"	Rough Opening
		80"	92"	98"	104"	110"	116"	Brickmould Dim.

Triple - Outswing - Wide Mullion

(Viewed from the exterior)

F	Fixed Panel
L	Left Hand
R	Right Hand

FFF LFF RFF FRF FLF FFL FFR

Unit and Rough Opening Sizing

Single - Continuous with 10" Sidelite - Standard Mullion - 6/6, 6/8, 7/0, 8/0

Single with Continuous Sidelite - Inswing - Standard Mullion

Brickmould Dim.	43 1/8"	45 1/8"	47 1/8"	49 1/8"	51 1/8"	57 1/8"	
Rough Opening	41 3/8"	43 3/8"	45 3/8"	47 3/8"	49 3/8"	55 3/8"	
Unit Dimension	40 5/8"	42 5/8"	44 5/8"	46 5/8"	48 5/8"	54 5/8"	
80 3/4"							79 1/2"
80"							81 1/16"
83 1/4"							82 1/8"
82 1/2"							82 1/16"
86 1/2"							81 1/8"
86"							81 1/16"
87 1/4"							85 1/8"
86 1/2"							85 1/16"
98"							84 5/8"
98 1/2"							85 3/16"
99 1/4"							96 5/8"
98 1/2"							97 3/16"
	40 5/8"	42 5/8"	44 5/8"	46 5/8"	48 5/8"	54 5/8"	Unit Dim.
	41 3/8"	43 3/8"	45 3/8"	47 3/8"	49 3/8"	55 3/8"	Rough Opening
	43 5/8"	45 5/8"	47 5/8"	49 5/8"	51 5/8"	57 5/8"	Brickmould Dim.

Single with Continuous Sidelite - Outswing - Standard Mullion

Hand Designations (Viewed from the exterior)	
L	Left Hand
R	Right Hand
F	Fixed Sidelite

Inswing




FL



FR



LF






RF

Unit and Rough Opening Sizing

Single - Continuous with 12" Sidelite - Standard Mullion - 6/6, 6/8, 7/0, 8/0

Single with Continuous Sidelite - Inswing - Standard Mullion

Brickmould Dim.	45 1/8"	47 1/8"	49 1/8"	51 1/8"	53 1/8"	59 1/8"	
Rough Opening	43 3/8"	45 3/8"	47 3/8"	49 3/8"	51 3/8"	57 3/8"	
Unit Dimension	42 5/8"	44 5/8"	46 5/8"	48 5/8"	50 5/8"	56 5/8"	
80 3/4"							79 1/2"
80"							80"
83 1/4"							82 1/2"
86 1/2"							86"
87 1/4"							85 3/16"
86 1/2"							85 3/16"
86 1/2"							85 3/16"
86"							85 3/16"
99 1/4"							97 3/16"
98 1/2"							97 3/16"
98 1/2"							97 3/16"
98"							97 3/16"
	42 5/8"	44 5/8"	46 5/8"	48 5/8"	50 5/8"	56 5/8"	Unit Dim.
	43 3/8"	45 3/8"	47 3/8"	49 3/8"	51 3/8"	57 3/8"	Rough Opening
	45 5/8"	47 5/8"	49 5/8"	51 5/8"	53 5/8"	59 5/8"	Brickmould Dim.

Single with Continuous Sidelite - Outswing - Standard Mullion

Hand Designations


(Viewed from the exterior)

L	Left Hand
R	Right Hand
F	Fixed Sidelite

Inswing




FL



FR



LF






RF

Unit and Rough Opening Sizing

Single - Continuous with 14" Sidelite - Standard Mullion - 6/6, 6/8, 7/0, 8/0

Single with Continuous Sidelite - Inswing - Standard Mullion

Brickmould Dim.	47 1/8"	49 1/8"	51 1/8"	53 1/8"	55 1/8"	61 1/8"	
Rough Opening	45 3/8"	47 3/8"	49 3/8"	51 3/8"	53 3/8"	59 3/8"	
Unit Dimension	44 5/8"	46 5/8"	48 5/8"	50 5/8"	52 5/8"	58 5/8"	
80 3/4"							79 1/2"
80"							81 1/2"
83 1/4"							82"
86 1/2"							86"
87 1/4"							86"
86 1/2"							88"
87 1/4"							88"
86 1/2"							90"
99 1/4"							98"
98 1/2"							100"
99 1/4"							100"
98 1/2"							102"
	44 5/8"	46 5/8"	48 5/8"	50 5/8"	52 5/8"	58 5/8"	Unit Dim.
	45 3/8"	47 3/8"	49 3/8"	51 3/8"	53 3/8"	59 3/8"	Rough Opening
	47 5/8"	49 5/8"	51 5/8"	53 5/8"	55 5/8"	61 5/8"	Brickmould Dim.

Single with Continuous Sidelite - Outswing - Standard Mullion

Hand Designations

(Viewed from the exterior)

L Left Hand


R Right Hand

F Fixed Sidelite

Inswing




FL



FR



LF



RF

Single - Continuous with 2-10" Sidelites - Standard Mullion - 6/6, 6/8, 7/0, 8/0
Single with Continuous Sidelites - Inswing - Standard Mullion

Single with Continuous Sidelites - Outswing - Standard Mullion

L	Left Hand
R	Right Hand
F	Fixed Sidelite





FLF

FRF

Unit and Rough Opening Sizing

Single - Continuous with 2-12" Sidelites - Standard Mullion - 6/6, 6/8, 7/0, 8/0


Single with Continuous Sidelites - Inswing - Standard Mullion

Brickmould Dim.		58 1/8"	60 1/8"	62 1/8"	64 1/8"	66 1/8"	72 1/8"											
Rough Opening		56 3/8"	58 3/8"	60 3/8"	62 3/8"	64 3/8"	70 3/8"											
Unit Dimension		55 5/8"	57 5/8"	59 5/8"	61 5/8"	63 5/8"	69 5/8"											
80 3/4"	80"	79 1/2"		6/6						78 5/8"	78 1/16"	79 1/8"	78 9/16"	80 1/8"	79 9/16"	Aluminum Composite		
				2/4	2/6	2/8	2/10	3/0	3/6									
				6/8														
				2/4	2/6	2/8	2/10	3/0	3/6									
83 1/4"	82 1/2"	82"		6/6														
				2/4	2/6	2/8	2/10	3/0	3/6									
				6/8														
				2/4	2/6	2/8	2/10	3/0	3/6									
87 1/4"	86 1/2"	86"		6/6														
				2/4	2/6	2/8	2/10	3/0	3/6									
				6/8														
				2/4	2/6	2/8	2/10	3/0	3/6									
99 1/4"	98 1/2"	98"		6/6														
				2/4	2/6	2/8	2/10	3/0	3/6									
				6/8														
				2/4	2/6	2/8	2/10	3/0	3/6									

Single with Continuous Sidelites - Outswing - Standard Mullion

Hand Designations	
(Viewed from the exterior)	
L	Left Hand
R	Right Hand
F	Fixed Sidelite

Inswing



Unit and Rough Opening Sizing

Single - Continuous with 2-14" Sidelites - Standard Mullion - 6/6, 6/8, 7/0, 8/0

Single with Continuous Sidelites - Inswing - Standard Mullion

Single Wall Continuous Inlaid Standard Window		Brickmould Dim.									
Rough Opening		62 1/8"	64 1/8"	66 1/8"	68 1/8"	70 1/8"	76 1/8"				
Unit Dimension		59 5/8"	61 5/8"	63 5/8"	65 5/8"	67 5/8"	73 5/8"				
80 3/4"	80"	79 1/2"							78 5/8"	78 1/16"	79 9/16"
83 1/4"	82 1/2"	82"							81 3/16"	80 5/8"	82 1/8"
87 1/4"	86 1/2"	86"							85 3/16"	84 5/8"	86 1/8"
99 1/4"	98 1/2"	98"							97 3/16"	96 5/8"	98 1/8"
								Unit Dim.	Rough Opening	Brickmould Dim.	

Single with Boxed Sidelite - Inswing - Continuous Wide Mullion or Boxed

Single with Boxed Sidelite - Outswing - Continuous Wide Mullion or Boxed

FL FR LF RF

Unit and Rough Opening Sizing

Single with 12" Sidelite - Continuous Wide Mullion or Boxed - 6/6, 6/8, 7/0, 8/0


Single with Boxed Sidelite - Inswing - Continuous Wide Mullion or Boxed

Brickmould Dim.	45 5/8"	47 5/8"	49 5/8"	51 5/8"	53 5/8"	59 5/8"	
Rough Opening	43 7/8"	45 7/8"	47 7/8"	49 7/8"	51 7/8"	57 7/8"	
Unit Dimension	43 1/8"	45 1/8"	47 1/8"	49 1/8"	51 1/8"	57 1/8"	
80 3/4"							79 1/2"
80"							81 1/16"
83 1/4"							82 1/8"
82 1/2"							82 1/16"
87 1/4"							81 1/8"
86 1/2"							81 1/16"
86"							80 5/8"
88 1/4"							81 1/16"
88 1/2"							85 1/16"
86"							84 5/8"
88 1/4"							85 3/16"
88 1/2"							86 1/8"
99 1/4"							98 1/8"
98 1/2"							98 1/16"
98"							97 1/8"
							97 1/16"
	43 1/8"	45 1/8"	47 1/8"	49 1/8"	51 1/8"	57 1/8"	Unit Dim.
	43 7/8"	45 7/8"	47 7/8"	49 7/8"	51 7/8"	57 7/8"	Rough Opening
	46 1/8"	48 1/8"	50 1/8"	52 1/8"	54 1/8"	60 1/8"	Brickmould Dim.
							Aluminum Composite
							Aluminum Composite
							Aluminum Composite
							Aluminum Composite

Single with Boxed Sidelite - Outswing - Continuous Wide Mullion or Boxed

Hand Designations	
(Viewed from the exterior)	
L	Left Hand
R	Right Hand
F	Fixed Sidelite

























Inswing



Unit and Rough Opening Sizing

Single with 14" Sidelite - Continuous Wide Mullion or Boxed - 6/6, 6/8, 7/0, 8/0

Single with Boxed Sidelite - Inswing - Continuous Wide Mullion or Boxed

Brickmould Dim.															47 5/8"	49 5/8"	51 5/8"	53 5/8"	55 5/8"	61 5/8"										
Rough Opening															45 7/8"	47 7/8"	49 7/8"	51 7/8"	53 7/8"	59 7/8"										
Unit Dimension															45 1/8"	47 1/8"	49 1/8"	51 1/8"	53 1/8"	59 1/8"										
80 3/4"	80"	79 1/2"	6/6							78 5/8"	78 1/16"	79 9/16"	80 1/8"	82 1/8"	82 1/16"	86 1/8"	98 1/8"	Aluminum												
				2/4	2/6	2/8	2/10	3/0	3/6																					
				83 1/4"	82 1/2"	82"	6/8																81 3/16"	80 5/8"	81 11/16"	81 1/8"	82 11/16"	85 1/8"	98 11/16"	Composite
								2/4	2/6										2/8	2/10	3/0	3/6								
87 1/4"	86 1/2"	86"	7/0											85 3/16"	84 5/8"	85 11/16"	85 1/8"	86 11/16"	98 11/16"	Aluminum										
								2/4	2/6	2/8	2/10	3/0	3/6																	
				99 1/4"	98 1/2"	98"	8/0														97 3/16"	96 5/8"	97 11/16"	97 1/8"	98 11/16"	100 1/8"	Composite			
								2/4	2/6	2/8	2/10	3/0	3/6																	
Unit Dim.																														
Rough Opening																														
Brickmould Dim.																														
45 1/8"															47 1/8"	49 1/8"	51 1/8"	53 1/8"	59 1/8"											
45 7/8"															47 7/8"	49 7/8"	51 7/8"	53 7/8"	59 7/8"											
48 1/8"															50 1/8"	52 1/8"	54 1/8"	56 1/8"	62 1/8"											

Single with Boxed Sidelite - Outswing - Continuous Wide Mullion or Boxed

Hand Designations


(Viewed from the exterior)

L	Left Hand
R	Right Hand
F	Fixed Sidelite


Inswing




FL



FR



LF



RF

Single with Boxed Sidelites - Inswing - Continuous Wide Mullion or Boxed

Single with Boxed Sidelites - Outswing - Continuous Wide Mullion or Boxed

L	Left Hand
R	Right Hand
F	Fixed Sidelite

FRF

Single with Boxed Sidelites - Inswing - Continuous Wide Mullion or Boxed

Single with Boxed Sidelites - Outswing - Continuous Wide Mullion or Boxed

L	Left Hand
R	Right Hand
F	Fixed Sidelite

FRF

Single with Boxed Sidelites - Inswing - Continuous Wide Mullion or Boxed
















Single with Boxed Sidelites - Outswing - Continuous Wide Mullion or Boxed

Arch 1

Unit and Rough Opening Sizing

Single with 12" Venting Sidelite - Wide Mullion 6/6, 6/8, 8/0

Single with Venting Sidelite - Wide Mullion

Brickmould Dim.	45 7/8"	47 7/8"	49 7/8"	51 7/8"	53 7/8"
Rough Opening	44 1/8"	46 1/8"	48 1/8"	50 1/8"	52 1/8"
Unit Dimension	43 3/8"	45 3/8"	47 3/8"	49 3/8"	51 3/8"
80 3/4"	<div>6/6</div>  <div>2/4</div>	<div>6/6</div>  <div>2/6</div>	<div>6/6</div>  <div>2/8</div>	<div>6/6</div>  <div>2/10</div>	<div>6/6</div>  <div>3/0</div>
80"					
79 1/2"					
83 1/4"	<div>6/8</div>  <div>2/4</div>	<div>6/8</div>  <div>2/6</div>	<div>6/8</div>  <div>2/8</div>	<div>6/8</div>  <div>2/10</div>	<div>6/8</div>  <div>3/0</div>
82 1/2"					
82"					
99 1/4"	<div>8/0</div>  <div>2/4</div>	<div>8/0</div>  <div>2/6</div>	<div>8/0</div>  <div>2/8</div>	<div>8/0</div>  <div>2/10</div>	<div>8/0</div>  <div>3/0</div>
98 1/2"					
98"					

*Outswing not available.

Hand Designations

(Viewed from the exterior)

L	Left Hand
R	Right Hand
S	Vented Sidelite (hinged off jamb)


Inswing



SL



SR



LS



RS

Unit and Rough Opening Sizing

Single with 14" Venting Sidelite - Wide Mullion 6/6, 6/8, 8/0

Single with Venting Sidelite - Wide Mullion

Brickmould Dim.	47 7/8"	49 7/8"	51 7/8"	53 7/8"	55 7/8"
Rough Opening	46 1/8"	48 1/8"	50 1/8"	52 1/8"	54 1/8"
Unit Dimension	45 3/8"	47 3/8"	49 3/8"	51 3/8"	53 3/8"

80 3/4"	80"	79 1/2"	6/6					
			2/4	2/6	2/8	2/10	3/0	
83 1/4"	82 1/2"	82"	6/8					
			2/4	2/6	2/8	2/10	3/0	
99 1/4"	98 1/2"	98"	8/0					
			2/4	2/6	2/8	2/10	3/0	


*Outswing not available.

Hand Designations

(Viewed from the exterior)

L	Left Hand
R	Right Hand
S	Vented Sidelite (hinged off jamb)

Inswing




SL



SR



LS






RS

Unit and Rough Opening Sizing

Single with 2-12" Venting Sidelites - Wide Mullion 6/6, 6/8, 8/0

Single with Venting Sidelites - Wide Mullion

Brickmould Dim.	59 9/16"	61 9/16"	63 9/16"	65 9/16"	67 9/16"
Rough Opening	57 13/16"	59 13/16"	61 13/16"	63 13/16"	65 13/16"
Unit Dimension	57 1/16"	59 1/16"	61 1/16"	63 1/16"	65 1/16"
80 3/4"					
80"					
79 1/2"					
83 1/4"					
82 1/2"					
82"					
99 1/4"					
98 1/2"					
98"					


*Outswing not available.

Hand Designations

(Viewed from the exterior)

L	Left Hand
R	Right Hand
S	Sidelite

Inswing



Single with 2-14" Venting Sidelites - Wide Mullion 6/6, 6/8, 8/0
Single with Venting Sidelites - Wide Mullion


Brickmould Dim.	63 9/16"	65 9/16"	67 9/16"	69 9/16"	71 9/16"
Rough Opening	61 13/16"	63 13/16"	65 13/16"	67 13/16"	69 13/16"
Unit Dimension	61 1/16"	63 1/16"	65 1/16"	67 1/16"	69 1/16"

80 3/4"	80"	79 1/2"					
			2/4	2/6	2/8	2/10	3/0
83 1/4"	82 1/2"	82"					
			2/4	2/6	2/8	2/10	3/0
99 1/4"	98 1/2"	98"					
			2/4	2/6	2/8	2/10	3/0

*Outswing not available.

Hand Designations	
(Viewed from the exterior)	
L	Left Hand
R	Right Hand
S	Sidelite

Inswing



Unit and Rough Opening Sizing

French with 2-12" Venting Sidelites - Wide Mullion 6/6, 6/8, 8/0

French with Venting Sidelites - Wide Mullion

Brickmould Dim.	88 1/2"	92 1/2"	96 1/2"	100 1/2"	104 1/2"
Rough Opening	86 3/4"	90 3/4"	94 3/4"	98 3/4"	102 3/4"
Unit Dimension	86"	90"	94"	98"	102"
<div>80 3/4"</div> <div>80"</div> <div>79 1/2"</div> <div>83 1/4"</div> <div>82 1/2"</div> <div>82"</div> <div>99 1/4"</div> <div>98 1/2"</div> <div>98"</div>	<div>6/6</div> <div>4/8</div> <div>5/0</div> <div>5/4</div> <div>5/8</div> <div>6/0</div>				
	<div>6/8</div> <div>4/8</div> <div>5/0</div> <div>5/4</div> <div>5/8</div> <div>6/0</div>				
	<div>8/0</div> <div>4/8</div> <div>5/0</div> <div>5/4</div> <div>5/8</div> <div>6/0</div>				


*Outswing not available.

Hand Designations


(Viewed from the exterior)

L	Left Hand
R	Right Hand
A	Astragal
S	Sidelite

Inswing



SLRS



SLAS



SARS

Unit and Rough Opening Sizing

French with 2-14" Venting Sidelites - Wide Mullion 6/6, 6/8, 8/0

French with Venting Sidelites - Wide Mullion

Brickmould Dim.	92 1/2"	96 1/2"	100 1/2"	104 1/2"	108 1/2"
Rough Opening	90 3/4"	94 3/4"	98 3/4"	102 3/4"	106 3/4"
Unit Dimension	90"	94"	98"	102"	106"


80 3/4"	80"	79 1/2"	6/6		4/8	5/0	5/4	5/8	6/0
83 1/4"	82 1/2"	82"	6/8		4/8	5/0	5/4	5/8	6/0
99 1/4"	98 1/2"	98"	8/0		4/8	5/0	5/4	5/8	6/0

*Outswing not available.


Hand Designations (Viewed from the exterior)

L	Left Hand
R	Right Hand
A	Astragal
S	Sidelite

Inswing



SLRS






SLAS



SARS









Unit and Rough Opening Sizing

Single Transoms

Unit Dimension	37 5/8"	13 1/2"	15 1/2"
13 7/16"	 3/0	 12"	 14"







*Add actual unit dimension to door rough opening height for total rough opening height.

Double - Standard Continuous Mullion Transoms

Unit Dimension	62 13/16"	66 13/16"	70 13/16"	74 13/16"
13 7/16"	 5/0	 5/4	 5/8	 6/0
13 5/8"	 5/0	 5/4	 5/8	 6/0







*Add actual unit dimension to door rough opening height for total rough opening height.

Single with 2 Sidelites - Boxed Transoms

Unit Dimension	64 5/8"	68 5/8"
13 7/16"	 3/0 w/ 2-12" SL	 3/0 w/ 2-14" SL
13 5/8"	 3/0 w/ 2-12" SL	 3/0 w/ 2-14" SL
32 5/16"	 3/0 w/ 2-12" SL	
34 5/16"		 3/0 w/ 2-14" SL

*Add actual unit dimension to door rough opening height for total rough opening height.

Single with 2 Sidelites - Continuous Transoms

Unit Dimension	63 5/8"	67 5/8"
13 7/16"	 3/0 w/ 2-12" SL	 3/0 w/ 2-14" SL
13 5/8"	 3/0 w/ 2-12" SL	 3/0 w/ 2-14" SL
31 13/16"	 3/0 w/ 2-12" SL	
33 13/16"		 3/0 w/ 2-14" SL

*Add actual unit dimension to door rough opening height for total rough opening height.

Unit and Rough Opening Sizing

Single - 90 min. Fire Doors with Adjusta-Fit 2 Frames - 6/8, 7/0


Single

Masonry R.O.		27 11/32"	31 11/32"	33 11/32"	35 11/32"	37 11/32"	39 11/32"	45 11/32"		
Drywall R.O.		25 1/16"	29 1/16"	31 1/16"	33 1/16"	35 1/16"	37 1/16"	43 1/16"		
Unit Dimension		27 11/32"	31 11/32"	33 11/32"	35 11/32"	37 11/32"	39 11/32"	45 11/32"		
82 23/32"	81 5/8"	82 23/32"								81 19/32"
86 23/32"	85 5/8"	86 23/32"								85 19/32"
Inswing	Inswing	Inswing								82 3/32"
										80 1/2"
										81"
										82 3/32"
										85 19/32"
										86 3/32"
										85"
										84 1/2"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"
										85 19/32"
										86 3/32"


Unit and Rough Opening Sizing

Hinged Clear Opening


Door Panel	Clear Opening Width		Clear Opening Width Double w/ 7/8" Astragal		Clear Opening Width Double w/ 5/8" Astragal		Sq. Ft. Clear Opening Inswing		Sq. Ft. Clear Opening Inswing Dbl. w/ 7/8" Astragal		Sq. Ft. Clear Opening Outswing		Sq. Ft. Clear Opening Outswing Dbl. w/ 7/8" Astragal	
	90°	Full	90°	Full	90°	Full	90°	Full	90°	Full	90°	Full	90°	Full
12" Venting S/L 6/6	9"	11-3/16"	N/A	N/A	N/A	N/A	4.796	5.962	N/A	N/A	N/A	N/A	N/A	N/A
14" Venting S/L 6/6	11"	13-3/16"	N/A	N/A	N/A	N/A	5.862	7.027	N/A	N/A	N/A	N/A	N/A	N/A
2/4 6/6	25-5/16"	27-9/32"	52-13/32"	56-1/16"	52-5/32"	55-13/16"	13.61	14.52	28.08	29.91	13.41	14.32	27.68	29.48
2/6 6/6	27-5/16"	29-5/32"	56-13/32"	60-1/16"	56-5/32"	59-13/16"	14.58	15.56	30.09	32.05	14.37	15.34	29.66	31.59
2/8 6/6	29-5/16"	31-5/32"	60-13/32"	64-1/16"	60-5/32"	63-13/16"	15.65	16.63	32.23	34.18	15.42	16.39	31.77	33.69
2/10 6/6	31-5/16"	33-5/32"	64-13/32"	68-1/16"	64-5/32"	67-13/16"	16.72	17.69	34.37	36.32	16.47	17.44	33.87	35.80
3/0 6/6	33-5/16"	35-5/32"	68-13/32"	72-1/16"	68-5/32"	71-13/16"	17.78	18.76	36.50	38.46	17.53	18.49	35.97	37.90
2/4 6/8	25-5/16"	27-9/32"	52-13/32"	56-1/16"	52-5/32"	55-13/16"	14.05	14.52	29.02	30.90	13.86	14.80	28.62	30.47
2/6 6/8	27-5/16"	29-5/32"	56-13/32"	60-1/16"	56-5/32"	59-13/16"	15.06	16.07	31.09	33.11	14.85	15.85	30.66	32.65
2/8 6/8	29-5/16"	31-5/32"	60-13/32"	64-1/16"	60-5/32"	63-13/16"	16.17	17.18	33.30	35.32	15.94	16.94	32.84	34.83
2/10 6/8	31-5/16"	33-5/32"	64-13/32"	68-1/16"	64-5/32"	67-13/16"	17.27	18.28	35.50	37.53	17.03	18.03	35.01	37.00
3/0 6/8	33-5/16"	35-5/32"	68-13/32"	72-1/16"	68-5/32"	71-13/16"	18.37	19.38	37.71	39.73	18.12	19.11	37.18	39.18
12" Venting S/L 6/8	9"	11-3/16"	N/A	N/A	N/A	N/A	4.796	5.962	N/A	N/A	N/A	N/A	N/A	N/A
14" Venting S/L 6/8	11"	13-3/16"	N/A	N/A	N/A	N/A	5.862	7.027	N/A	N/A	N/A	N/A	N/A	N/A



**HORIZONTAL SECTION
(Single)**



**HORIZONTAL SECTION
(Double/Triple - Operable panel
hinged off jamb or mullion)**




**HORIZONTAL SECTION
(French)
(Hinged off jamb or mullion)**


Unit and Rough Opening Sizing

Hinged Clear Opening


Door Panel	Composite Clear Opening Height Inswing	Basic Fixed Clear Opening Height Inswing	Bumper Clear Opening Height Outswing	Composite Clear Opening Height Outswing
2/4 6/6	76-3/4"	76-11/16"	77-1/4"	76-3/4"
2/6 6/6	76-3/4"	76-11/16"	77-1/4"	76-3/4"
2/8 6/6	76-3/4"	76-11/16"	77-1/4"	76-3/4"
2/10 6/6	76-3/4"	76-11/16"	77-1/4"	76-3/4"
3/0 6/6	76-3/4"	76-11/16"	77-1/4"	76-3/4"
2/4 6/8	79-1/4"	79-1/4"	79-3/4"	79-5/16"
2/6 6/8	79-1/4"	79-1/4"	79-3/4"	79-5/16"
2/8 6/8	79-1/4"	79-1/4"	79-3/4"	79-5/16"
2/10 6/8	79-1/4"	79-1/4"	79-3/4"	79-5/16"
3/0 6/8	79-1/4"	79-1/4"	79-3/4"	79-5/16"
2/4 8/0	95-1/4"	95-1/4"	95-3/4"	95-5/16"
2/6 8/0	95-1/4"	95-1/4"	95-3/4"	95-5/16"
2/8 8/0	95-1/4"	95-1/4"	95-3/4"	95-5/16"
2/10 8/0	95-1/4"	95-1/4"	95-3/4"	95-5/16"




Unit and Rough Opening Sizing



**VERTICAL SECTION
INSWING - FIXED**




**VERTICAL SECTION
INSWING - SINGLE**




**VERTICAL SECTION
INSWING - DOUBLE w/ASTRAGAL
w/HINGED SCREEN**


Unit and Rough Opening Sizing




**VERTICAL SECTION
INSWING - FIXED**
(shown with Stucco Brickmould option)




**VERTICAL SECTION
INSWING - SINGLE**




**VERTICAL SECTION
INSWING - DOUBLE w/ASTRAGAL
w/HINGED SCREEN**



**VERTICAL SECTION
INSWING - DOUBLE/TRIPLE
w/TOP HUNG SCREEN**




**VERTICAL SECTION
INSWING - 6-9/16"
w/STANDARD SCREEN**




**VERTICAL SECTION
INSWING - VENTED SIDELITE
w/FIXED SCREEN**


Unit and Rough Opening Sizing




**HORIZONTAL SECTION
INSWING - SINGLE
(L shown)**



**HORIZONTAL SECTION
INSWING - DOUBLE w/MULLION
(LF shown)**




**HORIZONTAL SECTION
INSWING - DOUBLE w/ASTRAGAL
w/HINGED SCREEN
(AR shown)**




**HORIZONTAL SECTION
INSWING - SINGLE WITH VENTED SIDELITE
AND FIXED SCREEN
(LRR shown)**


Unit and Rough Opening Sizing



**HORIZONTAL SECTION
INSWING -TRIPLE
(RFF shown)**




**HORIZONTAL SECTION
INSWING - TRIPLE
(FLF shown)**




**HORIZONTAL SECTION
INSWING - TRIPLE
(FFL shown)**


Unit and Rough Opening Sizing




**VERTICAL SECTION
OUTSWING
THERMAL BREAK**



**VERTICAL SECTION
OUTSWING
NO THERMAL BREAK**




**VERTICAL SECTION
OUTSWING
COASTAL**




**HORIZONTAL SECTION
OUTSWING - DOUBLE w/ASTRAGAL
(RA shown)**


Unit and Rough Opening Sizing




**VERTICAL SECTION
OUTSWING - FIXED**




**VERTICAL SECTION
OUTSWING**




**VERTICAL SECTION
OUTSWING - 6-9/16"**




**HORIZONTAL SECTION
OUTSWING - FIXED**




**HORIZONTAL SECTION
OUTSWING - FIXED/FIXED**



HORIZONTAL SECTION




Unit and Rough Opening Sizing




**HORIZONTAL SECTION
OUTSWING - SINGLE
(R shown)**


**HORIZONTAL SECTION
OUTSWING - DOUBLE w/MULLION
(LF shown)**



**HORIZONTAL SECTION
OUTSWING - TRIPLE
(LFF shown)**



**HORIZONTAL SECTION
OUTSWING - TRIPLE
(FRF shown)**



**HORIZONTAL SECTION
OUTSWING - TRIPLE
(FFR shown)**

Full Lite Panel Dimensions

Fiber-Classic® Full Lite Flush-Glazed - Panel Size


Door Panel	Panel Width	Panel Height	A	B	C	Daylight Width	Daylight Height	Sq. Ft. Daylight Opening		
								Single	Double	Triple
2/0 6/6	24	76 11/16	4 1/4	4 9/16	7 25/32	14 1/4	63 1/8	6.25	12.50	18.75
2/6 6/6	30	76 11/16	4 3/8	4 23/32	7 19/32	20 1/32	63 1/8	8.78	17.56	26.31
2/8 6/6	32	76 11/16	5 3/8	4 23/32	7 19/32	20 1/32	63 1/8	8.78	17.56	26.31
2/10 6/6	34	76 11/16	3 13/32	4 23/32	7 17/32	25 31/32	63 3/16	11.38	22.78	34.16
3/0 6/6	36	76 11/16	4 13/32	4 23/32	7 17/32	25 31/32	63 3/16	11.38	22.78	34.16
2/0 6/8	24	79 1/4	4 1/4	4 9/16	10 5/16	14 1/4	63 1/8	6.25	12.50	18.75
2/6 6/8	30	79 1/4	4 3/8	4 23/32	10 5/32	20 1/32	63 1/8	8.78	17.56	26.31
2/8 6/8	32	79 1/4	5 3/8	4 23/32	10 5/32	20 1/32	63 1/8	8.78	17.56	26.31
2/10 6/8	34	79 1/4	3 13/32	4 23/32	10 3/32	25 31/32	63 3/16	11.38	22.78	34.16
3/0 6/8	36	79 1/4	4 13/32	4 23/32	10 3/32	25 31/32	63 3/16	11.38	22.78	34.16
2/0 8/0	24	95 1/4	4 1/4	5 17/32	9 21/32	14 1/4	78 13/16	7.81	15.59	23.41
2/6 8/0	30	95 1/4	4 15/32	5 17/32	9 21/32	19 13/16	78 13/16	10.84	21.69	32.53
2/8 8/0	32	95 1/4	5 15/32	5 17/32	9 21/32	19 13/16	78 13/16	10.84	21.69	32.53
2/10 8/0	34	95 1/4	4 15/32	5 17/32	9 21/32	23 13/16	78 13/16	13.03	26.06	39.09
3/0 8/0	36	95 1/4	5 15/32	5 17/32	9 21/32	23 13/16	78 13/16	13.03	26.06	39.09

Smooth-Star® Full Lite Flush-Glazed - Panel Size


Door Panel	Panel Width	Panel Height	A	B	C	Daylight Width	Daylight Height	Sq. Ft. Daylight Opening		
								Single	Double	Triple
2/0 6/6	24	76 11/16	4 1/4	4 19/32	7 3/4	14 1/4	63 1/8	6.25	12.50	18.72
2/6 6/6	30	76 11/16	4 3/8	4 9/16	7 25/32	19 31/32	63 1/8	8.75	17.53	26.28
2/8 6/6	32	76 11/16	5 3/8	4 9/16	7 25/32	19 31/32	63 1/8	8.75	17.53	26.28
2/10 6/6	34	76 11/16	4 5/16	4 9/16	7 25/32	24 3/32	63 1/8	10.56	21.13	31.69
3/0 6/6	36	76 11/16	5 5/16	4 9/16	7 25/32	24 3/32	63 1/8	10.56	21.13	31.69
2/0 6/8	24	79 1/4	4 1/4	4 19/32	10 9/32	14 1/4	63 1/8	6.25	12.50	18.72
2/6 6/8	30	79 1/4	4 3/8	4 9/16	10 5/16	19 31/32	63 1/8	8.75	17.53	26.28
2/8 6/8	32	79 1/4	5 3/8	4 9/16	10 5/16	19 31/32	63 1/8	8.75	17.53	26.28
2/10 6/8	34	79 1/4	4 5/16	4 9/16	10 5/16	24 3/32	63 1/8	10.56	21.13	31.69
3/0 6/8	36	79 1/4	5 5/16	4 9/16	10 5/16	24 3/32	63 1/8	10.56	21.13	31.69
2/0 8/0	24	95 1/4	4 1/4	5 17/32	9 21/32	14 1/4	78 13/16	7.81	15.59	23.41
2/6 8/0	30	95 1/4	4 15/32	5 17/32	9 21/32	19 27/32	78 13/16	10.84	21.72	32.56
2/8 8/0	32	95 1/4	5 15/32	5 17/32	9 21/32	19 27/32	78 13/16	10.84	21.72	32.56
2/10 8/0	34	95 1/4	4 25/32	5 17/32	9 21/32	23 3/16	78 13/16	12.69	25.38	38.06
3/0 8/0	36	95 1/4	5 25/32	5 17/32	9 21/32	23 3/16	78 13/16	12.69	25.38	38.06

Full Lite Panel Dimensions


FLUSH-GLAZED




HORIZONTAL PANEL SECTION




GBG GRILLE SECTION



WOOD GRILLE SECTION



GBG GRILLE SECTION




VERTICAL PANEL SECTION

Full Lite Panel Dimensions


Fiber Classic, Smooth-Star, and Steel with Scroll Lite Frame - Panel Size

Door Panel	Panel Width	Panel Height	A	B	C	Frame Width	Frame Height	Daylight Width	Daylight Height	Sq. Ft. Daylight Opening		
										Single	Double	Triple
2/4 6/6	28	76 11/16	5 1/32	4 5/32	6 17/32	17 31/32	65 31/32	14 31/32	62 31/32	6.53	13.06	19.63
2/6 6/6	30	76 11/16	4 1/16	4 5/32	6 21/32	21 29/32	65 29/32	18 29/32	62 29/32	8.25	16.50	24.78
2/8 6/6	32	76 11/16	5 1/16	4 5/32	6 21/32	21 29/32	65 29/32	18 29/32	62 29/32	8.25	16.50	24.78
2/10 6/6	34	76 11/16	5 1/16	4 5/32	6 21/32	23 7/8	65 7/8	20 15/16	62 15/16	9.16	18.28	27.44
3/0 6/6	36	76 11/16	6 1/16	4 5/32	6 21/32	23 7/8	65 7/8	20 15/16	62 15/16	9.16	18.28	27.44
2/4 6/8	28	79 1/4	5 1/32	4 5/32	9 3/32	17 31/32	65 31/32	14 31/32	62 31/32	6.53	13.06	19.63
2/6 6/8	30	79 1/4	4 1/16	4 5/32	9 7/32	21 29/32	65 29/32	18 29/32	62 29/32	8.25	16.50	24.78
2/8 6/8	32	79 1/4	5 1/16	4 5/32	9 7/32	21 29/32	65 29/32	18 29/32	62 29/32	8.25	16.50	24.78
2/10 6/8	34	79 1/4	5 1/16	4 5/32	9 7/32	23 7/8	65 7/8	20 15/16	62 15/16	9.16	18.28	27.44
3/0 6/8	36	79 1/4	6 1/16	4 5/32	9 7/32	23 7/8	65 7/8	20 15/16	62 15/16	9.16	18.28	27.44


SCROLL LITE FRAME




FIBER CLASSIC AND SMOOTH-STAR HORIZONTAL PANEL SECTION




STEEL HORIZONTAL PANEL SECTION



**FLAT BAR
GBG GRILLE SECTION**




EXTERNAL GRILLE SECTION




**CONTOUR
GBG GRILLE SECTION**

Full Lite Panel Dimensions

Fiber-Classic® and Smooth-Star® with Scroll Lite Frame - Panel Size




VERTICAL PANEL SECTION 2/6-3/0




VERTICAL PANEL SECTION 2/4

Steel with Scroll Lite Frame - Panel Size



VERTICAL PANEL SECTION 2/6-3/0





VERTICAL PANEL SECTION 2/4

Full Lite Panel Dimensions


Smooth-Star® Noise Reduction Lite - Panel Size

Door Panel	Panel Width	Panel Height	A	B	C	Frame Width	Frame Height	Daylight Width	Daylight Height	Sq. Ft. Daylight Opening		
										Single	Double	Triple
2/6 6/6	30	76 11/16	4 1/16	4 5/32	6 21/32	21 29/32	65 29/32	18 29/32	62 29/32	8.25	16.50	24.78
2/8 6/6	32	76 11/16	5 1/16	4 5/32	6 21/32	21 29/32	65 29/32	18 29/32	62 29/32	8.25	16.50	24.78
2/10 6/6	34	76 11/16	5 1/16	4 5/32	6 21/32	23 7/8	65 7/8	20 15/16	62 15/16	9.16	18.28	27.44
3/0 6/6	36	76 11/16	6 1/16	4 5/32	6 21/32	23 7/8	65 7/8	20 15/16	62 15/16	9.16	18.28	27.44
2/6 6/8	30	79 1/4	4 1/16	4 5/32	9 7/32	21 29/32	65 29/32	18 29/32	62 29/32	8.25	16.50	24.78
2/8 6/8	32	79 1/4	5 1/16	4 5/32	9 7/32	21 29/32	65 29/32	18 29/32	62 29/32	8.25	16.50	24.78
2/10 6/8	34	79 1/4	5 1/16	4 5/32	9 7/32	23 7/8	65 7/8	20 15/16	62 15/16	9.16	18.28	27.44
3/0 6/8	36	79 1/4	6 1/16	4 5/32	9 7/32	23 7/8	65 7/8	20 15/16	62 15/16	9.16	18.28	27.44
2/6 x 6/8 Elevated Cutout	30	79 1/4	4 1/16	4 5/32	9 7/32	21 29/32	65 29/32	18 29/32	62 29/32	8.25	16.50	24.78
2/8 x 6/8 Elevated Cutout	32	79 1/4	5 1/16	4 5/32	9 7/32	21 29/32	65 29/32	18 29/32	62 29/32	8.25	16.50	24.78
2/10 x 6/8 Elevated Cutout	34	79 1/4	5 1/16	4 5/32	9 7/32	23 7/8	65 7/8	20 15/16	62 15/16	9.16	18.28	27.44
3/0 x 6/8 Elevated Cutout	36	79 1/4	6 1/16	4 5/32	9 7/32	23 7/8	65 7/8	20 15/16	62 15/16	9.16	18.28	27.44
2/6 7/0	30	83 1/4	4 1/16	4 5/32	13 7/32	21 29/32	65 29/32	18 29/32	62 29/32	8.25	16.50	24.78
2/8 7/0	32	83 1/4	5 1/16	4 5/32	13 7/32	21 29/32	65 29/32	18 29/32	62 29/32	8.25	16.50	24.78
2/10 7/0	34	83 1/4	5 1/16	4 5/32	13 7/32	23 7/8	65 7/8	20 15/16	62 15/16	9.16	18.28	27.44
3/0 7/0	36	83 1/4	6 1/16	4 5/32	13 7/32	23 7/8	65 7/8	20 15/16	62 15/16	9.16	18.28	27.44
2/6 x 7/6 Elevated Cutout	30	89 1/4	3 15/16	2 31/32	4 5/32	22 1/8	82 1/8	18 29/32	78 29/32	10.38	20.75	31.13
2/8 x 7/6 Elevated Cutout	32	89 1/4	4 15/16	2 31/32	4 5/32	22 1/8	82 1/8	18 29/32	78 29/32	10.38	20.75	31.13
2/10 x 7/6 Elevated Cutout	34	89 1/4	4 15/16	2 31/32	4 5/32	24 1/8	82 1/8	20 29/32	78 29/32	11.47	22.94	34.41
3/0 x 7/6 Elevated Cutout	36	89 1/4	5 15/16	2 31/32	4 5/32	24 1/8	82 1/8	20 29/32	78 29/32	11.47	22.94	34.41
2/6 8/0	30	95 1/4	3 15/16	5 1/8	8	22 1/8	82 1/8	18 29/32	78 29/32	10.38	20.75	31.13
2/8 8/0	32	95 1/4	4 15/16	5 1/8	8	22 1/8	82 1/8	18 29/32	78 29/32	10.38	20.75	31.13
2/10 8/0	34	95 1/4	4 15/16	5 1/8	8	24 1/8	82 1/8	20 29/32	78 29/32	11.47	22.94	34.41
3/0 8/0	36	95 1/4	5 15/16	5 1/8	8	24 1/8	82 1/8	20 29/32	78 29/32	11.47	22.94	34.41
2/6 x 8/0 Elevated Cutout	30	95 1/4	3 15/16	2 31/32	10 5/32	22 1/8	82 1/8	18 29/32	78 29/32	10.38	20.75	31.13
2/8 x 8/0 Elevated Cutout	32	95 1/4	4 15/16	2 31/32	10 5/32	22 1/8	82 1/8	18 29/32	78 29/32	10.38	20.75	31.13
2/10 x 8/0 Elevated Cutout	34	95 1/4	4 15/16	2 31/32	10 5/32	24 1/8	82 1/8	20 29/32	78 29/32	11.47	22.94	34.41
3/0 x 8/0 Elevated Cutout	36	95 1/4	5 15/16	2 31/32	10 5/32	24 1/8	82 1/8	20 29/32	78 29/32	11.47	22.94	34.41

SMOOTH-STAR NOISE REDUCTION LITE



HORIZONTAL PANEL SECTION




FLAT BAR
GBG GRILLE SECTION

Full Lite Panel Dimensions


Classic-Craft® with Lite - Panel Size

Door Panel	Panel Width	Panel Height	Daylight Width	Daylight Height	Sq. Ft. Daylight Opening		
					Single	Double	Triple
3/0 6/8	35-5/16"	79-1/4"	24-17/32"	65-9/32"	11.12	22.24	33.36

CLASSIC-CRAFT




HORIZONTAL PANEL SECTION



VERTICAL PANEL SECTION

6/8 Lip Lite Grille Locations


GBG/SDL - Lip Lite - 6'8" Full Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
*2/4	16 x 64	14"	11-5/16"	16-11/16"	17-7/8"	30-11/16"	43-1/2"	56-5/16"
2/6	20 x 64	15"	11-11/16"	18-5/16"	17-7/8"	30-11/16"	43-1/2"	56-5/16"
2/8	22 x 64	16"	12-5/16"	19-11/16"	17-7/8"	30-11/16"	43-1/2"	56-5/16"
2/10	22 x 64	17"	13-5/16"	20-11/16"	17-7/8"	30-11/16"	43-1/2"	56-5/16"
3/0	22 x 64	18"	14-5/16"	21-11/16"	17-7/8"	30-11/16"	43-1/2"	56-5/16"


*SDL not available.

Wood Grilles - Lip Lite - 6'8" Full Lite - 3W5H and 2W5H


Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	15"	11-13/16"	18-3/16"	18-3/16"	30-13/16"	43-3/8"	56"
2/8	22 x 64	16"	12-1/2"	19-1/2"	18-3/16"	30-13/16"	43-3/8"	56"
2/10	22 x 64	17"	13-1/2"	20-1/2"	18-3/16"	30-13/16"	43-3/8"	56"
3/0	22 x 64	18"	14-1/2"	21-1/2"	18-3/16"	30-13/16"	43-3/8"	56"

Fixed Grilles - Lip Lite - 6'8" Full Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	15"	11-11/16"	18-5/16"	17-15/16"	30-11/16"	43-1/2"	56-1/4"
2/8	22 x 64	16"	12-3/8"	19-5/8"	17-15/16"	30-11/16"	43-1/2"	56-1/4"
2/10	22 x 64	17"	13-3/8"	20-5/8"	17-15/16"	30-11/16"	43-1/2"	56-1/4"
3/0	22 x 64	18"	14-3/8"	21-5/8"	17-15/16"	30-11/16"	43-1/2"	56-1/4"


GBG - Lip Lite - 6'8" Full Lite - 3W4H and 2W4H


Panel	Glass	A	B	C	D	E	F
2/4	16 x 64	14"	11-5/16"	16-11/16"	21-3/16"	37-3/16"	53-3/16"
2/6	20 x 64	15"	11-11/16"	18-5/16"	21-1/8"	37-1/8"	53-1/8"
2/8	22 x 64	16"	12-5/16"	19-11/16"	21-1/8"	37-1/8"	53-1/8"
2/10	22 x 64	17"	13-5/16"	20-11/16"	21-1/8"	37-1/8"	53-1/8"
3/0	22 x 64	18"	14-5/16"	21-11/16"	21-1/8"	37-1/8"	53-1/8"


GBG - Lip Lite - 6'8" Full Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/4	16 x 64	14"	-	-	26-1/2"	47-7/8"
2/6	20 x 64	15"	-	-	26-7/16"	47-3/4"
2/8	22 x 64	16"	-	-	26-7/16"	47-3/4"
2/10	22 x 64	17"	-	-	26-7/16"	47-3/4"
3/0	22 x 64	18"	-	-	26-7/16"	47-3/4"


All dimensions shown are to the center of the muntin.

6/8 Lip Lite Grille Locations



GBG - Lip Lite - 6'8" Full Lite - 2W2H

Panel	Glass	A	B	C	D
2/4	16 x 64	14"	-	-	37-3/16"
2/6	20 x 64	15"	-	-	37-1/8"
2/8	22 x 64	16"	-	-	37-1/8"
2/10	22 x 64	17"	-	-	37-1/8"
3/0	22 x 64	18"	-	-	37-1/8"




GBG - Lip Lite - 6'8" Full Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/4	16 x 64	10-7/16"	17-9/16"	9-9/16"	64-5/8"
2/6	20 x 64	9-7/16"	20-9/16"	9-9/16"	64-5/8"
2/8	22 x 64	9-7/16"	22-9/16"	9-9/16"	64-5/8"
2/10	22 x 64	10-7/16"	23-9/16"	9-9/16"	64-5/8"
3/0	22 x 64	11-7/16"	24-9/16"	9-9/16"	64-5/8"

All dimensions shown are to the center of the muntin.


6/8 Lip Lite Grille Locations



GBG - Lip Lite - 6'8" 3/4 Lite - 3W4H and 2W4H*

Panel	Glass	A	B	C	D	E	F
2/8	22 x 47	16"	12-5/16"	19-11/16"	16-7/8"	28-5/8"	40-3/8"
2/10	22 x 47	17"	13-5/16"	20-11/16"	16-7/8"	28-5/8"	40-3/8"
3/0	22 x 47	18"	14-5/16"	21-11/16"	16-7/8"	28-5/8"	40-3/8"

*SDL not available in 2W4H configuration.




GBG - Lip Lite - 6'8" 3/4 Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 47	16"	-	-	20-3/4"	36-7/16"
2/10	22 x 47	17"	-	-	20-3/4"	36-7/16"
3/0	22 x 47	18"	-	-	20-3/4"	36-7/16"

GBG - Lip Lite - 6'8" 3/4 Lite - 2W2H

Panel	Glass	A	B	C	D
2/8	22 x 47	16"	-	-	28-5/8"
2/10	22 x 47	17"	-	-	28-5/8"
3/0	22 x 47	18"	-	-	28-5/8"







GBG - Lip Lite - 6'8" 3/4 Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/8	22 x 47	9-7/16"	22-9/16"	9-9/16"	47-5/8"
2/10	22 x 47	10-7/16"	23-9/16"	9-9/16"	47-5/8"
3/0	22 x 47	11-7/16"	24-9/16"	9-9/16"	47-5/8"

All dimensions shown are to the center of the muntin.

6/8 Lip Lite Grille Locations



GBG/SDL - Lip Lite - 6'8" Half Lite - 3W3H

Panel	Glass	A	B	C	D	E
*2/6	20 x 36	-	11-11/16"	18-5/16"	17-1/8"	29-1/8"
2/8	22 x 36	-	12-5/16"	19-11/16"	17-1/8"	29-1/8"
2/10	22 x 36	-	13-5/16"	20-11/16"	17-1/8"	29-1/8"
3/0	22 x 36	-	14-5/16"	21-11/16"	17-1/8"	29-1/8"

*SDL not available.

Wood Grilles - Lip Lite - 6'8" Half Lite - 3W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 36	-	12-1/2"	19-1/2"	17-1/4"	28-15/16"
2/10	22 x 36	-	13-1/2"	20-1/2"	17-1/4"	28-15/16"
3/0	22 x 36	-	14-1/2"	21-1/2"	17-1/4"	28-15/16"

Fixed Grilles - Lip Lite - 6'8" Half Lite - 3W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 36	-	11-5/8"	18-5/16"	17-3/16"	29-1/8"
2/8	22 x 36	-	12-13/16"	19-5/8"	17-1/8"	29-1/16"
2/10	22 x 36	-	13-13/16"	20-5/8"	17-1/8"	29-1/16"
3/0	22 x 36	-	14-13/16"	21-5/8"	17-1/8"	29-1/16"

GBG - Lip Lite - 6'8" Half Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/6	20 x 36	9-7/16"	20-9/16"	9-9/16"	36-11/16"
2/8	22 x 36	9-7/16"	22-9/16"	9-9/16"	36-5/8"
2/10	22 x 36	10-7/16"	23-9/16"	9-9/16"	36-5/8"
3/0	22 x 36	11-7/16"	24-9/16"	9-9/16"	36-5/8"

GBG - Lip Lite - 6'8" Half Lite Top and Bottom - 3W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 36	-	12-5/16"	19-11/16"	28-1/8"	40-1/8"
2/10	22 x 36	-	13-5/16"	20-11/16"	28-1/8"	40-1/8"
3/0	22 x 36	-	14-5/16"	21-11/16"	28-1/8"	40-1/8"

Wood Grilles - Lip Lite - 6'8" Half Lite Top and Bottom - 3W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 36	-	12-1/2"	19-1/2"	28-1/4"	39-15/16"
2/10	22 x 36	-	13-1/2"	20-1/2"	28-1/4"	39-15/16"
3/0	22 x 36	-	14-1/2"	21-1/2"	28-1/4"	39-15/16"

Fixed Grilles - Lip Lite - 6'8" Half Lite Top and Bottom - 3W3H


Panel	Glass	A	B	C	D	E
2/8	22 x 36	-	12-13/16"	19-5/8"	28-1/8"	40-1/16"
2/10	22 x 36	-	13-13/16"	20-5/8"	28-1/8"	40-1/16"
3/0	22 x 36	-	14-13/16"	21-5/8"	28-1/8"	40-1/16"

GBG - Lip Lite - 6'8" Half Lite Top and Bottom - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/8	22 x 36	9-7/16"	22-9/16"	20-9/16"	47-11/16"
2/10	22 x 36	10-7/16"	23-9/16"	20-9/16"	47-11/16"
3/0	22 x 36	11-7/16"	24-9/16"	20-9/16"	47-11/16"

All dimensions shown are to the center of the muntin.


6/8 Lip Lite Grille Locations


GBG/SDL - Lip Lite - 6'8" Center Lite - 1W3H


Panel	Glass	A	B	C	D	E
2/8	8 x 36	-	-	-	22-7/8"	34-7/8"
2/10	8 x 36	-	-	-	22-7/8"	34-7/8"
3/0	8 x 36	-	-	-	22-7/8"	34-7/8"

Wood Grilles - Lip Lite - 6'8" Center Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/8	8 x 36	-	-	-	23-1/16"	34-11/16"
2/10	8 x 36	-	-	-	23-1/16"	34-11/16"
3/0	8 x 36	-	-	-	23-1/16"	34-11/16"


GBG - Lip Lite - 6'8" Center Lite - 6 Lite Prairie

Panel	Glass	A	B	C	D
2/8	8 x 36	16"	-	15-5/16"	42-7/16"
2/10	8 x 36	17"	-	15-5/16"	42-7/16"
3/0	8 x 36	18"	-	15-5/16"	42-7/16"


GBG - Lip Lite - 6'8" Camber Top Lite - 3W2H


Panel	Glass	A	B	C	D
2/6	22 x 10	-	11-5/16"	17-5/16"	7-1/2"
2/8	22 x 10	-	12-5/16"	19-11/16"	7-1/2"
2/10	22 x 10	-	13-5/16"	20-11/16"	7-1/2"
3/0	22 x 10	-	14-5/16"	21-11/16"	7-1/2"

Fixed Grilles - Lip Lite - 6'8" Camber Top Lite - 3W2H

Panel	Glass	A	B	C	D
2/6	22 x 10	-	11-7/8"	18-11/16"	7-1/2"
2/8	22 x 10	-	12-7/8"	19-11/16"	7-1/2"
2/10	22 x 10	-	13-7/8"	20-11/16"	7-1/2"
3/0	22 x 10	-	14-7/8"	21-11/16"	7-1/2"


All dimensions shown are to the center of the muntin.

6/8 Lip Lite Grille Locations




GBG/SDL - Lip Lite - 6'8" Full Lite Craftsman - 2W1H

Panel	Glass	A	B
2/4	16 x 64	14"	19-15/16"
2/6	20 x 64	15"	19-15/16"
2/8	22 x 64	16"	19-15/16"
2/10	22 x 64	17"	19-15/16"
3/0	22 x 64	18"	19-15/16"




GBG/SDL - Lip Lite - 6'8" Full Lite Craftsman - 3W1H

Panel	Glass	A	B	C
2/4	16 x 64	11-5/16"	16-11/16"	19-15/16"
2/6	20 x 64	11-5/8"	18-3/8"	19-15/16"
2/8	22 x 64	12-1/4"	19-3/4"	19-15/16"
2/10	22 x 64	13-1/4"	20-3/4"	19-15/16"
3/0	22 x 64	14-1/4"	21-3/4"	19-15/16"



GBG/SDL - Lip Lite - 6'8" Full Lite Craftsman - 2W2H

Panel	Glass	A	B	C
2/4	16 x 64	14"	12-7/16"	19-15/16"
2/6	20 x 64	15"	12-7/16"	19-15/16"
2/8	22 x 64	16"	12-7/16"	19-15/16"
2/10	22 x 64	17"	12-7/16"	19-15/16"
3/0	22 x 64	18"	12-7/16"	19-15/16"




GBG - Lip Lite - 6'8" Full Lite Craftsman - 3W2H

Panel	Glass	A	B	C	D
2/4	16 x 64	11-5/16"	16-11/16"	12-7/16"	19-15/16"
2/6	20 x 64	11-5/8"	18-3/8"	12-7/16"	19-15/16"
2/8	22 x 64	12-1/4"	19-3/4"	12-7/16"	19-15/16"
2/10	22 x 64	13-1/4"	20-3/4"	12-7/16"	19-15/16"
3/0	22 x 64	14-1/4"	21-3/4"	12-7/16"	19-15/16"

All dimensions shown are to the center of the muntin.

6/8 Lip Lite Grille Locations


GBG/SDL - Lip Lite - 6'8" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12"	7 x 64	-	-	-	17-15/16"	30-3/4"	43-1/2"	56-5/16"
14"	7 x 64	-	-	-	17-15/16"	30-3/4"	43-1/2"	56-5/16"

Wood Grilles - Lip Lite - 6'8" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12"	7 x 64	-	-	-	18-1/4"	30-13/16"	43-7/16"	56"
14"	7 x 64	-	-	-	18-1/4"	30-13/16"	43-7/16"	56"

Fixed Grilles - Lip Lite - 6'8" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12"	7 x 64	-	-	-	18"	30-3/4"	43-1/2"	56-1/4"
14"	7 x 64	-	-	-	18"	30-3/4"	43-1/2"	56-1/4"

GBG - Lip Lite - 6'8" Full Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12"	7 x 64	-	-	-	21-1/8"	37-1/8"	53-1/8"
14"	7 x 64	-	-	-	21-1/8"	37-1/8"	53-1/8"

GBG - Lip Lite - 6'8" Full Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	7 x 64	-	-	-	26-7/16"	47-13/16"
14"	7 x 64	-	-	-	26-7/16"	47-13/16"

GBG - Lip Lite - 6'8" Full Lite Sidelite - 1W2H


Panel	Glass	A	B	C	D
12"	7 x 64	-	-	-	37-1/8"
14"	7 x 64	-	-	-	37-1/8"

GBG - Lip Lite - 6'8" Full Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12"	7 x 64	6"	-	9-9/16"	64-11/16"
14"	7 x 64	7"	-	9-9/16"	64-11/16"

All dimensions shown are to the center of the muntin.

6/8 Lip Lite Grille Locations



GBG/SDL - Lip Lite - 6'8" Half Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	8 x 36	-	-	-	17-1/8"	29-1/8"
14"	8 x 36	-	-	-	17-1/8"	29-1/8"

Wood Grilles - Lip Lite - 6'8" Half Lite Sidelite - 1W3H


Panel	Glass	A	B	C	D	E
12"	8 x 36	-	-	-	17-1/4"	28-15/16"
14"	8 x 36	-	-	-	17-1/4"	28-15/16"

Fixed Grilles - Lip Lite - 6'8" Half Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	8 x 36	-	-	-	17-1/8"	29-1/16"
14"	8 x 36	-	-	-	17-1/8"	29-1/16"

GBG - Lip Lite - 6'8" Half Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12"	8 x 36	6"	-	9-9/16"	36-11/16"
14"	8 x 36	7"	-	9-9/16"	36-11/16"




GBG/SDL - Lip Lite - 6'8" 3/4 Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12"	8 x 47	-	-	-	16-13/16"	28-9/16"	40-1/4"
14"	8 x 47	-	-	-	16-13/16"	28-9/16"	40-1/4"

GBG - Lip Lite - 6'8" 3/4 Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	8 x 47	-	-	-	20-3/4"	36-3/8"
14"	8 x 47	-	-	-	20-3/4"	36-3/8"



GBG - Lip Lite - 6'8" 3/4 Lite Sidelite - 1W2H


Panel	Glass	A	B	C	D
12"	8 x 47	-	-	-	28-9/16"
14"	8 x 47	-	-	-	28-9/16"

GBG - Lip Lite - 6'8" 3/4 Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12"	8 x 47	6"	-	9-9/16"	47-11/16"
14"	8 x 47	7"	-	9-9/16"	47-11/16"

All dimensions shown are to the center of the muntin.


8/0 Lip Lite Grille Locations


GBG - Lip Lite - 8'0" Full Lite - 3W6H and 2W6H

Panel	Glass	A	B	C	D	E	F	G	H
2/6	20 x 80	15"	11-11/16"	18-5/16"	19-1/2"	32-13/16"	46-3/16"	59-1/2"	72-13/16"
2/8	22 x 80	16"	12-5/16"	19-11/16"	19-1/2"	32-13/16"	46-3/16"	59-1/2"	72-13/16"
2/10	22 x 80	17"	13-5/16"	20-11/16"	19-1/2"	32-13/16"	46-3/16"	59-1/2"	72-13/16"
3/0	22 x 80	18"	14-5/16"	21-11/16"	19-1/2"	32-13/16"	46-3/16"	59-1/2"	72-13/16"

Fixed Grilles - Lip Lite - 8'0" Full Lite - 3W6H and 2W6H

Panel	Glass	A	B	C	D	E	F	G	H
2/6	20 x 80	15"	11-11/16"	18-5/16"	19-9/16"	32-7/8"	46-3/16"	59-7/16"	72-3/4"
2/8	22 x 80	16"	12-3/8"	19-5/8"	19-9/16"	32-7/8"	46-3/16"	59-7/16"	72-3/4"
2/10	22 x 80	17"	13-3/8"	20-5/8"	19-9/16"	32-7/8"	46-3/16"	59-7/16"	72-3/4"
3/0	22 x 80	18"	14-3/8"	21-5/8"	19-9/16"	32-7/8"	46-3/16"	59-7/16"	72-3/4"


GBG/SDL - Lip Lite - 8'0" 3/4 Lite - 3W5H and 2W5H


Panel	Glass	A	B	C	D	E	F	G
2/8	22 x 64	16"	12-5/16"	19-11/16"	18-15/16"	31-3/4"	44-9/16"	57-3/8"
2/10	22 x 64	17"	13-5/16"	20-11/16"	18-15/16"	31-3/4"	44-9/16"	57-3/8"
3/0	22 x 64	18"	14-5/16"	21-11/16"	18-15/16"	31-3/4"	44-9/16"	57-3/8"

Wood Grilles - Lip Lite - 8'0" 3/4 Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/8	22 x 64	16"	12-1/2"	19-1/2"	19-1/4"	31-7/8"	44-7/16"	57-1/16"
2/10	22 x 64	17"	13-1/2"	20-1/2"	19-1/4"	31-7/8"	44-7/16"	57-1/16"
3/0	22 x 64	18"	14-1/2"	21-1/2"	19-1/4"	31-7/8"	44-7/16"	57-1/16"

Fixed Grilles - Lip Lite - 8'0" 3/4 Lite - 3W5H and 2W5H


Panel	Glass	A	B	C	D	E	F	G
2/8	22 x 64	16"	12-3/8"	19-5/8"	19-1/16"	31-13/16"	44-9/16"	57-5/16"
2/10	22 x 64	17"	13-3/8"	20-5/8"	19-1/16"	31-13/16"	44-9/16"	57-5/16"
3/0	22 x 64	18"	14-3/8"	21-5/8"	19-1/16"	31-13/16"	44-9/16"	57-5/16"


GBG - Lip Lite - 8'0" 3/4 Lite - 3W4H and 2W4H

Panel	Glass	A	B	C	D	E	F
2/8	22 x 64	16"	12-5/16"	19-11/16"	22-3/16"	38-3/16"	54-3/16"
2/10	22 x 64	17"	13-5/16"	20-11/16"	22-3/16"	38-3/16"	54-3/16"
3/0	22 x 64	18"	14-5/16"	21-11/16"	22-3/16"	38-3/16"	54-3/16"


All dimensions shown are to the center of the muntin.

8/0 Lip Lite Grille Locations




GBG - Lip Lite - 8'0" 3/4 Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 64	16"	-	-	27-1/2"	48-13/16"
2/10	22 x 64	17"	-	-	27-1/2"	48-13/16"
3/0	22 x 64	18"	-	-	27-1/2"	48-13/16"



GBG - Lip Lite - 8'0" 3/4 Lite - 2W2H

Panel	Glass	A	B	C	D
2/8	22 x 64	16"	-	-	38-3/16"
2/10	22 x 64	17"	-	-	38-3/16"
3/0	22 x 64	18"	-	-	38-3/16"




GBG - Lip Lite - 8'0" 3/4 Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/8	22 x 64	9-7/16"	22-9/16"	10-5/8"	65-3/4"
2/10	22 x 64	10-7/16"	23-9/16"	10-5/8"	65-3/4"
3/0	22 x 64	11-7/16"	24-9/16"	10-5/8"	65-3/4"

All dimensions shown are to the center of the muntin.

8/0 Lip Lite Grille Locations



GBG/SDL - Lip Lite - 8'0" Half Lite - 3W4H and 2W4H*

Panel	Glass	A	B	C	D	E	F
2/8	22 x 47	16"	12-5/16"	19-11/16"	17-15/16"	29-11/16"	41-7/16"
2/10	22 x 47	17"	13-5/16"	20-11/16"	17-15/16"	29-11/16"	41-7/16"
3/0	22 x 47	18"	14-5/16"	21-11/16"	17-15/16"	29-11/16"	41-7/16"

*SDL not available in 2W4H configuration.

Wood Grilles - Lip Lite - 8'0" Half Lite - 3W4H


Panel	Glass	A	B	C	D	E	F
2/8	22 x 47	-	12-7/16"	19-9/16"	18-1/8"	29-11/16"	41-3/16"
2/10	22 x 47	-	13-7/16"	20-9/16"	18-1/8"	29-11/16"	41-3/16"
3/0	22 x 47	-	14-7/16"	21-9/16"	18-1/8"	29-11/16"	41-3/16"


GBG - Lip Lite - 8'0" Half Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 47	16"	-	-	21-13/16"	37-1/2"
2/10	22 x 47	17"	-	-	21-13/16"	37-1/2"
3/0	22 x 47	18"	-	-	21-13/16"	37-1/2"

GBG - Lip Lite - 8'0" Half Lite - 2W2H


Panel	Glass	A	B	C	D
2/8	22 x 47	16"	-	-	29-11/16"
2/10	22 x 47	17"	-	-	29-11/16"
3/0	22 x 47	18"	-	-	29-11/16"


GBG - Lip Lite - 8'0" Half Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/8	22 x 47	9-7/16"	22-9/16"	10-5/8"	48-3/4"
2/10	22 x 47	10-7/16"	23-9/16"	10-5/8"	48-3/4"
3/0	22 x 47	11-7/16"	24-9/16"	10-5/8"	48-3/4"

All dimensions shown are to the center of the muntin.

8/0 Lip Lite Grille Locations




GBG/SDL - Lip Lite - 8'0" Half Lite Top and Bottom - 3W4H and 2W4H*

Panel	Glass	A	B	C	D	E	F
2/6	20 x 47	15"	12-5/16"	19-11/16"	32-7/8"	44-5/8"	56-3/8"
2/8	22 x 47	16"	12-5/16"	19-11/16"	32-7/8"	44-5/8"	56-3/8"
2/10	22 x 47	17"	13-5/16"	20-11/16"	32-7/8"	44-5/8"	56-3/8"
3/0	22 x 47	18"	14-5/16"	21-11/16"	32-7/8"	44-5/8"	56-3/8"

*SDL not available in 2W4H configuration.

Wood Grilles - Lip Lite - 8'0" Half Lite Top and Bottom - 3W4H

Panel	Glass	A	B	C	D	E	F
2/8	22 x 47	-	12-7/16"	19-9/16"	33-1/16"	44-5/8"	56-3/16"
2/10	22 x 47	-	13-7/16"	20-9/16"	33-1/16"	44-5/8"	56-3/16"
3/0	22 x 47	-	14-7/16"	21-9/16"	33-1/16"	44-5/8"	56-3/16"




GBG - Lip Lite - 8'0" Half Lite Top and Bottom - 2W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 47	16"	-	-	36-13/16"	52-7/16"
2/10	22 x 47	17"	-	-	36-13/16"	52-7/16"
3/0	22 x 47	18"	-	-	36-13/16"	52-7/16"

GBG - Lip Lite - 8'0" Half Lite Top and Bottom - 2W2H

Panel	Glass	A	B	C	D
2/8	22 x 47	16"	-	-	44-5/8"
2/10	22 x 47	17"	-	-	44-5/8"
3/0	22 x 47	18"	-	-	44-5/8"




GBG - Lip Lite - 8'0" Half Lite Top and Bottom - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/8	22 x 47	9-7/16"	22-9/16"	25-9/16"	63-11/16"
2/10	22 x 47	10-7/16"	23-9/16"	25-9/16"	63-11/16"
3/0	22 x 47	11-7/16"	24-9/16"	25-9/16"	63-11/16"

All dimensions shown are to the center of the muntin.


8/0 Lip Lite Grille Locations


GBG - Lip Lite - 8'0" Center Lite - 1W3H


Panel	Glass	A	B	C	D	E
2/8	8 x 36	-	-	-	38-9/16"	50-9/16"
2/10	8 x 36	-	-	-	38-9/16"	50-9/16"
3/0	8 x 36	-	-	-	38-9/16"	50-9/16"

Wood Grilles - Lip Lite - 8'0" Center Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/8	8 x 36	-	-	-	38-3/4"	50-7/16"
2/10	8 x 36	-	-	-	38-3/4"	50-7/16"
3/0	8 x 36	-	-	-	38-3/4"	50-7/16"


GBG - Lip Lite - 8'0" Center Lite - 6 Lite Prairie

Panel	Glass	A	B	C	D
2/8	8 x 36	16"	-	31"	58-1/8"
2/10	8 x 36	17"	-	31"	58-1/8"
3/0	8 x 36	18"	-	31"	58-1/8"


GBG - Lip Lite - 8'0" Camber Top Lite - 3W2H


Panel	Glass	A	B	C	D
2/6	22 x 10	-	11-5/16"	17-5/16"	8-3/8"
2/8	22 x 10	-	12-5/16"	19-11/16"	8-3/8"
2/10	22 x 10	-	13-5/16"	20-11/16"	8-3/8"
3/0	22 x 10	-	14-5/16"	21-11/16"	8-3/8"

Fixed Grilles - Lip Lite - 8'0" Camber Top Lite - 3W2H

Panel	Glass	A	B	C	D
2/6	22 x 10	-	11-7/8"	18-11/16"	8-3/8"
2/8	22 x 10	-	12-7/8"	19-11/16"	8-3/8"
2/10	22 x 10	-	13-7/8"	20-11/16"	8-3/8"
3/0	22 x 10	-	14-7/8"	21-11/16"	8-3/8"


All dimensions shown are to the center of the muntin.

8/0 Lip Lite Grille Locations




GBG/SDL - Lip Lite - 8'0" Full Lite Craftsman - 2W1H

Panel	Glass	A	B
2/0	14 x 80	12"	21-1/16"
2/6	20 x 80	15"	21"
2/8	22 x 80	16"	21"
2/10	22 x 80	17"	21"
3/0	22 x 80	18"	21"




GBG/SDL - Lip Lite - 8'0" Full Lite Craftsman - 3W1H

Panel	Glass	A	B	C
2/0	14 x 80	9-5/8"	14-3/8"	21-1/16"
2/6	20 x 80	11-5/8"	18-3/8"	21"
2/8	22 x 80	12-1/4"	19-3/4"	21"
2/10	22 x 80	13-1/4"	20-3/4"	21"
3/0	22 x 80	14-1/4"	21-3/4"	21"



GBG/SDL - Lip Lite - 8'0" Full Lite Craftsman - 2W2H

Panel	Glass	A	B	C
2/0	14 x 80	12"	13-9/16"	21-1/16"
2/6	20 x 80	15"	13-1/2"	21"
2/8	22 x 80	16"	13-1/2"	21"
2/10	22 x 80	17"	13-1/2"	21"
3/0	22 x 80	18"	13-1/2"	21"




GBG/SDL - Lip Lite - 8'0" Full Lite Craftsman - 3W2H

Panel	Glass	A	B	C	D
2/0	14 x 80	9-5/8"	14-3/8"	13-9/16"	21-1/16"
2/6	20 x 80	11-5/8"	18-3/8"	13-1/2"	21"
2/8	22 x 80	12-1/4"	19-3/4"	13-1/2"	21"
2/10	22 x 80	13-1/4"	20-3/4"	13-1/2"	21"
3/0	22 x 80	14-1/4"	21-3/4"	13-1/2"	21"


All dimensions shown are to the center of the muntin.

8/0 Lip Lite Grille Locations




GBG/SDL - Lip Lite - 8'0" 3/4 Lite Craftsman - 2W1H

Panel	Glass	A	B
2/8	22 x 64	16"	21"
2/10	22 x 64	17"	21"
3/0	22 x 64	18"	21"




GBG/SDL - Lip Lite - 8'0" 3/4 Lite Craftsman - 3W1H

Panel	Glass	A	B	C
2/8	22 x 64	12-1/4"	19-3/4"	21"
2/10	22 x 64	13-1/4"	20-3/4"	21"
3/0	22 x 64	14-1/4"	21-3/4"	21"



GBG/SDL - Lip Lite - 8'0" 3/4 Lite Craftsman - 2W2H

Panel	Glass	A	B	C
2/8	22 x 64	16"	13-1/2"	21"
2/10	22 x 64	17"	13-1/2"	21"
3/0	22 x 64	18"	13-1/2"	21"




GBG/SDL - Lip Lite - 8'0" 3/4 Lite Craftsman - 3W2H

Panel	Glass	A	B	C	D
2/8	22 x 64	12-1/4"	19-3/4"	13-1/2"	21"
2/10	22 x 64	13-1/4"	20-3/4"	13-1/2"	21"
3/0	22 x 64	14-1/4"	21-3/4"	13-1/2"	21"

All dimensions shown are to the center of the muntin.

8/0 Lip Lite Grille Locations

**GBG - Lip Lite - 8'0" Full Lite Sidelite - 1W6H**

Panel	Glass	A	B	C	D	E	F	G	H
12"	7 x 80	-	-	-	19-5/8"	33"	46-5/16"	59-5/8"	73"
14"	7 x 80	-	-	-	19-5/8"	33"	46-5/16"	59-5/8"	73"

Fixed Grilles - Lip Lite - 8'0" Full Lite Sidelite - 1W6H

Panel	Glass	A	B	C	D	E	F	G	H
12"	7 x 80	-	-	-	19-1/4"	32-13/16"	46-5/16"	59-13/16"	73-3/8"
14"	7 x 80	-	-	-	19-1/4"	32-13/16"	46-5/16"	59-13/16"	73-3/8"

GBG/SDL - Lip Lite - 8'0" 3/4 Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12"	7 x 64	-	-	-	19"	31-13/16"	44-9/16"	57-3/8"
14"	7 x 64	-	-	-	19"	31-13/16"	44-9/16"	57-3/8"

Wood Grilles - Lip Lite - 8'0" 3/4 Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12"	7 x 64	-	-	-	19-5/16"	31-7/8"	44-1/2"	57-1/16"
14"	7 x 64	-	-	-	19-5/16"	31-7/8"	44-1/2"	57-1/16"

Fixed Grilles - Lip Lite - 8'0" 3/4 Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12"	7 x 64	-	-	-	19-1/16"	31-13/16"	44-9/16"	57-5/16"
14"	7 x 64	-	-	-	19-1/16"	31-13/16"	44-9/16"	57-5/16"

GBG - Lip Lite - 8'0" 3/4 Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12"	7 x 64	-	-	-	22-3/16"	38-3/16"	54-3/16"
14"	7 x 64	-	-	-	22-3/16"	38-3/16"	54-3/16"

GBG - Lip Lite - 8'0" 3/4 Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	7 x 64	-	-	-	27-1/2"	48-7/8"
14"	7 x 64	-	-	-	27-1/2"	48-7/8"

GBG - Lip Lite - 8'0" 3/4 Lite Sidelite - 1W2H


Panel	Glass	A	B	C	D
12"	7 x 64	-	-	-	38-3/16"
14"	7 x 64	-	-	-	38-3/16"

GBG - Lip Lite - 8'0" 3/4 Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12"	7 x 64	6"	-	10-5/8"	65-3/4"
14"	7 x 64	7"	-	10-5/8"	65-3/4"

All dimensions shown are to the center of the muntin.

8/0 Lip Lite Grille Locations


GBG/SDL - Lip Lite - 8'0" Half Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12"	8 x 47	-	-	-	17-7/8"	29-5/8"	41-5/16"
14"	8 x 47	-	-	-	17-7/8"	29-5/8"	41-5/16"

GBG - Lip Lite - 8'0" Half Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	8 x 47	-	-	-	21-13/16"	37-7/16"
14"	8 x 47	-	-	-	21-13/16"	37-7/16"

GBG - Lip Lite - 8'0" Half Lite Sidelite - 1W2H


Panel	Glass	A	B	C	D
12"	8 x 47	-	-	-	29-5/8"
14"	8 x 47	-	-	-	29-5/8"

GBG - Lip Lite - 8'0" Half Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12"	8 x 47	6"	-	10-5/8"	48-3/4"
14"	8 x 47	7"	-	10-5/8"	48-3/4"

All dimensions shown are to the center of the muntin.

6/8 Flush-Glazed Grille Locations



GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	15"	11-1/2"	18-1/2"	17-7/16"	30-5/16"	43-3/16"	56"
2/8	20 x 64	16"	12-1/2"	19-1/2"	17-7/16"	30-5/16"	43-3/16"	56"
2/10	25 x 64	17"	12-13/16"	21-3/16"	17-7/16"	30-5/16"	43-3/16"	56"
3/0	25 x 64	18"	13-13/16"	22-3/16"	17-7/16"	30-5/16"	43-3/16"	56"

GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	15"	11-1/2"	18-1/2"	17-5/8"	30-1/2"	43-5/16"	56-3/16"
2/8	20 x 64	16"	12-1/2"	19-1/2"	17-5/8"	30-1/2"	43-5/16"	56-3/16"
*2/10	25 x 64	17"	12-13/16"	21-3/16"	17-5/8"	30-1/2"	43-5/16"	56-3/16"
3/0	27 x 64	18"	13-1/2"	22-1/2"	17-5/8"	30-1/2"	43-3/8"	56-1/4"


*Only available in 6/6

Wood Grilles - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	15"	11-9/16"	18-7/16"	17-11/16"	30-3/8"	43-1/8"	55-13/16"
2/8	20 x 64	16"	12-9/16"	19-7/16"	17-11/16"	30-3/8"	43-1/8"	55-13/16"
2/10	25 x 64	17"	12-7/8"	21-1/8"	17-11/16"	30-3/8"	43-1/8"	55-13/16"
3/0	25 x 64	18"	13-7/8"	22-1/8"	17-11/16"	30-3/8"	43-1/8"	55-13/16"

Wood Grilles - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	15"	11-9/16"	18-7/16"	17-13/16"	30-9/16"	43-1/4"	56"
2/8	20 x 64	16"	12-9/16"	19-7/16"	17-13/16"	30-9/16"	43-1/4"	56"
2/10	25 x 64	17"	12-7/8"	21-1/8"	17-13/16"	30-9/16"	43-1/4"	56"
3/0	25 x 64	18"	13-7/8"	22-1/8"	17-13/16"	30-9/16"	43-1/4"	56"



GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 3W4H and 2W4H

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	15"	11-1/2"	18-1/2"	20-11/16"	36-3/4"	52-13/16"
2/8	20 x 64	16"	12-1/2"	19-1/2"	20-11/16"	36-3/4"	52-13/16"
2/10	25 x 64	17"	13-3/8"	22-7/16"	20-11/16"	36-3/4"	52-7/8"
3/0	25 x 64	18"	14-3/8"	23-7/16"	20-11/16"	36-3/4"	52-7/8"


GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 3W4H and 2W4H

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	15"	11-1/2"	18-1/2"	20-13/16"	36-15/16"	53"
2/8	20 x 64	16"	12-1/2"	19-1/2"	20-13/16"	36-15/16"	53"
*2/10	25 x 64	17"	13-3/8"	22-7/16"	20-7/8"	36-15/16"	53-1/16"
3/0	27 x 64	18"	13-1/2"	22-1/2"	20-7/8"	36-15/16"	53-1/16"

*Only available in 6/6

All dimensions shown are to the center of the muntin.

6/8 Flush-Glazed Grille Locations



GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 64	15"	-	-	26"	47-7/16"
2/8	20 x 64	16"	-	-	26"	47-7/16"
2/10	25 x 64	17"	-	-	26"	47-7/16"
3/0	25 x 64	18"	-	-	26"	47-7/16"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 64	15"	-	-	26-3/16"	47-5/8"
2/8	20 x 64	16"	-	-	26-3/16"	47-5/8"
*2/10	25 x 64	17"	-	-	26-3/16"	47-5/8"
3/0	27 x 64	18"	-	-	26-3/16"	47-11/16"

*Only available in 6/6



GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 2W2H

Panel	Glass	A	B	C	D
2/6	20 x 64	15"	-	-	36-3/4"
2/8	20 x 64	16"	-	-	36-3/4"
2/10	25 x 64	17"	-	-	36-3/4"
3/0	25 x 64	18"	-	-	36-3/4"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 2W2H

Panel	Glass	A	B	C	D
2/6	20 x 64	15"	-	-	36-15/16"
2/8	20 x 64	16"	-	-	36-15/16"
*2/10	25 x 64	17"	-	-	36-15/16"
3/0	27 x 64	18"	-	-	36-15/16"

*Only available in 6/6


GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/6	20 x 64	8-7/8"	21-1/8"	9"	64-7/16"
2/8	20 x 64	9-7/8"	22-1/8"	9"	64-7/16"
2/10	25 x 64	8-13/16"	25-3/16"	9"	64-7/16"
3/0	25 x 64	9-13/16"	26-3/16"	9"	64-7/16"


GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/6	20 x 64	8-7/8"	21-1/8"	9-3/16"	64-5/8"
2/8	20 x 64	9-7/8"	22-1/8"	9-3/16"	64-5/8"
*2/10	25 x 64	8-13/16"	25-3/16"	9-3/16"	64-5/8"
3/0	27 x 64	8-7/8"	27-1/8"	9-3/16"	64-11/16"

*Only available in 6/6

All dimensions shown are to the center of the muntin.


6/8 Flush-Glazed Grille Locations



GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite - 3W4H and 2W4H*


Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	15"	12-13/16"	21-3/16"	16-5/8"	28-5/8"	40-5/8"
2/8	20 x 64	16"	13-13/16"	22-3/16"	16-5/8"	28-5/8"	40-5/8"
2/10	25 x 47	17"	12-13/16"	21-3/16"	16-9/16"	28-5/8"	40-5/8"
3/0	25 x 47	18"	13-13/16"	22-3/16"	16-9/16"	28-5/8"	40-5/8"

*SDL not available in 2W4H configuration.




GBG - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 64	15"	-	-	20-5/8"	36-5/8"
2/8	20 x 64	16"	-	-	20-5/8"	36-5/8"
2/10	25 x 47	17"	-	-	20-5/8"	36-5/8"
3/0	25 x 47	18"	-	-	20-5/8"	36-5/8"



GBG - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite - 2W2H

Panel	Glass	A	B	C	D
2/6	20 x 64	15"	-	-	28-5/8"
2/8	20 x 64	16"	-	-	28-5/8"
2/10	25 x 47	17"	-	-	28-5/8"
3/0	25 x 47	18"	-	-	28-5/8"




GBG - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/6	20 x 64	8-13/16"	21-3/16"	9"	48-3/16"
2/8	20 x 64	9-13/16"	22-3/16"	9"	48-3/16"
2/10	25 x 47	8-13/16"	25-3/16"	9"	48-3/16"
3/0	25 x 47	9-13/16"	26-3/16"	9"	48-3/16"

All dimensions shown are to the center of the muntin.

6/8 Flush-Glazed Grille Locations


GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" Half Lite - 3W3H

Panel	Glass	A	B	C	D	E
2/6	22 x 36	-	11-5/16"	18-11/16"	16-5/8"	28-3/4"
2/8	22 x 36	-	12-5/16"	19-11/16"	16-5/8"	28-3/4"
3/0	22 x 36	-	14-5/16"	21-11/16"	16-5/8"	28-3/4"

GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Half Lite - 3W3H


Panel	Glass	A	B	C	D	E
2/6	22 x 36	-	11-5/16"	18-11/16"	16-7/8"	28-15/16"
2/8	22 x 36	-	12-5/16"	19-11/16"	16-7/8"	28-15/16"
3/0	22 x 36	-	14-5/16"	21-11/16"	16-7/8"	28-15/16"

Wood Grilles - Flush-Glazed - Smooth-Star - 6'8" Half Lite - 3W3H

Panel	Glass	A	B	C	D	E
2/6	22 x 36	-	11-7/16"	18-9/16"	16-3/4"	28-9/16"
2/8	22 x 36	-	12-7/16"	19-9/16"	16-3/4"	28-9/16"
3/0	22 x 36	-	14-7/16"	21-9/16"	16-3/4"	28-9/16"

Wood Grilles - Flush-Glazed - Fiber Classic - 6'8" Half Lite - 3W3H

Panel	Glass	A	B	C	D	E
2/6	22 x 36	-	11-3/8"	18-5/8"	17"	28-13/16"
2/8	22 x 36	-	12-3/8"	19-5/8"	17"	28-13/16"
3/0	22 x 36	-	14-3/8"	21-5/8"	17"	28-13/16"


GBG - Flush-Glazed - Smooth-Star - 6'8" Half Lite - 9 Lite Prairie


Panel	Glass	A	B	C	D
2/6	22 x 36	8-5/16"	21-11/16"	8-15/16"	36-3/8"
2/8	22 x 36	9-5/16"	22-11/16"	8-15/16"	36-3/8"
3/0	22 x 36	11-5/16"	24-11/16"	8-15/16"	36-3/8"

GBG - Flush-Glazed - Fiber Classic - 6'8" Half Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/6	22 x 36	8-5/16"	21-11/16"	9-3/16"	36-5/8"
2/8	22 x 36	9-5/16"	22-11/16"	9-3/16"	36-5/8"
3/0	22 x 36	11-5/16"	24-11/16"	9-3/16"	36-5/8"

All dimensions shown are to the center of the muntin.

6/8 Flush-Glazed Grille Locations




GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite Craftsman - 2W1H

Panel	Glass	A	B
2/0	14 x 64	12"	20-1/2"
2/6	20 x 64	15"	20-1/8"
2/8	20 x 64	16"	20-1/8"
2/10	25 x 64	17"	20-1/8"
3/0	25 x 64	18"	20-1/8"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite Craftsman - 2W1H

Panel	Glass	A	B
2/0	14 x 64	12"	20-1/8"
2/6	20 x 64	15"	20-5/16"
2/8	20 x 64	16"	20-5/16"
2/10	25 x 64	17"	20-5/16"
3/0	27 x 64	18"	20-5/16"




GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite Craftsman - 3W1H

Panel	Glass	A	B	C
2/0	14 x 64	9-7/16"	14-9/16"	20-3/16"
2/6	20 x 64	11-7/16"	18-9/16"	20-1/8"
2/8	20 x 64	12-7/16"	19-9/16"	20-1/8"
2/10	25 x 64	12-3/4"	21-1/4"	20-1/8"
3/0	25 x 64	13-3/4"	22-1/4"	20-1/8"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite Craftsman - 3W1H

Panel	Glass	A	B	C
2/0	14 x 64	9-7/16"	14-9/16"	20-5/16"
2/6	20 x 64	11-7/16"	18-9/16"	20-5/16"
2/8	20 x 64	12-7/16"	19-9/16"	20-5/16"
2/10	25 x 64	12-3/4"	21-1/4"	20-5/16"
3/0	27 x 64	13-1/2"	22-1/2"	20-5/16"




GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite Craftsman - 2W2H

Panel	Glass	A	B	C
2/0	14 x 64	12"	12-3/8"	20-3/16"
2/6	20 x 64	15"	12-3/8"	20-1/8"
2/8	20 x 64	16"	12-3/8"	20-1/8"
2/10	25 x 64	17"	12-3/8"	20-1/8"
3/0	25 x 64	18"	12-3/8"	20-1/8"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite Craftsman - 2W2H

Panel	Glass	A	B	C
2/0	14 x 64	12"	12-1/2"	20-5/16"
2/6	20 x 64	15"	12-1/2"	20-5/16"
2/8	20 x 64	16"	12-1/2"	20-5/16"
2/10	25 x 64	17"	12-1/2"	20-5/16"
3/0	27 x 64	18"	12-1/2"	20-5/16"



GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite Craftsman - 3W2H


Panel	Glass	A	B	C	D
2/0	14 x 64	9-7/16"	14-9/16"	12-3/8"	20-3/16"
2/6	20 x 64	11-7/16"	18-9/16"	12-3/8"	20-1/8"
2/8	20 x 64	12-7/16"	19-9/16"	12-3/8"	20-1/8"
2/10	25 x 64	12-3/4"	21-1/4"	12-3/8"	20-1/8"
3/0	25 x 64	13-3/4"	22-1/4"	12-3/8"	20-1/8"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite Craftsman - 3W2H

Panel	Glass	A	B	C	D
2/0	14 x 64	9-7/16"	14-9/16"	12-1/2"	20-5/16"
2/6	20 x 64	11-7/16"	18-9/16"	12-1/2"	20-5/16"
2/8	20 x 64	12-7/16"	19-9/16"	12-1/2"	20-5/16"
2/10	25 x 64	12-3/4"	21-1/4"	12-1/2"	20-5/16"
3/0	27 x 64	13-1/2"	22-1/2"	12-1/2"	20-5/16"

All dimensions shown are to the center of the muntin.

6/8 Flush-Glazed Grille Locations


GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12	7 x 64	-	-	-	17-9/16"	30-5/16"	43-1/8"	55-15/16"
14	7 x 64	-	-	-	17-9/16"	30-5/16"	43-1/8"	55-15/16"

GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12	8 x 64	-	-	-	17-5/8"	30-1/2"	43-5/16"	56-3/16"
14	8 x 64	-	-	-	17-5/8"	30-1/2"	43-5/16"	56-3/16"

Wood Grilles - Flush-Glazed - Fiber Classic - 6'8" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12"	8 x 64	-	-	-	17-13/16"	30-9/16"	43-1/4"	56"
14"	8 x 64	-	-	-	17-13/16"	30-9/16"	43-1/4"	56"

GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12	7 x 64	-	-	-	20-3/4"	36-3/4"	52-3/4"
14	7 x 64	-	-	-	20-3/4"	36-3/4"	52-3/4"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12	8 x 64	-	-	-	20-13/16"	36-15/16"	53"
14	8 x 64	-	-	-	20-13/16"	36-15/16"	53"

GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12	7 x 64	-	-	-	26-1/16"	47-3/8"
14	7 x 64	-	-	-	26-1/16"	47-3/8"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12	8 x 64	-	-	-	26-3/16"	47-5/8"
14	8 x 64	-	-	-	26-3/16"	47-5/8"

GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 1W2H

Panel	Glass	A	B	C	D
12	7 x 64	-	-	-	36-3/4"
14	7 x 64	-	-	-	36-3/4"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite Sidelite - 1W2H

Panel	Glass	A	B	C	D
12	8 x 64	-	-	-	36-15/16"
14	8 x 64	-	-	-	36-15/16"

GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 6 Lite Prairie


Panel	Glass	A	B	C	D
12	7 x 64	6"	-	9-3/16"	64-5/16"
14	7 x 64	7"	-	9-3/16"	64-5/16"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12	8 x 64	6"	-	9-3/16"	64-5/8"
14	8 x 64	7"	-	9-3/16"	64-5/8"

All dimensions shown are to the center of the muntin.

6/8 Flush-Glazed Grille Locations



GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Half Lite Sidelite - 1W3H


Panel	Glass	A	B	C	D	E
12	8 x 36	-	-	-	16-7/8"	28-15/16"
14	8 x 36	-	-	-	16-7/8"	28-15/16"

Wood Grilles - Flush-Glazed - Fiber Classic - 6'8" Half Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	8 x 36	-	-	-	17"	28-13/16"
14"	8 x 36	-	-	-	17"	28-13/16"

GBG - Flush-Glazed - Fiber Classic - 6'8" Half Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12	8 x 36	6"	-	9-3/16"	36-5/8"
14	8 x 36	7"	-	9-3/16"	36-5/8"



GBG - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite Sidelite - 1W4H


Panel	Glass	A	B	C	D	E	F
12	8 x 47	-	-	-	16-7/8"	28-5/8"	40-5/16"
14	8 x 47	-	-	-	16-7/8"	28-5/8"	40-5/16"

Wood Grilles - Flush-Glazed - Fiber Classic - 6'8" 3/4 Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12"	8 x 47	-	-	-	17-1/16"	28-5/8"	40-3/16"
14"	8 x 47	-	-	-	17-1/16"	28-5/8"	40-3/16"

GBG - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12	8 x 47	-	-	-	20-13/16"	36-7/16"
14	8 x 47	-	-	-	20-13/16"	36-7/16"



GBG - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite Sidelite - 1W2H


Panel	Glass	A	B	C	D
12	8 x 47	-	-	-	28-5/8"
14	8 x 47	-	-	-	28-5/8"

GBG - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12	8 x 47	6"	-	9-5/8"	47-5/8"
14	8 x 47	7"	-	9-5/8"	47-5/8"

All dimensions shown are to the center of the muntin.

8/0 Flush-Glazed Grille Locations


GBG - Flush-Glazed - Smooth-Star - 8'0" Full Lite - 3W6H and 2W6H

Panel	Glass	A	B	C	D	E	F	G	H
2/6	21 x 80	15"	11-1/2"	18-1/2"	18-7/8"	32-1/4"	45-9/16"	58-7/8"	72-1/4"
2/8	21 x 80	16"	12-1/2"	19-1/2"	18-7/8"	32-1/4"	45-9/16"	58-7/8"	72-1/4"
2/10	25 x 80	17"	12-13/16"	21-3/16"	18-7/8"	32-3/16"	45-9/16"	58-7/8"	72-3/16"
3/0	25 x 80	18"	13-13/16"	22-3/16"	18-7/8"	32-3/16"	45-9/16"	58-7/8"	72-3/16"

Wood Grilles - Flush-Glazed - Smooth-Star - 8'0" Full Lite - 3W6H and 2W6H


Panel	Glass	A	B	C	D	E	F	G	H
2/6	21 x 80	15"	11-5/8"	18-3/8"	19-1/8"	32-3/8"	45-9/16"	58-3/4"	72"
2/8	21 x 80	16"	12-5/8"	19-3/8"	19-1/8"	32-3/8"	45-9/16"	58-3/4"	72"
2/10	25 x 80	17"	12-15/16"	21-1/16"	19-1/8"	32-5/16"	45-9/16"	58-3/4"	71-15/16"
3/0	25 x 80	18"	13-15/16"	22-1/16"	19-1/8"	32-5/16"	45-9/16"	58-3/4"	71-15/16"

GBG - Flush-Glazed - Fiber Classic - 8'0" Full Lite - 3W6H and 2W6H

Panel	Glass	A	B	C	D	E	F	G	H
2/6	21 x 80	15"	11-1/2"	18-1/2"	18-7/8"	32-1/4"	45-9/16"	58-7/8"	72-1/4"
2/8	21 x 80	16"	12-1/2"	19-1/2"	18-7/8"	32-1/4"	45-9/16"	58-7/8"	72-1/4"
2/10	25 x 80	17"	12-13/16"	21-3/16"	18-7/8"	32-1/4"	45-9/16"	58-7/8"	72-1/4"
3/0	25 x 80	18"	13-13/16"	22-3/16"	18-7/8"	32-1/4"	45-9/16"	58-7/8"	72-1/4"

Wood Grilles - Flush-Glazed - Fiber Classic - 8'0" Full Lite - 3W6H and 2W6H

Panel	Glass	A	B	C	D	E	F	G	H
2/6	21 x 80	15"	11-5/8"	18-3/8"	19-1/8"	32-3/8"	45-9/16"	58-3/4"	72"
2/8	21 x 80	16"	12-5/8"	19-3/8"	19-1/8"	32-3/8"	45-9/16"	58-3/4"	72"
2/10	25 x 80	17"	12-15/16"	21-1/16"	19-1/8"	32-3/8"	45-9/16"	58-3/4"	72"
3/0	25 x 80	18"	13-15/16"	22-1/16"	19-1/8"	32-3/8"	45-9/16"	58-3/4"	72"


GBG - Flush-Glazed - Smooth-Star - 8'0" Full Lite - 9 Lite Prairie


Panel	Glass	A	B	C	D
2/0	14 x 80	9-7/16"	14-9/16"	10"	81-1/8"
2/6	21 x 80	8-15/16"	21-1/16"	10"	81-1/8"
2/8	21 x 80	10-15/16"	21-1/16"	10"	81-1/8"
2/10	25 x 80	10-15/16"	23-1/16"	10"	81-1/8"
3/0	25 x 80	12-15/16"	23-1/16"	10"	81-1/8"

GBG - Flush-Glazed - Fiber Classic - 8'0" Full Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/0	14 x 80	9-7/16"	14-9/16"	10"	81-1/8"
2/6	21 x 80	8-15/16"	21-1/16"	10"	81-1/8"
2/8	21 x 80	10-15/16"	21-1/16"	10"	81-1/8"
2/10	25 x 80	10-15/16"	23-1/16"	10"	81-1/8"
3/0	25 x 80	12-15/16"	23-1/16"	10"	81-1/8"

All dimensions shown are to the center of the muntin.


8/0 Flush-Glazed Grille Locations

**GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" Full Lite Craftsman - 2W1H**

Panel	Glass	A	B
2/0	14 x 64	12"	21-1/8"
2/6	21 x 64	15"	21-1/8"
2/8	21 x 64	16"	21-1/8"
2/10	25 x 64	17"	21-1/8"
3/0	25 x 64	18"	21-1/8"

GBG/SDL - Flush-Glazed - Fiber Classic - 8'0" Full Lite Craftsman - 2W1H


Panel	Glass	A	B
2/0	14 x 64	12"	21-1/8"
2/6	21 x 64	15"	21-1/8"
2/8	21 x 64	16"	21-1/8"
2/10	25 x 64	17"	21-1/8"
3/0	25 x 64	18"	21-1/8"

**GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" Full Lite Craftsman - 3W1H**

Panel	Glass	A	B	C
2/0	14 x 64	10-1/8"	13-7/8"	21-1/8"
2/6	21 x 64	11-1/2"	18-1/2"	21-1/8"
2/8	21 x 64	12-1/2"	19-1/2"	21-1/8"
2/10	25 x 64	12-13/16"	21-3/16"	21-1/8"
3/0	25 x 64	13-13/16"	22-3/16"	21-1/8"

GBG/SDL - Flush-Glazed - Fiber Classic - 8'0" Full Lite Craftsman - 3W1H


Panel	Glass	A	B	C
2/0	14 x 64	10-1/8"	13-7/8"	21-1/8"
2/6	21 x 64	11-1/2"	18-1/2"	21-1/8"
2/8	21 x 64	12-1/2"	19-1/2"	21-1/8"
2/10	25 x 64	12-13/16"	21-3/16"	21-1/8"
3/0	25 x 64	13-13/16"	22-3/16"	21-1/8"

**GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" Full Lite Craftsman - 2W2H**

Panel	Glass	A	B	C
2/0	14 x 64	12"	13-5/16"	21-1/8"
2/6	21 x 64	15"	13-5/16"	21-1/8"
2/8	21 x 64	16"	13-5/16"	21-1/8"
2/10	25 x 64	17"	13-5/16"	21-1/8"
3/0	25 x 64	18"	13-5/16"	21-1/8"

GBG/SDL - Flush-Glazed - Fiber Classic - 8'0" Full Lite Craftsman - 2W2H

Panel	Glass	A	B	C
2/0	14 x 64	12"	13-5/16"	21-1/8"
2/6	21 x 64	15"	13-5/16"	21-1/8"
2/8	21 x 64	16"	13-5/16"	21-1/8"
2/10	25 x 64	17"	13-5/16"	21-1/8"
3/0	25 x 64	18"	13-5/16"	21-1/8"

**GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" Full Lite Craftsman - 3W2H**




Panel	Glass	A	B	C	D
2/0	14 x 64	10-1/8"	13-7/8"	13-5/16"	21-1/8"
2/6	21 x 64	11-1/2"	18-1/2"	13-5/16"	21-1/8"
2/8	21 x 64	12-1/2"	19-1/2"	13-5/16"	21-1/8"
2/10	25 x 64	12-13/16"	21-3/16"	13-5/16"	21-1/8"
3/0	25 x 64	13-13/16"	22-3/16"	13-5/16"	21-1/8"

GBG/SDL - Flush-Glazed - Fiber Classic - 8'0" Full Lite Craftsman - 3W2H

Panel	Glass	A	B	C	D
2/0	14 x 64	10-1/8"	13-7/8"	13-5/16"	21-1/8"
2/6	21 x 64	11-1/2"	18-1/2"	13-5/16"	21-1/8"
2/8	21 x 64	12-1/2"	19-1/2"	13-5/16"	21-1/8"
2/10	25 x 64	12-13/16"	21-3/16"	13-5/16"	21-1/8"
3/0	25 x 64	13-13/16"	22-3/16"	13-5/16"	21-1/8"

All dimensions shown are to the center of the muntin.


Vinyl Sliding Patio Doors




Vinyl Sliding Patio Doors

Replacement Height 1-Lite


Single



Double



Triple



Scale: 1/8" = 1'0"

Part Number Key

PVISHZZRP - PDLSGTF

(Example: PVISFRF30RS-PL01CNW)

P Patio

VI VI = Vinyl Patio

S Slider

H Hand Designation

F = Fixed

L = Left

R = Right

ZZ Panel Width

26 = 2/6

30 = 3/0

40 = 4/0

R Panel Height

R = Replacement

P Performance Grade

S = Standard

H = High Performance

P P = Prehung

DLS Door Lite Style

L01 = 1 Lite

F9P = 9 Lite (Flat Bar)

F10 = 10 Lite (Flat Bar)

F15 = 15 Lite (Flat Bar)

C9P = 9 Lite (Contoured)

C10 = 10 Lite (Contoured)

C15 = 15 Lite (Contoured)

G Glazing Performance

C = Clear Glass (Air Filled)

E = Low E (270) - (Argon Filled)

3 = Low E (366) - (Argon Filled)

T Tint Option

N = No Tint

G = Gray Tint

B = Bronze Tint

F Unit Finish

T = Stone

A = Almond

W = White

Hand Designations

(Viewed from the exterior)


F Fixed Panel

L Left Hand

R Right Hand




F




LF



FR



FLF




FRF


Vinyl Sliding Patio Doors

Vinyl Sliding Patio Doors - Panel Size


Unit	Panel Width	Panel Height	Daylight Width	Daylight Height
2/6 Replacement Ht.	30-1/4"	76-1/4"	25-1/2"	71-1/2"
3/0 Replacement Ht.	36-1/4"	76-1/4"	31-1/2"	71-1/2"
4/0 Replacement Ht.	48-1/4"	76-1/4"	43-1/2"	71-1/2"


HORIZONTAL PANEL SECTION


Scale: 3" = 1'


VERTICAL PANEL SECTION

Scale: 3" = 1'


GRILLE SECTION

Scale: 1:1


GRILLE SECTION


Scale: 1:1

Vinyl Sliding Patio Doors

Unit	Sq. Ft. Daylight Opening	Clear Opening Width	Clear Opening Height	Sq. Ft. Clear Opening
PVISF30R	15.64	---	---	---
PVIS(LF/RF)26R	25.32	25"	76-1/8"	13.21
PVIS(LF/RF)30R	31.28	31"	76-1/8"	16.38
PVIS(LF/RF)40R	43.19	43"	76-1/8"	22.73
PVIS(FLF/FRF)30R	46.92	31"	76-1/8"	16.38


Vinyl Sliding Patio Doors

Grille Locations




Vinyl Replacement Height 10- Lite Grille Location

Unit	A	B	C	D	E
PVIS26R	15-1/8"	16-3/4"	31-1/16"	45-3/8"	59-11/16"
PVIS30R	18-1/8"	16-3/4"	31-1/16"	45-3/8"	59-11/16"



Vinyl Replacement Height 15- Lite Grille Location


Unit	A	B	C	D	E	F
PVIS26R	15-1/8"	19-7/16"	16-3/4"	31-1/16"	45-3/8"	59-11/16"
PVIS30R	18-1/8"	23-7/16"	16-3/4"	31-1/16"	45-3/8"	59-11/16"




Vinyl Replacement Height 10- Lite Grille Location

Unit	A	B	C	D
PVIS26R	6-29/64"	15-59/64"	6-29/64"	72"
PVIS30R	6-29/64"	31-59/64"	6-29/64"	72"

Vinyl Sliding Patio Doors



VERTICAL SECTION - SINGLE



VERTICAL SECTION - ALL OTHERS

