



6C Site Lighting Plan  
1" = 50'-0"



Lighting Fixture Schedule										
Type Mark	Stock Number	Type	Location	Count	Manufacturer	Luminous Flux	Initial Color Temperature	Mounting	Accessories	URL
1	DI-0214	SUNRISE LED Light Bar	Clinic Entrance	12	Diode LED	270 lm	6300 K	At edge of eave--directed at building	Wet Location LED Connectors	<a href="http://www.diodeled.com/sunrise-led-light-bar/">http://www.diodeled.com/sunrise-led-light-bar/</a>
1	DI-0214	SUNRISE LED Light Bar	Clinic Exit	14	Diode LED	270 lm	6300 K	At edge of eave--directed at building	Wet Location LED Connectors	<a href="http://www.diodeled.com/sunrise-led-light-bar/">http://www.diodeled.com/sunrise-led-light-bar/</a>
1	DI-0214	SUNRISE LED Light Bar	Fitness Center Entrance	14	Diode LED	270 lm	6300 K	At edge of eave--directed at building	Wet Location LED Connectors	<a href="http://www.diodeled.com/sunrise-led-light-bar/">http://www.diodeled.com/sunrise-led-light-bar/</a>
1	DI-0214	SUNRISE LED Light Bar	Xcel Entrance	14	Diode LED	270 lm	6300 K	At edge of eave--directed at building	Wet Location LED Connectors	<a href="http://www.diodeled.com/sunrise-led-light-bar/">http://www.diodeled.com/sunrise-led-light-bar/</a>
2	CTKRV1A	The Caretaker LED	Loading	1	Cooper Lighting	5212 lm	5000 K	Wall Mounted - 10'-0" AFF	Small Acrylic Refractor (full cut-off shielding)	<a href="http://www.cooperindustries.com/content/public/en/lighting/products/area_site_lighting/_855683.html">http://www.cooperindustries.com/content/public/en/lighting/products/area_site_lighting/_855683.html</a>
2	CTKRV1A	The Caretaker LED	Parking Lot	24	Cooper Lighting	5212 lm	5000 K	(2) Fixtures Pole Mounted - 25'-0" AFF	Small Acrylic Refractor (full cut-off shielding)	<a href="http://www.cooperindustries.com/content/public/en/lighting/products/area_site_lighting/_855683.html">http://www.cooperindustries.com/content/public/en/lighting/products/area_site_lighting/_855683.html</a>



6B ADA Curb Ramp  
3/8" = 1'-0"

[illegible]

Xcel  
Sports Complex

## Site Lighting Details

Date 2/10/2016 4:04:03 PM

A-100.B

Scale	As indicated
-------	--------------