





Xcel Sports Complex

Pitzner Parkway

SE 1/4 OF S3 T.6N. R.14E.
CITY OF JEFFERSON, WI



2 Site Locator Map
1" = 400'-0"



⑥A Life Safety Plan
1/32" = 1'-0"

6

5

4

3

2

1

Sheet List	
Sheet Number	Sheet Name
XXX	Site Plan - 2nd Phase
C-101	Cover
C-102	Engineers Site Plan
C-103	Grading and Erosion Control Plan
C-104	Utility Plan STA
A-100.A	Utility Plan STA
A-100.B	Site Lighting Details
A-101	First Floor Plan
A-101.A	Enlarged First Floor Plan (West)
A-101.B	Enlarged First Floor Plan (East)
A-102	Roof Plans
A-111	Reflected Ceiling Plan
A-201	Elevations - Exterior
A-301	Building Sections
A-302	Building Sections
A-401	Wall Sections
A-402	Wall Sections
A-403	Wall Sections
A-404	Wall Sections
A-501	Restrooms - Plans and Elevations
A-502	Women's Showers - Plans and Elevations
A-503	Men's Showers - Plans and Elevations
A-504	Women's Locker Room - Plans and Elevations
A-505	Men's Locker Room - Plans and Elevations
A-506	Women's Locker Room - Plans and Elevations
A-601	Section Details - Exterior Envelope
A-602	Section Details - Exterior Envelope
A-603	Section Details - Exterior Envelope
A-604	Section Details - Exterior Envelope
A-620	Details - Trash Enclosure
A-650	Details - Exterior Envelope
A-801	Door and Finish Schedules & Wall Types
A-901	Rendings - Exterior (Overall)
A-903	Rendings 3 - Fieldhouse
A-904	Rendings - Reception and Fitness
A-905	Rendings 5
S-100	Schematic Structural Intent Only - not for Construction

6

5

4

3

2

1

3

2

1

Xcel
Owner
4860 Highway Circle
Middleton, Wisconsin 53562
Terry Krause
todd@xcel.net
608-279-6960

KRAUSE CUSTOM BUILDERS
General Contractor
Krause Custom Builders
Middleton Creek Rd
Middleton, WI 53562
Toby Krause
tobykrause@gmail.com
920-285-6490

LCE
Civil
Lake Country Engineering
970 S. Silver Lake Street, Suite 105
Oconomowoc, WI 53066
Rob Davis
robb@lce.biz
(262) 593-9333

GROUND EFFECTS LANDSCAPING, INC.
Ground Effects Landscaping, Inc.
100 W. Main St.
Tom Bell
tom@groundeffectslandscapeing.com
262.593.8400

openingdesign
Architect
Opening Design
312 W. Lakeside St.
Madison, WI 53715
Ryan Schulz
ryan@openingdesign.com
773-425-8456

NTRIVE
Structural
ntrive
1608 S. Asilomar Ave., #8200
Green Bay, WI 54308
Steven Uecke
s.uecke@ntrive.com
608-480-4120x101

FOREMOST BUILDINGS, INC.
Metal Building Manufacturer
Foremost Buildings, Inc.
895 N Parkway Street
Jefferson, WI 53549
Jim Horn
jhorn@foremostbuildings.com
920-574-5028

Lake Country Heating and Cooling
HVAC
Lake Country Heating and Cooling
NE333 Hwy F
Oconomowoc, WI 53066
Jim Shuda
jim@lakecountryhvac.com
414-573-1047

Jefferson Current Electric
Electrical
Jefferson Current Electric
1473 S. Industria Ave
Jefferson, WI 53549
Ross Davis
jcurrentelectric@att.net
920-574-6444

Pelikan Plumbing LLC
Plumbing
Pelikan Plumbing
144 Main St
Jefferson, WI 53549
Mike Pelikan
pelikanplumbing@yahoo.com
262-593-2290

CODE SUMMARY

Building Location:
Pitzner Parkway
SE 1/4 OF S3 T.6N. R.14E.
City of Jefferson, WI

Project Description:
This one story -50,000sf project includes a 24hr Fitness Center, two-story basketball courts, indoor running track and batting cages, and adjoining clinics.

Application Codes:
Building/Dwelling Code IBC 2009 (WI Commercial Building Code, Chapter 62)
-Structural Code IBC 2009 (WI Commercial Building Code, Chapter 62)
-Plumbing Code Wisconsin Commercial Building Code, Chapters 8-14
-Mechanical Code Wisconsin Commercial Building Code, Chapters 8-14
-Electrical Code NEC 2008(WI Commercial Building Code, Chapter 16)
-Fire/Life Safety Code 2009 NFPA-1 (WI Commercial Building Code, Chapters 14 & 30)
-Accessibility Code ADA Standards (WI Commercial Building Code, Chapter 62)
-Energy Code IECC 2009 (WI Commercial Building Code, Chapter 63)
-Gas Code IFC 2009 (WI Commercial Building Code, Chapter 65)
-Zoning - Common Council of the City of Jefferson Zoning Code

Use or Occupancy (304):
Assembly Group (A-3): Gymsnasiums (without spectator seating)

General Limitations - Height and Area (Table 503 & 507):
Will be an Unlimited Area Building per the following criteria:
-Building surrounded and abjoined by public ways or yards not less than 60 feet
-Equipped throughout with an automatic sprinkler system
-One-Story

Required Rating of Construction Components (Table 401):
Structural members supporting roof gravity loads: No Rating Required
Structural columns supporting floor gravity loads: No Rating Required
Interior Walls: non-bearing: Rating Required from Table 602
Interior Walls: non-bearing: No Rating Required
Floor Construction, including supporting beams and joists: No Rating Required
Roof Construction, including supporting beams and joists: No Rating Required
Exterior Walls: No Rating Required

Interior Egress: Fire Resistance-Rating (Chapter 8)
Exit enclosures and exit passageways: Class 8

Corridors: Class 8
Rooms and enclosed spaces: Class C
Interior floor finish: Class II

Means of Egress:
Max. Travel Length: 250' - Use w/sprinkler (Table 1016.1)
Dead-end Corridor: <50'-0" w/sprinkler

Egress Width per Occupant (Table 1005.1):
The total width of means of egress in inches shall not be less than the total width of the space served by the means of egress multiplied by 0.2 inch per occupant

Common Path of Travel (1014.3): 75ft
Number of exits per story (1019): 3 (501-1,000 people)

Minimum Plumbing Facilities - Section 2902

- Sports Complex & Fitness Center
 - Total Occupant Load - 677
 - Male = 339
 - Female = 338
 - WC's = 1 (1 per 125)
 - Lavatories = 2 (1 per 200)
 - Drinking Fountains = 2 (1 per 500)

- 24hr Fitness Center Ord
 - Total Occupant Load - 82
 - Male = 41
 - Female = 31
 - WC's = 1 (1 per 125)
 - Lavatories = 1 (1 per 200)
 - Drinking Fountains = 1 (1 per 125)
 - WC's = 1 (1 per 200)
 - Lavatories = 1 (1 per 200)
 - Drinking Fountains = 1 (1 per 500)

- 1 Service Sink (entire facility)

No.	Description	Date
SITE PLAN REVIEW	05.13.2015	
PERMIT	08.18.2015	


Cover

Date 9/9/2015 3:14:32 PM


-G-100

Scale As indicated

LIFE SAFETY LEGEND



As indicated



TOTAL AREA = 239,628 SQ.FT. (5.50AC.)
PROPOSED BUILDING = 50,365 SQ.FT. (1.16AC.)
FUTURE BUILDING = 34,750 SQ.FT. (0.80 AC.)
TOTAL BUILDING = 85,115 SQ.FT. (1.95 AC.)(35.5%)

TOTAL PARKING, DRIVES AND WALK 65,673 SQ.FT.(1.51 AC.)
TOTAL IMPERVIOUS SURFACE = 150,788 SQ.FT. (3.46 AC.) (62.9%)

TOTAL AREA = 239,628 SQ.FT. (5.50AC.)
TOTAL AREA DISTURBED = 5.50 ACRES

TOTAL IMPERVIOUS AREA BEFOR CONSTRUCTION = 0.0 ACRES
TOTAL IMPERVIOUS SURFACE AFTER CONSTRUCTION 3.46 AC.


ENGINEERS SITE PLAN
XCEL SPORTS
PITZNER PARKWAY
SE 1/4 OF S3 T.6N. R.14E. CITY OF JEFFERSON, WI

Lake Country Engineering, Inc.
Consulting Engineers Surveyors

970 S. Silver Lake Street, Suite 105, Oconomowoc, WI 53066
Phone: (262) 569-9331 Fax: (262) 569-9316

REVISION DATE	PER CITY COMMENTS	REMARKS
05-21-15		



DRAFTED BY:	R.D.	CHECKED BY:	R.J. DAVY	DATE:
				APRIL 24, 2015



IN ACCORDANCE WITH WISCONSIN STATUTE 182.0175, DAMAGE TO TRANSMISSION FACILITIES, EXCAVATOR SHALL BE SOLELY RESPONSIBLE TO PROVIDE ADVANCE NOTICE TO THE DESIGNATED "ONE CALL" SYSTEM AND NOTIFICATION OF WORK SCHEDULES AND ACTIVITIES ON ANY EXCAVATION REQUIRED TO PERFORM WORK CONTAINED ON THIS DRAWING, AND FURTHER, EXCAVATOR SHALL COMPLY WITH ALL OTHER REQUIREMENTS OF THIS STATUTE RELATIVE TO EXCAVATOR'S WORK.





Toll Free (800) 242-8511
Milwaukee Area (414) 259-1181
Hearing Impaired TDD (800) 542-2289
www.DiggersHotline.com



In accordance with Wisconsin Statute 182.0175, damage to transmission facilities excavated shall be solely responsible to provide advance notice to the designated "One Call System" no less than three working days prior to commencement of any excavation. After receiving notice, the work contained in this drawing, and further, excavator shall comply with all other requirements of this statute relative to excavator's work.



Toll Free (800) 240-8511
Milwaukee Area (414) 259-1181
Hearing Impaired TDD (800) 542-2289
www.DiggersHotline.com



UTILITY PLAN STA 16+00 - 20+00
XCEL SPORTS
PITZNER PARKWAY
SE 1/4 OF S3 T.6N. R.14E. CITY OF JEFFERSON, WI

C-104

Lake Country Engineering, Inc.
Consulting Engineers Surveyors
970 S. Silver Lake Street, Suite 105, Oconomowoc, WI 53066
Phone (262) 569-9331 Fax (262) 569-9316

REVISION DATE	PER CITY COMMENTS	REMARKS
05-21-15		SCALE: 1" = 20'

DRAFTED BY: R. J. DAVY
CHECKED BY: R. J. DAVY
DATE: APRIL 24, 2015

970 S. Silver Lake Street, Suite 105, Oconomowoc, WI 53066
Phone (262) 569-9331 Fax (262) 569-9316

Xcel
Owner
4860 Highway Circle
Middleton, Wisconsin 53562
Toby Krause
tobdykrause@gmail.com
608-279-6960

KRAUSE CUSTOM BUILDERS
General Contractor
Krause Custom Builders
Nashua Creek Rd
Helenville, WI 53157
Toby Krause
tobdykrause@gmail.com
920-285-6490

LCE
Civil
Lake Country Engineering
970 S. Silver Lake Street, Suite 105
W1526 Froelich Rd.
Oconomowoc, WI 53066
Rob Davis
robd@lce.biz
(262) 593-9333

GROUND EFFECTS LANDSCAPING, INC.
Ground Effects Landscaping, Inc.
W1526 Froelich Rd.
Helenville, WI 53178
Tom Bell
tom@groundeffectslandscaping.com
262.593.8400

Architect
opening design
312 W. Lakeside St.
Madison, WI 53715
Ryan Schultz
ryan@openingdesign.com
773-425-8456

Structural
ntrive
1608 S. Asilomar Ave., #82002
Oconomowoc, WI 53066
Steven Uecke
s_uecke@ntrive.com
630-480-4120x101

Metal Building Manufacturer
Foremost Buildings, Inc.
895 N Parkway Street
Jefferson WI 53549
Jim Horn
jhorn@foremostbuildings.com
920-574-5028

HVAC
Lake Country Heating and Cooling
N6333 Hwy F
Oconomowoc, WI 53066
Jim Shuda
jim.lakecountryhvac.com
414-573-1047

Electrical
Jefferson Current Electric
1473 S. Industria Ave
Jefferson, WI 53549
Ross Davis
jeffcurrentelectric@att.net
920-674-6444

Plumbing
Pelikan Plumbing
144 Main St
Oconomowoc, WI 53178
Mike Pelikan
pelikanplumbing@yahoo.com
262-593-2290

Pelikan Plumbing LLC

No.	Description	Date
	SITE PLAN REVIEW	05.13.2015
	FOOTINGS & FOUNDATION PERMIT	07.08.2015
	PERMIT	08.18.2015

Xcel Sports Complex

Site Plan


Date 8/14/2015 12:41:21 PM

Scale 3/64" = 1'-0"


A-100.A

Site Plan - Phase 1
3/64" = 1'-0"

6A



6C Site Lighting Plan
1" = 50'-0"



**6B ADA Curb Ramp
3/8" = 1'-0"**

Lighting Fixture Schedule										
Type Mark	Stock Number	Type	Location	Count	Manufacturer	Luminous Flux	Initial Color Temperature	Mounting	Accessories	URL
1	DI-0214	SUNRISE LED Light Bar	Clinic Entrance	10	Diode LED	270 lm	6300 K	At edge of eave--directed at building	Wet Location LED Connectors	http://www.diodeled.com/sunrise-led-light-bar/
1	DI-0214	SUNRISE LED Light Bar	Clinic Exit	7	Diode LED	270 lm	6300 K	At edge of eave--directed at building	Wet Location LED Connectors	http://www.diodeled.com/sunrise-led-light-bar/
1	DI-0214	SUNRISE LED Light Bar	Fitness Center Entrance	12	Diode LED	270 lm	6300 K	At edge of eave--directed at building	Wet Location LED Connectors	http://www.diodeled.com/sunrise-led-light-bar/
1	DI-0214	SUNRISE LED Light Bar	Xcel Entrance	12	Diode LED	270 lm	6300 K	At edge of eave--directed at building	Wet Location LED Connectors	http://www.diodeled.com/sunrise-led-light-bar/
2	CTKRV1A	The Caretaker LED	Loading	1	Cooper Lighting	5212 lm	5000 K	Wall Mounted - 10'-0" AFF	Small Acrylic Refractor (full cut-off shielding)	http://www.cooperindustries.com/content/public/en/lighting/products/area_site_lighting/_855683.html
2	CTKRV1A	The Caretaker LED	Parking Lot	24	Cooper Lighting	5212 lm	5000 K	(2) Fixtures Pole Mounted - 25'-0" AFF	Small Acrylic Refractor (full cut-off shielding)	http://www.cooperindustries.com/content/public/en/lighting/products/area_site_lighting/_855683.html

The Xcel logo consists of the word "Xcel" in a red, stylized, handwritten font. The letter "X" is larger and has a horizontal oval stroke through its middle. The letter "c" is lowercase and italicized. The letter "e" is lowercase and italicized. To the right of the logo is contact information for the owner.

Civil
Lake Country Engineering
270 S. Silver Lake Street, Suite 110

PROFESSIONAL DESIGN AND INSTALLATION
tom@groundaffectslandscaping.com
262.593.8400

Structural
ntrive
1608 S. Ashland Ave., #82002
Chicago, IL 60608
Steven Uecke
s.uecke@ntrive.com
630-480-4120x101

The logo for Foremost Buildings, Inc. features the company name in a bold, blue, sans-serif font. The word "FOREMOST" is on top in a large, bold font, and "BUILDINGS, INC." is on the bottom line in a slightly smaller, bold font. To the right of the logo is contact information for a metal building manufacturer.

The logo for Lake Country Heating and Cooling features a central illustration of a mallard duck swimming in a pond. The duck is brown with a green head and a white belly. It is surrounded by tall green reeds and cattails. The words "LAKE COUNTRY HEATING AND COOLING" are written in a circular, stylized font around the top and sides of the illustration.

Lake Country Heating and Cooling
N6333 Hwy F
Oconomowoc, WI 53066
Jim Shuda
jim@lakecountryhvac.com
414-573-1047

Electrical
Jefferson Current Electric
700-710 1st Street, Suite 100

Ross Davis
j.current.electric@att.net

Plumbing

Pelikan Plumbing LLC
144 Main St
Sullivan, WI 53178
Mike Pelikan
pelikanplumbing@yahoo.com
262-593-2290


Xcel Sports Complex


Site Lighting Details


Date 8/14/2015 12:41:25 PM

A-100.B

As indicated







No.	Description	Date
FOOTINGS & FOUNDATION PERMIT	07.08.2015	
PERMIT	08.18.2015	

Xcel
Sports Complex

Enlarged First Floor
Plan (East)

Date 8/14/2015 12:41:37 PM

A-101.B

Scale 1/8" = 1'-0"

(6A) Enlarged First Floor Plan (East)
1/8" = 1'-0"

Xcel
Owner 4860 Highway Circle
Middleton, Wisconsin 53562
Toby Krause, Creek Rd
Heleville, WI 53137
tobykrause@gmail.com
608-279-6960

KRAUSE CUSTOM BUILDERS
General Contractor
Krause Custom Builders
Nashua Creek Rd
Heleville, WI 53137
Toby Krause
tobykrause@gmail.com
920-285-6490

LCE
Civil Lake Country Engineering
970 S. Silver Lake Street, Suite 105
Oconomowoc, WI 53066
Rob Davis
robd@lce.biz
(262) 593-9333

GROUND EFFECTS LANDSCAPING, INC.
Ground Effects Landscaping, Inc.
W1526 Froelich Rd.
Tom Bell
tom@groundeffectslandscapeing.com
262.593.8400

openingdesign
Architect
Opening Design
312 W. Lakeside St.
Madison, WI 53715
Ryan Schultz
ryan@openingdesign.com
773-425-8456


NTRIVE INNOVATIVE ENGINEERING
Structural
ntrive
1608 S. Asilard Ave., #82002
Green Bay, WI 54308
Steven Uecke
s_uecke@ntrive.com
608-480-4120x101

FOREMOST BUILDINGS, INC.
Metal Building Manufacturer
Foremost Buildings, Inc.
895 N Parkway Street
Jefferson WI 53549
Jim Horn
jhorn@foremostbuildings.com
920-574-5028

LAKE COUNTRY HEATING AND COOLING
HVAC
Lake Country Heating and Cooling
N6333 Hwy F
Oconomowoc, WI 53066
Jim Shuda
jim@lakecountryhvac.com
414-573-1047

JEFFERSON CURRENT ELECTRIC INC.
Electrical
Jefferson Current Electric
1473 S. Industria Ave
Jefferson, WI 53549
Ross Davis
j-current-electric@att.net
920-674-6444

Pelikan Plumbing LLC
Plumbing
Pelikan Plumbing
144 Main St
Oconomowoc, WI 53178
Mike Peikan
pelikanplumbing@yahoo.com
262-593-2290



6 | 5 | 4 | 3 | 2 | 1 |



er
60 Highwood Circle
ddleton, Wisconsin 53562
dd Goldbeck
d@xcel.net
3-279-6960



General Contractor
House Custom Builders
897 Duck Creek Rd
Denville, WI 53137
By Krause
bkrause@gmail.com
920-285-6490



Lake Country Engineering
10 S. Silver Lake Street, Suite 10
Pleasanton, WI 53066
Rob Davy rob@lce.biz
(2) 569-933



andscape
ound Affects Landscaping, Inc.
526 Freelich Rd.
livan, WI 53178
m Ball
n@groundaffectslandscaping.com
2.593.8400



chitect
OpeningDesign
2 W. Lakeside St
Madison, WI 53715
Dan Schultz
dan@openingdesign.com
608-425-6456



**structural
ive
08 S. Ashland Ave., #82002
icago, IL 60608
even Uecke
ecke@ntrive.com
0-480-4120x101**



Foremost Building Manufacturer
Foremost Buildings, Inc.
15 N Parkway Street
Jefferson WI 53549
John Horn
jhorn@foremostbuildings.com
414-674-5028



Lake Country Heating and Cooling
333 Hwy F
Pleasant Prairie, WI 53066
John Shuda
@lakecountryhvac.com
414-573-1047



ctrical
erson Current Electric
73 S. Industrica Ave
erson, WI 53549
ss Davis
ersoncurrentelectric@gmail.com




Pelikan Plumbing
4 Main St
Milwaukee, WI 53178
414-768-1111


Xcel Sports Complex

Reflected Ceiling Plan


Date 8/14/2015 12:41:46 PM

Scale $1/16'' = 1'-0''$







Elevation - South
1/16" = 1'-0"



Elevation - West
1/16" = 1'-0"



Elevation - East
1/16" = 1'-0"



Elevation - North
1/16" = 1'-0"

Wall Assemblies						
Wall Orientation	Type Mark	Type	Area	U-Factor	SHGC	VT
	E1.A	5/16" THICK STONEWOOD RESIN PANELS - EXPOSED FASTENERS	349 SF	0.055	0	0
	E1.B	5/16" THICK STONEWOOD RESIN PANELS - EXPOSED FASTENERS - ATTACHED TO EXPOSED GALVANIZED CHANNELS AND GIRTS	310 SF	0	0	0
East	E1.A	5/16" THICK STONEWOOD RESIN PANELS - EXPOSED FASTENERS	439 SF	0.055	0	0
East	E2.C	METAL WALL PANEL W/ EXPOSED INT. INSULATION - 10" GIRT	1770 SF	0.04	0	0
East	E2.B	METAL WALL PANEL WITH INT. PLYWOOD - 8" GIRT	314 SF	0.055	0	0
East	E2.A	METAL WALL PANEL WITH INT. PLYWOOD - 10" GIRT	1116 SF	0.04	0	0
East	E3.B	POLYCARBONATE PANEL - ARCOPLUS 547 - OPAL - W/O IR TREATMENT	337 SF	0.26	0.3	0.26
East	E4.B	Thermal Broken Aluminum Storefront with Clear Insulated Glazing - EAST/WEST FACING	113 SF	0.28	0.22	0.41
North	E2.C	METAL WALL PANEL W/ EXPOSED INT. INSULATION - 10" GIRT	4572 SF	0.04	0	0
North	E2.B	METAL WALL PANEL WITH INT. PLYWOOD - 8" GIRT	742 SF	0.055	0	0
North	E2.A	METAL WALL PANEL WITH INT. PLYWOOD - 10" GIRT	3378 SF	0.04	0	0
North	E3.A	POLYCARBONATE PANEL - ARCOPLUS 547 - OPAL - W/O IR TREATMENT	1627 SF	0.28	0.39	0.3
South	E1.A	5/16" THICK STONEWOOD RESIN PANELS - EXPOSED FASTENERS	2517 SF	0.055	0	0
South	E1.B	5/16" THICK STONEWOOD RESIN PANELS - EXPOSED FASTENERS - ATTACHED TO EXPOSED GALVANIZED CHANNELS AND GIRTS	350 SF	0	0	0
South	E2.10	Metal Wall Panel with plywood ext/int	448 SF	0.04	0	0
South	E3.A	POLYCARBONATE PANEL - ARCOPLUS 547 - OPAL - W/O IR TREATMENT	4277 SF	0.28	0.39	0.3
South	E4.A	Thermal Broken Aluminum Storefront with Clear Insulated Glazing - SOUTHNORTH FACING	1145 SF	0.38	0.34	0.62
West	E1.A	5/16" THICK STONEWOOD RESIN PANELS - EXPOSED FASTENERS	257 SF	0.055	0	0
West	E1.B	5/16" THICK STONEWOOD RESIN PANELS - EXPOSED FASTENERS - ATTACHED TO EXPOSED GALVANIZED CHANNELS AND GIRTS	451 SF	0	0	0
West		5/16" THICK STONEWOOD RESIN PANELS - EXPOSED FASTENERS - NO INTERIOR PLYWOOD	332 SF	0.055	0	0
West	E2.C	METAL WALL PANEL W/ EXPOSED INT. INSULATION - 10" GIRT	1284 SF	0.04	0	0
West	E3.B	POLYCARBONATE PANEL - ARCOPLUS 547 - OPAL - W/O IR TREATMENT	864 SF	0.26	0.3	0.26
West	E4.B	Thermal Broken Aluminum Storefront with Clear Insulated Glazing - EAST/WEST FACING	406 SF	0.28	0.22	0.41

Roof Assemblies		
Type	Area	U-Factor
Roof Insulation - 1 Story	19767 SF	0.033
Roof Insulation - 2 Story - Fieldhouse	29972 SF	0.033

No.	Description	Date
SITE PLAN REVIEW	05.13.2015	
PERMIT	08.18.2015	

Xcel Sports Complex

Elevations - Exterior

Date 8/14/2015 12:41:55 PM

A-201

Scale 1/16" = 1'-0"

Xcel
Owner 4860 Highway Circle
Middleton, Wisconsin 53562
Todd Krause todd@xcel.net
608-279-6960

KRAUSE CUSTOM BUILDERS
General Contractor
Krause Custom Builders
N. 10th & Creek Rd.
Middleton, WI 53562
Toby Krause tobykrause@gmail.com
920-285-6490

LCE
Lake Country Engineering
970 S. Silver Lake Street, Suite 105
Oconomowoc, WI 53066
Rob Davis robd@lce.biz
(262) 593-9333

GROUNDAFFECTS LANDSCAPING, INC.
Ground Effects Landscaping, Inc.
W1526 Froelich Rd.
Helenville, WI 53178
Tom Bell tom@groundeffectslandscaping.com
(262) 593-8400

openingdesign
Architect
Opening Design
312 W. Lakeside St.
Madison, WI 53715
Ryan Schultz ryan@openingdesign.com
(608) 425-6456


NTRIVE INNOVATIVE ENGINEERING
Structural
ntrive
1608 S. Ashland Ave. #8200
Milwaukee, WI 53208
Steven Uecke s.uecke@ntrive.com
(608) 480-4120x101

FOREMOST BUILDINGS, INC.
Metal Building Manufacturer
Foremost Buildings, Inc.
895 N Parkway Street
Jefferson, WI 53549
Jim Horn jim@foremostbuildings.com
(920) 574-5028

HVAC
Lake Country Heating and Cooling
N633 Hwy F
Oconomowoc, WI 53066
Jim Shuda jim@lakecountryhvac.com
(414) 573-1047

CURRENT ELECTRIC INC.
Electrical
Jefferson Current Electric
1473 S. Industria Ave
Jefferson, WI 53549
Ross Davis ross.davis@currentelectric.att.net
(920) 574-6444

Pelikan Plumbing LLC
Plumbing
Pelikan Plumbing
144 Main St.
Helenville, WI 53178
Mike Pelikan mike.pelikan@pelikanplumbing@yahoo.com
(262) 593-2290



ghwood Circle
n, Wisconsin 53562
oldbeck
cel.net
-6960



Contractor
Custom Builders
Duck Creek Rd
e, WI 53137
ause
se@gmail.com
-6490



Country Engineering
1 Silver Lake Street, Suite 10
Brookfield, WI 53066
414-784-1111 robd@ice.biz



ape
Affects Landscaping, Inc.
Froelich Rd.
WI 53178
[I](mailto:info@affectalandscaping.com)
affectalandscaping.com



8400
t
Design
lakeside St
, WI 53715"
hultz



Ashland Ave., #82002
, IL 60608



Building Manufacturer
est Buildings, Inc.
arkway Street
n WI 53549
n
premostbuildings.com
-5028



-5028
Country Heating and Cooling
Ivy F
Owoc, WI 53066
ada
countryhvac.com




1847
al
n Current Electric
Industrica Ave
n, WI 53549

-6444


Xcel Sports Complex

Building Sections



8/14/2015 12:42:03

3 / 34



6 | 5 | 4 | 3 | 2 | 1 |



wood Circle
Wisconsin 53562
beck
.net
960



contractor
Custom Builders
Rock Creek Rd
WI 53137
use
e:
-@gmail.com
490



try Engineering
er Lake Street, Suite 10
voc, WI 53066
rob@lce.biz
933



e
ffects Landscaping, Inc.
elich Rd.
I 53178
affectslandscaping.com



design
keside St
VI 53715"
It



itz
ningdesign.com
456



shland Ave., #82002
_ 60608
cke
ntrive.com



ding Manufacturer
Buildings, Inc.
kway Street
WI 53549



emostbuildings.com
028



3047
countryhvac.com
Waukesha, WI 53066



Current Electric
Industry Ave
WI 53549
s
electric@att.net



444


Xcel Sports Complex


Wall Sections


8/14/2015 12:42:16 PM

1/2" = 1'-0"

$$1/2'' = 1'-0''$$










Xcel Sports Complex

Wall Sections

A-404

$$3/4" = 1'-0"$$



wood Circle
Wisconsin 53562
beck
.net
960



Contractor
Custom Builders
Rock Creek Rd
WI 53137
se
se@custombuilders.com
490



try Engineering
er Lake Street, Suite 10
voc, WI 53066
rob@lce.biz
933



e
fects Landscaping, Inc.
elich Rd.
I 53178
www.affectslandscaping.com



design
akeside St
VI 53715"
litz
ningdesign.com
456



chland Ave., #82002
_ 60608
cke
ntrive.com
120x101



www.emostbuildings.com
028




Country Heating and Cooling
400 F
Waukesha, WI 53066
countryhvac.com
414-964-0477



Current Electric
Industry Ave
WI 53549
s
electric@att.net
444



umbering
St
/I 53178
an




Xcel Sports Complex

Restrooms - Plans and Elevations

8/14/2015 12:46:16

ale $1/2'' = 1'$

A501



Owner
60 Highwood Circle
Middleton, Wisconsin 53562
dd Goldbeck
d@xcel.net
3-279-6960



Krause Custom Builders
897 Duck Creek Rd
Denville, WI 53137
by Krause
krause@gmail.com
285-6490



ll
ake Country Engineering
0 S. Silver Lake Street, Suite 105
onomowoc, WI 53066
b Davy robd@lce.biz
(2) 569-933



andscape
ound Affects Landscaping, Inc.
526 Froelich Rd.
livan, WI 53178
m Ball
n@groundaffectslandscaping.com
262-216-2162





chitect
openingDesign
2 W. Lakeside St
dison, WI 53715
an Schultz
n@openingdesign.com
3-425-6456





**Structural
Investigations**
108 S. Ashland Ave., #82002
Chicago, IL 60608
Steven Uecke
uecke@ntrive.com
(312) 480-4120 x101



Foremost Buildings, Inc.
5 N Parkway Street
Jefferson WI 53549
John Horn
jhorn@foremostbuildings.com
414-674-5028



Xcel Sports Complex





Women's Showers - Plans and Elevations

Date 8/14/2015 12:46:22 PM

A502

Scale $1/2'' = 1'-0''$



wood Circle
Wisconsin 53562
beck
.net
960



contractor
Custom Builders
Rock Creek Rd
WI 53137
use
cbs@atxgiant.com
490



try Engineering
er Lake Street, Suite 10
voc, WI 53066
rob@lce.biz
933



e
fects Landscaping, Inc.
elich Rd.
WI 53178
[dnfectslandscaping.com](http://www.dnfectslandscaping.com)
162



e
fects Landscaping, Inc.
elich Rd.
VI 53178
ndffectslandscaping.com
400



1000 N Ashland Ave., #82002
60602



ding Manufacturer
Buildings, Inc.
kway Street
WI 53549

emostbuildings.com
028



Country Heating and Cooling
100 F
1000 Waukesha, WI 53066
countryhvac.com
414-964-0477




Current Electric
Industry Ave
WI 53549
S





444

an
mbing@yahoo.com
290



Xcel Sports Complex




Women's Locker Room - Plans and Elevations

date 8/14/2015 12:46:31

A504

1/2" = 1'





6 | 5 | 4 | 3 | 2 | 1 |

The Xcel logo consists of the word "Xcel" in a red, cursive, handwritten-style font. The letter "X" has a thick red stroke and is partially enclosed by a light gray oval. The letters "cel" are written in a similar red, cursive style below it.

The logo for Krause Custom Builders features the company name in a bold, sans-serif font. The letters 'K', 'C', and 'B' are stylized with a wood-grain texture, while the 'U' and 'S' have a brick pattern. A small circular icon containing a stylized sun or leaf is positioned between the 'C' and 'U'. The entire logo is set against a dark green oval background.

General Contractor

Krause Custom Builders
N3897 Duck Creek Rd
Helenville, WI 53137
Toby Krause
tobykrause@gmail.com
608-295-6400

The logo consists of the letters "LCE" in a bold, white, sans-serif font, enclosed within a dark red oval.

Civil

Lake Country Engineering

970 S. Silver Lake Street, Suite 105

Oconomowoc, WI 53066

Rob Davy

robd@lce.biz

(262) 569-933

The logo for OpeningDesign features a stylized lowercase 'd' with a small circle above it, followed by the word "eningdesign" in a lowercase sans-serif font.

Structural

**FOREMOST
BUILDINGS, INC.**

Foremost Buildings, Inc.
895 N Parkway Street
Jefferson WI 53549
Jim Horn
JimH@foremostbuildings.com
920-674-5028

The logo for Lake Country Heating and Cooling features a stylized green mallard duck in the center, surrounded by several brown cattail-like plants with long, thin leaves and seed pods. The background of the logo is white, and the text "LAKE COUNTRY HEATING AND COOLING" is written in a green, serif font, curved along the top edge of the design.

HVAC

Lake Country Heating and Cooling
N6333 Hwy F
Oconomowoc, WI 53066
Jim Shuda
jim@lakecountryhvac.com
414-573-1047

The logo for Jefferson Current Electric consists of the company name in a bold, black, sans-serif font. Above the text is a graphic element resembling a stylized sunburst or a series of radiating lines in yellow, orange, and red, all contained within a circular border.

The logo consists of a teal horizontal bar. On the left, there's a white icon of a wrench with its handle curved upwards and the jaws open. To the right of the icon, the words "Plumbing LLC" are written in a white, sans-serif font.

262-593-2290

Owner


Project Name

Section Details - Exterior Envelope

Date 9/21/2015 4:07:03 PM

A-602

3" = 1'-0"



6A Wall Details @ G.L. 2-A & 3-A (Resin Panel)
3" = 1'-0"

5A Wall Detail @ Polycarbonate
3" = 1'-0"


6


4

3

2

$$3' = 1'-0'$$







ood Circle
Wisconsin 53562
eck
net
60



Contractor
Custom Builders
Rock Creek Rd
WI 53137
e
info@custombuilderswi.com
90



Engineering
er Lake Street, Suite 105
oc, WI 53066
robd@lce.biz



cts Landscaping, Inc.
elich Rd.
53178
dectslandscaping.com



sign
eside St
I 53715"
z
ngdesign.com
56



ing Manufacturer
Buildings, Inc.
Way Street
1 53549
mostbuildings.com
28



hostbuildings.com
28

ry Heating and Cooling
F
oc, WI 53066

untryhvac.com
17



oc, WI 53066
country hvac.com
47



44

Xcel Sports Complex

Details - Trash Enclosure

Date 8/14/2015 12:57:51 PM

A-620

As indicated

6 | 5 | 4 | 3 | 2 | 1 |

E

l.com



er
9 Highwood Circle
Elleton, Wisconsin 53562
Goldbeck
@xcel.net
279-6960



General Contractor
Krause Custom Builders
97 Duck Creek Rd
Hornville, WI 53137
Dale Krause
krause@gmail.com
262-285-6490



Ice Country Engineering
S. Silver Lake Street, Suite 105
Hannomowoc, WI 53066
Davy rob@ice.biz
(920) 569-933



Ground Affects Landscaping, Inc.
26 Froelich Rd.
Waukesha, WI 53178
Ball
info@groundaffectslandscaping.com
414-262-9126



itect
ningDesign
W. Lakeside St
son, WI 53715"
n Schultz
@openingdesign.com



111 W. Lakeview St.
Milwaukee, WI 53715
John Schultz
john.schultz@openingdesign.com
414-256-6456



**cultural
e
3 S. Ashland Ave., #82002
ago, IL 60608
en Uecke**



most Buildings, Inc.
N Parkway Street
erson WI 53549
Horn
d@foremostbuildings.com
608-545-5500



C
Country Heating and Cooling
33 Hwy F
Hilomowoc, WI 53066
Shuda



l
erson Current Electric
3 S. Industrica Ave
erson, WI 53549



674-6444

Owner

Project Name

Details - Exterior Envelope

Date 8/14/2015 12:50:14 PM

A-650




Scale 3" = 1'-0"

E

Door Number	Room Name	Room Number	Door Schedule			Hardware Group - see Specs	Notes
			Width	Height	Door Type		
100.A1	X. VEST.	100	2'-11 3/16"	8'-0"	B2	AL-2/GL-2	AL-1 A 01 C
100.A2	X. VEST.	100	2'-11 3/16"	8'-0"	B2	AL-2/GL-2	AL-1 A 01 C
100.B1	X. VEST.	100	2'-11 3/16"	8'-0"	B2	AL-1/GL-1	AL-1 A 04
100.C1	OFFICE	103	3'-0"	7'-0"	A1	WD-1	STL-1 A 15
106.A	RESTROOM	108	2'-8"	7'-0"	A1	WD-1	STL-1 A 18
107.A	LAUNDRY ROOM	107	3'-0"	7'-0"	A1	WD-1	STL-1 A 19
108.A	MECH. ROOM	108	3'-0"	7'-0"	A1	WD-1	STL-1 A 13
109.A	CONF.	109	2'-8"	7'-0"	A1	WD-1	STL-1 A 19
110.A	OFFICE	110	2'-8"	7'-0"	A1	WD-1	STL-1 A 16
111.A	OFFICE	111	2'-8"	7'-0"	A1	WD-1	STL-1 A 16
112.A	CORRIDOR	112	3'-0"	8'-0"	B1	AL-1/GL-1	AL-2 A 10 A
113.A1	AEROBICS & YOGA	113	2'-11 3/16"	8'-0"	B2	AL-2/GL-2	AL-2 A 06 A
113.A2	AEROBICS & YOGA	113	2'-11 3/16"	8'-0"	B2	AL-1/GL-1	AL-2 A 06 A
114.A	GOLF SIMULATOR	114	2'-10 7/16"	8'-0"	B1	AL-1/GL-1	AL-2 A 12
115.A	F. VEST	115	2'-11 3/16"	8'-0"	B1	AL-2/GL-2	AL-1 A 02 C
115.B	F. VEST	115	2'-11 3/16"	8'-0"	B1	AL-1/GL-1	AL-1 A 05
116.A	RESTROOM	116	2'-8"	7'-0"	A1	WD-1	STL-1 A 18
117.A	RESTROOM	117	2'-8"	7'-0"	A1	WD-1	STL-1 A ?
118.A1	FITNESS CENTER	118	2'-11 3/16"	8'-0"	B2	AL-1/GL-1	AL-1 A 09 A, B
118.A2	FITNESS CENTER	118	2'-11 3/16"	8'-0"	B2	AL-1/GL-1	AL-1 A 09 A, B
118.B2	FITNESS CENTER	118	2'-11 3/16"	8'-0"	B2	AL-1/GL-1	AL-1 A 09 A, B
118.C	FITNESS CENTER	118	2'-11 3/16"	8'-0"	B1	AL-1/GL-1	AL-1 A 03
119.A	ELEC. ROOM	119	3'-0"	7'-0"	A1	WD-1	STL-1 A 14
119.B	ELEC. ROOM	119	3'-0"	7'-0"	A1	WD-1	STL-1 A 14
120.A	C. VEST.	120	5'-10 3/8"	8'-0"	B3	AL-2/GL-2	AL-1 A 20 C
120.B	C. VEST.	120	5'-10 3/8"	8'-0"	B3	AL-2/GL-2	AL-1 A 21
121.A	CLINIC	121	2'-11 3/16"	8'-0"	B1	AL-1/GL-1	AL-1 A 02 C
121.B	CLINIC	121	2'-11 3/16"	8'-0"	B1	AL-1/GL-1	AL-2 A 02 A
121.C	CLINIC	121	2'-10 7/16"	8'-0"	B1	AL-1/GL-1	AL-2 A 10 A
122.A	WRESTLING	122	2'-10 7/16"	8'-0"	B1	AL-1/GL-1	AL-2 A 12 A, B
123.A	STORAGE	123	2'-8"	7'-0"	A1	WD-1	STL-1 A 17
124.A	OFFICE	124	2'-10 7/16"	8'-0"	B1	AL-1/GL-1	AL-2 A 11 A
126.A	OFFICE	126	2'-10 7/16"	8'-0"	B1	AL-1/GL-1	AL-2 A 11
127.A	STORM/MECH	127	3'-0"	7'-0"	A1	WD-1	STL-1 A 13
128.A	FIELDHOUSE	128	6'-0"	8'-0"	A2	STL	STL-2 A 06
128.B	FIELDHOUSE	128	9'-0"	12'-0"	C1	-	- 21
128.C	FIELDHOUSE	128	3'-0"	8'-0"	A1	STL	STL-2 A 07
130.A	TRASH ENCLOSURE	130	8'-0"	8'-0"	-	-	- 21
130.B	TRASH ENCLOSURE	130	8'-0"	8'-0"	-	-	- 21

SEE A-620 FOR DETAILS

KEYNOTE - DOOR SCHEDULE		
Category	Keynote	Note
DOOR	GL-1	THE GLAZING TO COMPLY WITH CPSC 16 CFR PART 1201, CATEGORY II, OR ANSI Z97.1, CLASS A.
DOOR	GL-2	TEMPERED & INSULATED GLAZING - SEE BUILDING ELEVATIONS FOR U, SHCC, LT VALUES
DOOR	STL	METAL DOOR
DOOR	WD-1	WOOD SOLID CORE DOOR
FRAME	AL-1	ALUM. STOREFRONT (TUBELITE 4500)
FRAME	AL-2	ALUM. STOREFRONT WITH THERMAL BRAKE (TUBELITE 14000)
FRAME	STL-1	HOLLOW METAL DOOR - INTERIOR GRADE
FRAME	STL-2	HOLLOW METAL DOOR - EXTERIOR GRADE

NOTES
A WIDE STILE
B OPENS 180°
C CARD READERDoor Types
1/4" = 1'-0"Frame Types
1/4" = 1'-0"

FINISH ROOM SCHEDULE										Comments
Area	Room Number	Room Name	Floor Finish	Base Finish	Wall Finishes	Wall Finishes	Wall Finishes	Wall Finishes	Ceiling Finish	Comments
108 SF	100	X. VEST.	F1	B1	W1	W1	W1	W1	C1	
739 SF	101	LOUNGE	F1	B1	-	W1 & W2	W2	W1	C1	
565 SF	102	RECEPTION	F1	B1	-	W1 & W2	W2	W1	C1	
148 SF	103	OFFICE	F1	B1	W1	W2	W1	W1	C1	
609 SF	104	WOMEN'S LOCKER	F1 - VARIES - SEE PLAN	B2	SEE ELEV.	SEE ELEV.	SEE ELEV.	SEE ELEV.	C1	
551 SF	105	MEN'S LOCKER	F1 - VARIES - SEE PLAN	B2	SEE ELEV.	SEE ELEV.	SEE ELEV.	SEE ELEV.	C1	
81 SF	106	RESTROOM	F1	B2	W2	SEE ELEV.	W1	W1	C1	
76 SF	107	LAUNDRY ROOM	F1	B1	W1	W1	W1	W1	C1	
196 SF	108	MECH. ROOM	F1	B1	W1	W1	W1	W1	C1	
224 SF	109	CONF.	F1	B1	W1	W2	W1	W1	C1	
122 SF	110	OFFICE	F1	B1	W1	W1	W1	W1	C1	
116 SF	111	OFFICE	F1	B1	W2	W1	W1	W1	C1	
101 SF	112	CORRIDOR	F1	B1	W2	W1	W1	W1	C1	
954 SF	113	AEROBICS & YOGA	F4	B1	W2	W2	W1	W1	C1	
1123 SF	114	GOLF SIMULATOR	F1	B1	W2	W2	W1	W1	C1	
81 SF	115	F. VEST	F1	B1	W1	-	W1	W1	C1	
57 SF	116	RESTROOM	F1	B2	W1	W1	W1	W1	C1	
55 SF	117	RESTROOM	F1	B2	W1	W1	W1	W1	C1	
4068 SF	118	FITNESS CENTER	F1	B1	W2	W2	W1	W1	C1	
261 SF	119	ELEC. ROOM	F1	B1	W1	W2	W1	W1	C1	
127 SF	120	C. VEST.	F0	B1	W1	W1	W1	-	C1	
5919 SF	121	CLINIC	F0	B1	W0	W0	W0	W0	C1	
2292 SF	122	WRESTLING	F4	B1	W2	W1	W1	W2	C1	
106 SF	123	STORAGE	F1	B1	W1	W1	W1	W1	C1	
177 SF	124	OFFICE	F1	B1	W1	W1	W2	W1	C1	
62 SF	125	CORRIDOR	F1	B1	W1	W1	W2	W1	C1	
155 SF	126	OFFICE	F1	B1	W1	W1	W2	W1	C1	
244 SF	127	STORM/MECH	F1	B1	W2	W1	W1	W2	C1	
29699 SF	128	FIELDHOUSE	F2 & F3	B1	W2	W2	W2	W2	C2	
494 SF	129	MEZZ. ELEC. ROOM	F1	B1	W0	W1	W0	W1	C1	
155 SF	130	TRASH ENCLOSURE	F0	B1	-	-	-	-	C1	

FINISH KEY	
Finish Key	Finish - Description</th

