

[illegible]

Xcel
Sports Complex

FOUNDATION PLAN
CONT.

Date 2/10/2016 6:40:19 PM

S-201

Scale $1/8" = 1'-0"$

- SHEET NOTES:**
1. SEE SHEET S-100 FOR GENERAL NOTES, ABBREVIATIONS AND SCHEDULES.
 2. VERIFY ALL DIMENSIONS AND ELEVATIONS WITH EXISTING CONDITIONS.
 3. ARCHITECTURAL, PLUMBING AND MECHANICAL DRAWINGS.
 4. FX INDICATES FOOTING. SEE FOOTING SCHEDULE ON SHEET S-100. PX INDICATES CONCRETE PIER OR POST. SEE PIER & POST S-100.
 5. T/F FOUNDATION WALL ELEVATION = +100'-0" UNLESS NOTED OTHERWISE.
 6. T/ EXTERIOR FOOTING ELEVATION = -36'-0" UNLESS NOTED OTHERWISE. I/ INTERIOR FOOTING ELEVATION = -69'-0" UNLESS NOTED OTHERWISE.
 7. SPEC. SLAB ON GRADE OF CONCRETE IN HOUSEHOLD AREA IN ONE STORY AREAS WITH 6X8 - W/2 NO. 4 @ 12" O.C. MINIMUM POLYETHYLENE MEMBRANE RETARDER OF 6" MIN WEL COMPACTED GRANULAR FILL PER GEOTECHNICAL REPORT. MAXIMUM PARTICLE SIZE OF FILL CONTAINING NO MORE THAN 5% PASSING 20 AND 100 SIEVES FOLLOW RECOMMENDATIONS OF AGC 302.1 PART 4.X.
 8. T/CION ELEVATION = +100'-0".