

A photograph of a modern industrial or commercial building at dusk or night. The building has a light-colored, ribbed facade and several large windows. The windows are illuminated from within, showing bright yellow and orange light. A prominent feature is a large, curved overhang supported by a single green cylindrical column. The sky is dark blue, suggesting it's either nighttime or the photo was taken during twilight.

# Commercial / Industrial Pricing Guide







## Panels

PBR / PBU / AVP	2
PBR With Drip Stop	4
PBC / PBD	6
7.2 Panel	8
Retro-R®	10

## Accessories


Cees and Zees	12
Channels	16
Angles and Eave Struts	17
Custom Structural Shapes	20
LiteFrame®, Furring Zee, Offset Cleat and Strapping	21
Roof Hugger	23
Light Transmitting Panels	23
Ventilators	26
Ridge Caps	28
Roof Jacks	29
Closure Strips	30
Windows	32
Doors	33
Sealant	34
Paint	35
Blanket Insulation	36
Reflective Insulation	37
Eye Bolts and Washers	38
Machine Bolts and Purlin Clip	39
Louvers	40
Slide Door Hardware	40
Flat Sheets and Coils	43

## Trim


All Trim	46
----------	----




### PBR / PBU / AVP Panels



**PBR Panel**



**PBU Panel**




**AVP Panel**


#### NUMBER OF SQUARE FEET PER PANEL

	0"	1"	2"	3"	4"	5"	6"	7"	8"	9"	10"	11"
<b>1 FT.</b>	3.19	3.45	3.72	3.98	4.25	4.52	4.78	5.05	5.31	5.58	5.84	6.11
<b>2 FT.</b>	6.38	6.64	6.91	7.17	7.44	7.70	7.97	8.23	8.50	8.76	9.03	9.30
<b>3 FT.</b>	9.56	9.83	10.09	10.36	10.62	10.89	11.16	11.42	11.69	11.95	12.22	12.48
<b>4 FT.</b>	12.75	13.02	13.28	13.55	13.81	14.08	14.34	14.61	14.87	15.14	15.41	15.67
<b>5 FT.</b>	15.94	16.20	16.47	16.73	17.00	17.27	17.53	17.80	18.06	18.33	18.59	18.86
<b>6 FT.</b>	19.13	19.39	19.66	19.92	20.19	20.45	20.72	20.98	21.25	21.51	21.78	22.05
<b>7 FT.</b>	22.31	22.58	22.84	23.11	23.37	23.64	23.91	24.17	24.44	24.70	24.97	25.23
<b>8 FT.</b>	25.50	25.77	26.03	26.30	26.56	26.83	27.09	27.36	27.62	27.89	28.16	28.42
<b>9 FT.</b>	28.69	28.95	29.22	29.48	29.75	30.02	30.28	30.55	30.81	31.08	31.34	31.61
<b>10 FT.</b>	31.88	32.14	32.41	32.67	32.94	33.20	33.47	33.73	34.00	34.26	34.53	34.80
<b>11 FT.</b>	35.06	35.33	35.59	35.86	36.12	36.39	36.66	36.92	37.19	37.45	37.72	37.98
<b>12 FT.</b>	38.25	38.52	38.78	39.05	39.31	39.58	39.84	40.11	40.37	40.64	40.91	41.17
<b>13 FT.</b>	41.44	41.70	41.97	42.23	42.50	42.77	43.03	43.30	43.56	43.83	44.09	44.36
<b>14 FT.</b>	44.63	44.89	45.16	45.42	45.69	45.95	46.22	46.48	46.75	47.01	47.28	47.55
<b>15 FT.</b>	47.81	48.08	48.34	48.61	48.87	49.14	49.41	49.67	49.94	50.20	50.47	50.73
<b>16 FT.</b>	51.00	51.27	51.53	51.80	52.06	52.33	52.59	52.86	53.12	53.39	53.66	53.92
<b>17 FT.</b>	54.19	54.45	54.72	54.98	55.25	55.52	55.78	56.05	56.31	56.58	56.84	57.11
<b>18 FT.</b>	57.38	57.64	57.91	58.17	58.44	58.70	58.97	59.23	59.50	59.76	60.03	60.30
<b>19 FT.</b>	60.56	60.83	61.09	61.36	61.62	61.89	62.16	62.42	62.69	62.95	63.22	63.48
<b>20 FT.</b>	63.75	64.02	64.28	64.55	64.81	65.08	65.34	65.61	65.87	66.14	66.41	66.67
<b>21 FT.</b>	66.94	67.20	67.47	67.73	68.00	68.27	68.53	68.80	69.06	69.33	69.59	69.86
<b>22 FT.</b>	70.13	70.39	70.66	70.92	71.19	71.45	71.72	71.98	72.25	72.51	72.78	73.05
<b>23 FT.</b>	73.31	73.58	73.84	74.11	74.37	74.64	74.91	75.17	75.44	75.70	75.97	76.23
<b>24 FT.</b>	76.50	76.77	77.03	77.30	77.56	77.83	78.09	78.36	78.62	78.89	79.16	79.42
<b>25 FT.</b>	79.69	79.95	80.22	80.48	80.75	81.02	81.28	81.55	81.81	82.08	82.34	82.61
<b>26 FT.</b>	82.88	83.14	83.41	83.67	83.94	84.20	84.47	84.73	85.00	85.26	85.53	85.80
<b>27 FT.</b>	86.06	86.33	86.59	86.86	87.12	87.39	87.66	87.92	88.19	88.45	88.72	88.98
<b>28 FT.</b>	89.25	89.52	89.78	90.05	90.31	90.58	90.84	91.11	91.37	91.64	91.91	92.17
<b>29 FT.</b>	92.44	92.70	92.97	93.23	93.50	93.77	94.03	94.30	94.56	94.83	95.09	95.36
<b>30 FT.</b>	95.63	95.89	96.16	96.42	96.69	96.95	97.22	97.48	97.75	98.01	98.28	98.55
<b>31 FT.</b>	98.81	99.08	99.34	99.61	99.87	100.14	100.41	100.67	100.94	101.20	101.47	101.73
<b>32 FT.</b>	102.00	102.27	102.53	102.80	103.06	103.33	103.59	103.86	104.12	104.39	104.66	104.92
<b>33 FT.</b>	105.19	105.45	105.72	105.98	106.25	106.52	106.78	107.05	107.31	107.58	107.84	108.11
<b>34 FT.</b>	108.38	108.64	108.91	109.17	109.44	109.70	109.97	110.23	110.50	110.76	111.03	111.30
<b>35 FT.</b>	111.56	111.83	112.09	112.36	112.62	112.89	113.16	113.42	113.69	113.95	114.22	114.48
<b>36 FT.</b>	114.75	115.02	115.28	115.55	115.81	116.08	116.34	116.61	116.87	117.14	117.41	117.67
<b>37 FT.</b>	117.94	118.20	118.47	118.73	119.00	119.27	119.53	119.80	120.06	120.33	120.59	120.86
<b>38 FT.</b>	121.13	121.39	121.66	121.92	122.19	122.45	122.72	122.98	123.25	123.51	123.78	124.05
<b>39 FT.</b>	124.31	124.58	124.84	125.11	125.37	125.64	125.91	126.17	126.44	126.70	126.97	127.23
<b>40 FT.</b>	127.50	127.77	128.03	128.30	128.56	128.83	129.09	129.36	129.62	129.89	130.16	130.42


## PBR / PBU / AVP Panels



PBR Panel



PBU Panel



AVP Panel

DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
29	36"	80,000	70#	Galvalume Plus® ☒	✓
29	36"	80,000	70#	Signature® 200	✓ †
26	36"	80,000	89#	Galvalume Plus® ☒	✓
26	36"	80,000	89#	Signature® 200	✓
26	36"	80,000	89#	Signature® 300	✓
24	36"	50,000	114#	Galvalume Plus® ☒	✓
24	36"	50,000	114#	Signature® 200	✓ †
22	36"	50,000	144#	Galvalume Plus® ☒	✓
22	36"	50,000	144#	Signature® 200	Please Inquire
.024" Alum ††	36"	18,000	35#	Signature® 200 - White Only	✓

†† Perforated only

\* See Commercial/Industrial Color Chart for available colors

† Minimum quantities may be required for some colors. Please inquire.

Signature is a registered trademark of NCI Group, Inc. Galvalume Plus is a registered and protected trademark of BIEC International, Inc.

¶ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, MBCI recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

Consult the MBCI COMMERCIAL/INDUSTRIAL OR "PBR" and "PBU" TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.

## Panel Pricing:

1. All "PBR", "PBU" and "AVP" panel pricing is based on a 38<sup>1</sup>/<sub>4</sub>" sheet width (see chart on opposite page).
2. Add \$8.00 per square for embossing.
3. Add \$1.05 per sheet for lengths 4'-0" and under.
4. Add \$32.40 set-up charge for reverse run "PBR" or "PBU" panels (upside down).
5. Perforated aluminum is 1<sup>1</sup>/<sub>8</sub>" round on .324" staggered centers. Approximately 13.5% open area. Any other color, gauge or perforation pattern - Please inquire

## Packaging Cost:

1. Maximum 3000 pounds or 75 panels per bundle.
2. Block and band only .....\$10.00
3. Block and band, waterproof paper wrap .....\$1.40/linear foot
4. Block and band, waster sheet top only .....\$1.60/linear foot
5. Block and band, waster sheet top and bottom .....\$2.80/linear foot
6. LTL Package - block and band, waster sheet top and bottom, angle board sides and ends .....\$3.50/linear foot
7. Export Package - block and band, waster sheet top and bottom, steel and wood boxed .....Special Order Only

## Delivery:


1. 29 and 26 gauge - Stocked Signature® 200 colors (see color chart) .....Approximately 3 Working Days
2. 22 and 24 gauge - Galvalume Plus® and Signature® 200 White .....Approximately 3 Working Days
3. 22 and 24 gauge - Signature® 200 colors .....Approximately 14 Working Days
4. 26 gauge - Signature® 300 colors (see color chart) .....Approximately 14 Working Days

## Notes:

1. "AVP" has pencil ribs as a standard.
2. Edge of panel in contact with concrete sheeting notch will result in excessive edge creep. Panel corrosion due to contact with concrete or any masonry product is excluded from Panel Warranty.
3. All perforated material comes with a light oil coating. Panels should be wiped clean before installing.

**IMPORTANT NOTICE TO INSTALLER/CUSTOMER:** Material should be inspected carefully prior to installation for defects including excessive oil canning. Installation of material constitutes acceptance.


## PBR Panel with Drip Stop



NUMBER OF SQUARE FEET PER PANEL

	0"	1"	2"	3"	4"	5"	6"	7"	8"	9"	10"	11"
<b>1 FT.</b>	3.19	3.45	3.72	3.98	4.25	4.52	4.78	5.05	5.31	5.58	5.84	6.11
<b>2 FT.</b>	6.38	6.64	6.91	7.17	7.44	7.70	7.97	8.23	8.50	8.76	9.03	9.30
<b>3 FT.</b>	9.56	9.83	10.09	10.36	10.62	10.89	11.16	11.42	11.69	11.95	12.22	12.48
<b>4 FT.</b>	12.75	13.02	13.28	13.55	13.81	14.08	14.34	14.61	14.87	15.14	15.41	15.67
<b>5 FT.</b>	15.94	16.20	16.47	16.73	17.00	17.27	17.53	17.80	18.06	18.33	18.59	18.86
<b>6 FT.</b>	19.13	19.39	19.66	19.92	20.19	20.45	20.72	20.98	21.25	21.51	21.78	22.05
<b>7 FT.</b>	22.31	22.58	22.84	23.11	23.37	23.64	23.91	24.17	24.44	24.70	24.97	25.23
<b>8 FT.</b>	25.50	25.77	26.03	26.30	26.56	26.83	27.09	27.36	27.62	27.89	28.16	28.42
<b>9 FT.</b>	28.69	28.95	29.22	29.48	29.75	30.02	30.28	30.55	30.81	31.08	31.34	31.61
<b>10 FT.</b>	31.88	32.14	32.41	32.67	32.94	33.20	33.47	33.73	34.00	34.26	34.53	34.80
<b>11 FT.</b>	35.06	35.33	35.59	35.86	36.12	36.39	36.66	36.92	37.19	37.45	37.72	37.98
<b>12 FT.</b>	38.25	38.52	38.78	39.05	39.31	39.58	39.84	40.11	40.37	40.64	40.91	41.17
<b>13 FT.</b>	41.44	41.70	41.97	42.23	42.50	42.77	43.03	43.30	43.56	43.83	44.09	44.36
<b>14 FT.</b>	44.63	44.89	45.16	45.42	45.69	45.95	46.22	46.48	46.75	47.01	47.28	47.55
<b>15 FT.</b>	47.81	48.08	48.34	48.61	48.87	49.14	49.41	49.67	49.94	50.20	50.47	50.73
<b>16 FT.</b>	51.00	51.27	51.53	51.80	52.06	52.33	52.59	52.86	53.12	53.39	53.66	53.92
<b>17 FT.</b>	54.19	54.45	54.72	54.98	55.25	55.52	55.78	56.05	56.31	56.58	56.84	57.11
<b>18 FT.</b>	57.38	57.64	57.91	58.17	58.44	58.70	58.97	59.23	59.50	59.76	60.03	60.30
<b>19 FT.</b>	60.56	60.83	61.09	61.36	61.62	61.89	62.16	62.42	62.69	62.95	63.22	63.48
<b>20 FT.</b>	63.75	64.02	64.28	64.55	64.81	65.08	65.34	65.61	65.87	66.14	66.41	66.67
<b>21 FT.</b>	66.94	67.20	67.47	67.73	68.00	68.27	68.53	68.80	69.06	69.33	69.59	69.86
<b>22 FT.</b>	70.13	70.39	70.66	70.92	71.19	71.45	71.72	71.98	72.25	72.51	72.78	73.05
<b>23 FT.</b>	73.31	73.58	73.84	74.11	74.37	74.64	74.91	75.17	75.44	75.70	75.97	76.23
<b>24 FT.</b>	76.50	76.77	77.03	77.30	77.56	77.83	78.09	78.36	78.62	78.89	79.16	79.42
<b>25 FT.</b>	79.69	79.95	80.22	80.48	80.75	81.02	81.28	81.55	81.81	82.08	82.34	82.61
<b>26 FT.</b>	82.88	83.14	83.41	83.67	83.94	84.20	84.47	84.73	85.00	85.26	85.53	85.80
<b>27 FT.</b>	86.06	86.33	86.59	86.86	87.12	87.39	87.66	87.92	88.19	88.45	88.72	88.98
<b>28 FT.</b>	89.25	89.52	89.78	90.05	90.31	90.58	90.84	91.11	91.37	91.64	91.91	92.17
<b>29 FT.</b>	92.44	92.70	92.97	93.23	93.50	93.77	94.03	94.30	94.56	94.83	95.09	95.36
<b>30 FT.</b>	95.63	95.89	96.16	96.42	96.69	96.95	97.22	97.48	97.75	98.01	98.28	98.55
<b>31 FT.</b>	98.81	99.08	99.34	99.61	99.87	100.14	100.41	100.67	100.94	101.20	101.47	101.73
<b>32 FT.</b>	102.00	102.27	102.53	102.80	103.06	103.33	103.59	103.86	104.12	104.39	104.66	104.92
<b>33 FT.</b>	105.19	105.45	105.72	105.98	106.25	106.52	106.78	107.05	107.31	107.58	107.84	108.11
<b>34 FT.</b>	108.38	108.64	108.91	109.17	109.44	109.70	109.97	110.23	110.50	110.76	111.03	111.30
<b>35 FT.</b>	111.56	111.83	112.09	112.36	112.62	112.89	113.16	113.42	113.69	113.95	114.22	114.48
<b>36 FT.</b>	114.75	115.02	115.28	115.55	115.81	116.08	116.34	116.61	116.87	117.14	117.41	117.67
<b>37 FT.</b>	117.94	118.20	118.47	118.73	119.00	119.27	119.53	119.80	120.06	120.33	120.59	120.86
<b>38 FT.</b>	121.13	121.39	121.66	121.92	122.19	122.45	122.72	122.98	123.25	123.51	123.78	124.05
<b>39 FT.</b>	124.31	124.58	124.84	125.11	125.37	125.64	125.91	126.17	126.44	126.70	126.97	127.23
<b>40 FT.</b>	127.50	127.77	128.03	128.30	128.56	128.83	129.09	129.36	129.62	129.89	130.16	130.42

## PBR Panel with Drip Stop



DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
29	36"	80,000	70#	Galvalume Plus® ☒	✓
29	36"	80,000	2.22#	Signature® 200 *	✓ †
26	36"	80,000	89#	Galvalume Plus® ☒	✓
26	36"	80,000	89#	Signature® 200 *	✓
26	36"	80,000	89#	Signature® 300 *	✓
24	36"	50,000	114#	Galvalume Plus® ☒	✓
24	36"	50,000	114#	Signature® 200 *	✓ †

\* See Commercial/Industrial Color Chart for available colors

† Minimum quantities may be required for some colors. Please inquire.

Signature is a registered trademark of NCI Group, Inc. Galvalume Plus is a registered and protected trademark of BIEC International, Inc.

¶ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, MBCI recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

Consult the MBCI COMMERCIAL/INDUSTRIAL OR "PBR" and "PBU" TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.

#### Panel Pricing:

1. All panel pricing is based on a 38<sup>1</sup>/<sub>4</sub>" sheet width (see chart on opposite page).
2. Add \$1.05 per sheet for lengths 4'-0" and under.

#### Packaging Cost:

1. Maximum 3000 pounds or 75 panels per bundle.
2. Block and band only .....\$10.00
3. Block and band, waterproof paper wrap .....\$1.40/linear foot
4. Block and band, waster sheet top only .....\$1.60/linear foot
5. Block and band, waster sheet top and bottom .....\$2.80/linear foot
6. LTL Package - block and band, waster sheet top and bottom, angle board sides and ends .....\$3.50/linear foot
7. Export Package - block and band, waster sheet top and bottom, steel and wood boxed .....Special Order Only

#### Delivery:


1. 29 and 26 gauge - Stocked Signature® 200 colors (see color chart) .....Approximately 3 Working Days
2. 22 and 24 gauge - Galvalume Plus® and Signature® 200 White .....Approximately 3 Working Days
3. 22 and 24 gauge - Signature® 200 colors .....Approximately 14 Working Days
4. 26 gauge - Signature® 300 colors (see color chart) .....Approximately 14 Working Days

#### Notes:


1. Edge of panel in contact with concrete sheeting notch will result in excessive edge creep. Panel corrosion due to contact with concrete or any masonry product is excluded from Panel Warranty.

**IMPORTANT NOTICE TO INSTALLER/CUSTOMER:** Material should be inspected carefully prior to installation for defects including excessive oil canning. Installation of material constitutes acceptance.

## PBC / PBD Panels



PBC Panel




PBD Panel


NUMBER OF SQUARE FEET PER PANEL

	0"	1"	2"	3"	4"	5"	6"	7"	8"	9"	10"	11"
<b>1 FT.</b>	2.83	3.07	3.31	3.54	3.78	4.01	4.25	4.49	4.72	4.96	5.19	5.43
<b>2 FT.</b>	5.67	5.90	6.14	6.37	6.61	6.85	7.08	7.32	7.55	7.79	8.03	8.26
<b>3 FT.</b>	8.50	8.74	8.97	9.21	9.44	9.68	9.92	10.15	10.39	10.62	10.86	11.10
<b>4 FT.</b>	11.33	11.57	11.81	12.04	12.28	12.51	12.75	12.99	13.22	13.46	13.69	13.93
<b>5 FT.</b>	14.17	14.40	14.64	14.87	15.11	15.35	15.58	15.82	16.05	16.29	16.53	16.76
<b>6 FT.</b>	17.00	17.24	17.47	17.71	17.94	18.18	18.42	18.65	18.89	19.12	19.36	19.60
<b>7 FT.</b>	19.83	20.07	20.31	20.54	20.78	21.01	21.25	21.49	21.72	21.96	22.19	22.43
<b>8 FT.</b>	22.67	22.90	23.14	23.37	23.61	23.85	24.08	24.32	24.55	24.79	25.03	25.26
<b>9 FT.</b>	25.50	25.74	25.97	26.21	26.44	26.68	26.92	27.15	27.39	27.62	27.86	28.10
<b>10 FT.</b>	28.33	28.57	28.81	29.04	29.28	29.51	29.75	29.99	30.22	30.46	30.69	30.93
<b>11 FT.</b>	31.17	31.40	31.64	31.87	32.11	32.35	32.58	32.82	33.05	33.29	33.53	33.76
<b>12 FT.</b>	34.00	34.24	34.47	34.71	34.94	35.18	35.42	35.65	35.89	36.12	36.36	36.60
<b>13 FT.</b>	36.83	37.07	37.30	37.54	37.78	38.01	38.25	38.48	38.72	38.96	39.19	39.43
<b>14 FT.</b>	39.67	39.90	40.14	40.37	40.61	40.85	41.08	41.32	41.55	41.79	42.03	42.26
<b>15 FT.</b>	42.50	42.74	42.97	43.21	43.44	43.68	43.92	44.15	44.39	44.62	44.86	45.10
<b>16 FT.</b>	45.33	45.57	45.80	46.04	46.28	46.51	46.75	46.98	47.22	47.46	47.69	47.93
<b>17 FT.</b>	48.17	48.40	48.64	48.87	49.11	49.35	49.58	49.82	50.05	50.29	50.53	50.76
<b>18 FT.</b>	51.00	51.24	51.47	51.71	51.94	52.18	52.42	52.65	52.89	53.12	53.36	53.60
<b>19 FT.</b>	53.83	54.07	54.30	54.54	54.78	55.01	55.25	55.48	55.72	55.96	56.19	56.43
<b>20 FT.</b>	56.67	56.90	57.14	57.37	57.61	57.85	58.08	58.32	58.55	58.79	59.03	59.26
<b>21 FT.</b>	59.50	59.74	59.97	60.21	60.44	60.68	60.92	61.15	61.39	61.62	61.86	62.10
<b>22 FT.</b>	62.33	62.57	62.80	63.04	63.28	63.51	63.75	63.98	64.22	64.46	64.69	64.93
<b>23 FT.</b>	65.17	65.40	65.64	65.87	66.11	66.35	66.58	66.82	67.05	67.29	67.53	67.76
<b>24 FT.</b>	68.00	68.24	68.47	68.71	68.94	69.18	69.42	69.65	69.89	70.12	70.36	70.60
<b>25 FT.</b>	70.83	71.07	71.30	71.54	71.78	72.01	72.25	72.48	72.72	72.96	73.19	73.43
<b>26 FT.</b>	73.67	73.90	74.14	74.37	74.61	74.85	75.08	75.32	75.55	75.79	76.03	76.26
<b>27 FT.</b>	76.50	76.74	76.97	77.21	77.44	77.68	77.92	78.15	78.39	78.62	78.86	79.10
<b>28 FT.</b>	79.33	79.57	79.80	80.04	80.28	80.51	80.75	80.98	81.22	81.46	81.69	81.93
<b>29 FT.</b>	82.17	82.40	82.64	82.87	83.11	83.35	83.58	83.82	84.05	84.29	84.53	84.76
<b>30 FT.</b>	85.00	85.24	85.47	85.71	85.94	86.18	86.42	86.65	86.89	87.12	87.36	87.60
<b>31 FT.</b>	87.83	88.07	88.30	88.54	88.78	89.01	89.25	89.48	89.72	89.96	90.19	90.43
<b>32 FT.</b>	90.67	90.90	91.14	91.37	91.61	91.85	92.08	92.32	92.55	92.79	93.03	93.26
<b>33 FT.</b>	93.50	93.73	93.97	94.21	94.44	94.68	94.91	95.15	95.39	95.62	95.86	96.09
<b>34 FT.</b>	96.33	96.57	96.80	97.04	97.28	97.51	97.75	97.98	98.22	98.46	98.69	98.93
<b>35 FT.</b>	99.17	99.40	99.64	99.87	100.11	100.35	100.58	100.82	101.05	101.29	101.53	101.76
<b>36 FT.</b>	102.00	102.23	102.47	102.71	102.94	103.18	103.41	103.65	103.89	104.12	104.36	104.59
<b>37 FT.</b>	104.83	105.07	105.30	105.54	105.78	106.01	106.25	106.48	106.72	106.96	107.19	107.43
<b>38 FT.</b>	107.67	107.90	108.14	108.37	108.61	108.85	109.08	109.32	109.55	109.79	110.03	110.26
<b>39 FT.</b>	110.50	110.73	110.97	111.21	111.44	111.68	111.91	112.15	112.39	112.62	112.86	113.09
<b>40 FT.</b>	113.33	113.57	113.80	114.04	114.28	114.51	114.75	114.98	115.22	115.46	115.69	115.93

## PBC / PBD Panels



PBC Panel



PBD Panel

DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
29	32"	80,000	78#	Galvalume Plus® ☒	✓
29	32"	80,000	78#	Signature® 200 *	✓ †
29	32"	80,000	83#	Galvanized	Please Inquire
26	32"	80,000	101#	Galvalume Plus® ☒	✓
26	32"	80,000	101#	Signature® 200 *	✓
26	32"	80,000	101#	Signature® 300 *	✓
24	32"	50,000	128#	Galvalume Plus® ☒	✓
24	32"	50,000	128#	Signature® 200 *	✓ †
22	32"	50,000	162#	Galvalume Plus® ☒	✓
22	32"	50,000	162#	Signature® 200 *	Please Inquire
.024" Alum □□	32"	18,000	40#	Signature® 200 - White Only	✓

**†† Perforated only****♦ "PBC" Panel not available****† Minimum quantities may be required for some colors. Please inquire.****\* See Commercial/Industrial Color Chart for available colors**

Signature is a registered trademark of NCI Group, Inc. Galvalume Plus is a registered and protected trademark of BIEC International, Inc.

¶ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, MBCI recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

**Consult the MBCI COMMERCIAL/INDUSTRIAL TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.**

## Panel Pricing:

1. All "PBC" and "PBD" panel pricing is based on a 34" sheet width (see chart on opposite page).
2. Add \$8.00 per square for embossing.
3. Add \$1.05 per sheet for lengths 4'-0" and under.
4. Perforated aluminum is  $\frac{1}{8}$ " round on .324" staggered centers. Approximately 13.5% open area. **Any other color, gauge or perforation pattern - Please inquire**

## Packaging Cost:

1. Maximum 3000 pounds or 75 panels per bundle.
2. Block and band only .....\$10.00
3. Block and band, waterproof paper wrap .....\$1.40/linear foot
4. Block and band, waster sheet top only .....\$1.60/linear foot
5. Block and band, waster sheet top and bottom .....\$2.80/linear foot
6. LTL Package - block and band, waster sheet top and bottom, angle board sides and ends .....\$3.50/linear foot
7. Export Package - block and band, waster sheet top and bottom, steel and wood boxed .....Special Order Only

## Delivery:


1. 29 and 26 gauge - Stocked Signature® 200 colors (see color chart) .....Approximately 3 Working Days
2. 22 and 24 gauge - Galvalume Plus® and Signature® 200 White .....Approximately 3 Working Days
3. 22 and 24 gauge - Signature® 200 colors .....Approximately 14 Working Days
4. 26 gauge - Signature® 300 colors (see color chart) .....Approximately 14 Working Days

## Notes:

1. Edge of panel in contact with concrete sheeting notch will result in excessive edge creep. Panel corrosion due to contact with concrete or any masonry product is excluded from Panel Warranty.
2. All perforated material comes with a light oil coating. Panels should be wiped clean before installing.

**IMPORTANT NOTICE TO INSTALLER/CUSTOMER:** Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**


## 7.2 Panel



NUMBER OF SQUARE FEET PER PANEL

	0"	1"	2"	3"	4"	5"	6"	7"	8"	9"	10"	11"
<b>1 FT.</b>	3.26	3.53	3.80	4.07	4.35	4.62	4.89	5.16	5.43	5.70	5.98	6.25
<b>2 FT.</b>	6.52	6.79	7.06	7.34	7.61	7.88	8.15	8.42	8.69	8.96	9.24	9.51
<b>3 FT.</b>	9.78	10.05	10.32	10.60	10.87	11.14	11.41	11.68	11.95	12.22	12.50	12.77
<b>4 FT.</b>	13.04	13.31	13.58	13.86	14.13	14.40	14.67	14.94	15.21	15.49	15.76	16.03
<b>5 FT.</b>	16.30	16.57	16.85	17.12	17.39	17.66	17.93	18.20	18.47	18.75	19.02	19.29
<b>6 FT.</b>	19.56	19.83	20.11	20.38	20.65	20.92	21.19	21.46	21.73	22.01	22.28	22.55
<b>7 FT.</b>	22.82	23.09	23.37	23.64	23.91	24.18	24.45	24.72	24.99	25.27	25.54	25.81
<b>8 FT.</b>	26.08	26.35	26.63	26.90	27.17	27.44	27.71	27.98	28.26	28.53	28.80	29.07
<b>9 FT.</b>	29.34	29.62	29.89	30.16	30.43	30.70	30.97	31.24	31.52	31.79	32.06	32.33
<b>10 FT.</b>	32.60	32.88	33.15	33.42	33.69	33.96	34.23	34.50	34.78	35.05	35.32	35.59
<b>11 FT.</b>	35.86	36.14	36.41	36.68	36.95	37.22	37.49	37.76	38.04	38.31	38.58	38.85
<b>12 FT.</b>	39.12	39.40	39.67	39.94	40.21	40.48	40.75	41.03	41.30	41.57	41.84	42.11
<b>13 FT.</b>	42.39	42.66	42.93	43.20	43.47	43.74	44.01	44.29	44.56	44.83	45.10	45.37
<b>14 FT.</b>	45.65	45.92	46.19	46.46	46.73	47.00	47.27	47.55	47.82	48.09	48.36	48.63
<b>15 FT.</b>	48.91	49.18	49.45	49.72	49.99	50.26	50.54	50.81	51.08	51.35	51.62	51.89
<b>16 FT.</b>	52.17	52.44	52.71	52.98	53.25	53.52	53.80	54.07	54.34	54.61	54.88	55.15
<b>17 FT.</b>	55.43	55.70	55.97	56.24	56.51	56.78	57.06	57.33	57.60	57.87	58.14	58.41
<b>18 FT.</b>	58.69	58.96	59.23	59.50	59.77	60.04	60.32	60.59	60.86	61.13	61.40	61.67
<b>19 FT.</b>	61.95	62.22	62.49	62.76	63.03	63.31	63.58	63.85	64.12	64.39	64.66	64.93
<b>20 FT.</b>	65.21	65.48	65.75	66.02	66.29	66.57	66.84	67.11	67.38	67.65	67.92	68.19
<b>21 FT.</b>	68.47	68.74	69.01	69.28	69.55	69.83	70.10	70.37	70.64	70.91	71.18	71.45
<b>22 FT.</b>	71.73	72.00	72.27	72.54	72.81	73.09	73.36	73.63	73.90	74.17	74.44	74.72
<b>23 FT.</b>	74.99	75.26	75.53	75.80	76.08	76.35	76.62	76.89	77.16	77.43	77.70	77.98
<b>24 FT.</b>	78.25	78.52	78.79	79.06	79.34	79.61	79.88	80.15	80.42	80.69	80.96	81.24
<b>25 FT.</b>	81.51	81.78	82.05	82.32	82.60	82.87	83.14	83.41	83.68	83.95	84.23	84.50
<b>26 FT.</b>	84.77	85.04	85.31	85.58	85.86	86.13	86.40	86.67	86.94	87.21	87.49	87.76
<b>27 FT.</b>	88.03	88.30	88.57	88.85	89.12	89.39	89.66	89.93	90.20	90.47	90.75	91.02
<b>28 FT.</b>	91.29	91.56	91.83	92.11	92.38	92.65	92.92	93.19	93.46	93.73	94.01	94.28
<b>29 FT.</b>	94.55	94.82	95.09	95.37	95.64	95.91	96.18	96.45	96.72	97.00	97.27	97.54
<b>30 FT.</b>	97.81	98.08	98.36	98.63	98.90	99.17	99.44	99.71	99.98	100.26	100.53	100.80
<b>31 FT.</b>	101.07	101.34	101.62	101.89	102.16	102.43	102.70	102.97	103.24	103.52	103.79	104.06
<b>32 FT.</b>	104.33	104.60	104.88	105.15	105.42	105.69	105.96	106.23	106.50	106.78	107.05	107.32
<b>33 FT.</b>	107.59	107.86	108.14	108.41	108.68	108.95	109.22	109.49	109.77	110.04	110.31	110.58
<b>34 FT.</b>	110.85	111.13	111.40	111.67	111.94	112.21	112.48	112.75	113.03	113.30	113.57	113.84
<b>35 FT.</b>	114.11	114.39	114.66	114.93	115.20	115.47	115.74	116.01	116.29	116.56	116.83	117.10
<b>36 FT.</b>	117.37	117.65	117.92	118.19	118.46	118.73	119.00	119.27	119.55	119.82	120.09	120.36
<b>37 FT.</b>	120.63	120.91	121.18	121.45	121.72	121.99	122.26	122.54	122.81	123.08	123.35	123.62
<b>38 FT.</b>	123.90	124.17	124.44	124.71	124.98	125.25	125.52	125.80	126.07	126.34	126.61	126.88
<b>39 FT.</b>	127.16	127.43	127.70	127.97	128.24	128.51	128.78	129.06	129.33	129.60	129.87	130.14
<b>40 FT.</b>	130.42	130.69	130.96	131.23	131.50	131.77	132.04	132.32	132.59	132.86	133.13	133.40

## 7.2 Panel



DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
26	36"	80,000	96#	Galvalume Plus® ☒	✓
26	36"	80,000	96#	Signature® 200 *	✓ †
24	36"	50,000	118#	Galvalume Plus® ☒	✓
24	36"	50,000	118#	Signature® 200 *	✓ †
24	36"	50,000	118#	Signature® 300 *	✓ †
22	36"	50,000	146#	Galvalume Plus® ☒	✓
22	36"	50,000	146#	Signature® 200 *	Please Inquire
22	36"	50,000	146#	Signature® 300 *	Please Inquire

\* See Commercial/Industrial Color Chart for available colors

† Minimum quantities may be required for some colors. Please inquire.

Signature is a registered trademark of NCI Group, Inc. Galvalume Plus is a registered and protected trademark of BIEC International, Inc.

☒ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, MBCI recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

**Consult the MBCI COMMERCIAL/INDUSTRIAL TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.**

#### Panel Pricing:

1. All 7.2 panel pricing is based on a 39<sup>1</sup>/<sub>8</sub>" sheet width (see chart on opposite page).
2. Add \$8.00 per square for embossing.
3. Add \$1.05 per sheet for lengths 4'-0" and under.

#### Packaging Cost:

1. Maximum 3000 pounds or 75 panels per bundle.
2. Block and band only .....\$10.00
3. Block and band, waterproof paper wrap .....\$1.40/linear foot
4. Block and band, waster sheet top only .....\$1.60/linear foot
5. Block and band, waster sheet top and bottom .....\$2.80/linear foot
6. LTL Package - block and band, waster sheet top and bottom, angle board sides and ends .....\$3.50/linear foot
7. Export Package - block and band, waster sheet top and bottom, steel and wood boxed .....Special Order Only

#### Delivery:


1. 29 gauge - stocked Signature® 200 colors (see color chart) .....Approximately 14 Working Days
2. 26, 24 and 22 gauge - (see color chart) .....Approximately 3 Working Days

#### Notes:

1. Edge of panel in contact with concrete sheeting notch will result in excessive edge creep. Panel corrosion due to contact with concrete or any masonry product is excluded from Panel Warranty.
2. All perforated material comes with a light oil coating. Panels should be wiped clean before installing.
3. Panels may be ordered "Reverse Rolled" for use on walls. This allows the lap fasteners to be recessed and less visible.

**IMPORTANT NOTICE TO INSTALLER/CUSTOMER:** Material should be inspected carefully prior to installation for defects including excessive oil canning. Installation of material constitutes acceptance.


## Retro-R® Panel



NUMBER OF SQUARE FEET PER PANEL

	0"	1"	2"	3"	4"	5"	6"	7"	8"	9"	10"	11"
<b>1 FT.</b>	3.21	3.48	3.74	4.01	4.28	4.54	4.81	5.08	5.34	5.61	5.88	6.15
<b>2 FT.</b>	6.42	6.68	6.95	7.22	7.48	7.75	8.02	8.29	8.55	8.82	9.09	9.35
<b>3 FT.</b>	9.62	9.89	10.16	10.43	10.69	10.96	11.23	11.49	11.76	12.03	12.29	12.56
<b>4 FT.</b>	12.83	13.10	13.37	13.63	13.90	14.17	14.43	14.70	14.97	15.24	15.50	15.77
<b>5 FT.</b>	16.04	16.31	16.57	16.84	17.11	17.38	17.64	17.91	18.18	18.44	18.71	18.98
<b>6 FT.</b>	19.25	19.52	19.78	20.05	20.32	20.58	20.85	21.12	21.38	21.65	21.92	22.19
<b>7 FT.</b>	22.46	22.72	22.99	23.26	23.52	23.79	24.06	24.33	24.59	24.86	25.13	25.39
<b>8 FT.</b>	25.66	25.93	26.20	26.47	26.73	27.00	27.27	27.53	27.80	28.07	28.33	28.60
<b>9 FT.</b>	28.87	29.14	29.41	29.67	29.94	30.21	30.47	30.74	31.01	31.28	31.54	31.81
<b>10 FT.</b>	32.08	32.35	32.61	32.88	33.15	33.42	33.68	33.95	34.22	34.48	34.75	35.02
<b>11 FT.</b>	35.29	35.56	35.82	36.09	36.36	36.62	36.89	37.16	37.42	37.69	37.96	38.23
<b>12 FT.</b>	38.50	38.76	39.03	39.30	39.56	39.83	40.10	40.37	40.63	40.90	41.17	41.43
<b>13 FT.</b>	41.70	41.97	42.24	42.51	42.77	43.04	43.31	43.57	43.84	44.11	44.37	44.64
<b>14 FT.</b>	44.91	45.18	45.45	45.71	45.98	46.25	46.51	46.78	47.05	47.32	47.58	47.85
<b>15 FT.</b>	48.12	48.39	48.65	48.92	49.19	49.46	49.72	49.99	50.26	50.52	50.79	51.06
<b>16 FT.</b>	51.33	51.60	51.86	52.13	52.40	52.66	52.93	53.20	53.46	53.73	54.00	54.27
<b>17 FT.</b>	54.54	54.80	55.07	55.34	55.60	55.87	56.14	56.41	56.67	56.94	57.21	57.47
<b>18 FT.</b>	57.74	58.01	58.28	58.55	58.81	59.08	59.35	59.61	59.88	60.15	60.41	60.68
<b>19 FT.</b>	60.95	61.22	61.49	61.75	62.02	62.29	62.55	62.82	63.09	63.36	63.62	63.89
<b>20 FT.</b>	64.16	64.43	64.69	64.96	65.23	65.49	65.76	66.03	66.30	66.56	66.83	67.10
<b>21 FT.</b>	67.37	67.64	67.90	68.17	68.44	68.70	68.97	69.24	69.50	69.77	70.04	70.31
<b>22 FT.</b>	70.58	70.84	71.11	71.38	71.64	71.91	72.18	72.45	72.71	72.98	73.25	73.51
<b>23 FT.</b>	73.78	74.05	74.32	74.59	74.85	75.12	75.39	75.65	75.92	76.19	76.45	76.72
<b>24 FT.</b>	76.99	77.26	77.53	77.79	78.06	78.33	78.59	78.86	79.13	79.40	79.66	79.93
<b>25 FT.</b>	80.20	80.47	80.73	81.00	81.27	81.54	81.80	82.07	82.34	82.60	82.87	83.14
<b>26 FT.</b>	83.41	83.68	83.94	84.21	84.48	84.74	85.01	85.28	85.54	85.81	86.08	86.35
<b>27 FT.</b>	86.62	86.88	87.15	87.42	87.68	87.95	88.22	88.49	88.75	89.02	89.29	89.55
<b>28 FT.</b>	89.82	90.09	90.36	90.63	90.89	91.16	91.43	91.69	91.96	92.23	92.49	92.76
<b>29 FT.</b>	93.03	93.30	93.57	93.83	94.10	94.37	94.63	94.90	95.17	95.44	95.70	95.97
<b>30 FT.</b>	96.24	96.51	96.77	97.04	97.31	97.58	97.84	98.11	98.38	98.64	98.91	99.18
<b>31 FT.</b>	99.45	99.72	99.98	100.25	100.52	100.78	101.05	101.32	101.58	101.85	102.12	102.39
<b>32 FT.</b>	102.66	102.92	103.19	103.46	103.72	103.99	104.26	104.53	104.79	105.06	105.33	105.59
<b>33 FT.</b>	105.86	106.13	106.40	106.67	106.93	107.20	107.47	107.73	108.00	108.27	108.53	108.80
<b>34 FT.</b>	109.07	109.34	109.61	109.87	110.14	110.41	110.67	110.94	111.21	111.48	111.74	112.01
<b>35 FT.</b>	112.28	112.55	112.81	113.08	113.35	113.62	113.88	114.15	114.42	114.68	114.95	115.22
<b>36 FT.</b>	115.49	115.76	116.02	116.29	116.56	116.82	117.09	117.36	117.62	117.89	118.16	118.43
<b>37 FT.</b>	118.70	118.96	119.23	119.50	119.76	120.03	120.30	120.57	120.83	121.10	121.37	121.63
<b>38 FT.</b>	121.90	122.17	122.44	122.71	122.97	123.24	123.51	123.77	124.04	124.31	124.57	124.84
<b>39 FT.</b>	125.11	125.38	125.65	125.91	126.18	126.45	126.71	126.98	127.25	127.52	127.78	128.05
<b>40 FT.</b>	128.32	128.59	128.85	129.12	129.39	129.66	129.92	130.19	130.46	130.72	130.99	131.26

## Retro-R® Panel



DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
29	36"	80,000	64#	Galvalume Plus® ☒	✓
29	36"	80,000	64#	Signature® 200 *	✓
26	36"	80,000	64#	Signature® 200 *	Please Inquire

## \* See Residential Color Chart for available colors.

Signature is a registered trademark of NCI Group, Inc. Galvalume Plus is a registered and protected trademark of BIEC International, Inc.

The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, MBCI recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

**Consult the MBCI COMMERCIAL/INDUSTRIAL OR RETRO-R® PANEL TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.**

## Panel Pricing:

1. The Retro-R® panel pricing is based on a 38 $\frac{1}{2}$ " sheet width (see chart on opposite page).
2. Minimum quantities may be required for certain panel gauges and/or colors. Please Inquire.
3. Add \$1.05 per sheet for lengths 4'-0" and under.
4. Pricing includes the drip stop backer.

## Packaging Cost:

1. Maximum 3000 pounds or 75 panels per bundle.
2. Block and band, waster sheet top and bottom .....\$2.80/linear foot
3. LTL Package - block and band, waster sheet top and bottom, angle board sides and ends .....\$3.50/linear foot
4. Export Packaging per quote only.

## Delivery:

1. 29 gauge - Signature® 200 Stocked colors (see Residential Color Chart, Slimline® Panel) ....Approximately 15 Working Days
2. 29 gauge - Signature® 300 colors (contact MBCI for selection) .....Approximately 15 Working Days
3. 26 gauge (Galvalume Plus® & Signature® 200, 150 Square min.) .....Please Inquire

## Notes:

1. Maximum panel length is 40'-0".
2. Existing panels to which the Retro-R® panels will be attached, must be 36" wide and have major ribs a minimum of 1 1/4" deep or deeper.


**IMPORTANT NOTICE TO INSTALLER/CUSTOMER:** Material should be inspected carefully prior to installation for defects including excessive oil canning. Installation of material constitutes acceptance.



## Cee or Zee



Cee



Zee

NOMINAL SIZE	DESCRIPTION	PRICED PER 100 LF			
		ACTUAL SIZE *	GAUGE	WEIGHT PER LF	RED OXIDE
4 x 2	4 x 2	16	16	1.75#	✓
4 x 2	4 x 2	14	14	2.10#	✓
4 x 2 <sup>1</sup> / <sub>2</sub>	4 x 2 <sup>1</sup> / <sub>8</sub> x 2 <sup>3</sup> / <sub>8</sub>	16	16	1.95#	✓
4 x 2 <sup>1</sup> / <sub>2</sub>	4 x 2 <sup>1</sup> / <sub>8</sub> x 2 <sup>3</sup> / <sub>8</sub>	14	14	2.33#	✓
5 x 2 <sup>1</sup> / <sub>2</sub>	5 x 2 <sup>1</sup> / <sub>8</sub> x 2 <sup>3</sup> / <sub>8</sub>	16	16	2.15#	✓
5 x 2 <sup>1</sup> / <sub>2</sub>	5 x 2 <sup>1</sup> / <sub>8</sub> x 2 <sup>3</sup> / <sub>8</sub>	14	14	2.57#	✓
6 x 2 <sup>1</sup> / <sub>2</sub>	6 x 2 <sup>1</sup> / <sub>8</sub> x 2 <sup>3</sup> / <sub>8</sub>	16	16	2.34#	✓
6 x 2 <sup>1</sup> / <sub>2</sub>	6 x 2 <sup>1</sup> / <sub>8</sub> x 2 <sup>3</sup> / <sub>8</sub>	14	14	2.80#	✓
7 x 2 <sup>1</sup> / <sub>2</sub>	7 x 2 <sup>1</sup> / <sub>8</sub> x 2 <sup>3</sup> / <sub>8</sub>	16	16	2.54#	✓
7 x 2 <sup>1</sup> / <sub>2</sub>	7 x 2 <sup>1</sup> / <sub>8</sub> x 2 <sup>3</sup> / <sub>8</sub>	14	14	3.04#	✓
7 x 3	7 x 2 <sup>5</sup> / <sub>8</sub> x 2 <sup>7</sup> / <sub>8</sub>	14	14	3.27#	✓
7 x 3	7 x 2 <sup>5</sup> / <sub>8</sub> x 2 <sup>7</sup> / <sub>8</sub>	12	12	4.88#	✓
8 x 2 <sup>1</sup> / <sub>2</sub>	8 x 2 <sup>1</sup> / <sub>8</sub> x 2 <sup>3</sup> / <sub>8</sub>	16	16	2.73#	✓
8 x 2 <sup>1</sup> / <sub>2</sub>	8 x 2 <sup>1</sup> / <sub>8</sub> x 2 <sup>3</sup> / <sub>8</sub>	14	14	3.27#	✓
8 x 2 <sup>1</sup> / <sub>2</sub>	8 x 2 <sup>1</sup> / <sub>8</sub> x 2 <sup>3</sup> / <sub>8</sub>	13	13	3.95#	✓
8 x 2 <sup>1</sup> / <sub>2</sub>	8 x 2 <sup>1</sup> / <sub>8</sub> x 2 <sup>3</sup> / <sub>8</sub>	12	12	4.88#	✓
8 x 3	8 x 2 <sup>5</sup> / <sub>8</sub> x 2 <sup>7</sup> / <sub>8</sub>	16	16	2.93#	✓
8 x 3	8 x 2 <sup>5</sup> / <sub>8</sub> x 2 <sup>7</sup> / <sub>8</sub>	14	14	3.50#	✓
8 x 3	8 x 2 <sup>5</sup> / <sub>8</sub> x 2 <sup>7</sup> / <sub>8</sub>	12	12	5.23#	✓

\*Actual size does not apply to Cees. It refers to unequal flange Zees only.

**PUNCHING PATTERNS (SPECIFY BY PATTERN LETTER):**

Pattern A: Common Web (for Simple Span, Short Lap, Long Lap 3' Offset and Max Lap) .....\$1.05 per zee or cee

Pattern B: Common Web (all laps available in Pattern A plus 5' Offset and Super Lap) .....\$1.25 per zee or cee

Pattern D: Common Flange (for Simple Span, Short Lap, Long Lap, 3' Offset and Max Lap) .....\$1.25 per zee or cee

Pattern E: Common Flange (all laps available in Pattern D plus 5' Offset and Super Lap) .....\$1.55 per zee or cee


Pattern G: Common End (one set of holes 1 3/4" from end of purlin) .....\$0.60 per zee or cee

**SPECIAL PUNCHING:** .....\$2.65 per zee or cee

**PRICING NOTES:**

1. Consult the MBCI technical manuals for proper production application, design details and other product information.
2. All common patterns have the first set of holes 1 3/4" from the end of the purlin.
3. Length tolerance is ± 1/4"
4. **For pricing, round lengths up to the nearest 3" increment - Parts shorter than 5'-0" are priced as minimum 5'-0" length.**

## Cee or Zee (Continued)



DESCRIPTION				PRICED PER 100 LF	
NOMINAL SIZE	ACTUAL SIZE *	GAUGE	WEIGHT PER LF	RED OXIDE	GALVANIZED
8 x 3 <sup>1</sup> / <sub>2</sub>	8 x 3 <sup>1</sup> / <sub>8</sub> x 3 <sup>3</sup> / <sub>8</sub>	14	3.74#	✓	✓
8 x 3 <sup>1</sup> / <sub>2</sub>	8 x 3 <sup>1</sup> / <sub>8</sub> x 3 <sup>3</sup> / <sub>8</sub>	13	4.52#	✓	N/A
8 x 3 <sup>1</sup> / <sub>2</sub>	8 x 3 <sup>1</sup> / <sub>8</sub> x 3 <sup>3</sup> / <sub>8</sub>	12	5.58#	✓	✓
9 x 2 <sup>1</sup> / <sub>2</sub>	9 x 2 <sup>1</sup> / <sub>8</sub> x 2 <sup>3</sup> / <sub>8</sub>	16	2.93#	✓	✓
9 x 2 <sup>1</sup> / <sub>2</sub>	9 x 2 <sup>1</sup> / <sub>8</sub> x 2 <sup>3</sup> / <sub>8</sub>	14	3.50#	✓	✓
9 x 2 <sup>1</sup> / <sub>2</sub>	9 x 2 <sup>1</sup> / <sub>8</sub> x 2 <sup>3</sup> / <sub>8</sub>	12	5.23#	✓	✓
9 x 3	9 x 2 <sup>5</sup> / <sub>8</sub> x 2 <sup>7</sup> / <sub>8</sub>	14	3.74#	✓	✓
9 x 3	9 x 2 <sup>5</sup> / <sub>8</sub> x 2 <sup>7</sup> / <sub>8</sub>	12	5.58#	✓	✓
10 x 2 <sup>1</sup> / <sub>2</sub>	10 x 2 <sup>1</sup> / <sub>8</sub> x 2 <sup>3</sup> / <sub>8</sub>	14	3.74#	✓	✓
10 x 2 <sup>1</sup> / <sub>2</sub>	10 x 2 <sup>1</sup> / <sub>8</sub> x 2 <sup>3</sup> / <sub>8</sub>	12	5.58#	✓	✓
10 x 3	10 x 2 <sup>5</sup> / <sub>8</sub> x 2 <sup>7</sup> / <sub>8</sub>	14	3.97#	✓	✓
10 x 3	10 x 2 <sup>5</sup> / <sub>8</sub> x 2 <sup>7</sup> / <sub>8</sub>	12	5.93#	✓	✓
10 x 3 <sup>1</sup> / <sub>2</sub>	10 x 3 <sup>1</sup> / <sub>8</sub> x 3 <sup>3</sup> / <sub>8</sub>	14	4.21#	✓	✓
10 x 3 <sup>1</sup> / <sub>2</sub>	10 x 3 <sup>1</sup> / <sub>8</sub> x 3 <sup>3</sup> / <sub>8</sub>	12	6.28#	✓	✓
11 x 2 <sup>1</sup> / <sub>2</sub>	11 x 2 <sup>1</sup> / <sub>8</sub> x 2 <sup>3</sup> / <sub>8</sub>	14	3.97#	✓	✓
11 x 2 <sup>1</sup> / <sub>2</sub>	11 x 2 <sup>1</sup> / <sub>8</sub> x 2 <sup>3</sup> / <sub>8</sub>	12	5.93#	✓	✓
11 x 3 <sup>1</sup> / <sub>2</sub>	11 x 3 <sup>1</sup> / <sub>8</sub> x 3 <sup>3</sup> / <sub>8</sub>	14	4.44#	✓	✓
11 x 3 <sup>1</sup> / <sub>2</sub>	11 x 3 <sup>1</sup> / <sub>8</sub> x 3 <sup>3</sup> / <sub>8</sub>	12	6.63#	✓	✓
12 x 2 <sup>1</sup> / <sub>2</sub>	12 x 2 <sup>1</sup> / <sub>8</sub> x 2 <sup>3</sup> / <sub>8</sub>	14	4.21#	✓	✓
12 x 2 <sup>1</sup> / <sub>2</sub>	12 x 2 <sup>1</sup> / <sub>8</sub> x 2 <sup>3</sup> / <sub>8</sub>	12	6.28#	✓	✓
12 x 3	12 x 2 <sup>5</sup> / <sub>8</sub> x 2 <sup>7</sup> / <sub>8</sub>	14	4.44#	✓	✓
12 x 3	12 x 2 <sup>5</sup> / <sub>8</sub> x 2 <sup>7</sup> / <sub>8</sub>	12	6.63#	✓	✓
12 x 3 <sup>1</sup> / <sub>2</sub>	12 x 3 <sup>1</sup> / <sub>8</sub> x 3 <sup>3</sup> / <sub>8</sub>	14	4.68#	✓	✓
12 x 3 <sup>1</sup> / <sub>2</sub>	12 x 3 <sup>1</sup> / <sub>8</sub> x 3 <sup>3</sup> / <sub>8</sub>	12	6.98#	✓	✓

\*Actual size does not apply to Cees. It refers to unequal flange Zees only.

**PUNCHING PATTERNS (SPECIFY BY PATTERN LETTER):**


- Pattern A: Common Web (for Simple Span, Short Lap, Long Lap 3' Offset and Max Lap) .....\$1.05 per zee or cee  
 Pattern B: Common Web (all laps available in Pattern A plus 5' Offset and Super Lap) .....\$1.25 per zee or cee  
 Pattern D: Common Flange (for Simple Span, Short Lap, Long Lap, 3' Offset and Max Lap) .....\$1.25 per zee or cee  
 Pattern E: Common Flange (all laps available in Pattern D plus 5' Offset and Super Lap) .....\$1.55 per zee or cee  
 Pattern G: Common End (one set of holes 1 3/4" from end of purlin) .....\$0.60 per zee or cee

**SPECIAL PUNCHING:** .....\$2.65 per zee or cee

**PRICING NOTES:**

1. Consult the MBCI technical manuals for proper production application, design details and other product information.
2. All common patterns have the first set of holes 1 3/4" from the end of the purlin.
3. Length tolerance is ± 1/4"
4. **For pricing, round lengths up to the nearest 3" increment - Parts shorter than 5'-0" are priced as minimum 5'-0" length.**

## Cee Only



Cee

DESCRIPTION			PRICED PER 100 LF	
NOMINAL SIZE	GAUGE	WEIGHT PER LF	RED OXIDE	GALVANIZED
6 x 3	16	2.54#	✓	✓
6 x 3	14	3.04#	✓	✓
6 x 3½	14	3.27#	✓	✓
6 x 3½	12	4.88#	✓	✓
6 x 4	14	3.50#	✓	✓
6 x 4	12	5.23#	✓	✓
8 x 4	14	3.97#	✓	✓
8 x 4	12	5.93#	✓	✓
10 x 4	14	4.44#	✓	✓
10 x 4	12	6.63#	✓	✓
11 x 3	14	4.21#	✓	✓
11 x 3	12	6.28#	✓	✓
12 x 4	14	4.91#	✓	✓
12 x 4	12	7.33#	✓	✓

\*Actual size does not apply to Cees. It refers to unequal flange Zees only.

**PUNCHING PATTERNS (SPECIFY BY PATTERN LETTER):**

Pattern A: Common Web (for Simple Span, Short Lap, Long Lap 3' Offset and Max Lap) .....\$1.05 per zee or cee

Pattern B: Common Web (all laps available in Pattern A plus 5' Offset and Super Lap) .....\$1.25 per zee or cee

Pattern D: Common Flange (for Simple Span, Short Lap, Long Lap, 3' Offset and Max Lap) .....\$1.25 per zee or cee

Pattern E: Common Flange (all laps available in Pattern D plus 5' Offset and Super Lap) .....\$1.55 per zee or cee

Pattern G: Common End (one set of holes 1 ¾" from end of purlin) .....\$0.60 per zee or cee

**SPECIAL PUNCHING:** .....\$2.65 per zee or cee

**PRICING NOTES:**

1. Consult the MBCI technical manuals for proper production application, design details and other product information.
2. All common patterns have the first set of holes 1 ¾" from the end of the purlin.
3. Length tolerance is ± ¼"
4. **For pricing, round lengths up to the nearest 3" increment - Parts shorter than 5'-0" are priced as minimum 5'-0" length.**

## Zee Only



DESCRIPTION				PRICED PER 100 LF	
NOMINAL SIZE	ACTUAL SIZE	GAUGE	WEIGHT PER LF	RED OXIDE	GALVANIZED
3 <sup>1</sup> / <sub>2</sub> x 1 <sup>1</sup> / <sub>2</sub>	N/A	16	1.56#	✓	✓
3 <sup>1</sup> / <sub>2</sub> x 1 <sup>1</sup> / <sub>2</sub>	N/A	14	1.86#	✓	✓
4 x 3	4 x 2 <sup>5</sup> / <sub>8</sub> x 2 <sup>7</sup> / <sub>8</sub>	16	2.15#	✓	✓
4 x 3	4 x 2 <sup>5</sup> / <sub>8</sub> x 2 <sup>7</sup> / <sub>8</sub>	14	2.57#	✓	✓
4 x 3 <sup>1</sup> / <sub>2</sub>	4 x 3 <sup>1</sup> / <sub>8</sub> x 3 <sup>3</sup> / <sub>8</sub>	16	2.34#	✓	✓
4 x 3 <sup>1</sup> / <sub>2</sub>	4 x 3 <sup>1</sup> / <sub>8</sub> x 3 <sup>3</sup> / <sub>8</sub>	14	2.80#	✓	✓
5 x 3	5 x 2 <sup>5</sup> / <sub>8</sub> x 2 <sup>7</sup> / <sub>8</sub>	16	2.34#	✓	✓
5 x 3	5 x 2 <sup>5</sup> / <sub>8</sub> x 2 <sup>7</sup> / <sub>8</sub>	14	2.80#	✓	✓
5 x 3 <sup>1</sup> / <sub>2</sub>	5 x 3 <sup>1</sup> / <sub>8</sub> x 3 <sup>3</sup> / <sub>8</sub>	16	2.54#	✓	✓
5 x 3 <sup>1</sup> / <sub>2</sub>	5 x 3 <sup>1</sup> / <sub>8</sub> x 3 <sup>3</sup> / <sub>8</sub>	14	3.04#	✓	✓
7 x 3 <sup>1</sup> / <sub>2</sub>	7 x 3 <sup>1</sup> / <sub>8</sub> x 3 <sup>3</sup> / <sub>8</sub>	16	2.93#	✓	✓
7 x 3 <sup>1</sup> / <sub>2</sub>	7 x 3 <sup>1</sup> / <sub>8</sub> x 3 <sup>3</sup> / <sub>8</sub>	14	3.50#	✓	✓
7 x 3 <sup>1</sup> / <sub>2</sub>	7 x 3 <sup>1</sup> / <sub>8</sub> x 3 <sup>3</sup> / <sub>8</sub>	12	5.23#	✓	✓
9 x 3 <sup>1</sup> / <sub>2</sub>	9 x 3 <sup>1</sup> / <sub>8</sub> x 3 <sup>3</sup> / <sub>8</sub>	14	3.97#	✓	✓
9 x 3 <sup>1</sup> / <sub>2</sub>	9 x 3 <sup>1</sup> / <sub>8</sub> x 3 <sup>3</sup> / <sub>8</sub>	12	5.93#	✓	✓

**PUNCHING PATTERNS (SPECIFY BY PATTERN LETTER):**

Pattern A: Common Web (for Simple Span, Short Lap, Long Lap 3' Offset and Max Lap) .....\$1.05 per zee or cee

Pattern B: Common Web (all laps available in Pattern A plus 5' Offset and Super Lap) .....\$1.25 per zee or cee

Pattern D: Common Flange (for Simple Span, Short Lap, Long Lap, 3' Offset and Max Lap) .....\$1.25 per zee or cee

Pattern E: Common Flange (all laps available in Pattern D plus 5' Offset and Super Lap) .....\$1.55 per zee or cee

Pattern G: Common End (one set of holes 1 3/4" from end of purlin) .....\$0.60 per zee or cee

**SPECIAL PUNCHING:** .....\$2.65 per zee or cee

**PRICING NOTES:**

1. Consult the MBCI technical manuals for proper production application, design details and other product information.
2. All common patterns have the first set of holes 1 3/4" from the end of the purlin.
3. Length tolerance is ± 1/4"
4. **For pricing, round lengths up to the nearest 3" increment - Parts shorter than 5'-0" are priced as minimum 5'-0" length.**

## Channel





DESCRIPTION					PRICED PER EACH		
SIZE	GIRTH	GAUGE	WEIGHT EACH RED OXIDE	WEIGHT EACH GALVANIZED	LENGTH	RED OXIDE	GALVANIZED
4 <sup>1</sup> / <sub>8</sub> x 2	7 <sup>15</sup> / <sub>16</sub>	16	31.13#	32.24#	20'-0"	✓	✓
4 <sup>1</sup> / <sub>8</sub> x 2	7 <sup>15</sup> / <sub>16</sub>	16	38.92#	40.31#	25'-0"	✓	✓
4 <sup>1</sup> / <sub>8</sub> x 2	7 <sup>15</sup> / <sub>16</sub>	14	37.25#	38.36#	20'-0"	✓	✓
4 <sup>1</sup> / <sub>8</sub> x 2	7 <sup>15</sup> / <sub>16</sub>	14	46.56#	47.94#	25'-0"	✓	✓
6 <sup>1</sup> / <sub>8</sub> x 2	9 <sup>15</sup> / <sub>16</sub>	16	38.98#	40.37#	20'-0"	✓	✓
6 <sup>1</sup> / <sub>8</sub> x 2	9 <sup>15</sup> / <sub>16</sub>	16	48.72#	50.46#	25'-0"	✓	✓
6 <sup>1</sup> / <sub>8</sub> x 2	9 <sup>15</sup> / <sub>16</sub>	14	46.63#	48.02#	20'-0"	✓	✓
6 <sup>1</sup> / <sub>8</sub> x 2	9 <sup>15</sup> / <sub>16</sub>	14	58.29#	60.03#	25'-0"	✓	✓
6 <sup>1</sup> / <sub>8</sub> x 2	9 <sup>15</sup> / <sub>16</sub>	12	69.60#	70.99#	20'-0"	✓	✓
6 <sup>1</sup> / <sub>8</sub> x 2	9 <sup>15</sup> / <sub>16</sub>	12	87.00#	88.74#	25'-0"	✓	✓
8 <sup>1</sup> / <sub>8</sub> x 2	11 <sup>15</sup> / <sub>16</sub>	16	46.82#	48.49#	20'-0"	✓	✓
8 <sup>1</sup> / <sub>8</sub> x 2	11 <sup>15</sup> / <sub>16</sub>	16	58.53#	60.62#	25'-0"	✓	✓
8 <sup>1</sup> / <sub>8</sub> x 2	11 <sup>15</sup> / <sub>16</sub>	14	56.02#	57.68#	20'-0"	✓	✓
8 <sup>1</sup> / <sub>8</sub> x 2	11 <sup>15</sup> / <sub>16</sub>	14	70.02#	72.11#	25'-0"	✓	✓
8 <sup>1</sup> / <sub>8</sub> x 2	11 <sup>15</sup> / <sub>16</sub>	12	83.61#	85.28#	20'-0"	✓	✓
8 <sup>1</sup> / <sub>8</sub> x 2	11 <sup>15</sup> / <sub>16</sub>	12	104.51#	106.60#	25'-0"	✓	✓
10 <sup>1</sup> / <sub>8</sub> x 2	13 <sup>15</sup> / <sub>16</sub>	16	54.67#	56.62#	20'-0"	✓	✓
10 <sup>1</sup> / <sub>8</sub> x 2	13 <sup>15</sup> / <sub>16</sub>	16	68.33#	70.77#	25'-0"	✓	✓
10 <sup>1</sup> / <sub>8</sub> x 2	13 <sup>15</sup> / <sub>16</sub>	14	65.40#	67.35#	20'-0"	✓	✓
10 <sup>1</sup> / <sub>8</sub> x 2	13 <sup>15</sup> / <sub>16</sub>	14	81.76#	84.19#	25'-0"	✓	✓
10 <sup>1</sup> / <sub>8</sub> x 2	13 <sup>15</sup> / <sub>16</sub>	12	97.62#	99.57#	20'-0"	✓	✓
10 <sup>1</sup> / <sub>8</sub> x 2	13 <sup>15</sup> / <sub>16</sub>	12	122.02#	124.46#	25'-0"	✓	✓

**Consult the MBCI COMMERCIAL/INDUSTRIAL TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.**

**Note:**

- For lengths other than 20'-0", use custom structural shapes chart on page .

## Angle - 2 x 2, 2 x 4, and 3 x 3



DESCRIPTION					PRICED PER EACH
SIZE	GAUGE	FINISH	WEIGHT EACH	LENGTH	PRICE
2 x 2	14	Red Oxide	18.48#	20'-0"	✓
2 x 2	14	Galvanized	19.03#	20'-0"	✓
2 x 2	16	Red Oxide	15.44#	20'-0"	✓
2 x 2	16	Galvanized	16.00#	20'-0"	✓
2 x 4	14	Red Oxide	27.86#	20'-0"	✓
2 x 4	14	Galvanized	28.69#	20'-0"	✓
2 x 4	16	Red Oxide	23.29#	20'-0"	✓
2 x 4	16	Galvanized	24.12#	20'-0"	✓
3 x 3	14	Red Oxide	27.86#	20'-0"	✓
3 x 3	14	Galvanized	28.69#	20'-0"	✓
3 x 3	16	Red Oxide	23.29#	20'-0"	✓
3 x 3	16	Galvanized	24.12#	20'-0"	✓

## Note:

- For lengths other than 20'-0", use custom structural shapes chart on page .

Eave Strut - 8 x 5 x 2<sup>3</sup>/<sub>4</sub>

Low Eave Double Slope



High Eave Double Slope



Low Eave Single Slope



High Eave Single Slope

DESCRIPTION					PRICED PER EACH
SIZE	GAUGE	FINISH	WEIGHT EACH	LENGTH	PRICE
8 x 5 x 2 <sup>3</sup> / <sub>4</sub>	14	Red Oxide	84.00#	19'-11 1/2"	✓
8 x 5 x 2 <sup>3</sup> / <sub>4</sub>	14	Red Oxide	105.04#	24'-11 1/2"	✓
8 x 5 x 2 <sup>3</sup> / <sub>4</sub>	14	Red Oxide	126.09#	29'-11 1/2"	✓
8 x 5 x 2 <sup>3</sup> / <sub>4</sub>	14	Galvanized	86.50#	19'-11 1/2"	✓
8 x 5 x 2 <sup>3</sup> / <sub>4</sub>	14	Galvanized	108.17#	24'-11 1/2"	✓
8 x 5 x 2 <sup>3</sup> / <sub>4</sub>	14	Galvanized	129.84#	29'-11 1/2"	✓
8 x 5 x 2 <sup>3</sup> / <sub>4</sub>	12	Red Oxide	125.37#	19'-11 1/2"	✓
8 x 5 x 2 <sup>3</sup> / <sub>4</sub>	12	Red Oxide	156.78#	24'-11 1/2"	✓
8 x 5 x 2 <sup>3</sup> / <sub>4</sub>	12	Red Oxide	188.19#	29'-11 1/2"	✓
8 x 5 x 2 <sup>3</sup> / <sub>4</sub>	12	Galvanized	127.88#	19'-11 1/2"	✓
8 x 5 x 2 <sup>3</sup> / <sub>4</sub>	12	Galvanized	159.92#	24'-11 1/2"	✓
8 x 5 x 2 <sup>3</sup> / <sub>4</sub>	12	Galvanized	191.95#	29'-11 1/2"	✓

Consult the MBCI COMMERCIAL/INDUSTRIAL TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.

Specify punch pattern - No punch, Standard punch or Optional punch

Special Punching: .....Add \$[OP.PP.SPD] per Eave Strut

#### Note:

For lengths other than those shown above, use the following 100 lineal foot prices:

14 ga Red Oxide - \$730.95 14 ga Galvanized - \$685.65

12 ga Red Oxide - \$1,038.81 12 ga Galvanized - \$1,162.23

#### Pricing Notes:

1. All optional patterns have the first set of holes 1<sup>3</sup>/<sub>4</sub>" from the end of the eave strut.
2. All standard patterns have the first set of holes 1<sup>1</sup>/<sub>4</sub>" from the end of the eave strut.
3. Refer to Commercial/Industrial Technical/Product Information booklet for further information on punch patterns.
4. Length tolerance is ± 1/4".
5. **For pricing, round lengths up to the nearest 3" increment - Parts shorter than 5'-0" are priced as minimum 5'-0" length.**

## Eave Strut - 8 x 5 x 5



Low Eave Double Slope



High Eave Double Slope



Low Eave Single Slope



High Eave Single Slope

SIZE	GAUGE	FINISH	DESCRIPTION		PRICED PER EACH
			WEIGHT EACH	LENGTH	
8 x 5 x 5	14	Red Oxide	93.37#	19'-11 1/2"	✓
8 x 5 x 5	14	Red Oxide	116.76#	24'-11 1/2"	✓
8 x 5 x 5	14	Red Oxide	140.15#	29'-11 1/2"	✓
8 x 5 x 5	14	Galvanized	96.14#	19'-11 1/2"	✓
8 x 5 x 5	14	Galvanized	120.23#	24'-11 1/2"	✓
8 x 5 x 5	14	Galvanized	144.31#	29'-11 1/2"	✓
8 x 5 x 5	12	Red Oxide	139.35#	19'-11 1/2"	✓
8 x 5 x 5	12	Red Oxide	174.26#	24'-11 1/2"	✓
8 x 5 x 5	12	Red Oxide	209.17#	29'-11 1/2"	✓
8 x 5 x 5	12	Galvanized	142.14#	19'-11 1/2"	✓
8 x 5 x 5	12	Galvanized	177.75#	24'-11 1/2"	✓
8 x 5 x 5	12	Galvanized	213.36#	29'-11 1/2"	✓

Consult the MBCI COMMERCIAL/INDUSTRIAL TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.

Specify punch pattern - No punch, Standard punch or Optional punch

Special Punching: .....Add \$[OP.PP.SPD] per Eave Strut

#### Note:

For lengths other than those shown above, use the following 100 lineal foot prices:

14 ga Red Oxide - \$808.38 14 ga Galvanized - \$892.17

12 ga Red Oxide - \$1,150.55 12 ga Galvanized - \$1,094.29

#### Pricing Notes:

1. All optional patterns have the first set of holes  $1\frac{3}{4}$ " from the end of the eave strut.
2. All standard patterns have the first set of holes  $1\frac{1}{4}$ " from the end of the eave strut.
3. Refer to Commercial/Industrial Technical/Product Information booklet for further information on punch patterns.
4. Length tolerance is  $\pm \frac{1}{4}$ ".
5. **For pricing, round lengths up to the nearest 3" increment - Parts shorter than 5'-0" are priced as minimum 5'-0" length.**

## Custom Structural Shapes

DESCRIPTION		PRICED PER 100 LF		
PART #	GIRTH	GAUGE	RED OXIDE	GALVANIZED
PL03	3 <sup>15</sup> / <sub>16</sub> "	16	✓	✓
PL03	3 <sup>15</sup> / <sub>16</sub> "	14	✓	✓
PL05	5 <sup>15</sup> / <sub>16</sub> "	16	✓	✓
PL05	5 <sup>15</sup> / <sub>16</sub> "	14	✓	✓
PL07	7 <sup>15</sup> / <sub>16</sub> "	16	✓	✓
PL07	7 <sup>15</sup> / <sub>16</sub> "	14	✓	✓
PL08	8 <sup>15</sup> / <sub>16</sub> "	16	✓	✓
PL08	8 <sup>15</sup> / <sub>16</sub> "	14	✓	✓
PL09	9 <sup>15</sup> / <sub>16</sub> "	16	✓	✓
PL09	9 <sup>15</sup> / <sub>16</sub> "	14	✓	✓
PL010	10 <sup>15</sup> / <sub>16</sub> "	16	✓	✓
PL010	10 <sup>15</sup> / <sub>16</sub> "	14	✓	✓
PL011	11 <sup>15</sup> / <sub>16</sub> "	16	✓	✓
PL011	11 <sup>15</sup> / <sub>16</sub> "	14	✓	✓
PL012	12 <sup>15</sup> / <sub>16</sub> "	16	✓	✓
PL012	12 <sup>15</sup> / <sub>16</sub> "	14	✓	✓
PL013	13 <sup>15</sup> / <sub>16</sub> "	16	✓	✓
PL013	13 <sup>15</sup> / <sub>16</sub> "	14	✓	✓
PL013	13 <sup>15</sup> / <sub>16</sub> "	12	✓	✓
PL014	14 <sup>15</sup> / <sub>16</sub> "	16	✓	✓
PL014	14 <sup>15</sup> / <sub>16</sub> "	14	✓	✓
PL014	14 <sup>15</sup> / <sub>16</sub> "	12	✓	✓
PL015	15 <sup>15</sup> / <sub>16</sub> "	14	✓	✓
PL015	15 <sup>15</sup> / <sub>16</sub> "	12	✓	✓
PL016	16 <sup>15</sup> / <sub>16</sub> "	14	✓	✓
PL016	16 <sup>15</sup> / <sub>16</sub> "	12	✓	✓
PL017	17 <sup>15</sup> / <sub>16</sub> "	14	✓	✓
PL017	17 <sup>15</sup> / <sub>16</sub> "	12	✓	✓
PL018	18 <sup>15</sup> / <sub>16</sub> "	14	✓	✓
PL018	18 <sup>15</sup> / <sub>16</sub> "	12	✓	✓
PL019	19 <sup>15</sup> / <sub>16</sub> "	14	✓	✓
PL019	19 <sup>15</sup> / <sub>16</sub> "	12	✓	✓
PL020	20 <sup>15</sup> / <sub>16</sub> "	14	✓	✓
PL020	20 <sup>15</sup> / <sub>16</sub> "	12	✓	✓

Price your own custom structural shapes:


1. Select the strip width of material to be used
2. Prices in chart below are for 100 Linear Feet  
Multiply the length of the part times the price per Linear Feet and divide by 100  
This will provide the material price for the part length
3. Add \$2.10 for each break
4. Pricing includes banding material for shipment

Notes:

1. Maximum closed angle is 45 degrees
2. Hems cannot be fabricated
3. Slight metal fracturing may occur at bend lines
4. Minimum break dimension is 1 1/8"
5. All shapes are subject to tolerances published by MBMA



## Hat Section (HS-1)




## Note:

\* Random colors are subject to availability


DESCRIPTION					PRICED PER EACH	
PART #	GAUGE	FINISH	WEIGHT EACH	LENGTH	PRICE	
HW-3100	22	Galvanized	14.00#	20'-0"	✓	
HW-3102	24	Galvanized	11.00#	20'-0"	✓	
HW-3103	24	Random Colors*	11.00#	20'-0"	✓	
HW-3104	26	Random Colors*	8.00#	20'-0"	✓	
HW-3105	16	Red Oxide	25.20#	20'-0"	✓	
HW-3105	16	Galvanized	25.80#	20'-0"	✓	

## Channel Section (CS-1)




DESCRIPTION					PRICED PER EACH	
PART #	GAUGE	FINISH	WEIGHT EACH	LENGTH	PRICE	
HW-3110	18	Galvanized	15.70#	20'-0"	✓	

## 1" Sub Girt (SG-1)




DESCRIPTION					PRICED PER EACH	
PART #	GAUGE	FINISH	WEIGHT EACH	LENGTH	PRICE	
HW-3120	18	Galvanized	22.00#	20'-0"	✓	
HW-3121	16	Red Oxide	27.40#	20'-0"	✓	

## 1/2" Sub Girt (SG-2)




DESCRIPTION					PRICED PER EACH	
PART #	GAUGE	FINISH	WEIGHT EACH	LENGTH	PRICE	
HW-3130	18	Galvanized	13.60#	20'-0"	✓	
HW-3131	16	Red Oxide	16.40#	20'-0"	✓	

## Furring Zee



DESCRIPTION						PRICED PER EACH
PART #	DIM "A"	GAUGE	FINISH	COIL WEIGHT	LENGTH	PRICE
HW-3020	1 1/8"	22	Galvanized	3.33#	10'-0"	✓
HW-3021	2 1/8"	22	Galvanized	4.39#	10'-0"	✓
HW-3022	3 1/8"	18	Galvanized	8.66#	10'-0"	✓
HW-3023	4 1/8"	18	Galvanized	10.35#	10'-0"	✓
HW-3024	3 1/8"	16	Red Oxide	10.54#	10'-0"	✓
HW-3025	4 1/8"	16	Red Oxide	12.60#	10'-0"	✓

## Strapping




## Note:

- \*Galvalume Plus® may require extended lead time. Please Inquire.


DESCRIPTION						PRICED PER COIL
PART #	WIDTH	GAUGE	FINISH	COIL WEIGHT	LENGTH	PRICE
FL-470	2"	24	Galvalume Plus®	4.20#	25'-0"	✓
FL-471	2"	24	Galvalume Plus®	16.78#	100'-0"	✓
FL-569	2"	24	White Wash Coat	83.91#	500'-0"	✓
FL-569	2"	24	Galvalume Plus® *	84.02#	500'-0"	✓

## Retrofit Bracing Angle



DESCRIPTION					PRICED PER EACH
PART #	GAUGE	FINISH	WEIGHT EACH	LENGTH	PRICE
HW-4659	22	Random Colors	8.69#	21'-0"	✓

## Roof Hugger - Model C

**• Prices are non-discountable**


- Add \$275 crate/packaging fee for orders under 1,500 LF
- Weight per 10'-0" piece - 10.60#

## Notes:

1. Prices below exclude tax, freight, engineering fees and crating fee.
2. **This part fits most, but not all, R profiles. Customer should confirm fit.**
3. Fasteners are ordered separately. 1/4"-14 Tek 3 is typical.
4. If customer requires engineering, call MBCI with project specifics to obtain engineering fee.
5. MBCI will assume no responsibility for code compliance unless engineering is included in project proposal.
6. Delivery - approximately 5 working days.

DESCRIPTION	PRICED PER EACH												
	PART #	1 - 249	250 - 499	500 - 749	750 - 999	1,000 - 1,499	1,500 - 1,999	2,000 - 2,999	3,000 - 3,999	4,000 - 4,999	5,000 - 7,499	7,500 - 9,999	OVER 10,000
HW-1240C	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

## R Panel Light Transmitting Panel



## Note:

- HW-1432, HW-1434, HW-1436 are State of Florida Approved

**Note: It is the users responsibility to ensure that the installation and use of all light transmitting panels comply with State, Federal and OSHA regulations and laws, including, but not limited to, guarding all light transmitting panels with screens, fixed standard railings, or other acceptable safety controls that prevent fall-through.**


DESCRIPTION						PRICED PER EACH		
PART #	DESCRIPTION	LENGTH	COLOR	TYPE	WEIGHT / SQ FT	WEIGHT EACH	PRICE	
HW-1509	High Strength Fiberglass	10'-8"	White	1	8 ounce	16.89#	✓	
HW-1490	Insulated High Strength Fiberglass	11'-0"	White	1	8 ounce	17.39#	✓	
HW-1432	High Strength Fiberglass - U.V. Resistant	10'-8"	White	1	8 ounce	16.89#	✓	
HW-1434	High Strength Fiberglass - U.V. Resistant	11'-0"	White	1	8 ounce	17.42#	✓	
HW-1436	High Strength Fiberglass - U.V. Resistant	12'-0"	White	1	8 ounce	19.00#	✓	
HW-1520	Polycarbonate	10'-6"	Clear	1	5 ounce	7.88#	✓	

## Notes:

1. Green light transmitting panels are available on special request.
2. Type 2 (fire rated) light transmitting panels are available, please inquire.

**Consult the MBCI COMMERCIAL/INDUSTRIAL OR "PBR" and "PBU" TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.**

## U Panel Light Transmitting Panel



**Note: It is the users responsibility to ensure that the installation and use of all light transmitting panels comply with State,Federal and OSHA regulations and laws, including, but not limited to, guarding all light transmitting panels with screens, fixed standard railings, or other acceptable safety controls that prevent fall-through.**


DESCRIPTION							PRICED PER EACH
PART #	DESCRIPTION	LENGTH	COLOR	TYPE	WEIGHT / SQ FT	WEIGHT EACH	PRICE
HW-1542	High Strength Fiberglass	10'-8"	White	1	8 ounce	16.89#	✓
HW-1438	High Strength Fiberglass - U.V. Resistant	10'-8"	White	1	8 ounce	16.89#	✓
HW-1440	High Strength Fiberglass - U.V. Resistant	12'-0"	White	1	8 ounce	19.00#	✓

## Notes:

1. Green light transmitting panels are available on special request.
2. Type 2 (fire rated) light transmitting panels are available, please inquire.

**Consult the MBCI COMMERCIAL/INDUSTRIAL OR "PBR" and "PBU" TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.**

## 7.2 Panel Light Transmitting Panel




**Note: It is the users responsibility to ensure that the installation and use of all light transmitting panels comply with State,Federal and OSHA regulations and laws, including, but not limited to, guarding all light transmitting panels with screens, fixed standard railings, or other acceptable safety controls that prevent fall-through.**

DESCRIPTION							PRICED PER EACH
PART #	DESCRIPTION	LENGTH	COLOR	TYPE	WEIGHT / SQ FT	WEIGHT EACH	PRICE
HW-1528	High Strength Fiberglass	12'-0"	White	1	8 ounce	19.00#	✓

## Notes:

1. Green light transmitting panels are available on special request.
2. Type 2 (fire rated) light transmitting panels are available, please inquire.

## C Panel Light Transmitting Panel



### High Strength Fiberglass

#### Note:


**It is the users responsibility to ensure that the installation and use of all light transmitting panels comply with State, Federal and OSHA regulations and laws, including, but not limited to, guarding all light transmitting panels with screens, fixed standard railings, or other acceptable safety controls that prevent fall-through.**

DESCRIPTION							PRICED PER EACH
PART #	DESCRIPTION	LENGTH	COLOR	TYPE	WEIGHT / SQ FT	WEIGHT EACH	PRICE
HW-1645	High Strength Fiberglass	12'-0"	White	1	8 ounce	19.00#	✓

#### Notes:

1. Green light transmitting panels are available on special request.
2. Type 2 (fire rated) light transmitting panels are available, please inquire.

## AVP Panel Light Transmitting Panel



### Low Modulus - Non Reinforced

#### Note:


**It is the users responsibility to ensure that the installation and use of all light transmitting panels comply with State, Federal and OSHA regulations and laws, including, but not limited to, guarding all light transmitting panels with screens, fixed standard railings, or other acceptable safety controls that prevent fall-through.**

DESCRIPTION							PRICED PER EACH
PART #	DESCRIPTION	LENGTH	COLOR	TYPE	WEIGHT / SQ FT	WEIGHT EACH	PRICE
HW-1430	Low Modulus - Non Reinforced	11'-0"	White	1	8 ounce	17.30#	✓

#### Notes:

1. Green light transmitting panels are available on special request.
2. Type 2 (fire rated) light transmitting panels are available, please inquire.

## Retro-R® Panel Light Transmitting Panel



### High Strength Fiberglass

#### Note:


**It is the users responsibility to ensure that the installation and use of all light transmitting panels comply with State, Federal and OSHA regulations and laws, including, but not limited to, guarding all light transmitting panels with screens, fixed standard railings, or other acceptable safety controls that prevent fall-through.**

DESCRIPTION							PRICED PER EACH
PART #	DESCRIPTION	LENGTH	COLOR	TYPE	WEIGHT / SQ FT	WEIGHT EACH	PRICE
HW-1558	High Strength Fiberglass	10'-8"	White	1	8 ounce	16.89#	✓

**1/4" Rubber Grommet****Note:**



- Use to connect LTP Sidelaps in wall applications
- Fasteners sold in quantities of 250 only
- Fastener not available painted

DESCRIPTION				PRICED PER 1000
PART #	HEAD SIZE	TYPE	WEIGHT PER 1000	PLATED
#399	1/4"	302 Stainless Steel	.01#	✓

**Ultra Vent****Note:**

- Specify roof slope
- Specify roof panel profile
- Requires a 10 working day lead time
- Other vent sizes available upon request - Special order only
- Ultra Vent has same air flow as a 20" diameter circular vent


DESCRIPTION				PRICED PER EACH	
PART #	SIZE	GAUGE	WEIGHT EACH	GALVALUME PLUS®	WHITE
HW-720	9" x 23"	26	25.00#	✓	✓

**Continuous Vent****Flat Skirt****Die-Formed Skirt****Notes:**

- Includes flat base, two end skirts and single vent operator.
- Vent will accommodate up to 6:12 slope.


DESCRIPTION					PRICED PER EACH	
PART #	SIZE	TYPE	GAUGE	WEIGHT EACH	GALVALUME PLUS®	WHITE
HW-702	9" x 10'-0"	Flat Base	26	115.00#	✓	✓
HW-704	12" x 10'-0"	Flat Base	26	150.00#	✓	✓
HW-702R	9" x 10'-0"	PBR Base	26	115.00#	✓	✓
HW-702U	9" x 10'-0"	PBU Base	26	115.00#	✓	✓
HW-704R	12" x 10'-0"	PBR Base	26	150.00#	✓	✓
HW-704U	12" x 10'-0"	PBU Base	26	150.00#	✓	✓

## Vent Damper Operator Parts




DESCRIPTION				PRICED PER EACH
PART #	DESCRIPTION	PRICED PER	WEIGHT EACH	PRICE
HW-705	Vent Cable ( $3/16"$ )	Foot	.10#	✓
HW-706	Vent Pully	Each	.25#	✓
HW-708	Vent Cable Clamp	Each	.10#	✓
HW-710	Vent Eye Bolt ( $1/4" \times 2"$ )	Each	.10#	✓
HW-712	Vent Pull Chain with Handle	3'-0" Section	1.00#	✓
HW-714	Vent "S" Hook ( $1\frac{1}{2}"$ )	Each	.01#	✓


## Circular Vent




Flat Base - Hillside



Flat Base - Peak



Die-Formed - Hillside




Die-Formed - Peak

## Note:

- Specify roof slope.
- Requires a 10 working day lead time.

DESCRIPTION				PRICED PER EACH		
PART #	SIZE	TYPE	GAUGE	WEIGHT EACH	GALVALUME PLUS®	WHITE
FL-56FH	20"	Flat Base - Hillside	26	38.00#	✓	✓
FL-56FP	20"	Flat Base - Peak	26	38.00#	✓	✓
FL-56RH	20"	PBR Base - Hillside	26	38.00#	✓	✓
FL-56RP	20"	PBR Base - Peak	26	38.00#	✓	✓
FL-56UH	20"	PBU Base - Hillside	26	38.00#	✓	✓
FL-56UP	20"	PBU Base - Peak	26	38.00#	✓	✓
FL-58FH	24"	Flat Base - Hillside	26	55.00#	✓	✓
FL-58FP	24"	Flat Base - Peak	26	55.00#	✓	✓
FL-58RH	24"	PBR Base - Hillside	26	55.00#	✓	✓
FL-58RP	24"	PBR Base - Peak	26	55.00#	✓	✓
FL-58UH	24"	PBU Base - Hillside	26	55.00#	✓	✓
FL-58UP	24"	PBU Base - Peak	26	55.00#	✓	✓

## Die-Formed Vent Base with Collar




## Note:

- Specify roof slope
- Requires a 10 working day lead time

DESCRIPTION				PRICED PER EACH		
PART #	SIZE	TYPE	GAUGE	WEIGHT EACH	GALVALUME PLUS®	WHITE
FL-55ARH	20"	PBR Base - Hillside	26	9.92#	✓	✓
FL-55ARP	20"	PBR Base - Peak	26	9.92#	✓	✓
FL-55AUH	20"	PBU Base - Hillside	26	9.92#	✓	✓
FL-55AUP	20"	PBU Base - Peak	26	9.92#	✓	✓
FL-57ARH	24"	PBR Base - Hillside	26	11.75#	✓	✓
FL-57ARP	24"	PBR Base - Peak	26	11.75#	✓	✓
FL-57AUH	24"	PBU Base - Hillside	26	11.75#	✓	✓
FL-57AUP	24"	PBU Base - Peak	26	11.75#	✓	✓

## Die-Formed Ridge Cap




## Note:

- \* "PBR" and "PBU" Maximum roof slope is 5:12
- \*\* 7.2 Maximum roof slope is 3:12
- Specify roof slope

DESCRIPTION				PRICED PER EACH			
PART #	PROFILE	LENGTH	GAUGE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-49	PBR *	2'-6"	26	7.13#	✓	✓	✓
FL-51	PBR *	3'-0"	26	8.55#	✓	✓	✓
FL-50	PBU *	2'-6"	26	7.13#	✓	✓	✓
FL-52	PBU *	3'-0"	26	8.55#	✓	✓	✓
FL-68	7.2 Panel **	3'-0"	26	9.39#	✓	✓	N/A

## Die-Formed Ridge Cap - Retro-R®




## Note:

- Price includes closed cell foam backer
- Maximum roof slope is 4:12
- Specify roof slope

DESCRIPTION				PRICED PER EACH			
PART #	PROFILE	LENGTH	GAUGE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-53B	Retro-R®	3'-0"	29	6.75#	✓	✓	N/A

## Rubber Roof Jack




DESCRIPTION						PRICED PER EACH
PART #	TEMPERATURE RANGE	PIPE SIZE	BASE DIM.	WEIGHT EACH	PRICE	
HW-1000	-65°F to +212°F	1/4" - 2"	4 1/2"	.17#	✓	
HW-1001	-65°F to +212°F	1/4" - 5"	8"	.50#	✓	
HW-1002	-65°F to +212°F	4" - 7"	11"	.95#	✓	
HW-1003	-65°F to +212°F	6" - 11"	14"	1.55#	✓	
HW-1004	-65°F to +212°F	7" - 13"	17"	2.56#	✓	

HIGH TEMPERATURE						
PART #	TEMPERATURE RANGE	PIPE SIZE	BASE DIM.	WEIGHT EACH	PRICE	
HW-1046	-100°F to +437°F	1/4" - 5"	8"	.50#	✓	
HW-1047	-100°F to +437°F	4" - 7"	11"	.95#	✓	
HW-1048	-100°F to +437°F	7" - 13"	17"	2.56#	✓	
HW-1049	-100°F to +437°F	10" - 18"	25"	3.86#	✓	

## Retrofit Rubber Roof Jack




DESCRIPTION						PRICED PER EACH
PART #	TEMPERATURE RANGE	PIPE SIZE	BASE DIM.	WEIGHT EACH	PRICE	
HW-1005	-65°F to +212°F	1/2" - 4"	8 3/16"	.74#	✓	
HW-1006	-65°F to +212°F	4" - 9 1/4"	14 1/4"	2.20#	✓	
HW-1007	-65°F to +212°F	9 1/4" - 16 1/4"	21 1/2"	3.78#	✓	

HIGH TEMPERATURE						
PART #	TEMPERATURE RANGE	PIPE SIZE	BASE DIM.	WEIGHT EACH	PRICE	
HW-1060	-100°F to +437°F	1/2" - 4"	8 3/16"	.74#	✓	
HW-1061	-100°F to +437°F	4" - 9 1/4"	14 1/4"	2.20#	✓	
HW-1062	-100°F to +437°F	9 1/4" - 16 1/4"	21 1/2"	3.78#	✓	

## Metal Roof Jack




## Note:

- Specify roof slope.

DESCRIPTION					PRICED PER EACH	
PART #	PROFILE	PIPE SIZE	GAUGE	WEIGHT EACH	GALVANIZED	WHITE
FL-61	PBU	1" - 6"	26	5.00#	✓	✓
FL-62	PBU	6" - 12"	26	12.00#	✓	✓
FL-63	PBR	1" - 6"	26	5.00#	✓	✓
FL-64	PBR	6" - 12"	26	12.00#	✓	✓
FL-167	7.2 Panel	1" - 6"	26	5.00#	✓	✓
FL-168	7.2 Panel	6" - 12"	26	12.00#	✓	✓

## PBR Panel Closure Strip




## Note:

- One per panel required

DESCRIPTION					PRICED PER EACH	
PART #	TYPE	ADHESIVE?	SIZE	WEIGHT EACH	PRICE	
HW-455	Inside	No	1" x 36"	.04#	✓	
HW-456	Outside	Yes	1" x 36"	.08#	✓	

## PBU Panel Closure Strip




## Note:

- One per panel required

DESCRIPTION					PRICED PER EACH	
PART #	TYPE	ADHESIVE?	SIZE	WEIGHT EACH	PRICE	
HW-459	Inside	No	1" x 36"	.04#	✓	
HW-460	Outside	Yes	1" x 36"	.06#	✓	

## AVP Panel Closure Strip



## Note:

- One per panel required

DESCRIPTION					PRICED PER EACH	
PART #	TYPE	ADHESIVE?	SIZE	WEIGHT EACH	PRICE	
HW-464	Inside	No	1" x 36"	.07#	✓	
HW-465	Outside	Yes	1" x 36"	.07#	✓	

## PBC Panel Closure Strip

**Note:**

- One per panel required

DESCRIPTION					PRICED PER EACH
PART #	TYPE	ADHESIVE?	SIZE	WEIGHT EACH	PRICE
HW-462	Inside or Outside	Yes	1" x 32"	.05#	✓

## PBD Panel Closure Strip

**Note:**

- One per panel required

DESCRIPTION					PRICED PER EACH
PART #	TYPE	ADHESIVE?	SIZE	WEIGHT EACH	PRICE
HW-463	Inside or Outside	Yes	1" x 32"	.04#	✓

## 7.2 Panel Closure Strip

**Note:**

- One per panel required

DESCRIPTION					PRICED PER EACH
PART #	TYPE	ADHESIVE?	SIZE	WEIGHT EACH	PRICE
HW-461	Inside or Outside	No	1" x 36"	.07#	✓

## Retro-R® Panel Closure Strip



Inside

**Note:**


- One per panel required



Outside

DESCRIPTION					PRICED PER EACH
PART #	TYPE	ADHESIVE?	SIZE	WEIGHT EACH	PRICE
HW-468	Inside	No	1" x 36"	.21#	✓
HW-469	Outside	Yes	1" x 36"	.15#	✓


## PBR Panel Metal Closure

**Note:**

- 26 gauge material
- Use with PBR Panel - 3 per panel required

DESCRIPTION					PRICED PER EACH
PART #	TYPE	FINISH	WEIGHT EACH	PRICE	
HW-4041	Outside	Galvalume	.16#	✓	

## Horizontal Slide Window - Non Insulated




## Note:

- Specify wall panel profile
- All Windows will be supplied with "AVP" fins - Additional fins will be supplied when "AVP" (A) or "PBU" (U) windows are ordered - All fins are to be field installed - No flashing required

DESCRIPTION					PRICED PER EACH
PART #	SIZE	TYPE	COLOR	WEIGHT EACH	PRICE
HW-802R	3030	Horiz. Slide w/Half Screen	Aluminum	27.00#	✓
HW-802A	3030	Horiz. Slide w/Half Screen	Aluminum	27.00#	✓
HW-802U	3030	Horiz. Slide w/Half Screen	Aluminum	27.00#	✓
HW-804R	4030	Horiz. Slide w/Half Screen	Aluminum	28.00#	✓
HW-804A	4030	Horiz. Slide w/Half Screen	Aluminum	28.00#	✓
HW-804U	4030	Horiz. Slide w/Half Screen	Aluminum	28.00#	✓
HW-806R	6020	Horiz. Slide w/Half Screen	Aluminum	46.00#	✓
HW-806A	6020	Horiz. Slide w/Half Screen	Aluminum	46.00#	✓
HW-806U	6020	Horiz. Slide w/Half Screen	Aluminum	46.00#	✓
HW-808R	6030	Horiz. Slide w/Half Screen	Aluminum	50.00#	✓
HW-808A	6030	Horiz. Slide w/Half Screen	Aluminum	50.00#	✓
HW-808U	6030	Horiz. Slide w/Half Screen	Aluminum	50.00#	✓
HW-810R	6040	Horiz. Slide w/Half Screen	Aluminum	58.00#	✓
HW-810A	6040	Horiz. Slide w/Half Screen	Aluminum	58.00#	✓
HW-810U	6040	Horiz. Slide w/Half Screen	Aluminum	58.00#	✓

## Single Hung Window - Non Insulated



## Note:

- Specify wall panel profile
- All Windows will be supplied with "AVP" fins - Additional fins will be supplied when "AVP" (A) or "PBU" (U) windows are ordered - All fins are to be field installed - No flashing required

DESCRIPTION					PRICED PER EACH
PART #	SIZE	TYPE	COLOR	WEIGHT EACH	PRICE
HW-820R	3030	Single Hung w/Half Screen	Aluminum	27.00#	✓
HW-820A	3030	Single Hung w/Half Screen	Aluminum	27.00#	✓
HW-820U	3030	Single Hung w/Half Screen	Aluminum	27.00#	✓
HW-822R	3040	Single Hung w/Half Screen	Aluminum	30.00#	✓
HW-822A	3040	Single Hung w/Half Screen	Aluminum	30.00#	✓
HW-822U	3040	Single Hung w/Half Screen	Aluminum	30.00#	✓
HW-824R	3050	Single Hung w/Half Screen	Aluminum	45.00#	✓
HW-824A	3050	Single Hung w/Half Screen	Aluminum	45.00#	✓
HW-824U	3050	Single Hung w/Half Screen	Aluminum	45.00#	✓

## Slim Line Window - Non Insulated




## Note:


- Specify wall panel profile
- All Windows will be supplied with "PBR" fins - Additional fins will be supplied when "AVP" (A) or "PBU" (U) windows are ordered - All fins are to be field installed - No flashing required
- Also available with straight fins for framed opening - Inquire for lead time

DESCRIPTION					PRICED PER EACH	
PART #	SIZE	TYPE	COLOR	WEIGHT EACH	PRICE	
HW-830R	1070	Slim Line (Fixed)	Bronze	62.00#	✓	
HW-830A	1070	Slim Line (Fixed)	Bronze	62.00#	✓	
HW-830U	1070	Slim Line (Fixed)	Bronze	62.00#	✓	
HW-832R	2070	Slim Line (Fixed)	Bronze	48.00#	✓	
HW-832A	2070	Slim Line (Fixed)	Bronze	48.00#	✓	
HW-832U	2070	Slim Line (Fixed)	Bronze	48.00#	✓	


## Walk Doors



TYPE M




TYPE NL



TYPE G

## GUIDE FOR DOOR SWING



DESCRIPTION					PRICED PER EACH	
PART #	SIZE	TYPE	COLOR	WEIGHT EACH	PRICE	
HW-9200	3070	M	White	162.00#	✓	
HW-9201	3070	NL	White	162.00#	✓	
HW-9202	3070	M (Insulated)	White	162.00#	✓	
HW-9203	3070	G (No Glass)	White	162.00#	✓	
HW-9204	4070	M	White	218#	✓	
HW-9205	4070	NL	White	218#	✓	
HW-9206	6070	M	White	280#	✓	
HW-9207	6070	NL	White	280#	✓	


## Note:

- 3070 and 4070 price includes leaf, frame with integral weather stripping, hinges and threshold.
- 6070 price includes leaf, frame with integral weather stripping, hinges, astragal, cover plate for inactive leaf, head bolt, foot bolt and universal threshold.
- Prices do not include glass or locksets.
- Door leaf is supplied with a pre-drilled hole for a knob lockset.
- ADA regulations require lever handle locksets for public access buildings.
- When installing lever handle locksets, two  $\frac{5}{16}$ " diameter holes must be filed drilled.

## Walk Door Accessories

		DESCRIPTION	PRICED PER EACH		
PART #	DESCRIPTION	COLOR	WEIGHT EACH	PRICE	
HW-950	1/2" X 2 3/4 Long Wedge Anchor	Bronze	0.50#	✓	
HW-954	6070 Removable Mullion		25.00#	✓	
HW-955	Standard Duty Knob Lock		2.00#	✓	
HW-9558	Standard Duty Knob Lock - Keyed Alike		2.00#	✓	
HW-956	Heavy Duty Knob Lock		3.00#	✓	
<b>NOTE:</b> • Does not meet ADA requirements.					
HW-964	Standard Duty Lever Handle Lock	Aluminum	3.00#	✓	
HW-9653	Standard Duty Lever Handle Lock - Keyed Alike		3.00#	✓	
HW-957	3070 Universal Threshold		2.00#	✓	
HW-958	4070 Universal Threshold		2.50#	✓	
HW-960	6070 Top and Bottom Bolts		2.00#	✓	
HW-961	Door Closer		2.00#	✓	
HW-962	4 1/2" x 4 1/2" Hinges (Box of 3)		5.00#	✓	
HW-963	Anti-Panic Hardware - Surface Mount w/Knob Lockset		9.67#	✓	
<b>NOTE:</b> • Does not meet ADA requirements. • Two week lead time required.					
HW-984	Anti-Panic Hardware - Surface Mount w/Handle Lockset		9.95#	✓	
<b>NOTE:</b> • When installing lever handle locksets (HW-564 or HW-9653), two 5/16" diameter holes must be field drilled.					

## Tape Sealer



DESCRIPTION						PRICED PER ROLL	
PART #	TYPE	WIDTH	THICKNESS	LENGTH	ROLL WEIGHT	PRICE	
HW-505	Butyl	3/8"	3/32"	45'-0"	1.20#	✓	
HW-506	Butyl	1"	3/32"	45'-0"	2.85#	✓	
HW-507	Butyl	1 1/2"	3/32"	50'-0"	1.60#	✓	

## Tape Sealer - Triple Bead




DESCRIPTION						PRICED PER CARTON	
PART #	TYPE	WIDTH	THICKNESS	LENGTH	CARTON QTY	CARTON WEIGHT	PRICE
HW-502	Butyl	2 1/2"	3/16"	20'-0"	6	23.00#	✓

## Tape Sealer - Tri-Bead



DESCRIPTION							PRICED PER CARTON
PART #	TYPE	WIDTH	THICKNESS	LENGTH	CARTON QTY	CARTON WEIGHT	PRICE
HW-504	Butyl	7/8"	3/16"	25'-0"	8	20.00#	✓

## Tube Sealant



## Note:

- 25' per tube at 1/4" bead.

DESCRIPTION						PRICED PER TUBE
PART #	TYPE	COLOR	TUBE SIZE	TUBE WEIGHT	PRICE	
HW-548	Acrylic	White	11 ounce	.75#	✓	
HW-550	Acrylic	Gray	11 ounce	.75#	✓	
HW-540	Urethane	White	11 ounce	.85#	✓	
HW-541	Urethane	Gray	11 ounce	.85#	✓	
HW-542	Urethane	Bronze	11 ounce	.85#	✓	
HW-544	Urethane	Almond	11 ounce	.85#	✓	
HW-549	Non-Skinning Butyl	White	10 ounce	1.00#	✓	

## Touch Up Paint




## Note:

- Primer available in spray or brush-on mixture - Please specify
- Touch-up paint available in brush-only

DESCRIPTION					PRICED PER EACH
PART #	FINISH	SIZE	COLOR	WEIGHT EACH	PRICE
HW-304	Signature® 200	2 ounce	See Color Chart	.50#	✓
HW-305	Signature® 300	2 ounce	See Color Chart	.50#	✓
HW-310S	Spray Primer	1 gallon	Red Oxide	10.00#	✓
HW-310B	Brush Primer	1 gallon	Red Oxide	11.00#	✓
HW-320S	Spray Primer	5 gallon	Red Oxide	50.00#	✓
HW-320B	Brush Primer	5 gallon	Red Oxide	50.00#	✓

## Blanket Insulation




## Notes:

- Fiberglass Blanket Insulation - 3" thick - 0.60 pounds per cubic foot density.
- Faced one side with nominal 4 mil. white vinyl with two 2" tabs.

DESCRIPTION				PRICED PER ROLL
PART #	WIDTH	LENGTH	ROLL WEIGHT	PRICE
HW-370	4'-0"	104'-0"	90.68#	✓
HW-372	4'-0"	124'-0"	108.00#	✓

## Vinyl Patch Tape




DESCRIPTION				PRICED PER ROLL
PART #	WIDTH	LENGTH	ROLL WEIGHT	PRICE
HW-5211	3"	150'-0"	1.98#	✓

## Double Faced Tape



DESCRIPTION				PRICED PER ROLL
PART #	WIDTH	LENGTH	ROLL WEIGHT	PRICE
HW-522	1 1/2"	180'-0"	1.00#	✓

## Reflective Insulation



## Notes:

- PSR-VR with VersiTab is  $\frac{1}{4}$ " fiberglass with a white polypropylene scrim reinforced vapor retarder on one side and a foil film on the other side.
- RFSK with VersiTab  $\frac{1}{4}$ " fiberglass with a silver (aluminum) scrim reinforced vapor retarder on one side and a foil film on the other side.
- VersiTab has a 2" tab on one side and a 4" tab on the other side of the roll to allow the insulation side laps to be folded and stapled or overlapped and taped.

DESCRIPTION					PRICED PER ROLL
PART #	TYPE	WIDTH	LENGTH	WEIGHT PER ROLL	PRICE
HW-3744	PSK-VR w/Versitab	4'-0"	125'-0"	31.00#	✓
HW-3745	RFSK w/Versitab	4'-0"	125'-0"	31.00#	✓
HW-3748	PSK-VR w/Versitab	6'-0"	125'-0"	46.00#	✓
HW-3749	RFSK w/Versitab	6'-0"	125'-0"	46.00#	✓

## Scrimless Aluminum Tape



DESCRIPTION				PRICED PER ROLL
PART #	WIDTH	LENGTH	WEIGHT PER ROLL	PRICE
HW-514	3"	150'-0"	1.50#	✓

## Strand



## Note:

- Extra High Strength

DESCRIPTION					PRICED PER BELOW	
PART #	SIZE	MINIMUM BREAKING STRENGTH	LENGTH	PRICED BY	WEIGHT	PRICE
HW-373	$\frac{1}{4}$ "	6,650 lbs.	Specify	100 LF	.12# per LF	✓
HW-374	$\frac{5}{16}$ "	11,200 lbs.	Specify	100 LF	.21# per LF	✓
HW-375	$\frac{3}{8}$ "	15,400 lbs.	Specify	100 LF	.27# per LF	✓
HW-3739	$\frac{1}{2}$ "	26,900 lbs	250'-0"	ROLL	106.00# per ROLL	✓

## Flo-Loc Grip



## Note:

- Extra High Strength

DESCRIPTION					PRICED PER EACH	
PART #	SIZE	MINIMUM BREAKING STRENGTH	LENGTH	WEIGHT EACH	PRICE	
HW-376	1/4"	6,650 lbs.	19"	.34#		✓
HW-377	5/16"	11,200 lbs.	21"	.70#		✓
HW-378	3/8"	15,400 lbs.	26"	1.04#		✓
HW-383	1/2"	26,900 lbs.	34"	2.56#		✓

## Eye Bolt with Flat Washer and Nut




## Note:

- Each Eyebolt is supplied with one Flat Washer and one Nut


DESCRIPTION						PRICED PER EACH	
PART #	SIZE	EYE DIAMETER	SHANK LENGTH	THREAD LENGTH	YIELD STRENGTH	WEIGHT EACH	PRICE
HW-352	1/2"	1"	8"	6"	36,000 lbs.	.60#	✓
HW-353	5/8"	1 1/4"	8"	6"	55,000 lbs.	1.15#	✓
HW-354	3/4"	1 1/2"	8"	6"	55,000 lbs.	1.83#	✓
HW-381	7/8"	1 1/2"	8"	6"	60,000 lbs.	2.64#	✓

## Hillside and Flat Washers




DESCRIPTION					PRICED PER 100 PIECES	
PART #	TYPE	SIZE	FINISH	WEIGHT EACH	PRICE	
HW-390	Flat	1/2"	Plated	.04#		✓
HW-391	Flat	5/8"	Plated	.08#		✓
HW-392	Flat	3/4"	Plated	.11#		✓
HW-382	Flat	7/8"	Plated	.15#		✓
HW-393	Flat	1"	Plated	.19#		✓
HW-394	Hillside	1/2"	Black	.34#		✓
HW-395	Hillside	5/8"	Black	.50#		✓
HW-396	Hillside	3/4"	Black	.61#		✓
HW-397	Hillside	7/8"	Black	.89#		✓
HW-398	Hillside	1"	Black	1.28#		✓

## Bolts with Nuts




DESCRIPTION						PRICED PER 100 PIECES
PART #	SIZE	BOLT GRADE	NUT GRADE	FINISH	WEIGHT EACH	PRICE
HW-355	1/2" x 1"	A307	A307	Plated	.13#	✓
HW-356	1/2" x 1 1/4"	A307	A307	Plated	.14#	✓
HW-363	1/2" x 1 1/4"	A325	A563	Plated	.18#	✓
HW-3544	5/8" x 1 1/4"	A325	A563	Plated	.31#	✓
HW-357	5/8" x 1 1/4"	A325	A563	Plated	.33#	✓
HW-3545	5/8" x 1 3/4"	A325	A563	Plated	.35#	✓
HW-358	5/8" x 2"	A325	A563	Plated	.37#	✓
HW-359	3/4" x 1 3/4"	A325	A563	Plated	.55#	✓
HW-3536	3/4" x 2"	A325	A563	Plated	.58#	✓
HW-360	3/4" x 2 1/4"	A325	A563	Plated	.62#	✓
HW-3537	3/4" x 2 1/2"	A325	A563	Plated	.65#	✓
HW-361	3/4" x 2 3/4"	A325	A563	Plated	.68#	✓

## Fin Head with Nut




DESCRIPTION						PRICED PER 100 PIECES
PART #	SIZE	BOLT GRADE	NUT GRADE	FINISH	WEIGHT EACH	PRICE
HW-362	1/2" x 1"	A307	A307	Plated	.10#	✓

## Purlin Clip - 6" x 7"



DESCRIPTION				PRICED PER EACH
PART #	SIZE	FINISH	WEIGHT EACH	PRICE
HW-6900	6" x 7" x 3/16"	Black	2.25#	✓

## Louvers with Screen



## Note:

- All louvers require a 10 working day lead time
- \*\*Price for adjustable louvers includes hand crank
- Specify panel profile when ordering louver

DESCRIPTION						PRICED PER EACH		
PART #	SIZE	FRAME GAUGE	FIN GAUGE	TYPE	WEIGHT EACH	GALVALUME PLUS®	PAINTED	
FL-65	3' x 3'	24 ga	24 ga	Fixed	63.00#	✓	✓	
FL-66	3' x 4'	24 ga	24 ga	Fixed	84.00#	✓	✓	
FL-67	4' x 4'	24 ga	24 ga	Fixed	96.00#	✓	✓	

DESCRIPTION						PRICED PER EACH		
PART #	SIZE	FRAME GAUGE	FIN GAUGE	TYPE	WEIGHT EACH	GALVANIZED	PAINTED	
HW-780	3' x 3'	18 ga	20 ga	Fixed	81.00#	✓	✓	
HW-781	3' x 4'	18 ga	20 ga	Fixed	108.00#	✓	✓	
HW-782	4' x 4'	18 ga	20 ga	Fixed	144.00#	✓	✓	
HW-783	3' x 5'	18 ga	20 ga	Adjustable**	135.00#	✓	✓	
HW-784	4' x 4'	18 ga	20 ga	Adjustable**	144.00#	✓	✓	

## Sliding Door - Track



DESCRIPTION					PRICED PER EACH		
PART #	LENGTH	GAUGE	FINISH	WEIGHT EACH	PRICE		
HW-966	12'-0"	16	Galvanized	21.00#	✓		
HW-968	20'-0"	16	Galvanized	35.00#	✓		

## Sliding Door - Rail Hanger and Bracket



DESCRIPTION			PRICED PER EACH		
PART #	FINISH	WEIGHT EACH	PRICE		
HW-971	Galvanized	3.00#	✓		

## Sliding Door - Hanger Angle



DESCRIPTION			PRICED PER EACH
PART #	FINISH	WEIGHT EACH	PRICE
HW-975	Galvanized	1.00#	✓

## Sliding Door - Steel Door Pull



DESCRIPTION			PRICED PER EACH
PART #	FINISH	WEIGHT EACH	PRICE
HW-973	Galvanized	.90#	✓

## Sliding Door - Trolley



DESCRIPTION			PRICED PER EACH	
PART #	WHEEL DIAMETER	FINISH	WEIGHT EACH	PRICE
HW-969	2"	Galvanized	1.00#	✓

## Sliding Door - Cam Lock Jamb Latch



DESCRIPTION			PRICED PER EACH
PART #	FINISH	WEIGHT EACH	PRICE
HW-972	Galvanized	2.00#	✓

## Sliding Door - Hasp and Staple



DESCRIPTION			PRICED PER EACH
PART #	FINISH	WEIGHT EACH	PRICE
HW-974	Galvanized	1.50#	✓

## Sliding Door - Splice Bracket




DESCRIPTION			PRICED PER EACH
PART #	FINISH	WEIGHT EACH	PRICE
HW-970	Galvanized	1.00#	✓

## Flat Sheet and Coil Selection Chart

	26 GAUGE		24 GAUGE		22 GAUGE	
	42 3/4"	48 3/8"	42 3/4"	48 3/8"	42 3/4"	48 3/8"
<b>SIGNATURE® 200</b>						
Hawaiian Blue	●			●		
Crimson Red * †	●			●		
Fern Green	●			●		
Burnished Slate	●	●		●		
Koko Brown	●			●		
Charcoal Gray	●			●		
Ash Gray	●			●		
Saddle Tan	●			●		
Desert Sand	●					
Polar White	●	●		●	●	●
Rustic Red	●			●		
Light Stone	●	●		●		
Gallery Blue	●					
<b>SIGNATURE® 300</b>						
Medium Bronze	●			●		
Snow White	●			●		
Slate Gray	●			●		
Almond	●			●		
Classic Green	●			●		
Brownstone				●		
Scarlet Red				●		
Harbor Blue				●		
<b>OTHER</b>						
Galvalume Plus®	●	●		●	●	●
Galvanized	●					

Signature is a registered trademark of NCI Group, Inc. Galvalume Plus is a registered and protected trademark of BIEC International, Inc.

## Flat Sheets



## Notes:

1. Add \$42.00 for flat sheet wood skid/Maximum 100 flat sheets or 3000# per skid. Maximum 14'-0" length.
2. Add \$60.00 for LTL crating/Maximum 100 flat sheets or 3000# per skid. Maximum 14'-0" length.
3. Strippable film available for flat sheets upon request. Add \$0.10 per square foot.
4. Flat sheet lengths other than 10'-2" are available upon request. Minimum length 5'-0", maximum length 14'-0". Flat sheet lengths over 14'-0" require special skid. . Please inquire.
5. All material is Grade D.


**See Flat Sheet and Coil Selection Chart on page 48 for color availability**

Signature® is a registered trademark of NCI Group, INC.

DESCRIPTION				PRICED PER LINEAR FOOT
GAUGE	WIDTH	FINISH	WEIGHT PER LF	PRICE
26	42 <sup>3</sup> / <sub>4</sub> "	Signature® 300	2.64#	✓
26	42 <sup>3</sup> / <sub>4</sub> "	Signature® 200	2.64#	✓
26	42 <sup>3</sup> / <sub>4</sub> "	Galvalume Plus® ☐	2.64#	✓
26	42 <sup>3</sup> / <sub>4</sub> "	Galvanized	2.77#	✓
26	48 <sup>3</sup> / <sub>8</sub> "	Signature® 200	2.99#	✓
26	48 <sup>3</sup> / <sub>8</sub> "	Galvalume Plus® ☐	2.99#	✓
24	42 <sup>3</sup> / <sub>4</sub> "	Signature® 200	3.32#	✓
24	42 <sup>3</sup> / <sub>4</sub> "	Galvalume Plus® ☐	3.32#	✓
24	48 <sup>3</sup> / <sub>8</sub> "	Signature® 200	3.75#	✓
24	48 <sup>3</sup> / <sub>8</sub> "	Galvalume Plus® ☐	3.75#	✓
22	42 <sup>3</sup> / <sub>4</sub> "	Signature® 200	4.22#	✓
22	42 <sup>3</sup> / <sub>4</sub> "	Galvalume Plus® ☐	4.22#	✓
22	48 <sup>3</sup> / <sub>8</sub> "	Signature® 200	4.77#	✓
22	48 <sup>3</sup> / <sub>8</sub> "	Galvalume Plus® ☐	4.77#	✓

☞ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, MBCI recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

## Coils



## Notes:

1. Add \$108.00 SET-UP CHARGE FOR COIL. (Minimum 300 L.F.)
2. Add \$42.00 per coil for wood skid.
3. All coils are subject to  $\pm$  15% of quantity ordered.
4. The camber tolerance for coils is one inch in any 20 feet.
5. Slitting available upon request - \$0.10 per LF - \$300.00 minimum charge.
6. All material is Grade D or E.

**See Flat Sheet and Coil Selection Chart on page 48 for color availability**


Signature® is a registered trademark of NCI Group, INC.

DESCRIPTION				PRICED PER CLF COIL
GAUGE	WIDTH	FINISH	WEIGHT PER LF	PRICE
26	42 <sup>3</sup> / <sub>4</sub> "	Signature® 300	2.64#	✓
26	42 <sup>3</sup> / <sub>4</sub> "	Signature® 200	2.64#	✓
26	42 <sup>3</sup> / <sub>4</sub> "	Galvalume Plus® ☒	2.64#	✓
26	42 <sup>3</sup> / <sub>4</sub> "	Galvanized	2.77#	✓
26	48 <sup>3</sup> / <sub>8</sub> "	Signature® 200	2.99#	✓
26	48 <sup>3</sup> / <sub>8</sub> "	Galvalume Plus® ☒	2.99#	✓
24	42 <sup>3</sup> / <sub>4</sub> "	Signature® 200	3.32#	✓
24	42 <sup>3</sup> / <sub>4</sub> "	Galvalume Plus® ☒	3.32#	✓
24	48 <sup>3</sup> / <sub>8</sub> "	Signature® 200	3.75#	✓
24	48 <sup>3</sup> / <sub>8</sub> "	Galvalume Plus® ☒	3.75#	✓
22	42 <sup>3</sup> / <sub>4</sub> "	Signature® 200	4.22#	✓
22	42 <sup>3</sup> / <sub>4</sub> "	Galvalume Plus® ☒	4.22#	✓
22	48 <sup>3</sup> / <sub>8</sub> "	Signature® 200	4.77#	✓
22	48 <sup>3</sup> / <sub>8</sub> "	Galvalume Plus® ☒	4.77#	✓

☒ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, MBCI recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.




# Outside Corner Trim - PBR / PBA Panels




DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-830	10'-2"	12 <sup>5</sup> / <sub>8</sub> "	8.32#	✓	✓	✓
FL-831	12'-0"	12 <sup>5</sup> / <sub>8</sub> "	9.83#	✓	✓	✓
FL-832	14'-0"	12 <sup>5</sup> / <sub>8</sub> "	11.46#	✓	✓	✓
FL-833	16'-0"	12 <sup>5</sup> / <sub>8</sub> "	13.10#	✓	✓	✓
FL-834	18'-0"	12 <sup>5</sup> / <sub>8</sub> "	14.74#	✓	✓	✓
FL-835	20'-2"	12 <sup>5</sup> / <sub>8</sub> "	16.51#	✓	✓	✓

## Outside Corner Trim - PBU Panel




DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-840	10'-2"	11 <sup>3</sup> / <sub>8</sub> "	7.50#	✓	✓	✓
FL-841	12'-0"	11 <sup>3</sup> / <sub>8</sub> "	8.85#	✓	✓	✓
FL-842	14'-0"	11 <sup>3</sup> / <sub>8</sub> "	10.33#	✓	✓	✓
FL-843	16'-0"	11 <sup>3</sup> / <sub>8</sub> "	11.80#	✓	✓	✓
FL-844	18'-0"	11 <sup>3</sup> / <sub>8</sub> "	13.28#	✓	✓	✓
FL-845	20'-2"	11 <sup>3</sup> / <sub>8</sub> "	14.88#	✓	✓	✓

## Outside Corner Trim - 7.2 Panel




DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-500	10'-2"	14 1/4"	9.40#	✓	✓	✓
FL-500A	12'-0"	14 1/4"	11.09#	✓	✓	✓
FL-500B	14'-0"	14 1/4"	12.94#	✓	✓	✓

## Inside Corner Trim - PBR Panel




DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-800	10'-2"	15"	9.89#	✓	✓	✓
FL-801	12'-0"	15"	11.67#	✓	✓	✓
FL-802	14'-0"	15"	13.62#	✓	✓	✓
FL-803	16'-0"	15"	15.57#	✓	✓	✓
FL-804	18'-0"	15"	17.51#	✓	✓	✓
FL-805	20'-2"	15"	19.62#	✓	✓	✓

## Inside Corner Trim - PBU Panel




DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-810	10'-2"	10 <sup>5</sup> / <sub>8</sub> "	7.01#	✓	✓	✓
FL-811	12'-0"	10 <sup>5</sup> / <sub>8</sub> "	8.27#	✓	✓	✓
FL-812	14'-0"	10 <sup>5</sup> / <sub>8</sub> "	9.65#	✓	✓	✓
FL-813	16'-0"	10 <sup>5</sup> / <sub>8</sub> "	11.03#	✓	✓	✓
FL-814	18'-0"	10 <sup>5</sup> / <sub>8</sub> "	12.40#	✓	✓	✓
FL-815	20'-2"	10 <sup>5</sup> / <sub>8</sub> "	13.90#	✓	✓	✓

## Inside Corner Trim - 7.2 Panel



DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-520	10'-2"	14 <sup>1</sup> / <sub>2</sub> "	9.56#	✓	✓	✓

## BT-20 Base Trim




## Note:

- 20 gauge material
- Specify color: Burnished Slate, Light Stone or Polar White

DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-73	20'-0"	7 <sup>7</sup> / <sub>8</sub> "	22.00#	N/A	✓	N/A

## Base Angle Corner




## Note:

- Vinyl Material
- Burnished Slate only
- Inquire for lead time

DESCRIPTION		PRICED PER EACH		
PART #	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
HW-1112	.21#	N/A	✓	N/A

## Base Trim




## Note:

- Use with sheeting notch in concrete

DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-72	10'-2"	6 1/8"	4.04#	✓	✓	✓

## Base Trim without Sheeting




## Note:

- Use without sheeting notch in concrete

DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-530	10'-2"	6 3/4"	4.45#	✓	✓	✓

## PBR Sculptured Eave Gutter




## Note:

- Specify roof slope
- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION						PRICED PER EACH			
PART #	DIM "A"	LENGTH	GIRTH	ROOF SLOPE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	
FL-18	6 1/2"	10'-2"	23"	1/2-4:12	15.17#	✓	✓	✓	
FL-18B	6 1/2"	20'-2"	23"	1/2-4:12	35.40#	✓	✓	✓	
FL-18H	7"	10'-2"	23 1/2"	4 1/8-6:12	17.88#	✓	✓	✓	
FL-18J	7"	20'-2"	23 1/2"	4 1/8-6:12	35.47#	✓	✓	✓	

## PBR Sculptured Hang-On Gutter




## Note:

- Specify roof slope
- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION						PRICED PER EACH			
PART #	DIM "A"	LENGTH	GIRTH	ROOF SLOPE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	
FL-18C	6 1/2"	10'-2"	20 1/4"	1/2-4:12	14.50#	✓	✓	✓	
FL-18D	6 1/2"	20'-2"	20 1/4"	1/2-4:12	29.00#	✓	✓	✓	
FL-18F	7"	10'-2"	20 3/4"	4 1/8-6:12	15.41#	✓	✓	✓	
FL-18G	7"	20'-2"	20 3/4"	4 1/8-6:12	30.56#	✓	✓	✓	

## PBU Sculptured Eave Gutter




## Note:

- Specify roof slope
- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION						PRICED PER EACH			
PART #	DIM "A"	LENGTH	GIRTH	ROOF SLOPE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	
FL-512	7"	10'-2"	23 1/2"	1/2-4:12	15.49#	✓	✓	✓	
FL-512A	7"	20'-2"	23 1/2"	1/2-4:12	35.40#	✓	✓	✓	
FL-512E	7 1/2"	10'-2"	24"	4 1/8-6:12	18.26#	✓	✓	✓	
FL-512F	7 1/2"	20'-2"	24"	4 1/8-6:12	36.23#	✓	✓	✓	

## PBU Sculptured Hang-On Gutter




## Note:

- Specify roof slope
- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION						PRICED PER EACH		
PART #	DIM "A"	LENGTH	GIRTH	ROOF SLOPE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-512B	7"	10'-2"	20 <sup>3</sup> / <sub>4</sub> "	1/2-4:12	13.68#	✓	✓	✓
FL-512C	7"	20'-2"	20 <sup>3</sup> / <sub>4</sub> "	1/2-4:12	29.50#	✓	✓	✓
FL-512G	7 <sup>1</sup> / <sub>2</sub> "	10'-2"	21 <sup>1</sup> / <sub>4</sub> "	4 <sup>1</sup> / <sub>8</sub> -6:12	15.77#	✓	✓	✓
FL-512H	7 <sup>1</sup> / <sub>2</sub> "	20'-2"	21 <sup>1</sup> / <sub>4</sub> "	4 <sup>1</sup> / <sub>8</sub> -6:12	31.31#	✓	✓	✓

## Sculptured Eave Gutter - 7.2 Panel




## Note:

- Specify roof slope
- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION						PRICED PER EACH		
PART #	DIM "A"	LENGTH	GIRTH	ROOF SLOPE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-517	6 <sup>1</sup> / <sub>4</sub> "	10'-2"	23 <sup>1</sup> / <sub>4</sub> "	1/2-4:12	15.33#	✓	✓	✓
FL-517A	6 <sup>1</sup> / <sub>4</sub> "	20'-2"	23 <sup>1</sup> / <sub>4</sub> "	1/2-4:12	30.41#	✓	✓	✓
FL-517E	6 <sup>5</sup> / <sub>8</sub> "	10'-2"	23 <sup>5</sup> / <sub>8</sub> "	4 <sup>1</sup> / <sub>8</sub> -6:12	15.58#	✓	✓	✓
FL-517F	6 <sup>5</sup> / <sub>8</sub> "	20'-2"	23 <sup>5</sup> / <sub>8</sub> "	4 <sup>1</sup> / <sub>8</sub> -6:12	30.90#	✓	✓	✓

## Sculptured Hang-On Gutter - 7.2 Panel




## Note:

- Specify roof slope
- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION						PRICED PER EACH		
PART #	DIM "A"	LENGTH	GIRTH	ROOF SLOPE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-517B	6 <sup>1</sup> / <sub>4</sub> "	10'-2"	20"	1/2-4:12	13.19#	✓	✓	✓
FL-517C	6 <sup>1</sup> / <sub>4</sub> "	20'-2"	20"	1/2-4:12	26.16#	✓	✓	✓
FL-517G	6 <sup>5</sup> / <sub>8</sub> "	10'-2"	20 <sup>3</sup> / <sub>8</sub> "	4 <sup>1</sup> / <sub>8</sub> -6:12	13.43#	✓	✓	✓
FL-517H	6 <sup>5</sup> / <sub>8</sub> "	20'-2"	20 <sup>3</sup> / <sub>8</sub> "	4 <sup>1</sup> / <sub>8</sub> -6:12	26.65#	✓	✓	✓

## Style Hang On Gutter - PBR Panel




## Note:

- Specify roof slope
- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION						PRICED PER EACH			
PART #	DIM "A"	LENGTH	GIRTH	ROOF SLOPE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	
FL-760	5 1/2"	10'-2"	20 3/4"	1/2-4:12	15.03#	✓	✓	✓	
FL-762	5 1/2"	20'-2"	20 3/4"	1/2-4:12	29.80#	✓	✓	✓	
FL-760A	6"	10'-2"	21 1/4"	4 1/8-6:12	15.40#	✓	✓	✓	
FL-762A	6"	20'-2"	21 1/4"	4 1/8-6:12	30.56#	✓	✓	✓	

## Style Hang On Gutter - PBU Panel




## Note:

- Specify roof slope
- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION						PRICED PER EACH			
PART #	DIM "A"	LENGTH	GIRTH	ROOF SLOPE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	
FL-910	6"	10'-2"	20 3/4"	1/2-4:12	15.22#	✓	✓	✓	
FL-912	6"	20'-2"	20 3/4"	1/2-4:12	30.18#	✓	✓	✓	
FL-910A	6 1/2"	10'-2"	21 1/4"	4 1/8-6:12	15.59#	✓	✓	✓	
FL-912A	6 1/2"	20'-2"	21 1/4"	4 1/8-6:12	30.56#	✓	✓	✓	

## Gutter Ends




## Notes:

- Use with all Sculptured or Style Gutters
- End Caps will be made to fit gutter ordered
- Specify left or right
- Specify gutter part number

DESCRIPTION		PRICED PER EACH			
PART #	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	
FL-18A	.32#	✓	✓	✓	

## Box Hang-On Gutter



## Note:

- Specify roof slope - Snow Gutter available, please inquire

PART #	DESCRIPTION						PRICED PER EACH		
	DIM "A"	DIM "B"	LENGTH	GIRTH	ROOF SLOPE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-74	4 1/2"	4 1/4"	10'-2"	17"	1/2-4:12	11.21#	✓	✓	✓
FL-74A	4 1/2"	4 1/4"	20'-2"	17"	1/2-4:12	22.23#	✓	✓	✓
FL-74L	4 3/4"	4 1/4"	10'-2"	17 1/4"	4 1/16-6:12	11.37#	✓	✓	✓
FL-74F	4 3/4"	4 1/4"	20'-2"	17 1/4"	4 1/16-6:12	22.56#	✓	✓	✓

**NOTE:** Use with PBU Panel


FL-74B	4 1/4"	4 1/2"	10'-2"	17"	1/2-4:12	11.21#	✓	✓	✓
FL-74C	4 1/4"	4 1/2"	20'-2"	17"	1/2-4:12	22.23#	✓	✓	✓
FL-74G	4 5/8"	4 1/2"	10'-2"	17 3/8"	4 1/16-6:12	11.46#	✓	✓	✓
FL-74H	4 5/8"	4 1/2"	20'-2"	17 3/8"	4 1/16-6:12	22.72#	✓	✓	✓

**NOTE:** Use with PBR Panel

FL-74D	4"	4 1/2"	10'-2"	16 3/4"	1/2-4:12	11.04#	✓	✓	✓
FL-74E	4"	4 1/2"	20'-2"	16 3/4"	1/2-4:12	21.91#	✓	✓	✓
FL-74J	4 1/4"	4 1/2"	10'-2"	17"	4 1/16-6:12	11.21#	✓	✓	✓
FL-74K	4 1/4"	4 1/2"	20'-2"	17"	4 1/16-6:12	22.23#	✓	✓	✓

**NOTE:** Use with 7.2 Panel

## Box Eave Gutter



## Note:

- Specify roof slope - Snow Gutter available, please inquire

PART #	DESCRIPTION						PRICED PER EACH		
	DIM "A"	DIM "B"	LENGTH	GIRTH	ROOF SLOPE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-14	4 1/2"	4 1/4"	10'-2"	20 1/4"	1/2-4:12	13.35#	✓	✓	✓
FL-14B	4 1/2"	4 1/4"	20'-2"	20 1/4"	1/2-4:12	26.48#	✓	✓	✓
FL-14F	4 3/4"	4 1/4"	10'-2"	20 1/2"	4 1/16-6:12	13.52#	✓	✓	✓
FL-14G	4 3/4"	4 1/4"	20'-2"	20 1/2"	4 1/16-6:12	26.81#	✓	✓	✓

**NOTE:** Use with PBU Panel


FL-14C	4 1/4"	4 1/2"	10'-2"	20 1/4"	1/2-4:12	13.35#	✓	✓	✓
FL-14D	4 1/4"	4 1/2"	20'-2"	20 1/4"	1/2-4:12	26.48#	✓	✓	✓
FL-14H	4 5/8"	4 1/2"	10'-2"	20 5/8"	4 1/16-6:12	13.60#	✓	✓	✓
FL-14J	4 5/8"	4 1/2"	20'-2"	20 5/8"	4 1/16-6:12	26.98#	✓	✓	✓

**NOTE:** Use with PBR Panel

FL-505	4"	4 1/2"	10'-2"	20"	1/2-4:12	13.19#	✓	✓	✓
FL-505A	4"	4 1/2"	20'-2"	20"	1/2-4:12	26.16#	✓	✓	✓
FL-505C	4 1/4"	4 1/2"	10'-2"	20 1/4"	4 1/16-6:12	13.35#	✓	✓	✓
FL-505D	4 1/4"	4 1/2"	20'-2"	20 1/4"	4 1/16-6:12	26.48#	✓	✓	✓


**NOTE:** Use with 7.2 Panel

## Residential Gutter



DESCRIPTION				PRICED PER EACH		
PART #	GIRTH	GAUGE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-1000	12 9/16"	29	6.41#	✓	✓	N/A
FL-1000	12 9/16"	26	8.28#	✓	✓	✓
FL-1000	12 9/16"	24	10.39#	✓	✓	✓

## Gutter Ends




## Note:

- Use FL-14A with all Box Gutters
- Use FL-1001 with FL-1000 Residential Gutter
- End Caps will be made to fit gutter ordered
- Specify left or right
- Specify gutter part number


DESCRIPTION				PRICED PER EACH		
PART #	GAUGE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	
FL-14A	26	.26#	✓	✓	✓	
FL-1001	29	.07#	✓	✓		N/A
FL-1001	26	.09#	✓	✓		✓
FL-1001	24	.12#	✓	✓		✓

## Gutter Strap




DESCRIPTION					PRICED PER EACH		
PART #	LENGTH	GIRTH	GAUGE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-893	1'-0"	3"	26	.23#	N/A	✓	N/A
FL-893	1'-0"	3"	24	.23#	✓	✓	✓

## PBU Residential Rake




PART #	DESCRIPTION					PRICED PER EACH			
	DIM "A"	ROOF SLOPE	GIRTH	GAUGE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	
FL-1002	3 <sup>3</sup> / <sub>16</sub> "	3-4:12	8 <sup>11</sup> / <sub>16</sub> "	29	4.43#	✓	✓	N/A	
FL-1002	3 <sup>3</sup> / <sub>16</sub> "	3-4:12	8 <sup>11</sup> / <sub>16</sub> "	26	5.73#	✓	✓	✓	
FL-1003	3 <sup>1</sup> / <sub>16</sub> "	5-6:12	8 <sup>9</sup> / <sub>16</sub> "	29	4.37#	✓	✓	N/A	
FL-1003	3 <sup>1</sup> / <sub>16</sub> "	5-6:12	8 <sup>9</sup> / <sub>16</sub> "	26	5.65#	✓	✓	✓	
FL-1004	2 <sup>15</sup> / <sub>16</sub> "	7:12	8 <sup>7</sup> / <sub>16</sub> "	29	4.30#	✓	✓	N/A	
FL-1004	2 <sup>15</sup> / <sub>16</sub> "	7:12	8 <sup>7</sup> / <sub>16</sub> "	26	5.56#	✓	✓	✓	
FL-1005	2 <sup>13</sup> / <sub>16</sub> "	8-9:12	8 <sup>5</sup> / <sub>16</sub> "	29	4.24#	✓	✓	N/A	
FL-1005	2 <sup>13</sup> / <sub>16</sub> "	8-9:12	8 <sup>5</sup> / <sub>16</sub> "	26	5.48#	✓	✓	✓	
FL-1006	2 <sup>11</sup> / <sub>16</sub> "	10:12	8 <sup>3</sup> / <sub>16</sub> "	29	4.18#	✓	✓	N/A	
FL-1006	2 <sup>11</sup> / <sub>16</sub> "	10:12	8 <sup>3</sup> / <sub>16</sub> "	26	5.40#	✓	✓	✓	

## PBR Residential Rake



PART #	DESCRIPTION					PRICED PER EACH			
	DIM "A"	ROOF SLOPE	GIRTH	GAUGE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	
FL-1010	3 <sup>11</sup> / <sub>16</sub> "	3-4:12	10 <sup>13</sup> / <sub>16</sub> "	29	5.51#	✓	✓	N/A	
FL-1010	3 <sup>11</sup> / <sub>16</sub> "	3-4:12	10 <sup>13</sup> / <sub>16</sub> "	26	7.13#	✓	✓	✓	
FL-1011	3 <sup>9</sup> / <sub>16</sub> "	5-6:12	10 <sup>11</sup> / <sub>16</sub> "	29	5.45#	✓	✓	N/A	
FL-1011	3 <sup>9</sup> / <sub>16</sub> "	5-6:12	10 <sup>11</sup> / <sub>16</sub> "	26	7.05#	✓	✓	✓	
FL-1012	3 <sup>7</sup> / <sub>16</sub> "	7:12	10 <sup>9</sup> / <sub>16</sub> "	29	5.39#	✓	✓	N/A	
FL-1012	3 <sup>7</sup> / <sub>16</sub> "	7:12	10 <sup>9</sup> / <sub>16</sub> "	26	6.96#	✓	✓	✓	
FL-1013	3 <sup>5</sup> / <sub>16</sub> "	8-9:12	10 <sup>7</sup> / <sub>16</sub> "	29	5.32#	✓	✓	N/A	

## Sculptured Rake - PBR Panel




## Note:

- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION				PRICED PER EACH				
PART #	DESCRIPTION	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	
FL-16	Rake Trim	10'-2"	20 <sup>1</sup> / <sub>4</sub> "	14.50#	✓	✓	✓	
FL-16D	Rake Trim	20'-2"	20 <sup>1</sup> / <sub>4</sub> "	29.00#	✓	✓	✓	
FL-16A	Rake Ends	N/A	N/A	.19#	✓	✓	✓	
FL-16B	Peak Box	N/A	N/A	2.67#	✓	✓	✓	

## Sculptured Rake - PBU Panel




## Note:

- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION				PRICED PER EACH				
PART #	DESCRIPTION	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	
FL-15	Rake Trim	10'-2"	20 <sup>1</sup> / <sub>4</sub> "	14.50#	✓	✓	✓	
FL-15D	Rake Trim	20'-2"	20 <sup>1</sup> / <sub>4</sub> "	29.00#	✓	✓	✓	
FL-15A	Rake Ends	N/A	N/A	.19#	✓	✓	✓	
FL-15C	Peak Box	N/A	N/A	2.67#	✓	✓	✓	

## Sculptured Rake - 7.2 Panel




## Note:

- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION				PRICED PER EACH				
PART #	DESCRIPTION	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	
FL-510	Rake Trim	10'-2"	20 <sup>1</sup> / <sub>4</sub> "	13.35#	✓	✓	✓	
FL-510A	Rake Trim	20'-2"	20 <sup>1</sup> / <sub>4</sub> "	26.48#	✓	✓	✓	
FL-510B	Rake Ends	N/A	N/A	.19#	✓	✓	✓	
FL-510C	Peak Box	N/A	N/A	2.61#	✓	✓	✓	

## Style Rake - PBR Panel




## Note:

- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION				PRICED PER EACH				
PART #	DESCRIPTION	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	
FL-764	Rake Trim	10'-2"	20 <sup>3</sup> / <sub>4</sub> "	14.50#	✓	✓	✓	
FL-766	Rake Trim	20'-2"	20 <sup>3</sup> / <sub>4</sub> "	29.00#	✓	✓	✓	
FL-765	Rake Ends	N/A	N/A	.19#	✓	✓	✓	
FL-767	Peak Box	N/A	N/A	2.75#	✓	✓	✓	

## Style Rake - PBU Panel




## Note:

- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION				PRICED PER EACH				
PART #	DESCRIPTION	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	
FL-867	Rake Trim	10'-2"	18 <sup>1</sup> / <sub>4</sub> "	12.03#	✓	✓	✓	
FL-869	Rake Trim	20'-2"	18 <sup>1</sup> / <sub>4</sub> "	23.87#	✓	✓	✓	
FL-868	Rake Ends	N/A	N/A	.19#	✓	✓	✓	

## Box Rake - PBR Panel




## Note:

- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION				PRICED PER EACH				
PART #	DESCRIPTION	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	
FL-13	Rake Trim	10'-2"	20 <sup>1</sup> / <sub>4</sub> "	13.35#	✓	✓	✓	
FL-13D	Rake Trim	20'-2"	20 <sup>1</sup> / <sub>4</sub> "	26.48#	✓	✓	✓	
FL-13A	Rake Ends	N/A	N/A	.13#	✓	✓	✓	
FL-13C	Peak Box	N/A	N/A	2.34#	✓	✓	✓	

## Box Rake - PBU Panel




## Note:

- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION				PRICED PER EACH				
PART #	DESCRIPTION	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	
FL-12	Rake Trim	10'-2"	20 <sup>1</sup> / <sub>4</sub> "	13.25#	✓	✓	✓	
FL-12D	Rake Trim	20'-2"	20 <sup>1</sup> / <sub>4</sub> "	26.50#	✓	✓	✓	
FL-12A	Rake Ends	N/A	N/A	.13#	✓	✓	✓	
FL-12C	Peak Box	N/A	N/A	2.34#	✓	✓	✓	

## Box Rake - 7.2 Panel




## Note:

- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION				PRICED PER EACH				
PART #	DESCRIPTION	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	
FL-501	Rake Trim	10'-2"	20"	13.19#	✓	✓	✓	
FL-501A	Rake Trim	20'-2"	20"	25.55#	✓	✓	✓	
FL-501B	Rake Ends	N/A	N/A	.13#	✓	✓	✓	
FL-501D	Peak Box	N/A	N/A	2.34#	✓	✓	✓	

## Sculptured High Side Eave




## Note:

- Specify roof slope
- Add \$7.62 per piece for mitered trim - Specify left or right
- Use with FL-15, FL-16 and FL-510 Sculptured Rake

DESCRIPTION				PRICED PER EACH				
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300		
FL-17	10'-2"	20 <sup>3</sup> / <sub>4</sub> "	13.68#	✓	✓	✓	✓	
FL-17A	20'-2"	20 <sup>3</sup> / <sub>4</sub> "	27.14#	✓	✓	✓	✓	

## Style High Side Eave




## Note:

- Specify roof slope
- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION				PRICED PER EACH			
PART #	DESCRIPTION	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-768	Eave Trim	10'-2"	18 3/4"	13.10#	✓	✓	✓
FL-770	Eave Trim	20'-2"	18 3/4"	26.20#	✓	✓	✓
FL-769	End Cap	N/A	N/A	.50#	✓	✓	✓

## Style Low Eave - PBR Panel




## Note:

- Specify roof slope
- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION				PRICED PER EACH			
PART #	DESCRIPTION	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-772	Eave Trim	10'-2"	16 1/2"	11.54#	✓	✓	✓
FL-774	Eave Trim	20'-2"	16 1/2"	23.08#	✓	✓	✓
FL-773	End Cap	N/A	N/A	.50#	✓	✓	✓

## Eave Trim




## Note:

- Specify roof slope.

DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	
FL-19	10'-2"	9 5/8"	6.35#	✓	✓	✓	
FL-19A	20'-2"	9 5/8"	12.59#	✓	✓	✓	

## Roll Form Downspout - Straight




## Note:

- See Commercial/Industrial Color Chart for available colors
- Stocked colors are Polar White, Light Stone, Saddle Tan, Ash Gray, Burnished Slate, Fern Green, Rustic Red, Desert Sand, Koko Brown and Charcoal Gray
- Stocked colors - 3 working days lead time
- Non-Stocked colors - Please inquire for lead time
- Available in 26 gauge only

DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-320	10'-6"	17 <sup>9</sup> / <sub>16</sub> "	11.96#	✓	✓	✓
F-313	14'-6"	17 <sup>9</sup> / <sub>16</sub> "	16.52#	✓	✓	✓

## Roll Form 72° Kickout




## Note:

- See Commercial/Industrial Color Chart for available colors
- Stocked colors are Polar White, Light Stone, Saddle Tan, Ash Gray, Burnished Slate, Fern Green, Rustic Red, Desert Sand, Koko Brown and Charcoal Gray
- Stocked colors - 3 working days lead time
- Non-Stocked colors - Please inquire for lead time
- Available in 26 gauge only

DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-321	1'-4"	17 <sup>9</sup> / <sub>16</sub> "	1.99#	✓	✓	✓

## Roll Form 45° Offset




## Note:

- See Commercial/Industrial Color Chart for available colors
- Stocked colors are Polar White, Light Stone, Saddle Tan, Ash Gray, Burnished Slate, Fern Green, Rustic Red, Desert Sand, Koko Brown and Charcoal Gray
- Stocked colors - 3 working days lead time
- Non-Stocked colors - Please inquire for lead time
- Available in 26 gauge only

DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-322	11"	17 <sup>9</sup> / <sub>16</sub> "	1.14#	✓	✓	✓

## Roll Form 5° Offset




## Note:


- See Commercial/Industrial Color Chart for available colors
- Stocked colors are Polar White, Light Stone, Saddle Tan, Ash Gray, Burnished Slate, Fern Green, Rustic Red, Desert Sand, Koko Brown and Charcoal Gray
- Stocked colors - 3 working days lead time
- Non-Stocked colors - Please inquire for lead time
- Available in 26 gauge only

DESCRIPTION		PRICED PER EACH				
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-323	1'-7 <sup>1</sup> / <sub>2</sub> "	17 <sup>9</sup> / <sub>16</sub> "	2.37#	✓	✓	✓

## Roll Form Downspout Diagram




## Downspout - Straight




DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-31	10'-2"	16 7/8"	11.12#	✓	✓	✓
FL-31C	12'-0"	16 7/8"	13.13#	✓	✓	✓
FL-31B	14'-0"	16 7/8"	15.32#	✓	✓	✓
FL-31J	16'-0"	16 7/8"	17.51#	✓	✓	✓
FL-31H	20'-2"	16 7/8"	22.07#	✓	✓	✓

## Downspout with 45° Elbow




DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-31A	10'-2"	16 7/8"	11.12#	✓	✓	✓
FL-31D	12'-0"	16 7/8"	13.13#	✓	✓	✓
FL-31E	14'-0"	16 7/8"	15.32#	✓	✓	✓
FL-31I	16'-0"	16 7/8"	17.51#	✓	✓	✓
FL-31G	20'-2"	16 7/8"	22.07#	✓	✓	✓

## Downspout Elbow




DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-32	1'-2 1/2"	16 7/8"	1.32#	✓	✓	✓
FL-33	1'-2"	16 7/8"	1.28#	✓	✓	✓

## Downspout Offset



DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-35	1'-2 1/2"	16 7/8"	1.32#	✓	✓	✓

## Offset Downspout




## Note:

- Specify dimension "A" as building offset


DESCRIPTION			PRICED PER EACH			
PART #	DIM "A"	GIRTH	WEIGHT PER LF	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-788	6" - 5'-0"	16 3/4"	.52#	✓	✓	✓
FL-789	5'-1" - 10'-0"	16 3/4"	.52#	✓	✓	✓

## Pig Spout Elbow




DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-786	8"	16 3/4"	1.27#	✓	✓	✓

## Scupper




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-40	4"	8"	.17#	✓	✓	✓

## Downspout Strap




DESCRIPTION				PRICED PER EACH			
PART #	GAUGE	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-797	26	1"	10"	.07#	✓	✓	N/A
FL-797	24	1"	10"	.07#	✓	✓	✓

## Jamb Trim - PBR Panel




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-22	7'-3"	5"	2.35#	✓	✓	✓
FL-23	10'-2"	5"	3.30#	✓	✓	✓
FL-23B	12'-2"	5"	3.95#	✓	✓	✓
FL-23C	14'-2"	5"	4.59#	✓	✓	✓

## Jamb Trim - PBU Panel




DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-20	7'-3"	5"	2.35#	✓	✓	✓
FL-21	10'-2"	5"	3.30#	✓	✓	✓
FL-21B	12'-2"	5"	3.95#	✓	✓	✓
FL-21C	14'-2"	5"	4.59#	✓	✓	✓

## Jamb Trim - 7.2 Panel




DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-516	7'-3"	5 1/2"	2.59#	✓	✓	✓
FL-516A	10'-2"	5 1/2"	3.63#	✓	✓	✓
FL-516B	14'-2"	5 1/2"	5.05#	✓	✓	✓

## Jamb Trim - AVP Panel




DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-47	7'-3"	7"	3.40#	✓	✓	✓
FL-48	10'-2"	7"	4.70#	✓	✓	✓
FL-48B	12'-2"	7"	5.80#	✓	✓	✓
FL-48C	14'-2"	7"	6.70#	✓	✓	✓

## Drip Trim - PBR Panel




DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-870	10'-2"	7 5/8"	5.03#	✓	✓	✓
FL-871	20'-2"	7 5/8"	10.68#	✓	✓	✓

## Head Trim - PBR and AVP Panels




DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-24	3'-6"	5 5/8"	1.28#	✓	✓	✓
FL-25	7'-1"	5 5/8"	2.58#	✓	✓	✓
FL-26	10'-4"	5 5/8"	3.80#	✓	✓	✓
FL-26B	12'-4"	5 5/8"	4.65#	✓	✓	✓
FL-26C	14'-4"	5 5/8"	5.41#	✓	✓	✓

## Head Trim - PBU Panel




DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-514	3'-6"	5"	1.20#	✓	✓	✓
FL-514A	10'-4"	5"	3.63#	✓	✓	✓
FL-514B	14'-4"	5"	5.17#	✓	✓	✓

## Head Trim - 7.2 Panel




DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-515	3'-6"	6"	1.33#	✓	✓	✓
FL-515A	10'-4"	6"	4.02#	✓	✓	✓
FL-515B	14'-4"	6"	5.77#	✓	✓	✓

## Head Trim - PBR and AVP Panels



DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-850	3'-6"	6 3/8"	1.45#	✓	✓	✓
FL-851	7'-1"	6 3/8"	2.93#	✓	✓	✓
FL-852	10'-4"	6 3/8"	4.27#	✓	✓	✓
FL-853	12'-4"	6 3/8"	5.10#	✓	✓	✓
FL-854	14'-4"	6 3/8"	5.93#	✓	✓	✓


## Panel Starter - AVP Panel



Note:  
• Two required per corner

DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-46	10'-2"	8 5/16"	5.48#	✓	✓	✓
FL-46A	12'-0"	8 5/16"	6.47#	✓	✓	✓
FL-46B	14'-0"	8 5/16"	7.55#	✓	✓	✓
FL-46C	16'-0"	8 5/16"	8.63#	✓	✓	✓
FL-46D	20'-2"	8 5/16"	10.87#	✓	✓	✓

## Parapet High Eave Trim




## Note:

- Specify roof slope or angle indicated on drawing
- Use with all Commercial/Industrial wall panels except 7.2 Panel

DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-195	10'-2"	14"	9.80#	✓	✓	✓

## Parapet High Eave Trim




## Note:

- Specify roof slope or angle indicated on drawing
- Use with all panels


DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-874	10'-2"	12"	7.91#	✓	✓	✓
FL-875	20'-2"	12"	15.69#	✓	✓	✓

## Parapet Rake - PBR Panel




DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-952	10'-2"	14"	9.23#	✓	✓	✓
FL-953	20'-2"	14"	19.60#	✓	✓	✓

## Parapet Rake - PBU Panel




DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-954	10'-2"	14"	9.80#	✓	✓	✓
FL-855	20'-2"	14"	19.60#	✓	✓	✓

## Parapet Rake - 7.2 Panel




DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-525	10'-2"	14"	9.23#	✓	✓	✓

## 2 x 2 Outside Angle




DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-27	10'-2"	5"	3.30#	✓	✓	✓

## 2 x 2 Inside Angle




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-28	10'-2"	5"	3.30#	✓	✓	✓

## 3 x 3 Outside Angle




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-29	10'-2"	7"	4.70#	✓	✓	✓

## 3 x 3 Inside Angle



DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-30	10'-2"	7"	4.70#	✓	✓	✓


## Flat Ridge Cap



Note:  
• Specify roof slope.


DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-38	10'-2"	24"	15.82#	✓	✓	✓
FL-38A	20'-2"	24"	31.39#	✓	✓	✓

## Masonry Flash




DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-846	10'-2"	11"	7.70#	✓	✓	✓
FL-847	20'-2"	11"	15.40#	✓	✓	✓

## Window Sill Trim - Fixed Glass



DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-848	10'-2"	6"	3.96#	✓	✓	✓

## Jamb or Head Cap




## Note:

- For use with 8" structural


DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-37	10'-2"	13 1/8"	8.65#	✓	✓	✓

## Sliding Door Hood




DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-45	10'-2"	16 1/2"	10.88#	✓	✓	✓
FL-45B	12'-2"	16 1/2"	13.02#	✓	✓	✓
FL-45C	14'-2"	16 1/2"	15.16#	✓	✓	✓

## Sliding Door Hood



DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-451	10'-2"	19 1/4"	13.43#	✓	✓	✓


## Standard Valley



Note:  
• Specify roof slope

DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-556	10'-2"	26"	17.80#	✓	✓	✓
FL-557	20'-2"	26"	25.70#	✓	✓	✓


## Extended Valley



Note:  
• Specify roof slope


DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-558	10'-2"	41 1/2"	27.85#	✓	✓	✓
FL-559	14'-0"	41 1/2"	37.68#	✓	✓	✓

## Gutter Strap - Retro-R® / 7.2 Panels



DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-895	1'-0"	3 1/8"	.25#	✓	✓	✓

## Style Rake Trim - Retro-R® Panel



DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-856	10'-2"	20 <sup>3</sup> / <sub>4</sub> "	14.50#	✓	✓	✓

**Trim Pricing:**

1. Trim is 26 gauge material unless noted.
2. 24 gauge Galvalume® trim is available at additional cost.
3. 24 gauge Signature® 200 trim is available in standard colors as shown on the architectural color chart at additional cost. All other Signature® 200 colors are special order.
4. All trim in Signature® 300 and Signature® 300 Metallic is 24 gauge only.
5. Add \$8.00 per square for embossing.
6. When ordering standard trim in custom lengths, use price per linear foot for standard trim (10'-0") plus a 10% surcharge.
7. Prices **do not** include standard packaging.
8. Strippable film available for trim upon request. Add \$0.10 per square foot.

**Packaging Cost:**

1. Trim with girth greater than 15"	.....	20 pieces/carton
2. Trim with girth less than 15"	.....	50 pieces/carton
3. Downspouts	.....	12/carton
4. Standard Packaging: Cardboard with metal bands	.....	\$3.44/linear foot
5. LTL Packaging: Cardboard with wood blocks and metal bands	.....	\$4.63/linear foot
6. Plywood crating	.....	\$9.50/linear foot
7. Paper wrap only (For customer pick-up only)	.....	\$12.00
8. Minimum packaging charge	.....	\$30.00
9. Minimum crating charge	.....	\$75.00
10. Special packaging	.....	Please Inquire

**Delivery:**

1. 26 gauge stock colors (see Commercial/Industrial Color Chart) ..... Approximately 3 Working Days
2. Other gauges, colors and metals ..... Please Inquire

**Price Your Own Special Trim:**

1. Calculate the number of square feet of material (girth x length).
2. Multiply number of square feet by the appropriate square foot price (see chart below).
3. Add \$1.60 for each break and \$3.20 for each hem.
4. Add appropriate packaging costs.
5. Specify the side with the color or finished coat.
6. Send sketch of the special flashing to MBCI with order.
7. If more than one special trim is required, number them SF1, SF2, SF3, etc.

DESCRIPTION		PRICED PER EACH		
GAUGE	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	
26	✓	✓		Please Inquire
24	✓	✓		✓



[www.MBCI.com](http://www.MBCI.com)

## Contact Us:

---

Houston, TX: 877.713.6224  
Adel, GA: 888.446.6224  
Atlanta, GA: 877.512.6224  
Atwater, CA: 800.829.9324  
Dallas, TX: 800.653.6224

Indianapolis, IN: 800.735.6224  
Lubbock, TN: 800.758.6224  
Memphis, TN: 800.206.6224  
Oklahoma City, OK: 800.597.6224  
Omaha, NE: 800.458.6224

Phoenix, AZ: 888.533.6224  
Richmond, VA: 800.729.6224  
Rome, NY: 800.559.6224  
Salt Lake City, UT: 800.874.2404  
San Antonio, TX: 800.598.6224